

16 rejected cases out of 74 UC Cases of meeting 25.07.2017

| Sl. No. | Name and address of Institute   | Application number | Director Remarks  | Observation /recommendation after scrutiny   |
|---------|---|--------------------|---|--|
| 1       | Harishchandra Private ITI,<br>College Ghazipur Village Todarpur Post<br>Khetabpur, Pin – 275203, Uttar Pradesh              | A16002662          | Proof of IT Lab to be submitted by another CD along with affidavit  | CD submitted is not working.<br>Hence <b>not Accepted</b> .  |
| 2       | Bankabhari Private ITI<br>Gwalior NH-3, Agra Bombay Road, Gram Panihar,<br>Dist. Gwalior, Pin - 475330 Madhya Pradesh       | A16001939          | BCC is enclosed, but signed by Sub Engineer.<br><b>BCC needs to be counter signed by .....</b>  | BCC received is not in order. No master plan certificate by competent authority not available.<br>Hence <b>not accepted</b> .                    |
| 3       | DGM Private ITI<br>Bhiwani VPO Mankawas The Charkhi Dadri Distt<br>Bhiwani, Pin-127306, Haryana                             | A16001784          | 1. Ambience of the Institute seems Ok.<br>2. Machines, equipment, class room, IT Lab and fire appliances available in the Institute.<br><b>BCC need correction</b>                  | Certificate issued by District Town Planner is unstamped.<br>Hence <b>not Accepted</b>   |
| 4       | CRM Private ITI<br>Bhiwani Near Dadri Gate, Kont Road, Bhiwani,<br>Pin – 127021, Haryana                                    | A16002090          | 1. Ambience of the Institute seems Ok.<br>2. Machines & Equipment, workshop, classrooms, IT Lab, generator and fire appliances are available in the Institute.<br><b>BCC not ok</b> | BCC received before 07-11-2017 is not in order.<br>Hence <b>not accepted</b> .   |
| 5       | Scope Private ITI<br>Bhopal Scope Campurs, NH-12, Near Misrod,<br>Hoshangabad Road, Bhopal,<br>Pin – 462047, Madhya Pradesh | A16000492          | 1. BCC not ok, May be counter signed<br>2. No Plan certificate not enclosed<br>3. CD not work hence Civil work & General aim could not be checked.                                  | BCC received before 07-11-2017, is not in order. No master plan certificate by competent authority not available.<br>Hence <b>not accepted</b> . |
| 6       | SRC Private ITI<br>Saharanpur K.N. 185 Gagaiheri, Saharanpur, Pin-<br>247001, Uttar Pradesh                                 | A16002117          | BCC needs to re-submitted   | BCC received before 07-11-2017 is not in order. No master plan certificate by competent authority not available.<br>Hence <b>not accepted</b> .  |
| 7       | Vaneshwari Private ITI<br>Chhindwara in Front of BSNL Office, Bichhua, Pin<br>– 480111, Madhya Pradesh                      | A16001153          | 1. BCC not ok<br>2. CD not working  | BCC received before 07-11-2017 is not in order. No master plan certificate by competent authority not available.<br>Hence <b>not accepted</b> .  |
| 8       | National Private ITI,<br>Kurnool Gnanapurna, Nandyal,<br>Pin – 518502 Andhra Pradesh  | A16001987          | 1. BCC to re-submitted<br>2. Civil work incomplete  | BCC received before 07-11-2017 is not in order. No master plan certificate by competent authority not available.<br>Hence <b>not accepted</b> .  |

*Signature*

|    |   |           |   |  |
|----|---|-----------|---|--|
| 9  | Vinayak Private ITI<br>Churu Taranagar-Delhi Road, Sardar Shahr,<br>Churu, Pin – 331403, Rajasthan  | A16001366 | BCC Needs counter signed<br>Safety norms not ok including electrical wiring-----  | BCC received before 07-11-2017 is<br>not in order. No master plan<br>certificate by competent authority<br>not available.<br>Hence <b>not accepted</b> . |
| 10 | Maa Pitambra Private ITI,<br>Mandla Maa Pitambra Private ITI Mihona,<br>Bhind, Pin – 477441, Madhya Pradesh                                 | A16003839 | The Certificate endorsed by Registered Architect is attached, which shows<br>that the plan is approved by Gram Panchayat, where as the building<br>completion certificate is signed by Chief Municipal Corporation Officer.<br>Certificate by promoter trust is enclosed but incomplete. Authenticity of BCC<br>is doubtful.<br><b>Rejected</b><br>Doughts may be clarified | BCC received is not in order. No<br>master plan certificate by competent<br>authority not available.<br>Hence <b>not accepted</b> .                      |
| 11 | Abhiram Private ITI<br>Meerut 186 J, Village-Batlevra, Sardhana Road,<br>Meerut, Pin– 250001, Uttar Pradesh                                 | A16000494 | From video CD it appears that the institute is situated in the building of<br>Abhiram Hospital.<br>BCC not Ok   | BCC received is not in order. No<br>master plan certificate by competent<br>authority not available.<br>Hence <b>not accepted</b> .                      |
| 12 | Lentus Agriculture Private ITI,<br>Shore Gram Jamuniakhurde, Pin – 462030<br>Madhya Pradesh   | A16003266 | Nil<br>DT<br>BCC not ok   | No reply received upto 07-11-2017,<br>hence got rejected in NCVT Meeting<br>8.11.2017.   |
| 13 | Deepak Private ITI<br>Mau, Vill: Hakkatpura, Post: Baragawn, The:<br>Sadar, Maunathbhanjan Distt: Mau 275101,<br>Uttar Pradesh              | A16001877 | No comments with reason "404-File or directory not found. The resource you<br>are looking for might have been remove, had its name changed, or its<br>temporally unavailable."<br>Also no comments based on CD.<br>BCC not available  | No reply received upto 07-11-2017,<br>hence got rejected In NCVT Meeting<br>8.11.2017.<br>Hence <b>not accepted</b> .                                    |
| 14 | Himalayan Private ITI,<br>Sirmaur, Sadhora Road, Kala-Amb, Distt Sirmour,<br>Pin – 173030, Himachal Pradesh                                 | A16002349 | 1. Official seal not available on approved plan letter<br>2. Some of the building partition in basement which is not permissible.   | No reply received upto 07-11-2017,<br>hence got rejected In NCVT Meeting<br>8.11.2017.<br>Hence <b>not accepted</b> .                                    |
| 15 | Vendanga Private ITI,<br>Lucknow Rajiv Nagar Kalyanpur, near water<br>tank, via kanchana bihari marg lucknow, Pin -<br>226022 Uttar Pradesh | A16001477 | 1. BCC not ok<br>2. No plan certificate not enclosed<br>3. New CD with further details received   | BCC received before 07-11-2017 is<br>not in order. No master plan<br>certificate by competent authority<br>not available.<br>Hence <b>not accepted</b> . |
| 16 | Sridutt Singh Pvt. ITI,<br>Gorakhpur 358, Jungle Gauri, No.2 Urph Amahia,<br>Tehsil-Chauri Chaura,<br>Pin – 273202, Uttar Pradesh           | A16001606 | 1. BCC not ok<br>2. No Plan letter not included<br>3. New CD may be submitted   | BCC received before 07-11-2017 is<br>not in order. No master plan<br>certificate by competent authority<br>not available.<br>Hence <b>not accepted</b> . |

*Praveen*

## 3 rejected cases out of 18 UC Cases of meeting 11.08.2017

| Sl. No. | Name and address of Institute   | Application number | Director Remarks  | Observation / recommendation after scrutiny   |
|---------|---|--------------------|---|---|
| 1       | MAA GAYATRI PRIVATE ITI ALLAHABAD VILL-NAIKA, POST-JHUSI, DIST-ALLAHABAD, UTTAR PRADESH<br><b>DGT-6/24/41/2017-TC</b>                                     | A16003043          | 1. BCC not enclosed.<br>2. Court order not enclosed for exemption of BCC. | As no BCC available and also no Court order enclosed for exemption of BCC. Upto 15 <sup>th</sup> December, got rejected in NCVT meeting on 8.11.2017. |
| 2       | Jeewandeep Private ITI GHAZIPUR Suryanagar, Jakhania, Ghazipur 275203, UTTAR PRADESH<br><b>DGT-6/24/46/2017-TC</b>  | A16003889          | BCC needs to submitted.   | Reply not received up to 07.11.2017 hence not recommended for affiliation in NCVT meeting 08.11.2017.   |
| 17      | SRI SURESH CHANDRA PRIVATE ITI ALLAHABAD VILL. & POST-BHITI, TEHSIL-HANDIA, DISTT.-ALLAHABAD. PINCODE-221503, UTTAR PRADESH<br><b>DGT-6/24/50/2017-TC</b> | A16003386          | BCC needs correction and counter signed.                                  | BCC / No Plan document not found in order.<br><b>Hence not accepted</b> in NCVT meeting on 08.11.2017.  |

*Prasad*

02 Not-Recommended Cases of meeting 11.08.2017

Annexure - III

| Sl. No | Name of Institute with address   | Old/New | Trade for which affiliation sought | BCC Issued by   | Remarks of Director of Training | Remarks                         | As per NCVT Recommendation |
|--------|--|---------|------------------------------------|---|---------------------------------|---------------------------------|----------------------------|
| 1      | MAA SHANTI PRIVATE ITI ALLAHABAD<br>Village Babuganj, UTTAR PRADESH<br>DGT-6/24/48/2017-TC | New     | Electrician<br>Fitter              | BCC NOT ATTACHED<br><i>No meters<br/>Scale: green/yellow<br/>No Electricity<br/>Box</i> | Documents in-complete<br>NR     | A16002136<br>w.e.f. August 2017 | Agreed<br>NR               |
| 2      | RSS Private ITI MATHURA Saidpur<br>Baldeo Mathura, UTTAR PRADESH<br>DGT-6/24/49/2017-TC    | New     | Electrician<br>Fitter              | BCC NOT ATTACHED<br><i>No meters<br/>Scale: green/yellow<br/>Cash/white-</i>            | No BCC, no documents<br>NR      | A16002594<br>w.e.f. August 2017 | Agreed<br>NR               |

*Private*

## 20 Not-Recommended Cases of meeting 08.11.2017 Annexure - VII

| Sl. No. | Name of Institute with address  | NCVT/MIS Code | Old/New | Trade for which affiliation sought  | video remarks                    | Remarks  | Comments on Verification                    | Remarks of Director of Training                             | App. No.  | as per NCVT Recommendation |
|---------|---|---------------|---------|-------------------------------------|----------------------------------|--|---|---|-----------|----------------------------|
| 1       | R.B. SMRITI PVT ITI BIKRAMPUR BANDEI, Pin - 848129, BIHAR DGT-6/4/54/2017-TC  |               | New     | Electrician                         | video is satisfied.              | No Major observation                             | Single trade not allowed.                   | NR - Due to single trade                                    | APP004429 | NR                         |
| 2       | Hind Private ITI Jabalpur Sarawgi Mohalla, Tahsil Sihora, Dist. Jabalpur, Pin - 483225, Madhya Pradesh DGET-6/12/13/94-TC | PR23000012    | Old     | Electrician                         | As per video OK                  | Verification report not available.               | single extension not allowed. No BCC.       | NR - Due to flash inspection not done                       | N16002901 | NR                         |
| 3       | Shri Ratan Industrial Training Institute Thandla Khajuri, Khusalgarh Road Thandla, MADHYA PRADESH                         |               | New     | Electrician                         | ITI does not have compound wall  | No major observations                            |   | NR - Due to single trade                                    | APP004498 | NR                         |
| 4       | somani private ITI sikroda badori, jhansi road, Dist. Gwalior, MADHYA PRADESH   |               | New     | Electrician                         | As per video OK                  | Verification report not available.               |   | NR - Due to single trade & verification not done            | APP005502 | NR                         |
| 5       | Dholpur Private ITI 240/255 Kaila Colony Dholpur, Dist. Dholpur, Pin - 328001, RAJASTHAN DGET-6/20/43/2008-TC             | PU08000910    | Old     | *Electrician<br>*Draughtman (Civil) | Approach road not shown in video | ITI does not exist in given address              | ITI not available on address Shifting case. | NR -ITI not exist on address as per flash inspection report | E17004156 | NR                         |
| 6       | NEW SORABH PRIVATE ITI BALAJI MOAD VPO-PADLI DIST-DAUSA, Pin - 303303, (RAJASTHAN ) DGET-06/20/82/2007-TC                 | PR08000908    | Old     | *Electrician<br>*FTISM              | Videography OK                   | Already running Pvt Polytechnic in same premises |   | NR - Due to not fulfilling NCVT norms.                      | N16003669 | NR                         |

*Private*

|    |   |            |     |  |   |   |  |   |           |    |
|----|---|------------|-----|--|---|---|--|---|-----------|----|
| 7  | METRO PRIVATE ITI, 42-43, PARTAP VIHAR COLONY, GOVINDPURA, KARDHANI, KALWAR ROAD, Dist. JAIPUR, Pin - 302012, Rajasthan<br>DGET-6/20/98/2014-TC | PU08001371 | Old | Electrician<br>Health<br>Sanitary<br>Inspector | Videography<br>OK                         | Verification<br>report not<br>available.  | NR- due to<br>flash<br>inspection<br>couldn't<br>perform. Also<br>single trade<br>not permitted. | A16003892                                   | NR        |    |
| 8  | MADHAV PRIVATE ITI<br>NEAR HOUSHING BOARD COLONY,<br>JAIPUR ROAD, MALPURA, Dist.<br>Tonk, Pin - 304502, Rajasthan<br>DGET-6/20/595/2014-TC      | PR08000191 | Old | Electrician<br>Fitter                          | Approach<br>road is not<br>paved properly | Shifting Case<br><i>BCC required</i>  | NR- for<br>additional<br>units.  | APP004923                                   | NR        |    |
| 9  | Arihant Private ITI, Khasra<br>No.43, Itarana Road, Front of Eishar<br>Factory, Dist. Baran Pin - 301001,<br>Rajasthan DGET-6/20/80/2009-TC     | PR08000631 | Old | *Electrician                                   | ITI under<br>construction                 | ITI exists at new<br>address  | NR- as civil<br>work<br>incomplete at<br>new address.  | EXT005670                                   | NR        |    |
| 10 | KAMDHENU PRIVATE ITI<br>KAUSHAMBI VILL- MURADPUR,<br>CHAYAL<br>KAUSHAMBI,UTTAR PRADESH  |            | New | Electrician<br>Fitter                          | Approch road<br>not paved.                | power supply is<br>not available<br>but three phase<br>DG set available.<br>School is<br>running in the<br>same building. | Inspection<br>report not<br>ok.<br>Schjool is<br>running in<br>building.                         | NR- Due to<br>not fulfilling<br>NCVT norms. | A16001570 | NR |

*Private*

|    |  |            |     |             |  |  |  |  |           |    |
|----|--|------------|-----|-------------|--|--|--|--|-----------|----|
| 11 | ARVIND KUMAR SINGH PRIVATE ITI<br>JAUNPUR VILLAGE-SADDOPUR,<br>POST-BAKSHA, TEHSIL-SADAR,<br>JAUNPUR-222108, UTTAR PRADESH   |            | New | Electrician | connecting road to ITI is not shown in video.<br>Approach road and flooring of IT Lab and workshop need to rectify. BCC not issued by SDMM but authentication may asked. | institute was locked, could not be verified.                               | Inspection could not done.<br>Institute closed.<br>Not ready for inspection. | NR- as flash inspection couldn't conduct.                                      | A16002501 | NR |
| 12 | Yogiraj Dhyananand Private ITI<br>VARANASI Pure Dhoor Shah, Niyar-<br>221001, UTTAR PRADESH DGET-<br>6/24/168/2009-TC  | PR09000882 | Old | Welder      | In videography approaching road not shown.   | No Mazor Observation.  | Single trade not allowed.  | NR - single trade, hence no extension  | A16003736 | NR |
| 13 | Prince Private ITI GHAZIPUR<br>Zamania, ghazipur-232329, UTTAR<br>PRADESH  |            | New | Electrician | Video is OK.   | No tool and m/c is present / installed in electrician and fitter workshop. | Meter sealing not. No tools and equipment in both workshop.                  | NR- on the basis of flash inspection major deviation observed from NCVT Norms. | A16003866 | NR |
| 14 | Shri Yogendra Singh (Private) ITI,<br>Dhodhila, Ghughli, Maharajganj<br>MAHARAJGANJ Address- Vill- Jogiya<br>, Post - Ghughli , Dist- Maharajganj<br>273151, UTTAR PRADESH |            | New | Electrician | Video is OK.<br>BCC is not available.  | No Mazor Observation.<br>Address not matching.                             | BCC not available<br>Address not matching.                                   | NR- as no BCC available.<br>Institute address is different from record.        | A16004022 | NR |

*Private*

|    |  |     |                       |   |  |  |   |           |    |
|----|--|-----|-----------------------|---|--|--|---|-----------|----|
| 15 | PHOOL DULARI PRIVATE ITI<br>ALLAHABAD VILLAGE - DHARWARA,<br>TEH.-KARCHHANA, DISTT. -<br>ALLAHABAD,UTTAR PRADESH               | New | Electrician           | Video is not clear.   | Unable to Check.   | Video not ok.<br>Architect not ok.<br>Inspection not possible<br>institute lock                            | NR- as no flash inspection carried out. | A16000229 | NR |
| 16 | KALAVATI DEVI PRIVATE ITI<br>ALIGARH vil- Nagala Banzara<br>Post- Ray pur Khas<br>teh- Atrauli<br>Disti- Aliehar,UTTAR PRADESH | New | Electrician<br>Fitter | NO BCC.<br>Video is OK.   | Institute locked, could not be verified.                                     | BCC ok.<br>Video ok.<br>Inspection report institute locked.  | NR- as no flash inspection carried out. | A16000930 | NR |
| 17 | Shri J P P Private ITI HATHRAS<br>V.P.O.-Shankarpur, Block- Hasayan,<br>Tehsil-Sikanraao, Distt-<br>Hathras, UTTAR PRADESH     | New | Electrician<br>Fitter | Approach road is not proper.<br>No plan certificate issued by Jr.<br>Er. May not be accepted. | Institute is locked, could not verified.                                     | NR- as no flash inspection carried out.<br>BCC not issued with competent authority.<br>Hence not accepted. | A16002687                               | NR        |    |
| 18 | RAJ PRIVATE ITI GHAZIPUR<br>SIDHAUNA RAMPUR<br>GHAZIPUR, UTTAR PRADESH   | New | Electrician<br>Fitter | Video is not Clear.   | Main incomingt cable to power supply was broken.<br>Machinery not installed. | Video not ok.<br>Electrical connection not ok.<br>Machinery major not available by institute.              | NR-as not complied as per NCVT Norms.   | A16002430 | NR |

*Prave*



|    |   |     |  |   |  |  |   |           |    |
|----|---|-----|--|---|--|--|---|-----------|----|
| 19 | Dr. B.P.S. Private I.T.I. AGRA<br>Bakalpur Shamshabad Road<br>Agra, UTTAR PRADESH                           | New | Electrician<br>Fitter<br>Health<br>Sanitary<br>Inspector | Approach<br>road not<br>pakka.<br>Building from<br>outside is not<br>plastered. | ITI was locked.<br>Could not be<br>inspected | Institute<br>found<br>closed<br>while<br>inspection. | NR - as flash<br>inspection<br>couldn't<br>carried out. | A16003289 | NR |
| 20 | MANGE SINGH NAMBAR DAR<br>PRIVATE ITI MATHURA VILLAGE-<br>NAGLA-GIRDHAR, MAHAVAN,<br>MATHURA, UTTAR PRADESH | New | Electrician<br>Fitter<br>Health<br>Sanitary<br>Inspector | No Mazor<br>Observation.  | ITI was locked.<br>Could not be<br>inspected | While<br>inspection<br>Institute<br>found<br>closed. | NR - as flash<br>inspection<br>couldn't<br>carried out. | A16003051 | NR |

*Patil*

Rejected cases out of 114 UC cases of 8/11/2017. meeting.

10

| Sl. No. | Name of ITI and address   | Status New/Old | Name of the Trades                                      | Application No. | Final Remarks   |
|---------|---|----------------|---|-----------------|---|
| 1       | Ansh Private ITI Rashulpur, Naya Gaon, Dist. Saran Pin - 841217, BIHAR DGT-6/4/18/2017-TC   | New            | Electrician<br>Fitter                                   | A16002917       | <u>Rejected</u> . Institute did not offer for Flash inspection. Institute was closed. However inspecting officer could not witness any major m/c in workshop, while observing from window.                                      |
| 2       | GYANDEEP Private ITI Vill- Khajura, Post-Karmnasha, Dist- Kaimur Pin- 821105, Bihar DGET-6/4/36/2013-TC   | Old            | Electrician<br>Fitter                                   | A16001029       | <u>Rejected</u> . BCC is not in order. Its an existing institute, but the power consumption is observed very low, justifying to the fact that training is not being imparted properly. Hence no <i>additional unit granted.</i> |
| 3       | Sadguru Technical Private ITI BUXAR Bypass Road, Near Sanichara Baba, Buxar, BIHAR DGET 6/4/83-2012 TC  | Old            | Fitter  | A16002592       | <u>Rejected</u> . BCC not submitted inspite of reminder. <i>upto 7/11/2017</i>  |
| 4       | SHREE JAGDISH ARUN PRIVATE ITI BHARATPUR VIL-POST -JANUTHAR TEHSIL- DEEG DIS- BHARATPUR, RAJASTHAN DGT-6/20/21/2017-TC                              | New            | Electrician<br>Fitter                                   | A16002788       | <u>Rejected</u> . Electricity bill and BCC not in order. <i>Submitted before 7/11</i>   |
| 5       | Saraswati Private ITI Kali Maai Road, Dist. Ajmer, Pin - 305601, RAJASTHAN DGT-6/20/24/2017-TC  | New            | Electrician<br>Health Sanitary Inspector                | A16001706       | <u>Rejected</u> . Flash inspection report shows shortage of major m/c.  |
| 6       | DEEKSHA PRIVATE ITI LUCKNOW PLOT NO.1 KHASRA NO 1887 &1888 VILLAGE-BHAULI, PARGANA-MAHONA TEHSIL-BAKSHI KA TALAB, LUCKNOW, PIN-226201,UTTAR PRADESH | New            | Electrician<br>Fitter                                   | A16002358       | <u>Rejected</u> . Electricity connection does not confirm NCVT norm.  |
| 7       | Maa Gajanan Private ITI JHANSI Hansari Lalitpur Road Jhansi, PIN-284128, UTTAR PRADESH  | New            | Electrician<br>Fitter                                   | A16000858       | <u>Rejected</u> . Flash inspection shows <del>shows</del> huge shortage of major m/c.   |
| 8       | SHRI GANESH PRIVATE ITI ALLAHABAD VILLAGE-THARIYA, POST-UTRAON ALLAHABAD,UTTAR PRADESH  | New            | Electrician<br>Fitter                                   | A16001644       | <u>Rejected</u> . Flash inspection report shows remarks, not confirming NCVT norms.   |
| 9       | SHRI KALICHARAN JI PRIVATE TECHNICAL TRAINING ITI EDUCATIONAL CENTER SADAT GHAZIPUR GHAZIPUR SADAT GHAZIPUR-275204,UTTAR PRADESH                    | New            | Electrician<br>Fitter<br>Mechanic Diesel Engine<br>COPA | A16002987       | <u>Rejected</u> . Flash inspection report shows remarks, not confirming NCVT norms.   |
| 10      | MAA MANJU DEVI UNIVERSAL PRIVATE ITI DEORIA LANGADA BAZAR RUDRAPUR DISST. DEORIA,UTTAR PRADESH  | New            | Electrician<br>Fitter                                   | A16002561       | <u>Rejected</u> . Architect certificate not sent inspite of reminder. <i>upto 7/11/2017.</i>  |

*Signature*