

Speed Post

No. DGT-12/1/2018-TC (Part)
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Employment Exchange Building,
1st floor, Pusa, New Delhi,
Dated: 9th October 2019

To

The Director
Directorate of Employment & Training
Guru Gobind Singh Marg, Lucknow - 226004
Uttar Pradesh


Subject: Affiliation of Units/Trades of Govt. /Pvt. ITIs with NCVT.

Sir,

The proposals of affiliation of trade(s)/Unit(s) with NCVT received along with recommendation of standing committee inspection reports from the respective State Government. These were scrutinized and put up before the members of the Recommendation Committee of Directorate General of Training (DGT) dealing with affiliation of ITIs in its meeting held on 9th October, 2019 at DGT, MSDE, New Delhi for its consideration and approval.

2. The Recommendation Committee of DGT examined affiliation proposals and accorded approval to the proposals conforming to the NCVT Norms, as per the list enclosed herewith.
3. The affiliation of the trade(s)/unit(s) stated above are further subjected to,
 - Periodic verification.
 - The ITI must comply with NCVT norms/guidelines issued from time to time.
 - ITI must display the newly released logo of ITI on the Display Board at the main gate.
4. The said information is also available under "News & Updates" on NCVT MIS Portal at <https://ncvtmis.gov.in>.
5. In case of any discrepancy observed in the affiliation order, same may be intimated to Undersigned within 15 days after the date of issue of order.

Yours Sincerely



(Sunil Kr. Gupta)
Director of Training

Copy along with enclosures for information to:

- 1 NCVT MIS Portal In charge, DGT Hqr. New Delhi, with request to upload these orders on NCVT MIS Portal.
2. Guard File



(Ravi Chilukoti)
Joint Director of Training



Skill India
वीरवारण भारत - कृशरल भारत

DGT-12/1/2018-TC



STATE: Uttar Pradesh
Total - 06, (New-03, Old-03)

Meeting Date: - 9/10/2019

Affiliation of Trade/Units with NCVT

Sl. no.	Name of Institute with address	NCVT/MIS Code	New/ Existing	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					ITI proposed	Trade/Units Recommendation by SCI/State	Trade/Units Approved by DGT Recommendation on Committee	
1	Major Ramvir Singh Pvt. ITI, Village & Post Balipur, Shikohabad, Distt. Firozabad Uttar Pradesh 283142	PR09000241	Existing	Electrician Fitter	Addl. 21(7+7+7) Addl. 3(1+1+1)	Addl. 21(7+7+7) Addl. 3(1+1+1)	Addl. 21(7+7+7) Total 24(8+8+8) Addl. 3(1+1+1) Total 6(2+2+2)	w.e.f. Aug2019
2	B.N. Private ITI Bankata Bazar, Post Koilasawa, Distt. Kushinagar, Uttar Pradesh 274401	PR09001203	Existing	Electrician Fitter	Addl. 1(0+0+1) Addl. 1(0+0+1)	Addl. 1(0+0+1) Addl. 1(0+0+1)	Addl. 1(0+0+1) Total 3(1+1+1) Addl. 1(0+0+1) Total 3(1+1+1)	w.e.f. Aug2019
3	Dr. Harivansh Rai Bachchan Private ITI, Vill. Lalau Khera Post Deeh- Unnao 209801, Uttar Pradesh		New	Electrician Fitter Welder COPA Fashion Design & Technology	3(1+1+1) 3(1+1+1) 6(2+2+2) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 6(2+2+2) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 6(2+2+2) 3(1+1+1) 3(1+1+1)	w.e.f. Aug2019
4	Shambhunath Memorial Private ITI Azamgarh Vill/Post Hushampur Bara Gaon, Tahsil Nizamabad Dist. Azamgarh 223227	PR09900273	Existing	Electrician Fitter COPA	Addl. 3(1+1+1) Addl. 3(1+1+1) 3(1+1+1)	Addl. 3(1+1+1) Addl. 3(1+1+1) 3(1+1+1)	Addl. 3(1+1+1) Total 6(2+2+2) Addl. 3(1+1+1) Total 6(2+2+2) 3(1+1+1)	w.e.f. Aug2019

Sanil Kumar
09/10/2019



Skill India
शुद्धता महत्त्व - कुशल भारत

DGT-12/1/2018-TC



STATE: Uttar Pradesh
Total - 06, (New-03, Old-03)

Meeting Date: - 9/10/2019

Affiliation of Trade/Units with NCVT

Sl. no.	Name of Institute with address	NCVT/MIS Code	New/ Existing	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					ITI proposed	Trade/Units Recommendation by SCI/State	Trade/Units Approved by DGT Recommendation on Committee	
5	Shivangi Pvt. ITI, Vill-Deegha, District Raibareilly Uttar Pradesh -229305		New	Electrician Hospital Housekeeping COPA Physiotherapy Technician Units	6(2+2+2) 6(2+2+2) 6(2+2+2) 3(1+1+1)	ITI Not Ready For Inspection	ITI Not Ready For Inspection	—
6	Swami Vivekanand College of Higher Education Pvt. ITI, Pariyar, Katha Dalnarayanpur, Unnai, Uttar Pradesh		New	Electrician Fitter Mech. Diesel S.S.A	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	ITI Not Ready For Inspection	ITI Not Ready For Inspection	—

Similar copy 10/10/19
Signature