

File No.DGT-AFF011(51)/2/2020-O/o DIR (TC)
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Employment Exchange Building, 1st floor,
Pusa, New Delhi, **the 21st Oct, 2020**

DE-AFFILIATION ORDER

Whereas, the trade(s)/unit(s) of the institute as mentioned below was/were affiliated to NCVT: -

Sl. No.	Name and address of the Institute	Trades with units affiliated to NCVT	DGT File No. / NCVT MIS Code
1.	Seven Hills Private ITI, Vinukonda, Thimmayapalem Road Vinukonda, District-Guntur, Andhra Pradesh-522647	Draughtsman (Civil) - 2(1+1) Electrician - 4(2+2) Fitter - 2(1+1)	DGE&T-12/1/2011-TC dated 30-08-2011 (PU28000010)

2. Whereas, this Directorate General vide its letter dated 14.05.2020, under provision exist in "Affiliation Norms for ITIs" at Ch. 1.3 regarding 'Concurrent Monitoring' to ensure that institution meets defined quality standards issued some instructions to the respective State Directorate of Govt. of Andhra Pradesh and Regional Directorate of Skill Development and Entrepreneurship (RDSDE) under Ministry of Skill Development and Entrepreneurship to carry out inspection of ITIs (including the above-mentioned institute) against which this Directorate General had received complaints.

3. Whereas, the said institute challenged the aforesaid letter dated 14.05.2020 before the Hon'ble High Court by filing WP 9132/2020. The Hon'ble High Court disposed off the matter of WP No. 9132/2020 on 28.05.2020 with the directions inter alia stating that in view of the COVID situation in the State, inspection may be conducted after three weeks i.e. approximately in the month of June ending.

4. Whereas, consequently, in absolute reverence to the order dated 28.05.2020 of the Hon'ble High Court, this Directorate General in complete conformity with the order, complied with the directions passed and issued a letter dated 19.06.2020 with instructions to respective State Directorate of Govt. of Andhra Pradesh and Regional Directorate of Skill Development and Entrepreneurship (RDSDE) under Ministry of Skill Development and Entrepreneurship to carry out inspection of the petitioner institute on 29.06.2020.

5. Whereas, subsequently, the inspection team visited the premises of the petitioner institute on 29.06.2020 and submitted its report. As per the said report, the petitioner did not allow the Standing committee members for inspection. A letter dated 29.06.2020 was submitted by the petitioner stating therein unwilling for inspection. The committee member also observed that several other institutes are also running in the same premises along with Seven Hills Pvt. ITI, and a separate area in not earmarked for Seven Hills Pvt. ITI, and that the land and building are common to all institutions in the premises (A copy of inspection report along with letter of the petitioner dated 29.06.2020 is **enclosed** herewith).

6. Whereas, the aforesaid report was placed before the '**Recommendation Committee of DGT**' in its 10th meeting held on 15.09.2020 vide agenda item no. 11.1, for its consideration where it is concluded that the trade(s)/unit(s) of the institute shall be de-affiliated for the following defects and deficiencies: -

- (i) Building / infrastructure of the institute are not as per NCVT Norms.
- (ii) ITI management did not allowed the inspection team to carry out the inspection of tools & equipment and machineries.

- (iii) The inspection teams observed that other institute appear to be running in the same premises along-with the Seven Hill Private ITI.
- (iv) A separate area is not earmarked for Seven Hills Private ITI.
- (v) Land and buildings are common to all institutes in the premises.

7. In view of aforesaid observations, the trade(s)/unit(s) of the above captioned institute is hereby de-affiliated with immediate effect. However, the existing batch of trainees if otherwise eligible should be permitted by the State Directorate to appear in the ensuing AITT. The institute concerned shall ensure that all trainees enrolled would complete the training duration. Further admission of trainees should be stopped with immediate effect.

8. The above captioned institute is also hereby de-barred for a period of 3 years to apply for seeking affiliation / re-affiliation.

This issues with the approval of competent authority.


(Sunil Kumar Gupta)

Director of Training

Member Secretary (Recommendation Committee DGT)

Ph. No. 011-25802128, Email: sunil.gupta67@nic.in

Copy to:-

1. PS to Chairman of Recommendation Committee of DGT.
2. The Director, Directorate of Employment & Training, Andhra Pradesh, Vijayawada.
3. The Director/ HoD, RDSDE-Andhra Pradesh, Vijaywada, SEEDAP Campus, 2nd Floor, NTR Administrative Block, PN Bus Station, Vijayawada - 520002
4. The officer dealing with NCVT MIS Portal to update the data & ensure deactivation of these ITI/Trade/Units.
5. The Principal, Seven Hills Private ITI, Vinukonda, Thimmayapalem Road Vinukonda, District-Guntur, Andhra Pradesh-522647
6. Concerned file of Affiliation.
7. Guard file.

Special post

20/7/20
DDG

GOVERNMENT OF ANDHRA PRADESH

From
Smt. B. Lavanya Veni, I.A.S.,
Director
Employment & Training,
A. P., Vijayawada.

To
The Director General of Training (T&E)
Directorate General of Training,
Near Pusa ITI, Pusa Campus,
Pusa, New Delhi - 110012.



Lr. No: B2/S2S/2017, Dated. 06-07-2020.

Sir,

Sub:- DE&T - Affiliation - Submission of the Standing Committee Inspection Report pertaining to Seven Hills Pvt. ITI, Vinukonda, Guntur District for the complaint made against the ITI - reg.

Dir (TC)
JD7 C&HR
Pl. do the needful.

Ref:- 1. DGT-AFF011(51)/2/2020-o/o DIR (TC), dt. 19-6-2020 of DGT, New Delhi.

Dir 2017 with ref. to the letter cited, it is submitted herewith the Standing Committee inspection report pertaining to Seven Hills Pvt. ITI, Vinukonda, Guntur District for the complaint made against the ITI & as per the High Court direction, duly signed by the all the members of the Standing Committee for necessary action at your end.

Encl: inspection report.

Yours faithfully,
Sd/- B. Lavanya Veni.
DIRECTOR.



PRISU
for Director.



☎ 08646-274107 Cell: 94402 63807

SEVEN HILLS PRIVATE ITI

Approved By NCVT , Affiliated by Govt of Andhra Pradesh

(UNDER THE MANAGEMENT OF ZVS)

Thimmayapalem Road, Vinukonda-522 647 Guntur Dt. ANDHRA PRADESH

Ref. No

Date : 29/6/2020

To
Director general training
New delhi.

Respected sir,

I submitted few lines for your kind consideration . I am the president of the zilla vikalangula sangam and correspondent of SEVEN HILLS PRIVATE I.T.I Vinukonda , Guntur district , Andhra pradesh .

With the ref to memo no B2/828/2017 dt:19-6-2020 issued by the DET AP and vide DGT Ref no DGT-AFF011(51)/2/2020-O/O DIR (T.C) Dated 19-06-2020 standing committee member have visited this ITI inspection on 29/6/2020 how ever we not allowed standing committee member inspection of Seven Hills private ITI .

Now I am not willing to inspect our I.T.I .kindly accept my request not to inspect our institution As per 7th point DGT-AFF011(51)/2/2020 -o/o DIR(T.C) dated 14/05/2020

Thanking you sir ,

Yours faithfully,

[Handwritten Signature]
President

ng
ilc

Proforma for Recommendations by the Members of Standing Committee

Standing Committee Members Inspected (Name & Address of the Institute) on (date month and year)

Various information furnished in the report on the prescribed proforma have been checked and verified as per the prescribed norms and standards. Based on the inspection, the following comments and recommendations are made as under:-

1. Defects and deficiencies noticed during the inspection, which should be communicated to the Principal of the Institute for rectification.

Sl No	Trade with units for which affiliation has been sought / Inspection	Defects and deficiencies noticed
1	Against complaint Draughtsman Civil (1+1+0) = 02	Buildings / Infrastructure of Institute are not as per NCVT Norms. @ ISI management not allowed for inspection of tools, machinery and equipment.
2	Electrician (02+02+00) = 04	
3	Fitter (01+01+00) = 02	

2. Availability of tools, equipment and machinery shown in the lists have been verified. The lists have been signed by all the members.

3. Infrastructural facilities available at the Institute have been verified additionally and separately for the trades / units for which affiliation is sought now. These facilities are not mixed up with those, which are required as per the norms for the trades/units, which had already been affiliated. The comprehensive list of infrastructure is given in para IV (Infrastructure) of Annexure III.

4. Trades / Units, which had already been affiliated to NCVT.

Sl. No.	Name of the Trade	Year/Session of start	Number of units in			Total number of units
			I-Shift	II-Shift	III-Shift	
1	2	3	4	5	6	
1	Draughtsman civil	Aug 2011	01	01	00	02
2	Electrician	Aug 2011	02	02	00	04
3	Fitter	Aug 2011	01	01	00	02

5. Details of trades/units existing in the Institute:

Sl No	Name of the Trade	Number of units started with year - wise break up	
		Years	Number of trainees presently on -roll in each unit/shift
1	2	3	4
1	Draughtsman civil	2018-19 & 2019-20	24+24 = 48 nos
2	Electrician	2018-19 and 2019-20	20+20 = 40 nos

[Signature]
20/06/20
S.M.D.V.H.

[Signature] 20/6
Joint Director (Exams)
Dept. of Employment & Training
Vijayawada, Amaravathi-A.P.

[Signature]
ASSISTANT DIRECTOR (IN)
DISTRICT INDUSTRIES CENTRE
GUNTUR

[Signature] M.B. Srinivasan
Lecturer in Electrical & Electronics
N.B.T.S. Government Polytechnic
Kallapadu, GUNTUR-522005

7281516080

1107

KIMBER

- (iii) All the Tools, Machines and Equipments are new, properly installed, commissioned and found in working condition.
- (iv) The Standing Committee is personally and jointly responsible for the information given in the Annexure III.

Place:
Date:

Signature
Name and designation of the Secretary/
Principal/Correspondent of the Institute

Signatures of the Standing Committee for Inspection with name, seal and date. Minimum three members committee should inspect the institute, which should include NCVT & SCVT Representatives. The industry Representative should be from a Govt. undertaking/Deptt. or a Ltd Company with turnover above Rs. 100 Crores and Designation minimum manager. Labour Union representative should be an executive member of a recognised national level trade union.

NCVT	SCVT	Industry Representative	Labour Union Representative	Trade Experts
------	------	-------------------------	-----------------------------	---------------

Note: All the members of the Standing committee are individually and personally responsible for the records verified by them

[Signature]
30/6/2020

P. MOULI
Asst. Director
Government of India, MSDE, DGT
Regional Directorate of S. Development &
Entrepreneurship (RDSDE)
VIJAYAWADA-520 013.

[Signature]
30/6/2020
Joint Director (Exams)
Dept of Employment & Training
Vijayawada, Amaravathi-A.P.

[Signature]
30/6/2020
Assistant Director (R M & M)
DISTRICT INDUSTRIES CENTRE
GUNTUR
MSS Lakshmi
30/06/2020
Electrical & Electronics Engg
Government Polytechnic
GUNTUR-522005.

3	Fitter	2018-19 and 2019-20	20+20 = 40 No ^{of}
---	--------	------------------------	-----------------------------

6. Trades/Units, which are now recommended for affiliation:

Sl. No.	Name of the Trade	Year/Session of start	Number of units in			Total number of units
			I-Shift	II-Shift	III-Shift	
1	2	3	4	5	6	7
01	Drasshmenic, l	} It is recommended for all 3 trades. units are debarred / de-affiliated with penal proceedings as deemed fit by the DGT/NCVT				
02	Electrician					
03	Fitter					

Other observations/comments, if any: ① it appears other institutes are also running in the same premises along with seven hills ITI.
 ② separate area is not earmarked for seven hills ITI.
 ③ Long land & buildings are common to all institutions in the premises.


The above comments/recommendations from S. No. 1 to 7 are made by us. A copy of the complete inspection Report has been collected by the representative of the Directorate General of Training for sending the same to the Headquarters, New Delhi. The other copies would be forwarded to the DGT, MSDE.

Date: Machinery and equipment lab not seen due to the not facilitating and showing by ITI college management various reasons. Letter also enclosed together with. Hence, decision may take DGT after the rounds.


 DGT Representative

(S. SATTA NARAYANA)
 State Representative
 Joint Director (Exams) (H)
 Dept. of Employment & Training
 Vijayawada, Amaravathi-A.P.


 ASSISTANT DIRECTOR (K M & M)
 Industry Representatives
 DISTRICT INDUSTRIES CENTRE
 GUNTUR


 Representative from
 Lecturer in Electrical & Electronics Engg.
 M.B.T.S. Government Polytechnic
 Nallapadu, GUNTUR-522005.

P. MOULI
 Asst. Director
 Government of Andhra Pradesh, DGT
 Regional Office, Vijayawada
 Entrepreneurship (ECODE)
 V. No. AWADA-520-013

1. Each page of this proforma should be signed in ink with date by the Members.
2. The Standing Committee should consist of minimum three members for Inspection.


 Signature of State Director
 Date
 Name of the State Directorate and
 Office Seal

	First Year		Second Year	
Weekly	Monthly	Weekly	Monthly	
— NO information provided —				

Note: If above records are not available and not as per syllabus, do not recommend affiliation.

d Total amount spent on raw-materials trade-wise so far

Trade:

S. No.	Raw Material Description	Qty Purchased	Supplier Address Tel. No. Vat/ ST No.	Bill No. & Date of supply	Cheque/ Draft No. & Date	Amount in Rs.
1	2	3				
— NIL —			NO information provided by ITI			
Total in Rs.						

Note: If above records are not available and the expenditure less than prescribed, do not recommend affiliation.

e. Average amount spent on raw-material trade-wise per month per trainee

S No.	Trade	Amount Spent since beginning of the session	No. of trainees on roll	Average amount spent per month per trainee (upto the date of inspection)
1	2	3		
— NIL —		NO information provided by ITI		

Note: If above records are not available and the expenditure less than prescribed, do not recommend affiliation.

f. No. of units of Electricity consumed per month/trainee from the date of starting of training classes:

Month	1 st	2 nd	3 rd	4 th	5 th	6 th etc ---	Total	Consumption per month per trainee
No of units consumed	— NO information provided —							
Bill amount (Rs.)								

[Handwritten signature]
30/06/2020
GUNTUR

[Handwritten signature]
Joint Director (Exams)
Dept. of Employment & Training
Vijayawada, Amaravathi-A.P.

[Handwritten signature]
Lecturer in Electrical & Electronics
ASSISTANT DIRECTOR (R.M.S. & T.S.)
DISTRICT INDUSTRIES CENTRE
GUNTUR
20/06/2020
NBSA elamora
Hapadu, GUNTUR-522005.

Note: In case of long electricity cut, verify if Generator is available with the institute and used regularly. Verify Diesel Consumption records. If above records are not available and the expenditure less than prescribed, do not recommend affiliation.

g. Result of All India Trade Test conducted in last 3 years trade-wise.

Sl. No.	Name of the trade	Year of AITT	No. of trainees appeared	No. of trainees passed out	Number of certificates issued in last three years (attach sheets if necessary)	No. of Trainees secured job
1	2	3	4	5	6	

Details are not provided by the ITI management

Note: Verify records and registers. If above records are not available or Certificates are due for more than 2 years or both, do not recommend affiliation.

h. Details of the Inspections/ Joint evaluations/ Preliminary Inspection for Affiliation/ Standing Committee Inspection for affiliation conducted by State & Central Govt.

Date of Inspection	Name, designation & address of Inspecting Officers	Shortcomings if any observed during inspection	Action taken to rectify the shortcomings
29-1-2020	① Shri S. Satyanarayana J.D. (FA/T) DET	A. mentioned in recommendation.	
	② Shri P. Mohan - R.D.S.D.E.T	Not satisfied by standing committee	

③

Any other relevant information, which the institute would like to bring to the notice of the Standing Committee.....

Industry Partnership

S No.	Name of the Industry	Type of Partnership
	NIL	NIL

The documentary proof for all tools and equipments and machinery, power supply and space are produced before the Standing Committee and certified that to the best of my knowledge and belief, the information furnished above is correct.

Certified that

- (i) Certified that I, as a member of Standing Committee have physically checked the building space, Tools, equipments and Machineries as per NCVT norms.
- (ii) The documentary Proof for all Tools, Equipments & Machinery, Power Supply and Building Space have been verified with the originals and copies enclosed as per NCVT requirements. Management has not provided information. may take a decision as per norms.

[Signature]
P. MOHOLI-AD

[Signature]
Joint Director (Exams) (FA/T)
Dept. of Employment & Training
Vijayawada, Amravathi-A.P.

[Signature]
ASSISTANT DIRECTOR (R.M. & M.)
DISTRICT INDUSTRIES CENTRE
GUNTUR.

[Signature]
N.B. S. Lakshmi
Electrical & Electronics E
Government Polytechnic
Vilapadu, GUNTUR-522006.

10 No. of Trainees on roll in each trade already affiliated to NCVT

S No.	Trade	Number of Units			No. of Trainees on roll	No. of Trainees available on the date of inspection	Average % attendance as on Date of Inspection
		I shift	II shift	III shift			
1 2 3	Draught man civil	01	01	00	48 (24+24)	-NIL-	-NIL-
	Electrician	02	02	00	40 (20+20)		
	Fitter	01	01	00	40 (20+20)		

Note: Verify progress card of all the enrolled trainees for each trade and certify. Verify other Performa's/ records of each trainee as per training manual. If above records are not available, do not recommend affiliation

11. Instructor's Training

- a. Total No. of Instructors
- b. No. of instructors CTI untrained
- c. No. of instructors sponsored for CTI training(at least 20% of untrained instructors)
- d. No. of instructors sponsored for CTI re-training (at least 10% of trained instructors)

NO information provided by

Note: 'b', 'c' & 'd' are not followed strictly, do not recommend affiliation

12. Coverage of syllabus on the date of inspection for each trade separately:

Sl No	Name of the subject	No of weeks to be completed on day of inspection		No of weeks actually completed		% coverage
		I Year	II Year	I Year	II Year	
2. Trade Practical						
3. Workshop Calculation & Science						
4. Engg Drawing						
5. Employable Skill Training / Social Studies						

Note: If above records are not available and not as per syllabus, do not recommend affiliation.

c. No. of Tests conducted for each trade up to the date of inspection

[Signature]
Joint Director (Exams)

Joint Director (Exams) (IFAC)
Dept. of Employment & Training
Vijayawada, Amaravathi-A.P.

[Signature]
ASSISTANT DIRECTOR (R.M. & I.M.B.T.S. Government Polytechnic)
DISTRICT INDUSTRIES CENTRE
GUNTUR

[Signature]
Lecturer in Electrical & Electronics
Guntur-5220

(iii) Where the Institute is in the rented/leased building, the electric connection should be in the name of the owner of the institute/management and the mutual agreement between landlord and the Institute/Management/Society as the case may be, should be produced alongwith the current bill
 (iv) Declaration by the owner of the Institute that the sanctioned load is for ITI only / shared with any other institute

C. TOOLS, EQUIPMENTS & MACHINERIES

(Note Only new Tools, Equipment and Machinery to be purchased for new trade / expansion and required to be given in the following format in the same serial order as in the standard tool list available in the syllabus of each trade and as available on the DGEI website www.dgei.nic.in)

Sl. No.	Name of the Tools, Equipment & Machinery as per syllabus	Number required for Instructor & Trainees for one unit as per NCVT norms / syllabus	Total Number of Tools and equipments required for the total units affiliated and sought affiliation	Total number actually available for all the units	Indicate shortage if any	Cost of the Tools, Equipment & Machinery	Name, Address, Tel No, Email, Vat/ TIN No of the Supplier of General Machineries
1	2	3	4	5	6	7	8

To be enclosed

NIL

Not allowed to inspect workshops and Lab

Enclosure: Separate list for separate trades as per above Performa.

IV. STANDARD OF TRAINING (Not required for new institutes)

a. ADMISSIONS (only for the trade (s) already affiliated to NCVT)

(No admission is allowed in any NCVT trade before affiliation is granted by Sub-Committee of NCVT)

1.	Date of starting the session	2016-17-2017-18
2.	Date of issue of notice calling for the application (attach notice or paper advertisement, pamphlets.....etc)	
3.	Last date for receipt of application fixed as per the notice	
4.	No. of applications received	
5.	Date by which the admissions were completed and classes started	
6.	Trade-wise number of trainees on-roll on the day of inspection	
7.	Criteria for admission of trainees	ment / other criteria
8.	Whether the trainees admitted, fulfill the prescribed Qualification and age	
9.	copy of the prospectus should be enclosed	
10.	CCE(continuous and comprehensive evaluation) Available on internet and evidence retained	To be verified

[Signature]
 Joint Director (Exams)
 Dept. of Employment & Training
 Vijayawada, Amaravathi-A.P.

[Signature]
 Joint Director (Exams)
 Dept. of Employment & Training
 Vijayawada, Amaravathi-A.P.

[Signature]
 ASSISTANT DIRECTOR (K M & M)
 DISTRICT INDUSTRIES CENTRE
 GUNTUR.
 In charge in Electrical & Electronics
 Govt. Government Polytech
 Mallapadu, GUNTUR-522005

Principal Office		
Office		
Staff Room		
Library		List of the technical books to be verified separately.
Dispensary		List of the items available to be verified separately.
IT Lab	NIL	List of the items available to be verified and furnished separately.
Engineering Drawing Hall	NO information provided	List of the items available to be furnished separately.
Play Ground & Sports facilities (Indoor & Outdoor)		List of the Sports items available to be verified separately.

Area available in the institute for Workshops & Class rooms:

Name of the Trade	Maximum no. of units in one shift only	WORKSHOP			CLASS ROOMS		
		Required as per NCVT norms (Sq. M)	Actually available (Sq. M)	Shortage (Sq. M)	Required as per NCVT norms (Sq. M)	Actually available (Sq. M)	Shortage (Sq. M)
- NIL -							

- Enclosures: 1. Copy of the Rent Deed / Lease Deed attested / notarized for institution of ITI
 2. Copy of the Building Layout duly attested by the Architect with registration No.
 3. Site Map of the institute showing some landmark nearby
 4. If drawing is not to scale not prepared by registered architect, not readable dimensions not mentioned do not recommend affiliation

b- POWER SUPPLY

(Note: Electrical Connection should be in the name of the ITI Management / Owner of premises)

1. Electrical Connection issued in the name of _____

2. Electrical Connection issuing authority _____

3. Date of connection _____

4. Whether three phase connection _____

5. K.No. of the Connection _____

6. Meter Seal No. _____

Trade	Maximum no. of unit in one shift	Power supply required as per norms in KW	Power supply available in the Institute in KW
Total electrical Load			

Enclosures

- (1) For existing institutes: Electricity bill indicating connected load is required to be produced (details of existing trades, units should also come out of the above bill report to assess the required electrical load)
 (2) For new institutes: Meter sealing report indicating sanctioned load or if meter sealing report does not have sanctioned load, copy of the sanctioned load, proof of payment of dues for the same along with meter sealing report should be produced along with

[Signature]
 30/6/2016
 P. MOULI-AD

30/6
 Joint Director (Exams) (FAC)
 Dept. of Employment & Training
 Vijayawada, Amaravathi-A.P.

[Signature]
 Assistant Director (R)
 DISTRICT INDUSTRIES
 GUNTUR

Principal/lead institute		} - NIL - Information not provided
Vice-Principal/Supdt		
Group instructor-1		
Group instructor-2		

Technical staff

S.No.	Designation	Trade
} - NIL - Information not provided		

Administrative and supporting staff

S.No.	Designation	Name	Date of joining Institute	Date of Birth	Secondary School /Matric Year of Passing Certificate No	Qualification Year of Passing Certificate No	Experience Details (Name of establishment & Year of experience)	Salary	Photograph
} - NIL - Information not provided									

Enclosures: attested Copies of the certificates
 If instructional staff is not qualified or less in number, do not recommend affiliation
 Verify bank account and payment details.
 If emoluments are less than proscribed norms, do not recommend affiliation

III- INFRASTRUCTURE

a. Details of land & building at the Institute:

(Note: Dimensions on the Drawings prepared by registered architect and Workshop & Class-room Areas Shouldbe in meters)

1	Total accommodation (sq. meters) required as per NCVT norms for the whole Institute (Covered area)	} No information provided and also not allowed to inspection of IIT by standing committee members on 29-6-2020		
2	Actual accommodation (covered Area) available (Sq Meters)			
3	Total land area provided for the Institute			
4	Whether own or rented building (enclose proof of ownership/ lease deed)			
5	Date of occupation			
6	Duration of Lease (Enclose lease / ownership document)			
7	Date of expiry of lease			
8	Whether attested copy of site plan and lay-out of the entire institute attached.			
9	Name and registration no. of the Architect who prepared & signed on the layout			
10	Area available in the institute for Office & Other facilities:			
Description		Area Required as per NCVT Norms	Area available in the Institute	Remarks(mention shortage if any)

[Signature]
 P. MOULI-AD

[Signature] 30/6
 Joint Director (Exams),
 Dept. of Employment & Training
 Vijayawada, Amaravathi-A.P.

[Signature]
 ASSISTANT DIRECTOR (C & M)
 DISTRICT INDUSTRIES CENTRE
 GUNTUR.

[Signature]
 In Electrical & Electronics Engg
 Government Polytechnic
 GUNTUR-522005.

9 Drawing, STL etc
 DGE&T File No. for already affiliated ITI under the same management **DGET-6/1/27/2011-TC**

10 DGE&T Reference No

Note: If website is not available, do not recommend affiliation
 If website is not updated, do not recommend affiliation

Whether previously granted affiliation in any trade:-
 If so, particulars to be given as under:

Sl. No.	Trade/Units for which affiliation already granted			Year of start of session	DGE&T reference under which affiliation granted (State Directorate's ref. No. not to be quoted)	Remarks		
	Trades	Units						
	Ist Shift	IInd Shift	IIIrd Shift	Total Units				
1	2	3	4	5	6	7	8	9
1	Welder (Civil)	01	01	--	02	Aug 2011	DGET-6/1/27/2011-TC	
2	Electrician	02	02	--	04	Aug 2011	DGET-6/1/27/2011-TC	
3	Fitter	01	01	--	02	Aug 2011	DGET-6/1/27/2011-TC	

Year-wise trades and units for which affiliation is sought now:

S. No.	Trade/Units for which affiliation sought			Total Units	Session for which affiliation sought	
	Trades	Units				
	Ist Shift	IInd Shift	IIIrd Shift			
1	2	3	4	5	6	7
<i>Inspection against complaint</i>						

II- Manpower (Technical & Non-Technical)

(If instructors are not trained under CITS, may be trained within 3 yrs of Start of institute. There-after all trained instructor must be available with the institute)

S No	Designation	Name	Date of joining Institute	Date of Birth	Secondary School Matric Year of Passing Certificate No.	Technical Qualifications (Degree/Diploma, ITI, C.TI) Branch Year of Passing Certificate No. of enclosed certificate	Experience Details (Name of establishment & Year of experience)	Salary	Salary A/c Details Bank Name, Branch & A/C No	Photograph

[Signature]
 P. MOULI AD

[Signature]
 Joint Director (Exams) (FAC), S.C.E.
 Dept. of Employment & Training
 Vijayawada, Amaravathi-A.P.

[Signature]
 DISTRICT INDUSTRIES CENTRE
 GUNTUR

[Signature]
 Lecturer in Electrical & Electronic
 M.B.T.S. Government Polytec
 Nallapadu, GUNTUR-52200

existing

Preliminary Inspection/Standing Committee Inspection Report proforma for the purpose of considering grant of affiliation of the Institutes implementing Craftsmen Training Scheme under the Aegis of the Directorate General of Training (DGT).

Note

- a All the pages of format should be verified & signed by all the members of Inspection Committee, duly stamped with date.
- b No admission is allowed in any trade before affiliation is granted by DGT

1 General

2 Name and full postal address of the Institute indicating Taluk, District and Pin Code
Tel No
E-mail
Website address:
Date on which Website was last updated

3 Name and address of the agency seeking affiliation
Tel No
E-mail
Date of establishment of the Institute
Permission letter from the State Director for starting Institute/Trade/Unit (enclose letter)

4 Name of the NCVT affiliated ITIs which are running under the same management of the society / company / individual

5 If there is change of Premises or shifting of Trade within the same ITI, provide records and letter with reason for shifting from State Director

6 Any Court Case filed by any of the society/ member/ company or by ITI under the same management against DGE&T, NCVT, DGE&T Officials. Provide Case nos

7 Date of present inspection (Preliminary/Standing Committee/State/Central inspection)

8 Date of last inspection (Preliminary/standing Committee/ State/Central inspection)

Produce last SCIR to present committee members for verifying


PUR3000010
SEVEN HILL PVT ITI
THIMMAYAPABEM ROAD
VINUKONDA, GUNTUR - DT
ANDHRA PRADESH-522647
www.sevenhillst.com
Seven Hill PVT ITI
Guntur - Dt A.P 522647
Katiah.kumar@gmail.com
30-8-2011
vinukonda@gmail.com

Case Nos. & Court-
Writ Petition NO 9132 of 2020
W.P NO 10659 of 2020
DT 22-6-2020
29-06-2020

[Signature]
Joint Director (Exams) (FAC)
Dept. of Employment & Training
Vijayawada, Amaravathi-A.P.

[Signature]
Lecturer in Electrical & Electronics Engg.
N.P.S. Government Polytechnic
in Nellore, GUNTUR-522001
DISTRICT INDUSTRIES CENTRE
GUNTUR

199-
F




Latitude: 16.0423923

Longitude: 79.7307539

ITI:PU28000010,Timestamp:20200629_122551

AUDITORIUM HALL



Latitude: 16.04233923

Longitude: 79.7307539

ITI:PU28000010,Timestamp:20200629_123406



Latitude: 16.0423923

Longitude: 79.7307539

ITI:PU28000010, Timestamp:20200629_123424


ಜಿಲ್ಲಾ ವಿಕಲಾಂಗರಿಂದ
ಐಸಿಎಂ
ಕೊಂಪು
1997
ಶ್ರೀ V.N.O.ಯವರು
ಕುಮಾರಿ ಹೆಚ್.ಎಸ್.ಎಸ್.
24.9.97
ಕೊಂಪು

Latitude: 16.0423923

Longitude: 79.7307539

ITI :PU28000010, Timestamp:20200629_123504


CHEMISTRY LAB



Latitude: 16.0423923

Longitude: 79.7307539

ITI:PU28000010, Timestamp:20200629_123527



Latitude: 16.0423923

Longitude: 79.7307539


ITI :PU28000010, Timestamp:20200629_123546

A handwritten signature in black ink, appearing to read 'S. M. P. A.', written in a cursive style.

Latitude: 16.5063604

Longitude: 80.6470043

ITI:PU28000010, Timestamp:20200630_150212




Latitude: 16.0423923

Longitude: 79.7307539

ITI :PU28000010, Timestamp:20200629_121838

FITTER LAB



Latitude: 16.0423923

Longitude: 79.7307539

HTI:PU28000010,Timestamp:20200629_121858