

DGT-AFF011 (51)/2/2020-O/O DIR (TC)
Government of India
Ministry of Skill Development & Entrepreneurship
Directorate General of Training

1st Floor, CIRTES Building,
Pusa Campus, Pusa, New Delhi-110012
Dated: 10th November, 2020

To,
All the State Directors (dealing with Affiliation)

Sub:- Minutes of Meeting of 12th Recommendation Committee Meeting

Sir/Madam,

Please find enclosed herewith the approved Minutes of Meeting along with Annexures of 12th Recommendation Committee held on 20th October, 2020. However implementation orders agenda item wise will be issued in due course of time.

Yours faithfully,


(Sunil Kumar Gupta)
Director

Copy to:-

1. Sr PPS to DG/AS, DGT, New Delhi
2. Sr PPS to DDG, DGT, New Delhi
3. All RDSDEs

Minutes of Meeting of 12th Recommendation Committee Meeting held on 20th October, 2020

MINUTES OF THE 12TH MEETING OF "RECOMMENDATION COMMITTEE DGT" DEALING WITH AFFILIATIONS OF ITIs, HELD ON 20th October, 2020 AT 11:00 HRS THROUGH VIDEO CONFERENCE.

At the outset, Sunil Kumar Gupta, Director and Shri Ravi Chillukoti, JDT welcomed all the committee members and thereafter the DG took agenda points for detailed discussions. The details of discussions, deliberations & agenda wise decisions taken by the chair, are placed as below:

Agenda No. 12.1:

CONFIRMATION OF THE MINUTES OF THE 11TH MEETING OF THE "RECOMMENDATION COMMITTEE DGT" DEALING WITH AFFILIATION HELD ON 22ND SEPTEMBER, 2020.

- a) The minutes of the 11th Recommendation Committee meeting dealing with affiliation matters which was held on 22.09.2020, were placed before the committee vide Appendix-12(I) and Appendix-12(II). Since all the comments/inputs from the members were taken care of and already incorporated, the minutes were accepted as approved.

Agenda No. 12.2:

AFFILIATION OF ITI'S WHICH ARE JOINTLY INSPECTED

As discussed in previous meeting, the proposals were resubmitted with all the detailed viz, status of existing trades, students enrolled and Grading etc. before the committee for consideration. As decided and agreed by all members, affiliation will be granted only for units in shift 1 & 2 as running the ITI in 3rd shift will not be feasible in light of time & safety concern. Further, committee considered a number of proposals as details given below and recommended as per remarks given below: -

12.2.1 New ITI proposals: 14

State-wise break-up of proposals

Sl. No.	State	Number of ITIs	Remarks		
			Recommended	NR	Hold for clarification
1.	Maharashtra	06	1	4	1
2.	Tamil Nadu	01	-	1	-
3.	Uttar Pradesh	07	-	4	3
	Total	14	1	9	4

{Table-12(I)}


10/11/2020

①

ITI-wise break-up of proposals

Sl. No.	ITI Name MIS Code / Application No.	Trades / Units for which affiliation sought	ITI Proposed Units	Remarks by Standing Committee	Remarks by Recommendation Committee-DGT
1.	A one Private ITI, Babhalgoan, Latur, Maharashtra - NEW Application No. TMP274981 PR1582905705	Electrician Electronic Mechanic Welder Front Office Assistant	2(1+1) 2(1+1) 2(1+1) 2(1+1)	Not Recommended	Not Recommended Shortage of tools equipment's machinery & furniture items.
2.	Maitree Private ITI, Gate No. 237, Bhtangali, Tal / Dist. Latur, Maharashtra - 413512 NEW Application No. TMP27481 PR158298347	Secretary Practice Front Office Assistant Marketing Executive Physiotherapy Technician	1(1+0) 1(1+0) 1(1+0) 1(1+0)	Not Recommended	Not Recommended Shortage of major tools and equipment's
3.	PN SARODE Private ITI, Sawali, Hinganghat, District- Wardha, Maharashtra- 442301 NEW Application No. TMP27498 PR1582374842	Electrician Welder Fitter Computer Hardware & Network Maintenance	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	Not Recommended	Not Recommended Tools Deficiency with incomplete Installation for Welder Trade
4.	Swami Vivekanand Private ITI P-74, MIDC, Kalamb Road, Latur, Maharashtra	Electrician Wireman Desktop Publishing Fitter Welder Draughtsman (Civil)	2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	-	Deferred for clarifications Comments to be sought from state for details regarding the Inspection, and reasons for Not Recommending 3 trades. To be placed in next meeting. Recommended for 3 trades only i.e. Electrician Wireman Desktop Publishing

Santhosh
10/11/2020

2

Sl. No.	ITI Name MIS Code / Application No.	Trades / Units for which affiliation sought	ITI Proposed Units	Remarks by Standing Committee	Remarks by Recommendation Committee-DGT
5.	Shivarogya Private ITI, A/P Georai, Tal: Georai, Dist: Beed, Maharashtra NEW Application No. TMP27470 PR1580964416	Electrician Wireman COPA Fire Technology and Industrial safety	2(1+1) 2(1+1) 2(1+1) 2(1+1)	Not Recommended	Not Recommended Building not as per DGT norms, Tools and machinery not installed.
6.	Swargiya Bulobai Tagde Private ITI, Sahakar Nagar, At Po. Sawargoan, Th- Narkhed, Dist- Nagpur, Maharashtra - 441306 NEW Application No. TMP2748 PR1582793548	Electrician Fitter COPA Stenographer and Sec. Practice	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	Recommended	Recommended Electrician 2(1+1) Fitter 2(1+1) COPA 2(1+1) Stenographer and Sec. Practice 2(1+1)
7.	C.M. Annamalai ITI Pvt ITI, Vill: Vellathur, Post: Adhivaragapuram, R.K. Pet Taluk, Sholinghur To Tiruttani High Road, Thiruvallur, Tamil Nadu - 631303 NEW Application No. TMP33589 PR1579930914	Fitter Welder Electrician Wireman Mechanic Refrigerator and- Air Condition Dress Making Turner	2(2+0+0) 2(2+0+0) 2(2+0+0) 2(2+0+0) 2(1+0+0) 2(1+0+0)	2 units of fitter, welder, electrician, wireman, MRAC, for single shift are sought for affiliation. Essential tools and equipment of one batch only existing which is now used by existing polytechnic.	Not Recommended 2 units of fitter, welder, electrician, wireman, MRAC, for single shift are sought for affiliation. Essential tools and equipment of one batch only existing which is now used by existing polytechnic.
8.	Baba Naipal Pvt. ITI, Sattarbarahpur, Tehsil-Sagri Distt.- Azamgarh, U.P. - NEW Application No. 1809015742	Electrician Fitter Plumber Computer Operator & Programming Assistant	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	Recommended	Deferred for clarifications 7 days' time is given to ITI to produce the documents: 1. Meter sealing report 2. Electricity bill, that matches with the online bill
9.	Bhikki Singh Pradhan Pvt ITI Village- Kanjaulighat, Baldeo, Dist.: Mathura, U.P.-281301 NEW Application No. 1809018907	Electrician Fitter Marketing Executive Finance Executive Health Sanitary Inspector	9(3+3+3) 6(2+2+2) 3(1+1+1) 3(1+1+1) 3(1+1+1)	Recommended	Not Recommended Online bill 24.44 kVA (19.5 kW) and required load is 29.42 kW ME & FE Tools Short of 2 No. Desktop Each

Junil Kumar
10/11/2020

Sl. No.	ITI Name MIS Code / Application No.	Trades / Units for which affiliation sought	ITI Proposed Units	Remarks by Standing Committee	Remarks by Recommendation Committee-DGT
10.	Chaudhari Makharu Pvt. ITI, Vill/Po -Doharighat, Tehsil- Ghoshi, District - Mau, Uttar Pradesh 275303 NEW Application No.1809022797	Electrician Fitter Swing Technology Computer Operator & Programming Assistant	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	Electrician (1+1) Fitter(1+1) Swing Technology(1+1) Computer Operator & Programming Assistant (1+1)	Not Recommended Drawing Hall not available. Online electricity bill is not available.
11.	D.C.S. College Pvt. ITI, Mant Road, Raya, Mathura, U.P.-281204 NEW Application No. 1809017770	Electrician Fitter Computer Operator & Programming Assistant Health Sanitary Inspector	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	Recommended	Deferred for clarifications as Tools with Deficiency List Not Attached. Machinery Installation is not proper. Online Bill not available. 7 days' time is given to ITI to produce the documents: 1. Tool list with deficiency column 2. Electricity bill, that matches with the online bill
12.	P.R.D.Pvt. ITI, Vill-Manikpur, Post-Alipur, Distt- Mainpuri, U.P.-205262 NEW Application No.	Electrician Fitter Physiotherapy Tec. Health Sanitary Inspector	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	Recommended	Not Recommended Online Bill Shows 5kW Required 19.4 kW
13.	R.J.Pvt. ITI Rampur Balbhadra, Jakhania, Ghazipur, Uttar Pradesh - 275203 NEW Application No. 1809025584	Electrician Fitter Plumber Sewing Technology	6(2+2+2) 3(1+1+1) 3(1+1+1) 3(1+1+1)	Not Recommended (Since 2 Trade are NR)	Not Recommended Since, need minimum 4 trades for new affiliation. No Workshop Available for Plumber & Sewing Technology No Tools & Machinery Available for Plumber & Sewing Technology

Sumit
10/11/2020

Sl. No.	ITI Name MIS Code / Application No.	Trades / Units for which affiliation sought	ITI Proposed Units	Remarks by Standing Committee	Remarks by Recommendation Committee-DGT
14.	Shri Jyoti Narayan Pvt ITI Vill- Augan, Po- Daulaatpur, Baldeo, Dist- Mathura, Uttar Pradesh- 281301 NEW Application No. 1809016468	Electrician Fitter Computer Operator & Programming Assistant Health Sanitary Inspector	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	Recommended	Deferred for clarification as Sanction load is 22KVA (17.6KW) Required Load 19.85KW Tools with Deficiency List Not Attached 7 days' time is given to ITI to produce the documents: 1. Tool list with deficiency column 2. Increase the sanction load to required value or more.

{Table-12(II)}

12.2.2 Existing ITIs seeking Affiliation for Extension of Trades/Units:27

State-wise break-up of proposals

Sl. No.	State	Number of ITI's	Remarks		
			Recommended	NR	Deferred for next meeting
1.	Maharashtra	11	6	5	-
2.	Rajasthan	01	1	-	-
3.	Telangana	04	-	-	4
4.	Uttar Pradesh	11	-	11	-
	Total	27	7	16	4

{Table-12(III)}

ITI-wise break-up of proposals

Sl. No.	ITI Name MIS Code / Application No.	Trades/Units sought for affiliation	ITI Proposed Units	Remarks by Standing Committee	Remarks by Recommendation Committee-DGT
1	Ballarpur Private Industrial Training Institute. Bamni, Ballarpur, Bit Campus, Bamni, Tal.- Ballarpur, Dist.- Chandrapur, Maharashtra - 442701 PR27000812	Electrician	2(1+1+0)	Non-availability of tools and machinery for additional units	Not Recommended as per the deficiencies noticed by inspection team
2	Government ITI, Chandur Bazar, Dist: Amravati, Maharashtra - 444704 GR27000510	Welder Information & Communication Technology System Maintenance	1(0+1+0) 2(1+1+0)	Recommended Welder add. 1(0+1) Total 2(1+1) Information & Communication Technology System Maintenance 2(1+1)	Recommended

Signature
10/11/2020

5

Sl. No.	ITI Name MIS Code / Application No.	Trades/Units sought for affiliation	ITI Proposed Units	Remarks by Standing Committee	Remarks by Recommendation Committee-DGT
3	Government Industrial Training Institute, Bhatkuli, Dist: Amravati, Maharashtra - 444721 GR27000457	Welder Wireman	1(0+1+0) 2(1+1+0)	Recommended Welder add. 1(0+1) Total 2(1+1) Wireman 2(1+1)	Recommended
4	Graimin Advance Private Industrial Training Institute Majalgaon, Opp. Manadhane house, near Dr. Nilekar Hospital, Maharashtra- 431131 PR27000843	Electrician	6(2+2+2)	Equipment's and workbench are not found. Electrical machinery are not having foundation. Work benches are not found in lab. Workshop and classroom not as per DGT norms.	Not Recommended Notice to be issued to ITI to upgrade to 4 trades else ITI to be de-affiliated.
5	Gramin Polytechnic Gramin ITI, At-Vishnupuri, Tq/Dis: Nanded, Maharashtra - 431606 PR27000692	Basic Cosmetology Surveyor Health Sanitary Inspector Solar Technician Sheet Metal Worker Plumber Fitter Welder Wireman Electrician	2(1+1+0) 3(1+1+1) 2(1+1+0) 3(1+1+1) 2(1+1+0) 2(1+1+0) 6(2+2+2) 3(1+1+1) 6(2+2+2) 16(4+4+8)	Major tool and machinery deficiency in Basic Cosmetology, Surveyor Health Sanitary Inspector, Solar Technician, Sheet metal worker Plumber Fitter and Welder	Not Recommended Mechanic Computer Hardware trade to be de-affiliated, since 0 admissions in 2018 and 2019. Overall admission in ITI is less than 50% and hence not satisfactory for consecutive 2 years, therefore not recommended for extension of units.
6	INDIAN FIRE SERVICE ENGG & SAFETY MANagements PRIVATE ITI, GUT NO 45 PLOT NO. 25,26,27,28 KUMBHEPHAL TAL DIST AURANGABAD, Maharashtra - 431201 PU27000874	Electrician Fire Technology and Industrial Safety Management	2(1+1+0) 2(1+1+0)	Recommended Electrician 2(1+1) Fire Technology and Industrial Safety Management 2(1+1)	Recommended
7	Maa Bhavani Private ITI, Near macroon school, bhadrawati ta- bhadrawati CHANDRAPUR, Maharashtra - 442902 PR27000914	Computer Operator & Programming Assistant Electrician	1(1+0+0) 2(0+0+2)	Recommended Computer Operator & Programming Assistant 1(1+0)	Recommended
8	Nanathappa Halge Private ITI, Vajjnath Dist Beed, Maharastra - 431530 PR27000976	Wireman	2(1+1+0)	No machinery installation done and no machines are in working condition. ITI is running in the building of collage of engg	Not Recommended Machinery installation not done and no machines are in working condition. ITI is running in the building of collage of engg

Sanil Kumar
10/11/2020

Sl. No.	ITI Name MIS Code / Application No.	Trades/Units sought for affiliation	ITI Proposed Units	Remarks by Standing Committee	Remarks by Recommendation Committee-DGT
9	R O Nikam Private ITI Gondur, AT Tal, Dhule Maharashtra - 424002 PR27000975	Fitter Electrician	1(0+0+1) 3(1+1+1)	Recommended Electrician 2(1+1)	Recommended
10	Samode pvt ITI Near Kanya School, 48/2, Samode, Tal. Sakri, District Dhule, 424206 PR27000801	Electrician Welder	3(2+1+0) 2(1+1+0)	Recommended Electrician Add. 4(2+2) Total 7(3+3+1) Welder 2(1+1)	Recommended
11	Vikram Shikshan Sansta New Iti Pathrot ,At Post: Zenda Chowk Pathrot Tq.Achalpur, Dist.Amravati, Maharashtra - 444808 PR27000706	Electrician Wireman Fitter	2(0+1+1) 2(0+1+1) 2(1+1+0)	1.For fitter trade letter given by applicant requesting time for inspection unit of electrician due to covid 19 pandemic problem dated 23/09/2020. 2.Building under construction for classroom & no setup for additional unit of electrician & wireman trade.	Not Recommended 1.For fitter trade letter given by applicant requesting time for inspection unit of electrician due to covid 19 pandemic problem dated 23/09/2020. 2.Building under construction for classroom & no setup for additional unit of electrician & wireman trade
12	Meera Mandir Private ITI, NEAR GLOBAL COLLEGE PANCHSHEEL ROAD DEV NAGAR LOHAGAL, AJMER, RAJASTHAN - 305001 PU08001841	Electrician	2(1+1+0)	Recommended Electrician Add. 2(1+1) Total 4(2+2)	Recommended Pre/Preparatory School Management trade to be de-affiliated due to 0 admission.
13	Adilabad Private ITI Dasnapur Dasnapur, Adilabad, TELANGANA - 504001 PR36000005	Dress Making COPA	3(1+1+1) 3(1+1+1)	The committee stated in their observation that the Dress Making (1+1+0) and COPA (1+1+0) trades are recommended subject to de-affiliation of Fitter 09(3+3+3) Trade. No de-affiliation orders for fitter 9(3+3+3) trade are available.	Deferred as State representative not joined meeting to offer comments
14	Manjeera Industrial Training Centre, H.N.16-39 N.H. Road-7 Ramayampetta, Dist:MEDAK, Telangana - 502101 PR36000157	Sweing Technology Electrician Mechanic Diesel Fitter	3(1+1+1) 4(0+0+4) 1(0+0+1) 1(0+0+1)	Sewing Technology and Mechanic Diesel is recommended. Fitter and Electrician not recommended (tools kit for both trade not available for additional trade)	Deferred as State representative not joined meeting to offer comments

Amilkar
20/11/2020

7

Sl. No.	ITI Name MIS Code / Application No.	Trades/Units sought for affiliation	ITI Proposed Units	Remarks by Standing Committee	Remarks by Recommendation Committee-DGT
15	Palamoor Private ITI, Mahabubnagar Road, Bhoothpur (Post & Mandal), MAHABUBNAGAR, TELANGANA- 509382 PR36000250	Electrician Mechanic Diesel Welder	6(2+2+2) 3(1+1+1) 3(1+1+1)	Recommended	Deferred as State representative not joined meeting to offer comments
16	Satya ITC (Old Add) H.No. 4-70/2/B1, Chukala Complex, Armoor NIZAMABAD, TELANGANA - 503224 Satya ITI, (New Add) Vill- Cheeryal, Mandal: Keesara, District : Medchal Malkajgiri, Telangana PR36000238 Add.Shifting	Electrician Fitter	12(4+4+4) 12(4+4+4)	Recommended	Deferred as State representative not joined meeting to offer comments
17	Baba Bhirigu Private ITI VILL/POST- PALIYA TEHSIL-MUHAMMDABAD GOHANA, MAU, U.P.- 276403 PR09900572	Electrician	6(2+2+2)	Drawing Hall not available, tools with deficiency list not attached.	Notice for De-affiliation to be issued against non-availability of Drawing Hall
18	Babu Ram Pvt. ITI, Vill- Bhisaha, Po-Banpokhara, Dist- Mau, U.P.- 221603 PR09900948	Electrician	6(2+2+2)	Online Bill Shows 7KW Required 12..2 KW	Not Recommended Online Bill Shows 7KW Required 12..2 KW
19	Disha Private ITI Vill/Post -Khirikotha, Tahseel Madhuban, District - Mau, Uttar Pradesh - 221603 PR09900184	Electrician	6(2+2+2)	Sanction load is 18KVA (14.2kW) Required Load 17.42kW, building plan is not attached.	Not Recommended Sanction load is 18KVA (14.2kW) Required Load 17.42kW, building plan is not attached.
20	G City Private ITI C-51, Natwar Nagar, Dhauri Pyau, Mathura Uttar Pradesh -281001 PR09900674	Electrician Health Sanitary Inspector	9(3+3+3) 6(2+2+2)	Online Bill Shows 9kW Required 22.4 kW. Drawing Hall not available and tool with deficiency list is not attached.	Notice for De-affiliation to be issued against non-availability of Drawing Hall
21	GLOBAL PRIVATE ITI Village Rastipur, Post:Khakhaicha, Dist: Allahabad UP 212405 PR09900383	Electrician	6(2+2+2)	Online Bill Shows 13KW Required 17.42 KW	Not Recommended Online Bill Shows 13KW Required 17.42 KW
22	Global Technical Institute,khwajahanpur Maunath, Mau, U.P.-275101 PU09001932	Electrician	12(4+4+4)	Online Bill Shows 17KW Required 22..62 KW. Building plan and tool with deficiency list is not attached.	Not Recommended Online Bill Shows 17KW Required 22..62 KW. Building plan and tool with deficiency list is not attached.

Junil Kumar
10/11/2020

8

Sl. No.	ITI Name MIS Code / Application No.	Trades/Units sought for affiliation	ITI Proposed Units	Remarks by Standing Committee	Remarks by Recommendation Committee-DGT
23	Krishna Niji Audhyogik Prashikshan Kendra, KOPAGANJ, District - Mau, Uttar Pradesh - 275305 PR09001970	Electrician	6(2+2+2)	Online Bill Shows 4 kW Required 8.7 kW. Drawing Hall not available and tool with deficiency list is not attached.	Notice for De-affiliation to be issued against non-availability of Drawing Hall
24	Purvanchal ITC vill- Amwa, Po- Lilapur, District - Ghazipur, Uttar Pradesh - 233224 PR09000221	Electrician Fitter	9(3+3+3) 3(1+1+1)	Building is under construction, Electricity bill not attached, Principal's Experience Certificate Not Available	Not Recommended Building is under construction, Electricity bill not attached, Principal's Experience Certificate Not Available
25	RSL Private ITI VILL DEVKATHIYA POST ANDHAUN DISTT GHAZIPUR UTTAR PRADESH-233001 PR09900408	Electrician Fitter	9(3+3+3) 3(1+1+1)	Not Recommended, Building, Tools and machinery not available as per DGT norms.	Not Recommended Not Recommended, Building, Tools and machinery not available as per DGT norms
26	Saraswati Private ITI - Mathura Ading, Sonkh, District -Mathura, Uttar Pradesh - 281501 PR09000313	Electrician Fitter	Addl. 8(2+2+4) Total 12(4+4+4) 6(2+2+2)		Not Recommended Since ITI is more than 5 years old, it need to apply for re-affiliation with minimum 4 trades.
27	Smt. Dharamwati Bhedjeet Singh Pvt. ITI, Vill/Po- Barauli, Mahavan Block Baldev, Mathura, U.P.-281301 PR09002107	Electrician	12(4+4+4)	Drawing Hall not available	Not Recommended Notice for De-affiliation to be issued against non-availability of Drawing Hall

{Table-12(IV)}

12.2.3 Existing ITIs applied for Shifting:01

Sl. No.	ITI Name	Trades/Units sought for affiliation	ITI Proposed Units	Remarks by Standing Committee	Remarks by Recommendation Committee-DGT
1	Shri Guruji ITI, Latur Old MIDC Backside Od Aroma Hotel, Dist: Latur Maharashtra - 413512 PU27000997	Fitter Electrician Secretarial Practice(English) Physiotherapy Technician Draughtsman (Civil)	2(1+1+0) 4(2+2+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	Recommended Fitter 2(1+1) Electrician Add. 4(2+2) Total 6(3+3) Secretarial Practice(English) 2(1+1) Physiotherapy Technician 2(1+1) Draughtsman (Civil) 2(1+1)	Recommended

{Table-12(V)}

Sanil Kumar
10/11/2020

12.2.4 MSTI Proposal

: NIL

12.2.5 ITI in Spare capacity of Polytechnics : 01

Sl. No.	ITI Name	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Remarks by Recommendation Committee-DGT
1	THIAGARAJA R POLYTECHNIC Pvt. ITI, Lakshmi Nagar, PO/TK : Valappady, Dist: Salem, Tamil Nadu - 636115	Electrician Wireman Health Sanitary Inspector COPA Draughtsman(Civil) Draughtsman(Mechanical) Driver cum mechanic Mechanic Refrigeration- -and Air conditioner Welder(Structural) Surveyor	6(2+2+2) 6(2+2+2) 6(2+2+2) 6(2+2+2) 6(2+2+2) 6(2+2+2) 6(2+2+2) 6(2+2+2) 3(1+1+1) 6(2+2+2)	Electrician Wireman Health Sanitary Inspector Draughtsman (Civil) Surveyor	Not Recommended Tools for COPA, Draughtsman (Mechanical), DCM, MRAC and Welder (Structural) not available. Dedicated classroom not available for ITI

{Table-12(VI)}

In addition to the above, the Chairman expressed her views as follows: -

- i. That, a scrutiny committee comprising officers of DGT shall be constituted for scrutiny the proposals of ITIs received from State Directorate for grant of affiliation, re-affiliation, de-affiliation and shifting of ITIs etc. The DDG will chair the said committee and will put its recommendations before the 'Recommendation Committee-DGT'.
- ii. That, respective State Directorate and DGT officers should ensure strict compliance of joint inspection by team constituted through mobile app for which a short period, preferably two days' prior notice would be given to the concerned officers. If laxity is found, the responsibility may be fixed at any time at the officer concerned.
- iii. The inspection officers shall give trade-wise specific remarks for any rejection of unit/trade for affiliation. In case, such provision does not exist same shall be introduced in System in coordination with NIMI.
- iv. Mobile App for inspection shall also be worked on non-network area and at the moment when the officer come in Network area it should be synchronized with online server. NIMI may be requested to introduced such service in the Mobile App.

Agenda No. 12.3:

INSPECTION OF DE-AFFILIATED ITIS AS PER COURT ORDERS.

As discussed in previous meeting held on 22nd Sept, 2020 vide agenda no. 2.2, the following proposals were resubmitted with all the details as hereunder: -


10/11/2020

10

Sl. No.	ITI name and address	Facts of the case	Remarks by Recommendation Committee-DGT
1	Laurel Pvt ITI, Near Padmakshi Temple Hanamkonda, Telangan PU36000030	1. The ITI was initially affiliated by DGT (the then DGE&T) in 1986 vide letter no. DGET-6(1)/86-TC dt. 05.09.1986 2. The ITI was De-affiliated vide DGT letter dt. 07.06.2017 3. The ITI filed case in Hon'ble High court, Hyderabad, as per the court order dt.07.08.2017 disposing the matter to carryout re-inspection to decide the status. 4. ITI vide letter dt. 18.04.2019 intimated DGT that they are ready for inspection. 5. DGT vide letter dt. 06.02.2020 nominated team for inspection of ITI. 6. Inspection was carried out on 24.02.2020 and recommended Electrician 8(4+4) and Fitter 4(2+2) (report placed at Annex 3.1).	Not recommended as ITI does not meet the existing standard and criteria for affiliation i.e. it does not have infrastructure etc for at least four trades.
2	Wilfred Pvt ITI, Premnagar, Mulugu, Warangal Telangana PR36000200	1. The ITI was affiliated by DGT (the then DGE&T) in 2008 vide letter no. DGET-6/1/19/2008-TC dt. 30.12.2008 2. The ITI was De-affiliated vide DGT letter dt. 07.06.2017 3. The ITI filed case in Hon'ble High court, Hyderabad, as per the court order dt.07.08.2017 disposing the matter to carryout re-inspection to decide the status. 4. ITI vide letter dt. 18.04.2019 intimated DGT that they are ready for inspection. 5. DGT vide letter dt. 06.02.2020 nominated team for inspection of ITI. 6. Inspection was carried out on 24.02.2020 and recommended Electrician 8 (4+4) (report placed at Annex 3.2).	ITI is advised to apply afresh for seeking affiliation and upgradation with at least four Trades as per existing norms.

Agenda No. 12.4:

RATIFICATION OF COURSES OFFERED BY CENTURION UNIVERSITY, ODISHA

As discussed in previous meeting held on 22nd Sept, 2020 vide agenda no. 7 which is reproduced as hereunder, it was informed that CD section was asked to verify the documents but no relevant documents could trace: -

"Agenda No 7:

As per agenda no. 12 of 11th meeting of Sub-committee on Courses and Norms held on 8.10.2018 proposal of Centurion University of Technology and Management (CUTM) for integration of CTS & CITS curricula within the existing Diploma/Degree curriculum. The Sub-committee considered and approved as communicated through MoM issued vide letter dt. 2nd November 2018.

Signature
10/11/2020

CUTM vide letter dt. 15th November, 2019 provided the list of courses that they can offer under CTS accordingly it was agreed by DGT, and CUTM admitted students in their four institutes (mentioned below): -

Sl. No.	Campus Address	MIS code	Trades	Units
1	Plot o. 136&137, CIT campus, Ramachandrapur, Jatni, Odisha	SU21000620	COPA Electrician MMV Fitter	2+2 2+2 2+2 4+4
2	Vil. Alluri Nagar, P.O: R-Sitapur, Via- Uppalada, Paralakhemundi, Odisha	SU21000621	Fitter Electrician Draughtsman Civil COPA MMV	3+3+3 3+3+3 2+2 2+2 2+2
3	At Palkasta, PO. Goplapur, Balasore, Odisha	SU21000619	Fitter MMV Electrician	3+3 2+2 2+2
4	At. Khaliguda, Po. Kotepeta Block, Rayagada, Odisha	PR21000565	Electrician Fitter	2+2 2+2

CUTM vide letter dt. 10.06.2020 requested to regularise the same, which is placed before the committee. The committee asked to defer the item for next meeting with remarks to present officer(s) from CD Section to represent the matter."

In view of above, the committee rejected the proposal to regularise the aforesaid course/trainees, CUTM shall apply on online Affiliation portal.

Agenda No. 12.5:

DE-AFFILIATION OF ITIs

12.5.1 DE-AFFILIATION OF ITIs IN UTTAR PRADESH: 100

It was informed to the committee that the de-affiliation proposal in respect of a total 100 nos. of ITIs of Uttar Pradesh as received from the respective State Directorate were scrutinised at DGT followed with issuance of Show cause notices to the ITIs. It was further informed that the ITIs had replied that due to COVID-19 as per Government guidelines ITIs were closed, hence inspection during this period is un-justified.

The committee recommended that the replies received from ITIs shall be forwarded to respective State Government for their comments.

12.5.2 DE-AFFILIATION OF ITIs IN HARYANA: 22

As decided in its 10th meeting vide agenda no. 10.5 regarding De-affiliation proposal of 21+1 ITIs, the replies as received from ITIs in response to 'Show-Cause-Notices' were forwarded to State Government of Haryana, for their comments. The comments as received from the respective State Directorate were placed before the committee as hereunder: -

[Signature]
10/11/2020

Sl. No.	Name of Private ITI, MIS code & Grading		
	Deficiency observed at the time of inspection	Reply of the institute	Comments of State Directorate
1.	Chaudhary Pvt. ITI, Bahal, Distt Bhiwani (MIS Code PU06000200):		
	<u>Trainees:</u> - As per enclosed documents or picture the institute was locked and no trainee of any trade was found present on the date of inspection. Moreover, no record has been produced. <u>Staff:</u> - No staff member was available on the date of inspection. Moreover, no record has been produced. <u>Store:</u> - Store has not been maintained which shows no raw material is being purchased so that no practical training is being imparted in the institute. <u>Computer Lab:</u> - No computer lab was available. <u>Workshop:</u> - In workshop no electric connection so that no practical training is being imparted in the institute. <u>Electric Power:</u> - No document has been produced. <u>Theory Room:</u> - No theory room was available. <u>Attendance Record:</u> - Attendance record has not been produced. <u>Placement Record:</u> - No placement record has been produced. <u>CCTV Cameras/No Biometric Machine:</u> - No CCTV Cameras/Biometric has been installed.	Institution informed that they have declared restricted holiday on the eve of Maharishi Dayanand Saraswathi birthday on dated 18-02-2020. Therefore, staff / students were not present in institute that was the reason due to which they could not submit their record to the inspection team. Institution also submitted that they are following DGT norms complete in all respect.	1. NO Trainees were present. No attendance Register record was produced. 2. No staff was present and no attendance register of staff was produced to sign. 3. No store has been maintained in PITI reflects no raw material was purchased for training. No store related records were produced. 4. No Computer/ IT lab was available in PITI. 5. No workshop and no trade wise machinery was available in PITI instead ITI tools were locked in space below staircase. Picture was enclosed for reference. 6. No record of electric power was produced. There was no Generator and no record of generator running hours and Diesel consumed was produced. 7. No Theory rooms were available instead ITI building is used as school premises. 8. No attendance register record was produced for staff and trainees. 9. No placement record was produced. 10. No CCTV cameras and no Biometric Machine were installed in PITI 11. Institute did not inform any such type of declaration about restricted holiday. Moreover, there is no provision for such type of declaration.

Sunil Kumar
10/11/2020

13

Sl. No.	Deficiency observed at the time of inspection	Reply of the institute	Comments of State Directorate
2.	JBDM Pvt. ITI, VPO Saral, Distt. Bhiwani. (MIS Code PR06000216):		
	<u>Trainees:</u> - As per enclosed documents or picture the institute was locked and no trainee of any trade was found present on the date of inspection. <u>Staff:</u> - No staff member was available on the date of inspection. <u>Store:</u> - Store has not been maintained which shows no raw material is being purchased so that no practical training is being imparted in the institute. <u>Computer Lab:</u> - Computer system was not available. Hence, there is no lab. <u>Workshop:</u> - In workshop no practical training is being imparted in the institute as the machinery has been kept in single room. <u>Electric Power:</u> - No document has been produced. <u>Theory Room:</u> -No theory room was available. School is being run in the premises. <u>Attendance Record:</u> - Attendance record has not been produced. <u>Placement Record:</u> -No placement record has been produced. <u>CCTV Cameras/No Biometric Machine:</u> - No CCTV Cameras/ Biometric has been installed.	1.Trainees In our ITI Eighty Trainees are admitted in different trades. In the day of inspection Fire Technology and Industrial Management and Mechanic Diesel Trainees was going for Industrial Visits at Hisar Distt Auto Market. Apart from these trades 20 trainees of Basic Cosmetology and Sewing Technology trades are present but sir assessment team stay only fifteen minutes in ITI so that assessment team checks only office and two class room in the day of inspection. 2. Staff In our ITI we have managed ten instructors for theory and management. Four members are going for industrial visit on Hisar Auto Market and Three are on live and other was present on the day of assessment. 3.Store Assessment team checks our ITI store form outside. In this store we have put the extra tools and equipment. We have raw material time to time for practical work. 4. Computer lab We have a computer lab with ten computer and wifi internet facility. Assessment team was not visit our computer lab.	1.Trainees No trainees were present. No Attendance Register record was produced. No information about industrial visit was shared and communicated by head of the institute, it is mere their afterthought. 2. Staff No staff was present and no attendance register of staff was produced to sign. 3. Store No store has been maintained in PITI reflects no raw material was purchased for training. No store related records were produced. 4. Computer lab No Computer/ IT lab was available in PITI. 5. Workshop No workshop and no trade wise machinery was available in PITI instead ITI tools were locked in space below staircase. Picture were enclosed for reference. 6. Electrical Power No record of electric power was produced. There was no Generator and no record of generator running hours and Diesel consumed was produced. 7. Theory Room No Theory rooms were available instead ITI building is used as school premises. 8. Attendance Record No attendance register record was produced for staff and trainees. 9. Placement Record No placement record was produced.

Santhosh
10/11/2020

Sl. No.	Deficiency observed at the time of inspection	Reply of the institute	Comments of State Directorate
		5. Workshop We have separate workshop for each trade but sir in fire technology and industrial safety trade no demand of workshop so that we put all tools and equipment of fire technology and industrial safety trade in a room. 6. Electrical power In this time, we have an electrical connection with 18 KW load. 7. Theory room In our IT we established total four theory room for trainee's theory classes of each Trade. 8. Attendance record. On the day of assessment, we were showing the trainees attendance registrar to assessment team. Assessment team has not asked us for instructor attendance record. 9. Placement Record. Our placement cell instructor also going for industrial visit at Auto Market Hisar and assessment team has not asked us for placement record. 10. CCVT Camera & Biometric Machine In our ITI we install bio metric attendance machine for trainees and CCVT Camera But sir our ITI CCVT Cameras are not worked properly.	10. CCTV Camera & Biometric Machine. No CCTV cameras and no Biometric Machine were installed in PITI

[Signature]
10/11/2020

Sl. No.	Deficiency observed at the time of inspection	Reply of the institute	Comments of State Directorate
3.	Greenvalley Pvt. ITI, VPO Jamalpur, Distt. Bhiwani (MIS Code PR06000287):		
	<u>Trainees:-</u> As per enclosed documents or picture the institute was locked and no trainee of any trade was found present on the date of inspection. Moreover no record has been produced. ITI building is being used as hostel for green Valley School. <u>Staff:-</u> No staff member was available on the date of inspection Moreover; no record has been produced. <u>Store:-</u> Store has not been maintained which shows no raw material is being purchased so that no practical training is being imparted in the institute. <u>Computer Lab:-</u> Lab is being used as mess. Computer system was not available. <u>Workshop:-</u> In workshop no practical training is being imparted in the institute as no machinery are available. <u>Electric Power:-</u> No document has been produced. <u>Theory Room:-</u> No theory room was available as ITI building is being used as hostel for Green valley School. <u>Attendance Record:-</u> Attendance record has not been produced. <u>Placement Record:-</u> No placement record has been produced. <u>CCTV Cameras/No Biometric Machine:-</u> No CCTV Cameras/Biometric has been installed.	At the time of inspection floor repairing work in Green valley school as well as ITI was going on. Therefore, Complete things were out of order. Principal requested to re-inspect their institute.	In compliance to the DGT orders a Joint inspection was carried out on dated 24-09-2020 and inspection report of the same has been submitted for further necessary action/decision.

Sanjay Kumar
10/11/2020

Sl. No.	Deficiency observed at the time of inspection	Reply of the institute	Comments of State Directorate
4.	Dwarka Pvt. ITI Vill: Dwarka, Distt. Charkhi Dadri (PR06000284):		
	<u>Trainees:</u> - As per enclosed documents or picture the institute was locked and no trainee of any trade was found present on the date of inspection. <u>Staff:</u> - No staff member was avail able on the date of inspection. <u>Store:</u> - Store has not been maintained which shows no raw material is being purchased so that no practical training is being imparted in the institute. <u>Computer Lab:</u> - Computer lab is not available. <u>Workshop:</u> - In workshop no electric connection so that no practical training is being imparted in the institute. <u>Electric Power:</u> - No document has been produced. <u>Theory Room:</u> -No theory room was available. <u>Attendance Record:</u> - Attendance record has not been produced. <u>Placement Record:</u> -No placement record has been produced. <u>CCTV Cameras/No Biometric Machine:</u> - No CCTV Cameras/ Biometric Machine has been installed.	Institution informed that they have declared restricted holiday on the eve of Maharishi Dayanand Saraswati birthday on dated 18-02-2020. Therefore, staff / students were not present in institute that was the reason due to which they could not submit their record to the inspection team. Institution also submitted that they are following DGT norms complete in all respect.	1.Trainees No trainees were present. No Attendance Register record was produced. 2. Staff Sufficient Staff was not present and available staff was no aware of his/her teaching subjects. no attendance register of staff was produced to sign. 3. Store No store has been maintained in PITI reflects no raw material was purchased for training. No store related records were produced. 4. Computer lab No Computer/ IT lab was available in PITI. 5. Workshop No workshop and no trade wise machinery was available in PITI instead ITI tools were locked in space below staircase. Picture were enclosed for reference. 6. Electrical Power No record of electric power was produced. There was no Generator and no record of generator running hours and Diesel consumed was produced. 7. No Theory rooms were available and school is also functioning in premise. 8. No attendance register record was produced for staff and trainees. 9. No placement record was produced. 10.CCTV Camera & Biometric Machine were not installed. Institute did not informed any such type of declaration about restricted holiday. Moreover, There is no provision for such type of declaration.

Sanjit Kumar
12/11/2020

Sl. No.	Deficiency observed at the time of inspection	Reply of the institute	Comments of State Directorate
5.	Swastik Pvt. ITI, Tosham Distt. Bhiwani (MIS Code PR06000292):		
	<u>Trainees:</u> - As per enclosed documents or picture the institute was locked and no trainee of any trade was found present on the date of inspection. <u>Staff:</u> - No staff member was available on the date of inspection. <u>Store:</u> - Store has not been maintained which shows no raw material is being purchased so that no practical training is being imparted in the institute. <u>Computer Lab:</u> - 12 Computer and furniture was available but no software has been installed. <u>Workshop:</u> - workshop was available. <u>Electric Power:</u> - As per DGT norms electric load is available. <u>Theory Room:</u> - Theory room was available. <u>Placement Record:</u> -No placement record has been produced. <u>CCTV Cameras/Biometric Machine:</u> - No CCTV Cameras/Biometric has been installed.	1. No reply 2. There is Staff attendance register available in institute and the attendance of staff is also being marked through biometric machine. On the date of inspection some of the staff members along with trainees went to industries. 3. Store is available in our institute inspection team did not visit in our store. 4. IT lab and computer lab are available has per norms. 5. Library is being maintained along with NIMI pattern books. 6. Workshop and machinery as per norms which was observed by inspection team. 7. Electric load/ power load is complete as per norms. 8. Placement facility is available but there is no separate cell. 9. CCTV Camera and biometric machine are available.	1. Institute did not submit any clarification about the presence of trainees. 2. As per inspection report no staff was available. Thus by this time such type of statement is baseless. 3. As per inspection report there was no store in the institute if It was maintained then the institute should inform the inspection team for the same. 4. As per inspection report there was no IT lab and computer lab in the institute if the same was maintained then the institute should inform the inspection team. 5. As per inspection report there was no library in the institute if it was maintained then the institute should inform the inspection team for the same. 6. Workshop was available but the institute was adopting non-attending culture. 7. Admitted 8. No placement record was produced. 9. At the time of inspection no CCTV camera and biometric were there

Sanil Kumar
Tosham

18

Sl. No.	Deficiency observed at the time of inspection	Reply of the institute	Comments of State Directorate
6.	College of Security Studies Pvt. ITI, V.P.O Dhani Mahu, Bhiwani (MIS Code PR06000201):		
	<u>Trainees:</u> - Institute was locked and no trainee of any trade was found present on the date of inspection. <u>Staff:</u> - No staff member was available on the date of inspection. <u>Store:</u> - Store has not been maintained which shows no raw material is being purchased so that no practical training is being imparted in the institute. <u>Computer Lab:</u> - Computer system was not available. <u>Library:</u> No Library <u>Workshop:</u> - No workshop and no machinery were available. <u>Electric Power:</u> - No document has been produced. <u>Theory Room:</u> -No theory room was available. <u>Attendance Record:</u> - Attendance record has not been produced. <u>Placement Record:</u> -No placement record has been produced. <u>CCTV Cameras/ Biometric Machine:</u> - No CCTV Cameras/ Biometric has been installed.	No reply has been received.	We are adhered to those deficiencies which were explained in previously submitted inspection report.

Junil K
10/11/2020

Sl. No.	Deficiency observed at the time of inspection	Reply of the institute	Comments of State Directorate
7.	Sanska Fire & Safety, Pvt. ITI, Sidharwali, Gurugram (MIS Code PR06000308):		
	Trainees: - No trainee of any trade was found present on the date of inspection but only 10 students have been marked present in various trades. Remaining column of students are kept blank. Staff: - Only 3 instructor out of total staff (Supervisor, Technical, Ministerial) were available. Leave record of absent staff has not been supplied. Moreover, as per record there is no vacancy it clearly shows fake record is being prepared. Store: - Store has not been maintained which shows no raw material is being purchased so that no practical training is being imparted in the institute. Computer Lab:- Lab is being used as mess for the hostlers admitted in course of shipping operations. Workshop: - In workshop all Machinery is in polythene packing so that no practical training is being imparted in the institute. Area of HSI workshop is short. Theory Room: -Theory room has been converted into hostel. About 50 students of shipping courses are residing in institute. Therefore, institute is completely non-attending in nature. Attendance Record: - Blank column of attendance register's photocopy of	1. Trainee: All the trainees are sent on training for practical knowledge in the company. Due to which the register was not complete and the remaining 10 trainees could not go due to "Lohri and Makar Sankranti". Hence the allegation not proved. 2. Staff: As mentioned in your letter, only 3 staff were available during inspection, which is not proved. During the inspection all the staff was available in the institute except 3 staff. The 3 staff, who was not available during the inspection, took telephonic leave, due to which the institute could not show their leave application. A leave application form is attached. Hence the allegation made is not proved. The instructor of F.T.I.S.M Mr. Prahlad Singh have fulfilled their qualification as well as he has 36-year experience from Indian Navy and completed various fire training course from Indian Navy Institute and his document are attached, hence the allegation made is not proved. 3. Store: Some bills could not be entered in the stock register due to student training. Raw material is procured according to training criteria. Hence the allegation made is not proved. 4. Computer lab: Computer lab is available for the ITI student in a systematic way. Therefore, the charge levied is not proved and photo of computer lab is attached for your convenience. 5. Workshop: Due to being a rural area and the surrounding agricultural land, due to the dust, the machinery can be damaged, hence the	1. No student of ITI was present at the time of surprise Inspection. Although the institute has good building, tool and Machinery, but whole infrastructure was found not being utilized for training purpose. There was no information available with the present staff about the industrial visit of trainees at the time/day of inspection and the plea taken now is baseless and fabricated. Actually the courses related to Deck Cadets related to Ministry of Shipping are running in this building. Seven videos recorded during inspection are attached herewith, which narrates the true ground level reality. Industrial visit is merely an excuse so that the issue in respect to adoption of non-attending culture may be diverted. 2. Three officials were only present and attendance of others is fake, as observed during the inspection. Shri Prahlad Singh is looking after the shipping related course in this ITI building. 3. No store was available and plea taken is fabricated. No trainees, no training as no raw material is consumed. 4. Computer Lab is being used for I.T. training of Deck Cadets. 5. M&E of all trades is lying wrapped in polythene sheet and is totally unutilized. Fitter workshop is converted into Mess for deck candidates. Video attached is evidence. 6. Class rooms have been converted into hostels. Video attached is evidence. 7. As per DGT norms institutions premises cannot be shared. Moreover, Institution itself accepted that 50 students of firefighting course are getting training in ITI campus.

[Handwritten signature]
12/11/2020

Sl. No.	Deficiency observed at the time of inspection	Reply of the institute	Comments of State Directorate
	students/staff shows fake record is being prepared. Placement Record: -No placement record has been maintained.	machinery are covered with polythene after the use by the students as per the requirement and the job work form D created by the students is attached for your reference. Any type of activity such as mesh should not be performed in the fitter lab. The lab is well equipped and fully functional, hence the allegation made is not proved. The area of Health Sanitary Inspector lab is full as per rules, so this charge is not proved; the map of the building is attached for your convenience. 6. Theory room: Under the social responsibility, 50 students are provided free firefighting short-term course by the institution and the institute has additional rooms, of ITI, the same rooms are used, the map of the building is attached for your convenience. Therefore, the allegation made is not proved. 7. Attendance Record: All the students had gone to various places for training the students. The Registers have been completed as per the attendance records received from the establishments and show cause notice for negligence in their duty was issued to them by the staff, and proper disciplinary action has been taken against them. 8. Placement Record: The placement record of the students of session 2016-17, 2017-18 is attached; the result of the students of session 2018-19 is late and flawed. The placement has not been done due to nationwide Lockdown. Hence the allegation made is not proved.	8. Placement record should be produced to inspection committee if the same was available then it must be shown to the committee on the date of inspection. Summary: Although the Institute has good infrastructure, but it is not being used for skill training under CTS, all CTS/ITI trainees are non-attending, most of the staff is non-attending and the institute is running Deck Cadet courses (related to shipping), which is illegal as per DGT norms. Total seven videos attached as evidence.

Sumit
10/11/2020

Sl. No.	Deficiency observed at the time of inspection	Reply of the institute	Comments of State Directorate
8.	ATM Global business College Pvt. ITI, Sector-37, Faridabad (MIS Code PU06000296):		
	Trainees: - As per photo copy of student's attendance register only 8 trainees in COPA trade has been marked present. Only 3 attendance register has been produced out of which only above stated register was marked & remaining two was blank. Attendance record of other units didn't produce. Staff: - Only 5 instructors out of total staff (Supervisor, Technical, Ministerial) were available. Attendance register and Leave record of absent staff has not been supplied. Such type of behavior clearly shows fake record is being prepared and staff has not been employed. Store: - Store has not been maintained which shows no raw material is being purchased so that no practical training is being imparted in the institute. Computer Lab: - IT lab has not been maintained. This shows ignorance of affiliation norms of DGT Govt. of India. Library: - Library is not being maintained. Machinery & Tool Equipment: - There is huge shortage of tool, equipments & machinery in COPA & Fitter trade. So that no practical training is being imparted in the institute.	1. We have well automated digital platform to monitor the security / attendance of faculty and students. All the attendance is marked on the same. 2. On the date of inspection 12 staff members were present out of which 5 members were in Principal room before inspection team and rest were taking classes. Moreover, 2 staff members were on tour to Govt. ITI, Faridabad. 3. We fill regret not to maintain the store as it was carelessness of staff working in store. 4. Renovation work was going on therefore, material of computer lab was in boxes so that the damage can be avoided. 5. Renovation work was going on therefore, books were kept in boxes so that the damage can be avoided. 6. The institute was established 3 yr ago. Therefore, at the time of opening of the institute all new machines were purchased. 7. Power load available with institute is 19.9 KW.	1. The notice given to this institute mismatches on some points with respect to the inspection report dated 16.01.2020, which might have happened inadvertently due copy-paste mistakes by the branch. 2. Inspection Committee had mentioned that attendance is being maintained online through biometric system. 30 % trainees were not attending, for which institute has informed that they were never told to struck off the names of candidates who did not reported after taking admissions. Now they will struck off the names of such candidates. At the time of surprise inspection, 25% trainees were available and online attendance was also seen by the committee. As per the inspection report, there were only 05 instructors present. No record in respect to staff leave on the day of inspection was produced. However, Principal and 2-3 clerical staff were also present. 3. As admitted, store has not been maintained by the ITI. 4. It is correct that Renovation work was going on at the time of inspection, therefore, one computer lab was lying dismantled and computers were lying packed, as mentioned in the inspection report. Now, as per representation, they have set up the lab 5. Library was available but not being maintained properly for ITI use. Renovation was going on at that time of inspection.

Signature
18/01/2020

Sl. No.	Deficiency observed at the time of inspection	Reply of the institute	Comments of State Directorate
	Power Load: -Sanctioned Power load is short as per DGT, Govt. of India norms. Placement Record: - No placement record has been maintained.		6. As far as shortage of M&E is concerned, COPA lab was dismantled temporarily for repair, which has been setup now. Institute has two lathe machines for 04 trade units in Fitter trade which is as per norms mentioned in syllabus notified in 2014. This was also applicable at the time of granting NCVT affiliation in year 2017 to this ITI. Recent revision of syllabus under NSQF, in year 2019 provides 04 lathes for 04 trade units. As such, ITI has infrastructure as per his affiliation file and cannot be stated as shortage. However, ITI may be advised to upgrade its infrastructure as per latest revision of syllabus, before its next re-inspection by DGT which is due after 05 years i.e. in 2022. 7. It is correct that total load required is 19.12 KW instead of 24.32 because load of 5.2 KW is only required for 04 units of electrician trade. Institute has adequate diesel Generator capacity also. Therefore, there is no shortage of power load. Summary: Although minor shortcomings were observed at the time of inspection, but the institute has satisfactory infrastructure and zeal to impart training to the trainees. Online biometric attendance has been implemented and maintained in this ITI, which is a good initiative. The ITI may be advised to upgrade its infrastructure as per latest revision of fitter trade. The representation of ITI is satisfactory and may be accepted.

Sumit Kumar
19/11/2020

23

Sl. No.	Deficiency observed at the time of inspection	Reply of the institute	Comments of State Directorate
9.	BMP College of fire and safety Pvt. ITI, Nuh (MIS Code PR06000278):		
	Trainees: - No trainee of any trade was found present on the date of inspection. Moreover, attendance record was not produced before committee. Staff: - Only 1 instructor and Principal out of total staff (Supervisor, Technical, Ministerial) were available. Attendance register and Leave record of absent staff has not been supplied. Such type of behavior clearly shows fake record is being prepared and staff has not been employed. Photocopy of staff attendance register for the month of January shows that the staff did not mark their attendance from 8-01-2020. This shows that the institute is completely non-attending and running in papers only. Store: - Store has not been maintained which shows no raw material is being purchased so that no practical training is being imparted in the institute. Computer Lab: - IT lab has not been maintained. This shows ignorance of affiliation norms of DGT Govt. of India. Library: - Library is not being maintained. Workshop: - Workshop is not available for any trade running in institute. Moreover, No Machinery is available so that no practical training is being imparted in the institute. Power Load: -No evidence has been produced in respect to power load. Theory Room: -Two theory room are available but furniture was available. Therefore, institute is completely non-attending in nature. Placement Record: -No placement record has been maintained. CCTV Cameras & Biometric Machine: - CCTV Cameras & Biometric Machine has not been installed. It means departmental instructions are not being obeyed. Infrastructure & amenities: - Institute is running in very unsafe building with poor infrastructure & amenities.	No reply has been received.	The shortcoming mentioned in the Inspection report are true which have been intimated to the ITI vide letter dated 11.06.2020. The ITI has absolutely no infrastructure for any trade. Non-attending culture has been adopted.

24

Signature
12/11/2020

Sl. No.	Deficiency observed at the time of inspection	Reply of the institute	Comments of State Directorate
10.	Saheed Bhagat Singh, private ITI, Vill. Allika Teh. & Distt. Palwal (MIS Code PR06000240):		
	As per inspection report on the date of inspection the institute was locked. It has also been observed that no official/ Officer/Chowkidar of the institute was present. Only one old lady (perhaps mother of the owner of the institute) was present in the residence built in the front courtyard of the institute. No trainees were available in the premises of the institute and it seems that institute is totally non-attending. Moreover, it is also submitted that the said institute was inspected on dated 12 and 13/04/2018. During this inspection many discrepancies was observed. In respect to these discrepancies department has already informed DGT, Govt. of India. After receiving this information DGT, Govt. of India has issued show cause notice to the concerned institute.	We filed a CWP- 8868-2020 in the Hon'ble Punjab and Haryana High Court Chandigarh against the said letter no. T4/Inspection/pvt.iti/2019-20/Trg-III/Part-I/7176 date 11-06-2020. The CWP was decided in our favor on 30-06-2020. The copy of order is attached here with. As per order we are permitted to file a representation to the Director Skill Development & Industrial Training Department of Haryana within seven days after disposed of the petition. The representation was sent to Director Skill Development & Industrial Training Department of Haryana (itiharyana@gmail.com) via email id rahulmalik006@gmail.com on 07-07-2020 15:43 with in time as per the order of the Hon'ble Punjab and Haryana High Court , so please cancel the show cause notice.	Speaking order w.r.t. this ITI has been already passed vide orders dated 25.08.2020 by Worthy DGSDIT after giving personal hearing to this ITI owner on dated 5.08.2020. A copy of the orders may be sent again to the DGT for necessary action.
11.	Shree Siddhi Vinayak Pvt.ITI, Bilaspur, Distt.Yamuna Nagar (MIS Code PR06000324):		
	Inspection committee visited Shree Sidhi Vinayak Pvt.Industrial Training Institute, Bilaspur, Radaur on dated 7-2-2020. There is no admission in the institute from start of the institute. Committee requested to treat the institute as non-functional.	We had to write number of times to NABET and your good office. We applied for 9 trades but ultimately, we got only 2 trades, due to inspector misdeeds and we were so much depressed/ harassed that we could never admit even a single student, due to non- viability of ITI. I am an academican and not a businessman. We have great infrastructure and strong-will to develop employable youth. It is very easy to close anything but challenging to move forward. May I request you to kindly put on hold our case for one year due to COVID era challenges. We would like to run our ITI with more trades in 2021 session.	Since the date of affiliation, the institute did not make admissions which clearly shows that the institute is non-functional in nature. Therefore, State Directorate further recommend for de-affiliation of said institute.

Sanil
10/11/2020

25

Sl. No.	Deficiency observed at the time of inspection	Reply of the institute	Comments of State Directorate
12.	Rao Ranjeet Singh Pvt. ITI, Bhodia Kamal pur (Rewari) (MIS Code PR06000408):		
	<u>Trainees</u>: - No trainee of any trade was found present. <u>Staff</u>: - No staff was present on the date of inspection. <u>Workshop/ Theory Room</u>: - Fitter trade workshop was not available. 4. B.Ed. college was running in same campus	1. On the same day, the Institute has organized an industrial tour of all the trainees. Cause of all the trainees and staff members are at the concern industry for visit. 2. As cited above, an Industrial visit has organized on the day, due to this all staff members are with students on the visit. 3. Some renovation work was going to organize in fitter workshop, due to this, machineries placed in another room and equipment's are locked in lockers. Now all the machineries and equipment's are installed in the workshop properly. 4. There is a sufficient space for running both the institutes in the campus. A separate building portion is available for running ITI with a separate entrance gate as per NCVT norms. ITI building porting houses all the class rooms and workshops and another academic infrastructure required as NCVT norms except B.ED. college requirement. Both buildings are separated with physical partition.	1. Institute did not inform about industrial visit to inspection team. Moreover, as per DGT norms no such industrial visit has been described in that duration. 2. Industrial visit is baseless excuse to disguise nil presence of staff / students. 3. Inspection team did not inform about on going renovation work in institute. Therefore, it is mere any excuse to divert the attention from non-availability of machinery and workshop. 4. As per inspection report B.ED college is running in same campus.
13.	Sanskriti Pvt. ITI, VillAmarpurJorasi (Narnaul) (MIS Code PR06000327):		
	<u>i. Trainees</u>: - No trainee of any trade was found present. <u>ii Staff</u>: - No staff was present on the date of inspection.	1. We have separate sign boards of I.T.I & pharmacy courses on the main road in front of the college on Narnaul to nizampur Road. 2. Our I.T.I has separate building for separate courses with well-furnished and efficiently working labs. Power supply and DG Set. 3. As per session total of 6 units of 2 trades (Electrician -2 units and HIS-4 units) are running smoothly in our I.T.I In this session 2019-20, One student was enrolled , whereas, 7 students are enrolled in 2nd year. On the day of inspection the college was observing half day holiday due to some mishap in one of our staff family. So the students and staff were not found present.	The institute did not inform about such type of mis happening to the inspection committee. This shows it is mere excuse to disguise non-attending culture which is being adopted by the institute.

26

Sumit
10/11/2020

Sl. No.	Deficiency observed at the time of inspection	Reply of the institute	Comments of State Directorate
14.	B.T.S Pvt. ITI, Daboda Khurd, Bahadurgarh (MIS Code PR06000193):		
	<u>1.Trainees:-</u> No trainee of any trade was found present . <u>2.Staff:-</u> No staff was present on the date of inspection. <u>3.Workshop/ Theory Room:-</u> Workshop/ Theory Room was locked.	No reply has been received.	We are adhered to those deficiencies which were explained in previously submitted inspection report.
15.	CPS, Pvt. ITI Litani Mod, Prabhu wala Distt. Hisar (MIS CODE- PR06000293):		
	1. Only two trade instructors and one accountant were present in the ITI whereas a list of 14 staff was submitted during the recently held grading inspection. 2. No staff attendance register was produced. 3. Forgery in the trainees attendance register was found. 4. Very less physical presence of trainees were found like only 11 trainees of session 2018-19 were found present against enrolled 182 and 6 trainees of session 2019-20 were found present against enrolled 45. 5. No Library was maintained in ITI.	1. In our ITI We have a total no. of 15 staff member is working. On the day of inspection two staff members and principle on leave and five staff members had gone on industrial visit with ITI Trainee at industrial Area Hisar and sector 27-28. 2. On the day of inspection our ITI Clerk and also gone on industrial tour with ITI Trainees and Staffs. On the day of Inspection, when team told our staff member to show the staff attendance register, and our staff member replied to the inspection team, that he will show it after only 45 minutes because our clerk was not present here but after 10 minutes inspection team left the ITI. 3. There are above 150 trainees are registered on MIS PORTAL, but only 100 trainees are pursuing their course and the remaining trainees are pursuing their course and the remaining trainees have left the course, that's why the inspection team misunderstood it as a forgery. Only one trade Trainees Attendance Register was shown on the time of inspection because the clerk was not present on the day on inspection. In that register there was no forgery and attendance were complete till the day of inspection. 4. On the day of Inspection our ITI Electrician and Radiology Technician Trainee had gone on Industrial and medical Visit to Hisar, A part from these trades only 34 Trainee are enrolled and 25 of them were present in ITI at the time of inspection. 5. In our ITI we have maintained a proper library, but on the day of inspection team did not visit our ITI Library.	1. Institute didn't inform about Industrial visit to the Inspection team on the date of inspection Moreover, as per DGT, Govt. of India syllabus. There is no such type of schedule has been described in that duration of training. 2. Institute could not produce any type of record. This is baseless excuse that they requested to inspection team to produce the same in 45 minutes. 3. Registration of Trainees on MIS Portal is not clarification about regular institute. Inspection report clearly shows that the institute is adopting non-attending culture. 4 Institute didn't inform about Industrial visit to the Inspection team on the date of inspection Moreover, as per DGT, Govt. of India syllabus There is no such type of schedule has been described in that duration of training. 5. Inspection team informed that there was no Library so, it was the duty of institute to inform about the same at the time of inspection. It shows it is baseless excuse.

27

[Handwritten signature]
10/11/2020

Sl. No.	Deficiency observed at the time of inspection	Reply of the institute	Comments of State Directorate
16.	Om Pvt. ITI, V.P.O Juglan Distt. Hisar. (MIS CODE- PR06000232):		
	1.Workshop was found in lock condition. 2.No trainee was available at the time of inspection while more than 100 trainees are enrolled. 3.No staff was available in the ITI at the time of inspection except one Principal.	It is submitted that we have all necessary infrastructure, faculty and staff at our ITI. We fair to understand why such type of deficiencies reported by the Inspection Team. We may again request you that you may get the infrastructure verified sending another team. The earlier report is not correct.	Institute is adopting non-attending culture & to divert the attention from burning issues it is being stated that the report is not correct. We are adhered to the deficiencies explained in inspection report.
17.	SBS Pvt, ITI, Odhan Road, V.P.O Kalanwali Distt. Sirsa. (MIS CODE- PR06000177):		
	Inspection committee observed that there is very less physical presence of trainees which shows institution is adopting non-attending culture. ITI is not imparting training properly as the staff/students are not attending institute regularly.	We are not interested to run ITI. We had been already submitted request Letter to state govt. & DGT New Delhi to de-affiliation or close Trades/Units. Now it is requested please close/de-affiliate our ITI (Trade/Units) as early as possible.	On the basis of institution request as well as low level of training it is further recommended for de-affiliation of the institution.
18.	Daksh Pvt, ITI, V.P.O Chak Faridpur Distt. Sirsa. (MIS CODE- (PR06000180):		
	In the ground floor as well as 1st floor of the ITI Building, school classes of small kids from nursery onwards was running and approximate 150 plus children of school were sitting in the classes whereas as per admission position of this ITI, there should be 90 trainees in Electrician 2nd year & 88 trainees of 1st year (48 of COPA + 40 of Electrician) but only 13 trainees were found present in the premises of ITI which is totally a violation of NCVT Norms as well as cheating with the SDIT Department. Even attendance register of trainees as well as staff register were not maintained and found unfilled which proves a non-Attending culture in ITI. All attendance register seems a fake attendance filled and earlier days attendance of a present trainee of Electrician trade named Sandeep was cross checked and asked in person that How many days he attended class in the month of Feb 2020.	Due to our ITI being far away from the village, the poor children of brick kilns and dhanis around here were being educated in other classes of ITI through play school. If the department has objections then we have stopped teaching these students. In our institute, students come from different villages, their strike was on the same day by private bus. Due to which the students cannot reach the institute in time and the buses of Haryana Roadways stop a lot of work here. Due to which the Inspector Inquiry Committee felt that our ITI students were no-attending. Our Inspection committee totally satisfied and feeling pleasure to see our tools, machinery, Infrastructure and quality policy. Inspection Committee just advised us to improve students attendance. Our ITI having latest Infrastructure, tools & machinery. I think, such kind of ITI which having such huge infrastructure &	On the basis of request received from concerned institute Govt. of Haryana has decided to re-inspect the said institute in compliance to the above decision request for joint inspection has been placed vide letter no. T-4/ Daksh/ PITI/ Chak Faridpur Distt. Sirsa/Trg-III.

[Handwritten Signature]
10/11/2020

Sl. No.	Deficiency observed at the time of inspection	Reply of the institute	Comments of State Directorate
	In reply, he stated that he was sick so did not attend 4-5 days in first week else he attended all classes but in attendance register there was filled full days attendance of this candidate. After seeing the condition of class room and workshop filled with school kid which clearly shows that your institution is adopting non-attending culture.	providing quality education, should not be discourages. Our ITI having latest Infrastructure, tools & machinery. I think, such kind of ITI which having such huge infrastructure & providing quality education, should not be discourages. More over stopping PMS of all student will affect their career, as most of students belong to very poor family and could not able to pay institute fee. I humble request you to kindly revert the decision of suspending admissions in year 2020-21 onward and stopping PMS of poor students and oblige.	
19.	Saraswati Pvt. ITI, Budana Road, V.P.O Narnound Distt. Hisar. (MIS CODE- PU06000244):		
	Workshop was found in lock condition. 2. No trainee was available at the time of inspection while 13 enrolled trainees should be there. 3. No Principal & other staff was available in the ITI at the time of inspection except one instructor who was unable to show any attendance register to prove him as an instructor as well as no trainee attendance register was available.	No reply has been received from Saraswati Pvt. ITI, Budana Road, V.P.O Narnound Distt. Hisar.	We are adhered to those deficiencies which were explained in previously submitted inspection report.
20.	Maharishi Dayanand Pvt. ITI, VPO Litani Distt. Hisar. (MIS CODE- PR06000155):		
	B. ED College is running in this premises. ITI classes are not running in institute.	Your letter for de-affiliation of trades and unit vide letter no E-34940, Dated 27-7-2020. File No. DGET-6/7/10/2012-T, (MIS code- PR06000155) File As per the subject cited above we have closed the course since 2019-20 after that we have not admitted any student in this course. We have already given a letter of closing the course to inspection team.	On the basis of institution request it is further recommended for de-affiliation of the institution.

[Handwritten Signature]
19/11/2020

Sl. No.	Deficiency observed at the time of inspection	Reply of the institute	Comments of State Directorate
21.	Ambition Private ITI, Moriwala, Hisar road, Sirsa. (MIS CODE- (PR06000178):		
	As per admission position of institute there should be 70 trainees but neither trainees nor staff was present. In adjacent school building owner of the institute was present who has been requested to produced record in respect to training but in vein. iii. The condition of workshop and class room, depicts that your institute is adopting non-attending culture.	Inspection team visited at our institute on dated 13-2-2020 at 4:50PM but the students and staff had just left the college 10 minutes before due to transport problem. We would like to bring following things in to your notice:- 1. We are having separate building and well equipped workshops as per norms. 2. Only 28 students are getting training from our institute as per record as on date and we are having appropriate staff as per the strength of students. 3. We are not adopting non attending culture. 4. Our ITI has been inspected by a team deputed by DGET on 19-12-2019 for Physical verification & Data validation for Grading of ITIs – Phase 2, where everything was found satisfactory. Due to late hours, inspection team had not seen any attendance or other records on that day and all alleged our college to be adopting non attending culture. This allegation is totally wrong and closing an institute in this way is totally unethical.	As per inspection report team reached at 4:10PM. At the time of inspection no staff/trainees were present in the institute. Inspection team also informed that the condition of classroom and workshop shows that the institute is adopting non-attending culture. Therefore, State Directorate is adhered to inspection report.
22.	Ladies Industrial Home Seva Samiti Pvt. ITI, Karnal (MIS CODE- Not Assigned):		
	Institute is not interested to impart training as there is no staff and admission since July, 2014	Sh. R.N. Channa, President of the society submitted his consent that they are not interest to run the institute.	On the basis of request of the society president as well as non-functional nature of the institute State Directorate further recommend for de-affiliation.

Upon perusal of the aforesaid comments, the chairperson of committee asked the State Directorate Haryana to re-submit the proposals with more clarity and their clear-cut recommendations along with deficiencies / shortcomings of ITIs noticed during inspections.

12.5.3 DE-AFFILIATION OF SRI GURU KOTTURESHWARA PVT ITI (PR29000797)

It was informed to the committee that Sri Guru Kottureshwara Pvt ITI (PR29000797) shifted without affiliation, DGT issued show-cause vide letter dt. 28.08.2020 followed by reminder on 18.09.2020. ITI vide reply through mail dt. 29.09.2020 stating that they had paid the fee for shifting to State Government and shifted. Shifting without Affiliation is in violation of DGT norms and hence proposed for De-affiliation.

Sanjit Kumar
10/11/2020

30

However, the matter was deferred by the committee for next meeting for detailed information as DDG informed that before the introduction of existing online system for affiliation some decisions were taken in earlier meetings on shifting matters.

Agenda No 12.6:
AFFILIATION OF ITOT

There were two proposals of ITOTs for grant of affiliation for the meeting of committee on affiliations held on 20.10.2020 from CFI division. In this regard, the extracted data from the standing committee reports etc., compiled in excel format was submitted to the committee that was reviewed by the members as well the chairperson. The Chairperson(DG/AS) put up the matter for consent of the representative of the State of Haryana (Sh. Sanjeev Kumar, JDT). Sh. Sanjeev Kumar, JDT submitted that there is need to increase the opportunities for CITS courses in tune with the demand, arising out of doing CITS mandatory for appointment of instructors in ITIs. The State representative, Haryana submitted his formal verbal NOC to grant affiliation to the additional trades in respect of SBS, ITOT, Sirsa, Haryana.

Details of recommendations are as follows:

Sl.No	ITOT Name	Trades/Units sought for affiliatiuon	ITOT Proposed Units	Units recommended by SCI	Units Recommended by Affiliation Committee	Remarks by the Affiliation committee
1	Shaheed Bhagat Singh Insitute for Training of Trainers, Kalanwali District Sirsa, Haryana-125201	Draughtsman Civil, Sewing Technology, Computer Software Application, Painter General	1+1, 1+1, 1+1, NR	1+1, 1+1, 1+1, NR	1+1, 1+1, 1+1, 1+1	Date of Inspection: 07/03/2020 W.e.f August, 2020.

Sanjay Kumar
10/11/2020

imilarly, the State Government representative Sh. Manoj Gupta, JDT submitted his formal verbal approval to pprove the additional trades in respect of Jain, ITOT, Usmankhera District Fazilka Punjab-152123.

Details of recommendations are as follows:

Sl.No	IToT Name	Trades/Units sought for affiliatiuon	IToT Proposed Units	Units recommended by SCI	Units Recommended by Affiliation Committee	Remarks by the Affiliation committee
2	Jain, ITOT, Usmankhera District-Fazilka Punjab-152123	Fitter, Computer Software Application, Sewing Technology, Welder, Diesel Mechanic, Electrician	2+2+2, 1+1, 1+1, 1+1, 1+1, 0+0+2	2+2, 1+1, 1+1 NR NR NR	2+2, 1+1, 1+1 1+1 1+1 Rejected*	Date of Inspection: 14/07/2020. W.e.f August, 2020 *As per existing norms, third Shift is not allowed in ITOTs.

Agenda No 12.7:
STARTING OF NEW AGE COURSES

It was informed to the committee that DGT vide letter dt. 12.06.2020 addressed to all Additional Chief Secretaries for starting New Age Courses, followed by letter dt. 12.10.2020 requesting all States to process the applications submitted on online affiliation portal for new Age Courses.

All the State Governments were advised to take up starting of New Age courses on Top Priority. So far 49 proposals are registered for new age courses and 13 Govt ITIs registered during the special drive (from 12.10.2020).

Agenda No 12.8:
CLOSURE OF ARMY PVT ITI, AMBALA CANT, HARYANA

It was informed to the committee that Army Pvt ITI, Ambala Cantt, Haryana (PU06000085) vide letter dt. 01.10.2020 addressed to Chief Secretary, Govt of Haryana stating that they want close the ITI by 2021. The committee approved as proposed by the ITI.

Agenda No 12.9:
PROPOSAL TO START CTS COURSES NST JAMMU, EXTENSION CENTRE SRINAGAR AND EXTENSION CENTRE LEH, LADAK

(32)


10/11/2020

Proposal received from RDSDE, Jammu & Kashmir vide mail dt. 19.10.2020 proposed to start the following courses under CTS/CITS considered by committee and approved as proposed:

Sl.No	Institute	Proposed courses
1	NSTI Jammu	1. Smartphone Technician cum App tester 1(1+0) 2. Computer Software Application (CITS) 1(1+0)
2	Extension Centre Sringar	IoT Technician (Smart Health Care) 1(1+0)
3	Extension Centre Leh, Ladakh	1. Smartphone Technician cum App Tester (CTS) 1(1+0) 2. Solar Technician (Electrician) 1(1+0)

Additional Agenda (WITH THE PERMISSION OF CHAIR):

12.10.1 De-affiliation of Girija Pvt ITI (PR10000185)

DGT issued show-cause notice (8.07.2020) to Girija Pvt ITI against complaint, as no reply received, second show-cause ITI also issued (17.08.2020) still ITI has not responded. Accordingly, it is proposed for De-Affiliation. Members opined to seek comments from State Government.

12.10.2 SCVT to NCVT conversion proposal received from Bihar State Government

Bihar State had forwarded the proposal for conversion of SCVT trades to NCVT trades in 16 Govt ITIs forwarding the “Preliminary Inspection report” recommending for affiliation. Committee decided to collect the complete information on these 16 Institutes from State Government, Bihar and place in next meeting.

Agenda No 12.10.3

In addition to the above, the Director General advised to constitute a committee comprising officers from DGT who will examine the admission status of ITIs on NCVT MIS Portal and will place their report in respect of ITIs which are not taking admissions during last two years. Further, the DG advised that ITI seeking affiliation shall come through NIMI portal; and for which appropriate arrangement shall be done by DGT.

The meeting ended with a vote of thanks to the Chair.


10/11/2020

SIR.No	ITI Name	State	MIS Code/Application Number	Inspected Date	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms	works hop space	Class room	IT lab	Drawing Hall	Availability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee/ Scrutiny Committee	Recommended or not
1	A one Private ITI, Bahlalgaon, Latur, Maharashtra -	Maharashtra	NEW Application No. TMP274981 PR1582905705	23.9.2020	Electrician Electronic Machanic Welder Front Office Assistant	2(1+1) 2(1+1) 2(1+1) 2(1+1)	Not Recommended								Found shortage of tools equipment's machinery & furniture items.		Shortage of tools equipment's machinery & furniture items.	Not Recommended due to Shortage of tools equipment's machinery & furniture items.
2	Maltree Private ITI, Gate No. 237, Bhangali, Tal/Dist. Latur, Maharashtra - 413512	Maharashtra	NEW Application No. TMP27481 PR158298347	23.9.2020	Secretary Practice Front Office Assistant Marketing Executive Physiotherapy Teevhinician	1(1+0) 1(1+0) 1(1+0) 1(1+0)	Not Recommended								Shortage of major tools and equipment's		Shortage of major tools and equipment's	Not Recommended due to Shortage of major tools and equipment's
3	PN SARODE Private ITI, Sawali, Hinganghat, District- Wardha, Maharashtra- 442301	Maharashtra	NEW Application No. TMP27498 PR1582374842	23.9.2020	Electrician Welder Fitter Computer Hardware & Network Maintenance	2(1+1+0) 2(1+1+0) 2(1+1+0)	Not Recommended								Tools Deficiency With Incomplete Installation for Welder Trade		Tools Deficiency With Incomplete Installation for Welder Trade	Not Recommended due to Tools Deficiency With Incomplete Installation for Welder Trade
4	Swami Vivekanand Private ITI P-74, MIDC, Kalamb Road, Latur, Maharashtra	Maharashtra	NEW Application No. TMP27481 PR1582024010	24.09.2020	Electrician Wireman Desktop Publishing Fitter Welder Draughtsman (Civil)	2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)		Yes	Yes	Yes	Yes	Yes	Yes				Recommended for 3 trades only Electrician Wireman Desktop Publishing	Comments to be sought from state for details regarding the inspection, and reasons for Not Recommending 3 trades.
5	Shivrajya Private ITI, A/P Georai, Tal: Georai, Dist: Beed, Maharashtra -	Maharashtra	NEW Application No. TMP27470 PR1580964416		Electrician Wireman COPA Fire Technology and Industrial safety	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	Not Recommended			Not as per Norms					Not Installed		Building not as per DGT norms, Tools and machinery not installed.	Not Recommended due to Building not as per DGT norms, Tools and machinery not installed.

Sumit
10/11/2020

6	Swargya Bulbhal Tagde Private ITI, Sahakar Nagar, At Po. Sawaragan, Th- Narkhed, Dist- Nagpur, Maharashtra - 441306	Maharashtra	NEW Application No. TMP2748 PRI582793548	15.09.2020	Electrician COPA Stenographer and Sec.Practice	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	Recommended Electrician 2(1+1) Fitter 2(1+1) COPA 2(1+1) Stenographer and Sec.Practice 2(1+1)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Recommended Electrician 2(1+1) Fitter 2(1+1) COPA 2(1+1) Stenographer and Sec.Practice 2(1+1)	Recommended Electrician 2(1+1) Fitter 2(1+1) COPA 2(1+1) Stenographer and Sec.Practice 2(1+1)	
7	C.M.Annamalai ITI Pvt ITI, Vill: Vellathur, Post: Adhivaragapuram, R.K. Put Taluk, Sholinghur To Tirutani High Road, Thiruvallur, Tamil Nadu - 631303	Tamil Nadu	NEW Application No. TMP33589 PRI579930914	23.9.2020	Fitter Welder Electrician Wireman Mechanic Refrigerator and- -Air Condition Dress Making Turner	2(2+0+0) 2(2+0+0) 2(2+0+0) 2(1+0+0) 1(1+0+0) 2(1+0+0) 2(1+0+0)	Recommended Fitter 1(1+0) Welder 1(1+0) Wireman 1(1+0) Mechanic Refrigerator and- -Air Condition 1(1+0) Dress Making 1(1+0) Turner 1(1+0)	YES	Short	YES	YES	YES	YES	YES	YES	YES	Bill not attached	Not attached	2 units of fitter, welder, electrician, wireman, MRAC, for single shift are sought for affiliation. Essential tools and equipment of one batch only existing which is now used by existing polytechnic.	Not Recommended due to Not Recommended 2 units of fitter, welder, electrician, wireman, MRAC, for single shift are sought for affiliation. Essential tools and equipment of one batch only existing which is now used by existing polytechnic.
8	Baba Naipal Pvt. ITI, Sattarbarapur, Tehsil-Sagri Distt- Azamgarh, U.P. -	Uttar Pradesh	NEW Application No. 1809015742	18.08.2020	Electrician Fitter Plumber Computer Operator & Programming Assistant	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	Recommended Electrician 3(1+1+1) Fitter 3(1+1+1) Plumber 3(1+1+1) COPA 3(1+1+1)	Yes	Electricity Bill Not Available, Meter sealing Report Attached	Yes	Yes	Yes	Yes	Yes	Yes	YES	YES	YES	Electricity Bill Not Available, Meter sealing Report Attached	7 days time to be given to ITI to produce the documents: 1. Meter sealing report 2. Electricity bill, that matches with the online bill
9	Bhikki Singh Pradhan Pvt ITI Village- Kanjaulighat, Baldeo, Dist.: Mathura, U.P. - 281301	Uttar Pradesh	NEW Application No. 1809018907	19.08.2020	Electrician Fitter Marketing Executive Finance Executive Health Sanitary Inspector	9(3+3+3) 6(2+2+2) 3(1+1+1) 3(1+1+1) 3(1+1+1)	Recommended Electrician 9(3+3+3) Fitter 6(2+2+2) Marketing Executive 3(1+1+1) Finance Executive 3(1+1+1) HSI 3(1+1+1)	Yes	Online bill 24.44 kVA (19.5 kW) and required load is 29.42 kW	Yes	Yes	Yes	Yes	Yes	Yes	Yes	ME & FE Tools Short of 2 No. Desktop Each	YES	Online bill 24.44 kVA (19.5 kW) and required load is 29.42 kW ME & FE Tools Short of 2 No. Desktop Each	Not Recommended due to Online bill 24.44 kVA (19.5 kW) and required load is 29.42 kW ME & FE Tools Short of 2 No. Desktop Each

Signature
10/11/2020

10	Chaudhari Maharu Pvt. ITI, Vill/PO -Doharighat, Tehsil- Ghoshi, District - Mau, Uttar Pradesh 275303	Uttar Pradesh	NEW Application No. 1809022797	18.08.2020	Electrician Fitter Swing Technology Computer Operator & Programming Assistant	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	Recommended Electrician (1+1) Fitter (1+1) Swing Technology (1+1) COPA (1+1)	Valid Till 2022	Electricity Bill Not Available	YES	YES	YES	YES	Not Available	YES	YES	Drawing Hall not available. Online electricity bill is not available.	Not Recommended due to Drawing Hall not available. Online electricity bill is not available.
11	O.C.S. College Pvt. ITI, Main Road, Raza, Mathura, U.P.-281204	Uttar Pradesh	NEW Application No. 1809017770	19.08.2020	Electrician Fitter Computer Operator & Programming Assistant Health Sanitary Inspector	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	Recommended Electrician 6(2+2+2) Fitter 6(2+2+2) COPA 3(1+1+1) HSI 3(1+1+1)	Yes	Online Bill is not available	Yes	Yes	Yes	Yes	Yes	Tools with Deficiency List Not Attached. Machinery Installation is not proper	Yes	Tools with Deficiency List Not Attached. Machinery Installation is not proper. Online Bill not available.	7 days time to be given to ITI to produce the documents: 1. Tool list with deficiency column 2. Electricity bill, that matches with the online bill
12	P.R.D.Pvt. ITI, Vill-Mantikpur, Post-Alipur, Dist- Mainpur, U.P.-205262	Uttar Pradesh	NEW Application No.	20.08.2020	Electrician Fitter Physiotherapy Tec. Health Sanitary Inspector	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	Recommended Electrician 6(2+2+2) Fitter 6(2+2+2) Physiotherapy Tec. 3(1+1+1) HSI 3(1+1+1)	Yes (2028)	Online Bill Shows 5KW Required 19.4 kW	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Online Bill Shows 5KW Required 19.4 kW	Not Recommended due to Online Bill Shows 5KW Required 19.4 kW
13	R.J.Pvt. ITI Rampur Balbhadra, Jakhaniya, Ghazipur, Uttar Pradesh - 275203	Uttar Pradesh	NEW Application No. 1809025584	22.08.2020	Electrician Fitter Plumber Sewing Technology	6(2+2+2) 3(1+1+1) 3(1+1+1) 3(1+1+1)	Not Recommended Plumber - NR ST- NR			No Workshop op Available For Plumber & ST	Yes	Yes	Yes	Yes	No Tools & Machinery Available For Plumber & ST	Yes	No Workshop Available For Plumber & Sewing Technology	Not Recommended Since, need minimum 4 trades for new affiliation.
																	No Tools & Machinery Available For Plumber & Sewing Technology	No Workshop Available for Plumber & Sewing Technology

Amish
10/11/2020

14	Shri Jyoti Narayan Pvt ITI Vill- Aagan, Po- Daulaapur, Baldeo, Dist- Mathura, Uttar Pradesh- 281301	Uttar Pradesh	NEW Application No. 1809016468	19.8.2020	Electrician Fitter Computer Operator & Programming Assistant Health Sanitary Inspector	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	Recommended Electrician 6(2+2+2) Fitter 6(2+2+2) COPA 3(1+1+1) HSI 3(1+1+1)	Yes	Sanction load is 22KVA (17.6KW) Required Load 19.85KW	Yes	Yes	Yes	Yes	Yes	Yes	Tools with Deficiency List Not Attached	Yes	Sanction load is 22KVA (17.6KW) Required Load 19.85KW Tools with Deficiency List Not Attached	7 days time to be given to ITI to produce the documents: 1. Tool list with deficiency column 2. Increase the sanction load to required value or more. Sanction load is 22KVA (17.6KW) Required Load 19.85KW Tools with Deficiency List Not Attached
----	--	---------------	---	-----------	--	--	--	-----	---	-----	-----	-----	-----	-----	-----	---	-----	--	--

Signature
19/11/20

ANNEXURE 12.2.2

Sl. No	ITI Name	State	Inspected Date	MIS Code/Applicant Number	Grading	Affiliation Year	Existing Trade	Affiliated Units	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SICI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Land lease valid	Power connection as per norms	Building as per norms	Workshop space	Class room	ITI lab	Drawing Hall	Availability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee	Recommended or not		
1	Balapur Private Industrial Training Institute, Bham., Balapur, Bk. Campus, Bham., Tal-Balapur, Dist.-Chandrapur, Maharashtra - 431201	Maharashtra	23.07.2020	PRG27000612	2	13-Sep-2013	Wiresman (NSQF) (21.1.0) Mechanic Diesel (21.1.0) Fitter (NSQF) (21.1.0) Electrician (NSQF) (21.1.0)	21	Electrician	21	21	Wiresman - (21.1.0) Mechanic Diesel - (20.2.0) Fitter - (21.0.0) Electrician - (20.2.0)	21 + 22 + 21 + 21 = 64	20 + 21 + 20 + 20 = 64	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Not Available	Contract for one Year Not Renewed	Non-availability of tools and machinery for additional units	Not Recommended due to Non-availability of tools and machinery for additional units	
2	Government ITI, Chandur Bazar, Dist.Amravati, Maharashtra - 431704	Maharashtra	23.07.2020	CM27000510	5	4-Nov-1990 7-Jul-2000 26-Sep-2008 30-Jul-2009 15-Jun-2010 9-Jun-2011 30-Jun-2011	Wiresman (NSQF) (21.1.0) Sewing Technology (NSQF) (21.1.0) Fitter (NSQF) (21.1.0) Mechanic (Motor Vehicle) (NSQF) (21.1.0) Welder (NSQF) (21.1.0) Electrician (NSQF) (21.1.0)	21	Welder	21	21	Wiresman - (21.1.0) Sewing Technology - (21.1.0) Fitter - (21.0.0) Mechanic - (21.0.0) Motor Vehicle - (21.0.0) Welder - (21.0.0) Electrician - (20.2.0)	21 + 21 + 21 + 21 + 17 = 80	20 + 21 + 20 + 20 + 134 = 195	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Recommended	Recommended
3	Government Industrial Training Institute, Bhamburda, Dist.Amravati, Maharashtra - 431721	Maharashtra	24.07.2020	CM27000632	4.12	25-Jun-1999 7-Jul-2000 6-Aug-2003 20-Dec-2009 30-Jul-2010 24-Feb-2012	COPA (NSQF) (21.1.0) Electrician (NSQF) (21.1.0) Dress Making (NSQF) (21.1.0) Fitter (NSQF) (21.1.0) Mechanic (Motor Vehicle) (NSQF) (21.1.0) Welder (NSQF) (21.1.0) Draughtsman (Mechanical) (NSQF) (21.1.0)	21	Welder	21	21	COPA - (26.2.0) Electrician - (21.1.0) Dress Making - (21.1.0) Electronics - (26.0.0) Fitter - (21.0.0) Mechanic (Motor Vehicle) - (21.0.0) Welder - (21.0.0) Draughtsman (Mechanical) - (21.0.0)	47 + 21 + 28 + 26 + 21 + 21 + 21 = 195	41 + 19 + 32 + 24 + 20 + 175 = 303	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Recommended	Recommended
4	Gratim Advance Private Industrial Training Institute, Balajgon, Opp. Bha adgaon busstand, Dist.-Mumbai, Maharashtra - 401131	Maharashtra	23.07.2020	PRG27000613	4.21	25-Aug-2015 30-Aug-2016	Electrician (NSQF) (21.1.0)	21	Electrician	21	21	Electrician - (21.1.0)	21 + 21 + 21 = 63	20 + 21 + 20 + 20 = 60	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Not Recommended	Not Recommended		

Annexure 12.2.2

11	Vikram Shisham Sanku New Rd Pahar, Ch. Post. Zenda Chowk Patnā Tajachapur, Bhaktapur, Bhaktapur, 440000	Bhaktapur	23-09-2020	PR27000706	3.1	20-Jun-2011 31-Jul-2019	Electrician (NSQF) Wiresman (NSQF)	2(1+1) 2(1+1)	Electrician Wiresman Fitter	2(0+1+1) 2(1+1+0)	Electrician (0+0+0) Wiresman (0+0+0)	0 (20+0+0) Wiresman (10+0+0)	20 : 10 : 30	Yes	Yes	Yes	Yes	Yes	Yes	1 For fitter trade letter given by applicant requesting time for inspection unit of electrician due to covid 19 problem dated 21/09/2020 Z building under construction for classroom & no setup for unit of electrician & wiresman trade	1 For fitter trade letter given by applicant requesting time for inspection unit of electrician due to covid 19 problem dated 21/09/2020 Z building under construction for classroom & no setup for electrician & wiresman trade	Not Recommended due to 1 For fitter trade letter given by applicant requesting time for inspection unit of electrician due to covid 19 problem dated 21/09/2020 Z building under construction for classroom & no setup for additional unit of electrician & wiresman trade	
12	Meera Kaul Private ITI NEAN GLOBAL COLLEGE PANCHSHEEL MAND DEV NAGAR LOHAGAL, ANHER, RAJASTHAN 305001	Rajasthan	31-07-2020	PJ00001041	2.21	15-Dec-2016	Pre/Preparatory School -Management (Assistant)- (NSQF) Mechanic Diesel (NSQF) Health Sanitary Inspector - (NSQF) Electrician (NSQF)	1(1+1+1) 3(1+1+1) 2(1+1+0) 2(1+1+0)	Electrician Fitter	2(1+1+0)	Pre/Preparatory School -Management (Assistant)- (0+0+0) Mechanic Diesel (21+21+21) Health Sanitary Inspector (14+0+0) Electrician (0+21+0)	Pre/Preparatory School -Management (Assistant)- (0+0+0) Mechanic Diesel (0+0+0) Mechanic (21+21+21) Health (21+21+21) Sanitary Inspector (14+0+0) Electrician (0+21+0)	0+63+14+ 21+98 0+63+14+ 21+98	Yes	Yes	Yes	Yes	Yes	Yes	1 For fitter trade letter given by applicant requesting time for inspection unit of electrician due to covid 19 problem dated 21/09/2020 Z building under construction for classroom & no setup for unit of electrician & wiresman trade	1 For fitter trade letter given by applicant requesting time for inspection unit of electrician due to covid 19 problem dated 21/09/2020 Z building under construction for classroom & no setup for electrician & wiresman trade	Recommended Electrician Add 2(1+1) Total 4(2+2) Management trade to be de- affiliated due to 0 admission.	
13	Additional Private ITI Bansapur, Ashabail, TELANGANA 501001	Telangana	19-09-2020	PR36000005	2.00	25-Aug-2014	Fitter (NSQF) Electrician (NSQF)	12(1+1+1) 12(1+1+1)	Dress Making COPA	3(1+1+1) 3(1+1+1)	Fitter - (10+0+0) Electrician - (84+21+21)	Fitter - (0+0+0) Electrician (60+60+0)	0+120+ 120 06-11-2011 to 05-11- 2021	25 MW	YES	YES	YES	YES	YES	Staff affiliation & documents not attached	The committee elected in their observation that the Dress Making (1+1+0) and COPA (1+1+0) trades are recommended subject to de- affiliation of Fitter (0+1+1) Trade No de-affiliation orders for fitter trades	Deferred as State representative unit joined the Dress Making (1+1+0) and COPA (1+1+0) trades are recommended subject to de- affiliation of Fitter (0+1+1) Trade No de-affiliation orders for fitter trades	
14	Mahesara Industrial Training Centre, Hita (to 59 N.H. Road 7 Ramnagar, Bachkeldi, Telangana - 502101	Telangana	19-09-2020	PR36000157	3.32	11-May-1998 23-Jun-1998 30-Jul-1998 20-Sep-2011	Electrician (NSQF) Fitter (NSQF) Mechanic Diesel (NSQF) Draughtsman (COP)	8(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	Sewing Technology Electrician Mechanic Diesel Fitter	3(1+1+1) 4(0+0+0) (10+0+0) (10+0+0)	Electrician - (84+42+0) Fitter - (17+0+0) Mechanic Diesel - (21+20+0) Draughtsman (COP) - (0+0+0)	Electrician (84+17+41+ (10+40+0) Fitter - (0+12+0) Mechanic (21+10+0) Draughtsman (COP) - (0+0+0)	80+12+42+ (10+40+0) Fitter - (0+12+0) Mechanic (21+10+0) Draughtsman (COP) - (0+0+0)	20 YEARS TO 26.02.2020 25.02.2019	30 MW	YES	YES	YES	YES	YES	YES	Yes	Deferred as State representative unit joined the Dress Making (1+1+0) and COPA (1+1+0) trades are recommended subject to de- affiliation of Fitter (0+1+1) Trade No de-affiliation orders for fitter trades
15	Palmaroo Private ITI Mahabubnagar Road, Rameshpur (Post. & Mandal), MAHABUBNAGAR, TELANGANA 500042	Telangana	19-09-2020	PR36000250	4.11	25-Sep-2012 1-Sep-2016	Electrician (NSQF) Sewing Technology (NSQF) Fitter (NSQF)	12(1+1+1) 3(1+1+1) 6(2+2+2)	Electrician Mechanic Diesel Welder	6(2+2+2) 3(1+1+1) 3(1+1+1)	Electrician - (63+63+63) Sewing Technology - (21+21+0) Fitter - (42+10+0)	Electrician (63+46+60+ 295 Electrician - (20+20+20) Sewing Technology - (20+20+0) Fitter - (0+20+10)	60+48+60+ 168	YES	52 MW	YES	YES	YES	YES	YES	Yes	Deferred as State representative unit joined the Dress Making (1+1+0) and COPA (1+1+0) trades are recommended subject to de- affiliation of Fitter (0+1+1) Trade No de-affiliation orders for fitter trades	

Amritha
10/11/2020

16	Saya ITL (OU Add) H No + 70/2/10 Chukshi Complex Armoor NIZAMABAD, TELANGANA 503221	Telangana	19-08-2020	PR09000238	NA	6-Aug-2011	Electrician (NSQF)	2(1+1+0)	Electrician	12(4+4+4)	Electrician - (0+0+0)	0	10 Years to 31.10.2029	56 KV	YES	YES	YES	YES	YES	Recommended	Deferred as State representative not joined meeting to offer comments
17	Saya ITL (New Add) Vidh-Cheryl Mandir, Kesara, Bhadrachalam District, Madhya Pradesh	Uttar Pradesh	19-08-2020	PR09000572	3.12	15-Dec-2016	Electrician (NSQF)	6(2+2+2)	Electrician	6(2+2+2)	Electrician - (0+0+0)	0	Yes	Sanction load is 21KVA (16.8KW) Required Load	Yes	Yes	Yes	Not Available	Tool with Deficiency List Not Attached	YES	Drawing Hall not available tools with deficiency list not attached of Drawing Hall
18	Saya ITL (New Add) Vidh-Cheryl Mandir, Kesara, Bhadrachalam District, Madhya Pradesh	Uttar Pradesh	19-08-2020	PR09000572	3.12	15-Dec-2016	Electrician (NSQF)	6(2+2+2)	Electrician	6(2+2+2)	Electrician - (0+0+0)	0	Yes	Sanction load is 21KVA (16.8KW) Required Load	Yes	Yes	Yes	Not Available	Tool with Deficiency List Not Attached	YES	Drawing Hall not available tools with deficiency list not attached of Drawing Hall
19	Saya ITL (New Add) Vidh-Cheryl Mandir, Kesara, Bhadrachalam District, Madhya Pradesh	Uttar Pradesh	19-08-2020	PR09000572	3.12	15-Dec-2016	Electrician (NSQF)	6(2+2+2)	Electrician	6(2+2+2)	Electrician - (0+0+0)	0	Yes	Sanction load is 21KVA (16.8KW) Required Load	Yes	Yes	Yes	Not Available	Tool with Deficiency List Not Attached	YES	Drawing Hall not available tools with deficiency list not attached of Drawing Hall
20	Saya ITL (New Add) Vidh-Cheryl Mandir, Kesara, Bhadrachalam District, Madhya Pradesh	Uttar Pradesh	19-08-2020	PR09000572	3.12	15-Dec-2016	Electrician (NSQF)	6(2+2+2)	Electrician	6(2+2+2)	Electrician - (0+0+0)	0	Yes	Sanction load is 21KVA (16.8KW) Required Load	Yes	Yes	Yes	Not Available	Tool with Deficiency List Not Attached	YES	Drawing Hall not available tools with deficiency list not attached of Drawing Hall
21	Saya ITL (New Add) Vidh-Cheryl Mandir, Kesara, Bhadrachalam District, Madhya Pradesh	Uttar Pradesh	19-08-2020	PR09000572	3.12	15-Dec-2016	Electrician (NSQF)	6(2+2+2)	Electrician	6(2+2+2)	Electrician - (0+0+0)	0	Yes	Sanction load is 21KVA (16.8KW) Required Load	Yes	Yes	Yes	Not Available	Tool with Deficiency List Not Attached	YES	Drawing Hall not available tools with deficiency list not attached of Drawing Hall
22	Saya ITL (New Add) Vidh-Cheryl Mandir, Kesara, Bhadrachalam District, Madhya Pradesh	Uttar Pradesh	19-08-2020	PR09000572	3.12	15-Dec-2016	Electrician (NSQF)	6(2+2+2)	Electrician	6(2+2+2)	Electrician - (0+0+0)	0	Yes	Sanction load is 21KVA (16.8KW) Required Load	Yes	Yes	Yes	Not Available	Tool with Deficiency List Not Attached	YES	Drawing Hall not available tools with deficiency list not attached of Drawing Hall
23	Saya ITL (New Add) Vidh-Cheryl Mandir, Kesara, Bhadrachalam District, Madhya Pradesh	Uttar Pradesh	19-08-2020	PR09000572	3.12	15-Dec-2016	Electrician (NSQF)	6(2+2+2)	Electrician	6(2+2+2)	Electrician - (0+0+0)	0	Yes	Sanction load is 21KVA (16.8KW) Required Load	Yes	Yes	Yes	Not Available	Tool with Deficiency List Not Attached	YES	Drawing Hall not available tools with deficiency list not attached of Drawing Hall
24	Saya ITL (New Add) Vidh-Cheryl Mandir, Kesara, Bhadrachalam District, Madhya Pradesh	Uttar Pradesh	19-08-2020	PR09000572	3.12	15-Dec-2016	Electrician (NSQF)	6(2+2+2)	Electrician	6(2+2+2)	Electrician - (0+0+0)	0	Yes	Sanction load is 21KVA (16.8KW) Required Load	Yes	Yes	Yes	Not Available	Tool with Deficiency List Not Attached	YES	Drawing Hall not available tools with deficiency list not attached of Drawing Hall

Handwritten signature
19/11/2020

ANNEXURE 12.2.3

SR. No	ITI Name	State	Inspected Date	MIS Code /Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Availability of Machinery, Tools & Equipments	Staff Qualification & Documentation	Remarks by Standing Committee/ Scrutiny Sheet	Recommended or not
1	Shri Guruji ITI, Latur Old MIDC Backside Od Aroma Hotel, Dist: Latur Maharashtra - 413512	Maharashtra	23.09.2020	PU27000997	NA	31-Jul-2019	Wireman (NSQF) Welder (NSQF) Electrician (NSQF)	2(1+1+0) 2(1+1+0) 2(1+1+0)	Fitter Electrician Secretarial Practice(English) Physiotherapy Technician Draughtsman (Civil)	2(1+1+0) 4(2+2+0) 2(1+1+0) 2(1+1+0)		Wireman - (0+0+0) Welder - (0+0+0) Electrician - (0+0+0)	0	Wireman - (14+0+0) Welder - (4+0+0) Electrician - (20+0+0)	14 + 4 + 20 = 38	Yes	50 KW	Yes	Yes	Yes	Yes	Yes	Yes	YES	Recommended	Recommended


 10/11/2020

ANNEXURE 12.2.5

S. No.	ITI Name	State	Inspected Date	MIS Code/Application Number	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff qualification & Documents	Remarks by Standing Committee/ Scrutiny Committee	Recommended or not
1	THIAGARAJAR POLYTECHNIC Pvt. ITI, Lakshmi Nagar, PO/TK : Valappady, Dist: Salem, Tamil Nadu - 636115	Tamil Nadu	27-09-2020	TMP33584 PR1579856638	Electrician Wireman Health Sanitary Inspector COPA Draughtsman(Civil) Draughtsman(Mechanical) Driver cum mechanic Mechanic Refrigeration- and Air conditioner Welder(Structural) Surveyor	6(2+2+2) 6(2+2+2) 6(2+2+2) 6(2+2+2) 6(2+2+2) 6(2+2+2) 6(2+2+2) 3(1+1+1) 6(2+2+2)	Electrician Wireman Health Sanitary Inspector Draughtsman(Civil) Surveyor	YES	Yes	YES	YES	YES	YES	YES	Minnor Tools Missing	Yes	Tools for COPA, Draughtsman(Mechanical), DCM, MRAC and Welder (Structural) not available. Dedicated classroom not available for ITI	Not Recommended due to Not Recommended Tools for COPA, Draughtsman (Mechanical), DCM, MRAC and Welder (Structural) not available. Dedicated classroom not available for ITI

Sumit
10/11/2020