

DGT-AFF011 (51)/2/2020-O/O DIR (TC)
Government of India
Ministry of Skill Development & Entrepreneurship
Directorate General of Training

1st Floor, CIRTES Building,
Pusa Campus, Pusa, New Delhi-110012
Dated: 10th November, 2020


To,
All the State Directors (dealing with Affiliation)

Sub:- Minutes of Meeting of 13th Recommendation Committee Meeting

Sir/Madam,


Please find enclosed herewith the approved Minutes of Meeting along with Annexures of 13th Recommendation Committee held on 4th November, 2020. However implementation orders agenda item wise will be issued in due course of time.

Yours faithfully,


(Sunil Kumar Gupta)
Director

Copy to:-

1. Sr PPS to DG/AS, DGT, New Delhi
2. Sr PPS to DDG, DGT, New Delhi
3. All RDSDEs


(Ravi Chilukoti)
Joint Director

MINUTES OF THE 13TH MEETING OF "RECOMMENDATION COMMITTEE DGT" DEALING WITH AFFILIATIONS OF ITIs, HELD ON 04th November, 2020 AT 11:00 AM THROUGH VIDEO CONFERENCE

At the outset, Sunil Kumar Gupta, Director and Shri Ravi Chillukoti, JDT welcomed all the committee members and thereafter the DG took agenda points for detailed discussions. The details of discussions, deliberations & agenda wise decisions taken by the chair, are placed as below:

Agenda No. 13.1:

CONFIRMATION OF THE MINUTES OF THE 12TH MEETING OF THE "RECOMMENDATION COMMITTEE DGT" DEALING WITH AFFILIATION HELD ON 20TH OCTOBER, 2020.

Agenda No. 13.2:

AFFILIATION OF ITI'S WHICH ARE JOINTLY INSPECTED

Committee considered a number of proposals as details given below and recommended as per remarks given below: -

13.2.1 New ITI proposals:

SI. No.	State	Number of ITIs	Remarks by Standing Committee	Remarks by Committee-DGT	Recommendation
01	Uttar Pradesh	04	4 Not Recommended	Since no one was present in the meeting on behalf of the State Directorate-UP, the said proposals were not considered by the committee and it was deferred for the next meeting.	

13.2.2 Existing ITIs seeking Affiliation for Extension of Trades/Units:

State-wise break-up of proposals

SI. No.	State	Number of ITI's	Remarks		
			Recommended	NR	Hold for clarification
01	Tamil Nadu	02	1	-	1
02	Telangana	04	1	1	2
	Total	06	2	1	3

ITI-wise break-up of proposals

SI.No.	ITI's Name MIS Code / Application No.	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Remarks by Recommendation Committee-DGT
1	KS Rangasamy Institute of Technology, KSR Kalvi Nagar, Thokkavadi Post, Tiruchengode Tal, Namakkal, Tamil Nadu - 637215 PR33000643	Health Sanitary Inspector	2(1+1)	1(0+1)	Deferred Clarification on recommendation of 1 unit required from the state. 7 days' time to ITI to hire an Instructor who has required experience

Sunil Kumar Gupta
10/11/2020

①

Sl. No.	ITI's Name MIS Code / Application No.	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Remarks by Recommendation Committee-DGT
2	Loyola Private ITI 7, A.A. ROAD, GANANOLIVUPURAM, DIST : MADURAI TAMILNADU – 625016 PR33000132	Electrician Welder	2(1+1) 2(1+1)	Electrician 2(1+1) Welder 2(1+1)	Recommended
3	Sri Balaji ITI, Budimi Gate, Pitlam Road, Post/Mandal :Banswada, Dis:Kamareddy , Telangana – 503187 PR36000255	Electrician Mechanic Diesel Radiology Technician Sewing Technology	8(2+2+4) 3(1+1+1) 6(2+2+2) 3(1+1+1)	Recommended	Deferred ITI needs to submit the details for required load in 7 days
4	Gautam Buddha Minority Industrial Training Centre ITI Bus Stage, Yellandu- Khammam Road, Subhash Nagar, YellanduBhadradiKothgudan Telangana – 507123 PU36000130	Computer Operator and Programing Assistant Draughtsman Welder	3(1+1+1) 3(1+1+1) 3(1+1+1)	Not Recommended	Recommended Admission in 2 year courses should satisfy the criteria of admission on 50% seats every year
5	Rajiv Gandhi Private Industrial Training Centre Sofi Nagar Nirmal Telangana – 504106 PR36000067	Welder Horticulture Soil Testing and Corp Technician Electrician Dress Making Machanic Refrigeration and air Conditioner	1(0+1) 2(1+1) 2(1+1) 4(0+0+4) 2(1+1) 2(1+1)	Welder 1(0+1) Electrician 4(0+0+4) Dress Making 2(1+1) Machanic Refrigeration and air Conditioner 2(1+1)	Not Recommended No admissions allowed, ITI to apply for re-affiliation with 4 Trades
6	Shiva Jyothi ITC Shastri Nagar, H No. 1-3, MNCL Road, Nirmal, Telangana-504106 PR36000194	Electrician	8(4+4)	Not Recommended	Deferred ITI need to clear shortage for tools since, It needs to have 4 trades for affiliation. 7 days time given to ITI

13.2.3 EXISTING ITIS APPLIED FOR SHIFTING: (DEFERRED CASES)

State-wise break-up of proposals

Sl. No.	State	Number of ITI's	Remarks
01	Telangana	01	Recommended

ITI-wise break-up of proposals

Sl. No.	ITI's Name MIS Code/Application Number	New Address:	Existing Trade	Affiliated Units	Trades/Units sought for affiliation	ITI Proposed Units	Remarks by Recommendation Committee-DGT
---------	---	-----------------	-------------------	---------------------	---	--------------------------	---

Sumit
10/11/2022

(2)

1	Satya ITC (Old Add) H.No. 4-70/2/B1, Chukala Complex, Armoor NIZAMABAD, TELANGANA - 503224 PR36000238	Satya ITI, Vill- Cheeryal, Mandal: Keesara, District : Medchal Malkajgiri, Telangana	Electrician (NSQF) Draughtsman (Civil) (NSQF)	2(1+1) 2(1+1)	Electrician Fitter	Add. 12(4+4+4*) Add. 12(4+4+4*)	Recommended as proposed except 3 rd shift* in Electrician and Fitter Trade subject to conditions that ITI shall get affiliation in minimum 4 trades from the next academic session.
---	--	---	--	----------------------	---------------------------	--	--

13.2.4 MSTI PROPOSAL : NIL

13.2.5 ITI IN SPARE CAPACITY OF POLYTECHNICS : NIL

13.3: SCVT TO NCVT CONVERSION

Bihar State has proposed 16 Govt ITI for conversion from SCVT to NCVT, these proposals were placed in agenda (item 10.2 of 12th Recommendation Committee Meeting), as decided earlier by the committee the consolidated statement was placed before the committee, for consideration of the proposals.

ITI-wise break-up of proposals

Sl. No.	ITI Name	New Trade Sought for Affiliation	Units	Remarks by Recommendation Committee-DGT
1	WOMEN ITI NAWADA	ELECTRICIAN	02 (1+1)	Deferred Due to moral code of Conduct in Bihar
		ELECTRONIC MECHANIC	02 (1+1)	
		MECHANIC CONSUMER ELECTRONIC APPLIANCES	02 (1+1)	
		INFORMATION COMMUNICATION TECHNOLOGY & SYSTEM MAINTENANCE	02 (1+1)	
2	GOVT. WOMEN ITI SITAMARHI	ELECTRICIAN	02 (1+1)	Deferred Due to moral code of Conduct in Bihar
		ELECTRONIC MECHANIC	02 (1+1)	
		MECHANIC CONSUMER ELECTRONIC APPLIANCES	02 (1+1)	
		INFORMATION COMMUNICATION TECHNOLOGY & SYSTEM MAINTENANCE	02 (1+1)	
3	ITI THAKURGANJ	ELECTRICIAN	02 (1+1)	Deferred Due to moral code of Conduct in Bihar
		ELECTRONIC MECHANIC	02 (1+1)	
		FITTER	02 (1+1)	
		I.C.T.S.M	02 (1+1)	
		MECHANIC DIESEL	02 (1+1)	
		WELDER	02(1+1)	
4	ITI SHEIKHPURA	ELECTRICIAN	2(1+1)	Deferred Due to moral code of Conduct in Bihar
		FITTER	2(1+1)	
		MECHANICS ELECTRONICS	2(1+1)	
		ICTSM	2(1+1)	
		WELDER	2(1+1)	
		MECHANICS.DIESEL	2(1+1)	
5	ITI DHAMDAHA, PURNEA	Electrician	02 (1+1)	Deferred Due to moral code of Conduct in Bihar
		Fitter	02 (1+1)	
		Electronics Mechanic	02 (1+1)	
		Information Communication Technology & System Maintenance (ICTSM)	02 (1+1)	
		Mechanic Diesel	02 (1+1)	
		Welder	02 (1+1)	
6	ITI BARSOI	ELECTRICIAN	02 (1+1)	Deferred Due to moral code of Conduct in Bihar
		ELECTRONIC MECHANIC	02 (1+1)	
		FITTER	02 (1+1)	
		I.C.T.S.M	02 (1+1)	
		MECHANIC DIESEL	02 (1+1)	
		WELDER	02(1+1)	
7	WOMEN ITI PURNEA	Electrician	02 (1+1)	Deferred Due to moral code of Conduct in Bihar
		Electronics Mechanic	02 (1+1)	
		Information Communication Technology & System Maintenance (ICTSM)	02 (1+1)	

[Handwritten Signature]
10/11/2020

3

Sl. No.	ITI Name	New Trade Sought for Affiliation	Units	Remarks by Recommendation Committee-DGT
8	GOVT. INDUSTRIAL TRAINING INSTITUTE, KAIMUR (BHABUA)	ELECTRICIAN	2(1+1)	Deferred Due to moral code of Conduct in Bihar
		FITTER	2(1+1)	
		MRAC (Mechanic refrigeration and Air conditioning)	2(1+1)	
		ICTSM (Information & communication Technology System)	2(1+1)	
		MECHANIC DIESEL	2(1+1)	
		WELDER	2(1+1)	
9	ITI MUZAFFARPUR PASCHIM	Electrician	02 (1+1)	Deferred Due to moral code of Conduct in Bihar
Fitter	02 (1+1)			
Electronics Mechanic	02 (1+1)			
Information Communication Technology & System Maintenance (ICTSM)	02 (1+1)			
Mechanic Diesel	02 (1+1)			
Welder	02 (1+1)			
10	ITI ARWAL	ELECTRICIAN	2(1+1)	Deferred Due to moral code of Conduct in Bihar
		FITTER	2(1+1)	
		MECHANICS ELECTRONICS	2(1+1)	
		ICTSM	2(1+1)	
		WELDER	2(1+1)	
		MECHANICS DIESEL	2(1+1)	
11	GOVT. WOMEN ITI BUXAR	ELECTRICIAN	02 (1+1)	Deferred Due to moral code of Conduct in Bihar
		ELECTRONIC MECHANIC	02 (1+1)	
		MECHANIC CONSUMER ELECTRONIC APPLIANCES	02 (1+1)	
		INFORMATION COMMUNICATION TECHNOLOGY & SYSTEM MAINTENANCE	02 (1+1)	
12	ITI PALIGANJ	ELECTRICIAN	02 (1+1)	Deferred Due to moral code of Conduct in Bihar
		FITTER	02 (1+1)	
		ELECTRONICS MECHANIC	02 (1+1)	
		ICTSM	02 (1+1)	
		WELDER	2	
		MECHANIC DIESEL	2	
13	WOMEN ITI BEGUSARAI	ELECTRICIAN	04 (2+2)	Deferred Due to moral code of Conduct in Bihar ITI needs to have 4 or more trades
		ELECTRONIC MECHANIC	02 (1+1)	
		INFORMATION COMMUNICATION TECHNOLOGY & SYSTEM MAINTENANCE	02 (1+1)	
14	Govt ITI TARAPUR (MUNGER)	ELECTRICIAN	2(1+1)	Deferred Due to moral code of Conduct in Bihar
		ELECTRONIC MECHANIC	2(1+1)	
		ICTSM	2(1+1)	
		FITTER	2(1+1)	
		MECHANIC DIESEL	2(1+1)	
		WELDER	2(1+1)	
15	ITI, DAUDNAGAR, AURANGABAD	ELECTRICIAN	2(1+1) Unit	Deferred Due to moral code of Conduct in Bihar
		FITTER	2(1+1) Unit	
		ELECTRONICS MECHANIC	2(1+1) Unit	
		ICTSM	2(1+1) Unit	
		MECHANIC DIESEL	2 (2+0) Unit	
		WELDER	2 (2+0) Unit	
16	BABA KEWAL MAHARAJ ITI PATORI, SAMASTIPUR	ELECTRICIAN	2(1+1) Unit	Deferred Due to moral code of Conduct in Bihar
		FITTER	2(1+1) Unit	
		ELECTRONICS MECHANIC	2(1+1) Unit	
		ICTSM	2(1+1) Unit	
		MECHANIC DIESEL	2 (2+0) Unit	
		WELDER	2 (2+0) Unit	

Agenda No 13.4: Deferred cases of previous meetings

[Handwritten Signature]
10/11/2017

13.4.1

It was informed to the committee that the proposal i.r.o. Swami Vivekananda Pvt ITI, Latur, Maharashtra which was placed at agenda 12.2; and as decided by the committee, clarifications were sought from State on why the other three trades not recommended. State Government vide their letter dt. 2nd November, 2020 has mentioned that ITI is not recommended due to not fulfilling the criteria of having minimum 4 trades.

In view of the same, the committee has also not recommended it for granting of affiliation.

13.4.2

It was informed to the committee that the proposal i.r.o. Baba Naipal Pvt ITI, Azamgarh, Uttar Pradesh which was placed at agenda 12.2; and as decided by the committee Meter sealing report and clarification on connected load as mentioned in bill were sought. Observation report along with Clarifications as received were placed before the committee. However, Since no one was present in the meeting on behalf of the State Directorate-UP, the said proposal was not considered by the committee and it was deferred for the next meeting.

13.4.3

It was informed to the committee that the proposal i.r.o. DCS College Pvt ITI, Mathura, Uttar Pradesh which was placed at agenda 12.2, and as decided by the committee tool list and clarification on connected load as mentioned in bill were sought. Observation report along with Clarifications as received were placed before the committee. However, Since no one was present in the meeting on behalf of the State Directorate-UP, the said proposal was not considered by the committee and it was deferred for the next meeting.

13.4.4

Three ITIs of Telangana which were placed at agenda 12.2 were deferred as the State officer was not present in the meeting for comments. The proposals were placed again before the committee for its consideration. Committee considered the same and recommended as per remarks given below: -

SL.No.	ITI's Name	Trades/Units sought for affiliation	ITI Proposed Units	Remarks by Recommendation Committee
1	<u>Adilabad Private ITI Dasnapur</u> <u>Dasnapur, Adilabad,</u> <u>TELANGANA - 504001</u> PR36000005	Dress Making COPA	3(1+1+1) 3(1+1+1)	Recommended with surrender of 10(3+3+4) units of fitter.
2	<u>Manjeera Industrial Training</u> <u>Centre,</u> <u>H.N.16-39 N.H. Road-7</u> <u>Ramayampetta, Dist.MEDAK,</u> <u>Telangana - 502101</u> PR36000157	Sewing Technology Electrician Mechanic Diesel Fitter	3(1+1+1) 4(0+0+4) 1(0+0+1) 1(0+0+1)	Recommended Sewing Technology 2(1+1)
3	<u>Palamoor Private ITI,</u> <u>Mahabubnagar Road,</u> <u>Bhoothpur (Post & Mandal),</u> <u>MAHABUBNAGAR,</u> <u>TELANGANA- 509382</u> PR36000250	Electrician Mechanic Diesel Welder	6(2+2+2) 3(1+1+1) 3(1+1+1)	Recommended for 1st and 2nd shifts

Sumit
10/11/2020

5

Agenda No 13.5: De-affiliation of ITIs

13.5.1

It was informed to the committee that i.r.o. a total 22 De-affiliation proposals which were placed at agenda no. 10.5 of 10th Recommendation Committee; and replies received from ITIs in response to show-cause notices were forwarded to State Government of Haryana for their comments. The comments received were placed before the committee for its consideration. The committee considered the same and recommended as per remarks given below: -

Institutes which are not interested to run the ITI												
Sr. No.	Name of Pvt. ITI	Grading	Year of Establishment	Existing Trade	Affiliated Units	Total student enrolled	Student Pass out	Placement of Student	Student enroll	Student Pass out	Placement of Student	
1	Maharishi Dayanand Pvt. ITI, VPO Lihani Distt. Hisar. (MIS CODE- PR06000155)	3.78	01-01-10	Health Sanitary Inspector	8(4+4)	4	2	Not reported	0	0	0	
				Deficiencies found during inspection		1. B.ED College is running in this premises. 2. ITI classes are not running in institute.						
				Institution reply		we have closed the course since 2019-20 after that we have not admitted any student in this course. We have already give a letter of closing the course to inspection team.						
				State Directorate Comments		On the basis of institution request it is further recommended for de-affiliation of the institution.						
Remarks by Recommendation Committee-DGT												
Recommended for de-affiliation												
Institutes which are not interested to run the ITI												
Sr. No.	Name of Pvt. ITI	Grading	Year of Establishment	Existing Trade	Affiliated Units	Total student enrolled	Student Pass out	Placement of Student	Student enroll	Student Pass out	Placement of Student	
2	Ladies Industrial Home Seva Samiti Pvt. ITI, Karnal (MIS CODE- Not Assigned)	Not done	1972	Sewing Technology Stenography & Secretarial Assistant (Eng) Stenography & Secretarial Assistant (Hindi) Surface ornamentation Technique	2(1+1)	0	0	NIL	0	0	0	
				Institution reply		Sh. R.N. Channa, President of the society submitted his consent that they are not interest to run the institute.						
				Deficiencies found during inspection		Institute is not interested to impart training as there is no staff and admission since July, 2014						
				Remarks by Recommendation Committee-DGT		Recommended for de-affiliation						
Institutes which are not interested to run the ITI												

Shankar
10/11/2020

Sr. No.	Name of Pvt. ITI	Grading	Year of Establishment	Existing Trade	Affiliated Units	Total student enrolled	Student Pass out	Placements of Student	Student enroll	Student Pass out	Placements of Student																								
												Remarks by Recommendation Committee-DGT	Recommended for deaffiliation																						
3	SBS Pvt. ITI, Odhan Road, V.P.O Kalan wali Distt. Sirsa. (MIS CODE- PR06000177)	Not done	2014	COPA Electrician Fitter	2(1+1) 8(4+4) 4(2+2)	52 84 24	42 14 12	NIL NIL NIL	33 61 7																										
<p>Deficiencies found during inspection</p> <p>Inspection committee observed that there is very less physical presence of trainees which shows institution is adopting non attending culture. ITI is not imparting training properly as the staff/students are not attending Institute regularly.</p> <p>Remarks by Recommendation Committee-DGT</p> <p>Recommended for deaffiliation</p> <p>We are not interested to run ITI. We had been already submitted request Letter to state govt. & DGT New Delhi to de-affiliation or close Trades/Units. Now it is requested please close/de-affiliate our ITI (Trade/Units) as early as possible.</p> <p>State Directorate Comments</p> <p>Recommended for de-affiliation of the institution.</p>																																			
4	Green Valley Pvt ITI VPO- Jambalpur, Tehsil- Bawani Khera, Distt – Bhiwani, Haryana (MIS Code PR06000287)	3.14	23-9-16	Electrician Fitter Health Sanitary Inspector Plumber	4(2+2) 2(1+1) 2(1+1) 2(1+1)	42 21 52 52	25 7 31 19	NIL NIL NIL NIL	40 20 36 18																										
<p>Deficiencies found during inspection</p> <p>i. Institute was locked and no trainee of any trade was found present on the date of inspection. ii) No staff member was available on the date of inspection. iii) Store has not been maintained. iv) Lab is being used as mess. Computer system was not available. v) No machinery are available. vi) No document submitted for electric load. vii) :-No theory room was available as ITI building is being used as hostel. viii) No placement record has been produced. ix) No CCTV Cameras/Biometric has been installed.</p> <p>Remarks by Recommendation Committee-DGT</p> <p>Recommended for continuation of the affiliation as the infrastructure has been found in order and admission are allowed.</p> <p>State Directorate Comments</p> <p>In compliance to the DGT orders a Joint inspection was carried out on dated 24-09-2020 and inspection report of the same has been submitted for further necessary action/decision. As per the report, affiliation of the Institute may continue as the infrastructure has been found in order.</p>																																			
<p>Institutes which may be allowed for admission</p> <table border="1"> <thead> <tr> <th>Sr. No.</th> <th>Name of Pvt. ITI</th> <th>Grading</th> <th>Year of Establishment</th> <th>Existing Trade</th> <th>Affiliated Units</th> <th>Total student enrolled</th> <th>Student Pass out</th> <th>Placements of Student</th> <th>Student enroll</th> <th>Student Pass out</th> <th>Placements of Student</th> </tr> </thead> <tbody> <tr> <td>5</td> <td>ATM Global , Business College Pvt. ITI, Sec-37, Faridabad (MIS CODE- PU06000296)</td> <td>4.04</td> <td>Year 2017</td> <td>COPA Electrician Fitter</td> <td>4(2+2) 4(2+2) 4(2+2)</td> <td>104 42 42</td> <td>54 26 21</td> <td>NIL NIL NIL</td> <td>59 38 23</td> <td></td> <td></td> </tr> </tbody> </table>												Sr. No.	Name of Pvt. ITI	Grading	Year of Establishment	Existing Trade	Affiliated Units	Total student enrolled	Student Pass out	Placements of Student	Student enroll	Student Pass out	Placements of Student	5	ATM Global , Business College Pvt. ITI, Sec-37, Faridabad (MIS CODE- PU06000296)	4.04	Year 2017	COPA Electrician Fitter	4(2+2) 4(2+2) 4(2+2)	104 42 42	54 26 21	NIL NIL NIL	59 38 23		
Sr. No.	Name of Pvt. ITI	Grading	Year of Establishment	Existing Trade	Affiliated Units	Total student enrolled	Student Pass out	Placements of Student	Student enroll	Student Pass out	Placements of Student																								
5	ATM Global , Business College Pvt. ITI, Sec-37, Faridabad (MIS CODE- PU06000296)	4.04	Year 2017	COPA Electrician Fitter	4(2+2) 4(2+2) 4(2+2)	104 42 42	54 26 21	NIL NIL NIL	59 38 23																										

Sr. No.	Name of Pvt. ITI	Grading	Year of Establishment	Existing Trade		Total student enrolled	Student Pass out	Placement of Student	Student enrollment	Student Pass out	Placement of Student
				Affiliated Units	Institution reply						
6	Daksh Pvt. ITI, Faridpur Distt. Srisa. (MIS CODE- (PR06000180))	4.48	09-12-14	COPA Electrician	2(1+1) 8(4+4)	52	41	NIL	48	40	
<p>Deficiencies found during inspection</p> <p>i. Trainees:- As per photo copy of student's attendance register only 8 trainees in COPA trade has been marked present. Only 3 attendance register has been produced out of which only above stated register was marked & remaining two was blank. Attendance record of other units didn't produce.</p> <p>ii. Staff:- Only 5 instructors out of total staff (Supervisor, Technical, Ministerial) were available. Attendance register and Leave record of absent staff has not been supplied. Such type of behavior clearly shows fake record is being prepared and staff has not been employed.</p> <p>iii. Store:- Store has not been maintained which shows no raw material is being purchased so that no practical training is being imparted in the institute.</p> <p>iv. Computer Lab:- IT lab has not been maintained. This shows ignorance of affiliation norms of DGT Govt. of India.</p> <p>v. Library :- Library is not being maintained.</p> <p>vi. Machinery & Tool Equipment :- There is huge shortage of tool, equipments & machinery in COPA & Fitter trade. So that no practical training is being imparted in the institute.</p> <p>vii. Power Load :-Sanctioned Power load is short as per DGT, Govt. of India norms.</p> <p>viii. Placement Record:- No placement record has been maintained.</p> <p>Remarks by Recommendation Committee-DGT</p> <p>The notice given to this Institute mismatches on some points with respect to typographic error by the branch and admission may be allowed.</p> <p>State Directorate Comments</p> <p>1) The notice given to this institute mismatches on some points with respect to the inspection report dated 16.01.2020, which might have happened inadvertently due to copy-paste mistakes by the branch. 2) Inspection Committee had mentioned that attendance is being maintained online through biometric system. 30 % trainees were not attending, at the time of surprise inspection, 25% trainees were available and online attendance was also seen by the committee. As per the inspection report, there were only 05 instructors present. No record in respect to staff leave on the day of inspection was produced. However, Principal and 2-3 clerical staff were also present. 3) As admitted, store has not been maintained by the ITI. 4) It is correct that Renovation work was going on at the time of inspection, therefore, one computer lab was lying dismantled and computers were lying packed. Now as per representation computer lab has been maintained. 5) Library was available but not being maintained properly. 6) As far as shortage of M&E is concerned, COPA lab was dismantled temporarily for repair, which has been setup now. Institute has two lathes machines for 04 trade units in Fitter trade which is as per norms mentioned in syllabus notified in 2014. This was also applicable at the time of granting NCVT affiliation in year 2017 to this ITI. Recent revision of syllabus under NSQF, in year 2019 provides 04 lathes for 04 trade units. As such, ITI has infrastructure as per his affiliation file and cannot be stated as shortage.</p> <p>However, ITI may be advised to upgrade its infrastructure as per latest revision of syllabus, before its next re-inspection by DGT which is due after 05 years i.e. in 2022.</p> <p>7. It is correct that total load required is 19.12 KW instead of 24.32 because load of 5.2 KW is only required for 04 units of electrician trade. Institute has adequate diesel Generator capacity also. Therefore there is no shortage of power load.</p> <p>Summary: Although minor shortcomings were observed at the time of inspection, but the institute has satisfactory infrastructure and zeal to impart training to the trainees. Online biometric attendance has been implemented and maintained in this ITI, which is a good initiative. The ITI may be advised to upgrade its infrastructure as per latest revision of fitter trade. The representation of ITI is satisfactory and may be accepted.</p>											
<p>Deficiencies found during inspection</p> <p>State Directorate Comments</p>											

Signature
10/11/2020

	<p>1- In the ground floor as well as 1st floor of the ITI Building, school classes of small kids from nursery onwards was running and approximate 150 plus children of school were sitting in the classes whereas as per admission position of this ITI, there should be 90 trainees in Electrician 2nd year & 88 trainees of 1st year (48 of COPA + 40 of Electrician) but only 13 trainees were found present in the premises of ITI which is totally a violation of NCVT Norms as well as cheating with the SDIT Department.</p> <p>2- Even attendance register of trainees as well as staff register were not maintained and found unfilled which proves a non Attending culture in ITI.</p> <p>3- All attendance register seems a fake attendance filled and earlier days attendance of a present trainee of Electrician trade named Sandeep was cross checked and asked in person that How many days he attended class in the month of Feb 2020. In reply, he stated that he was sick so did not attend 4-5 days in first week else he attended all classes but in attendance register there was filled full days attendance of this candidate.</p> <p>4. After seeing the condition of class room and workshop filled with school kid which clearly shows that your institution is adopting non attending culture. Photos attached</p>	<p>Due to our ITI being far away from the village, the poor children of brick kilns and dhans around here were being educated in other classes of ITI through play school.</p> <p>If the department has objections then we have stopped teaching these students. In our institute, students come from different villages, their strike was on the same day by private bus. Due to which the students cannot reach the institute in time and the buses of Haryana Roadways stop a lot of work here. Due to which the Inspector Inquiry Committee felt that our ITI students were no-attending. The inspection committee totally satisfied and feeling pleasure to see our tools, machinery, Infrastructure and quality policy. Inspection Committee just advised us to improve students attendance.</p> <p>Our ITI having latest Infrastructure, tools & machinery. I think, such kind of ITI which having such huge infrastructure & providing quality education, should not be discourages. More over stopping PMS of all student will affect their career, as most of students belong to very poor family and could not able to pay institute fee. I humbly request you to kindly revert the decision of suspending admissions in year 2020-21 onward and stopping PMS of poor students and oblige.</p>	<p>State has already requested to DGT vide letter 25.-8.2020 to conduct joint inspection of the said institute.</p>								
<p>Remarks by Recommendation Committee-DGT</p>	<p>Joint Inspection may be carried out.</p>										
<p>Recommended for Joint Inspection</p>	<p>Name of Pvt. ITI</p>	<p>Grading</p>	<p>Year of Establishment</p>	<p>Existing Trade</p>	<p>Affiliated Units</p>	<p>Total student enrolled</p>	<p>Student Pass out</p>	<p>Placement of Student</p>	<p>Student enroll</p>	<p>Student Pass out</p>	<p>Placement of Student</p>
<p>7</p>	<p>Sanskriti Pvt. ITI, Villanapur, Jorasi (Narnau) (MIS Code PR06000327)</p>	<p>Not done</p>	<p>11-08-17</p>	<p>Electrician Health Sanitary Inspector</p>	<p>2(1+1) 4 (2+2)</p>	<p>7 6</p>	<p>3 3</p>	<p>NIL NIL</p>	<p>0 1</p>		
<p>Deficiencies found during inspection i. Trainees:- No trainee of any trade was found present. ii Staff:- No staff was present on the date of inspection.</p>											
<p>1. We have separate sign boards of I.T.I & pharmacy courses on the main road in front of the college on Narnau to Nizampur Road. 2. Our I.T.I has</p>											
<p>The institute did not inform about such type of mishappening to the inspection committee. This shows that it is mere excuse to disguise non attending culture which is being adopted by the institute.</p>											
<p>State Directorate Comments</p>											

Shubh
10/11/20

separate building for separate courses with well-furnished and efficiently working labs. Power supply and DG Set.
3. As per session total of 6 units of 2 trades (Electrician -2 units and HIS-4 units) are running smoothly in our I.T.I. In this session 2019-20, One student was enrolled, whereas, 7 students are enrolled in 2nd year. On the day of inspection the college was observing half day holiday due to some mishap in one of our staff family. So the students and staff were not found present.

Joint Inspection may be carried out.

Remarks by Recommendation Committee-DGT

Recommended for Joint Inspection/ Deaffiliation

Sr. No.	Name of Pvt. ITI	Grading	Year of Establishment	Existing Trade	Affiliated Units	Total student enrolled	Student Pass out	Placement of Student	Student enroll	Student Pass out	Placement of Student
8	Rao Ranjeet Singh Pvt. ITI, Bhodla Kamal pur (Reward) (MIS Code PR06000408)	Not done	Year 2019	Health Sanitary Inspector	2(1+1)	NA	NA	NIL	0		
				Electrician	4 (2+2)	NA	NA	NIL	5		
				Fitter		NA	NA	NIL	1		
				Plumber		NA	NA	NIL	0		

Institution reply

Deficiencies found during inspection
1. Trainees:- No trainee of any trade was found present.
Staff:- No staff was present on the date of inspection.
3. Workshop/ Theory Room:- Fitter trade workshop was not available.
4. B.ED college was running in same campus

On the same day, the Institute has organized an industrial tour of all the trainees. Cause of all the trainees and staff members are at the concern industry for visit. As cited above, an Industrial visit has organized on the day, due to this all staff members are with students on the visit.
3. Some renovation work was going to organize in fitter workshop, due to this, machineries placed in another room and equipments are locked in lockers. Now all the machineries and equipments are installed in the workshop properly. 4. There is a sufficient space for running both the Institutes in the campus. A separate building portion is available for running ITI with a separate entrance gate as per NCVT norms. ITI building porting houses all the class rooms and workshops and another academic infrastructure required as NCVT norms except B.ED. college requirement. Both buildings are separated with physical partition.

State Directorate Comments

1. Institute did not inform about industrial visit to inspection team. Moreover, as per DGT norms no such industrial visit has been described in that duration.
2. Industrial visit is baseless excuse to disguise nil presence of staff / students.
3. Inspection team did not inform about on going renovation work in institute. Therefore, it is mere any excuse to divert the attention from non availability of machinery and workshop.
4. As per inspection report B.ED college is running in same campus.

Remarks by Recommendation Committee-DGT State Government needs to clarify whether the ITI had dedicated Infrastructure and re-submit the recommendations.

Recommended for Joint Inspection/ Deaffiliation:

Sr. No.	Name of Pvt. ITI	Grading	Year of Establishment	Existing Trade	Affiliated Units	Total student enrolled	Student Pass out	Placement of Student	Student enroll	Student Pass out	Placement of Student
9	Shree Siddhi Vinayak Pvt. ITI, Bilaspur, Distt. Yamuna Nagar (MIS Code PR06000324)	Not done	2017	Health Sanitary Inspector	2(1+1)	0	0	NIL	0		
				Weilder	2(1+1)	0	0	NIL	0		

Deficiencies found during inspection

Inspection committee visited Shree Siddhi Vinayak Pvt. Industrial Training Institute, Bilaspur, Raipur on dated 7-2-2020. There is no admission in the

Institution reply

We had to write number of times to NABET and your good office. We applied for 9 trades but ultimately we got only 2 trades, due to

State Directorate Comments

Since the date of affiliation the institute did not make admissions which clearly shows that the institute is non functional in nature. Therefore, State Directorate further recommend for de-affiliation of said institute.

(Signature)
10/11/2020

institute from start of the institute. Committee requested to treat the institute as non-functional.

Inspector misdeeds and we were so much depressed/ harassed that we could never admit even a single student, due to non-visibility of ITI.
I am an academician and not a businessman. We have great infrastructure and strong-will to develop employable youth. It is very easy to close anything but challenging to move forward. May I request you to kindly put on hold our case for one year due to COVID era challenges. We would like to run our ITI with more trades in 2021 session.

Remarks by Recommendation Committee-DGT

ITI is given time to apply for re-affiliation from next academic session. Until re-affiliation no fresh admission of trainees will be allowed.

Recommended for Joint Inspection/ Deaffiliation:

Sr. No.	Name of Pvt. ITI	Grading	Year of Establishment	Existing Trade	Affiliated Units	Total student enrolled	Student Pass out	Placement of Student	Student enroll	Student Pass out	Placem ent of Student
10	CPS, Pvt. ITI Lkani Mod, Prabhu wala Dist. Hisar (MIS CODE- PR06000293)	4.2	10-07-16	Electrician	4 (2+2)	42	25	NIL	23		
				Fitter	4 (2+2)	42	6	NIL	2		
				Mechanic Diesel	2(1+1)	42	22	NIL	9		
				Plumber	2(1+1)	35	7	NIL	8		
				Radioilogy Technician	2(1+1)	21	8	NIL	3		

Deficiencies found during inspection

1. Only two trade instructors and one accountant were present in the ITI whereas a list of 14 staff was submitted during the recently held grading inspection.
2. No staff attendance register was produced.
3. Forgery in the trainees attendance register was found.
4. Very less physical presence of trainees were found like only 11 trainees of session 2018-19 were found present against enrolled 182 and 6 trainees of session 2019-20 were found present against enrolled 45.
5. No Library was maintained in ITI.

Institution reply

1. In our ITI We have a total no. of 15 staff member is working. On the day of inspection two staff members and principle on leave and five staff members had gone on industrial visit with ITI Trainee at Industrial Area Hisar and sector 27-28.
2. On the day of inspection our ITI Clerk and also gone on industrial tour with ITI Trainees and Staffs. On the day of inspection, when team told our staff member to show the staff attendance register, and our staff member replied to the inspection team, that he will show it after only 45 minutes because our clerk was not present here but after 10 minutes inspection team left the ITI.
3. There are above 150 trainees are registered on MIS PORTAL, but only 100 trainees are pursuing there course and the remaining trainees are pursuing there course and the remaining trainees have left the course, that's why the inspection team misunderstood it as a forgery. Only one trade Trainees Attendance Register was shown on the time of inspection because the clerk was not present on the day of inspection. In that register there was no forgery and attendance was complete till the day of inspection.
4. On the day of inspection our ITI Electrician

State Directorate Comments

1. Institute didn't inform about Industrial visit to the inspection team on the date of inspection Moreover, as per DGT, Govt. of India syllabus There is no such type of schedule has been described in that duration of training.
2. Institute could not produce any type of record. This is baseless excuse that they requested to inspection team to produce the same in 45 minutes.
3. Registration of Trainees on MIS Portal is not clarification about regular institute. Inspection report clearly shows that the institute is adopting non-attending culture.
4. Institute didn't inform about Industrial visit to the inspection team on the date of inspection Moreover, as per DGT, Govt. of India syllabus There is no such type of schedule has been described in that duration of training.
5. Inspection team informed that there was no library so, it was the duty of institute to inform about the same at the time of inspection. It shows it is baseless excuse.

Handwritten signature and date
10/11/2025

and Radiology Technician Trainee had gone on Industrial and medical Visit to Hisar, A part from these trades only 34 Trainee are enrolled and 25 of them were present in ITI at the time of inspection.
5. In our ITI we have maintained a proper library, but on the day of inspection team did not visit our ITI Library.

Remarks by Recommendation Committee-DGT (Sub-Judge Matter) CWP16499/2020; Joint Inspection may be carried out.

Recommended for Joint Inspection/Deaffiliation:

Sr. No.	Name of Pvt. ITI	Grading	Year of Establishment	Existing Trade	Affiliated Units	Total student enrolled	Student Pass out	Placement of Student	Student enroll	Student Pass out	Placement of Student
11	Sanska Fire & Safety, Pvt. ITI, Sidharwall, Gurugram (MIS Code PR06000308)	4.01	22-2-2016	Fire Technology and Industrial Safety Management Health Sanitary Inspector Electrician Fitter	2(1+1)	50	24	NIL	33		

Deficiencies found during inspection

i. Trainees:- No trainee of any trade was found present on the date of inspection but only 10 students has been marked present in various trades. Remaining column of students are kept blank.
ii. Staff:- Only 3 instructor out of total staff (Supervisor, Technical, Ministerial) were available. Leave record of absent staff has not been supplied. Moreover, as per record there is no vacancy it clearly shows fake record is being prepared.
iii. Store:- Store has not been maintained which shows no raw material is being purchased so that no practical training is being imparted in the institute.
iv. Computer Lab:- Lab is being used as mess for the hostlers admitted in course of shipping operations.
v. Workshop:- In workshop all Machinery is in polythene packing so that no practical training is being imparted in the institute. Area of HSI workshop is short.
vi. Theory Room:- Theory room has been converted into hostel. About 50 students of shipping courses are residing in institute. Therefore institute is completely non-attending in nature.
vii. Attendance Record:- Blank column of attendance register's photocopy of students/staff shows fake record is being prepared.
viii. Placement Record:- No placement record has been maintained. Video attached

Institution reply
Trainee: All the trainees are sent on training for practical knowledge in the company. Due to which the register was not complete and the remaining 10 trainees could not go due to "Lohri and Makar Sankranti". Hence the allegation not proved.
Staff: As mentioned in your letter, only 3 staff was available during inspection, which is not proved. During the inspection all the staff was available in the institute except 3 staff. The 3 staff, who was not available during the inspection, took telephonic leave, due to which the institute could not show their leave application. A leave application form is attached. Hence the allegation made is not proved. The instructor of F. T. I. S. M. Mr. Prahlad Singh has fulfilled their qualification as well as he has 36 year experience from Indian Navy and completed various fire training course from Indian Navy Institute and his document are attached, hence the allegation made is not proved.
3. Store: Some bills could not be entered in the stock register due to student training. Raw material is procured according to training criteria. Hence the allegation made is not proved.
4. Computer lab: Computer lab is available for the ITI student in a systematic way. Therefore, the charge levied is not proved and photo of computer lab is attached for

State Directorate Comments
No student of ITI was present at the time of surprise inspection. Although the Institute has good building, tool and Machinery, but whole infrastructure was found not being utilized for training purpose. There was no information available with the present staff about the industrial visit of trainees at the time/day of inspection and the plea taken now is baseless and fabricated. Actually the courses related to Deck Cadets related to Ministry of Shipping are running in this building. Seven videos recorded during inspection are attached herewith, which narrates the true ground level reality. Industrial visit is merely an excuse so that the issue in respect to adoption of non attending culture may be diverted.

2. Three officials were only present and attendance of others is fake, as observed during the inspection. Shri Prahlad Singh is looking after the shipping related course in this ITI building.
3. No store was available and plea taken is fabricated. No trainees, no training as no raw material is consumed.
4. Computer Lab is being used for I.T. training of Deck Cadets.
5. M&E of all trades is lying wrapped in polythene sheet and is totally unutilized. Fitter workshop is converted into Mess for deck candidates. Video attached is evidence.
6. Class rooms have been converted into hostels. Video attached is evidence.
7. As per DGT norms institutions premises cannot be shared. Moreover, Institution itself accepted that 50 students of fire fighting course are getting training in ITI campus.
8. Placement record should be produced to inspection committee if the same was available then it must be shown to the committee on the date of inspection.

Summary: Although the Institute has good infrastructure, but it is not being used for skill training under CTS, all CTS/ITI trainees are non-attending.

Signature
10/11/2020

most of the staff is non-attending and the institute is running Deck Cadet courses (related to shipping), which is illegal as per DGT norms. Total seven videos attached as evidence.

Remarks by Recommendation Committee-DGT

Deck Cadet courses (related to shipping) are running in the institute. (Sub-Judice Matter) CWP - 16532-2020. Recommended for continuation of the affiliation and joint inspection. The syllabus for New courses like Deck Cadet courses (related to shipping) may be designed by DGT for grant of affiliation to NCVT.

your convenience.
 5. Workshop: Due to being a rural area and the surrounding agricultural land, due to the dust, the machinery can be damaged, hence the machinery are covered with polythene after the use by the students as per the requirement and the job work form D created by the students is attached for your reference. Any type of activity such as mesh should not be performed in the filter lab. The lab is well equipped and fully functional, hence the allegation made is not proved.
 The area of Health Sanitary Inspector lab is full as per rules, so this charge is not proved; the map of the building is attached for your convenience.
 6. Theory room: Under the social responsibility, 50 students are provided free fire fighting short term course by the institution and the institute has additional rooms, of ITI, the same rooms are used, the map of the building is attached for your convenience. Therefore, the allegation made is not proved.
 7. Attendance Record: All the students had gone to various places for training the students. The Registers have been completed as per the attendance records received from the establishments and show cause notice for negligence in their duty was issued to them by the staff, and proper disciplinary action has been taken against them.
 8. Placement Record: The placement record of the students of session 2016-17, 2017-18 is attached; the result of the students of session 2018-19 is late and flawed. The placement has not been done due to nationwide lockdown. Hence the allegation made is not proved.

Recommended for Joint Inspector/ Deaffiliation		Grading		Year of Establishment		Existing Trade		Affiliated Units		Total student enrolled		Student Pass out		Placement of Student		Student enroll		Student Pass out		Placement of Student	
12	Swastik Pvt. ITI, Tosham Dist. Bhivani (MIS Code PR06000292)	2.82		10-07-16		Electrician Health Sanitary Inspector		4 (2+2) 2(1+1)		42 52	28 38	NIL NIL	40 48								
Deficiencies found during inspection 1. Trainees:- As per enclosed documents or picture the Institute was locked and no trainee of any trade was found present on the date of inspection. There is No reply There is Staff attendance register available Institution reply State Directorate Comments 1. Institute did not submit any clarification about the presence of trainees. 2. As per inspection report no staff was available. Thus by this time such type																					

Juridical
10/11/20

- ii. Staff:- No staff member was available on the date of inspection.
- iii. Store:- Store has not been maintained which shows no raw material is being purchased so that no practical training is being imparted in the institute.
- iv. Computer Lab:- 12 Computer and furniture was available but no software has been installed.
- v. Workshop:- workshop was available.
- vi. Electric Power:- As per DGT norms electric load is available.
- vii. Theory Room:- Theory room was available.
- viii. Placement Record:-No placement record has been produced.
- ix. CCTV Cameras/Biometric Machine:- No CCTV Cameras/Biometric has been installed.

In institute and the attendance of staff is also being marked through biometric machine. On the date of inspection some of the staff members along with trainees went to industries.

3. Store is available in our institute inspection team did not visit in our store.

4. IT lab and computer lab are available has per norms.

5. Library is being maintained along with NIMI pattern books.

6. Workshop and machinery as per norms which was observed by inspection team.

7. Electric load/ power load is complete as per norms.

8. Placement facility is available but there is no separate cell.

9. CCTV Camera and biometric machine are available.

- of statement is baseless.
- 3. As per inspection report there was no store in the institute if it was maintained then the institute should inform the inspection team for the same.
- 4. As per inspection report there was no IT lab and computer lab in the institute if the same was maintained then the institute should inform the inspection team.
- 5. As per inspection report there was no library in the institute if it was maintained then the institute should inform the inspection team for the same.
- 6. Workshop was available but the institute was adopting non attending culture.
- 7. _____
- 8. No placement record was produced.

Remarks by Recommendation Committee-DGT

(Sub-Judice Matter) CWP-16643-2020

Joint Inspection may be carried out.

Sr. No.	Name of Pvt ITI	Grading	Year of Establishment	Existing Trade		Total student enrolled	Student Pass out	Placement of Student	Student enroll	Student Pass out	Placem ent of Student	
				Affiliated Units	Institution reply							
13	JBDM Pvt. ITI, VPO Saral, Dist. Bhiwani. (MIS Code PR06000302)	3.1	10-07-16	Basic	. Trainees: In our ITI Eighty Trainees are admitted in different trades. In the day of inspection Fire Technology and Industrial Management and Mechanic Diesel Trainees was going for Industrial Visits at Hisar Distt Auto Market. Apart from these trades 20 trainees of Basic Cosmetology and Sewing technology trades are present but sir assessment team stay only fifteen minutes in ITI so that assessment team checks only office and two class room in the day of inspection.	2(1+1)	42	27	NIL	14	State Directorate Comments	
				Cosmetology		2(1+1)						Trainees No trainees were present. No Attendance Register record was produced. No information about industrial visit was shared and communicated by their heads of the institute. it is mere their afterthought. 2. Staff No staff was present and no attendance register of staff was produced to sign. 3. Store No store has been maintained in PITI reflects no raw material was purchased for training. No store related records were produced. 4. Computer/lab No Computer/ IT lab was available in PITI. 5. Workshop No workshop and no trade wise machinery was available in PITI instead ITI tools were locked in space below staircase. Picture were enclosed for reference. 6. Electrical Power No record of electric power was produced. There was no Generator and no record of generator running hours and Diesel consumed was produced.
				Fire Technology and Industrial Safety Management		2(1+1)						
				Mechanic Diesel		2(1+1)						
				Sewing Technology		19	5	NIL	11			

Deficiencies found during inspection

- i. Trainees:- As per enclosed documents or picture the institute was locked and no trainee of any trade was found present on the date of inspection.
- ii. Staff:- No staff member was available on the date of inspection.
- iii. Store:- Store has not been maintained which shows no raw material is being purchased so that no practical training is being imparted in the institute.
- iv. Computer Lab:- Computer system was not available. Hence, there is no lab.
- v. Workshop:- In workshop no practical training is being imparted in the institute as the machinery has been kept in single room.
- vi. Electric Power:- No document has been produced.
- vii. Theory Room:-No theory room was available. School is being run in the premises.
- viii. Attendance Record:-Attendance record has not been produced.
- ix. Placement Record:-No placement record has been produced.
- x. CCTV Cameras/No Biometric Machine:- No CCTV Cameras/ Biometric has been installed. Photos attached

[Handwritten signature]
10/11/22

Sr. No.	Name of Pvt. ITI	Grading	Year of Establishment	Existing Trade	Affiliated Units	Total student enrolled	Student Pass out	Placement of Student	Student enroll	Student Pass out	Placement of Student	Remarks by Recommendation Committee-DGT		
												Remarks by Recommendation Committee-DGT	(Sub-Judice Matter) CWP - 17004-2020	
14	Dwarka Pvt. ITI VIII: Dwarka, Distt. Charkhi Dadri PR06000284	2.65	16-9-16	Computer Hardware & Networking Mentailance Electrician Fitter Health Senatary Inspector	2(1+1)	7	4	NIL	19			<p>the extra tools and equipment. We have raw material time to time for practical work.</p> <p>4. Computer lab: We have a computer lab with ten computer and wifi internet facility. Assessment team was not visit our computer lab.</p> <p>5. Workshop : We have separate workshop for each trade but sir in fire technology and industrial safety trade no demand of workshop so that we put all tools and equipment of fire technology and industrial safety trade in a room.</p> <p>6. Electrical power: In this time we have a electrical connection with 18 KW load.</p> <p>7. Theory room: In our IT we established total four theory room for trainees theory classes of each Trade.</p> <p>8. Attendance record : On the day of assessment we was showing the trainees attendance registrar to assessment team. Assessment team has not asked us for instructor attendance record.</p> <p>9. Placement Record. Our placement cell instructor also going for industrial visit at Auto Market Hisar and assessment team has not asked us for placement record.</p> <p>10. CCTV Camera & Biometric Machine In our ITI we install bio metric attendance machine for trainees and CCTV Camera But sir our ITI CCTV Cameras are not worked properly.</p> <p>7. Theory Room No Theory rooms were available instead ITI building is used as school premises.</p> <p>8. Attendance Record No attendance register record was produced for staff and trainees.</p> <p>9. Placement Record No placement record was produced.</p> <p>10. CCTV Camera & Biometric Machine. No CCTV cameras and no Biometric Machine were installed in PTTI</p> <p>11. PTTI is making bad name of the Department and Haryana State.</p>	<p>7. Theory Room No Theory rooms were available instead ITI building is used as school premises.</p> <p>8. Attendance Record No attendance register record was produced for staff and trainees.</p> <p>9. Placement Record No placement record was produced.</p> <p>10. CCTV Camera & Biometric Machine. No CCTV cameras and no Biometric Machine were installed in PTTI</p> <p>11. PTTI is making bad name of the Department and Haryana State.</p>	
<p>Deficiencies found during inspection</p> <p>i. Trainees:- As per enclosed documents or picture the institute was locked and no trainee of any trade was found present on the date of inspection.</p> <p>ii. Staff:- No staff member was available on the date of inspection.</p> <p>iv. Store:- Store has not been maintained which shows no raw material is being purchased so that no practical training is being imparted in the institute.</p> <p>v. Computer Lab:- Computer lab is not available.</p> <p>vi. Workshop:- In workshop no electric connection so that no practical training</p>													<p>Recommendation for Joint Inspection/ Deaffiliation:</p> <p>Joint Inspection may be carried out</p>	
<p>Institution reply</p> <p>Institution informed that they have declared restricted holiday on the eve of Mahashil Dayanand Saraswati birthday on dated 18-02-2020. Therefore, staff / students were not present in Institute that was the reason due to which they could not submit their record to the inspection team. Institution also</p>													<p>State Directorate Comments</p> <p>Trainees No trainees were present. No Attendance Register record was produced. Staff Sufficient Staff was not present and available staff was no aware of his/her teaching subjects. no attendance register of staff was produced to sign. 3. Store</p>	

Signature
10/11/2020

5

Sr. No.	Name of Pvt. ITI	Grading	Year of Establishment	Existing Trade	Affiliated Units	Total student enrolled	Student Pass out	Placement of Student	Student enroll	Student Pass out	Placement of Student	Remarks by Recommendation Committee-DGT			
												Remarks for Joint Inspection/ Deaffiliation:	(Sub-judice Matter) CWP - 17004-2020 Joint Inspection may be carried out		
14	Dwarka Pvt. ITI VIII: Dwarka, Dist. Charkhi Dadri PR06000284	2.65	16-9-16	Computer Hardware & Networking Mentainance Electrician Filter Health Senalary Inspector	2(1+1)	7	4	NIL	19			<p>the extra tools and equipment. We have raw material time to time for practical work.</p> <p>4. Computer lab: We have a computer lab with ten computer and wifi internet facility. Assessment team was not visit our computer lab.</p> <p>5. Workshop : We have separate workshop for each trade but sir in fire technology and industrial safety trade no demand of workshop so that we put all tools and equipment of fire technology and industrial safety trade in a room.</p> <p>6. Electrical power: In this time we have a electrical connection with 18 KW load.</p> <p>7. Theory room: In our IT we established total four theory room for trainees theory classes of each Trade.</p> <p>8. Attendance record : On the day of assessment we was showing the trainees attendance registrar to assessment team. Assessment team has not asked us for instructor attendance record.</p> <p>9. Placement Record. Our placement cell instructor also going for industrial visit at Auto Market Hisar and assessment team has not asked us for placement record.</p> <p>10. CCTV Camera & Biometric Machine In our ITI we install bio metric attendance machine for trainees and CCTV Camera But sir our ITI CCTV Cameras are not worked properly.</p> <p>7. Theory Room No Theory rooms were available instead ITI building is used as school premises.</p> <p>8. Attendance Record No attendance register record was produced for staff and trainees.</p> <p>9. Placement Record No placement record was produced.</p> <p>10. CCTV Camera & Biometric Machine. No CCTV cameras and no Biometric Machine were installed in PTTI</p> <p>11. PTTI is making bad name of the Department and Haryana State.</p>			
<p>Deficiencies found during inspection</p> <p>i. Trainees:- As per enclosed documents or picture the institute was locked and no trainee of any trade was found present on the date of inspection.</p> <p>ii. Staff:- No staff member was available on the date of inspection.</p> <p>iv. Store:- Store has not been maintained which shows no raw material is being purchased so that no practical training is being imparted in the institute.</p> <p>v. Computer Lab:- Computer lab is not available.</p> <p>vi. Workshop:- In workshop no electric cpegnecion so that no practical training</p>												<p>Institution reply</p> <p>Institution informed that they have declared restricted holiday on the eve of Mahanishi Dayanand Saraswati birthday on dated 18-02-2020. Therefore, staff / students were not present in institute that was the reason due to which they could not submit their record to the inspection team. Institution also</p>		<p>State Directorate Comments</p> <p>Trainees No trainees were present. No Attendance Register record was produced. Staff Sufficient Staff was not present and available staff was no aware of his/her teaching subjects. no attendance register of staff was produced to sign. 3. Store</p>	

Handwritten signature and date
16/11/20

		<p>is being imparted in the institute.</p> <p>vii. Electric Power:- No document has been produced.</p> <p>viii. Theory Room:- No theory room has been produced.</p> <p>ix. Attendance Record:- Attendance record has not been produced.</p> <p>x. Placement Record:- No Placement record has been produced.</p> <p>xi. CCTV Cameras/No Biometric Machine:- No CCTV Cameras/ Biometric Machine has been installed.</p> <p>Photos attached</p>		<p>submitted that they are following DGT norms complete in all respect.</p>		<p>No store has been maintained in PITT reflects no raw material was purchased for training. No store related records were produced.</p> <p>4. Computer lab No Computer/ IT lab was available in PITT.</p> <p>5. Workshop No workshop and no trade wise machinery was available in PITT instead ITI tools were locked in space below staircase. Picture were enclosed for reference.</p> <p>6. Electrical Power No record of electric power was produced . There was no Generator and no record of generator running hours and Diesel consumed was produced.</p> <p>7. Theory Room No Theory rooms were available and school is also functioning in premise.</p> <p>8. Attendance Record No attendance register record was produced for staff and trainees.</p> <p>9. Placement Record No placement record was produced.</p> <p>10. CCTV Camera & Biometric Machine. No CCTV cameras and no Biometric Machine were installed in PITT</p> <p>11. PITT is making bad name of the Department and Haryana State.</p>					
<p>Remarks by Recommendation Committee-DGT</p>		<p>Recommended for deaffiliation</p>									
<p>Recommended for Joint Inspection/ Deaffiliation:</p>											
Sr. No.	Name of Pvt. ITI	Grading	Year of Establishment	Existing Trade	Affiliated Units	Total student enrolled	Student Pass out	Placement of Student	Student enroll	Student Pass out	Placem ent of Student
15	Ambition Pvt. ITI, Moriwala, Sires (MIS CODE PR06000178)	2.74	31-7-2014	Electrician	8(4+4)	70	18	NIL	0		
<p>Deficiencies found during inspection</p> <p>i. As per admission position of institute there should be 70 trainees but neither trainees nor staff was present.</p> <p>ii. In adjacent school building owner of the institute was present who has been requested to produced record in respect to training but in vein.</p> <p>iii. The condition of workshop and class room, depicts that your institute is adopting non-attending culture.</p> <p>Photos attached</p>				<p>Institution reply</p> <p>Inspection team visited at our institute on dated 13-2-2020 at 4:50PM but the students and staff had just left the college 10 minutes before due to transport problem. We would like to bring following things in to your notice:-</p> <ol style="list-style-type: none"> 1. We are having separate building and well equipped workshops as per norms. 2. Only 28 students are getting training from our institute as per record as on date and we are having appropriate staff as per the strength of students. 3. We are not adopting non attending culture. 4. Our ITI has been inspected by a team deputed by DGET on 19-12-2019 for Physical verification & Data validation for Grading of ITIs – Phase 2, where everything was found satisfactory. <p>Due to late hours, inspection team had not seen any attendance or other records on that day and all alleged our college to be adopting non attending culture. This allegation is totally wrong and closing an institute in this way is totally unethical.</p>			<p>State Directorate Comments</p> <p>As per inspection report team reached at 4:10PM. At the time of inspection no staff/trainees were present in the institute. Inspection team also informed that the condition of classroom and workshop shows that the institute is adopting non-attending culture. Therefore, State Directorate is adhered to inspection report.</p>				

Jurika
10/11/20

Remarks by Recommendation Joint Inspection may be carried out
 Committee-DGT

Sr. No.	Name of Pvt. ITI	Grading	Year of Establishment	Existing Trade	Affiliated Units	Total student enrolled	Student Pass out	Placement of Student	Student enroll	Student Pass out	Placement of Student	Deficiencies found during inspection		
												1. Workshop was found in lock condition.	2. No trainee was available at the time of inspection while more than 100 trainees are enrolled.	
16	Om Pvt. ITI, V.P.O Juglan Distt. Hisar. (MIS CODE-PR06000232)	4.39	25-8-2015	Draughtman Civil Electrician Fitter Health Sanitary Inspector Mechanic Diesel Plumber Stenography & Secretarial Assistant (Eng) Stenography & Secretarial Assistant (Hindi)	2(1+1) 8(4+4) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	4 58 9 11 34 14 18 8	1 30 2 1 13 4 11 5	NIL NIL NIL NIL NIL NIL NIL NIL	0 0 0 0 2 0 1 2			1. Workshop was found in lock condition. 2. No trainee was available at the time of inspection while more than 100 trainees are enrolled. 3. No staff was available in the ITI at the time of inspection except one Principal. Photos attached	It is submitted that we have all necessary infrastructure, faculty and staff at our ITI. We fair to understand why such type of deficiencies reported by the Inspection Team. We may again request you that you may get the infrastructure verified sending another team. The earlier report is not correct.	Institute is adopting non-attending culture & to divert the attention from burning issues. We are adhered to the deficiencies explained in inspection report.

Remarks by Recommendation Joint Inspection may be carried out
 Committee-DGT

Sr. No.	Name of Pvt. ITI	Grading	Year of Establishment	Existing Trade	Affiliated Units	Total student enrolled	Student Pass out	Placement of Student	Student enroll	Student Pass out	Placement of Student	Deficiencies found during inspection		
												ii. Staff:- No staff member was present.	iii. Store:- Store has not been maintained.	
17	Chaudhary Pvt. ITI, Bahal, Distt Bhiwani (MIS Code PU06000200)	3.91	23-6-2015	Electrician	2(1+1)	42	27		40			Trainees:- Institute was locked and no trainee was present. ii. Staff:- No staff member was present. iii. Store:- Store has not been maintained. iv. Computer Lab:- No computer lab was available. v. Workshop:- In workshop no electric connection. vi. Electric Power:- No document has been produced. vii. Theory Room:- No theory room was available. viii. Attendance Record:- Attendance record has not been produced. ix. Placement Record:- No placement record has been produced. x. CCTV Cameras/No Biometric Machine:- No CCTV Cameras/Biometric has been installed.	Institution informed that they have declared restricted holiday on the eve of Mahanashi Dayanand Saraswati birthday on dated 18-02-2020. Therefore, staff / students were not present in institute that was the reason due to which they could not submit their record to the inspection team. Institution also submitted that they are following DGT norms complete in all respect.	i) NO Trainees were present.. ii) No staff was present. iii) No store has been maintained. iv) No Computer/ IT lab was available. v) No workshop and no trade wise machinery was available. In PITI instead ITI tools were locked in space below staircase. vi) No record of electric power was produced. There was no Generator and no record of generator running hours and Diesel consumed was produced. vii) No Theory rooms were available. viii) No attendance register record was produced for staff and trainees. ix) No placement record was produced. x) No CCTV cameras and no Biometric Machine were installed in PITI xi) PITI is making bad name of the Department and Haryana State. Institute did not informed any such type of declaration about restricted holiday. Moreover, There is no provision for such type of declaration. Photos attached

Remarks by Recommendation Committee-DGT
 (Sub-Judice Matter) CWP- 15499-2020
 Joint Inspection may be carried out

[Signature]
 10/11/2022

Sr. No.	Name of Pvt ITI	Grading	Year of Establishment	Existing Trade	Affiliated Units	Total student enrolled	Student Pass out	Placement of Student	Student enroll	Student Pass out	Placement of Student
18	Sahred Bhagat Singh, private ITI, Vill Ailka Teh. & Distt. Palwal (MIS Code PR06000240)	3.09	12-02-11	Electrician (NCVT)+SCVT) Fitter (SCVT) Health Sanitary Inspector (SCVT) Mechanic Diesel (SCVT) Welder (SCVT) Wreman (SCVT)	4 (2+2) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 4 (2+2)	126	28	NIL	40+80		
Deficiencies found during inspection				<p>As per inspection report on the date of inspection the institute was locked. It has also been observed that no official/ Officer/Chowkidar of the Institute was present. Only one old lady (perhaps mother of the owner of the institute) was present in the residence built in the front courtyard of the institute. No trainees were available in the premises of the institute and it seems that institute is totally non attending. Moreover, it is also submitted that the said institute was inspected on dated 12 and 13/04/2018. During this inspection many discrepancies was observed. In respect to these discrepancies department has already informed DGT, Govt. of India. After receiving this information DGT, Govt. of India has issued show cause notice to the concerned institute. Video attached</p> <p>We filed a CWP- 8868-2020 in the Hon'ble Punjab and Haryana High Court Chandigarh against the said letter no. T4/Inspection/pvt./It/2019-20/Trg-III/Part-1/7176 data 11-06-2020. The CWP was decided in our favour on 30-06-2020. The copy of order is attached here with. As per order we are permitted to file a representation to the Director Skill Development & Industrial Training Department of Haryana after disposal of the petition. The representation was sent to Director Skill Development & Industrial Training Department of Haryana (itiharyana@gmail.com) via email id rahulmalki006@gmail.com on 07-07-2020 15:43 with in time as per the order of the Hon'ble Punjab and Haryana High Court so please cancel the show cause notice.</p>							
Remarks by Recommendation Committee-DGT				(Sub-Judge Matter) CWP - 16757-2020 Joint Inspection may be carried out by Senior officers (DD/AD level officers)							
Recommended for Joint Inspection/ Deaffiliation:											
Sr. No.	Name of Pvt. ITI	Grading	Year of Establishment	Existing Trade	Affiliated Units	Total student enrolled	Student Pass out	Placement of Student	Student enroll	Student Pass out	Placement of Student
19	College of Security Studies Pvt. ITI, V.P.O Dhani Mahu, Bhiwani (MIS Code PR06000201)	Not done	30-7-15	Fire Technology and Industrial Safety Management	2(1+1)	0		NIL	0		
Deficiencies found during inspection				<p>i. Trainees:- Institute was locked and no trainee of any trade was found present on the date of inspection. ii. Staff:- No staff member was available on the date of inspection. iii. Store:- Store has not been maintained which shows no raw material is being purchased so that no practical training is being imparted in the institute. iv. Computer Lab:- Computer system was not available. v. Library: No Library vi. Workshop:- No workshop and no machinery was available. vii. Electric Power:- No document has been produced.</p>							
Institution reply				<p>No reply has been received.</p>							
State Directorate Comments				<p>We are adhered to those deficiencies which were explained in previously submitted inspection report.</p>							

Signature
10/11/2022

viii. Theory Room:-No theory room was available. ix. Attendance Record:-Attendance record has not been produced. x. Placement Record:-No placement record has been produced. xi. CCTV Cameras/ Biometric Machine:- No CCTV Cameras/ Biometric has been installed. Photos attached											
Remarks by Recommendation Committee-DGT					Recommended for de-affiliation.						
Recommended for Joint Inspection/ Deaffiliation:											
Sr. No.	Name of Pvt. ITI	Grading	Year of Establishment	Existing Trade	Affiliated Units	Total student enrolled	Student Pass out	Placement of Student	Student enroll	Student Pass out	Placem ent of Student
20	BTS Daboda Khurd Bahadurgarh (MIS CODE PR06000193)	Not done	01-12-15	Electrician	4 (2+2)	31	30	NIL	0		
Deficiencies found during inspection Trainees:- No trainee of any trade was found present. 2. Staff:- No staff was present on the date of inspection. 3.Workshop/ Theory Room:- Workshop/ Theory Room was locked. Remarks by Recommendation Committee-DGT											
Recommended for de-affiliation.											
Recommended for Joint Inspection/ Deaffiliation											
Sr. No.	Name of Pvt. ITI	Grading	Year of Establishment	Existing Trade	Affiliated Units	Total student enrolled	Student Pass out	Placement of Student	Student enroll	Student Pass out	Placem ent of Student
21	Saraswati Pvt. ITI, Budana Road, V.P.O Narnound Dist. Hisar. (MIS CODE- PU06000244)	2.65	25-8-2015	Electrician	4 (2+2)	33	21	NIL	4		
Deficiencies found during inspection 1. Workshop was found in lock condition. 2. No trainee was available at the time of inspection while 13 enrolled trainees should be there. 3. No Principal & other staff was available in the ITI at the time of inspection except one instructor who was unable to show any attendance register to prove him as an instructor as well as no trainee attendance register was available. Photos attached											
Remarks by Recommendation Committee-DGT											
Recommended for de-affiliation.											
Recommended for Joint Inspection/ Deaffiliation:											
Sr. No.	Name of Pvt. ITI	Grading	Year of Establishment	Existing Trade	Affiliated Units	Total student enrolled	Student Pass out	Placement of Student	Student enroll	Student Pass out	Placem ent of Student
22	BMP College of fire and safety Pvt. ITI, Nuh (MIS Code PR06000278)	Not Done	16-9-2016	Fire Technology and Industrial Safety Management Health Safety Environment	4 (2+2)	103	89		96		
Deficiencies found during inspection i) No trainee of was found present. only 1 instructor and Principal was present. ii) Store has not been maintained. iii) IT lab has not been maintained. iv) Library :- Library is not being maintained. v) Workshop is not available for any trade running in institute. vi. No evidence has been produced in respect to power load. vii) Two theory room are available but furniture was not available.											
Remarks by Recommendation Committee-DGT											
Recommended for de-affiliation.											
Institution reply No reply has been received.											
State Directorate Comments The shortcomings mentioned in the inspection report are true which have been intimated to the ITI vide letter dated 11.06.2020. The ITI has absolutely no infrastructure for any trade. Non-attending culture has been adopted.											

viii) No placement record has been maintained. Biomeric Machine has not been installed.	ix) CCTV Cameras &	
Remarks by Recommendation Committee-DGT	Recommended for de-affiliation.	

In addition to the aforesaid recommendations, the DG advised that respective State Directorate/UTs be requested to issue and publish the academic calendar every year clearly indicating the holidays (RH/GH etc.) which shall be followed by all the ITIs concerned.

13.5.2

De-affiliation proposal of 55 ITIs were placed at agenda no. 10.5 of 10th Recommendation Committee, and replied received from ITIs in response to show-cause notice forwarded to State Government of Rajasthan for their comments. Committee asked to seek comments from the SD-Rajasthan within 07 days and to put the same in next meeting.

Any other points with the permission of Chair:

- 13.6.1: The DG asked to prepare a draft manual of Re-affiliation in consultation with representatives from State Govt. of UP, Haryana and Rajasthan; and to place it before the next meeting.
- 13.6.2: Joint Director from Telangana State informed that they want to start one Govt ITI under LWE from Session 2020, Chairman agreed to the proposal, State Government Telanagna will submit proposal so that online affiliation portal will be opened as a special case. Further Chairman also advised DDG to check the affiliation status of all LWE, State Nodal ITI and ESDI.
- 13.6.3: It was decided that now onwards, in Recommendation Committee Meeting, State Director/Commissioners will attend meeting, and in case if Director/Commissioner could not attend the meeting, the proposals of those States will be deferred.

The meeting ended with a vote of thanks to the Chair.

Sumit
10/11/2020

SL.No.	1	2	3	4
ITI's Name	Rakesh Singh Pvt ITI, Vill - Marchandpur, Post- Karimganj, Dist: -Mainpuri, U.P. - 205001	Sushma Private ITI Village - Atoos Agra U.P- 283105	Kanha Pvt ITI Village & Po- Kosi Khurd, Goverdhan, Dist- Mathura, U.P.- 281005	Shri Natthi Lal Pvt ITI Vill - Syarmau, Tehra Agra U.P.- 283124
State	Uttar Pradesh	Uttar Pradesh	Uttar Pradesh	Uttar Pradesh
MIS Code/ Application Number	NEW ITI	NEW ITI	NEW ITI	NEW ITI
Govt ITIs in the District	4	5	3	5
Pvt ITIs in the District	12	125	180	125
Inspected Date	8/20/2020	8/14/2020	8/18/2020	8/6/2020
Trades/Units sought for affiliation AND Units recommended by SCI	Electrician 3(1+1+1) Fitter 3(1+1+1) COPA 3(1+1+1) Sewing Technology -3(1+1+1)	Electrician -NR Fitter NR COPA - NR Assistant Tourist Guide - NR	Electrician 3(1+1+1) Fitter 3(1+1+1) Health Sanitary- NR Inspector Housekeeper - NR	Electrician Fitter Computer Operator & - -Programing Assistant Health Sanitary Inspector
ITI Proposed Units	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)
Land lease valid	Yes	Yes	Yes	No
Power connection as per norms	required electricity load is 17.16kW, while the online bill shows 5kW	required electricity load is 16.17kW, while the online bill shows 7kW	required electricity load is 17.21kW, while the online bill shows 6kW	Not verified
Building as per norms	Yes	No (As per remarks by Inspection Committee)	Yes	No
workshop space	Yes	Yes	Yes	No
Class room	Yes	Yes	Yes	No
IT Lab	Yes	Yes	Yes	No
Drawing Hall	Yes	Yes	Not Available	No
Avilability of Machinery, Tools & Equipments	Yes	Machine and tool list with deficiency is not attached	Machine and tool list with deficiency is not attached	Not Verified
Staff Qualification & Documents	Yes	Yes	Yes	Not verified
Remarks by Standing Committee	Recommended	Building was initially constructed for the parameters of BTC college and it was told that BTC affiliation is not obtained hesnce it is converted in to ITI But it is found that Sushma Educational Institute exists on the same building shown & The Tools and equipment were available in the institute but most of the machinery were not on foundation ie. Lathe machines, D.G.Set and all the motors were temporary connected	Recommended	Opened in old building of intermediate college whose code number is 1689 named Chaudhary Nathilal Inter College Syarmau Tehra, Agra Which is same Building of New ITI named Sri Nathilal Pvt ITI & The Class rooms, hall and spre rooms show that the building is constructed on the parameter of intermediate and Degree college. & Tools and equipments, Machinery was not verified because of the old and made for other purpose building and infrastructure
Scrutiny Committee Remark	Not Recommended Mailed to state and ITI regarding electricity load on 29.10.2020. reply awaited.	Not Recommended	Not Recommended	Not Recommended
Recommended or not	Deferred Since no one from the state was present.	Deferred Since no one from the state was present.	Deferred Since no one from the state was present.	Deferred Since no one from the state was present.

[Handwritten Signature]
10/10/2020

Sl.No.	1	2	3	4	5	6
ITI's Name	KS Rangasamy Institute of Technology, KSR Kalvi Nagar, Thokkavadi Post, Tiruchengode Tal, Namakkal, Tamil Nadu - 637215	Loyola Private ITI 7, A.A. ROAD, GANANOLIVUPURAM, DIST : MADURAI TAMILNADU - 625016	Gautam Buddha Minority ITI ITI Bus Stand, Yellandu - Khammam Road, Subhash Nagar, Yellandu Bhadradi Kothgudan Telangana - 507123	Rajiv Gandhi Pvt. ITI Sof. Nagar Nirmal Telangana - 504106	Shiva Jyothi ITC Shastri Nagar, H No. 1-3, MNCL Road, Nirmal, Telangana-504106	Sri Balaji ITI, Budmi Gate, Pitlam Road, Post/ Mandal : Banswada, Dis: Kamareddy, Telangana - 503187
State	Tamil Nadu	Tamil Nadu	Telangana	Telangana	Telangana	Telangana
MIS Code / Application Number	PR33000643	PR33000132	PU36000130	PR36000067	PR36000194	PR36000255
Inspected Date	23.09.2020	10/17/2020	23.09.2020	9/21/2020	23.09.2020	9/24/2020
Grading	Established in 2019 Grading not available on NCVTMS	3.98	4.75	2.83	2.6	3.31
Affiliation Year	31-Jul-2019	18-Jan-1988	10-Jul-1994 17-Feb-1995 30-Dec-2002 01-Dec-2006	14-Mar-1995 11-Apr-1999 14-Dec-2001 27-Nov-2009	24-Dec-10	25-Sep-2012
Existing Trade	Wireman (Mechanic (Refrigeration and Air-Conditioning) Draughtsman (Civil)	Wireman Mechanic (Motor Vehicle) Fitter Electrician	Health Sanitary Inspector Sewing Technology Electrician Fitter	Fitter Welder Mechanic Diesel Electrician	Health Sanitary Inspector (NSQF)	Fitter (NSQF) Electrician (NSQF)
Affiliated Units	2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 8(6+2) 4(3+1)	2(1+1) 1(1+0) 2(1+1) 8(4+4)	6(3+3)	4(2+2) 4(2+2)
Trades/ Units sought for affiliation	Health Sanitary Inspector	Electrician Welder	Computer Operator and Programming Assistant Draughtsman Welder	Welder Horticulture Soil Testing and Crop Technician Electrician Dress Making Mechanic Refrigeration and air Conditioner	Electrician	Electrician Mechanic Diesel Radiology Technician Sewing Technology
ITI Proposed Units	2(1+1)	2(1+1) 2(1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1)	1(0+1) 2(1-1) 2(1+1) 4(0+0+4) 2(1+1) 2(1-1)	8(4+4)	8(2+2+4) 3(1+1+1) 6(2+2+2) 3(1+1+1)
Units recommended by SCI	1(1+0)	Electrician 2(1+1) Welder 2(1+1)	Not Recommended	Welder 1(0+1) Electrician 4(0+0+4) Dress Making 2(1+1) Mechanic Refrigeration and air Conditioner 2(1+1)	Not Recommended	Only Radiology Technician 3(1+1+1) recommended
Student enroll in 2018-19 session with Trade wise	Wireman - (0+0+0) Mechanic (Refrigeration and Air-Conditioning) - (0+0+0) Draughtsman (Civil) - (0+0+0)	Wireman - (21+0+0) Mechanic (Motor Vehicle) - (21+0+0) Fitter - (21+0+0) Electrician - (21+0+0)	Health Sanitary Inspector - (20+0+0) Sewing Technology - (8+0+0) Electrician - (42+30+0) Fitter - (35+4+0)	Fitter - (11+0+0) Welder - (21+0+0) Mechanic Diesel - (21+21+0) Electrician - (84+0+0)	Health Sanitary Inspector (NSQF) - (23+0+0)	Fitter - (32+0+0) Electrician - (42+0+0)
Total student enrolled in 2018-19	Established in 2019 Grading not available on NCVTMS	21 + 21 + 21 + 21 = 84	20 + 8 + 72 + 39 = 139	11 + 21 + 42 + 84 = 158	23+0+0=23	32 + 42 = 74
Student enroll in 2019-20 session with Trade wise	Wireman - (19+0+0) Mechanic (Refrigeration and Air-Conditioning) - (8+0+0) Draughtsman (Civil) - (0+0+0)	Wireman - (0+19+0) Mechanic (Motor Vehicle) - (0+23+0) Fitter - (0+18+0) Electrician - (0+19+0)	Health Sanitary Inspector - (21+13+0) Sewing Technology - (14+0+0) Electrician - (80+0+0) Fitter - (20+0+0)	Fitter - (0+19+0) Welder - (20+0+0) Mechanic Diesel - (24+24+0) Electrician - (0+80+0)	Health Sanitary Inspector (NSQF) - (0+0+0)	Fitter - (0+0+0) Electrician - (0+37+0)
Total student enrolled in 2019-20	19 + 8 + 0 = 27	19 + 23 + 18 + 19 = 79	34 + 14 + 80 + 20 = 148	19 + 20 + 48 + 80 = 167	0	0 + 37 = 37
Land lease valid	Yes	Yes	Yes	Yes	Yes	Yes
Power connection as per norms	Yes	Yes	No (required 45.8 kW, available 10 kW)	Yes	Not verified	Yes
Building as per norms	Yes	Yes	Yes	YES	Under Construction	Yes
workshop space	Yes	Yes	Yes	YES	Under Construction	Yes
Class room	Yes	Yes	Yes	YES	Under Construction	Yes
IT lab	Yes	Yes	Yes	YES	Under Construction	Yes
Drawing Hall	Yes	Yes	Yes	YES	Under Construction	Yes
Availability of Machinery, Tools & Equipments	Yes	Yes	Yes	YES Tools for Horticulture and Soil testing and Crop Technician is not available	Not verified	Shortage of tools in Electrician, Sewing Technology, Mechanic Diesel and for 1 unit of Radiology technician
Staff Qualification & Documents	Instructor has experience of 2 years, instead of 3 years.	YES	YES	YES	Not available	YES
Remarks by Standing Committee	Not Recommended	Recommended	Not Recommended	Recommended	Not Recommended Building construction not complete No internet facility in IT lab Basic amenities not available No instructors for workshop and drawing	Only Radiology Technician 3(1+1+1) recommended
Scrutiny Committee Remark	Not Recommended	Recommended & ITI shall apply for Re-affiliation	Not Recommended & ITI shall apply for Re-affiliation	Recommended for 1st and 2nd shift units Electrician Trade NR	Not Recommended & ITI shall apply for Re-affiliation	Recommended for 1st and 2nd shifts & ITI shall apply for Re-affiliation
Remarks by Recommendation Committee	Deferred Clarification on recommendation of 1 unit required from the state latest by 13.11.2020 7 days' time to ITI to appoint an Instructor who has required experience	Recommended	Deferred ITI needs to submit the details for required load in 7 days latest by 13.11.2020 certified by State	Recommended Welder 1(0+1) Dress Making 2(1+1) Mechanic Refrigeration and air Conditioner 2(1+1) ITI needs to submit the details after fulfilling the shortage in tools of new age courses in 7 days latest by 13.11.2020 certified by State	Not Recommended as building under construction and ITI shall apply for apply for Re-affiliation by 2021 as it is due.	Deferred ITI needs to submit the details for shortage in tools in 7 days latest by 13.11.2020 certified by State

[Handwritten Signature]
10/11/2020

SL.No.	1
ITI's Name	Satya ITC (Old Add) H.No. 4-70/2/B1, Chukala Complex, Armoor NIZAMABAD, TELANGANA - 503224 Satya ITI, (New Address) Vill- Cheeryal, Mandal: Keesara, District : Medchal Malkajgiri, Telangana
State	Telangana
MIS Code/Application Number	PR36000238 Add.Shifting
Grading	NA
Affiliation Year	6-Aug-2011
Existing Trade	Electrician (NSQF) Draughtsman (Civil) (NSQF)
Affiliated Units	2(1+1) 2(1+1)
Trades/Units sought for affiliation and ITI Proposed Units	Electrician 12(4+4+4) Fitter 12(4+4+4)
Student enroll in 2018-19 session with Trade wise	Electrician - (0+0) Draughtsman (Civil) (0+0)
Total student enrolled in 2018-19	0
Student enroll in 2019-20 session with Trade wise	Electrician - (0+0+0) Draughtsman (Civil) - (0+0+0)
Total student enrolled in 2019-20	0
Land lease valid	10 Years 01.11.2019 to 31.10.2029
Power connection as per norms	56 KW
Building as per norms	YES
workshop space	YES
Class room	YES
IT lab	YES
Drawing Hall	YES
Avilability of Machinery, Tools & Equipments	YES
Staff Qualification & Documents	YES
Remarks by Standing Committee	Recommended
Remarks by Scrutiny Committee	Recommended
Recommendation committee remark	Recommended as proposed except 3 rd shift* in Electrician and Fitter Trade subject to conditions that ITI shall get affiliation in minimum 4 trades from the next academic session.

Santhosh
10/11/20.

Sr.No	ITI Name	New Trade Sought For Affiliation	Units	Units Recommended by SCI	Existing Trade	Affiliated Units Shift wise	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Land lease valid											
1	WOMEN ITI NAWADA	Power connection as per norms	Building as per norms	workshop space	Class room	IT Lab	Drawing Hall	Availability of Machinery, Tools & Equipments	Staff qualification & Documents	Remarks by Scrutiny Committee	Remarks by Recommendation Committee											
												YES(TOTAL-10kw A/P)	YES(TOTAL-794sqm)	YES(98sqm)	YES(25sqm)	YES(27.5sqm)	YES(50sqm)	Yes	Yes	Recommended	Deferred	
														YES(56sqm)	YES(25sqm)							
														YES(56sqm)	YES(25sqm)							
														YES(70sqm)	YES(25sqm)							
												2	GOVT. WOMEN ITI SIFAMARHI	Power connection as per norms	Building as per norms	workshop space	Class room	IT Lab	Drawing Hall	Availability of Machinery, Tools & Equipments	Staff qualification & Documents	Remarks by Scrutiny Committee
5.2/ YES(TOTAL-794sqm)	YES(98sqm)	YES(25sqm)	YES(27.5sqm)	YES(50sqm)	Yes	Yes	Recommended	Deferred														
		YES(56sqm)	YES(25sqm)																			
		YES(56sqm)	YES(25sqm)																			
		YES(70sqm)	YES(25sqm)																			

Handwritten signature and date: 10/11/2020

3	ITI THAKURGAM	L.C.T.S.M	02 (1+1)	02 (1+1)	L.C.T.S.M (SCVT)	02 (1+1)(SCVT)	16	120	15	129	(20235sqm)
		MECHANIC DIESEL	02 (1+1)	02 (1+1)	MECHANIC DIESEL (SCVT)	02 (1+1)(SCVT)	37		38		
		WELDER	02(1+1)	02 (1+1)	WELDER (SCVT)	02 (1+1)(SCVT)	13		23		
		Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff qualification & Documents	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
YES (TOTAL-45 kw)	YES (TOTAL-1380sqm)	YES (98.04sqm) YES (67.62sqm) YES (100.8sqm) YES (102.82sqm) YES (210.08sqm) YES (80.04sqm)	YES (42sqm) YES (43.4sqm) YES (43.7sqm) YES (42sqm) YES (42sqm) YES (42sqm)	YES (81.06sqm)	YES (81.06sqm)	Yes	Yes	Recommended	Deferred Due to moral code of Conduct in Bihar		
4	ITI SHEIKHPURA	ELECTRICIAN	2(1+1)	2(1+1)	ELECTRICIAN(SCVT)	02(1+1)SCVT	21	158	20	160	(OWN LAND(3 ACRES)
		FITTER	2(1+1)	2(1+1)	FITTER(SCVT)	02(1+1)SCVT	21		20		
		MECHANICS ELECTRONICS	2(1+1)	2(1+1)	MECHANICS ELECTRONICS (SCVT)	02(1+1)SCVT	21		20		
		ICTSM	2(1+1)	2(1+1)	ICTSM (SCVT)	02(1+1)SCVT	21		20		
		WELDER	2(1+1)	2(1+1)	WELDER(SCVT)	02(1+1)SCVT	32		32		
		MECHANICS.DIESEL	2(1+1)	2(1+1)	MECHANICS.DIESEL(SCVT)	02(1+1)SCVT	42		48		
		Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff qualification & Documents	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
YES (TOTAL 40KW)	YES (98 SQM) YES (88 SQM) YES(56 SQM) YES(70 SQM) YES(80 SQM) YES(150 SQM)	YES(210 SQM) YES(176.98 SQM) YES(120 SQM) YES(160 SQM) YES(160 SQM) YES(210 SQM)	YES(31 SQM) YES(31 SQM) YES(31 SQM) YES(31 SQM) YES(31 SQM) YES(31 SQM)	YES(30 SQM)	YES (60 SQM)	Yes	Yes	Recommended	Deferred Due to moral code of Conduct in Bihar		
5	ITI DHAMDAHA, PURNEA	Electrician	02 (1+1)	02 (1+1)	Electrician-SCVT	02 (1+1)	20	143	20	131	Own
		Fitter	02 (1+1)	02 (1+1)	Fitter-SCVT	02 (1+1)	19		18		
		Electronics Mechnic	02 (1+1)	02 (1+1)	Electronics Mechanic - SCVT	02 (1+1)	20		17		
		Information Communication Technology & System Maintenance (ICTSM)	02 (1+1)	02 (1+1)	ICTSM-SCVT	02 (1+1)	12		14		
		Mechanic Diesel	02 (1+1)	02 (1+1)	Mechanic Diesel-SCVT	02 (1+1)	40		39		
		Welder	02 (1+1)	02 (1+1)	Welder-SCVT	02 (1+1)	32		23		
		Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff qualification & Documents	Remarks by Scrutiny Committee	Remarks by Recommendation Committee

Sanil
10/11/2022

		YES (Available 48 Kw against Reqd 36 Kw)	YES (Available 4240 Sqm against Reqd 1302 Sqm)	YES(100 Sqm)	YES(43 Sqm)	YES(43 Sqm)	YES(50 Sqm)	Yes	Yes	Recommended	Deferred Due to moral code of Conduct In Bihar				
				YES(104 Sqm)	YES(43 Sqm)										
				YES(86 Sqm)	YES(43 Sqm)										
				YES(70 Sqm)	YES(43 Sqm)										
				YES(155 Sqm)	YES(43 Sqm)										
YES(104Sqm)	YES(43 Sqm)														
6	ITI BARSOI	ELECTRICIAN	02 (1+1)	02 (1+1)	ELECTRICIAN (SCVT)	02 (1+1)(SCVT)	19	112	19	128	OWN LAND (10117sqm)				
		ELECTRONIC MECHANIC	02 (1+1)	02 (1+1)	ELECTRONIC MECHANIC (SCVT)	02 (1+1)(SCVT)	19								
		FITTER	02 (1+1)	02 (1+1)	FITTER (SCVT)	02 (1+1)(SCVT)	19								
		I.C.T.S.M	02 (1+1)	02 (1+1)	I.C.T.S.M (SCVT)	02 (1+1)(SCVT)	6								
		MECHANIC DIESEL	02 (1+1)	02 (1+1)	MECHANIC DIESEL (SCVT)	02 (1+1)(SCVT)	33								
		WELDER	02(1+1)	02 (1+1)	WELDER (SCVT)	02 (1+1)(SCVT)	16								
		Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff qualification & Documents	Remarks by Scrutiny Committee	Remarks by Recommendation Committee				
YES (TOTAL-10 kw)APPLIED FOR 36KW	YES (TOTAL-1112sqm)	YES (98sqm)	YES (25sqm)	YES (75 sqm)	YES (06.43sqm)	Yes	Yes	Recommended	Deferred Due to moral code of Conduct In Bihar						
		YES (56sqm)	YES (25sqm)												
		YES (88 sqm)	YES (25sqm)												
		YES (70sqm)	YES (25sqm)												
		YES (210.qm)	YES (25sqm)												
		YES (80.04sqm)	YES (25sqm)												
		Electrician	02 (1+1)							02 (1+1)	Electrician-SCVT	02 (1+1)(SCVT)	20	60	18
Electronics Mechnic	02 (1+1)	02 (1+1)	Electronics Mechnic -SCVT	02 (1+1)(SCVT)	20										
Information Communication Technology & System Maintenance (ICTSM)	02 (1+1)	02 (1+1)	ICTSM-SCVT	02 (1+1)(SCVT)	20										
Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff qualification & Documents	Remarks by Scrutiny Committee	Remarks by Recommendation Committee						
YES (Available: 19 Kw against Reqd 11.69 Kw)	YES (Available 4533 Sqm against Reqd 757 Sqm)	YES(176 sqm)	YES(25sqm)	YES(25sqm)	YES(50sqm)	Yes	Yes	Recommended	Deferred Due to moral code of Conduct In Bihar						
		YES(56sqm)	YES(25sqm)												
		YES(112 Sqm)	YES(25sqm)												
ELECTRICIAN	2(1+1)	2(1+1)	ELECTRICIAN(SCVT)	02 (1+1)(SCVT)	20	145	19	145	OWN BUILDING						
										FITTER	2(1+1)	2(1+1)	FITTER(SCVT)	02 (1+1)(SCVT)	19
										MRAC (Mechanic refrigeration and Air conditioning)	2(1+1)	2(1+1)	MRAC(Mechanic refrigeration and Air conditioning)(SCVT)	02 (1+1)(SCVT)	20

Sanjiv
10/11/2020

7c

8	GOVT INDUSTRIAL TRAINING INSTITUTE, KAIMUR (BHABUA)	ICTSM (Information & communication Technology System)	2(1+1)	2(1+1)	ICTSM(Information & communication Technology System)(SCVT)	02 (1+1)(SCVT)	16	18		(12140.58 sq.m)					
		MECHANIC DIESEL	2(1+1)	2(1+1)	MECHANIC DIESEL(SCVT)	02 (1+1)(SCVT)	42								
		WELDER	2(1+1)	2(1+1)	WELDER(SCVT)	02 (1+1)(SCVT)	28								
		Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall				Avilability of Machinery, Tools & Equipments	Staff qualification & Documents	Remarks by Scrutiny Committee	Remarks by Recommendation Committee	
YES AVAILABLE AS PER NORMS (42 KW)	YES AVAILABLE AS PER NORMS (1411 Sq.m)	YES (210.02 Sq.m) YES(176.98 sq.m) YES(120 sq.m) YES(160 sq.in) YES(210.18 sq.m) YES(160 sq.m)	YES(61.5 sq.m) YES(63 sq.m) YES(63.08 sq.m) YES(61.6 sq.m) YES(62.25 sq.m) YES(62.34 sq.m)	YES(70.22 sq.m)	YES(300 sq.m)	Yes	Yes	Recommended	Deferred Due to moral code of Conduct in Bihar						
9	ITI MUZAFFARPUR PASCHIM	Electrician	02 (1+1)	02 (1+1)	Electrician-SCVT	02 (1+1)	20	143	143	Own					
		Fitter	02 (1+1)	02 (1+1)	Fitter-SCVT	02 (1+1)	20								
		Electronics Mechanic	02 (1+1)	02 (1+1)	Electronics Mechanic - SCVT	02 (1+1)	20								
		Information Communication Technology & System Maintenance (ICTSM)	02 (1+1)	02 (1+1)	ICTSM-SCVT	02 (1+1)	17								
		Mechanic Diesel	02 (1+1)	02 (1+1)	Mechanic Diesel SCVT	02 (1+1)	40								
		Welder	02 (1+1)	02 (1+1)	Welder-SCVT	02 (1+1)	26								
		Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall				Avilability of Machinery, Tools & Equipments	Staff qualification & Documents	Remarks by Scrutiny Committee	Remarks by Recommendation Committee	
		YES (Available 45 Kw A/F)	YES	YES(98 Sqm) YES(88 Sqm) YES(56 Sqm) YES(70 Sqm) YES(210 Sqm) YES(80 Sqm)	YES(25 Sqm) YES(25 Sqm) YES(25 Sqm) YES(25 Sqm) YES(25 Sqm) YES(25 Sqm)	YES(27.5 Sqm)	YES(50 Sqm)				Yes	Yes	Recommended	Deferred Due to moral code of Conduct in Bihar	
		10	ITI ARWAL	ELECTRICIAN	2(1+1)	2(1+1)	ELECTRICIAN(SCVT)				02(1+1)SCVT	21	158	158	(OWN LAND(5 ACRES)
				FITTER	2(1+1)	2(1+1)	FITTER(SCVT)				02(1+1)SCVT	21			
MECHANICS ELECTRONICS	2(1+1)			2(1+1)	MECHANICS ELECTRONICS (SCVT)	02(1+1)SCVT	21								
ICTSM	2(1+1)			2(1+1)	ICTSM (SCVT)	02(1+1)SCVT	21								
WELDER	2(1+1)			2(1+1)	WELDER(SCVT)	02(1+1)SCVT	32								
MECHANICS.DIESEL	2(1+1)			2(1+1)	MECHANICS DIESEL(SCVT)	02(1+1)SCVT	42								
Power connection as per norms	Building as per norms			workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff qualification & Documents	Remarks by Scrutiny Committee	Remarks by Recommendation Committee				
YES (TOTAL 40KW)	YES (98 SQM) YES (88 SQM) YES(56 SQM) YES(70 SQM) YES(80 SQM) YES(130 SQM)			YES(104.5156 SQM) YES(104.5156 SQM) YES(68.84 SQM) YES(71 SQM) YES(104.5156SQM) YES(104.5156 SQM)	YES(42.967 SQM) YES(42.967 SQM) YES(42.967 SQM) YES(42.967 SQM) YES(42.967 SQM) YES(42.967 SQM)	YES(42.97 SQM)	YES (87.08 SQM)	Yes	Yes	Recommended	Deferred Due to moral code of Conduct in Bihar				

Sumit
10/11/2022

27

11	GOVT. WOMEN ITI BUXAR	ELECTRICIAN	02 (1+1)	02 (1+1)	ELECTRICIAN(SCVT)	02 (1+1)(SCVT)	21	57	19	56	OWN LAND(20000 sqm)		
		ELECTRONIC MECHANIC	02 (1+1)	02 (1+1)	ELECTRONIC MECHANIC(SCVT)	02 (1+1)(SCVT)	21		17				
		MECHANIC CONSUMER ELECTRONIC APPLIANCES	02 (1+1)	02 (1+1)	MECHANIC CONSUMER ELECTRONIC APPLIANCES(SCVT)	02 (1+1)(SCVT)	9		12				
		INFORMATION COMMUNICATION TECHNOLOGY & SYSTEM MAINTENANCE	02 (1+1)	02 (1+1)	INFORMATION COMMUNICATION TECHNOLOGY & SYSTEM MAINTENANCE(SCVT)	02 (1+1)(SCVT)	6		8				
		Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff qualification & Documents	Remarks by Scrutiny Committee	Remarks by Recommendation Committee		
		YES(TOTAL-65kw A/F)	YES(TOTAL-900sqm)	YES(98sqm) YES(56sqm) YES(88sqm) YES(70sqm)	YES(25sqm) YES(25sqm) YES(25sqm) YES(25sqm)	YES(181.74sqm)	YES(300sqm)	Yes	Yes	Recommended	Deferred Due to moral code of Conduct in Bihar		
12	ITI PALIGANJ	ELECTRICIAN	02 (1+1)	02 (1+1)	ELECTRICIAN (SCVT)	02 (1+1) (SCVT)	20	113	19	128	OWN LAND (14164sqm)		
		FITTER	02 (1+1)	02 (1+1)	FITTER(SCVT)	02 (1+1) (SCVT)	20		20				
		ELECTRONICS MECHANIC	02 (1+1)	02 (1+1)	ELECTRONICS MECHANIC(SCVT)	02 (1+1) (SCVT)	18		20				
		ICTSM	02 (1+1)	02 (1+1)	ICTSM(SCVT)	02 (1+1) (SCVT)	5		11				
		WELDER	2	2	WELDER(SCVT)	02 (SCVT)	11		19				
		MECHANIC DIESEL	2	2	MECHANIC DIESEL(SCVT)	02 (SCVT)	39		39				
		Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff qualification & Documents	Remarks by Scrutiny Committee	Remarks by Recommendation Committee		
		YES(TOTAL-45KW)	YES(TOTAL-4240.49sqm)	YES(180sqm) YES(175sqm) YES(160sqm) YES(150sqm) YES(180sqm) YES(210sqm)	YES(30sqm) YES(30sqm) YES(30sqm) YES(30sqm) YES(30sqm) YES(30sqm)	YES(75sqm)	YES(100sqm)	Yes	Yes	Recommended	Deferred Due to moral code of Conduct in Bihar		
		13	WOMEN ITI BEGUSARAI	ELECTRICIAN	04 (2+2)	04 (2+2)	ELECTRICIAN(SCVT)	04 (2+2)(SCVT)	40	77	36	66	OWN LAND(20235 sqm)
				ELECTRONIC MECHANIC	02 (1+1)	02 (1+1)	ELECTRONIC MECHANIC(SCVT)	02 (1+1)(SCVT)	20		19		
INFORMATION COMMUNICATION TECHNOLOGY & SYSTEM MAINTENANCE	02 (1+1)			02 (1+1)	INFORMATION COMMUNICATION TECHNOLOGY & SYSTEM MAINTENANCE(SCVT)	02 (1+1)(SCVT)	17	13					
Power connection as per norms	Building as per norms			workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff qualification & Documents	Remarks by Scrutiny Committee	Remarks by Recommendation Committee		
YES(TOTAL-5.20kw)	YES(TOTAL-4330.14 sqm)			YES(204 sqm.)	YES(41 sqm.)	YES(25 sqm.)	YES(50sqm)	Yes	Yes	Recommended	Deferred Due to moral code of Conduct in Bihar		
YES(TOTAL-3.04kw)				YES(104 sqm.)	YES(41 sqm.)								
YES(TOTAL-3.45kw)		YES(104 sqm.)	YES(41 sqm.)										
		ELECTRICIAN	2(1+1)	2(1+1)	ELECTRICIAN (SCVT)	2(1+1) SCVT	20		20				
		ELECTRONIC MECHANIC	2(1+1)	2(1+1)	ELECTRONIC MECHANIC (SCVT)	2(1+1) SCVT	20		18				

Sumit
10/11/2022

28

YES OWN LAND 62

14	Govt ITI TARAPUR (MUNGER)	ICTSM	2(1+1)	2(1+1)	ICTSM (SCVT)	2(1+1) SCVT	11	129	15	126	YES (OWN LAND) 5 ACRES)			
		FITTER	2(1+1)	2(1+1)	FITTER (SCVT)	2(1+1) SCVT	21		18					
		MECHANIC DIESEL	2(1+1)	2(1+1)	MECHANIC DIESEL(SCVT)	2(1+1) SCVT	39		30					
		WELDER	2(1+1)	2(1+1)	WELDER (SCVT)	2(1+1) SCVT	18		25					
		Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall		Avlability of Machinery, Tools & Equipments			Staff qualification & Documents	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
		YES(40 KW)	YES(98 SQM)	YES(210 SQM)	YES(31 SQM)	YES(30 SQM)	YES(60 SQM)		Yes			Yes	Recommended	Deferred Due to moral code of Conduct in Bihar
			YES(56 SQM)	YES(120 SQM)	YES(31 SQM)									
YES(70 SQM)	YES(160 SQM)		YES(31 SQM)											
YES(88 SQM)	YES(176.98 SQM)		YES(31 SQM)											
YES(150 SQM)	YES(210 SQM)		YES(31 SQM)											
YES(80 SQM)	YES(160 SQM)	YES(31 SQM)												
15	ITI, DAUDNAGAR, AURANGABAD	ELECTRICIAN	2(1+1) Unit	2(1+1) Unit	ELECTRICIAN	2(1+1) Unit	18	132	18	135	YES (OWN LAND) 5 ACRES)			
		FITTER	2(1+1) Unit	2(1+1) Unit	FITTER	2(1+1) Unit	19		18					
		ELECTRONICS MECHANIC	2(1+1) Unit	2(1+1) Unit	ELECTRONICS MECHANIC	2(1+1) Unit	20		18					
		ICTSM	2(1+1) Unit	2(1+1) Unit	ICTSM	2(1+1) Unit	11		11					
		MECHANIC DIESEL	2 (2+0) Unit	2 (2+0) Unit	MECHANIC DIESEL	2 (2+0) Unit	40		43					
		WELDER	2 (2+0) Unit	2 (2+0) Unit	WELDER	2 (2+0) Unit	24		29					
		Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall		Avlability of Machinery, Tools & Equipments			Staff qualification & Documents	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
36 KW	YES	YES(210.02 sq M)	YES Available.	YES (30 sq.m)	YES(60 sq. M)	Yes	Yes	Recommended	Deferred Due to moral code of Conduct in Bihar					
	YES	YES(176.98 sq M)												
	YES	YES(120 sq. M)												
	YES	YES(160 sq. M)												
	YES	YES(210.18 sq M)												
YES	YES(160 sq. M)													
16	BABA KEWAL MAHARA) ITI PATORI, SAMASTIPUR	ELECTRICIAN	2(1+1) Unit	2(1+1) Unit	ELECTRICIAN	2(1+1) Unit	19	118	19	99	YES			
		FITTER	2(1+1) Unit	2(1+1) Unit	FITTER	2(1+1) Unit	17		18					
		ELECTRONICS MECHANIC	2(1+1) Unit	2(1+1) Unit	ELECTRONICS MECHANIC	2(1+1) Unit	20		19					
		ICTSM	2(1+1) Unit	2(1+1) Unit	ICTSM	2(1+1) Unit	9		29					
		MECHANIC DIESEL	2 (2+0) Unit	2 (2+0) Unit	MECHANIC DIESEL	2 (2+0) Unit	37		14					
		WELDER	2 (2+0) Unit	2 (2+0) Unit	WELDER	2 (2+0) Unit	16							
		Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall		Avlability of Machinery, Tools & Equipments			Staff qualification & Documents	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
YES	YES	YES	YES	YES	YES	Yes	Yes	Recommended	Deferred Due to moral code of Conduct in Bihar					

Sumit
10/11/2022

SR.No	1
ITI Name	Swami Vivekanand Private ITI P-74, MIDC, Kalamb Road, Latur, Maharashtra
State	Maharashtra
MIS Code/Application Number	NEW Application No. TMP27481
Inspected Date	9/24/2020
ITI Proposed Units	Electrician 2(1+1) Wireman 2(1+1)
Trades/Units sought for affiliation	Desktop Publishing 2(1+1) Fitter 2(1+1) Welder 2(1+1) Draughtsman (Civil) 2(1+1)
Land lease valid	Yes
Power connection as per norms	Yes
Building as per norms	Yes
workshop space	Yes
Class room	Yes
IT lab	Yes
Drawing Hall	Yes
Availibility of Machinery, Tools & Equipments	Machinery, Tools available for these 3 trades only Electrician Wireman Desktop Publishing
Staff Qualification & Documents	Yes
Remarks by Standing Committee/ Scrutiny Committee	Not Recommended (Since Machinery, Tools, Infrastructure available for these 3 trades only) Electrician Wireman Desktop Publishing (Reply received from the state)
Remarks by Scrutiny Committee	Not recommended as per State Government report Since 3 trades only recommended
Recommended or not	Not Recommended

Swami
10/11/20

SR.No	1	2
ITI Name	Baba Naipal Pvt. ITI, Satterbarahpur, Tehsil-Sagri Distt.-Azamgarh, U.P. -	D.C.S. College Pvt. ITI, Mant Road, Raya, Mathura, U.P.-281204
State	Uttar Pradesh	Uttar Pradesh
MIS Code/Application Number	NEW Application No. 1809015742	NEW Application No. 1809017770
Inspected Date	8/18/2020	8/19/2020
Trades/Units sought for affiliation And ITI Proposed Units	Electrician 3(1+1+1) Fitter 3(1+1+1) Plumber 3(1+1+1) COPA 3(1+1+1) Recommended	Electrician 6(2+2+2) Fitter 6(2+2+2) COPA 3(1+1+1) Health Sanitary Inspector 3(1+1+1) Recommended
Units recommended by SCI	Electrician 3(1+1+1) Fitter 3(1+1+1) Plumber 3(1+1+1) COPA 3(1+1+1) Yes	Electrician 6(2+2+2) Fitter 6(2+2+2) COPA 3(1+1+1) HSI 3(1+1+1) Yes
Land lease valid	Yes	Yes
Power connection as per norms	As per report, however, online bill not available.	Yes
Building as per norms	Yes	Yes
workshop space	Yes	Yes
Class room	Yes	Yes
IT lab	Yes	Yes
Drawing Hall	Yes	Yes
Avilability of Machinery, Tools & Equipments	YES	Yes
Staff Qualification & Documents	YES	Yes
Remarks by Standing Committee/ Scrutiny Committee	Recommended	Recommended
Remarks by Scrutiny Committee	The ITI was asked to provide the Online copy of the bill, they haven't provided	Recommended & 3rd shift not allowed as per rules
Recommendation Committee remark	Deferred for the next meeting as State representative not present in the meeting	Deferred for the next meeting as State representative not present in the meeting