

**DGT-AFF011 (51)/2/2020-O/O DIR (TC)**  
**Government of India**  
**Ministry of Skill Development & Entrepreneurship**  
**Directorate General of Training**

1st Floor, CIRTES Building,  
Pusa Campus, Pusa, New Delhi-110012

Dated: 4<sup>th</sup> December, 2020

To,  
All the State Directors (dealing with Affiliation)

Sub:- Minutes of Meeting of 14<sup>th</sup> Recommendation Committee Meeting

Sir/Madam,

Please find enclosed herewith the approved Minutes of Meeting along with Annexures of 14<sup>th</sup> Recommendation Committee held on 10<sup>th</sup> November, 2020. However implementation orders agenda item wise will be issued in due course of time.

This issues with the approval of competent authority, DGT

Yours faithfully,



(Sandhya Salwan)  
Deputy Director General

Copy to:-

1. Sr PPS to DG/AS, DGT, New Delhi
2. Sr PPS to DDG, DGT, New Delhi
3. All RDSDEs



(Ravi Chilukoti)  
Joint Director

**MINUTES OF THE 14<sup>TH</sup> MEETING OF “RECOMMENDATION COMMITTEE DGT” DEALING WITH AFFILIATIONS OF ITIs, HELD ON 10<sup>th</sup> November, 2020 AT 11:00 AM THROUGH VIDEO CONFERENCE**

Following members attended the meeting through VC:

Department side	State representatives
Smt Neelam Shami Rao, Director General	Dr Suvarna Kharat, Joint Secretary, Maharashtra
Smt Sandhya Salwan, Dy Director General	Shri Krishappa, Director, DET Karnataka
Shri S K Gupta, Director	Shri Manpal Singh, Dy Director, DET Uttar Pradesh
Shri Ravi Chilukoti, Joint Director	Shri Nitin Nikam, Asst. Director
Shri Murugarajan, Dy Director	
Shri Amit Kumar Yadav, Asst. Director	
Shri Parveen Kumar, Junior Technical Assistant	

At the outset, Sunil Kumar Gupta, Director and Shri Ravi Chillukoti, JDT welcomed all the committee members and thereafter the DG took agenda points for detailed discussions. The details of discussions, deliberations & agenda wise decisions taken by the chair, are placed as below:

**Agenda No. 14.1: Affiliation of ITI's**

Committee considered a number of proposals as details given below and recommended as per remarks given below: -

**14.1.1 New ITI proposals:**

State representatives attended meeting agreed to the decision of committee

**State-wise break-up of proposals**

Sl.No	State	Number of ITIs	Remarks		
			Recommended	NR	Defereed for clarification
01	Uttar Pradesh	02	-	1	1
02	Maharashtra	06	1	3	2
<b>Total</b>			<b>1</b>	<b>4</b>	<b>3</b>

**ITI-wise break-up of proposals**

Sl. No.	ITI's Name MIS Code / Application No.	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Remarks by Recommendation Committee-DGT
1.	Harinarayan Private ITI Karanpur Khujhi, Shitalaganj, Patti, Distt -	Electrician Fitter COPA Swing Technology	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	<b>Deferred</b>  Clarification from the State on shortage of Power Load and infrastructure and obtain comments

*JD*

	Pratapgarh U.P. 230142 New ITI 1809018572				from inspection committee as ITI situated in Uma Devi Mahila Mahavidyalay as reported by State. Also campus demarcation through boundary wall as well as adequacy of area.
2.	Ramkishor Private ITI Imamgarh, Mahul, Azamgarh U.P.-223225  1809017918	Electrician Fitter COPA Swing Technology	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	<b>Rejected,</b> as no response received to the clarifications raised by DGT. Comments from inspection committee as power connection details and Tools & Equip lost not attached in the report
3.	Latur College of Pvt ITI At & Po- Hasegoan TQ- AUSA Dist- Latur Maharashtra - 413531 TMP27481 PR1580631353	Electrician Mechanic Diesel Surveyor Wireman	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	<b>Deferred</b> ITI is to submit clarifications on Shortage of minor tools for all the trades (eg. Spanner, Allen Key) through State Directorate, MH within 7 days.
4.	Jaydeep (Private) ITI, Degan Tal. Shindkheda Dist- Dhule MH-425407 TMP27474 PR1582808385	Electrician Fitter Welder Surveyor	2(2+1+0) 2(2+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) NR	<b>Rejected</b> Not approved by the State as not fulfilling criteria for having at least 4 trades.
5.	Pharate Patil Private ITI A/P Mandavgan, Pharata, Tal- Shirur Dist- Pune	Electrician Wireman COPA Fitter	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	<b>Recommended</b>  Electrician 2(1+1) Wireman 2(1+1) COPA 2(1+1) Fitter 2(1+1)

	Maharashtra – 412210 TMP27490 PR1582553720				
6.	Shrimati Sulochana Bhat Mahila ITI, Kundal. TL: Palus, Dist:Sangali Maharashtra – 416309 TMP27493 PR1582184992	Electrician Wireman COPA Surveyor	16(4+4+8) 16(4+4+8) 01(0+0+1) 01(0+0+1)	NR	<b>Rejected</b> as ITI was not ready for inspection and it will not be considered for next 6 months as per norms
7.	Ramakrishna Private ITI Akola Road Village Balsond Tal & Dist- Hingoli Maharsashtra – 431513 TMP27477 PR1581136302	Electrician Fitter Welder Wireman	4(2+2+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	NR	<b>Rejected</b> as not recommended by inspection team due to deficiency in Machinery
8.	Zeal Private ITI Pune Survey No. 39, Narhe Dhayari Road, Narhe, Ta: Haveli, Dist- Pune Maharashtra- 411041 TMP27490 PU1580194310	Fitter Electrician Wireman Welder Solar Technician(Elec.)	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	<b>Deferred</b> ITI is to submit compliance to qualification required for Principal through S/D MH within 7 days.

#### 14.1.2 Existing ITIs seeking Affiliation for Extension of Trades/Units:

State representatives attended meeting agreed to the decision of committee

#### State-wise break-up of proposals

Sl. no	State	Number of ITI's	Remarks		
			Recommended	NR	Deferred for clarification
01	Maharashtra	04	1	3	-
<b>Total</b>		<b>04</b>	<b>1</b>	<b>3</b>	<b>-</b>

*ed*

**ITI-wise break-up of proposals**

Sl. No.	ITI's Name MIS Code / Application No.	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Remarks by Recommendation Committee-DGT
1	Bonde Audogik Private Prashikshan Sanstha khapari At. Khapari Post.Ghorad Ta.Kalmeshwar Distt.Nagpur Maharashtra - 441501	Welder	2(1+1+0)	Not Recommended	<b>Rejected</b> as not recommended by inspection team due to less electric load and ITI should upgrade to 4 trades by session 2021.
2	Gramin ITI, Sangam Tq- Parli, Dist Beed, Maharashtra - 431515	Wireman MMV Electrician Fashion Design and Technology	6(3+3) 2(1+1) 8(4+4) 2(1+1)	Not Recommended	<b>Rejected</b> as not recommended by inspection team due to building plan is different than actual plan, grouting of machinery, installation and safety measures not followed.
3	Shri Nageshwar Private ITI A/P Bhandgaon, Bhalawani-Bhandgaon Road, Tal Parne AHMEDNAGAR - 414103	Wireman Fire Technology and Safety Management	2(1+1) 2(1+1)	2(1+1)* NR	<b>*Recommended</b> as proposed by SCI provided that ITI shall comply with the criteria for having at least 4 trades by next academic session.  Wireman 2(1+1)
4	Brahma valley Pvt. ITI Educational campus, Anjaneri, Tal- Trimbakeshwar, Nashik Maharashtra - 422213	Wireman Electrician	2(1+1) 2(1+1)	NR	<b>Rejected.</b> - Show cause notice to be issued to ITI for having poor admission in last years. - State Director be requested to monitor training in the institute and also undertake physical check of trainee particularly on scholarships.

14.1.3 Existing ITIs applied for Shifting

: Nil

14.1.4 MSTI Proposal

: NIL

14.1.5 ITI in Spare capacity of Polytechnics : NIL

**Agenda No 14.2: Deferred cases of previous meetings**

**New ITI proposals:**

14.2.1: Four new ITIs of Uttar Pradesh which were placed at agenda 13.2.1 in 13<sup>th</sup> Recommendation Committee meeting, as State representative not present in the meeting, these cases were deffered were again placed before the committee for its consideration. Committee considered the same and recommended as per remarks given below: -

**State-wise break-up of proposals**

Sl. no	State	Number of ITI's	Remarks		
			Recommended	NR	Hold for clarification
01	Uttar Pradesh	04	-	4	-
<b>Total</b>		<b>04</b>	<b>-</b>	<b>4</b>	<b>-</b>



**ITI-wise break-up of proposals:**

Sl. No.	ITI's Name	Trades / Units sought for affiliation	ITI Proposed Units	Remarks by Standing Committee	Final remarks by Recommendation Committee-DGT
1	Rakesh Singh Pvt ITI, Vill - Harchandpur, Post- Karimganj, Dist- Mainpuri, U.P. - 205001	Electrician 3(1+1+1) Fitter 3(1+1+1) COPA 3(1+1+1) Sewing Technology - 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	Recommended	Rejected due to less electricity load
2	Sushma Private ITI Village - Atoos Agra U.P- 283105	Electrician -NR Fitter NR COPA - NR Assistant Tourist Guide - NR	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	Building was initially constructed for the parameters of BTC college and it was told that BTC affiliation is not obtained hence it is converted in to ITI <b>But it is found that Sushma Educational Institute exists on the same building shown</b> & The Tools and equipment were available in the institute but most of the machinery were not on foundation ie. Lathe machines, D.G.Set and all the motors were temporary connected	Rejected as per remarks by inspection team
3	Kanha Pvt ITI Village & Po- Kosi Khurd, Goverdhan, Dist- Mathura, U.P.- 281005	Electrician 3(1+1+1) Fitter 3(1+1+1) Health Sanitary- NR Inspector Housekeeper - NR	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	Recommended Electrician & Fitter only	Rejected as minimum 4 trades are not getting affiliated as per norms.

*(Handwritten signature)*

4	<p><b>Shri Natthi Lal</b>  <b>Pvt ITI</b>  <b>Vill - Syarmau,</b>  <b>Tehra Agra</b>  <b>U.P.- 283124</b></p>	<p>Electrician  Fitter  Computer Operator &amp; -  -Programming Assistant  Health Sanitary  Inspector</p>	<p>3(1+1+1)  3(1+1+1)  3(1+1+1)  3(1+1+1)</p>	<p><b>Opened in old building of intermediate college whose code number is 1689 named Chaudhary Nathilal Inter College Syarmau Tehra, Agra Which is same Building of New ITI named Sri Nathilal Pvt ITI</b>  &amp;  The Class rooms, hall and spare rooms show that the building is constructed on the parameter of intermediate and Degree college.  &amp;  Tools and equipment's, Machinery was not verified because of the old and made for other purpose building and infrastructure</p>	<p><b>Rejected as per</b>  remarks by  inspection team.</p>
---	---	---	---	---	---

*gr*



Agend a Item	ITI's Name	Trades / Units sought for affiliation	ITI Proposed Units	Remarks by Standing Committee	Final remarks by Recommendation Committee-DGT
14.2.2:	Baba Naipal Pvt. ITI, Sattarbarahpur, Tehsil-Sagri Dist.-Azamgarh, U.P. NEW Application No.1809015742	Electrician Fitter Plumber Computer Operator & Programming Assistant	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	Recommended Electrician 3(1+1+1) Fitter 3(1+1+1) Plumber 3(1+1+1) COPA 3(1+1+1)	Deferred for the next meeting; comments be asked from the State Directorate UP.
14.2.3	D.C.S. College Pvt. ITI, Mant Road, Raya, Mathura, U.P.-281204 NEW Application No. 1809017770	Electrician Fitter Computer Operator & Programming Assistant Health Sanitary Inspector	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	Recommended Electrician 6(2+2+2*) Fitter 6(2+2+2*) COPA 3(1+1+1*) HSI 3(1+1+1*)	Recommended, as proposed by Standing Committee except 3 <sup>rd</sup> shift Electrician 6(2+2) Fitter 6(2+2) COPA 3(1+1) HSI 3(1+1)
14.2.4	Shri Bharat Sing Kamala Devi Private Industrial Training Institute, Village-Raipur Khas, Atrauli, Dist-Aligarh, Uttar Pradesh-202133	Electrician Fitter Plumber H.S.I	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	Recommended 6(2+2+2*) 6(2+2+2*) 3(1+1+1*) 3(1+1+1*)	Recommended as proposed by Standing Committee except 3 <sup>rd</sup> shift

gr

14.2.5	P.R.D.Pvt.ITI, Vill-Mamikpur, Post-Alipur, Distt-Mainpuri, U.P.-205262	Electrician Fitter Physiotherap y Tec. Health Sanitary Inspector	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	Recommended as proposed by Scrutiny Committee  Electrician- 2(1+1) Fitter- 2(1+1) Physiotherapy Tec. - 2(1+1) HSI- 2(1+1)  <b>Deferred</b> for the next meeting; comments be asked from the State Directorate UP.
14.2.6	Babu Ram Pvt. ITI, Vill- Bhisaha, Po-Banpokhara, Dist- Mau, U.P.- 221603  PR09900948	Electrician	6(2+2+2)		

*g*

### 14.3 Other points with the permission of Chair:

#### 14.3.1 Affiliation order Draft:

It is informed that Affiliation orders are being issued manually, now DGT is introducing generation of affiliation order by system. A draft copy of the affiliation order was placed before the committee placed at **Annexure 14.3.1**, for its comments and suggestions.

On perusal of the same, the DG advised some specific points to be mentioned in the draft as hereunder: -

- (i) Certificate validity/ affiliation validity period should be clearly mentioned.
- (ii) Admissions in units be specified so that two years' courses can run concurrently.
- (iii) ITI shall be advised to abide the norms and guidelines as issued by DGT on time to time and the New Norms, if any issued, be complied within 3 months.
- (iv) Financial penalties should be specified against the ITI for violation of any norms.

In addition to the above, the DG asked to seek public comments and suggestions from the respective State Directorates/UTs within 3-4 days. Further it was also advised to peruse the AICTE and CBSE pattern for drafting the affiliation order.

#### 14.3.2 Proposal from Karnataka:

- (a) Secretary to the Government, Karnataka vide letter dt. 6.10.2020 forwarded proposals i.r.o. 63 Pvt ITIs for seeking conversion from SCVT to NCVT with the recommendations to conducting their joint inspection.

However, the Committee asked the ITI to apply for the same on NIMI Portal for consideration of the proposals and inspections will be carried out on priority

- (b) It was brought to the notice of Committee by the State Directorate Karnataka that a total  $19+60=79$  existing ITIs running since year 1996 onwards had shifted their premises to new locations without intimation to the State Government or DGT. In view of the large interest of the candidates enrolled in these ITIs, it was purposed by the State Directorate Karnataka to permit admissions in these ITIs for current academic session.

After detailed discussion with the members, the DG recommended to allow these ITIs for admissions exclusively for the current session. It was further advised to ITI to seek re-affiliation at new Location for the ensuing sessions. For verification of these ITIs joint inspections were directed to be carried out through offline procedure as an exceptional case which should not be dealt as precedent. It was also decided to collect the Application fees 3 times i.e @Rs 30000/- from each ITI will be collected on online affiliation portal, as a penalty from such ITIs for seeking affiliation at New Location.

#### 14.3.3 Merger of ITI in Madhya Pradesh:

State Directorate of Madhya Pradesh requested vide letter dt. 1<sup>st</sup> June 2020, proposal to merge 16 Govt ITIs to 7 ITIs, proposal was place before the committee vide **Annexure 14.3.3**. The Committee observed that there are no such provisions / norms exist for merger of ITIs. However, since the campus of the ITIs were stated to be same, the Committee agreed to the proposal as an exceptional case which should not be dealt as precedent. Further, the DG asked to frame and incorporate rules for dealing such proposals in future.

#### **14.3.4 Admitted Trainee data of Uttar Pradesh:**

It was informed to the committee that as per the letter dt 28.10.2020 from State Directorate, UP, State Government had uploaded 362721 student's data on NCVTMIS, 38211 un-approved data and 53 ITIs need to correct student data. As discussed during meeting on 21<sup>st</sup> October, 2020 through VC with State Director, it was purposed that only data uploaded by the State would be validated on NCVTMIS. Copy of letter from UP was placed at Annexure-14.3.4.

The committee agreed to the above proposal.

#### **14.3.5 Inspections of ITIs for current academic session:**

The DG asked the respective State Directorate to furnish comments and explore possibilities to conduct inspections of 211 ITIs which were identified on NIMI Portal as 'Ready for Inspections'.

#### **14.3.6 Re-scheduling of inspection-batches left unattended:**

It was informed by the State Directorate Maharashtra that in many cases batches were created for inspections, however due to some administrative or other issues inspections had not been carried out on scheduled dates. Accordingly, it was purposed by the State Directorate to arrange re-schedule the inspection batches for these ITIs. The DG asked the officer concerned dealing with NIMI Portal that all such cases shall be re-scheduled today itself.

**The meeting ended with a vote of thanks to the Chair.**

\*\*\*\*\*



SL.No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date	Trades/Units sought for affiliation	ITI Proposed Units	Units recommend ed by SCI	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Availability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Inspection Committee	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1	Harinarayan Private ITI Karanpur Khujhi, Shitalagani, Patti, Distt - Pratapurarh U.P. 230142	UP	New ITI 1809018572	1	25	03.09.2020	Electrician Fitter COPA Swing Technology	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	Yes	Online bill Availabel for 2kW and required load is 12 7kW	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Recommended	Not Recommended ITI is in the Building of UMA Devi Mahila Mahavidhyalay Not Recommended by State	Deferred  Clarification from the State on shortage of Power Load and infrastructure and obtain comments from inspection committee as ITI situated in Uma Devi Mahila Mahavidyalay as reported by State. Also campus demarcation through boundary wall as well as adequacy of area.
2	Latur College of Pvt ITI At & Po- Hasegoan TQ- Ausa Dist- Latur Maharashtra - 413531	MH	TMP27481 PR15806313 53	11	7	17-10-2020	Electrician Mechanic Diesel Sui veyor Wireman	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	Yes	Yes	Yes	Yes	Yes	Yes	Shortage of minor tools for all the trades(eg. Spanner, Allen Key)	Yes	Recommended	Clarification  Mailed to ITI to fillup the shortage	Rejected, as no response received to the clarifications raised by DGT. Comments from inspection from inspection committee as power connection details and Tools & Equip lost not attached in the report	
3	Jaydeep (Private) ITI, Degan Tal, Shindkhedla Dist- Dhule MH 425407	MH	TMP27474 PR15828083 85	6	15	17-10-2020	Electrician Fitter Welder Surveyor	2(2+1+0) 2(2+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) NR	Yes	Yes	Yes	Yes	Yes	Yes	Shortage of machines and equipments for surveyor trade	Yes	Recommended	Not Recommended  Minimum 4 trades required to start	Rejected Not approved by the State as not fulfilling criteria for having at least 4 trades.	
4	Pharate Patil Private ITI A/P. Mandavgan, Pharate, Tal- Shirur Dist- Pune Maharashtra - 412210	MH	TMP27490 PR15825537 20	18	43	17-10-2020	Electrician Wireman COPA Fitter	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Recommended	Recommended	Recommended  Electrician 2(1+1) Wireman 2(1+1) COPA 2(1+1) Fitter 2(1+1)
5	Shrimati Sulochana Bhat Mahila ITI, Kundal, Tl: Palus, Dist: Sangali Maharashtra - 416309	MH	TMP27493 PR15821849 92	10	15	23-09-2020	Electrician Wireman COPA Surveyor	16(4+4+8) 16(4+4+8) 01(0+0+1) 01(0+0+1)	NR	Not ready for Inspection	Not ready for Inspection	Not ready for Inspection	Not ready for Inspection	Not ready for Inspection	Not ready for Inspection	Not ready for Inspection	Not ready for Inspection	Not ready for Inspection	Not Recommended	Not Recommended	Rejected as ITI was not ready for inspection and it will not be considered for next 6 months as per norms
6	Ramakrishna Private ITI Akola Road Village Balsond, Tal & Dist- Hingoli, Maharsashtra - 431513	MH	TMP27477 PR15811363 02	6	1	17-10-2020	Electrician Fitter Welder Wireman	4(2+2+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	NR	Yes	Yes	Yes	Yes	Yes	Yes	9 pentium 4, 2 core and 2 duo CPUs, only 2 PCs have net connectivity	Yes	Not Recommended	Not Recommended	Rejected as not recommended by inspection team due to deficiency in Machinery	
7	Zeal Private ITI Pune Survey No. 39, Narhe Dhayari Road, Narhe, Ta- Haveli, Dist-Pune Maharashtra-411041	MH	TMP27490 PU15801943 10	18	43	17-10-2020	Fitter Electrician Wireman Welder Solar Technician(Ele c)	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	Yes	Yes	Yes	Yes	Yes	Yes	Minor deficiencies in tools	Principal is BE passout in 2016 with 3 years of experience, required experience 5	Recommended	Not Recommended due to Principal not qualified as per norms	Deferred ITI to submit compliance to qualification required for Principal through S/D MH within 7 days.	
8	Ramkshor Private ITI Inamgarh, Mahul, Azamgarh U.P. 223225	UP	1809017918	4	138	24-10-2020	Electrician Fitter COPA Swing Technology	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	YES	Not Available	YES	YES	YES	YES	Tool & equipment list with deficiency is not attached	YES	Recommended	Mailed To State and ITI for Electricity bill and Tool & Equipment list	Rejected, as no response received to the clarifications raised by DGT. Comments from inspection from inspection committee as power connection details and Tools & Equip lost not attached in the report	

Annexure 14.1.2																												
Sl. No.	ITI's Name	State	Inspected Date	MIS Code/ Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll In 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll In 2019-20 session with Trade wise	Total student enrolled in 2019-20	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Avlability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee	Remarks by Scrutiny Committee	Remarks by Recommendation Committee	
1	Bonde Audogik Private Prashikshan Sanstha khapari At. Khapari Post.Ghorad Tal Kalmeshwar Distt.Nagpur Maharashtra - 441501	MH	17-10-2020	PR27000976	2.02	7-Oct-2016	Fitter Electrician	3(1+1+1) 3(1+1+1)	Welder	2(1+1+0)	Not Recommended	Fitter - (0+21+16) Electrician - (0+21+21)	37 + 42 = 79	Fitter - (9+0+0) Electrician - (12+0+0)	9 + 12 = 21	YES	Load Available 14.55kW & Required 24.7kW	YES	YES	YES	YES	YES	YES	YES	Not Recommended	Mailed to State & ITI To seek the update on sanction load	Rejected as not recommended by inspection team due to less electric load and ITI should upgrade to 4 trades by session 2021.	
2	Gramin ITI, Sangam Tal. Parli, Distt. Beed, Maharashtra - 431515	MH	17-10-2020	PR27000999	NA	31-July-2019	Wireman Electrician	2(1+1) 8(4+4)	Wireman MMV Electrician Fashion Design and Technology	6(3+3) 2(1+1) 8(4+4) 2(1+1)	Not Recommended	Wireman - (0+0+0) Electrician - (0+0+0)	Affiliated in 2019	Wireman - (0+0+0) Electrician - (20+16+0)	0 + 36 = 36	yes	Yes	Not as per norms, floor plan different from Actual submitted plan	Yes	Yes	Yes	Yes	Yes	Grouting of machinery, installation and safety measures such as Earthing, ELCB not proper	Yes	Not Recommended	Not Recommendation	Rejected as not recommended by inspection team due to building plan is different than actual plan, grouting of machinery, installation and safety measures not followed
3	Shri Nageshwar Private ITI A/P Bhandgaon, Bhalawani-Bhandgaon Road, Tal Parne AHMEDNAGAR - 414103	MH	17-10-2020	PR27000964	NA	31-July-2019	Electrician Draughtsman (Civil)	2(1+1) 2(1+1)	Wireman Fire Technology and Safety Management	2(1+1) 2(1+1)	2(1+1) NR	Electrician - (0+0+0) Draughtsman (Civil) - (0+0+0)	Affiliated in 2019	Electrician - (13+0+0) Draughtsman (Civil) - (0+0+0)	13 + 0 = 13	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Shortage of equipments for FTSM (fire hose, gas cylinders, hydrant flange etc.)	Yes	Recommended for Wireman	Decision to be taken by Committee since 3 trades and no admission in DM (C)  ITI needs to upgrade to 4 trades by clearing the deficiencies for FTSM	*Recommended Wireman 2(1+1) as proposed by SCI provided that ITI shall comply with the criteria for having at least 4 trades by next academic session	
4	Brahma valley Pvt. ITI Educational Campus, Anjaneri, Tal- Trimbakeshwar, Nashik Maharashtra - 422213	MH	17-10-2020	PR27000970	NA	31-July-2019	Electrician Fitter Turner	2(1+1) 2(1+1) 2(1+1)	Wireman Electrician	2(1+1) 2(1+1)	NR	Electrician - (0+0+0) Fitter - (0+0+0) Turner - (0+0+0)	Affiliated In 2019	Electrician - (12+0+0) Fitter - (4+0+0) Turner - (0+0+0)	12 + 4 + 0 = 16	Institute was closed, no one from the ITI reported for Inspection	Institute was closed, no one from the ITI reported for Inspection	Institute was closed, no one from the ITI reported for Inspection	Institute was closed, no one from the ITI reported for Inspection	Institute was closed, no one from the ITI reported for Inspection	Institute was closed, no one from the ITI reported for Inspection	Institute was closed, no one from the ITI reported for Inspection	Institute was closed, no one from the ITI reported for Inspection	Institute was closed, no one from the ITI reported for Inspection	Institute was closed, no one from the ITI reported for Inspection	Not Recommended	Not Recommended	Rejected. - Show cause notice to be issued to ITI for having poor admission in last years. -State Director be requested to monitor training in the institute and also undertake physical check of trainee particularly on

22



Sl. No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Land lease valld	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Eainments	Staff Qualification & Documents	Remarks by Standing Committee	Scrutiny Committee Remark	Recommended or not
1	Rakesh Singh Pvt ITI, Vill - Harchandpur, Post - Karimganj, Dist - Mainpuri, U.P. - 205001	Uttar Pradesh	NEW ITI	4	12	20-08-2020	Electrician Fitter Computer Operator & -Programming Assistant Sewing Technology	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	Yes	required electricity load is 17.16kW, while the online bill shows 5kW	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Recommended	Not Recommended  Mailed to state and ITI regarding electricity load on 29.10.2020, reply awaited.	Rejected due to less electricity load
2	Sushma Private ITI Village - Atoos Agra U.P. - 283105	Uttar Pradesh	NEW ITI	5	125	14-08-2020	Electrician Fitter Computer Operator & -Programming Assistant Assistant Tourist Guide	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	NR	Yes	required electricity load is 16.17kW, while the online bill shows 7kW	No (As per remarks by Inspection Committee)	Yes	Yes	Yes	Yes	Machine and tool list with deficiency is not attached	Yes	Building was initially constructed for the parameters of BTC college and it was told that BTC affiliation is not obtained hencne it is converted in to ITI But it is found that Sushma Educational Institute exists on the same building shown & The Tools and equipment were available in the institute but most of the machinery were not on foundation ie. Lathe machines, D.G.Set and all the motors were temporary connected	Not Recommended	Rejected as per remarks by inspection team
3	Kanha Pvt ITI Village & Po- Kosi Khurd, Goverdhan, Dist- Mathura, U.P. - 281005	Uttar Pradesh	NEW ITI	3	180	18-08-2020	Electrician Fitter Health Sanitary Inspector Housekeeper	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) NR NR	Yes	required electricity load is 17.21kW, while the online bill shows 6kW	Yes	Yes	Yes	Yes	Not Available	Machine and tool list with deficiency is not attached	Yes	Recommended	Not Recommended as only two trades got recommended	Rejected as minimum 4 trades are not getting affiliated as per norms.
4	Sri Nathlilal Pvt ITI Vill - Syarmanu, Tehra Agra U.P. - 283124	Uttar Pradesh	NEW ITI	5	125	06-08-2020	Electrician Fitter Computer Operator & -Programming Assistant Health Sanitary Inspector	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	NR	No	Not verified	No	No	No	No	No	Not Verified	Not verified	Opened in old building of intermediate college whose code number is 1689 named Chaudhary Nathlilal Inter College Syarmanu Tehra, Agra Which is same Building of New ITI named Sri Nathlilal Pvt ITI & The Class rooms, hall and spre rooms show that the building is constructed on the parameter of intermediate and Degree college & Tools and equipments, Machinery was not verified because of the old and made for other pur use building and	Not Recommended	Rejected as per remarks by inspection team

CP

14

SL.No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date	Trades/Units sought for affiliation	ITI Proposed Units	Units recommen ded by SCI	Land lease valld	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Avilablilty of Machnery, Tools & Eqpmnts	Staff Qualification & Documents	Remarks by Standing Committee	Scrutlly Committee Remark	Recommended or not
1	Baba Naigal Pvt. ITI, Sattarbarahpur, Tehsil-Sagri Distt., Azamgarh, U.P. -	UP	NEW Application No. 180901574 2	4	138		Electrician Fitter Plumber Computer Operator & Programming Assistant	3(1+1+1) 3(1+1+1) 3(1+1+1)	Recommen ded  Electrician 3(1+1+1) Fitter 3(1+1+1) Plumber 3(1+1+1) COPA 3(1+1+1)	Yes	Yes  As per report, however, online bill not available.	Yes	Yes	Yes	Yes	Yes	YES	YES	Recommended	No reply received from ITI	Deferred for the next meeting; comments be asked from the State Directorate UP.

15



SL.No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the Distric t	Pvt ITIs in the District	Inspected Date	Trades/Units sought for affiliation	ITI Proposed Units	Units recommen ded by SCI	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee	Scrutiny Committee Remark	Recommended or not
1	D.C.S. College Pvt. ITI, Mant Road, Rava, Mathura, U.P.-281204	UP	NEW Application No. 180901777 0	3	180		Electrician Fitter Computer Operator & Programming Assistant Health Sanitary Inspector	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	<b>Recommen ded</b>  Electrician 6(2+2+2) Fitter 6(2+2+2) COPA 3(1+1+1) HSI 3(1+1+1)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	YES	Yes	<u>Recommended</u>	Recommended & 3rd shift not allowed as per rules	<b>Recommended</b> , as proposed by Standing Committee except 3rd shift Electrician 6(2+2) Fitter 6(2+2) COPA 3(1+1) HSI 3(1+1)

SL.No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the Distric	Pvt ITIs in the District	Inspected Date	Trades/Units sought for affiliation	ITI Proposed Units	Units recommen ded by SCI	Land lease valld	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Epinments	Staff Qualification & Documents	Remarks by Standing Committee	Scrutiny Committee Remark	Recommended or not
1	Shri Bharat Sing Kamala Devi Private Industrial Training Institute, Village- Raipur Khas, Atrauli, Dist-Aligarh, Uttar Pradesh-202133	UP	NEW ITI	3	65		Electrician Fitter Plumber H.S.I	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	Yes	Yes	yes	Yes	yes	yes	Yes	Yes	Yes	Recommended	Recommended & 3rd shift not allowed as per rules  Reply received	Recommended as proposed by Standing Committee except 3rd shift

Sl.No	P.R.D.Pvt.ITI, Vill-Manikpur, Post-Alipur, Distt-Mainpuri, U.P.-205262
ITI Name	P.R.D.Pvt.ITI, Vill-Manikpur, Post-Alipur, Distt-Mainpuri, U.P.-205262
New ITI	New
Govt ITI in the District	
Pvt ITIs in the District	
Trades/Units sought for affiliatiuon And ITI Proposed Units	Electrician 6(2+2+2) Fitter 6(2+2+2) Physiotherapy Tec. 3(1+1+1) Health Sanitary Inspactor 3(1+1+1)
Units recommended by SCI	Electrician 6(2+2+2) Fitter 6(2+2+2) Physiotherapy Tec. 3(1+1+1) HSI 3(1+1+1)
Inspected Date	20.08.2020
Land lease valid	Yes
Power connection as per norms	As per norms, required 19.4 KW and available as per online bill 17.77 KW
Building as per norms	Yes
workshop space	Yes
Class room	Yes
IT lab	Yes
Drawing Hall	Yes
Avilability of Machinery, Tools & Equipments	Yes
Staff Qualification & Documents	Yes
State	Uttar Pradesh
Remarks by Standing Committee	Online bill less than the required
Remarks by scrutiny committee	As per norms, required 24.4 KW and available as per online bill 17.77 KW and as decided in earlier meetings 3rd shift is not allowed. As per the connected load 2(1+1) in each trade is proposed.
Remarks by Recommendation Committee	<b>Recommended</b> as proposed by Scrutiny Committee  Electrician- 2(1+1) Fitter- 2(1+1) Physiotherapy Tec. - 2(1+1) HSI- 2(1+1)

905

18

SR. No	ITI Name	State	Inspected Date	MIS Code/ Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Remarks
1	Babu Ram Pvt. ITI, Vill- Bhisaha, Po- Banpokhara, Dist- Mau, U.P.- 221603	Uttar Pradesh	18-08-2020	PR0990	3.2	27-Mar-2018	Fitter (NSQF) Computer Operator and Programming Assistant (NSQF)	3(1+1+1) 3(1+1+1)	Electrician	6(2+2+2)		Fitter - (21+21+0) Computer Operator and Programming Assistant - (26+26+26)	42 + 78 = 120	Fitter - (0+0+20) Computer Operator and Programming Assistant - (5+12+12)	Deferred for the next meeting; comments be asked from the State Directorate UP.
			<b>Total student enrolled in 2019-20</b>	<b>Land lease valid</b>	<b>Power connection as per norms</b>	<b>Building as per norms</b>	<b>workshop space</b>	<b>Class room</b>	<b>IT lab</b>	<b>Drawing Hall</b>	<b>Avilability of Machinery, Tools &amp; Equipments</b>	<b>Staff Qualification &amp; Documents</b>	<b>Remarks by Standing Committee</b>	<b>Recommended or not</b>	
			20 + 29 = 49	Yes	Online Bill Shows 7KW Required 12..2 KW		Yes	Yes	Yes	Not Available	YES	YES	Online Bill Shows 7KW Required 12..2 KW	Clarification has been sought from the state reagding the discrepency in Online electricity bill	

*CS*



**Dr. S. SELVAKUMAR, I.A.S.,**

Secretary to Government

Skill Development, Entrepreneurship & Livelihood Department  
Government of Karnataka

*pls send follow up*

DO Letter No. SDEL 130 ITA 2019

*1-Dy. No. 3463*  
*Date 16/10/20*

Date: 06.10.2020

Dear *Madam*,



Subject: Standing Committee Inspection of ITIs for Conversion of SCVT to NCVT and Shifted ITIs reg.

Please refer to the letter of Commissioner, Department of Industrial Training and Employment, Government of Karnataka, Bengaluru, Dt.14.08.2020 in which it is requested to convert 63 ITIs from SCVT trade to NCVT in off-line mode, 19 ITIs applied for re-affiliation under shifting case in off-line mode and 12 ITIs applied for re affiliation and addl. units through online NIMI portal for affiliation in on-line mode. DGT representative have requested your office for postponement of inspection due to COVID-19 pandemic even though the standing committee is already formed. Further, 13 ITIs have applied for re affiliation in offline mode and joint inspections are to be conducted which is pending for long time. As the admission process and schedule for the session 2020-21 are issued by DGT, the ITIs due for affiliation are demanding and putting pressure to conduct joint inspections and to release the NCVT affiliation before admission due date. Therefore, I request you kindly to take needful action for pending issues of inspection and release the affiliation order at the earliest.

*Handwritten notes:*  
*ITIs due for affiliation*  
*Joint inspection*  
*Pl. put up*  
*2020*

Further, it is requested that a decision may be taken at your end to consider the above mentioned ITIs as deemed to be affiliated / re affiliated by treating this batch as COVID-19 Special for this Aug 2020 session only in the interest of Govt and Pvt. ITIs as ITIs have invested huge amount in procuring of tools and equipments and are recommended by the State preliminary inspection conducted and awaiting joint inspection of Standing Committee to avoid any legal complications which may arise in future.



With regards,

Smt. Neelam Shami Rao, IAS,  
Directorate General,  
Directorate General of Training,  
Ministry of Skill Development and Entrepreneurship,  
Kaushal Bhavan, B-2, Metro Station Pillar No.95,  
Kusa Roa, New Delhi - 110 001.

Yours sincerely

*Handwritten signature and notes:*  
*ITIs*  
*Handwritten signature*



Room No.347, 2<sup>nd</sup> Stage, 3<sup>rd</sup> Floor, M.S. Building, Dr. B.R. Ambedkar Veedhi, Bengaluru - 560 001  
Tel. 080-22253724 Fax : 080-22254851  
E-mail : [acs.skill@karnataka.gov.in](mailto:acs.skill@karnataka.gov.in) / Website : [www.kaushalkar.com](http://www.kaushalkar.com)

20



कौशल विकास संचालनालय  
मध्यप्रदेश

क्रमांक/स्टेट सेल /2020 / 827

भोपाल दिनांक 01-06-2020

प्रति,

महानिदेशक  
डायरेक्टर जनरल ऑफ ट्रेनिंग  
डीजी कार्यालय, करोल बाग  
नई दिल्ली

विषय- मध्यप्रदेश कौशल विकास परियोजना के अंतर्गत 10 संभागीय आईटीआई के नाम एवं MIS कोड में संशोधन करने बाबत।

भारत सरकार के माध्यम से म.प्र. शासन तकनीकी शिक्षा, कौशल विकास एवं रोजगार विभाग अंतर्गत मध्यप्रदेश कौशल विकास परियोजना को ADB(एशियन डेवलपमेंट बैंक) से ऋण प्राप्त कर प्रदेश की 10 संभागीय औद्योगिक प्रशिक्षण संस्थाओं के उन्नयन व आधुनिकरण किया जा रहा है। इस परियोजना में भोपाल, इंदौर, उज्जैन, होशंगाबाद, सागर, ग्वालियर, भिंड, रीवा, शहडोल एवं जबलपुर स्थित औद्योगिक प्रशिक्षण संस्थाओं को शामिल किया गया है।

उक्त औद्योगिक प्रशिक्षण संस्थाओं के परिसर में संचालित समस्त संस्थाओं को समायोजित कर एक संभागीय आईटीआई का निर्माण किया जा रहा है जिसका विवरण निम्नलिखित है:-

SN	Division	ITI Name	Existing MIS Code	Proposed Name of Divisional ITI	Proposed Code	MIS Code
1	Bhopal	I. Govt Model ITI- Bhopal	GR 23000004	Govt Divisional ITI, Bhopal	GR23000005	
		II. Govt Gas Relief and Rehabilitation ITI	GR23000263			
		III. Govt Women ITI - Bhopal	GR23000005			
2	Gwalior	I. Govt ITI-Gwalior	GR23000250	Govt Divisional ITI, Gwalior	GR23000010	
		II. Govt Women ITI-Gwalior	GR23000010			
3	Jabalpur	I. Govt Model ITI- Jabalpur	GR23000076	Govt Divisional ITI, Jabalpur	GR23000011	
		II. Govt Women ITI- Jabalpur	GR23000011			
4	Rewa	I. Govt ITI- Rewa	GR23000243	Govt Divisional ITI, Rewa	GR23000090	
		II. Govt Women ITI- Rewa	GR23000090			
5	Sagar	I. Govt ITI- Sagar	GR23000244	Govt Divisional ITI, Sagar	GR23000016	
		II. Govt Women ITI- Sagar	GR23000016			
6	Indore	I. Govt ITI- Indore	GR23000249	Govt Divisional ITI, Indore	GR23000082	
		II. Govt Women ITI- Indore	GR23000082			
7	Ujjain	I. Govt ITI- Ujjain	GR23000245	Govt Divisional ITI, Ujjain	GR23000256	
		II. Govt Women ITI- Ujjain	GR23000256			

gr

21



उपरोक्त समस्त संस्थाओं को सूचि अनुसार दर्शाए नाम एवं MIS कोड, पोर्टल पर संशोधित किए जाने है एवं संशोधन उपरांत समस्त संस्थाओं में संचालित व्यवसायों को सूचि अनुसार संशोधित MIS कोड पर MAP किया जाना है। अतः उपरोक्तानुसार उचित कार्यवाही करने का कष्ट करें।

  
धनराज एस्को 11/06/2020  
संचालक  
कौशल विकास मध्यप्रदेश

पृ क्रमांक/स्टेट सेल /2020/ 328

भोपाल दिनांक 01-06-2020

प्रतिलिपि

- 1 निदेशक (प्रशिक्षण/ एफिलियेशन) डीजीटी नई दिल्ली की ओर सूचनार्थ।
- 2 संयुक्त संचालक (प्रशिक्षण/ एफिलियेशन) डीजीटी नई दिल्ली की ओर सूचनार्थ।



  
धनराज एस्को 11/06/2020  
संचालक  
कौशल विकास मध्यप्रदेश

22

हरिकेश चौरसिया  
अधिकासी निदेशक

पत्र संख्या 10/2020

RD (Bihar)

पत्र आदेश नं. 38,211

C-37231



Annexure - 14-3.4

दूरभाष (का) : 0522-4047658

अर्होपसं: 5973/SCVT/ET-004/

NCVT MIS/152/127/2020

राज्य व्यावसायिक प्रशिक्षण परिषद, उ०प्र०,  
परिसर-राजकीय आई०टी०आई०, अलीगंज,  
लखनऊ।

दिनांक : 18-10-2020

कृपया अनुरोध पूर्वक अवगत कराना है कि प्रवेश सत्र माह अगस्त-2019 में सम्पन्न हुई प्रवेश प्रक्रिया में प्रवेश की अंतिम तिथि: 21.10.2019 तक प्रदेश की राजकीय/निजी औद्योगिक प्रशिक्षण संस्थानों के प्रवेशित प्रशिक्षार्थियों का डाटा राज्य व्यावसायिक प्रशिक्षण परिषद, उत्तर प्रदेश, लखनऊ के पोर्टल SCVTUP पर सुरक्षित कर दिया गया था, किन्तु बाद में इन संस्थानों को डी0जी0टी0, नई दिल्ली के स्तर से, निर्णयानुसार NCVT MIS पोर्टल पर सीधे प्रशिक्षार्थियों को अपलोड करने की अनुमति प्रदान कर दी गयी, जिससे दोनों पोर्टल पर अपलोड प्रशिक्षार्थियों में अंतर हो गया है, जिसका संक्षिप्त विवरण निम्नवत् है:-

- 1- SCVT पोर्टल पर उपलब्ध प्रशिक्षार्थियों की संख्या- 3,62,721
- 2- NCVT MIS पोर्टल पर उपलब्ध प्रशिक्षार्थियों की संख्या-3,59,008  
(Approved-3,20,797 Unapproved-38,211).

मेरे पूर्व पत्र दिनांक: 19.09.2020 (प्रतिसंलग्न) के क्रम में प्रवेश सत्र-2019 के लिए अवशेष प्रक्रिया पूर्ण करने हेतु महोदया द्वारा NCVT MIS पोर्टल खुलवाया गया है, किन्तु अभी यह स्पष्ट नहीं है कि आगामी अखिल भारतीय व्यावसायिक परीक्षा में NCVT MIS पोर्टल पर अथवा SCVT पोर्टल पर उपलब्ध प्रशिक्षार्थियों में से किन प्रशिक्षार्थियों को अंतिम रूप से परीक्षा में बैठने हेतु अर्ह माना जायेगा ?

अतः आगामी अखिल भारतीय व्यावसायिक परीक्षा की संवेदनशीलता के दृष्टिगत महोदया से पुनः अनुरोध करना है कि प्रकरण में दोनों पोर्टल की भिन्नता को समाप्त करने के लिए अपेक्षित निर्णय करवाने की कृपा करें।



आदेश पूर्वक,  
भवदीय,

506

18.10.2020  
(हरिकेश चौरसिया)

प्रतिष्ठा में,

सुश्री नीलम शमी राव, (आई0ए0एस0)

महानिदेशक, प्रशिक्षण महानिदेशालय,

कौशल विकास एवं उद्यमशीलता मंत्रालय, भारत सरकार।



Section D  
I-Dy. No. 25954  
Date: 18/10/2020

पत्र संख्या 10/2020  
All India Council for Technical Education  
New Delhi  
18.10.2020  
23



हरिकेश चौरसिया  
अधिरासी निदेशक



आई0शा0प0सं0- 5 5 9 5 / एस0सी0वी0टी0 /  
ईटी-004 / प्र0प्र0-2019 / NCVT MIS/ शिफ्ट /  
यूनित / 152 / 127

राज्य व्यावसायिक प्रशिक्षण परिषद, उ0प्र0 लखनऊ

लखनऊ: दिनांक: 19 सितम्बर, 2020

सानुरोध अवगत कराना है कि प्रवेश 2019 माह अगस्त में उत्तर प्रदेश के राजकीय/निजी औद्योगिक प्रशिक्षण संस्थानों में की गयी प्रवेश सम्बन्धी प्रक्रिया में डी0जी0टी0 भारत सरकार, नई दिल्ली द्वारा उक्त सत्र के प्रवेशित प्रशिक्षार्थियों को भारत सरकार के NCVT MIS Portal पर Upload करने हेतु सभी राजकीय/निजी औद्योगिक प्रशिक्षण संस्थानों को DGT के स्तर से अनुमति दी गयी थी, जिसके कारण सन्दर्भित सत्र में NCVT MIS Portal पर Upload प्रशिक्षार्थियों तथा SCVTUP के पोर्टल पर उपलब्ध प्रशिक्षार्थियों में अन्तर हो गया है। इस अन्तर का मुख्य कारण सन्दर्भित सत्र की अन्तिम तिथि 21.10.2019 के बाद SCVTUP पोर्टल से इतर के प्रशिक्षार्थियों को संस्थानों द्वारा NCVT MIS Portal पर Upload कर दिया जाना है।

इस सम्बन्ध में इस कार्यालय के निम्नलिखित पत्र अवलोकनीय है:-

1. पत्रांक संख्या-5463 / एस0सी0वी0टी0 / ईटी-004 / प्रवेश प्र0-2019 / NCVT MIS / शिफ्ट / यूनिट दिनांक- 07 सितम्बर, 2020
2. पत्रांक संख्या-5492 / एस0सी0वी0टी0 / ईटी-004 / प्रवेश प्र0-2019 / NCVT MIS / शिफ्ट / यूनिट दिनांक- 09 सितम्बर, 2020
3. पत्रांक संख्या-2309 / एस0सी0वी0टी0 / ई0टी0-004 / प्रवेश प्रक्रिया-2019 / 01 / Discharged/Edited दिनांक- 19.02.2020
4. पत्रांक संख्या-3665 / एस0सी0वी0टी0 / ई0टी0-004 / प्रवेश प्रक्रिया-2019 / 05 / NCVT दिनांक-06.05.2020
5. पत्रांक संख्या-3694 / एस0सी0वी0टी0 / 0070 / निजी संस्थान / बाबा गज्जनदास / 2020, दिनांक-27.05.2020
6. पत्रांक संख्या-3695 / एस0सी0वी0टी0 / ई0टी0-004 / राज0 एवं निजी सं0 / Discharged/Edited दिनांक- 27.05.2020
7. पत्रांक संख्या-3996 / एस0सी0वी0टी0 / ई0टी0-004 / प्र0प्र02019 / 05 / एनसीवीटी / एम आई एस, दिनांक- 08.07.2020

महोदया के संज्ञान में यह तथ्य लाना चाहूँगा कि इस सम्बन्ध में श्री कुणाल सिल्वू, आई0ए0एस0, सचिव, एस0सी0वी0टी0 / निदेशक, प्रशिक्षण एवं सेवायोजन द्वारा व्यक्तिगत रूप से श्री सुनील गुप्ता, निदेशक (प्रशिक्षण), प्रशिक्षण महानिदेशालय, भारत सरकार, नई दिल्ली से वार्ता करके अनुरोध किया जा चुका है।

अतः प्रकरण की महत्ता की दृष्टिगत अनुरोध करना है कि उक्त कमी/अन्तर को समाप्त करने के लिए अपेक्षित कार्यवाही करने की कृपा करें।

प्रतिष्ठा में,

सुश्री नीलम शमी राव, (आई0ए0एस0)  
महानिदेशक, प्रशिक्षण महानिदेशालय,  
कौशल विकास एवं उद्यमशीलता मंत्रालय, भारत सरकार।

भवदीय,

18.9.2020  
(हरिकेश चौरसिया)

92

24

## Annexure-1

प्रवेश सत्र-2019 के प्रवेशित प्रशिक्षार्थियों का डाटा NCVT MIS Portal पर अपलोड किये जाने एवं पोर्टल पर आ रही कठिनाईयों के सम्बन्ध में राज्य व्यावसायिक प्रशिक्षण परिषद, उत्तर प्रदेश द्वारा डी.जी.टी., भारत सरकार को निम्न पत्र भेजे गये है, जिसका विवरण निम्नवत है-

1. पत्रांक:2309 / एस0सी0वी0टी0 / ई0टी0-004 / प्रवेशप्रक्रिया.2019/01 / Discharged/Edited दिनांक-19-2-2020
2. पत्रांक:3665 / एस0सी0वी0टी0 / ई0टी0-44 / प्रवेशप्रक्रिया.2019 / 05 / एन0सी0वी0टी0 दिनांक 06-05-2020
3. पत्रांक:-3694 / एससीवीटी / 0070 / निजी संस्थान / बाबा गज्जनदास / 2020, दिनांक-27-05-2020
4. पत्रांक: 3695 / एस0सी0वी0टी0 / ई0टी0-004 / राज0 एवं निजी सं0 / Discharged /Edited, दिनांक-27-05-2020
5. पत्रांक:3996 / एस0सी0वी0टी0 / ई0टी0-004 / प्र0प्र02019 / 05 / एनसीवीटी / एम आईएस, दिनांक-08-07-2020
6. पत्रांक:5463 / एस0सी0वी0टी0 / ईटी-004 / प्रवेशप्र0-2019 / NCVTMis/शिफ्ट/यूनित दिनांक-07 सितम्बर, 2020
7. पत्र संख्या: 5492 / एस0सी0वी0टी0 / ईटी-004 / प्रवेश प्र0-2019 / NCVTMis शिफ्ट / यूनित दिनांक-09 सितम्बर, 2020
8. अईशासकीय पत्र सं0-5595 / एस.सी.वी.टी. / ई0टी0-004 / प्र0प्र0-2019 / NCVTMis शिफ्ट / यूनित / 152 / 127 दिनांक-19.09.2020
9. पत्रांक:5615 / रा0व्या0प्रशि0परि0 / ईएक्स-005 / 02 / अ0भा0व्या0परीक्षा.2019 / 2020 लखनऊ दिनांक-19.09.2020
10. पत्रांक:5667 / एस0सी0वी0टी0 / ईटी-004 / प्रवेश प्र0-2019 / NCVTMis/शिफ्ट / यूनित / 152 / 127 लखनऊ दिनांक-23.09.2020
11. पत्रांक:5862 / एस0सी0वी0टी0 / ईटी-004 / प्रवेश प्र0-2019 / NCVTMis/शिफ्ट / यूनित / 152 / 127 लखनऊ दिनांक-08.10.2020
12. पत्रांक:5887 / रा0व्या0प्रशि0परि0 / ईएक्स-005 / 02 / अ0भा0व्या0परीक्षा.2019 / 2020 लखनऊ दिनांक-08.10.2020



