

**DGT-AFF011 (51)/2/2020-O/O DIR (TC)**  
**Government of India**  
**Ministry of Skill Development & Entrepreneurship**  
**Directorate General of Training**

1st Floor, CIRTES Building,  
Pusa Campus, Pusa, New Delhi-110012

Dated: 4<sup>th</sup> December, 2020

To,  
All the State Directors (dealing with Affiliation)

Sub:- Minutes of Meeting of 15<sup>th</sup> Recommendation Committee Meeting

Sir/Madam,

Please find enclosed herewith the approved Minutes of Meeting along with Annexures of 15<sup>th</sup> Recommendation Committee held on 17<sup>th</sup> November, 2020. However implementation orders agenda item wise will be issued in due course of time.

This issues with the approval of competent authority, DGT


Yours faithfully,



(Sandhya Salwan)  
Deputy Director General

Copy to:-

1. Sr PPS to DG/AS, DGT, New Delhi
2. Sr PPS to DDG, DGT, New Delhi
3. All RDSDEs



(Ravi Chilukoti)  
Joint Director

**MINUTES OF THE 15<sup>TH</sup> MEETING OF "RECOMMENDATION COMMITTEE DGT" DEALING WITH AFFILIATIONS OF ITIs, HELD ON 17<sup>th</sup> November, 2020 AT 11:00 AM THROUGH VIDEO CONFERENCE**

Department representation	Representatives from States
Smt Neelam Shami Rao, Director General	Smt Dr Suvarna Kharat, Joint Secretary, Maharashtra
Smt Sandhya Salwan, Dy Director General	Shri Neertajkumar, Additional Director, UP
Shri Sunil Kumar Gupta, Director	Shri Krishnappa, Director, Karnataka
Shri Ravi Chilukoti, Joint Director	Shri Nagesh, Joint Director, Telangana
Shri R Murugarajan, Dy Director	Shri Pransanjeet Bose, Dy Director, West Bengal
Shri Amit Kumar Yadav, Assistant Director	Smt
Shri Parveen Kumar, Junior Technical Assistant	Shri Nitin Nikam, Asst Director, Maharashtra

At the outset, Sunil Kumar Gupta, Director and Shri Ravi Chillukoti, JDT welcomed all the committee members and thereafter the DG took agenda points for detailed discussions. The details of discussions, deliberations & agenda wise decisions taken by the chair, are placed as below:

**Agenda No. 15.1: Affiliation of ITIs**

Committee considered a number of proposals as details given below and recommended as per remarks given below: -

**15.1.1 (a) New ITI proposals:**

**State-wise break-up of proposals**

Sl. No.	State	Number of ITIs	Remarks		
			Recommended	NR	Deferred for clarification
1.	Maharashtra	02	-	1	1
<b>Total</b>		<b>02</b>	<b>-</b>	<b>1</b>	<b>1</b>

**ITI-wise break-up of proposals:**

Sl. No.	ITI's Name MIS Code/ Application Number	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1	Dadaso Anandrao Ganpat Pawar Private ITI, Gate No. 279, National Highway-3, Near Nardana, At. Po. Gorane Tal-Shindkheda, Dist- Dhule  TMP2747PR1582806324	Electrician Fitter Welder Electronics Mechanic Solar Technician	2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	Recommended	Deferred, as recommendations from State Directorate are awaited, after receipt of comments accordingly it will be up

2	Trimurti Private ITI, Survey No. 227/2, Near KBCNMU, Opp.-Hotel Govind, Paldhi BK., Tal Dharangoan, Dist- Jalgaon  TMPL27478PR1582619908	Electrician Wiremen Draughtsman- Civil Fitter	2(1+1) 2(1+1) 2(1+1)  2(1+1)	2(1+1) 2(1+1) 2(1+1)  NR	Recommen ded Electrician, Wireman & Draughtsma n Civil	<b>Rejected,</b> as not recommende d by State Directorate for not fulfilling criteria of having at least 4 trades.
---	---	---	--	--------------------------------------	---	---

#### 15.1.1 (b) New Proposals-Deferred proposals

##### State-wise break-up of proposals

Sl. No.	State	Number of ITIs	Remarks		
			Recommended	NR	Hold for clarification
1.	Maharashtra	02	2	-	-
2.	Uttar Pradesh	02	-	-	2
<b>Total</b>		<b>04</b>	<b>2</b>	<b>-</b>	<b>2</b>

##### ITI-wise break-up of proposals:

Sl. No.	ITI's Name MIS Code/ Application Number	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Deferred from Meeting	Remarks by Recommendation Committee
1.	Baba Naipal Pvt. ITI, Sattarbarahpur, Tehsil-Sagri Distt.-Azamgarh, U.P. -  NEW Application No. 1809015742	Electrician Fitter Plumber  Computer Operator & Programming Assistant	3(1+1+1) 3(1+1+1) 3(1+1+1)  3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1)  3(1+1+1)	<b>14<sup>th</sup> Meeting vide agenda item no. 14.2.2</b>	<b>Deferred,</b>  as final recommendations from State Directorate are awaited.
2.	Shri Jyoti Narayan Pvt ITI Vill- Augan, Po- Daulaatpur, Baldeo, Dist- Mathura, Uttar Pradesh- 281301  NEW Application No. 1809016468	Electrician Fitter  Computer Operator & Programming Assistant  Health Sanitary Inspector	6(2+2+2) 6(2+2+2)  3(1+1+1)  3(1+1+1)	6(2+2+2) 6(2+2+2)  3(1+1+1)  3(1+1+1)	<b>12<sup>th</sup> Meeting vide Agenda no. 12.2.1</b>	<b>Deferred,</b>  as final recommendations from State Directorate are awaited.

*Handwritten signature*

3.	Latur College of Pvt ITI At & Po- Hasegoan TQ- Ausa Dist- Lature Maharashtra - 413531  TMP27481 PR1580631353	Electrician Mechanic Diesel Surveyor Wireman	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	<b>14<sup>th</sup> Meeting vide Agenda no. 14.1.1</b>	<b>Recommended</b>  Electrician 2(1+1) Mechanic Diesel 2(1+1) Surveyor 2(1+1) Wireman 2(1+1)
4.	Zeal Private ITI Pune Survey No. 39, Narhe Dhayari Road, Narhe, Ta: Haveli, Dist-Pune Maharashtra- 411041  TMP27490 PU1580194310	Fitter Electrician Wireman Welder  Solar Technician(Elec.)	2(1+1) 2(1+1) 2(1+1) 2(1+1)  2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)  2(1+1)	<b>14<sup>th</sup> Meeting vide Agenda no. 14.1.1</b>	<b>Recommended</b>  Fitter 2 (1+1) Electrician 2 (1+1) Wireman 2 (1+1) Welder 2 (1+1) Solar Technician(Elec.) 2 (1+1)

**15.1.2 (a) Existing ITIs seeking Affiliation for Extension of Trades/Units:**  
**State-wise break-up of proposals**

Sl. No.	State	Number of ITIs	Remarks		
			Recommended	NR	Deferred for clarification
1.	West Bengal	02	2	-	-
2.	Karnataka	01	-	1	-
3.	Tamil Nadu	01	1	-	-
<b>Total</b>		<b>4</b>	<b>3</b>	<b>1</b>	<b>-</b>

**ITI-wise break-up of proposals:**

Sl. No.	ITI's Name MIS Code/ Application Number	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI/State	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1.	Komalanna Doddanannavar Bharatesh Pvt ITI, Shindolli Cross Basavan Kudachi Extension Belaguru BELGAUM, KARNATAKA - 591124  <b>PU29000094</b>	Electrician (NSQF) Fitter(NSQF)	2(0+0+2) 4(0+0+4)	NR 1(0+0+1)	3 <sup>rd</sup> shift is not permitted as it was decided in its 10 <sup>th</sup> meeting held on 15.09.2020.	<b>Rejected</b> , as 3 <sup>rd</sup> shift is not permitted, as decided in its 10 <sup>th</sup> meeting held on 15.09.2020

2.	Government Industrial Training Institute Opp. To Govt. Hospital, Dharapuram Road TIRUPPUR, TAMIL NADU - 641608 <b>GU33000110</b>	Draughtsman Civil  Wireman	2(1+1+0)  2(1+1+0)	2(1+1+0)  2(1+1+0)	Recommended  due for re-affiliation	<b>Recommended</b>  Draughtsman Civil 2(1+1)  Wireman 2(1+1)
3.	Govt. Industrial Training Institute Fulia P.O.&Vill.-Fulia Colony, NADIA, West Bengal - 741402 <b>GR19000021</b>	Electrician Welder Surveyor Refrigeration & Air Conditioning	1(0+1)  1(0+1) 2(1+1) 2(1+1)	1(0+1)  1(0+1) 2(1+1) 2(1+1)	Recommended	<b>Recommended</b> Electrician 1(0+1) Welder 1(0+1) Surveyor 2(1+1) Refrigeration & Air Conditioning 2(1+1)
<b>Details of Trade/units surrendered:</b>						
		Dress Making COPA	2(1+1) 1(1+0)	Recommended as proposed		
4.	Government Industrial Training Institute, Alipurduar P.O.- Birdara, Via Alipurduar JALPAIGURI, West Bengal - 736121 <b>GR19000045</b>	Electronics Mechanic Computer Hardware & Network Maintenance  Diesel Mechanic  Mechanic Motor Vehicle	1(0+1)  2(1+1)  2(1+1)  2(1+1)  2(1+1)	1(0+1)  2(1+1)    2(1+1)  2(1+1)		<b>Recommended;</b> Electronics Mechanic 1(0+1) Computer Hardware & Network Maintenance 2(1+1) Diesel Mechanic 2(1+1) Mechanic Motor Vehicle 2(1+1)  State Directorate also needs to provide admission status of trainees in next 15 days.

*JP*

### 15.1.2 (b) Existing ITIs seeking Affiliation for Extension of Trades/Units-deferred proposals:

#### State-wise break-up of proposals

Sl. No.	State	Number of ITIs	Remarks
01	Uttar Pradesh	01	Recommended

#### ITI-wise break-up of proposals:

Sl. No.	ITI's Name MIS Code/ Application Number	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Deferred from Meeting	Remarks by Recommendation Committee
1.	Disha Private ITI Vill/Post- Khirikotha, Tahseel Madhuban, District - Mau, Uttar Pradesh - 221603  PR09900184	Electrician	6(2+2+2)	Recommended	12 <sup>th</sup> Meeting vide agenda no. 12.2.2	Deferred,  as final recommendations from State Directorate are awaited.

15.1.3 Existing ITIs applied for Shifting : Nil

15.1.4 MSTI Proposal : NIL

### 15.1.5 ITI in Spare capacity of Polytechnics:

#### State-wise break-up of proposals

Sl. No.	State	Number of ITIs	Remarks		
			Recommended	NR	Deferred for clarification
1.	Tamil Nadu	01	-	1	-
2.	Maharashtra	01	-	1	-
<b>Total</b>		<b>2</b>	<b>-</b>	<b>2</b>	<b>-</b>

#### ITI-wise break-up of proposals:

Sl. No.	ITI's Name MIS Code/ Application Number	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Remarks by Recommendation Committee
1.	Sree Kumaraguru Polytechnic College Gopinathampatti Koot Road, Dist- Dharmapuri Tamil Nadu - 636906	Wireman Fitter Electrician	1(0+1+0) 1(0+1+0) 1(0+1+0)	Not Recommended; as • Building and layout not verified by Authorised person, • Stability report expired in 2018 • Shortage of up to 50% of tools and equipment • Staff not qualified as per DGT Norms	<b>Rejected</b> as not recommended by State Directorate as per the comments of inspection team

2.	K.P.Patil Polytechnic Private ITI, Kholapur At-Mudel Tahasil- Bhudargad, Dist Kolhapur Maharashtra-			Inspection not carried out as NoC from AICTE not obtained	<b>Rejected</b> , as not recommended by State Directorate for not fulfilling criteria of having NoC from AICTE.
----	---	--	--	---	---

### Agenda 15.2: Representation received from ITIs:

The various representations received from the ITIs as details given below, were placed before the committee for its consideration and decision: -

Agenda no.	Name of ITI	ITI representation	Remarks by scrutiny committee	Remarks by Recommendation Committee
15.2.1	Bhikki Singh Pradhan Private ITI, Mathura, Uttar Pradesh	ITI vide representation letter dt. 12.11.2020, ITI attaching the letter from Electricity board, UP stating that connected load is 22 KW and ITI states required load is 21.91 KW <b>(for two units for four trades)</b>	ITI's proposal for grant of affiliation was placed in 12 <sup>th</sup> Recommendation Committee meeting held on 20 <sup>th</sup> October, 2020 under agenda 12.2.1 (Sl. no. 9) where it was "Not Recommended" due to less Electric load i.e required load is 29.42 KW and available as per online bill is 19.5 KW	<b>Deferred</b> , for seeking final recommendations from State Directorate.
15.2.2:	Saraswathi Pvt ITI, Mathura, UP	ITI vide letter dt. 12.11.2020 represented that 6 other similar cases were considered and pleading for granting affiliation for trades and remaining two trades ITI will apply during Re-affiliation process	ITI's proposal for grant of affiliation was placed in 12 <sup>th</sup> Recommendation Committee meeting held on 20 <sup>th</sup> October, 2020 under agenda 12.2.2 (Sl. no. 26) where it was "Not Recommended" stating that "Since ITI is more than 5 years old, it need to apply for re-affiliation with 4 or more trades".	Proposal <b>rejected</b> , ITI is old & needs to re-apply for re-affiliation with 4 or more trades.
15.2.3	Baba Bhrigu Pvt ITI, Mau, Uttar Pradesh	ITI vide letter dtd 13.11.2020 forwarded a copy of building plan showing Drawing Hall for clarification against decision of the Recommendation Committee-DGT regarding de-affiliation.	ITI's proposal for grant of affiliation was placed in 12 <sup>th</sup> Recommendation Committee meeting held on 20 <sup>th</sup> October, 2020 under agenda 12.2.2 (Sl. no. 17) where it was "Not Recommended" and advised for issuing "De-affiliation order due to Non-availability of Drawing Hall"	<b>Deferred</b> , for seeking final recommendations from State Directorate.
15.2.4	Sri Balaji Pvt ITI, Kamareddy	State Government vide letter dtd 11.11.2020 requested to rectify the 13 <sup>th</sup> Minutes of Meeting	04 ITIs proposals of Telangana State were placed before the Recommendation Committee DGT vide Agenda no. 13.2.2. However,	The proposal of Sri Balaji Pvt. ITI was <b>recommended</b>

	Dist, Telangana	dated 04.11.2020 i.r.o. Agenda no. 13.2.2 as remarks by Recommendation Committee for four ITIs in Telangana seemed reshuffled to each other.  Further, it was clarified by State Directorate that all the deficiencies noticed i.r.o. Sri Balaji Pvt. ITI have been met out by the ITI.	while drafting Minutes of the same, the remarks by the committee seemed reshuffled to each other inadvertently, however in Annexures it was mentioned correct	It is advised to rectify minutes of the 13 <sup>th</sup> meeting; and to circulate the same to State of Telangana for confirmation.
--	--------------------	---	--	--

### **Agenda 15.3: Discontinuation of 3<sup>rd</sup> shift from Session 2021:**

It was informed that in view of the recommendations of this committee 3<sup>rd</sup> shift is not being allowed for grant of affiliation for the current academic session i.e. Y-2020. However, in many existing ITIs 3<sup>rd</sup> shift is affiliated. In order to have uniform policy, it was proposed by to discontinue the 3<sup>rd</sup> shift in all existing as well as new ITIs (except DST courses) on PAN India basis.

After detailed discussion, the DG asked to seek comments from all the State Directorate within 15 days regarding discontinuation of the 3<sup>rd</sup> shift.

### **Agenda 15.4: Implementation of minimum 4 trades in all ITIs uniformly on PAN India basis**

It was informed to the committee that many existing ITIs are running with less than four trades. However, as per latest norms and guidelines of affiliation minimum 4 trades are required to get affiliation. Accordingly, it was proposed that all such ITIs (except MSTIs) shall get affiliation for remaining trades by next year failing which they will be proposed for de-affiliation.

The DG asked to request all the State Directorates to do the data analysis on the above matter and to seek their comments within 15 days to take further decision in the matter.

### **Agenda 15.5: Clarifications on Norms & guidelines for grant of Affiliation for MSTIs:**

The committee was apprised about the key guidelines issued by DGT vide letter dt. 8<sup>th</sup> March 2019 and 7<sup>th</sup> October 2019 for establishing MSTIs with relaxed norms as details given below:

- i) Maximum two MSTIs are allowed as per relaxed norms, however, second MSTI should open with different trades than the first MSTI
- ii) MSTI can open with maximum 2 trades and maximum 2+2 units
- iii) No minimum land requirement i.e 1.07 acres

It was further informed that, DGT is receiving many representations regarding the trades opted by second applicant for MSTI in the same block and second applicant could not decide the trades unless the first applicant affiliation is finalised.

*Handwritten signature*



In view of above, it was proposed to issue clarifications in the matter as hereunder: -

- i) Applicant should obtain NoC from State, and State Government should issue NoC only after verifying if there is no NCVT affiliated (Government or Private) in that block and NoC shall be issued to only one applicant on first cum first serve basis.
- ii) Preference shall be given for conversion from SCVT to NCVT ITI (either Govt or Private)
- iii) MSTI can start with maximum two trades and maximum 2+2 units in each trade.
- iv) In case if MSTI wants to start with more than 2 trades or wants to in care trades after initial affiliation shall follow land norms as notified for regular ITI.
- v) In case if first applicant fails to get affiliated (even after seeking clarification within stipulated time), the block will open as Un-served for inviting applications from others.
- vi) IT lab and Drawing hall is compulsory
- vii) Class room, Lab size and equipment shall be as per NSQF syllabus

However, the committee was of the view that existing norms for MSTI shall prevail with the same relaxation as issued earlier vide letter dated dt. 8<sup>th</sup> March 2019 and 7<sup>th</sup> October 2019 and sought clarification on it.

**Note:** Date for next meeting was announced to be conducted likely on 24.11.2020.

**The meeting ended with a vote of thanks to the Chair.**

\*\*\*\*\*



Annexure -15.1.1 (a)																					
Sl. No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs In the District	Pvt ITIs In the District	Inspected Date	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Inspection Committee	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1	Dadaso Anandrao Ganpat Pawar Private ITI, Gate No. 279, National Highway-3, Near Nardana, At. Po. Gorane Tal- Shindkheda, Dist- Dhule	MH	TMP2747PR1582806324	6	15	11-11-2020	Electrician Fitter Welder Electronics Mechanic Solar Technician	2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Recommended	Recommended as per report	Deferred, as recommendations from State Directorate are awaited, after receipt of comments accordingly it will be up
2	Trimurti Private ITI, Survey No. 227/2, Near KBCNMU, Opp.: Hotel Govind, Pakdhi BK., Tal Dharangoan, Dist- Jalgaon	MH	TMPL27478PR1582619908	17	73	06-11-2020	Electrician Wiremen Draughtsman Civil Fitter	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) NR	Yes	Yes 18KW	Yes	Yes	Yes	Yes	Yes	Yes for Electrician, Wireman & Draughtsman Civil	Yes	Recommended Electrician, Wireman & Draughtsman Civil	Minimum four trade condition is not fulfilling	Rejected, as not recommended by State Directorate for not fulfilling criteria of having at least 4 trades

✓

Annexure 15.1.1 (b)																					
SL.No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Availability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee	Scrutiny Committee Remark	Recommended or not
1	Baba Naipal Pvt. ITI, Sattarbarahpur, Tehsil-Sagri Distt - Azamgarh, U.P. -	Uttar Pradesh	NEW Application No. 1809015742	4	138		Electrician Fitter Plumber Computer Operator & Programming Assistant	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	Recommended  Electrician 3(1+1+1) Fitter 3(1+1+1) Plumber 3(1+1+1) COPA 3(1+1+1)	Yes	Yes  As per report, however, online bill not available.	Yes	Yes	Yes	Yes	Yes	YES	YES	Recommended	No reply received from ITI  More than 15 days time given to ITI	Deferred,  as final recommendations from State Directorate are awaited.
2	Shri Jyoti Narayan Pvt ITI Vill- Augan, Po- Daulaatpur, Baldeo, Dist- Mathura, Uttar Pradesh- 281301	Uttar Pradesh	NEW Application No. 1809016468	3	180	19-08-2020	Electrician Fitter Computer Operator & Programming Assistant Health Sanitary Inspector	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	Yes	Yes  Reply received	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Recommended	Recommended except 3rd shift	Deferred,  as final recommendations from State Directorate are awaited.
3	Latur College of Pvt ITI At & Po- Hasegoan, TQ- Ausa Dist- Lature Maharashtra - 413531	Maharashtra	TMP27481 PR1580631353	11	7	17-10-2020	Electrician Mechanic Diesel Surveyor Wireman	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Shortage of minor tools for all the trades(eg. Spanner, Allen Key)  reply received, with the list indicating no shortage	Yes	Recommended	Recommended  Reply received	Recommended  Electrician 2(1+1) Mechanic Diesel 2(1+1) Surveyor 2(1+1) Wireman 2(1+1)
4	Zeal Private ITI Pune Survey No. 39, Narhe Dhayari Road, Narhe, Ta: Haveli, Dist-Pune Maharashtra- 411041	Maharashtra	TMP27490 PU1580194310	18	43	17-10-2020	Fitter Electrician Wireman Welder Solar Technician(Elec.)	2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Minor deficiencies in tools  New Principal appointed with required experience certificate	Yes	Recommended	Reply Received	Recommended  Fitter 2 (1+1) Electrician 2 (1+1) Wireman 2 (1+1) Welder 2 (1+1) Solar Technician(Elec.) 2 (1+1)

002

10

Annexure 15.1.2 (a)																											
Sl.No.	ITI's Name	State	Inspected Date	MIS Code/ Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Availability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1	Komalanna Doddanannavar Bharatesh Pvt ITI, Shindolli Cross Basavan Kudachi Extension Belaguru BELGAUM, KARNATAKA - 591124	KN	06-10-2020	PU29000094	2.64	19-Jun-1986 10-Sep-1986 10-Jun-1987 30-Apr-2010 31-Jan-2011 31-Jul-2019	Mechanic (Motor Vehicle) (NSQF) Fitter (NSQF) Electrician (NSQF)	4(2+2+0) 8(4+4+0) 8(4+4+0)	Electrician (NSQF) 2(0+0+2) Fitter(NSQF) 4(0+0+4) Electrician (NSQF) 4(0+0+4)	2(0+0+2) 4(0+0+4)	NR 1(0+0+1)	Mechanic (Motor Vehicle) - (21+0+0) Fitter - (21+21+0) Electrician - (21+21+0)	21 + 42 + 42 = 105	Mechanic (Motor Vehicle) - (0+24+0) Fitter - (20+20+0) Electrician - (20+19+0)	24 + 40 + 39 = 103	yes	yes	yes	yes	yes	yes	yes	yes for fitter 01 additional unit for 3rd shift	yes	Recommended 01 unit for fitter in 3rd shift	3rd shift not permitted as it was decided in earlier cases	Rejected, as 3 <sup>rd</sup> shift is not permitted, as decided in its 10 <sup>th</sup> meeting held on 15.09.2020
2	Government Industrial Training Institute Opp. To Govt. Hospital, Dhurapuram Road TIRUPPUR, TAMIL NADU - 641608	TN	10-11-2020	GU33000110	NA	1987	Stenographer & Secretarial Assistant (English) (NSQF) Sewing Technology (NSQF) Mechanic Radio & T.V. (NSQF) Electronics Mechanic (NSQF) Fitter (NSQF) Electrician (NSQF) Computer Operator and Programming Assistant (NSQF) Computer Aided Embroidery And Designing (NSQF)	1(1+0) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	Draughtsman Civil Wireman	2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0)	Stenographer & Secretarial Assistant (English) - (0+0+0) Sewing Technology - (11+11+0) Mechanic Radio & T.V. - (0+0+0) Electronics Mechanic - (25+0+0) Fitter - (21+0+0) Electrician - (21+0+0) Computer Operator and Programming Assistant - (23+24+0) Computer Aided Embroidery And Designing - (16+15+0)	0 + 22 + 0 + 25 + 21 + 21 + 47 + 31 = 167	Stenographer & Secretarial Assistant (English) - (0+0+0) Sewing Technology - (13+11+0) Mechanic Radio & T.V. - (0+0+0) Electronics Mechanic - (0+24+0) Fitter - (0+20+0) Electrician - (0+20+0) Computer Operator and Programming Assistant - (24+24+0) Computer Aided Embroidery And Designing - (15+17+0)	0 + 24 + 0 + 24 + 20 + 20 + 48 + 32 = 168	yes	yes	yes	yes	yes	yes	yes	yes	yes	Recommended	Recommended due for re-affiliation	Recommended Draughtsman Civil 2(1+1) Wireman 2(1+1)
3	Govt. Industrial Training Institute Fulia P.O. & Vill. - Fulia Colony, NADIA, West Bengal - 741402	WB	03-11-2020	GR19000021	3.03	28-Jan-1991 22-Feb-1996	Fitter Electrician (NSQF) Welder (NSQF) Dress Making (NSQF) Computer Operator and Programming Assistant (NSQF)	2(2+0+0) 1(1+0+0) 1(1+0+0) 2(1+1+0) 1(1+0+0)	Electrician (NSQF) Welder (NSQF) Surveyor (NSQF) Refrigeration & Air Conditioning (NSQF)	1(0+1) 1(0+1) 2(1+1) 2(1+1)	1(0+1) 1(0+1) 2(1+1) 2(1+1) Application submitted for surrender of Dress Making and COPA due to non-availability of instructor since 2003.	Fitter - (0+0+0) Electrician - (0+0+0) Welder - (21+0+0) Dress Making - (0+0+0) Computer Operator and Programming Assistant - (0+0+0)	21 + 0 = 20	Fitter - (18+0+0) Electrician - (0+0+0) Welder - (19+0+0) Dress Making - (0+0+0) Computer Operator and Programming Assistant - (0+0+0)	18 + 0 + 19 + 0 + 0 = 37	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Recommended	Recommended	Recommended Electrician 1(0+1) Welder 1(0+1) Surveyor 2(1+1) Refrigeration & Air Conditioning 2(1+1) & Details of Trade/units surrendered: Dress Making 2(1+1) COPA 1(1+0)
4	Government Industrial Training Institute, Alipurduar P.O. - Birdara, Via Alipurduar, JALPAIGURI, West Bengal - 736121	WB	03-11-2020	GR19000045	NA	23-Nov-2001	Electronics Mechanic (NSQF)	1(1+0+0)	Electronics Mechanic (NSQF) Computer Hardware & Network Maintenance (NSQF) Diesel Mechanic (NSQF) Mechanic Motor Vehicle (NSQF)	1(0+1) 2(1+1) 2(1+1) 2(1+1)	1(0+1) 2(1+1) 2(1+1) 2(1+1)	Electronics Mechanic - (0+0+0)	0	Electronics Mechanic - (22+0+0)	22	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Recommended	Recommended	Recommended; Electronics Mechanic 1(0+1) Computer Hardware & Network Maintenance 2(1+1) Diesel Mechanic 2(1+1) Mechanic Motor Vehicle 2(1+1)  State Directorate also needs to provide admission status of trainees in next 15 days.

Annexure 15.1.2																											
SR. No	ITI Name	State	Inspected Date	MIS Code/Applica tion Number	Grading	Affiliation Year	Existing Trade	Affiliated Units	Trades/Units sought for affiliation	ITI Proposed Units	Units recommend ed by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Avlability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1	Disha Private ITI Vill/Post:- Khirikothe, Tahseel Madhuban, District - Mau, Uttar Pradesh - 221603	Uttar Pradesh	18/0/2020	PR09900184	4.49	7-Oct-2016	Fitter Electrician	6(2+2+2) 6(2+2+2)	Electrician	6(2+2+2)		Fitter - (21+21+21) Electrician - (21 + 42 + 21)	63 + 84 = 147	Fitter - (20+20+20) Electrician - (20+0+20)	60 + 40 = 100	Yes	Sanction load is 18kVA(14.2kW). Required Load 17.42kW  Reply recived, load upgraded to 23kVA (18.4kW)	Yes	Yes	yes	Yes	Yes	Yes	Yes	Recommended	Clarification was sought from the state reagding the discrepency.	Deferred, as final recommendations from State Directorate are awaited.

Annexure 15.1.5																			
S. No.	ITI Name	State	Inspected Date	MIS Code/ Application Number	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Availability of Machinery, Tools & Equipments	Staff qualification & Documents	Remarks by Standing Committee	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1	<a href="#">Sree Kumaraguru Polytechnic College Gopinathampatti Koot Road, Dist- Dharmapuri Tamil Nadu - 636906</a>	TN	24.10.2020	TMPNEW368	Wireman Fitter Electrician	1(0+1+0) 1(0+1+0) 1(0+1+0)	Not Recommended	Yes	Yes	Building and layout not verified by Authorised person, Stability report expired in 2018	Yes	Yes	Yes	Yes	Shortage of upto 50% of tools and equipments	Not qualified as per DGT Norms	Not Recommended	Not Recommended	<b>Rejected</b> as not recommended by State Directorate as per the comments of inspection team
2	<a href="#">K.P.Patil Polytechnic Private ITI, Kholapur At- Mudel Tahasil- Bhudargad, Dist Kolhapur Maharashtra-</a>	MH	11.11.2020	TMP27480PR1 581591950			Inspection not carried out as NoC from AICTE not obtained	Inspection not carried out as NoC from AICTE not obtained									No Obejection Certificate from AICTE NEWDELHI, Hence this Institute inspection has not carried out on this day.	<b>Rejected,</b> as not recommended by State Directorate for not fulfilling criteria of having NoC from AICTE.	

CP

Annexure 15.2.1																					
SL.No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee	Scrutiny Committee Remark	Recommended or not
1	Bhikki Singh Pradhan Pvt ITI Village- Kanjaulghat, Baldeo, Dist.: Mathura, U.P.-281301	Uttar Pradesh	NEW Application No. 1809018907	3	180	19.08.2020	Electrician  Fitter  Marketing Executive  Finance Executive  Health Sanitary Inspector	9(3+3+3)  6(2+2+2)  3(1+1+1)  3(1+1+1)  3(1+1+1)	Recommended  Electrician 9(3+3+3) Fitter 6(2+2+2) Marketing Executive 3(1+1+1) Finance Executive 3(1+1+1) HSI 3(1+1+1)	Yes	Online bill 24.44 kVA (19.5 kW) and required load is 29.42 kW	Yes	Yes	Yes	Yes	Yes	ME & FE Tools Short of 2 No. Desktop Each	YES	Online bill 24.44 kVA (19.5 kW) and required load is 29.42 kW ME & FE Tools Short of 2 No. Desktop Each	<u>Reply Received</u> Letter No.20DGT Dated on 12/11/2020  <u>Shortage of Desktops for ME and FE</u>	Deferred,  for seeking final recommendations from State Directorate.

14

Annexure 15.2																											
SR. No	ITI Name	State	Inspected Date	MIS Code/Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll In 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll In 2019-20 session with Trade wise	Total student enrolled in 2019-20	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Avlability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1	Saraswati Private ITI - Mathura Ading, Sonkh, District - Mathura, Uttar Pradesh - 281501	UP	18-08-2020	PR09000313	1.3	2011	Electrician (NSQF)	4(2+2+0)	Electrician   Fitter	Addl. 8(2+2+4) Total 12(4+4+4)  6(2+2+2)		Electrician - (42+0+0)	42	Electrician - (0+39+0)	39	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Recommended	Not Recommended  Since ITI is more than 5 years old, it need to apply for re-affiliation with 4 or more.	Proposal rejected, ITI is old & needs to re-apply for re-affiliation with 4 or more trade.

28

15



## Annexure 15.2.3

SR.No	ITI Name	State	Inspected Date	MIS Code/Applic ation Number	Grading	Affiliation Year	Existing Trade	Affiliated Units	Trades/Unit s sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018- 19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019- 20 session with Trade wise	Remarks by Scrutiny Committee
1	Baba Bhirigu Private ITI VILL/POST- PALIYA TEHSIL- MUHAMMDAB AD GOHANA, MAU, U.P.- 276403	Uttar Pradesh	19-08-2020	PR09900572	3.12	15-Dec- 2016	Fitter (NSQF) Electrician (NSQF)	6(2+2+2) 6(2+2+2)	Electrician	6(2+2+2)		Fitter - (0+42+42) Electrician - (0+21+42)	84 + 63 = 147	Fitter - (39+0+0) Electrician - (40+20+0)	<b>Deferred,</b>  for seeking final recommenda tions from State Directorate.
			<b>Total student enrolled in 2019-20</b>	<b>Land lease valid</b>	<b>Power connection as per norms</b>	<b>Building as per norms</b>	<b>workshop space</b>	<b>Class room</b>	<b>IT lab</b>	<b>Drawing Hall</b>	<b>Avilability of Machinery, Tools &amp; Equipments</b>	<b>Staff Qualfication &amp; Documents</b>	<b>Remarks by Standing Committee</b>	<b>Remarks by Scrutiny Committee</b>	
			39 + 60 = 99	Yes	Sanction load is 21KVA (16.8KW) Required Load 17.42KW	Yes	Yes	Yes	Yes	Not Available	Tools with Deficiency List Not Attached	YES	<u>Reply Received Letter No.</u> <u>BBPI/2020/347 Dated</u> <u>13/11/2020</u>	Verification from State needs to verify Drawing Hall as per revised building plan	

Sl. No.	ITI's Name	State	MIS Code / Application Number	Inspected Date	Grading	Affiliation Year	Existing Trade	Affiliated Units	Trades/ Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Availability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee	Scrutiny Committee Remark	Remarks by Recommendation Committee	
1	Sri Balaji ITI, Budim Gate, Pittam Road, Post/Mandal : Banswada, Dis:Kamareddy, Telangana - 503187	Telangana	PR36000255	24-09-2020	3.31	25-Sep-2012	Fitter (NSQF)  Electrician (NSQF)	4(2+2)  4(2+2)	Electrician Mechanic Diesel Radiology Technician Sewing Technology	8(2+2+4) 3(1+1+1) 6(2+2+2) 3(1+1+1)	Only Radiology Technician 3(1+1+1) recommended	Fitter - (32+0+0)  Electrician - (42+0+0)	32 + 42 = 74	Fitter - (0+0+0)  Electrician - (0+37+0)	0 + 37 = 37		Yes	Yes	Yes	Yes	Yes	Yes	Yes	Shortage of tools in Electrician, Sewing Technology, Mechanic diesel and for 1 unit of Radiology technician  Reply From State Government Letter No D/B15/2020,Dated 11-11-2020.	YES	Only Radiology Technician 3(1+1+1) recommended	Recommended for 1st and 2nd shifts & ITI shall apply for Re-affiliation	The proposal of Sri Balaji Pvt. ITI was recommended.  It is advised to rectify minutes of the 13th meeting; and to circulate the same to State of Telangana for confirmation.