

DGT-AFF011 (51)/2/2020-O/O DIR (TC)
Government of India
Ministry of Skill Development & Entrepreneurship
Directorate General of Training

1st Floor, CIRTES Building,
Pusa Campus, Pusa, New Delhi-110012
Dated: 9th December, 2020

To,
All the State Directors (dealing with Affiliation)

Sub: - Minutes of Meeting of 16th Recommendation Committee Meeting

Sir/Madam,

Please find enclosed herewith the approved Minutes of Meeting along with Annexures of 16th Recommendation Committee held on 25th November, 2020. However implementation orders agenda item wise will be issued in due course of time.

This issues with the approval of competent authority, DGT

Yours faithfully,


(Sunil Kumar Gupta)
Director

Copy to:-

1. Sr PPS to DG/AS, DGT, New Delhi
2. Sr PPS to DDG, DGT, New Delhi
3. All RDSDEs


(Ravi Chilukoti)
Joint Director

**MINUTES OF THE 16TH MEETING OF “RECOMMENDATION COMMITTEE
DGT” DEALING WITH AFFILIATIONS OF ITIs, HELD ON 25th November 2020 AT
3 PM THROUGH VIDEO CONFERENCE**

The following members attended meeting through VC:-

Department representation	Representatives from States
Smt Neelam Shami Rao, Director General	Shri Rajashekhar, Additional Director, DET Tamil Nadu
Smt Sandhya Salwan, Dy Director General	Shri Nagesh, Joint Director, Telangana
Shri Sunil Kumar Gupta, Director	Shri Mayank Ganwar, Dy Director, DET, UP
Shri Ravi Chilukoti, Joint Director	Shri Nitin Nikam, Asst Director, Maharashtra
Shri R Murugarajan, Dy Director	Shri Kumar Vikas Rajak, Asst Director, DET Bihar
Shri Amit Kumar Yadav, Assistant Director	
Shri Parveen Kumar, Junior Technical Assistant	

At the outset, Sunil Kumar Gupta, Director and Shri Ravi Chilukoti, JDT welcomed all the Committee members. Thereafter, the DG(T) took agenda points for detailed discussions. The details of discussions, deliberations & agenda wise decisions taken by the Chair, are placed as below:

Agenda No. 16.0: Inspection status of applications registered on online affiliation portal (By NIMI)

1. Applications, registered in NIMI portal, seeking affiliation for third shift not to be considered, in view of Physical Distancing and other issues.
2. On inquiry about no progress in Inspection in Chhattisgarh, NIMI Team reported that there is shortage of DGT Inspecting Officials. It was decided that action to be taken to deploy additional team / Officials from DGT, HQ to expedite Inspection in the state.

Agenda No. 16.1: Affiliation of ITIs

16.1.1(a) New ITI proposals:

Sl. No.	State	Number of ITIs	Remarks		
			Recommended	NR	Deferred for clarification
1.	Maharashtra	06	2	4	-
2.	Uttar Pradesh	02	1	-	1
Total		08	3	4	1



ITI-wise break-up of proposals/recommendations:

Sl. No.	ITI's Name MIS Code/ Application Number	Trades/Units sought for affiliation	ITI Propose d Units	Units recom mende d by SCI	Remarks by Scrutiny Committee	Remarks by Recommendati on Committee
1	Dr. Devendra Joshi Pvt ITI, Laxminagar Wadi(BK) Tal. & Dis : Nanded, Maharashtra – 431605 TMP27485PR1581 085667	Electrician Fitter Welder Wireman	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	Recommended	Rejected , as not recommended by State Director, school is running in the campus and not shifted despite the permission for shifting from June 2019, therefore it shows no intention for shifting.
2	Gramin Private ITI, Beed At Post Dagawadi, Tq. Parli V. Dist : Beed Maharashtra - 431515 TMP27470PR1580 834879	Electrician Wireman Welder COPA Fashion Design and Technology Mechanic Diesel	24 (8+8+8) 12(4+4+ 4) 6(2+2+2) 3(1+1+1) 3(1+1+1) 3(1+1+1)	8(4+4) 4(2+2) 2(1+1) Withdr awn by ITI 2(1+1)	Recommended as per SCI	Recommended Electrician 8(4+4) Wireman 4(2+2) Welder 2(1+1) Mechanic Diesel 2(1+1) as per the recommendatio ns of State Director
3	Mauli Private ITI, Near Vilas 2 Sugar Industry, At Post Tondar, TQ UDGIR Dist : Latur MH- 413517 TMP27487PR1582 822272	Electrician Wiremen Welder Mechanic Diesel	4(2+2) 2(1+1) 2(1+1) 2(1+1)	4(2+2) 2(1+1) NR NR	Not Recommend ed Since Only 2 Trades are recommen ded & New ITI Need 4 Trades	Rejected as not recommended by State, Since ITI needs to have 4 or more trades for affiliation

Handwritten signature and initials in blue ink.

4	Sandip Private ITI, Zodge, Tal. Malegoan, Dist.Nashik, Maharashtra - 423205 TMP27487PR1582 798717	Surveyor Electrician Welder Fitter	2(1+1) 3(2+1) 2(1+1) 3(2+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	Recommend ed	Recommended Surveyor 2(1+1) Electrician 2(1+1) Welder 2(1+1) Fitter 2(1+1) as per the recommenda tions of State Director
5	Swami Vivekanand Private ITI, Masad Road Tq. Chimur, Dist : Chandrapur, Maharashtra - 442903 TMP27473PR1580 745014	Fitter Electrician Health Sanitary Inspector Housekeeper	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) NR NR	Not Recommend ed Since Only 2 Trade are recommen ded & New ITI Need 4 Trades	Rejected as not recommended by State Director, Since ITI needs to have 4 or more trades for affiliation
6	Trimurti Private ITI, Jalgaon Survey No.227/2 Near KBCNMU, Opp. Hotel Govind, Paldhi Bk. Tal Dharangoan, Dist:Jalgaon Maharashtra TMP2748PR15826 19908	Electrician Wireman Draughts man Civil Fitter	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) NR	Not Recommend ed Since Only 3 Trade are recommen ded & New ITI Need 4 Trades	Rejected as not recommended by State Director, Since ITI needs to have 4 or more trades for affiliation
7	Ma Jasoda Private ITI, Village ATARA, Post Bhithadan, Block Ahirori, Dist:Hardoi Uttar Pradesh - 241122 New Application: 1909026947	Electrician Fitter Wireman Health Sanitary Inspector	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+ 1) 3(1+1+ 1) 3(1+1+ 1) 3(1+1+ 1) 3(1+1+ 1)	Recommend ed Except for 3rd shift	Recommended Electrician 2(1+1) Fitter 2(1+1 Wireman 2(1+1 Health Sanitary Inspector 2(1+1 As per the recommenda tions of State Directorate & 3 rd shift not allowed
8	Shambhu Narayan Private ITI, Vill & Post : Harahari, Dist : Ghazipur	Electrician Fitter	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+ 1) 3(1+1+ 1)	Not Recommend ed	Deferred

cc

Sumitran

Uttar Pradesh - 233226	Sewing Technology COPA		3(1+1+ 1) 3(1+1+ 1)	Due to Non- availability of drawing hall	Building layout to be verified by Architect and state Director. ITI needs to furnish the photographs of the drawing hall with required furniture
---------------------------	------------------------------	--	------------------------------	---	--

16.1.2(a) Existing ITIs seeking Affiliation for Extension of Trades/Units:

Sl. No.	State	Number of ITIs	Remarks		
			Recommended	NR	Deferred clarification
01	Andhra Pradesh	01	-	1	-
02	Himachal Pradesh	01	-	1	-
03	Maharashtra	03	2	1	-
04	Tamil Nadu	02	1	1	-
05	Telangana	01	-	1	-
06	Uttar Pradesh	01	-	1	-
	Total	09	3	6	-

ITI-wise break-up of proposals/recommendations

Sl. No	ITI's Name MIS Code/ Application Number	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1.	Maruthi Industrial Training Centre, Inkollu, PRAKASAM, ANDHRA PRADESH - 523167 PR28000088	Electrician (NSQF) Fitter(NSQF)	2(0+0+2) 1(0+0+1)	NR	Not Recommended (For 3rd shift is not allowed)	Not Recommended Since ITI is more than 5 years old, should apply for Minimum 4 trades for affiliation by session 2021..
2.	Takshila Private ITI, Near M.L.S.M College Sundernagar,	Electrician (NSQF)	3(1+1+1)	3(1+1+1)	ITI needs to upgrade to 4 trades for the session 2021.	Not Recommended Since ITI is more than 5 years old,

SR

Sunil Kumar

	DISTRICT-MANDI, HP-175018 PR02000211					should apply for minimum 4 for affiliation by session 2021.
3.	Gramin ITI At. post Gharni Tq Chakur, dist latur, LATUR Mahahrashtra - 413513 PR27000992	Electrician (NSQF) Wireman (NSQF) Welder (NSQF) Fitter (NSQF) COPA (NSQF) Surveyor (NSQF) Mechanic Diesel (NSQF)	16(4+4+8) 08(2+2+4) 01(0+0+1) 01(0+0+1) 03(1+1+1) 03(1+1+1) 03(1+1+1)	Electrician 4(2+2) Wierman 2(1+1) Mechanic Diesel 2(1+1)	Recommended as recommended by SCI	Recommended Mechanic Diesel 2(1+1) (EL and WM trades not considered due to poor admission) and agreed by State Director
4.	Gramin Pvt ITI, Palam Post Sarfarajpur, Tal- Palam, Dist Parbhani. Maharashtra - 431720 PR27000998	Electrician Wireman COPA	8(4+4) 4(2+2) 2(1+1)	8(4+4) 4(2+2) 2(1+1)	Lay out drawing received on 25.11.2020 certified by Architect, but not verified by inspection team/State	Not Recommended Lay out drawing received in respect of IT lab unavailability, however, the same was not verified by inspection team and State.
5.	Shri Dadasaheb Pundalik Patil Pvt ITI, Pachora, Dist Jalgaon Maharashtra- 424105 PR27000981	Fitter Electrician	2(1+1) 2(1+1)	NR 2(1+1)	Recommended. ITI Need to upgrade to 4 OR More Trades by the Session 2021	Recommended Electrician 2(1+1) , however ITI Should apply for minimum 4 for affiliation by session 2021.
6.	T E L C Private Industrial Training Institute Nagal Nagar, Dindigul	Fitter Turner Welder	2(1+1) 2(1+1) 1(0+1)	NR	Not Recommended	Not Recommended. Since not recommended by State Director due

ed

Junil Kumar

	TAMIL NADU - 624003 PR33000065					to deficiencies mentioned in the Inspection report
7.	Government Industrial Training Institute, Ambattur THIRUVALLUR TAMIL NADU - 600098 GR33000051	Food and Beverage Service Assistant Electrician 2(1+1) Mechanic Auto Body Repair Mechanic Auto Body Painting 2(1+1) Food Production (General) 2(1+1)	2(1+1) 2(1+1) 2(1+1)	Food production (general) 2(1+1)	Recommended as per SCI	Recommended Food production (general) 2(1+1)
8.	Haritha Ecological Industrial Training Centre BCM Road Palvancha, KHAMMAM , TELANGAN A - 507115 PR36000085	Electrician (NSQF)	04(2+2)	NR	Not Recommended	Not Recommended Since State Director not recommended due to deficiencies mentioned in the Inspection report. And ITI should apply for minimum 4 for affiliation by session 2021.
9.	Shri Swami SatSanganand Awam Parmanand Seva Samiti Private ITI, Kakrdahi, Baghpur, Kanpur Dehat, Uttar Pradesh - 209307 PR09001842	Fitter (NSQF) 2(1+1) Electrician (NSQF) 2(1+1) COPA 1(1+0)	2(1+1) 2(1+1) 1(1+0)	COPA 1(1+0)	Not Recommended ITI has affiliation of 2014. ITI Need to upgrade to 4 Trades for the session 2021	Not Recommended. As recommended by State Director that since ITI is more than 5 years old, should apply for minimum 4 for affiliation by session 2021.

16.1.3 Existing ITIs applied for Shifting : Nil

oo

Amir Khan

16.1.4 MSTI Proposals : Nil

16.1.5 ITI in Spare capacity of Polytechnics : Nil

Agenda 16.1.6: SCVT to NCVT Conversion

16.1.6(a): Bihar State has proposed 16 Govt ITI for conversion from SCVT to NCVT, these proposals were placed in agenda (item 10.2 of 12th Recommendation Committee Meeting), as decided by the members detailed proposal which were placed in 13th Recommendation Committee Meeting and deferred due to Moral Code of Conduct in Bihar till 11.11.2020.

Recommendations by committee:

14 ITIs were recommended for Session 2020 and 2 new ITIs were deferred so as to apply for 4 or more Trades. The case for the 2 New ITIs to be put up on file. ITIs shall apply online for Session 2021 and inspection will be carried out through random generation.

16.1.6(b): Bihar State has proposed 3 more Govt ITIs for Conversion from SCVT to NCVT.

Recommendations by committee:

Deferred. The case to be taken up on file along with Agenda 16.1.6(a). No precedence to be given being Government ITI.

16.1.6(c): Madhya Pradesh State has proposed 25 ITIs for Conversion from SCVT to NCVT. However, complete scrutiny sheet has been not provided.

Recommendations by committee:

Case deferred to next meeting for further scrutiny of Report.

Agenda 16.2: Representation received from ITIs

16.2.1: Somnath ITC (PR24007115), Gujarat – The proposal was placed in 11th Recommendation Committee Meeting at Agenda no. 2.2 (Annexure 11(B) at Sl no. 10). The ITI was Not recommended for Zero admission in 2018-19 and 2019-20. However, the ITI has submitted the letter stating 38 admissions in 2018 and 27 in 2019 for the electrician trade. On the portal the data only showed 27 admissions for 2019.

Recommendations of committee:

Deferred, State Director to ascertain whether admission in the year 2018 and 2019 as claimed by ITI are correct and report.

16.2.2: KS Rangasamy Institute of Technology Pvt ITI (PR33000643), Tamil Nadu - The proposal was placed in 13th Recommendation Committee Meeting at Agenda no. 13.2.2 (at sl. No. 1) and was Deferred for clarification on recommendation of 1 unit required from the state and for experience certificate of Instructor for Health Sanitary Inspector. The ITI has submitted the letter dt. 18/11/2020 regarding the appointment of New Instructor.

Recommendations of committee: Recommended HSI trade 1(1+0)

16.2.3: Gouthama Buddha Minority Pvt ITI (PU36000130), Telangana - The proposal was placed in 13th Recommendation Committee Meeting at Agenda no. 13.2.2 (at sl. No. 3) and was deferred due to shortage of electric load. ITI required 52 kW of electric load and had only 10 kW. The letter no. D/1273/2020 dt. 19/11/2020 from Telangana state Directorate was received verifying the electricity load of 52 kW for the ITI.

Handwritten signatures:
A blue ink signature on the left and a larger blue ink signature on the right, both appearing to be official approvals.

Recommendations of committee:

As requested by State Director, one week time is given to offer the comments on the matter. Hence, case deferred to next meeting.

16.2.4: (i) Sri Krishna Pvt ITI, Gangobeer, Madhuban, Mau, UP inspected on 5.11.2019 reported that some shortage of Trainee Tool Kit for Electrician trade and State Government has proposed for De-affiliation vide letter dt. 20.11.2019.

(ii) Shri Krishna Ambedkar Pvt ITI, Segha Akhilaspur, Post Madhuban, Uttarpradesh was inspected on 05.11.2019 and reported some shortage of trainees Tool Kit for Fitter and Electrician and recommended by State Government for De-affiliation vide letter dt. 20.11.2019.

The above two proposals were placed in 10th Recommendation Committee Meeting held on 15th September, 2020 (agenda item 10.1) and committee recommended for De-affiliation. ITIs vide letter dt. 13.11.2020 representing that their case is not for De-affiliation as per remarks of inspection report.

Recommendations of committee:

State Director to offer comments on Trainees admission, Pass percentage, Teaching Staff position, classes conducted and Training environment

16.2.5: Request of change of Name of Pvt ITIs, as placed below:

Sl. No.	State	Name of ITI	Proposed Name
01	Rajasthan	JK Institute of f Technology Pvt ITI, Kailash Nagar, Nimbahera (Raj)- PR08000986	Sh. Yadupati Singhania Institute of Technology, Pvt ITI, Kailash Nagar, Nimbahera (Raj)
02	Uttar Pradesh	JK Industrial Training Centre Kamla Nagar, Kanpur (UP) PR09000784	Sh. Yadupati Singhania Industrial Training Centre, Pvt ITI, Kamla Nagar, Kanpur
03	Uttar Pradesh	JK Centre For Technician Training Pvt ITI, Dada Nagar Kanpur (UP)-PR09001814	Sh. Yadupati Singhania Centre for Technician Training, Pvt ITI Dada Nagar, Kanpur

The ITI has submitted the proposal wrt recommendations from states vide email from Director of Technical Education, Rajasthan on 23/10/2020 and from DT &E, UP on 13/11/2020.

Recommendations of committee: Recommended

Agenda 16.3: Court Cases

16.3.1:

As per the Minutes of Meeting of 11th Recommendation Committee Meeting (Agenda 5), based on the Inspection report, the Committee accepted the recommendation of Inspection Committee as mentioned below:

Sl.No.	Name of the ITI	Inspected on	Inspected by	Recommendation(s) of the inspection team
1	Rajdeo Yadav Pvt ITI, Fatepur,	19.08.2019	Shri A V Rao, RD, RDSDE, Telanagana&	Electrician,

Handwritten signatures and initials in blue ink are present below the table.

	Chandosh Road, P.o.Mukhmilpur, Ps. Paliganj, Dist. Patna, Bihar-801110 PR10000813		Smt Asha Singh, Assit. Director, DET Bihar	Additional units 4 (2+2)
2	Kumar ITC, NH-31, Kenamore, Madhobigha, Nawada, Bihar- 848102 PR10000306	20.08.2019	Shri A V Rao, RD, RDSDE, Telanagana& Dr. Ravindra Prasad, Principal, ITI Kalyanbigha,Nalanda, Bihar.	Additional units not recommended
3	Maa Sharada Pvt ITI, Partappur, Muktapur, Samastipur, Bihar- 848102 PU10000863	21.08.2019	Shri A V Rao, RD, RDSDE, Telanagana& Shri RamashrayMahto, Deputy Director, DET Bihar	Additional units not recommended

However, as per the orders of Hon'ble court, a Show Cause notice was to be issued for NCs and time was to be given to the ITI to clear these NCs, after the submission of Inspection report by the Inspection Committee. Accordingly, DGT revoked its previous decision and issued show cause notice for compliance of the NCs observed. The reply from ITI is placed before the Committee for further decision.

Recommendations of committee: Case to be put up on file.

16.3.2: Inspection of De-affiliated ITIs as per Court Orders:

1. Laurel Pvt ITI, Near Padmakshi Temple, Hanamkonda, Telangana PU36000030

2. Wilfred Pvt ITI, Premnagar, Mulugu, Warangal Telangana PR36000200

These 2 ITIs were placed in 12th Recommendation Committee Meeting (Agenda 12.3) and ITIs were not recommended for Affiliation as they did not meet NCVT norms for Infrastructure etc. for 4 or more trades. It is being pleaded vide their letter requesting for Recommendation as per the Inspection team recommendation, the same was forwarded by State directorate, Telangana vide mail dt. 24.11.2020:

Sl.No.	ITI name and address	Facts of the case
1	Laurel Pvt ITI, Near Padmakshi Temple Hanamkonda, Telangan PU36000030	<ol style="list-style-type: none"> 1. The ITI was initially affiliated by DGT (the then DGE&T) in 1986 vide letter no. DGET-6(1)/86-TC dt. 05.09.1986 2. The ITI was De-affiliated vide DGT letter dt. 07.06.2017 3. The ITI filed case in Hon'ble High court, Hyderabad, as per the court order dt.07.08.2017 disposing the matter to carryout re-inspection to decide the status. 4. ITI vide letter dt. 18.04.2019 intimated DGT that they are ready for inspection.

[Handwritten signature]

		<p>5. DGT vide letter dt. 06.02.2020 nominated team for inspection of ITI.</p> <p>6. Inspection was carried out on 24.02.2020 and recommended Electrician 8(4+4) and Fitter 4(2+2).</p>
2	<p>Wilfred Pvt ITI, Premnagar, Mulugu, Warangal Telangana PR36000200</p>	<p>1. The ITI was affiliated by DGT (the then DGE&T) in 2008 vide letter no. DGET-6/1/19/2008-TC dt. 30.12.2008</p> <p>2. The ITI was De-affiliated vide DGT letter dt. 07.06.2017</p> <p>3. The ITI filed case in Hon'ble High court, Hyderabad, as per the court order dt.07.08.2017 disposing the matter to carryout re-inspection to decide the status.</p> <p>4. ITI vide letter dt. 18.04.2019 intimated DGT that they are ready for inspection.</p> <p>5. DGT vide letter dt. 06.02.2020 nominated team for inspection of ITI.</p> <p>6. Inspection was carried out on 24.02.2020 and recommended Electrician 8 (4+4).</p>

Recommendations of committee: Not recommended as already decided in 12th Recommendation Committee Meeting at agenda 12.3

Agenda 16.4:

Agenda 16.4.1:

Maharashtra State Govt vide mail dt. 24/11/2020 sent the list of 17 ITIs (10 New + 7 existing) with their remarks on their Inspection.

The Proforma for recommendation by the State Directorate for these 17 ITIs was provided through the mail.

7 of these ITIs have already been placed in meeting till date (2 Existing and 5 New ITIs).

Agenda 16.4.2: Letter from Rajasthan State Directorate

Rajasthan State Directorate, vide mail dt. 25/11/2020, has provided Recommendation proforma for 4 ITIs (as attached).

1. Nav Bharti Private Industrial Training Institute (placed in 11th Recommendation Committee Meeting)
2. S R Mund Pvt ITI Institute (placed in 11th Recommendation Committee Meeting)
3. Meeramandir pvt ITI (Recommended in 12th Recommendation Committee Meeting)
4. Sanskar pvt ITI (Inspection report, Annexure III and Proforma for Recommendation is yet to be received by DGT)- This was a court case W.P.(C) 7882/2017. The ITI was rejected in 2017 due to Application for Single trade (electrician). However, ITI filed a court case and it was decided to review this matter. As such Inspection was to be

JP

Junika

carried out in 2018 which ITI rejected stating it was not informed. Thereafter, the matter was disposed of and the Speaking order was issued rejecting the application of ITI.

Recommendations of Committee: As State Director was not present for discussion at this agenda, Committee deferred.

Agenda 16.4.3:

Saraswathi Pvt ITI, Mathura , UP which was placed in 15th Recommendation Committee Meeting 15.2.2 (and Agenda 12.2.2 sl no. 26) which was not recommended stating that “Since ITI is more than 5 years old, it need to apply for re-affiliation with 4 or more trades”. ITI vide letter dt. 12.11.2020 represented that other 6 other similar cases were considered and pleading for granting affiliation.

In this case the order for M.D Pvt ITI, Aligarh also changes as mentioned below:

Sl. No	ITI's Name MIS Code/ Application Number	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1	Saraswati Private ITI - Mathura Ading, Sonkh, District - Mathura, Uttar Pradesh -- 281501 PR09000313	Electrician Fitter	Addl. 8(2+2+4) Total 12(4+4+ 4) 6(2+2+2)	Addl. 8(2+2+4) Total 12(4+4+4) 6(2+2+2)	Not Recommended Since ITI is more than 5 years old, it need to apply for re-affiliation with 4 or more trades.	Not Recommended Since ITI is more than 5 years old, it needs to have 4 or more trades for affiliation by session 2021.

Course Correction: M.D(Maya Devi) Pvt. ITI, Nagla Murari Sarsol Phalmandi, G.T. Road Aligarh, Uttar Pradesh-202001 (PR09000106) which was considered in 11th Recommendation Committee meeting held on 22nd September at agenda 2.2 also “Not Recommended” as ITI is more than 5 years old and conducting training in two trades, this ITI shall comply with minimum 4 trades and accordingly shall apply for remaining two trades before Session 2021.

Agenda 16.4.4:

SBS Daddu ji ITI: Complaint was received against this ITI citing reasons:

ITI running in the building of SBS Inter College

ITI has 80% tools and equipment's

Running only on paper, has not held any practical till date

Only 1 teacher in ITI, etc. (as attached)

In this regard, mails and reminders were sent to State to verify the same and provide the report latest by 27/11/2020.

Recommendations of Committee:

Deferred to next meeting as requested by State Director and state Director will submit report on this within a week.

Other points with the permission of Chair:

NIMI to prepare Videos to train Inspecting Officials.

The meeting ended with a vote of thanks to the Chair.

Sl. No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date
1	Dr. Devendra Joshi Pvt ITI, Laxminagar Wadi(BK) Tal. & Dis : Nanded, Maharashtra - 431605	Maharashtra	TMP27485PR1581 085667	17	8	04-11-2020
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms
	Electrician	2(1+1)	2(1+1)	Yes	Yes	Yes
	Fitter	2(1+1)	2(1+1)			
	Welder	2(1+1)	2(1+1)			
	Wireman	2(1+1)	2(1+1)			
	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents
	Yes	Yes	Yes	Yes	Yes	Yes
	Remarks by Inspection Committee	Remarks by Scrutiny Committee		Remarks by Recommendation Committee		
	Recommended 1.Tiny Angles School was located in same campus 2.School shifting permission issued by Education officer Zhila Parisad	Recommended		Rejected, as not recommended by State Director, school is running in the campus and not shifted despite the permission for shifting from June 2019, therefore it shows no intention for shifting.		

02

Sumit

12

Sl. No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date
2	Gramin Private ITI, Beed At Post Dagawadi, Tq. Parli V. Dist : Beed Maharashtra - 431515	Maharashtra	TMP27470PR1580 834879	12	13	31.10.2020
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms
	Electrician Wireman Welder COPA Fashion Design and Technology Mechanic Diesel	24 (8+8+8) 12(4+4+4) 6(2+2+2) 3(1+1+1) 3(1+1+1) 3(1+1+1)	8(4+4) 4(2+2) 2(1+1) Withdrawn by ITI 2(1+1)	Yes	70 kW available and is as per units recommended by SCI	Yes
	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents
	Yes	Yes	Yes	Yes	Available for 8(4+4) electrician, 4(2+2) wireman, 2(1+1) welder and 2(1+1) mechanic diesel	Yes
	Remarks by Inspection Committee	Remarks by Scrutiny Committee		Remarks by Recommendation Committee		
	Recommended	Recommended as per SCI		Recommended Electrician 8(4+4) Wireman 4(2+2) Welder 2(1+1) Mechanic Diesel 2(1+1) as per the recommendations of State Director		

✓

Jun 16/20

28

Sl. No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date
3	Mauli Private ITI, Near Vilas 2 Sugar Industry, At Post Tondar, TQ UDGIR Dist : Latur MH-413517	Maharashtra	TMP27487PR1582 822272	11	7	03-11-2020
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms
	Electrician Wiremen Welder Mechanic Diesel	4(2+2) 2(1+1) 2(1+1) 2(1+1)	4(2+2) 2(1+1) NR NR	Yes	Yes	Yes
	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents
	Yes	Yes	Yes	Yes	Shortage of Major Tools and Machinery	Yes
	Remarks by Inspection Committee	Remarks by Scrutiny Committee		Remarks by Recommendation Committee		
	Not Recommended	Not Recommended Since Only 2 Trade are recommended & New ITI Need 4 Trades		Rejected as not recommended by State, Since ITI needs to have 4 or more trades for affiliation		

CS

Sunil Kumar

27 14

Sl. No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date
4	Sandip Private ITI, Zodge, Tal. Malegoan, Dist. Nashik, Maharashtra - 423205	Maharashtra	TMP27487PR1582 798717	21	30	
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms
	Surveyor	2(1+1)	2(1+1)	Yes	Yes	Yes
	Electrician	3(2+1)	2(1+1)			
	Welder	2(1+1)	2(1+1)			
	Fitter	3(2+1)	2(1+1)			
	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents
	Yes	Yes	Yes	Yes	Yes	Yes
	Remarks by Inspection Committee	Remarks by Scrutiny Committee		Remarks by Recommendation Committee		
	Recommended ITI had applied for 2(1+1) Units for All the Trades	Recommended		Recommended Surveyor 2(1+1) Electrician 2(1+1) Welder 2(1+1) Fitter 2(1+1) as per the recommendations of State Director		

ca

Sanil

26

15

Sl. No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date
5	Swami Vivekanand Private ITI, Masad Road Tq. Chimur, Dist : Chandrapur, Maharashtra - 442903	Maharashtra	TMP27473PR1580 745014	18	34	03-11-2020
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms
	Fitter Electrician Health Sanitay Inspector Housekeeper	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) NR NR	Yes	Yes	Yes
	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents
	Yes	Yes	Yes	Yes	Major Shortage of tools and machinary for H.S.I. & Housekeeper	Yes
	Remarks by Inspection Committee	Remarks by Scrutiny Committee		Remarks by Recommendation Committee		
	Not Recomendded	Not Recommended Since Only 2 Trade are recommended & New ITI Need 4 Trades		Rejected as not recommended by State Director, Since ITI needs to have 4 or more trades for affiliation		

ced

Sunil

(25)

16

Sl. No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date
6	Trimurti Private ITI, Jalgaon Survey No.227/2 Near KBCNMU, Opp. Hotel Govind, Paldhi Bk. Tal Dharangoan, Dist:Jalgaon Maharashtra -	Maharashtra	TMP2748PR15826 19908	17	73	06-11-2020
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms
	Electrician Wireman Draughtsman Civil Fitter	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) NR	Yes	Yes	Yes
	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents
	Yes	Yes	Yes	Yes	Shortage of Lathe, Hydraulic and Pneumatic set up not working	Yes
	Remarks by Inspection Committee	Remarks by Scrutiny Committee		Remarks by Recommendation Committee		
	Recommended for 3 trades	Not Recommended Since Only 3 Trade are recommended & New ITI Need 4 Trades		Rejected as not recommended by State Director, Since ITI needs to have 4 or more trades for affiliation		

ee

Sumit

24

17

Sl. No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date
7	Ma Jasoda Private ITI, Village ATARA, Post Bhithadan, Block Ahirori, Dist:Hardoi Uttar Pradesh - 241122	Uttar Pradesh	1909026947	5	5	10.11.2020
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms
	Electrician	3(1+1+1)	3(1+1+1)	Yes	Yes	Yes
	Fitter	3(1+1+1)	3(1+1+1)			
	Wireman	3(1+1+1)	3(1+1+1)			
	Health Sanitary Inspector	3(1+1+1)	3(1+1+1)			
	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents
	Yes	Yes	Yes	Yes	Yes	Yes
	Remarks by Inspection Committee	Remarks by Scrutiny Committee		Remarks by Recommendation Committee		
	Recommended	Recommended Except for 3rd shift		Recommended Electrician 2(1+1) Fitter 2(1+1) Wireman 2(1+1) Health Sanitary Inspector 2(1+1) As per the recommendations of State Directorate & 3rd shift not allowed		

ca

Sunil Kumar

23

18

Sl. No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date
8	Shambhu Narayan Private ITI, Vill & Post : Harahari, Dist : Ghazipur Uttar Pradesh - 233226	Uttar Pradesh	1809017048	2	178	24-10-2020
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms
	Electrician Fitter Sewing Technology COPA	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	Yes	Mailed To State and ITI for the online bill verification	Yes
	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents
	Yes	Yes	Yes	Not available in the building plan	Yes	Yes
	Remarks by Inspection Committee	Remarks by Scrutiny Committee		Remarks by Recommendation Committee		
	Recommended	Not Recommended Due To Non availablity of drawing hall		Deferred Building layout to be verified by Architect and state Director. ITI needs to furnish the photographs of the drawing hall with required furniture		

002

[Handwritten Signature]

22

19

SL.No.	ITI's Name	State	MIS Code Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
1	Maruthi Industrial Training Centre, Inkollu, PRAKASAM, ANDHRA PRADESH - 523167	Andhra Pradesh	PR28000088	2.01	1998, 2000, & 2009	Draughtsman (Civil) (NSQF) Electrician (NSQF) Fitter (NSQF)	2(1+1) 2(1+1) 2(1+1)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20
	Electrician(NSQF) Fitter(NSQF)	2(0+0+2) 1(0+0+1)	NR	Draughtsman (Civil) (26+00) Electrician (21+21) Fitter (21+00)	89	Draughtsman (Civil) (00+24) Electrician (20+20) Fitter (00+20)	84
	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall
	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee	Remark by Scrutiny Committee		Remark By Recommendation Committee	Inspected Date
	Yes	Trainer for 3rd Shift Not available	Not Recommended	Not Recommended for 3rd shift is not allowed		Not Recommended Since ITI is more than 5 years old, should apply for Minimum 4 trades for affiliation by session 2021..	04-11-2020

ca




20

SL.No.	ITI's Name	State	MIS Code Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
2	Takshila Private ITI, Near M.L.S.M College Sundernagar, DISTRICT-MANDI, HP- 175018	Himachal Pradesh	PR02000211	3.18	2014 & 2018	Electrician (NSQF)	9(3+3+3)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20
	Electrician (NSQF)	3(1+1+1)	3(1+1+1)	Electrician (21+0+0) (21+0+0) (21+0+0)	63	Electrician (0+0+20+20) (0+0+20+20) (0+0+20+20)	120
	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall
	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee	Remark by Scrutiny Committee		Remark By Recommendation Committee	Inspected Date
	Yes	Yes	Recommended	ITI needs to upgrade to 4 trades for the session 2021.		Not Recommended Since ITI is more than 5 years old, should apply for minimum 4 for affiliation by session 2021.	07-10-2020

02

Sumitran

20

21

SL.No.	ITI's Name	State	MIS Code Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
3	Gramin ITI At. post Gharni Tq Chakur, dist latur, LATUR Mahahrashtra - 413513	Maharashtra	PR27000992	NA	2019	Electrician (NSQF) Fitter (NSQF) Welder (NSQF) Wireman (NSQF)	8(4+4) 2(1+1) 2(1+1) 4(2+2)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20
	Electrician(NSQF) Wireman(NSQF) Welder(NSQF) Fitter(NSQF) COPA(NSQF) Surveyor(NSQF) Mechanic Diesel(NSQF)	16(4+4+8) 08(2+2+4) 01(0+0+1) 01(0+0+1) 03(1+1+1) 03(1+1+1) 03(1+1+1)	Electrician 4(2+2) Wierman 2(1+1) Mechanic Diesel 2(1+1)	0	0	Electrician(20+18+0) Wireman(5+0+0) Welder(0+0+0) Fitter(0+0+0)	20+18+5 =43
	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall
	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee	Remarks by Scrutiny Committee		Remarks by Recommendation Committee	Inspected Date
	Tools availabel for Electrician for 4(2+2) additional units, Wierman 2(1+1) additional Units & Mechanical Diesel 2(1+1)	Yes	Tools availabel for Electrician for 4(2+2) additional units, Wierman 2(1+1) additional Units & Mechanical Diesel 2(1+1)	Recommended AS recommended by SCI		Recommended Mechanic Diesel 2(1+1) (EL and WM trades not considered due to poor admission) and agreed by State Director	

100

Signature

19 22

SL.No.	ITI's Name	State	MIS Code Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
4	Gramin Pvt ITI, Palam Post Sarfaraipur, Tal- Palam, Dist Parbhani. Maharashtra - 431720	Maharashtra	PR27000998	2.6	2018	Wireman (NSQF) Welder (NSQF) Surveyor (NSQF) Mechanic Diesel (NSQF) Fitter (NSQF) Electrician (NSQF)	4(2+2) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 8(4+4)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20
	Electrician Wireman COPA	8(4+4) 4(2+2) 2(1+1)	8(4+4) 4(2+2) 2(1+1)	0	0	Electrician (20+0+0+0) (10+0+0+0) Mechanic Diesel (12+0) Surveyor (2+0) Wireman(1+0)	30+12+2+1 =45
	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall
	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee	Remark by Scrutiny Committee		Remark By Recommendation Committee	Inspected Date
	Yes	Yes	Recommended	lay drawing received on 25.11.2020 certified Architech but not verified by inspection team/State		Not Recommended Lay out drawing received in respect of IT lab unavailability, however, the same was not verified by inspection team and State.	03-11-2020

CR

Junipthar

18 23

SL.No.	ITI's Name	State	MIS Code Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
5	Shri Dadasaheb Pundalik Patil Pvt ITI, Pachora, Dist Jalgaon Maharashtra-424105	Maharashtra	PR27000981	2.6	2019	Fitter (NSQF)	2(1+1)
						Electrician (NSQF)	2(1+1)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20
	Fitter Electrician	2(1+1) 2(1+1)	NR 2(1+1)	0	0	Fitter (19+00) Electrician (20+00)	39
	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall
	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee	Remark by Scrutiny Committee		Remark By Recommendation Committee	Inspected Date
workshop Machinery Not availabel for additional fitter Units	Yes	Recommended	Recommended ITI Need to upgrade to 4 OR More Trades by the Session 2021		Recommended Electrician 2(1+1), however ITI Should apply for minimum 4 for affiliation by session 2021.	03-11-2020	

or

[Handwritten Signature]

17 24

SL.No.	ITI's Name	State	MIS Code Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
6	T E L C Private Industrial Training Institute Nagal Nagar, Dindigul TAMIL NADU -624003	Tamil Nadu	PR33000065	NA	1999, 2002	Fitter (NSQF) Turner (NSQF) Welder (NSQF) Computer Operator and Programming Assistant (NSQF)	2(1+1) 2(1+1) 1(1+0) 2(1+1)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20
	Fitter Turner Welder	2(1+1) 2(1+1) 1(0+1)	Not Recommended	Fitter - (0+0+0) Turner - (0+0+0) Welder - (0+0+0) Computer Operator and Programming Assistant - (0+0+0) Mechanic Radio & T.V. - (0+0+0)	0	Fitter - (0+0+0) Turner - (0+0+0) Welder - (0+0+0) Computer Operator and Programming Assistant - (0+0+0) Mechanic Radio & T.V. - (0+0+0)	0
	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall
	Yes	Yes	Renovation required	Yes	Yes	Yes	Drawing Bench Not available
	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee	Remark by Scrutiny Committee		Remark By Recommendation Committee	Inspected Date
	Shortage major tools and machinery	Yes	Not Recommended	Not Recommended		Not Recommended. Since not recommended by State Director due to deficiencies mentioned in the Inspection report	24.10.2020

CAK

Sunil Kumar

FB 25

SL.No.	ITI's Name	State	MIS Code Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
7	Government Industrial Training Institute, Ambattur THIRUVALLUR TAMIL NADU -600098	Tamil Nadu	GR33000051	NA	1993, 2003 2006,2018 & 2019	Fitter (NSQF) Computer Hardware & Network Maintenance (NSQF) Electronics Mechanic (NSQF) Mechanic Diesel (NSQF) Mechanic Computer Hardware (NSQF) COPA(NSQF) Draughtsman (Civil) (NSQF) Electrician (NSQF) Information Communication Technology System Maintenance (NSQF) Mechanic (Motor Vehicle) (NSQF) Mechanic Machine Tool Maintenance (NSQF) Plastic Processing Operator Welder (NSQF) Carpenter (NSQF) Draughtsman (Civil) (NSQF) Instrument Mechanic (NSQF) Machinist (NSQF) Mason (Building Constructor) (NSQF) Mechanic Cum Operator Electronics Communication System (NSQF) Painter General (NSQF) Plumber (NSQF) Sheet Metal Worker (NSQF) Surveyor (NSQF) Wireman (NSQF)	3(1+1+1) 2(1+1) 1(1+0) 2(1+1) 2(1+1) 3(1+2) 5(2+2+1) 3(1+2) 2(1+1) 6(3+3) 2(1+1) 2(1+1) 2(1+1) 3(1+2) 1(0+1) 5(2+2+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20

id

Santhosh

HS

26

Food and Beverage Service Assistant Electrician Mechanic Auto Body Repair Mechanic Auto Body Painting Food Production (General)	2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	Food production(general) 2(1+1)	Fitter (18+20+19) (0+0+0+21+19) Computer Hardware & Network Maintenance (0) Electronics Mechanic (0) Mechanic Diesel (21+19) Mechanic Computer Hardware (22+23) COPA(18+24) (0+23) Draughtsman (Civil) (24+21+21) Electrician (19+0) Information Communication Technology System Maintenance (24+0) Mechanic (Motor Vehicle) (21+21+0) (0+0+21) Mechanic Machine Tool Maintenance (21+0) Plastic Processing Operator(11+10) Welder (0+20) (21+18) Carpenter (0+24+0) Draughtsman (Civil) (0) Instrument Mechanic (25+25) Machinist (16+0) Mason (Building Constructor) (11+0) Mechanic Cum Operator Electronics Communication System (0) Painter General (0+16) Plumber (19+19) Sheet Metal Worker (0+19) Surveyor (25+25)	744	Fitter (0+0+0) (16+14+15) (0+0+12) Computer Hardware & Network Maintenance (11+14) Electronics Mechanic (20) Mechanic Diesel (16+18) COPA(17+12+18) Draughtsman (Civil) (17+15) Electrician (16+19) Information Communication Technology System Maintenance (0+18) Mechanic (Motor Vehicle) (17+0+19) (0+13+0) Mechanic Machine Tool Maintenance (0+16) Plastic Processing Operator(0+17) Welder (18+10+11) Carpenter (6+0+0) Instrument Mechanic (15+15) Machinist (15) Mason (Building Constructor) (18) Painter General (9+0) Plumber (19+13) Sheet Metal Worker (0+18) Surveyor (21+0) Wireman (0+13)	492
Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall
Yes	Yes	Yes	Under Construction except for FP(General)	Yes	Yes	Yes
Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee	Remarks by Scrutiny Committee		Remarks by Recommendation Committee	Inspected Date
Not available except for FP and FBSA	Yes	Recommended as per SCI	Recommended as per SCI		Recommended Food production(general) 2(1+1)	03-11-2020

02

Sumit

14

SL.No.	ITI's Name	State	MIS Code Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
8	Haritha Ecological Industrial Training Centre BCM Road Palvancha, KHAMMAM, TELANGANA - 507115	TELANGANA	PR36000085	3	2019	Electrician (NSQF) Fitter (NSQF) Instrument Mechanic (NSQF)	8(4+4) 2(1+1) 1(1+0)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20
	Electrician(NSQF)	04(2+2)	NR	Electrician = 126 (21+21+21+21) (00+00+21+21) Fitter = 21 (21+00) (00+00)	147	Electrician = 40 (00+00+00+00) (20+20+00+00) Fitter = 20 (00+00) (20+00)	60
	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall
			Roof is Tin Sheet	Yes	Yes	Not Available	Not Available
	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee	Remark by Scrutiny Committee		Remark By Recommendation Committee	Inspected Date
	Most of electrical Equipment are not installed & Consumable items are not purchased	No CITS qualified Instructor available,	No appointment order & Biodata of Staff, No Library, No Drinking water, No Fire Extinguisher in workshop	Not Recommended		Not Recommended Since State Director not recommended due to deficiencies mentioned in the Inspection report. And ITI should apply for minimum 4 for affiliation by session 2021.	

ca

Sumit

(13) 29

SL.No.	ITI's Name	State	MIS Code Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
9	<u>Shri Swami SatSanganand Awam Parmanand Seva Samiti Private ITI, Kakrdahi, Baghpur, Kanpur Dehat, Uttar Pradesh - 209307</u>	Uttar Pradesh	PR09001842	4.15	2014	Fitter (NSQF) Electrician (NSQF)	2(1+1) 2(1+1)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20
	Fitter (NSQF) Electrician (NSQF) COPA	2(1+1) 2(1+1) 1(1+0)	COPA a(1+0)	Fitter (21+0) Electrician (21+0)	42	Fitter (0+20) Electrician (0+20)	40
	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall
	Not Verified	Not verified	Not Verified	Not Verified	Not Verified	Not Verified	Not Verified
	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee	Remark by Scrutiny Committee		Remark By Recommendation Committee	Inspected Date
	Not Verified	Not verified	Found a primary school in same campus, Infrastructure is not available for additional unit (Electrician and Fitter) & Actual Map is not provided	Not Recommended ITI has affilaition of 2014 ITI Need to upgrade to 4 Trades for the session 2021		Not Recommended. As recommended by State Director that since ITI is more than 5 years old, should apply for minimum 4 for affiliation by session 2021	07-11-2020

or

[Handwritten Signature]

12 29

AS HNSXLRB:162.1

SL.No.	ITI's Name	State	MIS Code Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
1	Somnath Private III Ramvadi Kodinar at Kodinar, Highway Bypass, Near Gohil ni Khan Dist. GIR Somnath Gujarat	Gujarat	PR24007115	2.5	24-May-2013 13-Oct-2010	Wireman COPA Electrician	2(2+0+0) 1(1+0+0) 2(2+0+0)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20
	Health Sanitary Inspector	3(1+1+1)	3(1+1+1)	Wireman - (0+0+0) COPA - (0+0+0) Electrician - (0+0+0)	0	Wireman - (0+0+0) COPA - (0+0+0) Electrician - (0+0+0)	Electrician 27 students
	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall
	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Avilability of Machinery, Tools & Equipments	Staff Qualification & Document	Remarks by Standing Committee	Remark by Scrutiny Committee		Remark By Recommendation Committee	Inspected Date
	Yes	Yes	Recommended for HIS 3(1+1+1)	Placed for <u>decision</u> of committee		Deferred, State Director to ascertain whether admission in the year 2018 and 2019 as claimed by ITI are correct and report.	2/24/2020

33

COE

Sumit Kumar

ANNEXURE: 16.2.2

SL.No.	ITI's Name	State	MIS Code Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
1	KS Rangasamy Institute of Technology, KSR Kalvi Nagar, Thokkavadi Post, Tiruchengode Tal, Namakkal, Tamil Nadu - 637215	Tamil Nadu	PR33000643	Established in 2019 Grading not available on NCVTMIS	31-Jul-2019	Wireman (NSQF) Mechanic (Refrigeration and Air-Conditioning) (NSQF) Draughtsman (Civil) (NSQF)	2(1+1) 2(1+1) 2(1+1)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20
	Health Sanitary Inspector	2(1+1)	1(0+1)	Established in 2019	0	Wireman - (19+0+0) Mechanic (Refrigeration and Air-Conditioning) - (8+0+0) Draughtsman (Civil) - (0+0+0)	19 + 8 + 0 = 27
	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall
	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Availibility of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee	Remark by Scrutiny Committee		Remark By Recommendation Committee	Inspected Date
	Yes	Instructor has experince of 2 years, instead of 3 years.	Not Recommended	Placed for committee decision		Recommended HSI trade 1(1+0)	23.09.2020

34

CS



31

ALMISOUR: 16-2-3

SL.No.	ITI's Name	State	MIS Code Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
1	Osman Badsha Minority Industrial Training Centre ITI Bus Stage, Yellandu- Khanumam Road, Subhash Nagar, Yellandu Bhadradi Kothiguda Telangana - 507123	Telangana	PU36000130	4.75	10-Jul-1994 17-Feb-1995 30-Dec-2002 01-Dec -2006	Health Sanitary Inspector(NSQF) Sewing Technology(NSQF) Electrician(NSQF) Fitter (NSQF)	2(1+1) 2(1+1) 8(6+2) 2(1+1)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20
	Computer Operator and Programing Assistant Draughtsman Welder	3(1+1+1) 3(1+1+1) 3(1+1+1)	Not Recommended Institute's roof in tin sheet Crack in the wall of electrical workshop IT lab not maintained Drawing hall and library not available	Health Sanitary Inspector - (20+0+0) Sewing Technology - (8+0+0) Electrician - (42+30+0) Fitter - (35+4+0)	20 + 8 + 72 + 39 = 139	Health Sanitary Inspector - (21+13+0) Sewing Technology - (14+0+0) Electrician - (80+0+0) Fitter - (20+0+0)	34 + 14 + 80 + 20 = 148
	Land lease valid	Power connectlon as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall
	Yes	No (required 45.8 kW, available 10 kW)	Yes	Yes	Yes	Yes	Yes
	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Scrutiny Committee		Remarks by Recommendation Committee		Inspected Date
	Yes	YES	Placed before Committee for decision		As requested by State Director, one week time is given to offer the comments on the matter. Hence, case deferred to next meeting.		23.09.2020

ee

Sanil Kumar

35

39

Sr. No	ITI Name	New Trade Sought For Affiliation	Units	Units Recommended by SCI	Existing Trade	Affiliated Units Shift Wise	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Availibility of Machinery, Tools & Equipments	Staff qualification & Documents	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1	WOMEN ITI NAWADA	ELECTRICIAN	02 (1+1)	02 (1+1)	ELECTRICIAN(SCVT)	02 (1+1)(SCVT)	20	47	18	59	OWN LAND(2140 sqm)	YES(TOTAL 40kw A/F)	YES(TOTAL 1794sqm)	YES(90sq m)	YES(25sq m)	YES(27 Sqm)	YES(50sq m)	Yes	Yes	Recommended	Recommended
		ELECTRONIC MECHANIC	02 (1+1)	02 (1+1)	ELECTRONIC MECHANIC(SCVT)	02 (1+1)(SCVT)	19		15					YES(56sq m)	YES(25sq m)						
		MECHANIC CONSUMER ELECTRONIC APPLIANCES	02 (1+1)	02 (1+1)	MECHANIC CONSUMER ELECTRONIC APPLIANCES(SCVT)	02 (1+1)(SCVT)	7		14					YES(56sq m)	YES(25sq m)						
		INFORMATION COMMUNICATION TECHNOLOGY & SYSTEM MAINTENANCE	02 (1+1)	02 (1+1)	INFORMATION COMMUNICATION TECHNOLOGY & SYSTEM MAINTENANCE(SCVT)	02 (1+1)(SCVT)	1		12					YES(70sq m)	YES(25sq m)						
2	GOVT WOMEN ITI SIFAMARI	ELECTRICIAN	02 (1+1)	02 (1+1)	ELECTRICIAN(SCVT)	02 (1+1)(SCVT)	19	60	18	66	OWN LAND(1800 sqm)	3.04	YES(TOTAL 1794sqm)	YES(56sq m)	YES(25sq m)	YES(27 Sqm)	YES(50sq m)	Yes	Yes	Recommended	Recommended
		ELECTRONIC MECHANIC	02 (1+1)	02 (1+1)	ELECTRONIC MECHANIC(SCVT)	02 (1+1)(SCVT)	17		16					YES(56sq m)	YES(25sq m)						
		MECHANIC CONSUMER ELECTRONIC APPLIANCES	02 (1+1)	02 (1+1)	MECHANIC CONSUMER ELECTRONIC APPLIANCES(SCVT)	02 (1+1)(SCVT)	13		16					YES(56sq m)	YES(25sq m)						
		INFORMATION COMMUNICATION TECHNOLOGY & SYSTEM MAINTENANCE	02 (1+1)	02 (1+1)	INFORMATION COMMUNICATION TECHNOLOGY & SYSTEM MAINTENANCE(SCVT)	02 (1+1)(SCVT)	11		16					YES(70sq m)	YES(25sq m)						
3	ITI THAKURGANI	ELECTRICIAN	02 (1+1)	02 (1+1)	ELECTRICIAN (SCVT)	02 (1+1)(SCVT)	20	126	19	129	OWN LAND(2025 sqm)	YES (TOTAL-45 kw)	YES (TOTAL-1300sqm)	YES (96.04sq m)	YES (42sqm)	YES (91.36sq m)	YES (31.50sq m)	Yes	Yes	Recommended	Recommended
		ELECTRONIC MECHANIC	02 (1+1)	02 (1+1)	ELECTRONIC MECHANIC (SCVT)	02 (1+1)(SCVT)	20		17					YES (67.62sq m)	YES (44.84sq m)						
		FITTER	02 (1+1)	02 (1+1)	FITTER (SCVT)	02 (1+1)(SCVT)	20		17					YES (160.85sq m)	YES (11.24sq m)						
		ICTSM	02 (1+1)	02 (1+1)	ICTSM (SCVT)	02 (1+1)(SCVT)	16		15					YES (162.92sq m)	YES (41.89sq m)						
		MECHANIC DIESEL	02 (1+1)	02 (1+1)	MECHANIC DIESEL (SCVT)	02 (1+1)(SCVT)	37		38					YES (210.08sq m)	YES (42sqm)						
		WELDER	02 (1+1)	02 (1+1)	WELDER (SCVT)	02 (1+1)(SCVT)	13		23					YES (80.04sq m)	YES (42sqm)						
4	ITI SHEKHIPURA	ELECTRICIAN	2(1+1)	2(1+1)	ELECTRICIAN(SCVT)	02(1+1)SCVT	21	158	20	160	OWN LAND(3 ACRES)	YES (TOTAL 40KW)	YES (TOTAL 5000sqm)	YES (90 SQM)	YES(11 SQM)	YES(30 SQM)	YES (60 SQM)	Yes	Yes	Recommended	Recommended
		FITTER	2(1+1)	2(1+1)	FITTER(SCVT)	02(1+1)SCVT	21		20					YES (48 SQM)	YES(176 98 SQM)						
		MECHANICS ELECTROPHIS	2(1+1)	2(1+1)	MECHANICS ELECTRONICS (SCVT)	02(1+1)SCVT	21		20					YES(56 SQM)	YES(110 SQM)						
		ICTSM	2(1+1)	2(1+1)	ICTSM (SCVT)	02(1+1)SCVT	21		20					YES(70 SQM)	YES(110 SQM)						
		WELDER	2(1+1)	2(1+1)	WELDER(SCVT)	02(1+1)SCVT	32		32					YES(90 SQM)	YES(160 SQM)						
		MECHANICS DIESEL	2(1+1)	2(1+1)	MECHANICS DIESEL(SCVT)	02(1+1)SCVT	42		43					YES(150 SQM)	YES(31 SQM)						
21		ELECTRICIAN	02 (1+1)	02 (1+1)	ELECTRICIAN (SCVT)	02 (1+1)	20	20					YES(100 Sqm)	YES(110 Sqm)							
22		FITTER	02 (1+1)	02 (1+1)	FITTER (SCVT)	02 (1+1)	19	18					YES(100 Sqm)	YES(110 Sqm)							

Handwritten signatures and initials in blue ink.

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V				
22		Mechanic Diesel	02(1+1)	02(1+1)	Mechanic Diesel-SCVT	02(1+1)	40		45																
23		Welder	02(1+1)	02(1+1)	Welder-SCVT	02(1+1)	20		20																
24		ELECTRICIAN	2(1+1)	2(1+1)	ELECTRICIAN(SCVT)	02(1+1)SCVT	21		20				YES(98 SQM)	YES(104 5156 SQM)	YES(42.9 67 SQM)										
25		FITTER	2(1+1)	2(1+1)	FITTER(SCVT)	02(1+1)SCVT	21		20				YES(88 SQM)	YES(104 5156 SQM)	YES(42.9 67 SQM)										
26		MECHANICS ELECTRONICS	2(1+1)	2(1+1)	MECHANICS ELECTRONICS (SCVT)	02(1+1)SCVT	21		20				YES(56 SQM)	YES(68.8 4 SQM)	YES(12.9 67 SQM)										
27		ICTSM	2(1+1)	2(1+1)	ICTSM (SCVT)	02(1+1)SCVT	21		20				YES(70 SQM)	YES(71 SQM)	YES(42.9 67 SQM)										
28		WELDER	2(1+1)	2(1+1)	WELDER(SCVT)	02(1+1)SCVT	32		32				YES(104 5156 SQM)	YES(104 5156 SQM)	YES(42.9 67 SQM)										
29		MECHANICS DIESEL	2(1+1)	2(1+1)	MECHANICS DIESEL(SCVT)	02(1+1)SCVT	42		46				YES(104 5156 SQM)	YES(104 5156 SQM)	YES(42.9 67 SQM)										
30	10	ITI ARWAL					158		158		158	(OWN LAND) 5 ACRES	YES(TOTAL 40KW)												
31		ELECTRICIAN	02(1+1)	02(1+1)	ELECTRICIAN(SCVT)	02(1+1)SCVT	21		17				YES(104 5156 SQM)	YES(104 5156 SQM)	YES(42.9 67 SQM)										
32		ELECTRONIC MECHANIC	02(1+1)	02(1+1)	ELECTRONIC MECHANIC(SCVT)	02(1+1)SCVT	21		17				YES(88 sqm)	YES(25 sqm)	YES(25 sqm)										
33		MECHANIC CONSUMER ELECTRONIC APPLIANCES	02(1+1)	02(1+1)	MECHANIC CONSUMER ELECTRONIC APPLIANCES(SCVT)	02(1+1)SCVT	9	57	12	56		OWN LAND(0000 sqm)	YES(TOTAL 63kw A/C)	YES(TOTAL 1-300sqm)	YES(88 sqm)	YES(25 sqm)	YES(25 sqm)	YES(100 sqm)	Yes	Yes	Recommended	Recommended			
34		INFORMATION COMMUNICATION TECHNOLOGY & SYSTEM MAINTENANCE	02(1+1)	02(1+1)	INFORMATION COMMUNICATION TECHNOLOGY & SYSTEM MAINTENANCE(SCVT)	02(1+1)SCVT	6		4				YES(70 sqm)	YES(25 sqm)	YES(25 sqm)										
35	11	ITI FALGANI					113		128		128	OWN LAND (14164 sqm)	YES(TOTAL 45KW)	YES(TOTAL 1240 4sqm)	YES(104 5156 SQM)	YES(104 5156 SQM)	YES(30 sqm)	YES(100 sqm)	Yes	Yes	Recommended	Recommended			
36		ELECTRICIAN	02(1+1)	02(1+1)	ELECTRICIAN (SCVT)	02(1+1)SCVT	20		20				YES(104 5156 SQM)	YES(104 5156 SQM)	YES(30 sqm)										
37		FITTER	02(1+1)	02(1+1)	FITTER(SCVT)	02(1+1)SCVT	20		20				YES(104 5156 SQM)	YES(104 5156 SQM)	YES(30 sqm)										
38		ELECTRONICS MECHANIC	02(1+1)	02(1+1)	ELECTRONICS MECHANIC(SCVT)	02(1+1)SCVT	18		11				YES(104 5156 SQM)	YES(104 5156 SQM)	YES(30 sqm)										
39		ICTSM	02(1+1)	02(1+1)	ICTSM(SCVT)	02(1+1)SCVT	5		11				YES(104 5156 SQM)	YES(104 5156 SQM)	YES(30 sqm)										
40		WELDER	2	2	WELDER(SCVT)	02 (SCVT)	11		19				YES(104 5156 SQM)	YES(104 5156 SQM)	YES(30 sqm)										
41		MECHANIC DIESEL	2	2	MECHANIC DIESEL(SCVT)	02 (SCVT)	39		39				YES(104 5156 SQM)	YES(104 5156 SQM)	YES(30 sqm)										
42		ELECTRICIAN	04(2+2)	04(2+2)	ELECTRICIAN(SCVT)	04(2+2)SCVT	40		36				YES(TOTAL 5.711kw)	YES(204 sqm)	YES(41 sqm)										
43		ELECTRONIC MECHANIC	02(1+1)	02(1+1)	ELECTRONIC MECHANIC(SCVT)	02(1+1)SCVT	20		19				YES(TOTAL 3.04kw)	YES(104 sqm)	YES(41 sqm)										
44		INFORMATION COMMUNICATION TECHNOLOGY & SYSTEM MAINTENANCE	02(1+1)	02(1+1)	INFORMATION COMMUNICATION TECHNOLOGY & SYSTEM MAINTENANCE(SCVT)	02(1+1)SCVT	17	77	13	66		OWN LAND(0235 sqm)	YES(TOTAL 4330 14 sqm)	YES(104 sqm)	YES(41 sqm)	YES(25 sqm)	YES(50 sqm)	Yes	Yes	ITI needs to apply with minimum 4 trades	ITI needs to have 4 or more trades The case to be taken up on file				
45	14	Govt ITI TARAPUR (MUNGER)					129		128		128	YES OWN LAND(3 ACRES)	YES(40 KW)	YES(98 SQM)	YES(210 SQ)	YES(31 SQ)	YES(104 5156 SQM)	YES(128 80 SQ)	YES(11 50 SQ)	YES(30 SQ)	YES(60 SQ)	Yes	Yes	Recommended	Recommended
46		ELECTRICIAN	2(1+1)	2(1+1)	ELECTRICIAN (SCVT)	2(1+1) SCVT	20		18				YES(98 SQM)	YES(210 SQ)	YES(31 SQ)										
47		ELECTRONIC MECHANIC	2(1+1)	2(1+1)	ELECTRONIC MECHANIC (SCVT)	2(1+1) SCVT	20		18				YES(98 SQM)	YES(210 SQ)	YES(31 SQ)										
48		ICTSM	2(1+1)	2(1+1)	ICTSM (SCVT)	2(1+1) SCVT	11		18				YES(70 SQM)	YES(160 SQ)	YES(31 50 SQ)										
49		FITTER	2(1+1)	2(1+1)	FITTER (SCVT)	2(1+1) SCVT	21		18				YES(88 SQM)	YES(176 98 SQ)	YES(31 50 SQ)										
50		MECHANIC DIESEL	2(1+1)	2(1+1)	MECHANIC DIESEL(SCVT)	2(1+1) SCVT	39		30				YES(150 SQ)	YES(210 SQ)	YES(31 50 SQ)										

Handwritten signature and initials in blue ink.

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	
73		WELDER	2(1+1)	2(1+1)	WELDER (SCVT)	2(1+1) SCVT	18		25				YES(80 SQ M)	YES(160 SQ M)	YES(31 SQ M)							
74		ELECTRICIAN	2(1+1) Unit	2(1+1) Unit	ELECTRICIAN	2(1+1) Unit	10		18				YES	YES(210.02 sq M)								
75		FITTER	2(1+1) Unit	2(1+1) Unit	FITTER	2(1+1) Unit	19		18				YES	YES(176.98 sq M)								
76	15	ELECTRONICS MECHANIC	2(1+1) Unit	2(1+1) Unit	ELECTRONICS MECHANIC	2(1+1) Unit	20	132	18	135	YES (OWN LAND(5 ACRES))	36 KW	YES	YES(120 sq M)	YES Available	YES(30 sq m)	YES(60 sq M)	Yes	Yes	Recommended	Recommended	
77		ICTSM	2(1+1) Unit	2(1+1) Unit	ICTSM	2(1+1) Unit	11		13				YES	YES(160 sq M)								
78		MECHANIC DIESEL	2(2+0) Unit	2(2+0) Unit	MECHANIC DIESEL	2(2+0) Unit	40		43				YES	YES(110 sq M)								
79		WELDER	2(2+0) Unit	2(2+0) Unit	WELDER	2(2+0) Unit	24		29				YES	YES(160 sq M)								
80		ELECTRICIAN	2(1+1) Unit	2(1+1) Unit	ELECTRICIAN	2(1+1) Unit	19		19													
81		FITTER	2(1+1) Unit	2(1+1) Unit	FITTER	2(1+1) Unit	17		18													
82	16	ELECTRONICS MECHANIC	2(1+1) Unit	2(1+1) Unit	ELECTRONICS MECHANIC	2(1+1) Unit	20	118	19	99	YES	YES	YES	YES	YES	YES	YES	Yes	Yes	Recommended	Recommended	
83		ICTSM	2(1+1) Unit	2(1+1) Unit	ICTSM	2(1+1) Unit	9															
84		MECHANIC DIESEL	2(2+0) Unit	2(2+0) Unit	MECHANIC DIESEL	2(2+0) Unit	37		29													
85		WELDER	2(2+0) Unit	2(2+0) Unit	WELDER	2(2+0) Unit	16		14													

Sumit

cd

16.1.6 (cd)

(4)

श्री कृष्णा अम्बेडकर प्राइवेट आईटी आईओ

M.P.

सिद्धा महिलासपुर, मधुवन, जलपाद-मऊ (उ.प्र.)

प्रबन्धक/प्रधानाचार्य

MOS:Y00TJ18100

पत्रांक :

दिनांक: 13.11.20

Handwritten: 20/11/2020
DD (As)



सेवा में,

महानिदेशक डीजीटी
भारत सरकार दिल्ली

विषय-

श्रीकृष्णा अम्बेडकर प्राइवेट आईटीआईओ मऊ यूपी (MIS CODE:PR09900536) की मान्यता बहाल करने के संबंध में.

महोदय



आपके कार्यालय के पत्रांक DGT-ड्राफ्ट 169/2019-0/0 DIR (TC) के मुताबिक उपरोक्त संस्थान की मान्यता समाप्त कर दी गई है. इस संबंध में अवगत कराना है कि मेरी आईटीआईओ की मान्यता फिटर (2+2+2) और इलेक्ट्रिशियन (2+2+2) ट्रेड के लिए अगस्त 2017 में प्राप्त हुई थी. संस्थान में डीजीटी के मानक के अनुसार सभी सुविधाएं पूर्ण हैं और ट्रेनिंग की कार्यवाही सुचारु रूप से चलती है. लेकिन किसी की शिकायत के कारण संस्थान को डीजीटी द्वारा कारण बताओ नोटिस दिनांक 28-08-19 को प्राप्त हुआ. इस नोटिस का जवाब तय समय के भीतर 02-09-19 को डीजीटी को रजिस्टर्ड डाक द्वारा भेज दिया गया. इसके बाद 05-11-19 को संस्थान की जांच संयुक्त समिति द्वारा कराई गई. इस जांच में डीजीटी के सभी मानक पूर्ण पाए गए. जांच के समय कुछ हेंड टूल्स कम थे जो ट्रेनिंग के दौरान कई बार टूट जाते हैं या ट्रेनीज के द्वारा गायब कर दिए जाते हैं. संस्थान ने उपरोक्त टूल्स के ऑर्डर और पेमेंट का स्पष्टीकरण लेटर पैड पर लिखकर दिया था. बिल इस पत्र के साथ संलग्न है. निरीक्षण समिति ने संस्थान को यथावत संचालन की जानकारी दी. संयुक्त समिति ने संस्थान के खिलाफ मान्यता समाप्ति संबंधित किसी भी प्रकार की कार्यवाही नहीं की. इसके बाद संस्था सुचारु रूप से चलती रही. तारीख 24.09.20 को पत्रांक DGT-INISE/13/2020-0/0 DIR(TC) के जरिए ऐसी संस्थाओं की लिस्ट जारी हुई जिनके खिलाफ मान्यता समाप्ति की कार्यवाही की जा रही थी. इस लिस्ट में मेरे संस्थान का भी नाम था. लिस्ट देखते ही हमने तुरंत यूपी निदेशालय से संपर्क किया तो बताया कि आपके संस्थान की जांच रिपोर्ट के कॉलम में NA लिखा है डीजीटी ने इसे आधार बनाकर कार्यवाही की है. इसके बाद संस्थान ने जांच समिति में शामिल संयुक्त निदेशक आजमगढ़ से जांच रिपोर्ट को लेकर जानकारी मांगी तो उन्होंने जवाब दिया जहां NA लिखा है वो नई मान्यता का कॉलम है जो आपके आईटीआईओ के लिए से संचालित है ये कॉलम आप पर लागू नहीं होता. इसलिए NA लिखा गया

Handwritten: TL
All such case
where person
is representing
the list may
be put up with
the Assembly
& report
can be in 17th
Meeting

Handwritten: 13/11/20
[Signature]

जिस कॉलम में NA लिखा गया है वहां trades/units, which are now recommended for
utilization लिखा है. ये कॉलम हमारे संस्थान पर लागू नहीं होता क्योंकि संस्थान 2017 से ही मान्यता
प्राप्त है. जांच समिति ने भी इसी वजह से NA लिखा था।

हमने इस बात की जानकारी यूपी निदेशालय को दी तो वहां कहा गया डीजीटी जाड़े क्योंकि जांच
डीजीटी ने कराई है और कार्रवाई भी दिल्ली से हुई है. इसके बाद संस्थान की ओर से डीजीटी में
प्रत्यावेदन दिया गया और ई-मेल के जरिए भी जानकारी दी गई. डीजीटी की ओर से सलाह दी गई कि
आप यूपी निदेशालय से संपर्क करिए. हम निदेशालय और डीजीटी के बीच भागदौड़ करते रहे. पूरी बीच
पत्रांक DGT प्रपट 169/2019-0/0 DMR (TC) के जरिए 22-10-2020 को सेरे संस्थान की मान्यता
समाप्त कर दी गई. मान्यता समाप्त करने से पहले हमें अपना पत्र रखने का आधिकारिक मौका तक
नहीं मिला. इस इकतरफा कार्रवाई से संस्थान तथा वर्तमान में परिश्रमगत 162 परिश्रमार्थियों के साथ
बाइसाफी हुई है. वर्तमान सब से एडमिशन की प्रक्रिया जारी है. मान्यता समाप्ति के आदेश से आगिया
और संस्थान की छवि को बहुत क्षति पहुंची है।

अतः श्रीमान से प्रार्थना है कि अपने आदेश पर पुनः विचार करते हुए मान्यता बहाल करने
की कृपा करें।

संतोषक

भवदीय -
Suresh Yadav
निदेशालय

श्रीमान प्रमोद प्रसाद आरटीआई
कलकत्ता, पुरत-पुन

Sunit Kumar

cad

Shri. Krishna Ambedkar Private 211
Sriharipuram, Madurai

Proforma for Recommendations by the Members of Standing Committee

Standing Committee Members Inspected (Name & Address of the Institute) on (date month and year)

Various information furnished in the report on the prescribed proforma have been checked and verified as per the prescribed norms and standards. Based on the inspection, the following comments and recommendations are made as under:-

1. Defects and deficiencies noticed during the inspection, which should be communicated to the Principal of the Institute for rectification.

Sl. No.	Trade with units for which affiliation has been sought	Defects and deficiencies noticed
1	2	3
		Some shortage of trainers tool kit for Dite and Electrician

2. Availability of tools, equipment and machinery shown in the lists have been verified. The lists have been signed by all the members.

3. Infrastructural facilities available at the Institute have been verified additionally and separately for the trades / units for which affiliation is sought now. These facilities are not mixed up with those, which are required as per the norms for the trades/units, which had already been affiliated. The comprehensive list of infrastructure is given in para IV (Infrastructure) of Annexure III.

4. Trades / Units, which had already been affiliated to NCVT

Sl. No.	Name of the Trade	Year/Session of start	Number of units in			Total number of units
			I-shift	II-Shift	III-shift	
1	2	3	4	5	6	
	Electrician		2	2	2	06
	Fitter		2	2	2	06

5. Details of trades/units existing in the Institute:

Sl. No.	Name of the Trade	Number of units started with year-wise break up	
		Years	Number of trainees presently on-roll in each unit/shift
1	2	3	4
	Fitter	1st year / 2nd year	62
	Electrician	1st year / 2nd year	122

100

[Signature]

6. Trades/Units, which are now recommended for affiliation:

Sl. No.	Name of the Trade	Year/Session of start	Number of units in			Total number of units
			I-Shift	II-Shift	III-Shift	
1	2	3	4	5	6	7
			N/A			

7. Other observations/comments, if any:

The above comments/recommendations from S. No. 1 to 7 are made below. A copy of the complete Inspection Report has been collected by the representative of the Directorate General of Training for sending the same to the Headquarters, New Delhi. The other copies would be forwarded to the DGT, GKSDE.

Date: 6/11/19

Signature of the Members:

NCVT
Deputy Director
GKSDE
Gurgaon
01/11/2019

Representative

SCVT

Representative
(Industry/Training)

MEMBER, STANDING COMMITTEE

Industry/Trade Union

Representatives/Trade Experts

Name and designation of the members and Office Seal.

Note:

1. Each page of this proforma should be signed in ink with date by the Members.
2. The Standing Committee should consist of minimum three members for inspection.

Signature of State Director:

Date:

Name of the State Directorate and
Office Seal

clb

Juni Khan

श्री कृष्णा प्राइवेट आईटी सीए आईओ

गांगेवीर, मधुवन, जनपद-मऊ (उप्र)

पत्रांक/प्रधानाचार्य

MOU/941524/10X

पत्रांक /

दिनांक: 13.11.20

सेवा में,

महानिदेशक डीजीटी

भारत सरकार दिल्ली

विषय-

श्रीकृष्णा प्राइवेट आईटीआई मऊ सूची (MIS CODE-PR09900505) की मान्यता
बहाल करने के संबंध में:-

महोदय

आपके कार्यालय के पत्रांक DGT-इफ्ट 169/2019-0/0 DIR (TC) के मुताबिक उपरोक्त संस्थान की मान्यता समाप्त कर दी गई है इस संबंध में अवगत कराना है कि मेरी आईटीआई की मान्यता फिटर (2+2+2) और इलेक्ट्रिशियन (2+2+2) ट्रेड के लिए अगस्त 2017 में प्राप्त हुई थी, संस्थान में डीजीटी के मानक के अनुसार सभी सुविधाएं पूर्ण हैं और ट्रेनिंग की कार्रवाई सुचारु रूप से चलती है, लेकिन किसी की शिकायत के कारण संस्थान को डीजीटी द्वारा कारण बताओ नोटिस दिनांक 28-08-19 को प्राप्त हुआ, इस नोटिस का जवाब तय समय के भीतर 02-09-19 को डीजीटी को रजिस्टर्ड डाक द्वारा भेज दिया गया, इसके बाद 05-11-19 को संस्थान की जांच संयुक्त समिति द्वारा कराई गई, इस जांच में डीजीटी के सभी मानक पूर्ण पाए गए, जांच के समय कुछ हैंड टूल्स कम थे जो ट्रेनिंग के दौरान कई बार टूट जाते हैं या ट्रेनीज के द्वारा गायब कर दिए जाते हैं, संस्थान ने उपरोक्त टूल्स के ऑर्डर और पेमेंट का स्वीकारण लेटर पैड पर लिखकर दिया था, बिल इस पत्र के साथ संलग्न है, निरीक्षण समिति ने संस्थान को यथावत संचालन की जानकारी दी, संयुक्त समिति ने संस्थान के खिलाफ मान्यता समाप्ति संबंधित किसी भी प्रकार की कार्रवाई नहीं की, इसके बाद संस्था सुचारु रूप से चलती रही, तारीख 24.09.20 को पत्रांक DGT-INISE/13/2020-0/0 DIR(TC) के जरिए ऐसी संस्थाओं की लिस्ट जारी हुई जिनके खिलाफ मान्यता समाप्ति की कार्रवाई की जा रही थी, इस लिस्ट में मेरे संस्थान का भी नाम था, लिस्ट देखते ही हमने तुरंत यूपी निदेशालय से संपर्क किया तो बताया गया कि आपके संस्थान की जांच रिपोर्ट के कॉलम में NA लिखा है डीजीटी ने इसे आधार बनाकर कार्रवाई की है, इसके बाद संस्थान ने जांच समिति में शामिल संयुक्त निदेशक आजमगढ़ से जांच रिपोर्ट को लेकर जानकारी मांगी तो उन्होंने जवाब दिया जहां NA लिखा है वो नई मान्यता का कॉलम है, आपकी आईटीआई पहले से संचालित है ये कॉलम आप पर लागू नहीं होता, इसलिए NA लिखा गया था।

CS

Sumit

जिस कॉलम में NA लिखा गया है वहां trades/units, which are now recommended for affiliation लिखा है. ये कॉलम हमारे संस्थान पर लागू नहीं होता क्योंकि संस्थान 2017 से ही मान्यता प्राप्त है. जांच समिति ने भी इसी वजह से NA लिखा था।

हमने इस बात की जानकारी यूपी निदेशालय को दी तो वहां कहा गया डीजीटी जाइए क्योंकि जांच डीजीटी ने कराई है और कार्रवाई भी दिल्ली से हुई है. इसके बाद संस्थान की ओर से डीजीटी में प्रत्यावेदन दिया गया और ई-मेल के जरिए भी जानकारी दी गई. डीजीटी की ओर से सलाह दी गई कि आप यूपी निदेशालय से संपर्क करिए. हम निदेशालय और डीजीटी के बीच भागदौड़ करते रहे. इसी बीच पत्रक DGT ड्रफ्ट 169/2019-0/0 DIR (TC) के जरिए 22-10-2020 को मेरे संस्थान की मान्यता समाप्त कर दी गई. मान्यता समाप्त करने से पहले हमें अपना पक्ष रखने का आधिकारिक मौका तक नहीं मिला. इस इकतर्फा कार्रवाई से संस्थान तथा वर्तमान में प्रशिक्षणरत 138 प्रशिक्षणार्थियों के साथ नुक़सापी हुई है. वर्तमान सत्र में एडमिशन की प्रक्रिया जारी है। मान्यता समाप्ति के आदेश से आशिक और संस्थान की छवि को बहुत क्षति पहुंची है।

अतः श्रीमान से प्रार्थना है कि अपने आदेश पर पुनः विचार करते हुए मान्यता बहाल करने की कृपा करें।

संलग्नक

भवदीय -

अध्यासार्थ

श्री कृष्ण प्राइवेट आइटीआई
करोली, मधुवन २२

Sanil Kumar

ce

Proforma for Recommendations by the Members of Standing Committee

Standing Committee Members Inspected (Name & Address of the Institute) on (date month and year)

Various information furnished in the report on the prescribed proforma have been checked and verified as per the prescribed norms and standards. Based on the inspection, the following comments and recommendations are made as under:-

1. Defects and deficiencies noticed during the inspection, which should be communicated to the Principal of the Institute for rectification.

Sl. No.	Trade with units for which affiliation has been sought	Defects and deficiencies noticed
1	2	3
		Some shortage of trainees tool kit for kit

2. Availability of tools, equipment and machinery shown in the lists have been verified. The lists have been signed by all the members.
Electrician

3. Infrastructural facilities available at the Institute have been verified additionally and separately for the trades / units for which affiliation is sought now. These facilities are not mixed up with those, which are required as per the norms for the trades/units, which had already been affiliated. The comprehensive list of infrastructure is given in para IV (Infrastructure) of Annexure III.

4. Trades / Units, which had already been affiliated to NCVT

Sl No.	Name of the Trade	Year/Session of start	Number of units in			Total number of units
			I-Shift	II-Shift	III-Shift	
1	2	3	4	5	6	
	Electrician		2	2	2	06
	Fitter		2	2	2	06

5. Details of trades/units existing in the Institute:

Sl. No.	Name of the Trade	Number of units started with year - wise break up	
		Years	Number of trainees presently on-roll in each unit/shift
1	2	3	4
	Fitter	1st year / 2nd year	72
	Electrician	1st year / 2nd year	120

ee
Sunil Kumar

6. Trades/Units, which are now recommended for affiliation:

Sl. No.	Name of the Trade	Year/Session of start	Number of units in			Total number of units
			I-Shift	II-Shift	III-Shift	
1	2	3	4	5	6	7
		N/A				

7. Other observations/comments, if any:

The above comments/recommendations from S. No. 1 to 7 are made by us. A copy of the complete inspection Report has been collected by the representative of the Directorate General of Training for sending the same to the Headquarters, New Delhi. The other copies would be forwarded to the DGT, MSDE.

Date: 5/11/19

Signature of the Members:

NCVT
Director
[Signature]
11/01/2019

Representative

SCVT

[Signature]
Representative
[Signature]
([Signature])
[Signature]

Name and designation of the members and Office Seal.

Industry/Trade Union

Representatives/Trade Experts

Note:

1. Each page of this proforma should be signed in ink with date by the Members.
2. The Standing Committee should consist of minimum three members for inspection.

Signature of State Director
Date
Name of the State Directorate and
Office Seal

[Signature]

[Signature]

प्रेषक,

संयुक्त निदेशक(प्रशि०/शिक्षु०),
आजमगढ़ मण्डल आजमगढ़।

सेवा में,

निदेशक,
प्रशिक्षण एवं सेवायोजन,
उ०प्र०, लखनऊ।

पत्रांक: 579 / मान्यता / जॉच / डी.अ. / सं.स.नि. / 2019

दिनांक: 20.11.2019


विषय: (De-Affiliation संबंधि) संयुक्त समिति से निरीक्षण कर श्री कृष्णा अम्बेडकर निजी औद्योगिक प्रशिक्षण संस्थान, सीधा अहिलास पुर, पोस्ट-मधुबन, मऊ की जॉच रिपोर्ट का प्रेषण।

सहोदय,

उपरोक्त विषयक निदेशालय पत्रांक: 3140/टी-3/रा०प०/सं०/डी-अफ/2020 लखनऊ दिनांक-24.10.2019 का सन्दर्भ ग्रहण करने का कष्ट करे। जिसके द्वारा मण्डल में संचालित श्री कृष्णा अम्बेडकर निजी औद्योगिक प्रशिक्षण संस्थान, सीधा अहिलास पुर, पोस्ट-मधुबन, मऊ की संयुक्त समिति से जॉच कर जॉच आख्या निदेशालय प्रेषित करने के निर्देश दिये गये हैं।

उक्त के कम में श्री कृष्णा अम्बेडकर निजी औद्योगिक प्रशिक्षण संस्थान, सीधा अहिलास पुर, पोस्ट-मधुबन, मऊ की जॉच रिपोर्ट वाछित संलग्नको सहित दो प्रतियो में आवश्यक कार्यवाही हेतु प्रेषित है।
संलग्नक:- उपरोक्तानुसार जॉच रिपोर्ट दो प्रतियो में।

भवदीय,


(एस० एन० राम)
संयुक्त निदेशक/शिक्षु०
(प्रशि०/शिक्षु०)
आजमगढ़ मण्डल-आजमगढ़

Shri Krishna Ambedkar Private ITI
Sidha ~~Bar~~ Haidaspur, Meer.

Proforma for Recommendations by the Members of Standing Committee

Standing Committee Members Inspected (Name & Address of the Institute) on (date month and year)

Various Information furnished in the report on the prescribed proforma have been checked and verified as per the prescribed norms and standards. Based on the inspection, the following comments and recommendations are made as under:-

1. Defects and deficiencies noticed during the inspection, which should be communicated to the Principal of the Institute for rectification.

Sl. No.	Trade with units for which affiliation has been sought	Defects and deficiencies noticed
1	2	3
		Some shortage of

Wires & Kit for Electric

2. Availability of tools, equipment and machinery shown in the lists have been verified. The lists have been signed by all the members.

3. Infrastructural facilities available at the Institute have been verified additionally and separately for the trades / units for which affiliation is sought now. These facilities are not mixed up with those, which are required as per the norms for the trades/units, which had already been affiliated. The comprehensive list of Infrastructure is given in para IV (Infrastructure) of Annexure III.

4. Trades / Units, which had already been affiliated to NCVT.

Sl. No.	Name of the Trade	Year/Session of start	Number of units in			Total number of units
			I-Shift	II-Shift	III-Shift	
1	2	3	4	5	6	
	Electrician		2	2	2	06
	Fitter		2	2	2	06

5. Details of trades/units existing in the Institute:

Sl. No.	Name of the Trade	Number of units started with year - wise break up	
		Years	Number of trainees presently on-roll in each unit/shift
1	2	3	4
	Fitter	1st year / 2nd year	62
	Electrician	1st year / 2nd year	122

JS

Sanjit Kumar

प्रेषक,

संयुक्त निदेशक(प्रशि०/शिक्षु०),
आजमगढ़ मण्डल आजमगढ़।

सेवा में,

निदेशक,
प्रशिक्षण एवं सेवायोजना,
उ०प्र०, लखनऊ।

पत्रांक: 585/मान्यता/जॉच/डी.अ./सं.स.नि./2019

दिनांक: 20.11.2019

विषय:

(De-Affiliation संबंधि) संयुक्त समिति से निरीक्षण कर श्री कृष्णा निजी औद्योगिक प्रशिक्षण संस्थान, गांगेबीर मधुबन, मऊ की जॉच रिपोर्ट का प्रेषण।

महोदय,

उपरोक्त विषयक निदेशालय पत्रांक: 3140/टी-3/रा०प०/सं०/डी-अफ/2020 लखनऊ दिनांक--24.10.2019 का सन्दर्भ ग्रहण करने का कष्ट करे। जिसके द्वारा मण्डल में संचालित श्री कृष्णा निजी औद्योगिक प्रशिक्षण संस्थान, गांगेबीर मधुबन, मऊ की संयुक्त समिति से जॉच कर जॉच आख्या निदेशालय प्रेषित करने के निर्देश दिये गये है।

उक्त के कम में श्री कृष्णा निजी औद्योगिक प्रशिक्षण संस्थान, गांगेबीर मधुबन, मऊ की जॉच रिपोर्ट वाछित संलग्नको सहित दो प्रतियो में आवश्यक कार्यवाही हेतु प्रेषित है।

संलग्नक:- उपरोक्तानुसार जॉच रिपोर्ट दो प्रतियो में।

भवदीय,

(एस० प्रशि० राम)

संयुक्त निदेशक(प्रशि०/शिक्षु०)
आजमगढ़ मण्डल आजमगढ़।
आजमगढ़ मण्डल-आजमगढ़



Sri Krishna Jyoti ITI, Gowdavar, Mal

Proforma for Recommendations by the Members of Standing Committee

Standing Committee Members Inspected (Name & Address of the Institute) on (date month and year)

Various information furnished in the report on the prescribed proforma have been checked and verified as per the prescribed norms and standards. Based on the inspection, the following comments and recommendations are made as under:-

1. Defects and deficiencies noticed during the inspection, which should be communicated to the Principal of the Institute for rectification.

Sl. No.	Trade with units for which affiliation has been sought	Defects and deficiencies noticed
1	2	3

Some shortage of
brained tool kit for (s)
Electrician

2. Availability of tools, equipment and machinery shown in the lists have been verified. The lists have been signed by all the members.

3. Infrastructural facilities available at the Institute have been verified additionally and separately for the trades / units for which affiliation is sought now. These facilities are not mixed up with those, which are required as per the norms for the trades/units, which had already been affiliated. The comprehensive list of infrastructure is given in para IV (Infrastructure) of Annexure III.

4. Trades / Units, which had already been affiliated to NCVT.

Sl. No.	Name of the Trade	Year/Session of start	Number of units in			Total number of units
			I-Shift	II-Shift	III-Shift	
1	2	3	4	5	6	
	Electrician		2	2	2	06
	Fitter		2	2	2	06

5. Details of trades/units existing in the Institute:

Sl. No.	Name of the Trade	Number of units started with year - wise break up	
		Years	Number of trainees presently on-roll in each unit/shift
1	2	3	4
	Fitter	1st year / 2nd year	72
	Electrician	1st year / 2nd year	120

ca

[Signature]

