

DGT-AFF011 (51)/2/2020-O/O DIR (TC)
Government of India
Ministry of Skill Development & Entrepreneurship
Directorate General of Training

1st Floor, CIRTES Building,
Pusa Campus, Pusa, New Delhi-110012
Dated: 28th December, 2020

To,
All the State Directors (dealing with Affiliation)

Sub: - Minutes of Meeting of 17th Recommendation Committee Meeting

Sir/Madam,

Please find enclosed herewith the approved Minutes of Meeting along with Annexures of 17th Recommendation Committee held on 11th December, 2020. However implementation orders agenda item wise will be issued in due course of time.

This issues with the approval of competent authority, DGT

Yours faithfully,


(Sunil Kumar Gupta)
Director

Copy to:-

1. Sr PPS to DG/AS, DGT, New Delhi
2. Sr PPS to DDG, DGT, New Delhi
3. All RDSDEs


(Ravi Chilukoti)
Joint Director

Approved Minute for 17th Recommendation Committee Meeting

Minutes of 17th Meeting of "Recommendation Committee DGT" dealing with affiliation ITIs held on 11th December, 2020 at 1500Hrs through Video conference

Representation From DGT	Representation from States
Smt. Neelam Shami Rao, Director General Smt. Sandhya Salwan, Deputy Director General Shri. Sunil Gupta, Director Shri. Ravi Chilukoti, Jt. Director Shri. R Murugarajan, Dy Director Shri. Amit Yadav, Asst Director Shri. Parveen Kumar, JTA	Shri. Dhanaraju, Director, Madhya Pradesh Shri. M K Verma, Director, Rajasthan Shri. Chnadraseshkar, Director, Bihar Shri. Nagesh, Jt Director, Telangana Shri. Satyanarayana, Joint Director, Andhra Pradesh Shri. Yogesh Patel, Jt Director, Maharashtra Shri. A. K. Rana, Joint Director, Uttar Pradesh Shri. Sunil Desai, Dy Director, Madhya Pradesh Shri. Prasanjit Bose, Dy Director, West Bengal Shri. Nitin Nikam, Asst Director, Maharashtra

At the outset, Shri. Sunil Kumar Gupta, Director and Shri. Ravi Chilukoti, Joint Director welcomed all the committee members. Thereafter, DG(T), The Chairman of the Recommendation Committee took the agenda point by point for the detailed discussions. The details of the discussions, deliberations and agenda wise decisions in the meeting are as appended below:

The DG(T) desired that the agenda to be scrutinised as per the protocol of apex committee recommendations.

Agenda No. 17.1: Affiliation of ITIs

17.1.1(a) New ITI proposals:

DGT received Five proposals- Three from Maharashtra, one from Telangana and one from West Bengal state (list placed at Annexure 17.1.1(a)) as per details under:

ITI wise break up for recommendation of the committee is as follows:

Sl. No.	ITI's Name/MIS Code/Application Number	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1	Dr. Tanajirao Chorge Private ITI At/Post- Nandwal, Jaital Phata Tal. Karveer Dist. Kolhapur, Maharashtra- 416001. TMP27480P R158/1149809	Electrician Fitter Mechanic (Motor Vehicle) Welder	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	Recommended	Recommended. However, Instructor staff Qualification should be made 100% CITS qualified. States to update on Instructor Staff Qualification by 15 th January, 2021. Electrician 2(1+1) Fitter 2(1+1) MMV 2(1+1) Welder 2(1+1)





2	KESHAVRAO SHENDE Private ITI, At.Akola(Udasa), Post:ApturTa:Umred, Dist: Nagpur,Maharashtra -441203. TMP27484PR15810 06215	COPA Fitter Electrician Electronic Mechanic	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	Recommended	Recommended. However, Instructor staff Qualification should be made 100 % CITS qualified. States to update on Instructor Staff Qualification by 15 th January, 2021. COPA 2(1+1) Fitter 2(1+1) Electrician 2(1+1) Electronic Mechanic 2(1+1)
3	Shri TukaramjiSolavPatil Pvt ITI, Tornala- Jodgavhan, Tq. Dist. Washim- 4444505 TMP27499PR15811 44226	"Fitter Welder Mechanic Diesel COPA Electrician Wireman"	"2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)"	NR	Not Recommended	Rejected As not recommended by State Director as the ITI was not recommended by inspection team and not to be considered for this academic session.
4	Venkata Sai Pvt ITI Adilabad SY No. 104, Main Road, ICHODE, Dist: Adilabad Telangana - 504307 TMP36501PR15827 89810	Electrician COPA Dress Making Mechanic Refrigerati on& AC	6(2+2+2) 3(1+1+1) 3(1+1+1) 3(1+1+1)	NR	The state has forwarded details verifying the availability of IT lab, completing the shortage of tools for MRAC	Deferred As confirmed by team leader (Shri Vijay Krishna, Asst, Director, NSTI, Hyderabad) on the date of inspection IT lab was not there, based on the ITI letter State Director verified IT lab. Joint Inspection shall be conducted and shall be considered for session 2021 for which ITI shall apply on online affiliation portal.
5	Ramkrishna Memorial Pvt ITI Vill - Manakchitra Post office Joypur Dist - Purulia West Bengal - 723103TMC 19321 TR1579936848	Fitter Electrician Welder Mechanic Diesel	8(3+3+2) 8(3+3+2) 5(2+2+1) 4(2+1+1)	8(3+3+2) 8(3+3+2) 5(2+2+1) 3(1+1+1)	Recommended except for 3 rd shift	Recommended Fitter 6(3+3) Electrician 6(3+3) Welder 4(2+2) Mechanic Diesel 2(1+1) However, Instructor staff Qualification

Junil *cd*

						should be made 100% CITS qualified. States to update on Instructor Staff Qualification by 15 th January, 2021
--	--	--	--	--	--	--

All the instructors in ITIs should be CITS trained, except for courses for which CITS training is not available.

17.1.1(b) New ITI proposals- Deferred Proposals:

Deferred 7 proposals from previous meetings (list placed at Annexure 17.1.1(b)) for New ITIs are placed below: -

ITI wise break up for recommendation of the committee is as follows:

Sl. No	ITI's Name/MIS Code/ Application Number	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1	Dadaso Anandrao Ganpat Pawar Private ITI, Gate No. 279, National Highway-3, Near Nardana, At. Po. Gorane Tal-Shindkheda, Dist-Dhule TMP2747PR15828063 24	Electrician Fitter Welder Electronics Mechanic Solar Technician	2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	Recommended as per report	Recommended. Electrician 2(1+1) Fitter 2(1+1) Welder 2(1+1) Electronics Mechanic 2(1+1) Solar Technician 2(1+1) However, Instructor staff Qualification should be made 100% CITS qualified. States to update on Instructor Staff Qualification by 15 th January, 2021.
2	PN SARODE Private ITI, Sawali, Hinganghat, District- Wardha, Maharashtra-442301. TMP27498PR1582374 842	Electrician, Welder, Fitter, Computer Hardware & Network Maintenance	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	Not Recommended	No reply received, not recommended by SCI	Rejected As State Director not recommended due to deficiencies reported by inspection team and ITI shall apply again on online affiliation portal

Junilkar

cd

3	Baba Naipal Pvt. ITI, Sattarbarahpur, Tehsil-Sagri Distt. - Azamgarh, U.P. New Application No. 1809015742	Electrician Fitter Plumber Computer Operator & Programming Assistant	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	Recommended Electrician 3(1+1+1) Fitter 3(1+1+1) Plumber 3(1+1+1) COPA 3(1+1+1)	ITI submitted fake bank guarantee to State (state replied via mail for Not Recommendation)	Rejected. As State Director not recommended due to fake bank guarantee submitted by ITI and ITI shall apply on online affiliation portal for next session.
4	Bhikki Singh Pradhan Pvt ITI Village- Kanjaulighat, Baldeo, Dist.: Mathura, U.P.- 281301 NEW Application No. 1809018907	Electrician Fitter Marketing Executive Finance Executive Health Sanitary Inspector	9(3+3+3) 6(2+2+2) 3(1+1+1) 3(1+1+1) 3(1+1+1)	Recommended Electrician 9(3+3+3) Fitter 6(2+2+2) Marketing Executive 3(1+1+1) HSI 3(1+1+1)	Reply Received Letter No.20DGT Dated on 12/11/2020	Rejected. State Director not recommended and ITI shall apply on online affiliation portal.
5	Harinarayan Private ITI Karanpur Khujhi, Shitalaganj, Patti, Distt - Pratapgarh U.P. 230142. New ITI 1809018572	Electrician Fitter COPA Swing Technology	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	Not Recommended. ITI is in the Building of UMA Devi Mahila Mahavidhyalay Not recommended by State. No reply received	Rejected. State Director not recommended as ITI running in UMA Devi Mahila Mahavidhyalay
6	Shambhu Narayan Private ITI, Vill & Post : Harahari, Dist : Ghazipur Uttar Pradesh – 233226. 1809017048.	Electrician Fitter Sewing Technology COPA	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	Not Recommended Due To Non availability of drawing hall	Rejected State Director not recommended due to non-availability of Drawing Hall and ITI shall apply on online affiliation portal for next session
7	Shri Jyoti Narayan Pvt ITI Vill- Augan, Po- Daulaatpur, Baldeo, Dist-Mathura, Uttar Pradesh- 281301. New Application No. 1809016468	Electrician Fitter COPA Health Sanitary Inspector	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	Recommended except 3rd shift	Deferred GST details to be verified for high value machines and equipment's by the State Director

All the instructors in ITIs should be CITS trained, except for courses for which CITS training is not available.

Junita

ca

17.1.2(a) Existing ITIs seeking Affiliation for Extension of Trades/Units:

DGT received 14 proposals from 07 States (list placed at Annexure 17.1.2(a)), details given below:

ITI wise break up for recommendation of the committee is as follows:

Sl. No	ITI's Name/MIS Code/ Application Number	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1	Vivekananda Industrial Training Centre Main Road, Dowlaiswaram, Rajahmundravaram EAST GODAVARI ANDHRA PRADESH- 533125. PR28000207.	Fitter	2(1+1)	2(1+1)	Recommended	Recommended Fitter Add. 2(1+1) State Director ensure CITS qualification for all instructors.
2	Dharti ITI, Pohetakli Tq- pathri, DistParbhani, PARBHANI Maharashtra-431506. PR27000991	Electrician Mechanic Diesel	2(1+1) 2(1+1)	2(1+1) NR	Recommended as per SCI ITI need to upgrade to 4 for session 2021.	Recommended Electrician 2(1+1) ITI shall upgrade to 4 th Trade by next academic session and ensuring CITS qualification for all instructors
3	PavanrajeNimbalkarPvt. ITI At. Govardhanwadi post. Dhoki, Tq-Dist. Osmanabad Maharashtra- 413508. PR27000930	Electrician Mechanic Diesel	2(1+1) 2(1+1)	2(1+1) 2(1+1)	IT lab details filled in annexure, not available in floor plan	Rejected due to non-availability of IT lab. Show cause Notice to be given for not having IT lab.
4	Somayya Private ITI, Wadgaon Ward, Akashwani Road, Chandrapur-442401. PU27000871	Electrician	2(1+1)	2(1+1)	Tool list with deficiency not available	Rejected State Director not recommended and ITI shall upgrade with two more trades by next academic session, else Re-affiliation will to be granted

[Handwritten signature]

[Handwritten signature]

5	Vidyaniketan Private Industrial Training Institute, Bhadgaon Tal-Bhadgaon, Dist-Jalgaon, MAHARASHTRA-424105.PR27000868	Electrician	4(2+2)	4(2+2)	ITI is affiliated in 2015 and has only fitter trade running. Need to upgrade to 4 trades by session 2021.	Recommended Electrician 4(2+2) ITI need to upgrade to 4 trades by next session 2021.
6	Govt. Industrial Training Institute, Dhenkanal At-Borapada, Po-Gahamakhunti, Via-Govindpur, P.S-S Dhenkanal, Odisha - 759027. GR21000504.	COPA	2(1+1)	2(1+1)	Recommended ITI needs to submit details about hiring of 2nd Instructors	Recommended COPA 2(1+1) ITI needs to submit compliance about hiring of 2 nd Instructor by 15 th January, 2021 through State Director
7	Government ITI, Jharsuguda JES Campus, Badheimundachowk, Kalimandir road JHARSUGUDA Odisha - 768202. GU21000601	Dress Making	2(1+1)	2(1+1)	Recommended ITI needs to submit proofs of installation	Recommended Dress Making 2(1+1) ITI needs to submit compliance report regarding installation of machinery through State Director by 15 th January, 2021.
8	Govt. ITI ,Baswa, Dausa, Tehsil - Baswa, District-Dausa, Rajasthan-303327.GR08001932	Fitter Mechanic Diesel Mech. (Refrigerator & AC)	2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1)	Placed before committee for decision. New principal maybe appointed in one of the two ITIs .	Recommended Fitter 2(1+1) Mechanic Diesel 2(1+1) Mech. (Refrigerator & AC) 2(1+1) ITI need to submit compliance by 15 th January, 2021 regarding the Principal document, separate from Govt ITI, Sikri
9	Govt. ITI, Tehsil: Sikrai, Dist: Dausa, Rajasthan - 303508. GR08001918	Fitter Mechanic	2(1+1) 2(1+1)	2(1+1) 2(1+1)	Placed before committee for decision. New principal maybe appointed in one of the two	Recommended Fitter 2(1+1) Mechanic Diesel 2(1+1) Mech. (Refrigerator & AC) 2(1+1)

Sunil B

[Signature]

		Diesel Mech. (Refrigerator & AC)	2(1+1)	2(1+1)	ITIs.	ITI need to submit compliance regarding the Principal document, separate from Govt ITI, Baswa by 15 th January, 2021 through State Director.
10	Govt. ITI, Alwar, Jakhera-Perveni Road, The;- Raini, Dist: Alwar, Rajasthan- 301409. GR08000646	COPA	2(1+1)	2(1+1)	Recommended	Recommended COPA 2(1+1)
11	Govt. ITI. Mereta City Mela Maidan Nagaur Road, Nagaur Rajasthan .GR08001010	Electrician	2(1+1)	2(1+1)	Recommended	Recommended Electrician 2(1+1)
12	Grace Private ITI 2-1-456/1/b, Vagumallaram, Manuguru Post and Mandal BHADRADRI KOTHAGUDEM TELANGANA - 507117.PR36000511	Electrician	12(4+4+4)	12(4+4+4)	Recommended	Recommended Electrician 8(4+4) except for 3rd shift State Director should ensure CITs qualified Instructor staff.
13	Anshika Private ITI Salarpur, Post-Rasulgarh Sarnath Varanasi - 221007. PR09000852	Electrician Fitter Cosmetology	13(4+4+5) 3(1+1+1) 3(1+1+1)	Not Mentioned by the Inspection Committee	Not Recommended Since ITI established in 2010. It needs to upgrade to 4 or more trades for session 2021.	Rejected , as not Recommended by State Director as ITI is more than 5 years old and ITI shall apply for Re-affiliation with minimum 4 trades
14	Govt. Industrial Training Institute, Tufanganj Vill-Andaranfulbari, P.O.-Tufanganj, KOCH BIHAR, 736160. GR19000012	Electrician Fitter	2(1+1) 2(1+1)	2(1+1) NR	Not Recommended As ITI is more than 5 years old, need to apply for minimum 4 trades for affiliation	Recommended Electrician 2(1+1) Three months' time to be given for upgrading no. of trades to 4. The ITI is remotely located near international borders and the population in the

Sanil Kumar

SR

						area is as such that not many trades can be included in the ITI as per the State Directors comments in the meeting.
--	--	--	--	--	--	---

All the instructors in ITIs should be CITS trained, except for courses for which CITS training is not available.

17.1.2(b) Existing ITIs seeking Affiliation for Extension of Trades/Units- Deferred Proposals:

Deferred 9 proposals from previous meetings (list placed at Annexure 17.1.2(b)) for Existing ITIs applied for extension of trades/units are placed below: -

ITI wise break up for recommendation of the committee is as follows:

Sl. No	ITI's Name/MIS Code/ Application Number	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1	Somnath Private ITI RamvadiKodinar, at Kodinar, Highway Bypass, Near Gohilni khan Dist. GIR Somnath Gujarat.PR24007115	Health Sanitary Inspector	3(1+1+1)	3(1+1+1)	Placed for decision of committee. State to provide details about admission and comment on inspection.	Recommended HIS 2(1+1) for one year and ITI needs to apply for Re-affiliation for session 2021.
2	Gautam Buddha Minority Industrial Training Centre ITI Bus Stage, Khammam Road, Subhash Nagar, YellanduBhadradriKothugudan Telangana - 507123 PU36000130	Computer Operator and Programing Assistant Draughtsman Welder	3(1+1+1) 3(1+1+1) 3(1+1+1)	Not Recommended Institute's roof in tin sheet Crack in the wall of electrical workshop IT lab not maintained Drawing hall and library not available	State replied 1. All the tools and equipment's are available for COPA, DM Civil, Welder trade 2. Roof has structural civil and additional truss support 3. Crack was filled with solid structure. Placed before committee for decision.	Not Recommended due to Old CRT desktops in IT lab and IT lab not as per the norms. To upgrade with 4 th Trade and to be considered next academic session.
3	Sri Balaji ITI, Budimi Gate, Pitlam Road, Post/Mandal:Banswada , Dist:Kamareddy , Telangana - 503187 PR36000255	Electrician Mechanic Diesel Radiology Technician Sewing Technology	8(2+2+4) 3(1+1+1) 6(2+2+2) 3(1+1+1)	Only Radiology Technician 3(1+1+1) recommended	Reply from state received, Recommended as per the recommendation of State directorate. 3rd Shift not allowed.	Deferred State to provide report with Photographs of machinery and equipment, details about GST of High value machinery,

Sandhya

oo

						Deficiency of machineries and Equipment list.
4	Baba Bhirigu Private ITI VILL/POST- PALIYA TEHSIL- MUHAMMDABAD GOHANA, MAU, U.P.- 276403 PR09900572	Electrician	6(2+2+2)	Reply Received Letter No. BBPI/2020/347 Dated 13/11/2020	Verification from State needs to verify Drawing Hall as per revised building plan	Deferred State to verify revised building plan to be placed in the next meeting.
5	Babu Ram Pvt. ITI, Vill- Bhisaha, Po-Banpokhara, Dist- Mau,U.P.- 221603 PR09900948	Electrician	6(2+2+2)	Online Bill Shows 7KW Required 12..2 KW	16.33 kVA (13kW) load available, No update on drawing hall	Not recommended by State Directorate since drawing hall was not verified
6	Disha Private ITI Vill/Post -Khirikotha, TahseelMadhuban, District - Mau, Uttar Pradesh - 221603.PR09900184	Electrician	6(2+2+2)	6(2+2+2)	New Bill shows 23 kVA(18.4 kW, 20.7 kW as per PF=0.9) load, building plan not provided	Recommended Electrician 4(2+2) State Director to ensure 100% CITS trained instructors to be appointed.
7	GLOBAL PRIVATE ITI Village Rastipur, Post:Khakhaicha, Dist: Allahabad UP 212405.PR09900383	Electrician	6(2+2+2)	6(2+2+2)	New Bill shows 20 kVA(16 kW) load (PF mentioned in bill is 0.99),	Recommended Electrician 4(2+2).
8	Global Technical Institute,khwajajahan purMaunath, Mau, U.P.-275101 PU09001932	Electrician	12(4+4+4)	12(4+4+4)	Online Bill Shows 17KW Required 22..62 KW. Building plan and tool with deficiency list is not attached. ITI replied, but still bill is not available online, State has not verified. Placed before committee for decision	Recommended Electrician 8 (4+4) ITI need to apply for re-affiliation with minimum 4 trades for session 2021.

Handwritten signature

Handwritten signature

9	Hind Private Industrial Training Institute, Address-G.T. Road SikandraRao, District-HATHRAS- State-UTTAR PRADESH-204215 PU09001932	Electrician	3(1+1+1)	3(1+1+1)	Deferred in 11 th RCM held on 22.09.2020. Deferred for building plan not available. However, online electricity bill is not available now. Placed before the committee for decision	Deferred Electricity bill to be provided by State. To be upgraded with Four trades.
---	---	-------------	----------	----------	--	--

All the instructors in ITIs should be CITS trained, except for courses for which CITS training is not available.

All it is should take admission in 50% units every year, i.e., concurrent running of 1st and 2nd year sessions in two-year Trades.

17.1.3 Existing ITIs applied for Shifting : Nil

17.1.4 MSTI Proposals : Nil

17.1.5 ITI in Spare capacity of Polytechnics: Nil

Agenda 17.1.6: SCVT to NCVT Conversion

17.1.6(a): Madhya Pradesh State Government has proposed 25 ITIs for Conversion from SCVT to NCVT. However, complete scrutiny sheet has been not provided yet. These proposals are placed at Annexure 17.1.6(a).

Recommendations of committee:

- As per revised norms Order dt. 19 Oct 2019, minimum 4 trades to be considered.
- To be ensured by State Directorate in all cases.
- Letter to states be issued.
- MoU between ITI, State Director and DGT in this regard.
- As directed by the chairman, the proposal to be taken up on file after receiving details from State.



17.1.6(b): The matter pertains to Conversion of SCVT trades to NCVT trades for 5 Govt ITIs as presented and discussed in 16th Recommendation Committee Meeting. In 13th Recommendation Committee meeting 16 cases were presented for Bihar State, all of which were deferred due to Model code of conduct. The matter was presented again in 16th Recommendation Committee Meeting along with 3 new proposals which were submitted by the Bihar state. 14 ITIs, of these total 19 ITIs presented, were recommended. Other 5 ITI proposals are placed at annexure 17.1.6(b).

Recommendations of Committee:

As directed by the chairman, it is recommended for 1 year and then Joint Inspection to be carried out for continuation of Affiliation.

17.1.6(C): Inspection for SCVT to NCVT Conversion:

Inspection for SCVT to NCVT conversion from the session 2021 onwards to follow the usual inspection process, i.e., online batch creation, random batch generation, as is followed for ITIs for new affiliation and extension of trades/units.

Recommendations of Committee:

As directed by the chairman, the proposal to be taken up on file.

Agenda 17.2: Representation received from ITIs /States

17.2.1: GraminPvt ITI, Nanded (PR27000692), Maharashtra: The proposal was placed in 12th RCM at agenda no. 12.2.2 (sl. no. 5). The ITI was having Major tool and machinery Deficiency in Basic Cosmetology, Surveyor, Health Sanitary Inspector, Solar Technician, Sheetmetal worker, Plumber, Fitter and Welder. Also, the admission in the ITI was found to be poor and hence it was not recommended. However, the ITI has submitted the application providing the details about admission which are found to be same as what DGT had presented before the committee (Annexure 17.2.1).

Recommendations of Committee:

Sl. No	ITI's Name/MIS Code/ Application Number	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1	Gramin Polytechnic Gramin ITI, At-Vishnupuri, Tq/Dis: Nanded, Maharashtra - 431606 MIS Code: PR27000692	Basic Cosmetology Surveyor Health Sanitary Inspector Solar Technician Sheet Metal Worker Plumber Fitter Welder Wireman Electrician	2(1+1+0) 3(1+1+1) 2(1+1+0) 3(1+1+1) 2(1+1+0) 2(1+1+0) 6(2+2+2) 3(1+1+1) 6(2+2+2) 16(4+4+8)	Major tool and machinery Deficiency in Basic Cosmetology, Surveyor Health Sanitary Inspector, Solar Technician, Sheet metal worker Plumber Fitter and Welder	Mechanic Computer Hradware trade to be de-affiliated, since 0 admissions in 2018 and 2019. Overall admission in ITI is less than 50% and hence not satisfactory for consecutive 2 years, therefore not recommended for extension of units in 12 th RCM. Representation from ITI is placed before the committee	Recommended Electrician 4(2+2) Wireman 2(1+1) ITI needs to apply for Re-affiliation for session 2021.100% CITS trained instructors to be appointed.

17.2.2: JaydeepPvt ITI, Dhule (TMP27474PR1582808385/New ITI), Maharashtra: The proposal was placed in 14th RCM at agenda 14.1.1 (sl no. 3). The ITI was not recommended since 4th trade (Surveyor trade) was not recommended. The ITI vide maildt. 30.11.2020 provided the details of the missing tools during inspection (State has not verified).

Recommendations of Committee: -

Sl. No	ITI's Name/MIS Code/ Application Number	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1	Jaydeep (Private) ITI, Degan Tal. ShindkhedaDist-Dhule MH-425407, Maharashtra TMP27474PR158280 8385	Electrician Fitter Welder Surveyor	2(2+1+0) 2(2+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) NR	Placed for decision of committee.	Deferred State needs to verify and submit the report about tools of Surveyor trade.

17.2.3: Letter from Rajasthan State Directorate:

Rajasthan State Directorate, vide mail dt. 25/11/2020, has provided Recommendation proforma for 4 ITIs (as attached).

1. Nav Bharti Private Industrial Training Institute (placed in 11th Recommendation Committee Meeting and Not recommended) (Annexure 17.2.3_A)
Recommendations of Committee: Not recommended
2. S R MundPvt ITI Institute (placed in 11th Recommendation Committee Meeting and Not recommended)(Annexure 17.2.3_A).
Recommendations of Committee: Not recommended
3. Meeramandir Pvt ITI (Recommended in 12th Recommendation Committee Meeting).
Recommendations of Committee: Already Recommended as in 12th Recommendation Committee meeting (agenda 12.2.2 (12)) Electrician 2(1+1)
4. SanskarPvt ITI - This was a court case W.P.(C) 7882/2017. The ITI was rejected in 2017 due to Application for Single trade(electrician). However, ITI filed a court case and it was decided to review this matter. As such Inspection was to be carried out in 2018 which ITI rejected stating it was not informed. Thereafter, the matter was disposed off and the Speaking order was issued rejecting the application of ITI. ITI was inspected and report was placed before the committee (Annexure 17.2.3).

The proposal was placed in 16th RCM at agenda no. 16.4.2. However, it was deferred in absence of representative from state directorate and is being placed again.





Recommendations of Committee:

Sl. No	ITI's Name/MIS Code/ Application Number	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1	Sanskar Pvt ITI, Piprao Road, Nadbai, Bharatpur, Rajasthan Application no. APP003133	Electrician	4(2+2)	4(2+2)	Not Recommended ITI need to apply with 4 or more trades	Not Recommended Since, it is based on Inspection carried out in 2020. ITI should apply on online affiliation portal with minimum 4 trades for affiliation.

17.2.4: Bullwark Pvt ITI, Gujarat: Gujarat State Directorate has submitted the report for Bullwark Pvt ITI, verifying against the deficiencies mentioned in its Inspection report. The ITI was placed in 10th RCM placed at agenda no. 10.1 (sl no. 2). The report is attached at annexure 17.2.4.

Recommendations of Committee:

Sl. No	ITI's Name/MIS Code/ Application Number	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1	Bullwark Industrail Training Institute Village Vaghada, Dist. Surendra Nagar-382130, Gujarat	Fire technology and Industrial safety management Fireman Health Safety & environment Health Sanitary Inspector	3(1+1+1) 3(1+1+1) 2(1+1+0) 2(1+1+0)	3(1+1+1) 3(1+1+1) 2(1+1+0) 2(1+1+0)	State has carried out re-Inspection and submitted its report recommending all trades.	Recommended FTISM 2(1+1) Fireman 2(1+1) Health Safety & Environment 2(1+1) HSI 2(1+1)

Sanidha


SR

17.2.5: Mail form Maharashtra State Directorate:

Mail from Maharashtra State Directorate dated 25.11.2020 and 01.12.2020 provided a list of 17 ITIs (New and Existing), out of which 13 proposals were/are placed in 16th and 17th RCM. For remaining 4 ITIs, their Annexure and recommendation letter was received from the state via mail. The proposal is being placed (attached at annexure 17.2.5).

Sl. No.	ITI's Name/MIS Code/Application Number	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1	Advance Skill Pvt ITI, Samata Colony Majalgaon, Dist Beed, Maharashtra- 431131, TMP27470PR1579878 241	Electrician Wireman Steno.Sec.Asst.(English) Cosmetology	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	Received only annexure and proforma vide mail, complete report awaited	Not recommended by State Director due to 1. Invoices older than 4 to 6 years 2. NO GST no on invoices 3. Old tools and equipment's 4. Payment mode for machinery, tools not found
2	JagatJyoti Private ITI, Krunda Tal- Basmat, Dist- Hingoli Maharashtra - 431512 TMP27477PR1581231 425	Electrician Fitter Wireman COPA	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	Recommended	Recommended as the State Director has recommended Electrician 2(1+1) Fitter 2(1+1) Wireman 2(1+1) COPA 2(1+1)
3	Nalanda Private ITI, A/P Ugwa, Tq. & Dis. Akola, Maharashtra - 444006	Electrician Wireman COPA Draughtsman Civil	2(1+1) 2(1+1) 2(1+1) 2(1+1)	NR NR 2(1+1) NR	Received only annexure and proforma vide mail, complete report awaited	Rejected as not Recommended by State Director ITI need to apply with minimum 4 trades for next session 2021.
4	Gramin ITC Malakoli Tq.Loha Dist.Nanded NANDED, Maharashtra - 431708 PR27000611	Electrician Wireman COPA Surveyor (NSQF)	8(4+4) 8(4+4) 2(1+1) 2(1+1)	Electrician 2(1+1) Wireman 2(1+1)	Recommended	Recommended by State Director Electrician 2(1+1) Wireman 2(1+1)

17.2.6: Swami Vivekanand Pvt ITI, Latur, Maharashtra: The proposal was placed at agenda 13.4.1 and was deferred for comments from State on the 4th trade. The comments received from State Directorate are placed at Annexure 17.2.6.




Recommendations of Committee:

Sl. No	ITI's Name/MIS Code/ Application Number	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1	Swami Vivekanand Private ITI, P-74, MIDC, Kalamb Road, Latur, Maharashtra TMP27481PU1582024810	Electrician Wireman Desktop Publishing Fitter Welder Draughtsman (Civil)	2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1) NR NR	State has carried out verification and submitted its report recommending for affiliation.	Recommended by State Director has recommended Electrician 2(1+1) Wireman 2(1+1) Desktop Publishing 2(1+1) Fitter 2(1+1)

17.2.7: Gramin ITI, Parbhani (PR27000998), Maharashtra: The ITI was placed in 16th RCM at agenda 16.1.2 (sl. No. 4) and was deferred for verification of availability of IT lab by State Directorate. The State Directorate has forwarded the letter by ITI where it has offered to surrender COPA trade and use its workshop as IT lab (placed at annexure 17.2.7).

Recommendations of Committee:

Sl. No	ITI's Name/MIS Code/ Application Number	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1	Gramin Pvt ITI, Palam Post Sarfarajpur, Tal-Palam, Dist Parbhani. Maharashtra - 431720	Electrician Wireman COPA	8(4+4) 4(2+2) 2(1+1)	8(4+4) 4(2+2) 2(1+1)	ITI has surrendered COPA trade to use its workshop as IT lab.	Recommended by State Director Electrician 8(4+4) Wireman 4(2+2) Affiliation up to 2023, and ITI shall apply for Re-affiliation for 2024 for all the trades. COPA trade Not Recommended

Sanilky

COE

17.2.8: Mail from Uttar Pradesh State Directorate:

1. Mail from Uttar Pradesh State Directorate dt. 03.12.2020 was received in which a list of 28 ITIs was forwarded to be included in the Recommendation Committee meeting. 11 of the ITIs from this list is already included in previous Recommendation Committee meetings. The list with the comment from state on Inspection is attached as forwarded (annexure 17.2.8(a)).

Recommendations of Committee:

Deferred.

Comments from RDSDE Kanpur to be asked on the 28 ITIs mentioned in the list. Clarification and details need to be obtained from the state and the cases had to be taken on file also.

2. The state directorate has sent the details of:
 - a. Smt. Dharamwati Bhedjeet Singh Pvt ITI
 - b. G city pvt ITI

Both these ITIs were Not Recommended in 12th RCM, agenda 12.2.2 (sl no. 20 and 27). The committee had Not Recommended these ITIs and it was decided to issue notice for de-affiliation due to non-availability of Drawing hall. State in its mail dt. 03.12.2020 has sent report and has not mentioned any recommendation (annexure 17.2.8(b)).

Recommendations of Committee:

Deferred

State needs to submit verified reports.

17.2.9: B Y Patil pvt ITI, Nandurbar, Maharashtra (New ITI):

ITI was placed 10th Recommendation Committee Meeting at Agenda 2 (sl no. 11) and was rejected since it was recommended for 3 trades. ITI has presented its case citing it had all the tools, machines, space, manpower and other requirements 100% available for Electrician (2+2 units), Fitter (2+2 units) and COPA (1+1 unit) so these 10 units were to be get affiliated. Inspection committee also assured them regarding this.

ITI further stated that despite having minimum four trade condition in affiliation rules 2018, DGT has given affiliation in July 2019 to those ITI's who doesn't satisfy this criteria. They have also stated that they have completed their deficiencies for 4th trade (annexure 17.2.9).

Recommendations of Committee:

Sl. No.	ITI's Name/MIS Code/ Application Number	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1	B. Y. Patil Private ITI, Nandurbar- Prakasha Highway, Near Astoria, Sugar Factory Samsherpur, At Post Bamdod, Tal. Dist. Nandurbar, Maharashtra	Electrician Wireman Fitter COPA	6(2+2+2) 3(1+1+1) 6(2+2+2) 2(1+1+0)	6(2+2+2) NR 6(2+2+2) 2(1+1+0)	Not Recommended ITI should apply with minimum 4 trades for affiliation.	Deferred State to verify the details about 4 th trade

17.2.10: Ch. Charan Singh pvt ITI (PR09001898), UP:

The ITI was recommended for De-affiliation in 10th RCM held on 15.09.2020., based on the list of ITIs provided by the State Directorate. However, in 2019, this ITI was affiliated for shifting at new location with increased units.

The ITI is now De-affiliated at the portal for the MIS code PR09001898 at old location and was affiliated for shifting in 2019 at new location. The details are placed at annexure 17.2.10.

Recommendations of Committee:

Comments from State Directorate to be sought.

17.2.11: Mail from Karnataka State Directorate:

Karnataka vide mail dt. 08.12.2020 has provided a list of 4 ITIs to be placed in Recommendation Committee Meeting. The state has provided proforma for recommendation and annexure. The

1. Govt ITI (W), Hosur (GU29000214)- Extension of trades/units: **DGT, TC informed Report no received.**
2. VinayakPvtITI and Varada ITC (PR29000711 and PU29000001)- Merger of ITIs:**Not Considered due to less than four Trades.**
3. R A PatilPvt ITI (PR29001062)- Extension of Trades/units: **Not Considered due to less than four Trades.**
4. MVM Takshashila ITC – Shifting case- **Not Considered due to less than four Trades.**

The details are placed at annexure 17.2.11.

Recommendation Committee:

Sl. No	ITI's Name/MIS Code/ Application Number	Trades/Units sought for affiliation	ITI Propose d Units	Units recommended by SCI	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1	Govt ITI (W), Hosur (GU29000214)-	Electrician Fitter	2(1+1) 2(1+1)	Recommended	Physical report not received by the DGT	Recommended as recommended by State Director
2	VinayakPvt ITI and Varada ITC (PR29000711 and PU29000001)- Merger of ITIs:	Fitter Electrician Electronic Mechanic	2(1+1) and 3(1+1+1) 2(1+1) and 3(1+1+1) 3(2+1) and 3(2+1)	Recommended for merger	Physical report not received by the DGT	Not Recommended by State Director Since less than 4 trades in total. These ITIs need to upgrade to 4 trades.
3	R A PatilPvt ITI (PR29001062)-	Fitter Electrician	2(0+0+2) 4(1+1+2)	2(0+0+2) 4(1+1+2)	Physical report not received by the DGT	Not Recommended by State Director Since less than 4 trades in total. The ITI need to upgrade to 4 trades.

4	MVM Takshashila ITC Old Add.				Physical report received by the DGT	not by	Not Recommended by State Director Since less than 4 trades in total. The ITI need to upgrade to 4 trades.
	MVM Takshashila ITC, VARANASAI TC, Palya, Bangalore New Add.	Fitter	6(2+2+2)	6(2+2+2)			
	MVM Pvt ITI, Vaddahalli, Alangur road, padamghanta, Mulbagaltq., Kolar District	Electrician	6(2+2+2)	6(2+2+2)			

Agenda No. 17.3: Court Cases

17.3.1: Rajiv Gandhi Memorial pvt ITI, Warangal (PU36000129), Telangana: With reference to letter from Telangana State Govt DET letter no. JD Peshi/1368/2017 dt. 08/08/2017, the state proposed de-affiliation for this ITI on the grounds of Shortage of tools and machinery and available machineries not in working condition. DGT issued Show cause notice to this ITI 06/03/2018. In reply ITI pleaded for re-inspection. Also, the ITI went to court with case no. and court no. WAs no. 979/2017, 983/2017, 989/2017, 990/2017, 991/2017 of Hon'ble High Court of AP and TS at Hyderabad. The court also ordered for Inspection. The state submitted the Inspection report with comments dt. 23/09/2020. The details are placed at Annexure 17.3.1.

Recommendation Committee:

Sl. No	ITI's Name/MIS Code/ Application Number	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1	Rajiv Gandhi Memorial Industrial Training Centre Plat No. F-14, Industrial Estate, Mulugu Road, Warangal, Telangana, 506001	Electrician Fitter Diesel Mechanic Affiliation/D e-affiliation of ITI	10(5+5) 4(2+2) 4(2+2)	Electrician 10(5+5)	ITI not found at location mentioned on NCVTMIS, Inspection carried out at new location 1.9 km from old location Recommended Electrician 10(5+5) De-affiliation of other 2 trades	Not Recommended ITI need to apply with minimum 4 trades for session 2021 (speaking order to be issued).

Smiley

CD

Agenda No. 17.4: Inspection status of applications registered on online affiliation portal (By NIMI):

Recommendation Committee:

603 case of Stage –I not verified: Either State Directorate not completing or NCs not cleared by ITIs.

Order to be issued: If concerned ITIs not replying within 15 days, applications are to be rejected automatically.

NIMI to consider Batch generations on first come first serve basis.

161 batches created

-Submission/ Completion of inspection report on Mobile APP functions wherever signal received, i.e., Offline saving of Inspection data on the NIMI Inspection App.

-800 cases applied for 3rd shift.

-New process to be presented by NIMI.

Agenda No. 17.5: Opening of Online affiliation portal and inspection schedule

Approximately 1000 applications who could not complete the final submission by the cut-off date i.e 18.04.2020 and more than 2000 applications which are due for inspection. Keeping in view of these application, it is proposed no more new applications either from existing or new it is will be invited for Session 2021. However, for ITIs with more than 5 years old shall apply for complying minimum four trades and ITIs due for Re-affiliation shall apply for which link will be opened as per the schedule proposed below:

Sl. no	Activity	Dates
1	Completing the remaining process/stages by registered applicants, ITIs which are more than 5 years old with less than minimum 4 trades and ITIs due for Re-affiliation (only ITIs with building ready as per affiliation norms and Machinery installed as per NSQF syllabus will be processed for Session 2021)	From 15 th December 2020 to 31 st January, 2021
2	Opening portal for new applications for new age courses only (in case of new ITIs, minimum 4 trades, out of which minimum two new age courses should be selected) (only ITIs with building ready as per affiliation norms and Machinery installed as per NSQF syllabus will be processed for Session 2021)	1 st January, 2021 to 28 th February, 2021
3	Creation of inspection team through random generation	Up to 31 st March, 2021
4	Last date for inspection	Up to 15 th April, 2021



Agenda No. 17.6: Time line for Desktop assessment and reply from ITIs against NCs

It was noticed that few States are not clearing applications in desktop assessment resulting in delay in inspection; time line already specified in Affiliation norms is re-iterated below:

Sl. no	Activity	Timeline
1	Desk top assessment by State in every State	Within 15 calendar days
2	Clear all NCs in case if any NCs are raised by State	-do-
3	Verify the updated information against NCs raised by State	Within 10 calendar days

Agenda No 17.7: Action on applications while processing for desk top assessment by State Governments

Process for clear applications and incomplete applications (for applications already registered and could not complete the final submission before 18.4.2020):

Sl.no	Application condition	Action
1	Clear in all respect in each stage	Accept and process
2	Application without NoC from State	Reject, and applicant has to register again for next session
3	Applicant replied with stipulated time in case of NC	Accept and process
4	Applicant not replied with stipulated time in case of NC in any stage	Reject, and applicant has to register again for next session

However, Existing ITI which are more than 5 years old and ITIs due for re-affiliation, if they don't get affiliated, admission to such ITIs in Session 2021 onwards will not be allowed. Further, few States have not filled the of members for inspections, it is in those States will not be considered for inspection (list of States who had filled the member details is attached at Annexure 17.7)

Agenda No. 17.8: Conducting training in 3rd shift

Due to COVID-19 pandemic, to maintain social distancing DGT constituted committee to offer comments on running 3rd shift in ITIs. Committee's report is placed.

Recommendation committee:

Data on How many cases of 3rd shift in DST and Exam appeared to be collected and analysed in respect of 3rd shift.

3rd shifts withdrawal concerns by State Directors to be placed before the committee.

For the Agenda nos. 17.5, 17.6, 17.7 and 17.8, a sub-committee has to be constituted convened by DDG with 4 state Directors as members. The members maybe invited from MP, Karnataka, Odisha and Bihar. The committee will discuss and propose the policy on which the NIMI portal has to be opened. The above-mentioned agendas to be included in the ToR for this committee. Also, the committee to propose for continuation/discontinuation of 3rd shift.

Agenda No 17.9: ITIs with minimum 4 trades-uniform policy on PAN India basis

As decided in 9th Recommendation Committee meeting held on 9th October, 2019 vide agenda item 9.5.7 that New ITIs shall get affiliated for minimum 4 trades, however many existing ITIs are still running with less than 4 trades. Hence it is proposed that all ITIs shall run with minimum 4 trades, accordingly it is proposed the following:

1. New ITIs shall get affiliated for minimum 4 trades, no partial affiliation will be granted
2. Existing ITI with less than 4 trades which are more than 5 years old shall get affiliated for minimum four trades by next admission session, failing which admissions to such ITIs will not be allowed in future sessions.

Recommendation committee:

As per the Affiliation norms 2018, it is existing rule and shall be continued, as per the existing orders. However, for 2nd point the subcommittee will examine

Agenda No 17.10: Dual System of Training:

States to comment and consent on Affiliation/ conversion of Trades/units under DST for Pvt ITIs. Mail has been sent to states for the same.

Recommendation Committee:

-Comments from State Directorate to be obtained expeditiously for the private ITIs. The orders for the Govt ITIs maybe issued.

Other points with the permission of Chair:

Agenda No 17.11: Deferred case of 16th RCM, Agenda 16.2.4:

Sri Krishna Pvt ITI, GangobherMadhuban, Mau, UP inspected on 5.11 2019 reported that some shortage of Trainee Tool Kit for Electrician trade and State Government has proposed for De-affiliation vide letter dt. 20.11.2019.

The above proposal was placed in 10th Recommendation Committee Meeting held on 15th September, 2020 (agenda item 10.1) and committee recommended for De-affiliation. ITI vide letter dt. 13.11.2020 represented that the case is not for De-affiliation as per remarks of inspection report.

Case was deferred to state to provide the details on admission, state vide letter dt. 09.12.2020 provided the details for admission (annexure 17.11).

No information has been provided for Shri Krishna Ambedkar Pvt ITI, SeghaAkhilespur, Post Madhuban, Uttar Pradesh.

Recommendation committee:

Deferred.

The State Directorate needs to provide the details about both the ITIs.



Agenda No 17.12: Nep Pvt ITI (PU23000925), Madhya Pradesh:

The ITI had admission in more than affiliated units. The ITI was issued a show cause notice on 24.07.2020 and in reply, ITI said that it had applied for extension of trade in 2019 and increased units on the portal were for that. The case was put up and joint inspection was carried out. The Inspection committee has not recommended any trade of this ITI. The details are placed at Annexure 17.12.

Recommendation committee:

Not Recommended

As not recommended by the State Directorate.

Meeting concluded with vote of thanks.



Annexure 17.1.1(a)

Sl. No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date
1	Dr. Tanajirao Chorge Private ITI At/Post- Nandwal, Jaital Phata)Tal.- Karveer Dist. Kolhapur, Maharashtra-416001	Maharashtra	TMP27480PR15 8/1149809	12	39	11/11/2020
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms
	Electrician	2(1+1)	2(1+1)	Yes (own land)	Yes (45 kW available 29.51 kW required)	Yes
	Fitter	2(1+1)	2(1+1)			
	Machanic Motor Vehicle	2(1+1)	2(1+1)			
	Welder	2(1+1)	2(1+1)			
	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents
	Yes	Yes	Yes	Yes	Yes	Yes
	Remarks by Inspection Committee	Remarks by Scrutiny Committee		Remarks by Recommendation Committee		
	Recommended	Recommended		Recommended. However, Instructor staff Qualification should be made 100% CITS qualified. States to update on Instructor Staff Qualification by 15th January, 2021. Electrician 2(1+1) Fitter 2(1+1) MMV 2(1+1) Welder 2(1+1)		
Sl. No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date
2	KESHAVRAO SHENDE Private ITI, At. Akola(Udasa), Post: Aptur Ta:Umred, Dist : Nagpur Maharashtra- 441203	Maharashtra	TMP27484PR15 81006215	17	71	27.11.2020
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms
	COPA	2(1+1)	2(1+1)	On lease	Yes (required 15.2 kW and available 15.2 kW)	Yes
	Fitter	2(1+1)	2(1+1)			
	Electrician	2(1+1)	2(1+1)			
	Electronic Mechanic	2(1+1)	2(1+1)			
	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents
	Yes	Yes	Yes	Yes	Yes	Yes
	Remarks by Inspection Committee	Remarks by Scrutiny Committee		Remarks by Recommendation Committee		
	Recommended	Recommended		Recommended. However, Instructor staff Qualification should be made 100 % CITS qualified. States to update on Instructor Staff Qualification by 15th January, 2021. COPA 2(1+1) Fitter 2(1+1) Electrician 2(1+1) Electronic Mechanic 2(1+1)		



22



Sl. No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date
3	Shri Tukaramji Solav Patil Pvt ITI, Tornala- Jodgavhan, Tq. Dist.Washim- 4444505	Maharashtra	TMP27499PR15 81144226	6	0	11/11/2020
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms
	Fitter Welder Mechanic Diesel COPA Electrician Wireman	2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	NR	Yes (valid till 2046)	Yes (required 38 kW, available 40 kW)	Yes
	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents
	Yes	Yes	Yes	Yes	For Electrician, Fitter, Wireman and Welder, major machineries are available but not installed properly, for Diesel Mech. Major engines and tools not available	Yes
	Remarks by Inspection Committee	Remarks by Scrutiny Committee		Remarks by Recommendation Committee		
	For Electrician, Fitter, Wireman and Welder, major machineries ara available but not installed properly, for Diesel Mech. Major engines and tools not available	Not Recommended		Rejected As not recommended by State Director as the ITI was not recommended by inspection team and not to be considered for this academic session.		
Sl. No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date
4	Venkata Sai Pvt ITI Adilabad SY No. 104, Main Road, ICHODE, Dist: Adilabad Telangana - 504307	Telegana	TMP36501PR15 82789810	6	12	
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms
	Electrician COPA Dress Making Mechanic Refergeration & AC	6(2+2+2) 3(1+1+1) 3(1+1+1) 3(1+1+1)	NR	Yes	Yes (Required 20.5, available 21 kW)	BCC could not be verified, ITI is a RCC building and commercial godowns are converted as ITI facility
	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents
	Area short in COPA lab	Yes	No	Yes	Shortage of tools for MRAC	Yes
	Remarks by Inspection Committee	Remarks by Scrutiny Committee		Remarks by Recommendation Committee		
	Not Recommended since no IT lab in the ITI	The state has forwarded details verifying the availability of IT lab, completing the shortage of tools for MRAC		Deferred As confirmed by team leader (Shri Vijay Krishna, Asst, Director, NSTI, Hyderabad) on the date of inspection IT lab was not there, based on the ITI letter State Director verified IT lab. Joint Inspection shall be conducted and shall be considered for session 2021 for which ITI shall apply on online affiliation portal.		

Sanjay (23)

cd

Sl. No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date
5	Ramkrishna Memorial Pvt ITI Vill - Manakchitra Post office Joypur Dist - Purulia West Bengal - 723103	West Bengal	TMC 19321 TR1579936848	5	8	10/17/2020
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms
	Fitter Electrician Welder Mechanic Diesel	8(3+3+2) 8(3+3+2) 5(2+2+1) 4(2+1+1)	8(3+3+2) 8(3+3+2) 5(2+2+1) 3(1+1+1)	Yes (valid upto 2047)	Yes (required load is 62.53 kW, available is 65 kW)	Yes
	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents
	Yes	Yes	Yes	Yes	Yes	Yes
	Remarks by Inspection Committee	Remarks by Scrutiny Committee		Remarks by Recommendation Committee		
	Recommended In mechanic diesel 3(1+1+1) recommended due to shortage of electric load, other trades recommended as such	Recommended as per SCI except for 3rd shift		Recommended Fitter 6(3+3) Electrician 6(3+3) Welder 4(2+2) Mechanic Diesel 2(1+1) However, Instructor staff Qualification should be made 100% CITS qualified. States to update on Instructor Staff Qualification by 15th January, 2021		

Junilb

ca

(24)

Annexure 17.1.1(b)

Sl. No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date	Trades/Units sought for affiliation	ITI Proposed Units
1	Dadaso Anandrao Ganpat Pawar Private ITI, Gate No. 279, National Highway-3, Near Nardana, At. Po. Gorane Tal- Shindkheda, Dist- Dhule	Maharashtra	TMP2747PR158 2806324	6	15	11/11/2020	Electrician Fitter Welder Electronics Mechanic Solar Technician	2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)
	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms	worksho p space	Class room	IT lab	Drawing Hall
	2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Inspection Committee	Remarks by Scrutiny Committee	Remarks by Recommendation Committee			
	Yes	Yes	Recommended	Recommended as per report	Recommended. Electrician 2(1+1) Fitter 2(1+1) Welder 2(1+1) Electronics Mechanic 2(1+1) Solar Technician 2(1+1) However, Instructor staff Qualification should be made 100% CITS qualified. States to update on Instructor Staff Qualification by 15th January, 2021			

Sl. No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date	Trades/Units sought for affiliation	ITI Proposed Units
2	PN SARODE Private ITI, Sawali, Hinganghat, District- Wardha, Maharashtra- 442301	Maharashtra	TMP27498 PR1582374842	8	14	23.9.2020	Electrician Welder Fitter Computer Hardware & Network Maintenance	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)
	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms	worksho p space	Class room	IT lab	Drawing Hall
	Not Recommended	Yes	Yes	Yes	Yes	No	No	No
	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Inspection Committee	Remarks by Scrutiny Committee	Remarks by Recommendation Committee			
	Tools Deficiency With Incomplete Installation for Welder Trade Improper	Yes	Not Recommended	No reply received, not recommended by SCI	Rejected As State Director not recommended due to deficiencies reported by inspection team and ITI shall apply again on online affiliation portal			

Sanil (25)

OR

Sl. No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date	Trades/Units sought for affiliation	ITI Proposed Units
3	Baba Naipal Pvt. ITI, Sattarbarahpur, Tehsil-Sagri Distt- Azamgarh, U.P. -	Uttar Pradesh	NEW Application No. 1809015742	4	137	8/18/2020	Electrician Fitter Plumber Computer Operator & Programming Assistant	3(1+1+1) 3(1+1+1) 3(1+1+1)
	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms	worksho p space	Class room	IT lab	Drawing Hall
	Recommended Electrician 3(1+1+1) Fitter 3(1+1+1) Plumber 3(1+1+1) COPA 3(1+1+1)	Yes	Yes As per report, however, online bill not available.	Yes	Yes	Yes	Yes	Yes
	Avilability of Machinery, Tools & Equipments	Staff Qualificatlon & Documents	Remarks by Inspection Committee	Remarks by Scrutiny Committee	Remarks by Recommendation Committee			
	Yes	Yes	Recommended	ITI submitted fake bank guarantee to State (state replied vis mail for Not Recommendation)	Rejected. As State Director not recommended due to fake bank guarantee submitted by ITI and ITI shall apply on online affiliation portal for next session			

Sl. No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date	Trades/Units sought for affiliation	ITI Proposed Units
4	Bhikki Singh Pradhan Pvt ITI Village- Kanjaulighat, Baldeo, Dist: Mathura, U.P.- 281301	Uttar Pradesh	NEW Application No. 1809018907	3	180	19.08.2020	Electrician Fitter Marketing Executive Finance Executive Health Sanitary Inspector	9(3+3+3) 6(2+2+2) 3(1+1+1) 3(1+1+1) 3(1+1+1)
	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms	worksho p space	Class room	IT lab	Drawing Hall
	Recommended Electrician 9(3+3+3) Fitter 6(2+2+2) Marketing Executive 3(1+1+1) HSI 3(1+1+1)	Yes	Online bill 24.44 kVA (19.5 kW) and required load is 29.42 kW for 5 trades	Yes	Yes	Yes	Yes	Yes
	Avilability of Machinery, Tools & Equipments	Staff Qualificatlon & Documents	Remarks by Standing Committee		Scrutiny Committee Remark	Remarks by Recommendation Committee		
	ME & FE Tools Short of 2 No. Desktop Each	YES	Online bill 24.44 kVA (19.5 kW and 22 kW with PF 0.9) and required load is 29.42 kW ME & FE Tools Short of 2 No. Desktop Each		Reply Received Letter No.20DGT Dated on 12/11/2020	Rejected. State Director not recommended and ITI shall apply on online affiliation portal.		

Sumit (26)

OR

Sl. No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs In the District	Pvt ITIs In the District	Inspected Date	Trades/Units sought for affiliation	ITI Proposed Units
5	Harinarayan Private ITI Karanpur Khujhi, Shitalaganj, Patti, Distt - Pratapgarh U.P. 230142	UP	New ITI 1809018572	4	25	03.09.2020	Electrician Fitter COPA Swing Technology	3(1+1+1) 3(1+1+1) 3(1+1+1)
	Units recommended by SCI	Land lease valld	Power connection as per norms	Bulding as per norms	worksho p space	Class room	IT lab	Drawing Hall
	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	Yes	Online bill Availabel for 2kW and required load is 12.7kW	Yes	Yes	Yes	Yes	Yes
	Avilability of Machinery, Tools & Equipments	Staff Quallfication & Documents	Remarks by Inspection Committee	Remarks by Scrutiny Committee			Remarks by Recommendation Committee	
	Yes	Yes	Recommended	Not Recommended ITI is in the Bulding of UMA Devi Mahila Mahavidhyalay Not Recommended by State No reply received			Rejected. State Director not recommended as ITI running In UMA Devi Mahila Mahavidhyalay	

Sanil

CA

Sl. No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date	Trades/Units sought for affiliation	ITI Proposed Units
6	Shambhu Narayan Private ITI, Vill & Post : Harahari, Dist : Ghazipur Uttar Pradesh - 233226	Uttar Pradesh	1809017048	2	178	10/24/2020	Electrician Fitter Sewing Technology COPA	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)
	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms	worksho p space	Class room	IT lab	Drawing Hall
	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	Yes	Mailed To State and ITI for the online bill verification	Yes	Yes	Yes	Yes	Not available in the building plan
	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Inspection Committee	Remarks by Scrutiny Committee		Remarks by Recommendation Committee		
	Yes	Yes	Recommended	Not Recommended Due To Non availability of drawing hall		Rejected State Director no recommended due to non- availability of Drawing Hall and ITI shall apply on online affiliation portal for next session		

Sl. No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date	Trades/Units sought for affiliation	ITI Proposed Units
7	Shri Jyoti Narayan Pvt ITI Vill- Aungan, Po- Daulaatpur, Baldeo, Dist- Mathura, Uttar Pradesh- 281301	Uttar Pradesh	NEW Application No. 1809016468	3	180	8/19/2020	Electrician Fitter Computer Operator & Programming Assistant Health Sanitary Inspector	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)
	Units recommended by SCI	Land lease valid	Power connection as per norms	Buildin g as per norms	worksh op space	Class room	IT lab	Drawing Hall
	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	Yes	Yes Reply received	Yes	Yes	Yes	Yes	Yes
	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee	Scrutiny Committee Remark		Recommended or not		
	Yes	Yes	Recommended	Recommended except 3rd shift		Deferred GST details to be verified for high value machines and equipment's by the State Director		

Sanjay

28

ee

Annexure 17.1.2(a)

SL.No.	ITI's Name	State	MIS Code Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
1	Vivekananda Industrial Training Centre Main Road, Dowlaiswaram, Rajahmundry EAST GODAVARI ANDHRA PRADESH- 533125	ANDHRA PRADESH	PR28000207	2.6	1989,1991 1994,1997 2002,2007 2008,2009 2012 & 2019	Mechanic (Refrigeration and Air-Conditioning) (NSQF) Mechanic Diesel (NSQF) Electrician (NSQF) Fitter (NSQF) Electronics Mechanic (NSQF) Welder (NSQF)	6(2+2+2) 3(1+1+1) 12(6+6+0) 10(7+3+0) 4(2+2+0) 2(1+1+0)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20
	Fitter	2(1+1)	2(1+1)	Mechanic (Refrigeration and Air-Conditioning) (52) Mechanic Diesel (42) Electrician (105) Fitter (168) Electronics Mechanic (27) Welder (4)	398	Mechanic (Refrigeration and Air-Conditioning) (67) Mechanic Diesel (51) Electrician (140) Fitter (40) Electronics Mechanic (41) Welder (0)	339
	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall
	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee	Remarks by Scrutiny Committee		Remarks by Recommendation Committee	Inspected Date
	The ITI was affiliated for fitter 10(7+3) and has Infrastructure and facilities for 12(6+6).	Yes	Recommended	Recommended		Recommended Fitter Add. 2(1+1) State Director ensure CITS qualification for all instructors.	11/9/2020

29

Sunil

or

SL.No.	ITI's Name	State	MIS Code Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
2	Dharti ITI, Pohetakli Tq- pathri, Dist Parbhani, PARBHANI Maharashtra-431506	Maharashtra	PR27000991	NA	2018	Electrician (NSQF) Welder (NSQF) Wireman (NSQF)	2(1+1) 2(1+1) 2(1+1)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20
	Electrician Mechanic Diesel	2(1+1) 2(1+1)	2(1+1) NR	Electrician (0+0) Welder (0+0) Wireman (0+0)	(00+00)	Electrician (18+0) Welder (0+0) Wireman (0+0)	18
	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall
	Own land	115 kW available on the name of Dharti Janseva Pratishthan Separate load for ITI not mentioned	Yes	Yes	Yes	Yes	Yes
	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee on Inspection	Remarks by Scrutiny Committee		Remarks by Recommendation Committee	Inspected Date
	Shortage of Machinery and equipment for Mech. Diesel	Yes	Recommended for Electrician 2(1+1)	Recommended as per SCI ITI need to upgrade to 4 for session 2021.		Recommended Electrician 2(1+1) ITI shall upgrade to 4th Trade by next academic session and ensuring CITS qualification for all instructors	11/11/2020

30

Signature

Signature

SL.No.	ITI's Name	State	MIS Code Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
3	Pavanraje Nimbalkar Pvt. ITI At. Govardhanwadi post. Dhoki, Tq-Dist. Osmanabad Maharashtra - 413508	Maharashtra	PR27000930	1.8	2018	Electrician (NSQF) Wireman (NSQF)	2(1+1) 2(1+1)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20
	Electrician Mechanic Diesel	2(1+1) 2(1+1)	2(1+1) 2(1+1)	Electrician (00+21) Wireman (00+21)	42	Electrician (00+20) Wireman (00+18)	38
	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall
	Yes (valid upto 2049)	Yes (Required 15kW, available 19 kW)	Yes	Yes	Yes	Not available in the building plan	Yes
	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee on Inspection	Remarks by Scrutiny Committee		Remarks by Recommendation Committee	Inspected Date
	Yes	Yes	Yes	IT lab details filled in annexure, not available in floor plan		Rejected due to non-availability of IT lab. Show cause Notice to be given for not having IT lab	11/11/2020

(31)

Jun 10/20

ee

SL.No.	ITI's Name	State	MIS Code Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
4	Somayya Private ITI, Wadgaon Ward, Akashwani Road, Chandrapur-442401	Maharashtra	PU27000871	3.54	2016	Electrician (NSQF) Fitter (NSQF)	2(1+1) 2(1+1)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20
	Electrician	2(1+1)	2(1+1)	Electrician (21+00) Fitter (21+00)	42	Electrician (00+20) Fitter (00+20)	40
	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall
	Own land	Yes (available 22.3 kW)	Yes	Yes	Yes	Yes	Yes
	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee on Inspection	Remarks by Scrutiny Committee		Remarks by Recommendation Committee	Inspected Date
	Yes (Tool list with deficiency not available)	Yes	Recommended	Tool list with deficiency not available		Rejected State Director not recommended and ITI shall upgrade with two more trades by next academic session, else Re-affiliation will to be granted	11/11/2020

(32)

Sumit

SL.No.	ITI's Name	State	MIS Code Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
5	Vidyaniketan Private Industrial Training Institute Bhadgaon Tal-Bhadgaon Dist-Jalgaon MAHARASHTRA-424105	Maharashtra	PR27000868	3.17	2015	Fitter (NSQF)	2(1+1)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20
	Electrician	4(2+2)	4(2+2)	Fitter (20+00)	20	Fitter (00+21)	21
	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall
	Yes (till 2023)	Yes (14.99 kW available)	Yes	Yes	Yes	Yes	Yes
	Avilability of Machinery, Tools & Equipments	Staff Quallfication & Documents	Remarks by Standing Committee on Inspection	Remarks by Scrutiny Committee		Remarks by Recommendation Committee	Inspected Date
	Yes	Yes	Yes	ITI is affiliated in 2015 and has only fitter trade running. Need to upgrade to 4 trades by session 2021		Recommended Electrician 4(2+2) ITI need to upgrade to 4 trades by next session 2021.	11/11/2020

33

Sumit *CD*

SL.No.	ITI's Name	State	MIS Code Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
6	Govt. Industrial Training Institute, Dhenkanal At-Borapada, Po-Gahamakhunti, Via-Govindpur, P.S-S Dhenkanal, Odisha - 759027	Odisha	GR21000504	4	1998, 2004, 2005, 2010, 2012, 2014 & 2016	Mechanic (Motor Vehicle) (NSQF) Fitter (NSQF) Welder (NSQF) Electrician (NSQF) Instrument Mechanic (NSQF) Electronics Mechanic (NSQF)	2(1+1) 6(2+2+2) 6(2+2+2) 9(3+3+3) 1(1+0+0) 4(2+1+1)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20
	COPA	2(1+1)	2(1+1)	Mechanic (Motor Vehicle) (NSQF) Fitter (21+21+0) (0+0+0) (21+21+0) Welder (21+21+21) Electrician (21+21+21) Instrument Mechanic (NSQF) Electronics Mechanic (26+0+0)	236	Mechanic (Motor Vehicle) (24+00) Fitter (0+0+20) (19+20+19) (00+00+19) Welder (15+16+13) Electrician (16+16+18) (20+20+20) Instrument Mechanic (0+0+0) Electronics Mechanic (0+17+21)	313
	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall
	own land	Yes	Yes	Yes	Yes	Yes	Yes
	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee on Inspection	Remarks by Scrutiny Committee		Remarks by Recommendation Committee	Inspected Date
	Yes	Yes (only one Instructor for COPA is available)	Recommended	Recommended	ITI needs to submit details about hiring of 2nd Instructor	Recommended COPA 2(1+1) ITI needs to submit compliance about hiring of 2nd Instructor by 15th January,2021 through State Director	

(34)

Junika

SL.No.	ITI's Name	State	MIS Code Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
7	Government ITI, Jharsuguda JES Campus, Badheimunda chowk, Kalimandir road JHARSUGUDA Odisha - 768202	Odisha	GU21000601	3.5	2016	Fitter (NSQF) Mechanic (Motor Vehicle) (NSQF) Welder (NSQF) Electrician (NSQF)	4(2+2) 2(1+1) 2(1+1) 4(2+2)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20
	Dress Making	2(1+1)	2(1+1)	Fitter (21+00) Mechanic (Motor Vehicle) (00+00) Welder (00+00) Electrician (00+00)	21	Fitter (20+20) Mechanic (Motor Vehicle) (24+00) Welder (20+20) Electrician (20+20)	144
	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall
	Own land	Yes	Yes	Yes	Yes	Yes	Yes
	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee on Inspection	Remarks by Scrutiny Committee		Remarks by Recommendation Committee	Inspected Date
	All machineries are available but not completely installed till inspection date.	Yes	Recommended	Recommended ITI needs to submit proofs of installation		Recommended Dress Making 2(1+1) ITI needs to submit compliance report regarding installation of machinery through State Director by 15th Jnuary, 2021.	

35

Sanjay

ad

SL.No.	ITI's Name	State	MIS Code Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
8	Govt. ITI, Baswa, Dausa, Tehsil - Baswa, Sistrict - Dausa, Rajasthan- 303327	Rajasthan	GR08001932	NA	2018	Electrician (NSQF)	2(1+1)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018- 19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20
	Fitter Mechenic Diesel Mech.(Referigartor & AC)	2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1)	Electrician(00+21)	21	Electrician(NSQF) (0+0)	0
	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall
	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee on Inspection	Remarks by Scrutiny Committee		Remarks by Recommendation Committee	Inspected Date
	Yes	Principal is same for Govt ITI Baswa and Govt ITI, sikri	Recommended	Placed before committee for decision New principal maybe appointed in one of the two ITIs		Recommended Fitter 2(1+1) Mechanic Diesel 2(1+1) Mech. (Refrigerator& AC) 2(1+1) ITI need to submit compliance by 15th January, 2021 regarding the Principal document, separate from Govt ITI, Sikri	9/12/2020

35

Sumit

ee

SL.No.	ITI's Name	State	MIS Code Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
9	Govt. ITI, Tehsil : Sikrai, Dist: Dausa, Rajasthan - 303508	Rajasthan	GR08001918	NA	2018	Electrician(NSQF)	2(1+1)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20
	Fitter Mechanic Diesel Mech.(Refrigarator & AC)	2(1+1) 2(1+1) 2(1+1)		Electrician(00+21)	21	Electrician(NSQF) (0+0)	0
	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall
	Yes	Yes (available 25 kW)	Yes	Yes	Yes	Yes	Yes
	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee on Inspection	Remarks by Scrutiny Committee		Remarks by Recommendation Committee	Inspected Date
	Yes	Principal is same for Govt ITI Baswa and Govt ITI, sikri	Recommended	Placed before committee for decision New principal maybe appointed in one of the two it is		Recommended Fitter 2(1+1) Mechanic Diesel 2(1_1) Mech. (Refrigerator & AC) 2(1+1) ITI need to submit compliance regarding the Principal document, separate from Govt ITI, Baswa by 15th January, 2021 through State Director.	9/11/2020

(37)

Sunil Kumar

SL.No.	ITI's Name	State	MIS Code Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
10	Govt.ITI, Alwar, Jakhera- Perveni Road, The;- Raini, Dist: Alwar, Rajasthan- 301409	Rajasthan	GR08000646	2.98	2009	Electrician(NSQF) Fitter(NSQF) Electronic (NSQF)Mechaninc(NSQF) Mech.Diesel(NSQF)	2(1+1) 2(1+1) 2(1+1) 2(1+1)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20
	COPA	2(1+1)	2(1+1)	Electrician(0+21) Fitter(21+0) Electronic Mechaninc(26+0) Mech.Diesel(21+21)	110	Electrician(00+00) Fitter(00+00) Electronic Mechaninc (00+00) Mech.Diesel(21+18)	39
	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall
	Yes	Yes (available 48 kW)	Yes	Yes	Yes	Yes	Yes
	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee on Inspection	Remarks by Scrutiny Committee		Remarks by Recommendation Committee	Inspected Date
	Yes	Yes	Recommended	Recommended		Recommended COPA 2(1+1)	10/8/2020

38

Sanita

SL.No.	ITI's Name	State	MIS Code Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
11	Govt.ITI. Mereta City Mela Maidan Nagaur Road, Nagaur Rajasthan	Rajasthan	GR08001010	1.88	1999, 2005 & 2008	Electricaina(NSQF) Fitter(NSQF) Welder(NSQF)	2(1+1) 2(1+1) 2(1+1)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20
	Electrician	2(1+1)		Electricaina (21+21) Fitter(21+00) Welder(00+00)	63	Electricaina(00+00) Fitter(00+17) Welder(20+00)	37
	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall
	Yes	Yes (available 35 kW)	Yes	Yes	Yes	Yes	Yes
	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee on Inspection	Remarks by Scrutiny Committee		Remarks by Recommendation Committee	Inspected Date
	Yes	Yes	Recommended	Recommended		Recommended Electrician 2(1+1)	15.09.2020

(39)

Sanika

OK

SL.No.	ITI's Name	State	MIS Code Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
12	Grace Private ITI 2-1-456/1/b,Vagumallaram, Manuguru Post and Mandal BHADRADRI KOTHAGUDEM TELANGANA - 507117	TELANGANA	PR36000511	2.89	2019	Electrician (NSQF) Fitter (NSQF) Mechanic Diesel (NSQF) Welder (NSQF)	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20
	Electrician	12(4+4+4)	12(4+4+4)	0	0	Electrician (20+20+20) (20+20+00) Fitter (20+20+00) (20+20+00) Mechanic Diesel (20+06+00) Welder (20+20+20)	100 80 26 60 =266
	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall
	Own Land	Yes (required 43.42 kW, available 45 kW)	Yes	Yes	Yes	Yes	Yes
	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee on Inspection	Remarks by Scrutiny Committee		Remarks by Recommendation Committee	Inspected Date
	Yes	Yes	Recommended	Recommended as recommended by SCI		Recommended Electrician 8(4+4) except for 3rd shift State Director should ensure CITs qualified Instructor staff	11/25/2020

40

Smith

SL.No.	ITI's Name	State	MIS Code Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
13	Anshika Private ITI Salarpur, Post- Rasulgarh Sarnath Varanasi - 221007	Uttar Pradesh	PR09000852	4.02	2010	Electrician (NSQF) Fitter (NSQF)	2(1+1) 2(1+1)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018- 19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20
	Electrician Fitter Cosmetology	13(4+4+5) 3(1+1+1) 3(1+1+1)	Not Mentioned by the Inspection Committee	Electrician (21+21) (21+21) Fitter (21+21) (00+00)	84 + 42 = 126	Electrician (0+0+20) Fitter (0)	20
	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall
	Yes	Required 28.62 kW Available 30kVA (24kW)	Yes	Yes	Yes	Yes	Yes
	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee on Inspection	Remarks by Scrutiny Committee		Remarks by Recommendation Committee	Inspected Date
	Yes	Yes	Not Mentioned by the Inspection Committee	Not Recommended Since ITI established in 2010. It needs to upgrade to 4 or more trades for session 2021.		Rejected , as not Recommended by State Director as ITI is more than 5 years old and ITI shall apply for Re-affiliation with minimum 4 trades	10/24/2020

(41)

Sanjay

SL.No.	ITI's Name	State	MIS Code Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
14	Govt. Industrail Training Institute,Tufanganj Vill- Andaranfulbari, P.O.- Tufanganj, KOCH BIHAR, 736160	West Bengal	GR19000012	NA	2007	Electronics Mechanic (NSQF)	1(1+0)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20
	Electrician Fitter	2(1+1) 2(1+1)	2(1+1) NR	Electronics Mechanic (26)	26	0	0
	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall
	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee on Inspection	Remarks by Scrutiny Committee		Remarks by Recommendation Committee	Inspected Date
	Tools for fitter trade is not complete	Yes	Recommended for Electrician	Not Recommended As ITI is more than 5 years old, need to apply for minimum 4 trades for affiliation		Recommended Electrician 2(1+1) Three months' time to be given for upgrading no. of trades to 4. The ITI is remotely located near international borders and the population in the area is as such that not many trades can be included in the ITI as per the State Directors comments in the meeting.	15.09.2020

(42) *Sanita*

Sl. No.	ITI's Name	State	MIS Code Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
1	Somnath Private ITI Ramvadi Kodinar, at Kodinar, Highway Bypass, Near Gohil ni Khan Dist. GIR Somnath	Gujarat	PR24007115	2.5	24-May-2013 13-Oct-2010	Wireman COPA Electrician	2(2+0+0) 1(1+0+0) 2(2+0+0)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20
	Health Sanitary Inspector	3(1+1+1)	3(1+1+1)	Wireman - (0+0+0) COPA - (0+0+0) Electrician - (0+0+0)	0	Wireman - (0+0+0) COPA - (0+0+0) Electrician - (0+20+7)	Electrician 27 students
	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall
	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Availability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee	Remark by Scrutiny Committee		Remark By Recommendation Committee	Inspected Date
	Yes	Yes	Recommended for HIS 3(1+1+1)	Placed for decision of committee State to provide details about admission and comment on inspection		Recommended HIS 2(1+1) for one year and ITI needs to apply for Re-affiliation for session 2021	2/24/2020

Sl. No.	ITI's Name	State	MIS Code Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
2	Gautam Buddha Minority Industrial Training Centre ITI Bus Stage, Khammam Road, Subhash Nagar, Yellandu Bhadradi Kothgudan	Telangana	PU36000130	4.75	10-Jul-1994 17-Feb-1995 30-Dec-2002 01-Dec-2006	Health Sanitary Inspector(NSQF) Sewing Technology(NSQF) Electrician(NSQF) Fitter (NSQF)	2(1+1) 2(1+1) 8(6+2) 2(1+1)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20
	Computer Operator and Programing Assistant Draughtsman Welder	3(1+1+1) 3(1+1+1) 3(1+1+1)	Not Recommended Institute's roof in tin sheet Crack in the wall of electrical workshop IT lab not maintained Drawing hall and library not available	Health Sanitary Inspector - (20+0+0) Sewing Technology - (8+0+0) Electrician - (42+30+0) Fitter - (35+4+0)	20 + 8 + 72 + 39 = 139	Health Sanitary Inspector - (21+13+0) Sewing Technology - (14+0+0) Electrician - (80+0+0) Fitter - (20+0+0)	34 + 14 + 80 + 20 = 148
	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall
	Yes	Yes Now 52 kW available	Yes	Yes	Yes	Yes	Yes
	Availability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee	Remarks by Scrutiny Committee		Remarks by Recommendation Committee	Inspected Date
	Yes	YES	Not Recommended Institute's roof in tin sheet Crack in the wall of electrical workshop IT lab not maintained Drawing hall and library not available	State replied 1. All the tools and equipments are available for COPA, DM Civil, Welder trade 2. Roof has structural civil and additional truss support 3. Crack was filled with solid structure. Placed before committee for decision		Not Recommended due to Old CRT desktops in IT lab and IT lab not as per the norms. To upgrade with 4th Trade and to be considered next academic session.	23.09.2020

(43)

Sunil Bz

CS

Sl. No.	ITI Name	State	Inspected Date	MIS Code/Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
3	Sri Balaji ITI, Budimi Gate, Putlam Road, Post/Mandal Ranswada	Telangana	9/24/2020	PR36000255	3.31	25-Sep-2012	Fitter (NSQF) Electrician (NSQF)	4(2+2) 4(2+2)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Land lease valid
	Electrician Mechanic Diesel Radiology Technician Sewing Technology	8(2+2+4) 3(1+1+1) 6(2+2+2) 3(1+1+1)	Only Radiology Technician 3(1+1+1) recommended	Fitter - (32+0+0) Electrician - (42+0+0)	32 + 42 = 74	Fitter - (0+0+0) Electrician - (0+37+0)	0 + 37 = 37	Yes
	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Availability of Machinery, Tools & Documents	Staff Qualification & Documents
	Yes	Yes	Yes	Yes	Yes	Yes	Shortage of tools in Electrician, Sewing Technology, Mechanic diesel and for 1 unit of Radiology technician Reply From State Government Letter No.D/815/2020, Da	YES
Remarks by Standing Committee			Remarks by Scrutiny Committee			Remarks by Recommendations Committee		
Only Radiology Technician 3(1+1+1) recommended Electrician 8(2+2+4) Mechanic Diesel 3(1+1+1) Radiology Technician 6(2+2+2) Sewing Technology 3(1+1+1)			Reply from state received, Recommended as per the recommendation of State directorate. 3rd Shift not allowed			Deferred State to provide report with Photographs of machinery and equipment, details about GST of High value machinery, Deficiency of machineries and Equipment list		

Sl. No.	ITI Name	State	Inspected Date	MIS Code/Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
4	Baba Bhirgu Private ITI VILL./POST- PALIYA TEHSIL-	Uttar Pradesh	8/19/2020	PR09900572	3.12	15-Dec-2016	Fitter (NSQF) Electrician (NSQF)	6(2+2+2) 6(2+2+2)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Land lease valid
	Electrician	6(2+2+2)		Fitter - (0+42+42) Electrician - (0+21+42)	84 + 63 = 147	Fitter - (39+0+0) Electrician - (40+20+0)	39 + 60 = 99	Yes
	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Availability of Machinery, Tools & Documents	Staff Qualification & Documents
	Sanction load is 21KVA (16 BKW) Required Load 17.42KW. As per UPPCL rule 2019-20, PF to be 0.9, Therefore available load.	Yes	Yes	Yes	Yes	Not Available	Tools with Deficiency List Not Attached	YES
Remarks by Standing Committee			Remarks by Scrutiny Committee			Remarks by Recommendations Committee		
Reply Received Letter No. BBPI/2020/347 Dated 13/11/2020			Verification from State needs to verify Drawing Hall as per revised building plan			Deferred State to verify revised building plan to be placed in the next meeting.		

Sanjay

Sanjay

44

Sl. No.	ITI Name	State	Inspected Date	MIS Code/Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
5	Babu Ram Pvt. ITI, Vill- Bhisaha, Po-Banpokhara, Dist-Mau,	Uttar Pradesh	8/18/2020	PR09900948	3.2	27-Mar-2018	Fitter (NSQF) Computer Operator and Programming Assistant (NSQF)	3(1+1+1) 3(1+1+1)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Land lease valid
	Electrician	6(2+2+2)		Fitter - (21+21+0) Computer Operator and Programming Assistant - (26+26+26)	42 + 78 = 120	Fitter - (0+0+20) Computer Operator and Programming Assistant - (5+12+12)	20 + 29 = 49	Yes
	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Availibility of Machinery, Tools & Equipments	Staff Qualification & Documents
	Online Bill Shows 7KW Required 12.2 KW		Yes	Yes	Yes	Not Available	YES	YES
	Remarks by Standing Committee/ Scrutiny Committee	Remarks by Scrutiny Committee			Recommendation Committee remark			
	Online Bill Shows 7KW Required 12.2 KW	16.33 kVA (13kW) load available, No update on drawing hall			Not recommended by State Directorate since drawing hall was not verified			

Sl. No.	ITI Name	State	Inspected Date	MIS Code/Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
6	Disha Private ITI Vill/Post - Khirikotha, Tahseel Madhuban, District - Mau, Uttar Pradesh -	Uttar Pradesh	18/0/2020	PR09900184	4.49	7-Oct-2016	Fitter (NSQF) Electrician (NSQF)	6(2+2+2) 6(2+2+2)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Land lease valid
	Electrician	6(2+2+2)	6(2+2+2)	Fitter - (21+21+21) Electrician - (21 + 42 + 21)	63 + 84 = 147	Fitter - (20+20+20) Electrician - (20+0+20)	60 + 40 = 100	Yes
	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Availibility of Machinery, Tools & Equipments	Staff Qualification & Documents
	Sanction load Is 18KVA (14.2kW) Required	Building Plan Not Attached	Building Plan Not Attached	Building Plan Not Attached	Building Plan Not Attached	Building Plan Not Attached	Yes	Yes
	Remarks by Standing Committee/ Scrutiny Committee	Remarks by Scrutiny Committee			Recommendation Committee remark			
	Recommended	New Bill shows 23 kVA(18.4 kW, 20.7 kW as per PF=0.9) load, building plan not provided			Recommended Electrician 4(2+2) State Director to ensure 100% CITS trained instructors to be appointed.			

Sumit

CD

45

Sl. No.	ITI Name	State	Inspected Date	MIS Code/Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
7	GLOBAL PRIVATE ITI Village Rastipur, Post:Khakhaicha, Dist. Allahabad UP	Uttar Pradesh	8/19/2020	PR09900383	3.4	15-Dec-2016	Fitter (NSQF) Electrician (NSQF)	6(2+2+2) 6(2+2+2)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Land lease valid
	Electrician	6(2+2+2)	6(2+2+2)	Fitter - (0+42+0) Electrician - (0+0+21)	42 + 21 = 63	Fitter - (20+0+0) Electrician - (40+40+20)	20 + 100 = 120	Yes
	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents
	Online Bill Shows 13KW Required 17.42 KW	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Remarks by Standing Committee/ Scrutiny Committee	Remarks by Scrutiny Committee			Recommendation Committee remark			
	Recommended	New Bill shows 20 kVA(16 kW) load (PF mentioned in bill is 0.99),			Recommended Electrician 4(2+2).			

Sl. No.	ITI Name	State	Inspected Date	MIS Code/Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
8	Global Technical Institute, khwajajahapur Maunath, Mau, U.P. -275101	Uttar Pradesh	8/17/2020	PU09001932	4.84	2015, 2016	Fitter (NSQF) Electrician (NSQF)	6(2+2+2) 6(2+2+2)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Land lease valid
	Electrician	12(4+4+4)	12(4+4+4)	Fitter - (21+21+42) Electrician - (21+21+42)	84 + 84 = 168	Fitter - (20+19+0) Electrician - (20+20+0)	39 + 40 = 79	Yes
	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents
	Online Bill Shows 17KW Required 22.62 KW	Building Plan Not Attached	Building Plan Not Attached	Building Plan Not Attached	Building Plan Not Attached	Building Plan Not Attached	Tools with Deficiency List Not Attached	YES
	Remarks by Inspection	Remarks by Scrutiny Committee			Recommendation Committee remark			
	Online Bill Shows 17KW Required 22.62 KW. Building plan and tool with deficiency list is not attached.	Online Bill Shows 17KW Required 22.62 KW. Building plan and tool with deficiency list is not attached. ITI replied, but still bill is not available online, State has not verified. Placed before committee for decision			Recommended Electrician B (4+4) ITI need to apply for re-affiliation with minimum 4 trades for session 2021.			

Smith

CP

46

Sl. No.	ITI Name	State	Inspected Date	MIS Code/Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
9	Hind Private Industrial Training Institute , Address-G T. Road Sikandra Rao , District-HATHRAS- State-UTTAR PRADESH	Uttar Pradesh	12.06.2020	PU09001932	3.46	2016	Electrician Fitter Welder	3(1+1+1) 6(2+2+2) 3(1+1+1)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Land lease valid
	Electrician	3(1+1+1)	3(1+1+1)	Electrician - (21 + 21 + 21) Fitter - (42 + 21 + 0) Welder - (12 + 0 + 0)	63 + 63 + 12 = 138	Electrician - (0 + 0 + 0) Fitter - (0 + 20 + 40) Welder - (0 + 0 + 0)	0 + 60 + 0 = 60	Yes
	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Availibility of Machinery, Tools & Equipments	Staff Qualification & Documents
	Online bill is not	Yes	Yes	Yes	Yes	Yes	Yes	YES
	Remarks by Inspection	Remarks by Scrutiny Committee			Recommendation Committee remark			
	Recommended	Deferred in 111th RCM held on 22.09.2020. Deferred for building plan not available. However, Online electricity bill is not available now. Placed before the committee for decision.			Deferred Electricity bill to be provided by State. To be upgraded with Four trades			

Sanjay *OR*

47

Skill Development Madhya Pradesh													
Proposals for Upgradation of Trades/Units for SCVT to NCVT													
Sl.No.	STATE	Name of I.T.I & address	Old/ New	MIS Code	Sno.	Name of Trade/Unit Proposed	Units	SCI Status	Sno.	Recommended by SCI/ Name of Trade & No of Units	Units	Remark	Remarks by the Recommendation Committee
1	Madhya Pradesh	Govt ITI Bahoriband, Mohania Road Distt.Katni (M.P.) Pincod:483330	Old	GR23000088	1	Computer Operator & Programming Assistant	2(1+1)	Recommended	1	Computer Operator & Programming Assistant	2(1+1)		To be put on file
2	Madhya Pradesh	Govt ITI Patan Village Surraya, Distt Jabalpur (M.P.) Pincod:482002	Old	GU23001086	1	Welder	2(1+1)	Recommended	1	Welder	2(1+1)		To be put on file
					2	Electrician	2(1+1)	Recommended	2	Electrician	2(1+1)		
3	Madhya Pradesh	Govt Model ITI Jabalpur Near Chungi Naka, Damoh Road Distt. Jabalpur (M.P.) Pin code 482002	Old	GU23000076	1	Electrician	4(2+2)	Recommended	1	Electrician	4(2+2)	Existing 6 units NCVT	To be put on file
4	Madhya Pradesh	Govt ITI Narsinghpur, Infront of Central Jail, Station Road Distt Narsinghpur (M.P.) Pin code:487001	Old	GU 23000073	1	Turner	2(1+1)	Recommended	1	Turner	2(1+1)		To be put on file
5	Madhya Pradesh	Govt ITI Gadarwara, Vivekanand ward, Bodrinaka Road Distt Narsinghpur (M.P.) Pincod:487551	Old	GR23000083	1	Electrician	2(1+1)	Recommended	1	Electrician	2(1+1)	Existing 2 units NCVT	To be put on file
					+2	Mechanic Diesle Engine	2(1+1)	Recommended	2	Mechanic Diesle Engine	2(1+1)		
6	Madhya Pradesh	Govt ITI Shahpura, Bilpathar Near Railway Crossing Shahpura, Distt. Jabalpur, Pin code 483119	Old	GR23000135	1	Fitter	2(1+1)	Recommended	1	Fitter	2(1+1)		To be put on file
7	Madhya Pradesh	Govt ITI Ashoknagar, Post Mohri rai, Distt. Ashoknagar, Pincod:473331	Old	GU23000024	1	Mechanic Diesle Engine	2(1+1)	Recommended	1	Mechanic Diesle Engine	2(1+1)		To be put on file
					2	Mechanic Motor Vehicle	2(1+1)	Recommended	2	Mechanic Motor Vehicle	2(1+1)		
8	Madhya Pradesh	Govt ITI Kannod, Satwas road Kannod, Distt. Dewas, (M.P.) Pin code 455332	New		1	Electrician	2(1+1)	Recommended	1	Electrician	2(1+1)		To be put on file
					2	Welder	2(1+1)	Recommended	2	Welder	2(1+1)		
					3	Fitter	2(1+1)	Recommended	3	Fitter	2(1+1)		
					4	Computer Operator & Programming Assistant	2(1+1)	Recommended	4	Copa	2(1+1)		
		Govt Gas Relif & Rrhabilitation Training institute Bhopal, MITI Campus, Govindpura, Bhopal, (M.P.) Pin 462023			1	Mechanic Diesle	2(1+1)	Recommended	1	Mechanic Diesle	2(1+1)		To be put on file
					2	Mechanic Refrigeration & Air Conditioning	2(1+1)	Recommended	2	Mechanic Refrigeration & Air Conditioning	2(1+1)		

48

Jain

J

bh

9	Madhya Pradesh		Old	GR23000263	3	CENTRAL AIR CONDITION PLANT MECHANIC	2(1+1)	Recommended	3	CENTRAL AIR CONDITION PLANT MECHANIC	2(1+1)	
					4	SHEET METAL WORKER	2(1+1)	Recommended	4	SHEET METAL WORKER	2(1+1)	
					5	INDUSTRIAL PAINTER	2(1+1)	Recommended	5	INDUSTRIAL PAINTER	2(1+1)	
10	Madhya Pradesh	Govt ITI Itarsi, Front of pathrota national highway 69, Betul road Itarsi, Tehsil Itarsi District Hoshangabad (M.P.) Pin	Old	GR23000062	1	Computer Operator & Programming Assistant	2(1+1)	Recommended	1	Computer Operator & Programming Assistant	2(1+1)	To be put on file
					2	Attendant Operator Chemical Plant	2(1+1)	Recommended	2	Attendant Operator Chemical Plant	2(1+1)	
11	Madhya Pradesh	Govt ITI Betul, Itarsi Road Sadar Betul, Distt Betul, (M.P.), Pin Code 460001	Old	GU23000063	1	Draughtsman Civil	2(1+1)	Recommended	1	Draughtsman Civil	2(1+1)	To be put on file
					2	Mechanic Diesle Engine	2(1+1)	Recommended	2	Mechanic Diesle Engine	2(1+1)	
12	Madhya Pradesh	Govt ITI Lateri, Shamshabad Road Lateri, Distt- Vidisha (M.P.) Pin code 464114	Old	GR23001106	1	Fitter	2(1+1)	Recommended	1	Fitter	2(1+1)	To be put on file
					2	Mechanic Diesle Engine	2(1+1)	Recommended	2	Mechanic Diesle Engine	2(1+1)	
					3	Sewing Technology	1(1+0)	Recommended	3	Sewing Technology	1(1+0)	
13	Madhya Pradesh	Govt ITI Sironj, Village Jhukar, Lateri Bypass Road, Near Polytechnic College Sironj, Dist Vidisha, Pin code 464228	Old	GR23001131	1	Electrician	2(1+1)	Recommended	1	Electrician	2(1+1)	To be put on file
					2	Welder	2(1+1)	Recommended	2	Welder	2(1+1)	
					3	Electronics Mechanic	2(1+1)	Recommended	3	Electronics Mechanic	2(1+1)	
					4	Fitter	2(1+1)	Recommended	4	Fitter	2(1+1)	
					5	MECHANIC MOTOR VEHICLE	2(1+1)	Recommended	5	MECHANIC MOTOR VEHICLE	2(1+1)	
14	Madhya Pradesh	Govt ITI Khujner, Panda Road, Distt Rajgarh, (M.P.) Pin code 465687	New		1	Electrician	2(1+1)	Recommended		Electrician	2(1+1)	To be put on file
					2	Computer Operator & Programming Assistant	2(1+1)	Recommended		Computer Operator & Programming Assistant	2(1+1)	
					3	Welder	2(1+1)	Recommended		Welder	2(1+1)	
					4	Fitter	2(1+1)	Recommended		Fitter	2(1+1)	
					5	Mechanic Diesle Engine	2(1+1)	Recommended		Mechanic Diesle Engine	2(1+1)	
15	Madhya Pradesh	Govt ITI Biaora, Village Kachnariya Taluka Biaora, Distt Rajgarh, (M.P.), Pin code 465661	Old	GR23000146	1	Mechanic Motor Vehicle	2(1+1)	Recommended	1	Mechanic Motor Vehicle	2(1+1)	To be put on file
					2	Mechanic Refrigeration & Air Conditioning	2(1+1)	Recommended	2	Mechanic Refrigeration & Air Conditioning	2(1+1)	
16	Madhya Pradesh	Govt ITI Khilchipur, New Building Zirapur Road Khilchipur, Distt Rajgarh (M.P.) Pin code 465679	Old	GU23000066	1	Mechanic Motor Vehicle	2(1+1)	Recommended	1	Mechanic Motor Vehicle	2(1+1)	To be put on file
					2	Mechanic Tractor	2(1+1)	Recommended	2	Mechanic Tractor	2(1+1)	
					3	Eletrician	2(1+1)	Recommended	3	Eletrician	2(1+1)	

Shukla

ed

17	Madhya Pradesh	Govt Eklavya ITI Chakaldi Sehore , Distt Sehore (M.P.), Pin code 466446	Old	GR23001136	1	Mechanic Diesle Engine	2(1+1)	Recommended	1	Mechanic Diesle Engine	2(1+1)	To be put on file
					2	Welder	2(1+1)	Recommended	2	Welder	2(1+1)	
18	Madhya Pradesh	Govt Mode ITI Bhopal, Raisen Road , Govindpura, Bhopal, (M.P.) Pin 462023	Old	GR23000004	1	Turner	2(1+1)	Recommended	1	Turner	2(1+1)	To be put on file
					2	Computer hardware and networking	2(1+1)	Recommended	2	Computer hardware and networking	2(1+1)	
					3	Litho offset machine	2(1+1)	Recommended	3	Litho offset machine	2(1+1)	
					4	Electrician	4(2+2)	Recommended	4	Electrician	4(2+2)	
19	Madhya Pradesh	Govt ITI Women Bhopal, Raisen Road , Govindpura, Bhopal, (M.P.) Pin 462023	Old	GR23000005	1	BASIC COSMETOLOGY	2(1+1)	Recommended	1	BASIC COSMETOLOGY	2(1+1)	To be put on file
20	Madhya Pradesh	Govt ITI Berasia In front of swami vivekanand College Village basai ,Tehsil Berasia, District Bhopal, Pin code 463106	Old	GR23001114	1	ELECTRONICS MECHANIC	2(1+1)	Recommended	1	ELECTRONICS MECHANIC	2(1+1)	To be put on file
					2	MECHANIC MOTOR VEHICLE	2(1+1)	Recommended	2	MECHANIC MOTOR VEHICLE	2(1+1)	
21	Madhya Pradesh	Govt ITI Budni , Gram mana Tehsil Budni District Sehore (MP) Pin code 466445	Old	GR23000084	1	Mechanic Tractor	2(1+1)	Recommended	1	Mechanic Tractor	2(1+1)	To be put on file
22	Madhya Pradesh	Govt ITI Shahganj , Tehsil Budni , District Sehore (M.P.) Pin code 466554	Old	GR23001097	1	Fitter	2(1+1)	Recommended	1	Fitter	2(1+1)	To be put on file
					2	Computer Operator & Programming Assistant	2(1+1)	Recommended	2	Computer Operator & Programming Assistant	2(1+1)	
					3	Welder	2(1+1)	Recommended	3	Welder	2(1+1)	
					4	Mechanic Diesel Engine	2(1+1)	Recommended	4	Mechanic Diesel Engine	2(1+1)	
23	Madhya Pradesh	Govt ITI Ghoradongri Sharni Road Near Pandra Harradhana, Taluka Ghoradongri, District Betul (M. P.) Pin code 460443	NEW		1	ELECTRICIAN	2(1+1)	Recommended	1	ELECTRICIAN	2(1+1)	To be put on file
24	Madhya Pradesh	Govt ITI Harda Khandwa Road Harda, District Harda, (M. P.), Pin Code 461331	Old	GR23000284	1	MECHANIC MOTOR VEHICLE	2(1+1)	Recommended	1	MECHANIC MOTOR VEHICLE	2(1+1)	To be put on file
25	Madhya Pradesh	Govt ITI Rahatgaon , District Harda , Sitaphal wadi, Dhanpada Road, Rahatgaon Pin code 461251	Old	GR23000271	1	Fitter	2(1+1)	Recommended	1	Fitter	2(1+1)	To be put on file
					2	Welder	2(1+1)	Recommended	2	Welder	2(1+1)	
					3	Computer Operator & Programming Assistant	2(1+1)	Recommended	3	Computer Operator & Programming Assistant	2(1+1)	

50

Sanjay

Sr. No.	ITI Name	MIS Code /Application Number	New Trade Sought For Affiliation	Units	Units Recommended by SCI	Existing Trade	Affiliated Units Shift Wise	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Send All existing Affiliation order of the included ITI in the list.	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Availability of Machinery, Tools & Equipments	Staff qualification & Documents	Remarks	Remarks by Recommendation Committee														
1	WOMEN ITI HAJIPUR	NA	ELECTRICIAN	02 (1+1)	02 (1+1)	ELECTRICIAN(SCVT)	02 (1+1)(SCVT)	20	59	15	41	NA	OWN LAND(130680sq Ft)	YES(TOTAL 65kw A/F)	YES(TOTAL-794sqm)	YES(98sqm)	YES(25sqm)	YES(27.5sqm)	YES(50sqm)	YES(enclosed with annexure-ii)	YES(enclosed with annexure-iii)	Recommended	Recommended for 1 year														
			ELECTRONIC MECHANIC	02 (1+1)	02 (1+1)	ELECTRONIC MECHANIC(SCVT)	02 (1+1)(SCVT)	16		NA		YES(56sqm)				YES(25sqm)																					
			MECHANIC CONSUMER ELECTRONIC APPLIANCES	02 (1+1)	02 (1+1)	MECHANIC CONSUMER ELECTRONIC APPLIANCES(SCVT)	02 (1+1)(SCVT)	13		NA		YES(56sqm)				YES(25sqm)																					
			INFORMATION COMMUNICATION TECHNOLOGY & SYSTEM MAINTENANCE	02 (1+1)	02 (1+1)	INFORMATION COMMUNICATION TECHNOLOGY & SYSTEM MAINTENANCE(SCVT)	02 (1+1)(SCVT)	10		NA		YES(70sqm)				YES(25sqm)																					
2	ITI ARA	NA	ELECTRICIAN	2(1+1)	2(1+1)	ELECTRICIAN(SCVT)	02(1+1)SCVT	18	130	20	140	NA	OWN LAND(130680sq Ft)	YES(TOTAL-65kw A/F)	YES(TOTAL-794sqm)	YES(98sqm)	YES(30 SQM)	YES(30 SQM)	YES (60 SQM)	YES (ENCLOSED WITH ANNEXURE III)	YES (ENCLOSED WITH ANNEXURE-III)	Recommended	Recommended for 1 year														
			FITTER	2(1+1)	2(1+1)	FITTER(SCVT)	02(1+1)SCVT	20		NA		YES(88sqm)				YES(30 SQM)																					
			MRAC	2(1+1)	2(1+1)	MRAC(Mechanic refrigeration and Air conditioning)(SCVT)	02(1+1)SCVT	15		NA		YES(80sqm)				YES(30 SQM)																					
			ICTSM	2(1+1)	2(1+1)	ICTSM (SCVT)	02(1+1)SCVT	11		NA		YES(20sqm)				YES(30 SQM)																					
			WELDER	2(1+1)	2(1+1)	WELDER(SCVT)	02(1+1)SCVT	23		NA		YES(80sqm)				YES(30 SQM)																					
			MECHANICS DIESEL	2(1+1)	2(1+1)	MECHANICS DIESEL(SCVT)	02(1+1)SCVT	43		NA		YES(150sqm)				YES(30 SQM)																					
3	ITI MARHOWRAH	GR10000039	MECHANIC AGRICULTURE MACHINERY	04(2+2)	04(2+2)	Electrician (NCVT)	10(5+5)	101	414	94	366	DGT-12/1/2018-TC	OWN LAND (4046.856sqm)	YES (TOTAL-160kw)	YES (TOTAL-1682sqm)	YES (250sqm)	YES (42sqm)	YES (81.06sqm)	YES (81.06sqm)	YES (enclosed with annexure-ii)	YES (enclosed with annexure-iii)	Recommended	Recommended for 1 year														
			PLUMBER	04(2+2)	04(2+2)	Fitter (NCVT)	08(4+4)	81		DGT-12/1/2018-TC		YES (160sqm)				YES (43.4sqm)																					
			MECHANIC MOTOR VEHICLE	04(2+2)	04(2+2)	Turner (NCVT)	02(1+1)	15		DGT-12/1/2018-TC		YES (402sqm)				YES (43.7sqm)																					
			I.C.T.S.M	04(2+2)	04(2+2)	Machinist (NCVT)	02(1+1)	16		DGT-12/1/2018-TC		YES (140sqm)				YES (42sqm)																					
			MRAC(Mechanic refrigeration and Air conditioning)	04(2+2)	04(2+2)	Draughtsman Mechanic (NCVT)	02(1+1)	20		DGT-12/1/2018-TC		YES (160sqm)				YES (42sqm)																					
			LIFT AND ESCALATOR MECHANIC	04(2+2)	04(2+2)	Wireman (NCVT)	02(1+1)	20		DGT-12/1/2018-TC		YES (197.2 sqm)				YES (42sqm)																					
						Welder (NCVT)	02(1+1)	30		DGT-12/1/2018-TC		YES (270.2 sqm)				YES (60sqm)																					
						Foundryman (NCVT)	02(1+1)	17		DGT-12/1/2018-TC		YES (180.2 sqm)				YES (30sqm)																					
						Mech Electronics (NCVT)	04(2+2)	38		DGT-12/1/2018-TC		YES (137.68 sqm)				YES (42sqm)																					
						ICTSM (NCVT)	04(2+2)	57		DGT-12/1/2018-TC		YES (71 sqm)				YES (46sqm)																					
						Mechanic Diesel (NCVT)	02(1+1)	19		DGT-12/1/2018-TC		YES (155 sqm)				YES (46sqm)																					
			4	WOMEN ITI PURNEA	NA	Electrician	02 (1+1)	02 (1+1)		Electrician-SCVT		02 (1+1)(SCVT)				20	60							18	52		Yes (20,235 Sqm till 26.02.2100)	YES (Available 19 Kw against Reqd 11.69 Kw)	YES (Available 4533 Sqm against Reqd 757 Sqm)	YES(176 sqm)	YES(25sqm)	YES(25sqm)	YES(50sqm)	Yes	Yes	Recommended	Recommended for 1 year
						Electronics Mechanic	02 (1+1)	02 (1+1)		Electronics Mechanic -SCVT		02 (1+1)(SCVT)				20								17		YES(56sqm)				YES(25sqm)							
Information Communication Technology & System Maintenance (ICTSM)	02 (1+1)	02 (1+1)				ICTSM-SCVT	02 (1+1)(SCVT)	20	0	YES(112 Sqm)	YES(25sqm)																										
Computer Aided Embroidery and Design	02 (1+1)	02 (1+1)				CAED-SCVT	02 (1+1)(SCVT)	0	0																												
5	WOMEN ITI BEGUSARAI	NA	ELECTRICIAN	04 (2+2)	04 (2+2)	ELECTRICIAN(SCVT)	04 (2+2)(SCVT)	40	77	36	66		OWN LAND(20235 sqm)	YES(TOTAL-5.206kw)	YES(TOTAL-4330.14 sqm)	YES(204 sqm)	YES(41 sqm)	YES(25 sqm)	YES(50sqm)	Yes	Yes	Recommended	Recommended for 1 year														
			ELECTRONIC MECHANIC	02 (1+1)	02 (1+1)	ELECTRONIC MECHANIC(SCVT)	02 (1+1)(SCVT)	20		19		YES(TOTAL-3.04kw)				YES(104 sqm)	YES(41 sqm)																				
			INFORMATION COMMUNICATION TECHNOLOGY & SYSTEM MAINTENANCE	02 (1+1)	02 (1+1)	INFORMATION COMMUNICATION TECHNOLOGY & SYSTEM MAINTENANCE(SCVT)	02 (1+1)(SCVT)	17		13		YES(TOTAL-3.45kw)				YES(104 sqm)	YES(41 sqm)																				
			MECHANIC CONSUMER ELECTRONIC APPLIANCES	02 (1+1)	02 (1+1)	MECHANIC CONSUMER ELECTRONIC APPLIANCES-SCVT	02 (1+1)(SCVT)	0		0		Yes				Yes	Yes																				

51

Sanita

OR

Annexure -17.2.1

SL.No.	ITI's Name	State	MIS Code/ Application Number	Existing Trade	Affiliated Units	Inspected Date
1	Gramin Polytechnic Gramin ITI, At-Vishnupuri, Tq/Dis: Nanded, Maharashtra - 431606	MH	PR27000692	Painter General (NSQF) Mechanic Computer Hardware (NSQF) Mechanic (Refrigeration and Air- Conditioning) (NSQF) Computer Hardware & Network Maintenance (NSQF) Architectural Draughtsman (NSQF) Architectural Assistant (NSQF) Wireman (NSQF) Electrician (NSQF)	1(1+0+0) 1(1+0+0) 2(1+1+0) 1(1+0+0) 1(1+0+0) 1(1+0+0) 4(2+2+0) 8(4+4+0)	9/23/2020
	Trades/Units sought for affiliation	ITI Proposed Units	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018- 19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20
	Basic Cosmetology Surveyor Health Sanitary Inspector Solar Technician Sheet Metal Worker Plumber Fitter Welder Wireman Electrician	2(1+1+0) 3(1+1+1) 2(1+1+0) 3(1+1+1) 2(1+1+0) 2(1+1+0) 6(2+2+2) 3(1+1+1) 6(2+2+2) 16(4+4+8)	Painter General - (3+0+0) Mechanic Computer Hardware - (0+0+0) Mechanic (Refrigeration and Air- Conditioning) - (26+0+0) Computer Hardware & Network Maintenance - (10+0+0) Architectural Draughtsman - (0+0+0) Architectural Assistant (2+0+0) Wireman - (11+0+0) Electrician - (32+0+0)	3 + 0 + 26 + 10 + 0 + 2 + 11 + 32 = 84	Painter General - (0+0+0) Mechanic Computer Hardware - (0+0+0) Mechanic (Refrigeration and Air-Conditioning) - (0+15+0) Computer Hardware & Network Maintenance - (9+0+0) Architectural Draughtsman - (9+0+0) Architectural Assistant (0+0+0) Wireman - (0+22+0) Electrician - (0+41+0)	0 + 0 + 15 + 9 + 9 + 0 + 22 + 41 = 96
	Land lease valid	Power connectio n as per norms	Building as per norms	workshop space	Class room	IT lab
	Yes	Yes	Yes	Yes	Yes	Yes
	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
	Yes	Major Deficiency in Basic Cosmetology Surovyer HIS, Solar Technician, Sheet meatal worker Plumber Fitter and Welder	Yes	Major tool and machinery Deficiency in Basic Cosmetology, Surveyor Health Sanitary Inspector, Solar Technician, Sheet meatal worker Plumber Fitter and Welder	Not Recommended Mechanic Computer Hradware trade to be de- affiliated, since 0 admissions in 2018 and 2019. Overall admission in ITI is less than 50% and hence not satisfactory for consecutive 2 years, therefore not recommended for extension of units.	Recommended Electrician 4(2+2) Wireman 2(1+1) ITI needs to apply for Re-affiliation for session 2021.100% CITS trained instructors to be appointed.

(52)

Sumit

Annexure-17.2.2

SL.No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date	Trades/Units sought for affiliation	ITI Proposed Units
1	Jaydeep (Private) ITI, Degan Tal. Shindkheda Dist- Dhule MH-425407	MH	TMP27474 PR1582808385	6	15	10/17/2020	Electrician Fitter Welder Surveyor	2(2+1+0) 2(2+1+0) 2(1+1+0) 2(1+1+0)
	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms	worksho p space	Class room	IT lab	Drawing Hall
	2(1+1+0) 2(1+1+0) 2(1+1+0) NR	Yes	Yes	Yes	Yes	YEs	Yes	Yes
	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Inspection Committee		Remarks by Scrutiny Committee		Remarks by Recommendation Committee	
	Shortage of machines and equipments for surveyor trade, ITI has submitted the details fulfilling the shortage	Yes	Recommended		Placed before the committee for decision		Deferred State needs to verify and submit the report about tools of Surveyor trade.	

53

Smilk

CS

Sl.No	ITI Name	State	MIS Code /Application Number	Grading	Affiliation year	Affiliated Trades	Affiliated units	Trades/Units sought for affilatiuon	ITI Proposed Units	Units recommended by SCI	Student enroll In 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll In 2019-20 session with Trade wise	Total student enrolled in 2019-20	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff qualification & Documents	Remarks by Standing Committee	Recoommended or not	
1	Old-Address Nav Bharti Pvt. ITI, Address 05, Bhuvneshwari Vatika, Panchayawala,, DistrictJAIPURState eRAJASTHAN Pincode302034 & New address -Nav Bharti Private Industrial Training Institute-Behind goud factory, Guni wala, Dhani dausa- 303303	Rajasthan	PR08001295	2.7	1-Jul-2013	Electrician Fitter	4(2+2+0) 2(1+1+0)	Electrician Fitter	8(2+2+4) 1(0+0+1)	Elect- Add.4(2+2+0) Total -8(4+4+0) Nil	Electrician - (0 + 0 + 0) Fitter - (0 + 0 + 0)	0	Electrician - (0 + 0 + 0) Fitter - (0 + 0 + 0)	0	Yes	Yes	yes	Yes	yes	Yes	Yes	yes	Yes	yes	Recommended	Not Recommended, as the admissions in both previous years are zero, ITI shall apply for 2 more trades and for Re-affiliation as per norms before Session 2021.
2	Old-S R MUND PRIVATE INDUSTRIAL TRAINING INSTITUTE, AddressMUNDSAR, BIKANER, DistrictBIKANERSt ateRAJASTHAN Pincode334202 & New Address- S R MUND PRIVATE INDUSTRIAL TRAINING INSTITUTE,Plot no-3, Shila vihar . Gokulpura jaipur- 302012	Rajasthan	PR08001715	3.83	2-Jan-2015	Electrician	3(1+1+1)	Electrician	3(1+1+1)	Add.3(1+1+1) Total-6(2+2+2)	Electrician - (0 + 0 + 0)	0	Electrician - (0 + 0 + 0)	0	Yes	Y	No	yes	Yes	Yes	Yes	Yes	Yes	Recommended	Not Recommended as Zero admission in affiliated trades in last two years, ITI shall apply on online affiliation portal before Session 2021	

54

Smit

C.D.

Annexure -17.2.3

Sl. No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date
1	Sanskar Pvt ITI Piprau Road Nadbai, Bharatpur, Rajasthan	Rajasthan	APP003133	4	93	8/7/2020
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms
	Electrician	4(2+2)	4(2+2)	Own land	12.5 kW(5.2 kW required)	Yes
	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents
	Yes	Yes	Yes	Yes	Yes	Yes
	Remarks by Inspection Committee	Remarks by Scrutiny Committee		Remarks by Recommendation Committee		
	Recommended	Not Recommended ITI need to apply with 4 or more trades		Not Recommended Since, it is based on Inspection carried out in 2020. ITI should apply on online affiliation portal with minimum 4 trades for affiliation.		

55

Smita

ce

Annexure-17.2.4

Sl.No	ITI Name	MIS Code/Applicat ion Number	State	Govt ITI in District	Pvt ITI in District	Trades/Units sought for affiliatiuon	ITI Proposed Units	Units recommended by SCI
1	<u>Bullwark Industrail Training Institute</u> <u>Village Vaghada, Dist. Surendra Nagar-</u> <u>382130</u>	New	Gujarat	8	6	Fire technology and Industrial safety managemant Fireman Health Safety & environment Health Sanitary Inspector	3(1+1+1) 3(1+1+1) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)
	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments
	yes	Yes	yes	Yes	yes	Yes	Yes	Yes(report attached)
	Staff qualification & Documents	Remarks by Standing Committee		Remarks by Scrutiny Committee			Remarks by Recommendation Committee	
	Yes(report attached)	Report Submitted		<u>State has carried out mini inspection and submitted its report</u> <u>Placed before committee for decision</u>			Recommended FTISM 2(1+1) Fireman 2(1+1) Health Safety & Environment 2(1+1) HSI 2(1+1)	

(56)



Annexure-17.2.5

Sl. No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date
1	<u>Advance Skill Pvt ITI, Samata Colony Majalgaon, Dist Beed, Maharashtra- 431131</u>	MH	TMP27470PR15 79878241	12	13	11/11/2020
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms
	Electrician Wireman Steno.Sec.Assti.(English) Cosmetology	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)				
	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents
	Not Verified	Not Verified	Not Verified	Not Verified	Yes	Yes
	Remarks by Inspection Committee	Remarks by Scrutiny Committee		Remarks by Recommendation Committee		
	Recommended	Received only annexure and proforma vide mail, complete report awaited		Not recommended by State Director due to 1. Invoices older than 4 to 6 years 2. NO GST no on invoices 3. Old tools and equipment's 4. Payment mode for machinery, tools not found		

Sl. No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date
2	<u>Jagat Jyoti Private ITI, Krunda Tal- Basmat, Dist- Hingoli Maharashtra - 431512</u>	MH	TMP27477PR15 81231425	6	1	11/3/2020
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms
	Electrician Fitter Wireman COPA	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	Yes (upto 2047)	yes (17.16 kW available and required)	Yes
	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents
	Yes	Yes	Yes	Yes	Yes	Yes
	Remarks by Inspection Committee	Remarks by Scrutiny Committee		Remarks by Recommendation Committee		
	Recommended Electrician 2(1+1) Fitter 2(1+1) Wireman 2(1+1) COPA 2(1+1)	Recommended		Recommended by State Director Electrician 2(1+1) Fitter 2(1+1) Wireman 2(1+1) COPA 2(1+1)		

Sanjay *ce*

57

Sl. No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date
3	<u>Nalanda Private ITI,</u> <u>A/P Ugwa, Tq. & Dis. Akola,</u> <u>Maharashtra - 444006</u>	MH		8	2	10/17/2020
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms
	Electrician Wireman COPA Draughtsman Civil	2(1+1) 2(1+1) 2(1+1) 2(1+1)	NR NR 2(1+1) NR	Yes	3.73 kW available Required is 16.65 kW	Yes
	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents
	for D'man (Civil) available is 60 sqm and required is 90 sqm For Wireman available 82 sqm, required 88 sqm	Yes	Yes	Yes	Machines not installed, Invoices are not proper	Yes
	Remarks by Inspection Committee	Remarks by Scrutiny Committee		Remarks by Recommendation Committee		
	Not Recommended	Not Recommended Received only annexure and proforma vide mail, complete report awaited		Not recommended by State Director ITI need to apply with minimum 4 trades for next session.		

Sl. No.	ITI's Name	State	MIS Code/ Application Number	Existing Trade	Affiliated Units	Inspected Date
4	<u>Gramin Itc Malakoli</u> <u>Tq. Loha Dist. Nanded</u> <u>NANDED,</u> <u>Maharashtra - 431708</u>	MH	PR27000611	Electrician Wireman COPA Surveyor (NSQF)	8(4+4) 8(4+4) 2(1+1) 2(1+1)	11/11/2020
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms
	Electrician Wireman COPA Surveyor (NSQF)	8(4+4) 8(4+4) 2(1+1) 2(1+1)	Electrician 2(1+1) Wireman 2(1+1)	Yes	Required load is 37.02 kW Available 20 kW	Yes
	Student enroll in 2018-19 session with Trade wise	Total student enrolled in	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019- 20	workshop space	Yes
	Electrician (21+15+0+0) Wireman(0+0+0) COPA(0+0+0) Surveyor (9+0)	36	Electrician (0+0+16+11) (0+20+0+0) Wireman(17+0) COPA(0) Surveyor (7+0)	71	Class room	Yes
	Drawing Hall	Avilability of	Staff Qualification &	Remarks by Inspection	Remarks by Scrutiny	Remarks by Recommendatio
	Yes	Yes	Yes	NR as required load is 37.02 kW and available load is 20 kW	Recommended	Recommended by State Director Electrician 2(1+1) Wireman 2(1+1)

58

Santhosh

Annexure-17.2.6

SR.No	ITI Name	State	MIS Code/Application Number	Inspected Date	Trades/Units sought for affiliation	ITI Proposed Units
1	Swami Vivekanand Private ITI P-74, MIDC, Kalamb Road, Latur, Maharashtra	Maharashtra	NEW Application No. TMP27481 PU1582024810	9/24/2020	Electrician Wireman Desktop Publishing Fitter Welder Draughtsman (Civil)	2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)
	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab
	Yes	Yes	Yes	Yes	Yes	Yes
	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
	Yes	Machinery, Tools available for these 4 trades Electrician Wireman Desktop Publishing Fitter	Yes	Recommended	Placed before the committee for decision	Recommended, as State Director has recommended Electrician 2(1+1) Wireman2(1+1) Desktop Publishing 2(1+1) Fitter2(1+1)

(59)

Sandy

92

Annexure 17.2.7

Sl. No.	ITI's Name	State	MIS Code Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
1	Gramin Pvt ITI, Palam Post Sarfarajpur, Tal- Palam, Dist Parbhani. Maharashtra - 431720	Maharashtra	PR27000998	2.6	2018	Wireman (NSQF) Welder (NSQF) Surveyor (NSQF) Mechanic Diesel (NSQF) Fitter (NSQF) Electrician (NSQF)	4(2+2) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 8(4+4)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20
	Electrician Wireman COPA	8(4+4) 4(2+2) 2(1+1)	8(4+4) 4(2+2) 2(1+1)	0	0	Electrician (20+0+0+0) (10+0+0+0) Mechanic Diesel (12+0) Surveyor (2+0) Wireman(1+0)	30+12+2+1=44
	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall
	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee	Remark by Scrutiny Committee	Remark By Recommendation Committee	Inspected Date	
	Yes	Yes	Recommended	ITI has surrendered COPA trade to use its workshop as IT lab	Recommended by State Director Electrician 8(4+4) Wireman 4(2+2) Affiliation up to 2023, and ITI shall apply for Re-affiliation for 2024 for all the trades. COPA trade Not Recommended	11/3/202	

60

Sunkh

SR.No	ITI Name	State	Inspected Date	MIS Code /Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll In 2018-19 session with Trade wise	Total student enrolled In 2018-19	Student enroll In 2019-20 session with Trade wise	Total student enrolled In 2019-20	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee	Recommended or not
1	Smt. Dharamwati Bhedjeet Singh Pvt ITI, Vill/Po-Barauli, Mahavan Block Baldev, Mathura HP-281301	Uttar Pradesh	8/19/2020	PR09002107	3.86	2015	Electrician (NSQF)	6(2+2+2)	Electrician	12(4+4+4)	12(4+4+4)	Electrician - (42+42+42)	126	Electrician - (0+0+0)	0	Yes	Bill in the Name of Saraswati ITI	Yes	Yes	Yes	Yes	Not Available	YES	YES	Drawing Hall not available	Deferred State Need to Submit Verified report
2	G City Private ITI C-51, Natwar Nagar, Dhauri Pyau, Mathura Uttar Pradesh - 281001	Uttar Pradesh	8/18/2020	PR09900674	2.36	2016	Electrician (NSQF) Marketing Executive (NSQF)	3(1+1+1) 3(1+1+1)	Electrician Health Sanitary Inspector	9(3+3+3) 6(2+2+2)	9(3+3+3) 6(2+2+2)	Electrician - (0+0+18) Marketing Executive - (26+25+0)	18 + 51 = 69	Electrician - (0+0+0) Marketing Executive - (0+0+0)	0	Yes	Online Bill Shows 9KW Required 22.4 KW	Yes	Yes	Yes	Yes	Not Available	Tools with Deficiency List Not Attached	Yes	Online Bill Shows 9kW Required 22.4 kW. Drawing Hall not available and tool with deficiency list is not	Deferred State Need to Submit Verified report

Sanjay

SR

61

Annexure -17.2.9

Sl.No	ITI Name	MIS Code/Application Number	State	No. of Govt ITIs in the district	No of PVT ITIs in the district	Trades/Units sought for affiliatiuon	ITI Proposed Units	Units recommended by SCI
1	B. Y. Patil Private ITI, Nandurbar-Prakasha Highway, Near Astoria, Sugar Factory Samsherpur, At Post Bamdod, Tal. Dist. Nandurbar, Maharashtra	New	Maharashtra	8	2	Electrician Wireman Fitter	6(2+2+2) 3(1+1+1) 6(2+2+2)	6(2+2+2) NR 6(2+2+2)
	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments
	Own Building	Yes	yes	space Shortage in wireman trade	space Shortage in wireman trade	Yes	Yes	Yes
	Staff qualification & Documents	Remarks by Standing Committee	Remark by Scrutiny Committee			Remark by Recommendation Committee		
	Yes	<u>Wireman NR due to Space, Machinery and Equipment & Manpower not as per norms</u>	Not Recommended			Deferred State to verify the details about 4th trade		

(62)

Sunil

ca

Annexure 17.3

SL.No.	ITI's Name	State	MIS Code Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
1	<u>Rajiv Gandhi Memorial Industrial Training Centre</u> <u>Plat No. F-14, Industrail Estate,</u> <u>Mulugu Road, Warangal, Telangana,</u> <u>506001</u>	Telangana	PU36000129		1994 (1996, 1997, 1998, 1999, 2001)	Electrician Fitter Diesel Mechanic	10(5+5) 4(2+2) 4(2+2)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20
	Affiliation/De-affiliation of ITI	Affiliation/De-affiliation of ITI	Electrician 10(5+5)	0	0	0	0
	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall
	Yes	required 32.2 kW (available 28 kW)	Yes	Yes	Yes	Yes	Yes
	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents	Remarks by Standing Committee on Inspection				Inspected Date
	Not available for mechanic diesel and fitter trade	Yes	ITI not found at location mentioned on NCVTMIS, Inspection carried out at new location 1.9 km from old location Recommended Electrician 10(5+5) De-affiliation of other 2 trades				9/1/2020
Remarks by Scrutiny Committee				Remarks by Recommendation Committee			
Placed before committee for decision				Not Recommended ITI need to apply with minimum 4 trades for session 2021.			

(23)

Signature

Signature