

Speed Post

DGT-Aff011(51)/2/2020-O/o Dir (TC)  
Government of India  
Ministry of Skill Development and Entrepreneurship  
Directorate General of Training

Employment Exchange Building,  
1st floor, Pusa, New Delhi,  
Dated: 8<sup>th</sup> January, 2021

To  
**The State Directors,**  
(Andhra Pradesh, Dadra & Nagar Haveli, Daman Diu, Gujarat, Haryana, Himachal Pradesh,  
Jharkhand, Maharashtra, Rajasthan, Telangana, Uttar Pradesh and West Bengal )


**Subject: Affiliation of Units/Trades of Govt./Pvt. Industrial Training Institute with NCVT-regarding.**

Sir,

As decided in the 11<sup>th</sup> Meeting of Recommendation Committee DGT held on 22<sup>nd</sup> September 2020, affiliation will be granted only for units in shift 1&2, as running the ITI in 3<sup>rd</sup> shift is not feasible in light of COVID-19 for maintaining Social Distancing and transport facilities after 3<sup>rd</sup> shift concern further, committee recommended trades/units in to DGT for session 2020-21.

2. The Committee examined affiliation proposals and accorded approval for the proposals conforming to the DGT Norms as per the list enclosed herewith.
3. The affiliation of the trades/units stated above are further subjected to,
  - (i) Periodic verification.
  - (ii) The ITI must comply with DGT norms/guidelines issued from time to time.
  - (iii) ITI must display the newly released logo of ITI on the Display Board at the main gate.
4. The said information is also available under "News & Updates" on NCVT MIS Portal at <https://ncvtmis.gov.in>.
5. Discrepancies if any in the affiliation orders, same may be intimated to undersigned within 15 days after the date of issue of order.

Yours faithfully

  
(Sunil Kumar Gupta)  
Director of Training

**Copy along with enclosures for information to:**

1. Sr PPS to Chairman of Recommendation Committee-DGT.
2. Sr PPS to DDG (Affiliation).
3. NCVT MIS Portal In charge, DGT Hqr. New Delhi, with request to upload these orders on NCVT MIS Portal .

  
(Ravi Chilukoti)  
Joint Director of Training



**STATE: Andhra Pradesh**  
**Total - 03, (New-00, Old-03)**

**Meeting Dated: 22/09/2020**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Sri Narayan Pt. ITI, Marupalli Village, Dist. Vizianagaram, 535270, Andhra Pradesh	PR28000491	Old	Electrician	Addl. 6(2+2+2)	Addl. 6(2+2+2) Total12(4+4+4)	Addl. 4(2+2+0) Total10(4+4+2)	Recommended  However, ITI should get affiliated for 4th trade before Session 2021 for fulfillment of minimum four trades, however 3rd shift not recommended as decided by the committee
				Fitter	Addl. 6(2+2+2)	Addl. 6(2+2+2) Total12(4+4+4)	Addl. 4(2+2+0) Total10(4+4+2)	
				COPA	6(2+2+2)	2(1+1+0)	2(1+1+0)	
				Refrigeration & Air Condition	6(2+2+2)	NR	NR	
				Mechanic Diesel	6(2+2+2)	NR	NR	
2.	Behra Pvt. ITI, 57th Ward, Narava, Pendurthy mandal, Dist. Visakhapatnam Andhra Pradesh	PR28000502	Old	Electrician	Addl. (2+2+2)	Addl. 6(2+2+2) Total12(4+4+4)	Addl. 4(2+2+0) Total10(4+4+2)	Recommended  But 3rd shift not recommended as decided by the committee.
				Fitter	Addl. (2+2+2)	Addl. 6(2+2+2) Total12(4+4+4)	Addl. 4(2+2+0) Total10(4+4+2)	
				Mechanic Diesel	6(2+2+2)	6(2+2+2)	4(2+2+0)	
				COPA	6(2+2+2)	N.R	N.R	
				Draftsman Civil	6(2+2+2)	N.R	N.R	
				Dress Making	6(2+2+2)	N.R	N.R	
				Sheet Metal Worker	6(2+2+2)	6(2+2+2)	4(2+2+0)	
				Welder	6(2+2+2)	3(1+1+1)	2(1+1+0)	
				Refrigeration and Air conditioning	6(2+2+2)	2(1+1+0)	2(1+1+0)	

*Sanika*

*Sanika*



**STATE: Andhra Pradesh**  
**Total - 03, (New-00, Old-03)**

**Meeting Dated: 22/09/2020**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
3.	Behra Pvt. ITI, Kotyada Village, L. Kota Mandal, Dist. Vizianagaram Andhra Pradesh	PR28000497	Old	Electrician	Addl. (2+2+2)	Addl. 6(2+2+2) Total 12(4+4+4)	Addl. 4(2+2+0) Total 10(4+4+2)	Recommended  But 3rd shift not recommended as decided by the committee.
				Fitter	Addl. (2+2+2)	Addl. 3(1+1+1) Total 9(3+3+3)	Addl. 2(1+1+0) Total 8(3+3+2)	
				Draftsman Civil	6(2+2+2)	2(1+1+0)	2(1+1+0)	
				Fire safety and Industrial Management	6(2+2+2)	3(1+1+1)	2(1+1+0)	
				Horticulture	6(2+2+2)	NR	NR	

*Santhosh*

*SR*



**STATE: Dadra & Nagar Haveli & Daman Diu**  
**Total - 01, (New-00, Old-01)**

**Meeting Dated: 22/09/2020**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Govt ITI Silvassa, District Dadra and Nagar Haveli & Daman Diu	GR26000001	Old	I&CTSM	2(1+1)	2(1+1)	2(1+1)	Recommended
				Secretarial Practice (English)	1(1+0)	1(1+0)	1(1+0)	Need to submit Power Compliance within a month's time from the date of issue of order.
				COPA	1(1+0)	1(1+0)	1(1+0)	

*Smith*

*oo*



**STATE: Gujarat**

**Meeting Dated: 22/09/2020**

**Total - 06, (New-00, Old-06)**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Charotar Gas Private ITI, Bakrol Vadtal Road, Nr. Knowledge Campus, At. Bakrol, Dist. Anand Gujarat-388315	PU24008073	Old	Electrician	Addl. 2(0+1+1)	Addl. 2(0+1+1) Total 3(1+1+1)	Addl. 1(0+1+0) Total 2(1+1+0)	Recommended  However, ITI should get affiliated for 2 more trades before Session 2021 for fulfillment of minimum four trades, and 3rd shift not recommended as decided by the committee.
2.	Gujarat Taining Center G.I.D.C Wadhwan Surendranagar-363030, Gujarat	PU24000769	Old	Health Sanitary Inspector	Addl. 15(5+5+5)	Addl. 15(5+5+5) Total 25(9+9+7)	NR	Not Recommended due to less Electric load, and ITI shall apply for 3 more trades before Session 2021 as minimum 4 trades is mandatory.
3.	Pipero Vibhag Yuva Shakti Pragati Mandal, Shri Raj ITI, At Post. Pipero, Ta. Dhanpur, Dist. Dahod, Pin - 389382, Gujarat	PR24006084	Old	Fitter  welder  Health Sanitary Inspector	Addl. 2(1+1)  Addl. 2(1+1)  Addl. 2(1+1)	NR  NR  NR	NR  NR  NR	Not Recommended as ITI was not ready for inspection and ITI shall apply online for Re-affiliation before Session 2021 with minimum 4 trades.

*Sanika*

*ca*



**STATE: Gujarat**

**Meeting Dated: 22/09/2020**

**Total - 06, (New-00, Old-06)**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
4.	Somnath Private ITI Ramvadi at Kodinar, Highway Bypass, Near Gohil ni khan Dist. GIR Somnath Gujarat	PR24007115	Old	Health Sanitary Inspector	3(1+1+1)	3(1+1+1)	NR	Not Recommended, as Zero admission in 2018 & 2019 in affiliation trades & ITI shall apply for Re-affiliation before session 2021.
5.	Shivam private ITI, At Devgana Jambala Road, T.A Shihor Dist. Bhavanagar Gujarat	PU24000780	Old	Health Sanitary Inspector	Adl. 2(2+0+0)	NR	NR	Not Recommended and ITI shall apply online for Re-affiliation before Session 2021 with minimum 4 trades.
6.	Shree Sarwati Kelavani Mandal Ujada- Vadi Pvt. ITI, Sampa Tehsil. Godhra, Dist. Panchmahal-389001, Gujarat	PU24006115	Old	Fitter Sewing Technology Wireman	3(1+1+1) 3(1+1+1) 3(1+1+1)	NR NR NR	NR NR NR	Not Recommended as ITI was not ready for inspection and ITI shall apply online for Re-affiliation before Session 2021 with minimum 4 trades.

*Sanil*

*CD*



**STATE: Haryana**  
**Total - 01, (New-00, Old-01)**

**Meeting Dated: 22/09/2020**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Udami Ram Memorial Private ITI, VPO-Jewali, Tehsil-Badhra, Dist. Charakhi Dadari, Haryana-127308	PR06000256	Old	Health Sanitary Inspector	2(1+1)	2(1+1)	2(1+1)	Recommended  ITI shall Apply for Re-affiliation for before session 2021 with minimum four Trades.

*Handwritten signature*

*Handwritten initials*



**STATE: Himachal Pradesh**  
**Total - 01, (New-00, Old-01)**

**Meeting Dated: 22/09/2020**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	<p><b>Old Address-</b>            N. R Memorial Private ITI, tehsil balh, Dist. Mandi, Himachal Pradesh -175006</p> <p>Shifting at</p> <p><b>New Address-</b>            N. R Memorial Private ITI, Gutkar (Behna), tehsil balh, Dist. Mandi, Himachal Pradesh -175006</p>	PR02000045	Old	<p>Electrician</p> <p>Mechanic (Motor Vehicle)</p> <p>Fitter</p> <p>Draughtsman Civil</p>	<p>6(2+2+2)</p> <p>3(1+1+1)</p> <p>3(1+1+1)</p> <p>3(1+1+1)</p>	<p>6(2+2+2)</p> <p>3(1+1+1)</p> <p>3(1+1+1)</p> <p>NR</p>	<p>4(2+2+0)</p> <p>2(1+1+0)</p> <p>2(1+1+0)</p> <p>NR</p>	Recommended

*Smills*

*SR*





**STATE: Jharkhand**

**Meeting Dated: 22/09/2020**

**Total - 02, (New-00, Old-02)**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Swarnrekha Private ITI, Ruchap, Chandil, Seraikella-Kharsawan, Jharkhand	PR20000189	Old	Fitter  Electrician	Addl. 12(6+6)  Addl. 12(6+6)	Addl. 10(5+5)  Addl. 12(6+6).	Addl. 10(5+5)  Addl. 12(6+6).	Recommended  However, ITI shall apply for 4 <sup>th</sup> trade before session 2021.
2.	J.P.S. Memorial Pvt. ITI, Balidih, Industrial Area Phase-11/D-61, Dist. Bokaro, Pin-827014, Jharkhand	PR20000062	Old	Fitter  Electrician	Addl. 10(5+5)  Addl. 16(8+8)	Addl. 1(0+1)  Addl. 6(3+3)	NR  NR	Not Recommended due to Deficiency tools poor admission in affiliated trades, Drawing hall. ITI shall apply for Re-affiliation before Session 2021.

*Smile*

*COO*



**STATE: Maharashtra**

**Meeting Dated: 22/09/2020**

**Total - 02, (New-00, Old-02)**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	APJ Abdul Kalam Private ITI, Manchi Hill, Ashvi Bk., Tal. Sangamner, Dist. Ahmednagar, Pin-413714, Maharashtra	PR27000836	Old	Electrician	Addl. 2(1+1)	NR	NR	Not Recommended as ITI was not ready for inspection, however ITI shall apply for 4th trade before Session 2021 as minimum 4 trades are required.
2.	Pyarelal Private ITI, Dawadipar Bajar, Dist. Bhandara, Maharashtra	PR27000855	Old	Electrician	Addl. 1(0+0+1)	Addl. 1(0+0+1)	NR	Not recommended as 3rd shift not allowed as decided. ITI shall apply for remaining two trades to complete norms of minimum 4 trades before Session 2021 and Institute website shall be updated.

*Sanil*

*JP*



**STATE: Rajasthan**  
**Total - 03, (New-00, Old-03)**

**Meeting Dated: 22/09/2020**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	S R Mund Private ITI, Mundsar, Bikaner, District Bikaner, Rajasthan Pin code-334202	PR08001715	Old	Electrician	Add. 3(1+1+1)	Add.3(1+1+1)	NR	Not Recommended as Zero admission in affiliated trades in last two years, ITI shall apply on online affiliation portal before Session 2021.
2.	Nav Bharti Private ITI, 05, Bhuvneshwari Vatika, Panchayawala, Dist. JAIPUR RAJASTHAN Pincode 302034	PR08001295	Old	Electrician  Fitter	Add. 8(2+2+4)  Add. 1(0+0+1)	Add.4(2+2+0) Total -8(4+4+0)  NR	NR  NR	Not Recommended, as the admissions in both previous years was zero, ITI shall apply for 2 more trades and for Re-affiliation as per norms before Session 2021.
3.	Gurupragya Private ITI, Nada Ki Dhani Raghunathgarh, Dist. SIKAR RAJASTHAN Pincode- 332027	PR08000254	Old	Electrician	Add. 3(1+1+1)	NR	NR	Not Recommended due to Grading less than 2, ITI shall apply for 3 more trades a minimum 4 trades is compulsory before Session 2021 as per norms and ITI due for Re-affiliation.

*Sanjay*

*02*



**STATE: Telangana**  
**Total - 05, (New-02, Old-03)**

**Meeting Dated: 22/09/2020**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Wilfred Private ITI, Premnagar, Mulugu, Dist. Mulugu, Telangana			Electrician	8(4+4+0)	8(4+4+0)	NR	Proposal shall be placed in next meeting with complete details.
2.	Laurel Private ITI, H. No. 7-1-362, Near Padmakshi Temple, Hanamkonda, Dist. Warangal Urban, Telangana			Electrician Fitter	8(4+4+0) 4(2+2+0)	8(4+4+0) 4(2+2+0)	NR NR	Proposal shall be placed in next meeting with complete details.
3.	Gargi Private ITI, H. no. 4-116/10, Warangal Road, Huzurabad, Dist. Karimnagar, Telangana, Pin-505468	PU28000478	Old	Mechanic Diesel Welder Dress Making	6(2+2+2) 6(2+2+2) 6(2+2+2)	NR NR NR	NR NR NR	Not Recommended as per the deficiencies reported by inspecting team, ITI shall apply for remaining 3 trades as minimum 4 trades is compulsory as per norms and ITI will be due for Re-affiliation, hence shall apply online affiliation portal before Session 2021.
4.	Vijayalakshmi Private ITI, Door no,-10-86, Narsapur (Vil & Mandal), Medak Dist. Hyderabad, Telangana	PR36000492	Old	Fitter	Addl. 6(2+2+2)	NR	NR	Not recommended for the reasons stated by inspecting team, ITI shall apply for remaining 2 trades before Session 2021

*Amith*

*ee*

(12)



**STATE: Telangana**  
**Total - 05, (New-02, Old-03)**

**Meeting Dated: 22/09/2020**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
								as minimum 4 trades is compulsory as per norms.
5.	Boys Town Private ITL, Jahanuma, Hyderabad, Telangana	PU36000022	Old	Electrician Fitter	Addl. 2(1+1) Addl. 2(1+1)	NR NR	NR NR	Not Recommended as ITI was not ready for inspection and as ITI is due for Re-affiliation shall apply for Re-affiliation before Session 2021.

*Junidh*

*lee*



**STATE: Uttar Pradesh**

**Meeting Dated: 22/09/2020**

**Total - 04, (New-00, Old-04)**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	M.D(Maya Devi) Pvt. ITI, Nagla Murari Sarsol Phalmandi, G.T. Road Aligarh, Uttar Pradesh-202001	PR09000106	Old	Electrician	Addl. 8(2+2+4)	Addl. 8(2+2+4) Total 12(4+4+4)	Addl. 4(2+2+0) Total 8(4+4+0)	Recommended  Additional 2+2 units (3rd shift not allowed), ITI shall apply for remaining one trade and for Re-affiliation before Session 2021 as per norms and lease to be renewed beyond 2022
2.	Gyan Deep Private ITI, Address Agra Road, District-Hathras, Uttar Pradesh-204101	PR09900123	Old	Electrician	Addl. 12(4+4+4)	Addl. 12(4+4+4) Total 18(6+6+6)	Addl. 8(4+4+0) Total 14(6+6+2)	Recommended additional 4+4 units (3rd shift not allowed), ITI shall apply for remaining 2 trades before Session 2021 as per norms.
3.	Maya Deep Private ITI, Raipur Dalpatpur Post-kakethal, Teh-Atrauli Dist-Aligarh, Uttar Pradesh-202281	PR09001781	Old	Electrician	Addl. 6(2+2+2)	Addl. 6(2+2+2) Total 24(8+8+8)	Addl. 4(2+2+0) Total 22(8+8+6)	Recommended for addition 2+2 units and ITI shall apply for two more trades and Re-affiliation before Session 2021 as per norms
4.	Hind Private ITI, G.T. Road Sikandra Rao, District-HATHRAS State-UTTAR PRADESH-204215	PU09900212	Old	Electrician	Addl. 3(1+1+1)	Addl. 3(1+1+1) Total 6(2+2+2)	NR	Not Recommended due to Building plans photo not clear. Clear drawings shall be obtained through State Government.



**STATE: West Bengal**  
**Total - 01, (New-00, Old-01)**

**Meeting Dated: 22/09/2020**

pSl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Bagula Private ITI, Vill. +P.O Bagula, P.S Hanskhali, Taluka Hanskhali, Dist. Nadia, West Bengal	PR19000263	Old	Electrician	Addl. 6(2+2+2)	Addl. 5(2+2+1) Total 7(3+3+1)	Addl. 4(2+2+0)	Recommended  Due to less Electric load, Electrician Addl. 4(2+2+0) Electronics Mechanic, Addl. 4(2+2+0) Fitter Addl. 4(2+2+0) and Welder Addl. 2(1+1+0)
				Electronics Mechanic	Addl. 6(2+2+2)	Addl. 5(2+2+1) Total 7(3+3+1)	Addl. 4(2+2+0)	
				Fitter	Addl. 6(2+2+2)	Addl. 5(2+2+1) Total 7(3+3+1)	Addl. 4(2+2+0)	
				Welder	Addl. 6(2+2+2)	Addl.6(2+2+2) Total 9(3+3+3)	Addl. 2(1+1+0)	

*Sumit*

*COA*