

**DGT-Aff011(51)/2/2020-O/o Dir (TC)**  
**Government of India**  
**Ministry of Skill Development and Entrepreneurship**  
**Directorate General of Training**

Employment Exchange Building,  
1st floor, Pusa, New Delhi,  
Dated: 8<sup>th</sup> January, 2021

To


**The State Directors,**  
(Maharashtra, Rajasthan, Tamil Nadu, Telangana and Uttar Pradesh, )

**Subject: Affiliation of Units/Trades of Govt./Pvt. Industrial Training Institute with NCVT-regarding.**

Sir,

As decided in the 12<sup>th</sup> Meeting of Recommendation Committee DGT held on 20<sup>th</sup> October 2020, affiliation will be granted only for units in shift 1&2, as running the ITI in 3<sup>rd</sup> shift is not feasible in light of COVID-19 for maintaining Social Distancing and transport facilities after 3<sup>rd</sup> shift concern further, committee recommended trades/units in to DGT for session 2020-21.

2. The Committee examined affiliation proposals and accorded approval for the proposals conforming to the DGT Norms as per the list enclosed herewith.
3. The affiliation of the trades/units stated above are further subjected to,
  - (i) Periodic verification.
  - (ii) The ITI must comply with DGT norms/guidelines issued from time to time.
  - (iii) ITI must display the newly released logo of ITI on the Display Board at the main gate.
4. The said information is also available under "News & Updates" on NCVT MIS Portal at <https://ncvtmis.gov.in>.
5. Discrepancies if any in the affiliation orders, same may be intimated to undersigned within 15 days after the date of issue of order.

Yours faithfully  
  
(Sunil Kumar Gupta)  
Director of Training

**Copy along with enclosures for information to:**

1. Sr PPS to Chairman of Recommendation Committee-DGT.
2. Sr PPS to DDG (Affiliation).
3. NCVT MIS Portal In charge, DGT Hqr. New Delhi, with request to upload these orders on NCVT MIS Portal .

  
(Ravi Chilukoti)  
Joint Director of Training



**STATE: Maharashtra**  
**Total - 18, (New-06, Old-12)**

**Meeting Dated: 20/10/2020**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	A one Private ITI, Babhalgoan, Latur, Maharashtra		New	Electrician	2(1+1)	NR	NR	Not Recommended  Shortage of tools equipment's machinery & furniture items.
				Electronic Mechanic	2(1+1)	NR	NR	
				Welder	2(1+1)	NR	NR	
				Front Office Assistant	2(1+1)	NR	NR	
2.	Maitree Private ITI, Gate No. 237, Bhtangali, Tal. / Dist. Latur, Maharashtra - 413512		New	Secretary Practice	1(1+0)	NR	NR	Not Recommended  Shortage of major tools and equipment's
				Front Office Assistant	1(1+0)	NR	NR	
				Marketing Executive	1(1+0)	NR	NR	
				Physiotherapy Technician	1(1+0)	NR	NR	
3.	PN SARODE Private ITI, Sawali, Hinganghat, District- Wardha, Maharashtra- 442301		New	Electrician	2(1+1+0)	NR	NR	Not Recommended  Tools Deficiency with incomplete Installation for Welder.
				Welder	2(1+1+0)	NR	NR	
				Fitter	2(1+1+0)	NR	NR	
				Computer Hardware & Network Maintenance	2(1+1+0)	NR	NR	
4.	Swami Vivekanand Private ITI P-74, MIDC, Kalamb Road, Latur, Maharashtra		New	Electrician	2(1+1)	NR	NR	Deferred for clarifications Comments to be sought from state for details regarding the Inspection, and reasons for Not Recommending 3 trades. To be placed in next meeting. Recommended for 3 trades
				Wireman	2(1+1)	NR	NR	
				Desktop Publishing	2(1+1)	NR	NR	
				Fitter	2(1+1)	NR	NR	
				Welder	2(1+1)	NR	NR	
				Draughtsman (Civil)	2(1+1)	NR	NR	



**STATE: Maharashtra**  
**Total - 18, (New-06, Old-12)**

**Meeting Dated: 20/10/2020**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
								only i.e. Electrician Wireman Desktop Publishing
5.	Shivarogya Private ITI, A/P Georai, Tal: Georai, Dist: Beed, Maharashtra		New	Electrician Wireman COPA Fire Technology and Industrial safety	2(1+1) 2(1+1) 2(1+1) 2(1+1)	NR NR NR NR	NR NR NR NR	Not Recommended Building not as per DGT norms, Tools and machinery not installed.
6.	SwargiyaBulobaiT agde Private ITI,Sahakar Nagar, At Po.Sawargoan, Th- Narkhed, Dist- Nagpur, Maharashtra - 441306		New	Electrician Fitter COPA Stenographer and Sec. Practice	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	Recommended
7.	Ballarpur Private ITI. Bamni, Ballarpur, Bit Campus, Bamni, Tal. - Ballarpur, Dist- Chandrapur, Maharashtra - 442701	PR27000812	Old	Electrician	Add. 2(1+1+0)	NR	NR	Not Recommended as per the deficiencies noticed by inspection team
8.	Government ITI, Chandur Bazar, Dist: Amravati, Maharashtra - 444704	GR27000510	Old	Welder Information & Communication Technology System Maintenance	Add. 1(0+1+0) 2(1+1+0)	Add. 1(0+1+0) 2(1+1+0)	Add. 1(0+1+0) Total 2(1+1+0) 2(1+1+0)	Recommended
9.	Govt. ITI, Bhatkuli, Dist: Amravati, Maharashtra 444721	GR27000457	Old	Welder Wireman	Add. 1(0+1+0) 2(1+1+0)	Add. 1(0+1+0) 2(1+1+0)	Add. 1(0+1+0) Total 2(1+1+0) 2(1+1+0)	Recommended



**STATE: Maharashtra**

**Meeting Dated: 20/10/2020**

**Total - 18, (New-06, Old-12)**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
10.	Graimin Advance Private ITI Majalgaon, Opp. Manadhane house, near Dr. Nilekar Hospital, Maharashtra-431131	PR27000843	Old	Electrician	6(2+2+2)	NR	NR	Not Recommended  Notice to be issued to ITI to upgrade to 4 trades else ITI to be de-affiliated.
11.	Gramin Polytechnic Gramin ITI, At-Vishnupuri, Tq/Dis: Nanded, Maharashtra - 431606	PR27000692	Old	Basic Cosmetology	2(1+1+0)	NR	NR	Not Recommended  Mechanic Computer Hardware trade to be de-affiliated, since 0 admissions in 2018 and 2019.  Overall admission in ITI is less than 50% and hence not satisfactory for consecutive 2 years, therefore not recommended for extension of units.
				Surveyor	3(1+1+1)	NR	NR	
				Health Sanitary Inspector	2(1+1+0)			
				Solar Technician	3(1+1+1)	NR	NR	
				Sheet Metal Worker	2(1+1+0)	NR	NR	
				Plumber	2(1+1+0)	NR	NR	
				Fitter	6(2+2+2)	NR	NR	
				Welder	3(1+1+1)	NR	NR	
				Wireman	6(2+2+2)	NR	NR	
				Electrician	16(4+4+8)	NR	NR	
12.	Indian Fire Service Engg. & Safety Managements Private ITI, Gut No 45 Plot No. 25,26,27,28 Kumbhephal Tal Dist Aurangabad, Maharashtra - 431201	PU27000874	Old	Electrician	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Fire Technology and Industrial Safety Management	2(1+1+0)	2(1+1+0)	2(1+1+0)	



**STATE: Maharashtra**  
**Total - 18, (New-06, Old-12)**

**Meeting Dated: 20/10/2020**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
13.	Maa Bhavani Private ITI, Near macroon school, bhadrawati tabhadrawati CHANDRAPUR, Maharashtra - 442902	PR27000914	Old	Computer Operator & Programming Assistant Electrician	1(1+0+0) 2(0+0+2)	1(1+0+0) 2(0+0+2)	1(1+0+0) NR	Recommended
14.	Nanathappa Halge Private ITI, VajinathDist Beed, Maharastra - 431530	PR27000976	Old	Wireman	2(1+1+0)	NR	NR	Not Recommended Due to Machinery installation not done and no machines are in working condition. ITI is running in the building of collage of engg.
15.	R O Nikam Private ITI Gondur, AT Tal, Dhule Maharastra - 424002	PR27000975	Old	Fitter Electrician	1(0+0+1) 3(1+1+1)	1(0+0+1) 3(1+1+1)	NR 2(1+1+0)	Recommended
16.	Samodepvt ITI Near Kanya School, 48/2, Samode, Tal. Sakri, District Dhule,, 424206, Maharashtra	PR27000801	Old	Electrician Welder	Addl. 3(2+1+0) 2(1+1+0)	Addl. 3(2+1+0) Total 6(3+2+1) 2(1+1+0)	Addl. 3(2+1+0) Total 6(3+2+1) 2(1+1+0)	Recommended
17.	Vikram ShikshanSansta New ITI Pathrot ,At Post: Zenda Chowk PathrotTq.Achalpur, Dist.Amravati, Maharashtra - 444808	PR27000706	Old	Electrician Wireman Fitter	2(0+1+1) 2(0+1+1) 2(1+1+0)	NR NR NR	NR NR NR	Not Recommended 1.For fitter trade letter given by applicant requesting time for inspection unit of electrician due to covid19



**STATE: Maharashtra**

**Meeting Dated: 20/10/2020**

**Total - 18, (New-06, Old-12)**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
								pandemic problem dated 23/09/2020. 2. Building under construction for classroom & no setup for additional unit of electrician & wireman trade
18.	<b>Shifting</b> Old Add:- Shri Guruji ITI, Latur Old MIDC Backside Od Aroma Hotel, Dist: Latur Maharashtra - 413512  New Add:- Shri Guruji ITI, Near Shri Shri Ravishankar School, Gate no.- 7, Wasabgaon Raod, Dist. - Latur, Maharashtra, Pin- 413512	PU27000997	Old	Fitter  Electrician  Secretarial Practice (English)  Physiotherapy Technician  Draughtsman (Civil)	2(1+1+0)  Addl. 4(2+2+0)  2(1+1+0)  2(1+1+0)  2(1+1+0)	2(1+1+0)  Addl. 4(2+2+0)  2(1+1+0)  2(1+1+0)  2(1+1+0)	2(1+1)  Add. 4(2+2) Total 6(3+3)  2(1+1)  2(1+1)  2(1+1)	Recommended

*Sumit*

*oo*



**STATE: Rajasthan**

**Meeting Dated: 20/10/2020**

**Total - 01, (New-00, Old-01)**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Meera Mandir Private ITI, NEAR GLOBAL COLLEGE PANCHSHEEL ROAD DEV NAGAR LOHAGAL, AJMER, RAJASTHAN - 305001	PU08001841	Old	Electrician	Addl. 2(1+1+0)	Addl. 2(1+1+0)	Addl. 2(1+1+0) Total 4(2+2+0)	Recommended Pre/Preparatory School Management trade to be de-affiliated due to 0 admission.

*Handwritten signature*

*Handwritten initials*



**STATE: Tamil Nadu**  
**Total - 01, (New-01, Old-00)**

**Meeting Dated: 20/10/2020**

**Spare capacity of Polytechnics**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	THIAGARAJAR POLYTECHNIC Pvt. ITI, Lakshmi Nagar, PO/TK: Valappady, Dist: Salem, Tamil Nadu - 636115		New	Electrician	6(2+2+2)	6(2+2+2)	NR	Not Recommended  Tools for COPA, Draughtsman (Mechanical), DCM, MRAC and Welder (Structural) not available.  Dedicated classroom not available for ITI
				Wireman	6(2+2+2)	6(2+2+2)	NR	
				Health Sanitary Inspector	6(2+2+2)	6(2+2+2)	NR	
				COPA	6(2+2+2)	NR	NR	
				Draughtsman (Civil)	6(2+2+2)	6(2+2+2)	NR	
				Draughtsman (Mechanical)	6(2+2+2)	NR	NR	
				Driver cum mechanic	6(2+2+2)	NR	NR	
				Mechanic Refrigeration-and Air conditioner	6(2+2+2)	NR	NR	
				Welder (Structural)	3(1+1+1)	NR	NR	
				Surveyor	6(2+2+2)	6(2+2+2)	NR	

*Sumit*

*ga*





**STATE: Tamil Nadu**  
**Total - 01, (New-01, Old-00)**

**Meeting Dated: 20/10/2020**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	C.M. Annamalai ITI Pvt ITI, Vill: Vellathur, Post: Adhivaragapuram, R.K. Pet Taluk, Sholinghur To Tiruttani High Road, Thiruvallur, Tamil Nadu		New	Fitter	2(2+0+0)	NR	NR	Not Recommended 2 units of fitter, welder, electrician, wireman, MRAC, for single shift are sought for affiliation. Essential tools and equipment of one batch only existing which is now used by existing polytechnic.
				Welder	2(2+0+0)	NR	NR	
				Electrician	2(2+0+0)	NR	NR	
				Wireman	2(2+0+0)	NR	NR	
				Mechanic Refrigerator and-Air Condition	2(1+0+0)	NR	NR	
				Dress Making	1(1+0+0)	NR	NR	
				Turner	2(1+0+0)	NR	NR	

*[Handwritten Signature]*

*[Handwritten Initials]*



**STATE: Telangana**  
**Total - 04, (New-00, Old-04)**

**Meeting Dated: 20/10/2020**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Adilabad Private ITI Dasnapur Dasnapur, Adilabad, TELANGANA - 504001	PR36000005	Old	Dress Making COPA	3(1+1+1) 3(1+1+1)	2(1+1+0) 2(1+1+0)	NR NR	Deferred as State representative not joined meeting to offer comments
2.	Manjeera Industrial Training Centre, H.N.16-39 N.H. Road-7 Ramayampetta, Dist:MEDAK, Telangana - 502101	PR36000157	Old	Sewing Technology Electrician Mechanic Diesel Fitter	3(1+1+1) 4(0+0+4) 1(0+0+1) 1(0+0+1)	3(1+1+1) NR 1(0+0+1) NR	NR NR NR NR	Deferred as State representative not joined meeting to offer comments
3.	Palamoor Private ITI, Mahabubnagar Road, Bhoothpur (Post & Mandal), MAHABUBNAGA, TELANGANA-509382	PR36000250	Old	Electrician Mechanic Diesel Welder	6(2+2+2) 3(1+1+1) 3(1+1+1)	6(2+2+2) 3(1+1+1) 3(1+1+1)	NR NR NR	Deferred as State representative not joined meeting to offer comments
4.	<b>Shifting (Old Add.):-</b> Satya ITC H.No. 4-70/2/B1, Chukala Complex, Armoor NIZAMABAD, TELANGANA - 503224  <b>(New Add.):-</b> Satya ITI, Vill-Cheeryal, Mandal: Keesara, District: Medchal Malkajgir, Telangana	PR36000238	Old	Electrician Fitter	12(4+4+4) 12(4+4+4)	12(4+4+4) 12(4+4+4)	NR NR	Deferred as State representative not joined meeting to offer comments

*Signature*



**STATE: Uttar Pradesh**  
**Total - 18, (New-07, Old-11)**

**Meeting Dated: 20/10/2020**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Baba Naipal Pvt. ITI, Sattarbarahpur, Tehsil-Sagri Distt. -Azamgarh, Uttar Pradesh		New	Electrician Fitter Plumber Computer Operator & Programming Assistant	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	NR NR NR NR	Deferred for clarifications 7 days' time is given to ITI to produce the documents: 1. Meter sealing report 2. Electricity bill, that matches with the online bill.
2.	Bhikki Singh Pradhan Pvt ITI Village- Kanjaulighat, Baldeo, Dist.: Mathura, U.P.-281301		New	Electrician Fitter Marketing Executive Finance Executive Health Sanitary Inspector	9(3+3+3) 6(2+2+2) 3(1+1+1) 3(1+1+1) 3(1+1+1)	9(3+3+3) 6(2+2+2) 3(1+1+1) 3(1+1+1) 3(1+1+1)	NR NR NR NR NR	Not Recommended  Online bill 24.44 kVA (19.5 kW) and required load is 29.42 kW ME & FE Tools Short of 2 No. Desktop Each
3.	Chaudhari Makharu Pvt. ITI, Vill/Po Doharighat, Tehsil- Ghoshi, District - Mau, Uttar Pradesh 275303		New	Electrician Fitter Swing Technology Computer Operator & Programming Assistant	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	NR NR NR NR	Not Recommended  Drawing Hall not available. Online electricity bill is not available.
4.	D.C.S. College Pvt. ITI, Mant Road, Raya, Mathura, Pin - 281204, Uttar Pradesh		New	Electrician Fitter Computer Operator & Programming Assistant	6(2+2+2) 6(2+2+2) 3(1+1+1)	6(2+2+2) 6(2+2+2) 3(1+1+1)	NR NR NR	Deferred for clarifications as Tools with Deficiency List Not Attached. Machinery Installation is not proper. Online Bill not

*Sanjay*

-1-

*ee*

*11*



**STATE: Uttar Pradesh**  
**Total - 18, (New-07, Old-11)**

**Meeting Dated: 20/10/2020**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
				Health Sanitary Inspector	3(1+1+1)	3(1+1+1)	NR	available. 7 days' time is given to ITI to produce the documents: 1. Tool list with deficiency column 2. Electricity bill, that matches with the online bill
5.	P.R.D. Pvt. ITI, Vill-Manikpur, Post-Alipur, Distt-Mainpuri, U.P.-205262		New	Electrician	6(2+2+2)	6(2+2+2)	NR	Not Recommended due to Online bill Shows 5 KW Require 19.4 KW.
				Fitter	6(2+2+2)	6(2+2+2)	NR	
				Physiotherapy Tec.	3(1+1+1)	3(1+1+1)	NR	
				Health Sanitary Inspector	3(1+1+1)	3(1+1+1)	NR	
6.	R.J. Pvt. ITI Rampur Balbhadra, Jakhania, Ghazipur, Uttar Pradesh - 275203		New	Electrician	6(2+2+2)	NR	NR	Not Recommended Since, need minimum 4 trades for new affiliation.  No Workshop Available for Plumber & Sewing Technology  No Tools & Machinery Available for Plumber & Sewing Technology
				Fitter	3(1+1+1)	NR	NR	
				Plumber	3(1+1+1)	NR	NR	
				Sewing Technology	3(1+1+1)	NR	NR	

*Swikhy*

*CO*



**STATE: Uttar Pradesh**  
**Total - 18, (New-07, Old-11)**

**Meeting Dated: 20/10/2020**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
7.	Shri Jyoti Narayan Pvt ITI Vill- Augan, Po-Daulaatpur, Baldeo, Dist-Mathura, Uttar Pradesh-281301		New	Electrician Fitter Computer Operator & Programming Assistant Health Sanitary Inspector	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	NR NR NR NR	Deferred for clarification as Sanction load is 22KVA (17.6KW) Required Load 19.85KW  Tools with Deficiency List Not Attached 7 days' time is given to ITI to produce the documents: 1. Tool list with deficiency column 2. Increase the sanction load to required value or more.
8.	Baba Bhirigu Private ITI Vill/Post- Paliya Tehsil- Muhammdabad Gohana, Dist. Mau, U.P.- 276403	PR09900572	Old	Electrician	6(2+2+2)	NR	NR	Notice for De-affiliation to be issued against non-availability of Drawing Hall
9.	Babu Ram Pvt. ITI, Vill- Bhisaha, Po-Banpokhara, Dist- Mau, U.P.- 221603	PR09900948	Old	Electrician	6(2+2+2)	NR	NR	Not Recommended Due to Online Bill Shows 7KW Required 12..2 KW
10.	Disha Private ITI Vill/Post - Khirikotha, Tah. Madhuban, District - Mau, Uttar Pradesh - 221603	PR09900184	Old	Electrician	6(2+2+2)	NR	NR	Not Recommended Due to Sanction load is 18KVA (14.2kW) Required Load 17.42kW,



**STATE: Uttar Pradesh**  
**Total - 18, (New-07, Old-11)**

**Meeting Dated: 20/10/2020**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
								building plan is not attached.
11.	G City Private ITI C-51, Natwar Nagar, Dhauli Pyau, Dist. Mathura Uttar Pradesh - 281001	PR09900674	Old	Electrician Health Sanitary Inspector	9(3+3+3) 6(2+2+2)	NR NR	NR NR	Notice for De-affiliation to be issued against non-availability of Drawing Hall
12.	GLOBAL Private ITI Village Rastipur, Post:Khakhaicha, Dist: Allahabad Up 212405	PR09900383	Old	Electrician	6(2+2+2)	NR	NR	Not Recommended Due to Online Bill Shows 13KW Required 17.42 KW.
13.	Global Technical Institute, khwajajahanpur Maunath, Mau, U.P.-275101	PU09001932	Old	Electrician	12(4+4+4)	NR	NR	Not Recommended Due to Online Bill Shows 17KW Required 22.62 KW. Building plan and tool with deficiency list is not attached
14.	Krishna Niji Audhyogik Prashikshan Kendra, KOPAGANJ, District - Mau, Uttar Pradesh - 275305	PR09001970	Old	Electrician	6(2+2+2)	NR	NR	Notice for De-affiliation to be issued against non-availability of Drawing Hall.
15.	Purvanchal ITC vill- Amwa, Po- Lilapur, District - Ghazipur, Uttar Pradesh - 233224	PR09000221	Old	Electrician Fitter	9(3+3+3) 3(1+1+1)	NR NR	NR NR	Not Recommended Building is under construction, Electricity bill



**STATE: Uttar Pradesh**  
**Total - 18, (New-07, Old-11)**

**Meeting Dated: 20/10/2020**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
								not attached, Principal's Experience Certificate Not Available
16.	RSL Private ITI VILL Devkathiya Post Andhaun Distt Ghazipur Uttar Pradesh- 233001	PR09900408	Old	Electrician  Fitter	9(3+3+3)  3(1+1+1)	NR  NR	NR  NR	Not Recommended Not Recommended, Building, Tools and machinery not available as per DGT norms
17.	Saraswati Private ITI - Mathura Ading, Sonkh, District -Mathura, Uttar Pradesh - 281501	PR09000313	Old	Electrician  Fitter	Addl. 8(2+2+4) Total 12(4+4+4)  6(2+2+2)	NR  NR	NR  NR	Not Recommended  Since ITI is more than 5 years old, it needs to apply for re- affiliation with minimum 4 trades.
18.	Smt. Dharamwati Bhedjeet Singh Pvt. ITI, Vill/Po- Barauli, Mahavan Block Baldev, Mathura, U.P- 281301	PR09002107	Old	Electrician	12(4+4+4)	NR	NR	Not Recommended  Notice for De- affiliation to be issued against non- availability of Drawing Hall

*Units*

*ce*