

DGT-Aff011(51)/2/2020-O/o Dir (TC)
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Employment Exchange Building,
1st floor, Pusa, New Delhi,
Dated: 4th January, 2021

To

The State Directors,

(Arunachal Pradesh, Delhi, Gujarat, Jharkhand, Maharashtra, Telangana, Uttar Pradesh, Tamil Nadu & West Bengal)


Subject: Affiliation of Units/Trades of Govt./Pvt. Industrial Training Institute with NCVT-regarding.

Sir,

As decided in the 10th Meeting of Recommendation Committee DGT (vide agenda item no. 2.1) held on 15th September 2020, affiliation will be granted only for units in shift 1&2, as running the ITI in 3rd shift is not feasible in light of COVID-19 for maintaining Social Distancing and transport facilities after 3rd shift concern further, committee recommended trades/units in to DGT for session 2020-21.


2. The Committee examined affiliation proposals and accorded approval for the proposals conforming to the DGT Norms as per the list enclosed herewith.
3. The affiliation of the trades/units stated above are further subjected to,
 - (i) Periodic verification.
 - (ii) The ITI must comply with DGT norms/guidelines issued from time to time.
 - (iii) ITI must display the newly released logo of ITI on the Display Board at the main gate.
4. The said information is also available under "News & Updates" on NCVT MIS Portal at <https://ncvtmis.gov.in>.
5. Discrepancies if any in the affiliation orders, same may be intimated to undersigned within 15 days after the date of issue of order.

Yours faithfully


(Sunil Kumar Gupta)
Director of Training

Copy along with enclosures for information to:

1. Sr PPS to Chairman of Recommendation Committee-DGT.
2. Sr PPS to DDG (Affiliation).
3. NCVT MIS Portal In charge, DGT Hqr. New Delhi, with request to upload these orders on NCVT MIS Portal.


(Ravi Chilukoti)
Joint Director of Training



STATE: Arunachal Pradesh
Total - 01, (New-01, Old-00)

Meeting Dated: 15/09/2020

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Govt. ITI (Women), Saglee, Dist. Papum Pare, Pin - 791112, Arunachal Pradesh		New	Basic Cosmetology	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended for Session 2020.
				COPA	2(1+1+0)	2(1+1+0)	2(1+1+0)	
				Desktop Publishing Operator	2(1+1+0)	2(1+1+0)	2(1+1+0)	
				Front Office Assistant	2(1+1+0)	2(1+1+0)	2(1+1+0)	
				Stenographer & Secretarial Assistant	2(1+1+0)	2(1+1+0)	2(1+1+0)	

Sumit

ee



STATE: Tamil Nadu

Meeting Dated: 15/09/2020

Total - 01, (New-01, Old-00)

Spare Capacity of Polytechnics

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	M.A.M Polytechnic College, Mannachanallur, Trichy, Chennai - 621105		New	Draughtsman Civil	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended for Session 2020.
				Surveyor	1(1+0+0)	1(1+0+0)	1(1+0+0)	
				Machinist	1(1+0+0)	1(1+0+0)	1(1+0+0)	
				Fitter	1(1+0+0)	1(1+0+0)	1(1+0+0)	
				Welder (G&E)	1(1+0+0)	1(1+0+0)	1(1+0+0)	
				Plumber	1(1+0+0)	1(1+0+0)	1(1+0+0)	
				Turner	1(1+0+0)	1(1+0+0)	1(1+0+0)	
				Electrician	1(1+0+0)	1(1+0+0)	1(1+0+0)	
				Electronic Mechanic	1(1+0+0)	1(1+0+0)	1(1+0+0)	
				COPA	1(1+0+0)	1(1+0+0)	1(1+0+0)	

Sanil Kumar

CS



STATE: Delhi

Meeting Dated: 15/09/2020

Total - 01, (New-01, Old-00)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Divyang Skill Development Centre, (DSDC), BSF Campus Chhawla, New Delhi -110071		New	COPA	2(1+1)	2(1+1)	2(1+1)	2(1+1) (though this is new ITI which supposed to start with minimum 4 trades, being ITI established by BSF for Divyang, the proposal was approved as a special case under agenda item no. 7.17 of the 7th Recommendation committee meeting held on 27.08.2019)

Sanil Kumar

oo

STATE: Gujarat

Meeting Dated: 15/09/2020

Total - 01, (New-01, Old-00)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Bullwark Private ITI Village Vaghada, Dist. Surendra Nagar-382130, Gujarat		New	Fire technology and Industrial safety management	3(1+1+1)	2(1+1+0)	NR	Deferred State Government will verify the documents and submit report
				Fireman	3(1+1+1)	2(1+1+0)	NR	
				Health Safety & environment	2(1+1+0)	2(1+1+0)	NR	
				Health Sanitary Inspector	2(1+1+0)	2(1+1+0)	NR	

Sanika

CO



STATE: Jharkhand
Total - 02, (New-02, Old-00)

Meeting Dated: 15/09/2020

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Gurukul Private ITI, At Ramsonariya, Po- Ghatkuraba, PS- Pathargama, Dist. Godda, Jharkhand		New	Electrician Fitter Surveyor Health Sanitary Inspector	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	4(2+2+0) 4(2+2+0) 2(1+1+0) 2(1+1+0)	Recommended for session 2020.
2.	J.P.S. Memorial Pvt. ITI, Balidih, Industrial Area Phase-11/D-61, Dist. Bokaro, Pin-827014. Jharkhand	PR20000062	Old	Fitter Electrician	10(5+5) 16(8+8)	10(5+5) 16(8+8)	NR NR	As this is existing ITI, due to oversight listed under new ITI category, this will be placed with details in next meeting.

[Handwritten Signature]



STATE: Maharashtra

Meeting Dated: 15/09/2020

Total - 07, (New-07, Old-00)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Chattrapati Shahu Maharaj Private ITI, A/P Parner, Parner-Supa Road, Tal., Parner, Dist. Ahmednagar, Maharashtra		New	Electrician	2(1+1)	NR	NR	ITI was not ready for inspection as per the letter submitted by ITI. Accordingly, ITI has to apply again on online affiliation portal
				Wireman	2(1+1)	NR	NR	
				Welder	2(1+1)	NR	NR	
				Fire Technology and Industrial Safety Management	2(1+1)	NR	NR	
				COPA	2(1+1)	NR	NR	
2.	Shivarogya Private ITI, Georai, Dist. Beed, Maharashtra		New	Electrician	2(1+1)	NR	NR	ITI was not ready for inspection as per the letter submitted by ITI. Accordingly, ITI has to apply again on online affiliation portal
				Wireman	2(1+1)	NR	NR	
				Fire Technology and Industrial Safety Management	2(1+1)	NR	NR	
				COPA	2(1+1)	NR	NR	
3.	Dyanganga Private ITI, Ranisawargao, Tq. Gangakhed, Dist. Parbhani, Maharashtra		New	Electrician	2(1+1)	NR	NR	ITI was not ready for inspection as per the letter submitted by ITI. Accordingly, ITI has to apply again on online affiliation portal
				Wireman	2(1+1)	NR	NR	
				Fire Technology and Industrial Safety Management	2(1+1)	NR	NR	
				Fashion Design & Technology	2(1+1)	NR	NR	

[Handwritten Signature]

[Handwritten Signature]



STATE: Maharashtra

Meeting Dated: 15/09/2020

Total - 07, (New-07, Old-00)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
4.	Bhalekar Private ITI, Dhotre, Tq. Parner, Dis. Ahmednagar, Maharashtra		New	Electrician Fitter Draftsman Civil Plumber	2(1+1) 2(1+1) 2(1+1) 2(1+1)	NR NR NR NR	NR NR NR NR	ITI was not ready for inspection as per the letter submitted by ITI. Accordingly, ITI has to apply again on online affiliation portal
5.	Siddharth Private ITI, Jath Location - Shegaon Road, Jath, Tal-Jath, Dist. Sangli, Maharashtra		New	Fitter Welder Electrician	2(1+1) 2(1+1) 2(1+1)	2(1+1) NR 2(1+1)	NR NR NR	Not recommended as per as per MoM 9.5.7 dt.09.10.2019 i.e. New ITI should start with minimum 4 trades. ITI has to apply on online affiliation portal next session.
6.	Shivaji Shikshan Prasarak Mandal Sanchlit Bhaskara Charya Private ITI, A/P- AT Post Tarwade Tal-Chalisgoan, Dist, Jalgaon, Maharashtra		New	Fitter Welder Electrician Draughtsman Mechanical	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1) NR	NR NR NR NR	Not recommended as per as per MoM 9.5.7 dt.09.10.2019 i.e. New ITI should start with minimum 4 trades. ITI has to apply on online affiliation portal next session.
7.	B. Y. Patil Private ITI, Nandurbar-Prakasha Highway, Near Astoria, Sugar Factory Samshepur, At Post Bamdod, Tal. Dist. Nandurbar, Maharashtra		New	Electrician Wireman Fitter COPA	6(2+2+2) 3(1+1+1) 6(2+2+2) 2(1+1+0)	6(2+2+2) NR 6(2+2+2) 2(1+1+0)	NR NR NR NR	Not recommended as per as per MoM 9.5.7 dt.09.10.2019 i.e. New ITI should start with minimum 4 trades. ITI has to apply on online affiliation portal next session.

Signature

Signature



STATE: Telangana

Meeting Dated: 15/09/2020

Total - 01, (New-01, Old-00)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Srinivasa Private ITI, H. no. 6-3-9/1, Maripeda, Dist. Mahabubabad, Pin-506315, Telangana		New	Electrician	6(2+2+2)	NR	NR	Not recommended as deficiencies recorded in inspection report. ITI has to apply on online affiliation portal next session.
				Fitter	3(1+1+1)	NR	NR	
				Draughtsman Civil	3(1+1+1)	NR	NR	
				Health Sanitary Inspector	3(1+1+1)	NR	NR	

[Handwritten Signature]

[Handwritten Signature]



STATE: Uttar Pradesh

Meeting Dated: 15/09/2020

Total - 05, (New-05, Old-00)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Ram Murat Private ITI, Barsara, Dist-Ghazipur-233232, Uttar Pradesh		New	Electrician Fitter	6(2+2+2) 6(2+2+2)	3(1+1+1) 6(2+2+2)	NR NR	Not recommended as per as per MoM 9.5.7 dt.09.10.2019 i.e New ITI should start with minimum 4 trades. ITI has to apply on online affiliation portal next session.
2.	M S Private ITI, Village-& Post-Bahora, Patiyali, Dist-Kasganj (Karimnagar), Uttar Pardesh-207243		New	Fitter Electrician COPA Health Sanitary Inspector	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	N.R 6(2+2+2) N.R 3(1+1+1)	NR NR NR NR	Not recommended as per as per MoM 9.5.7 dt.09.10.2019 i.e New ITI should start with minimum 4 trades. ITI has to apply on online affiliation portal next session.
3.	Shri Bharat Sing Kamala Devi Private Industrial Training Institute, Village-Raipur Khas, Atrauli, Dist-Aligarh, Uttar Pradesh-202133		New	Fitter Electrician Plumber Health Sanitary Inspector	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	NR NR NR NR	Clarification through State on the tool list with/without deficiency not mentioned by ITI and Principal certificate not attached. Mail may be sent seeking clarification.

[Handwritten Signature]

[Handwritten Initials]



STATE: Uttar Pradesh
Total - 05, (New-05, Old-00)

Meeting Dated: 15/09/2020

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
4.	P.S Private ITI, Hasayan Post, Sikandra, Dist-Hathras, Uttar Pradesh-204212		New	Fitter	3(1+1+1)	NR	NR	Not recommended due to 1. No-tool list with/without deficiency not mentioned by the 2. ITI and Principal certificate not attached. ITI has to apply on online affiliation portal next session.
				Electrician	3(1+1+1)	NR	NR	
				COPA	3(1+1+1)	NR	NR	
				Health Sanitary Inspector	3(1+1+1)	NR	NR	
5.	Sudha Pradeep Private ITI, Wazidpur, Sikandra Rao, Dist-Hatras, Uttar Pradesh-204215		New	Fitter	6(2+2+2)	NR	NR	Not recommended due to No-tool list with/without deficiency not mentioned by the ITI and Principal certificate not attached. ITI has to apply on online affiliation portal next session.
				Electrician	3(1+1+1)	NR	NR	
				Cosmetology	3(1+1+1)	NR	NR	
				Health Sanitary Inspector	3(1+1+1)	NR	NR	






STATE: West Bengal
Total - 02, (New-02, Old-00)

Meeting Dated: 15/09/2020

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Sabang Private ITI, Vill. Uddhabpur, P.O. Mohar, Taluk Kharagpur, P.S- Sabang, Dist. Paschim Medinipur - 721161, West Bengal		New	Fitter	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended for session 2020.
				Electrician	3(1+1+1)	3(1+1+1)	2(1+1+0)	
				Plumber	3(1+1+1)	3(1+1+1)	2(1+1+0)	
				Health Sanitary Inspector	3(1+1+1)	3(1+1+1)	2(1+1+0)	
2.	Nandakumar Sree Private ITI, Vill. Tarageria, P.O By Abattarhat, Taluk Dist. East Medinipur, Pin 721648, West Bengal		New	Electrician	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended for session 2020.
				Fitter	3(1+1+1)	3(1+1+1)	2(1+1+0)	
				Welder	3(1+1+1)	3(1+1+1)	2(1+1+0)	
				Health Sanitary Inspector	3(1+1+1)	3(1+1+1)	2(1+1+0)	