

**DGT-Aff011(51)/2/2020-O/o Dir (TC)**  
**Government of India**  
**Ministry of Skill Development and Entrepreneurship**  
**Directorate General of Training**

Employment Exchange Building,  
1st floor, Pusa, New Delhi,  
Dated: 8<sup>th</sup> January, 2021

To

**The State Directors,**  
(Maharashtra and Uttar Pradesh, )


**Subject: Affiliation of Units/Trades of Govt./Pvt. Industrial Training Institute with NCVT-regarding.**

Sir,

As decided in the 14<sup>th</sup> Meeting of Recommendation Committee DGT held on 10<sup>th</sup> November 2020, affiliation will be granted only for units in shift 1&2, as running the ITI in 3<sup>rd</sup> shift is not feasible in light of COVID-19 for maintaining Social Distancing and transport facilities after 3<sup>rd</sup> shift concern further, committee recommended trades/units in to DGT for session 2020-21.

2. The Committee examined affiliation proposals and accorded approval for the proposals conforming to the DGT Norms as per the list enclosed herewith.
3. The affiliation of the trades/units stated above are further subjected to,
  - (i) Periodic verification.
  - (ii) The ITI must comply with DGT norms/guidelines issued from time to time.
  - (iii) ITI must display the newly released logo of ITI on the Display Board at the main gate.
4. The said information is also available under "News & Updates" on NCVT MIS Portal at <https://ncvtmis.gov.in>.
5. Discrepancies if any in the affiliation orders, same may be intimated to undersigned within 15 days after the date of issue of order.

Yours faithfully

  
(Sunil Kumar Gupta)  
Director of Training

**Copy along with enclosures for information to:**

1. Sr PPS to Chairman of Recommendation Committee-DGT.
2. Sr PPS to DDG (Affiliation).
3. NCVT MIS Portal In charge, DGT Hqr. New Delhi, with request to upload these orders on NCVT MIS Portal .

  
(Ravi Chilukoti)  
Joint Director of Training



**STATE: Maharashtra**

**Meeting Dated: 10/11/2020**

**Total - 10 (New-06/Old-04)**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Latur College of Pvt ITI At & Po- Hasegoan TQ- Ausa Dist- Lature Maharashtra - 413531		New	Electrician Mechanic Diesel Surveyor Wireman	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	NR NR NR NR	<b>Deferred</b> ITI is to submit clarifications on Shortage of minor tools for all the trades (eg. Spanner, Allen Key) through State Directorate, MH within 7 days.
2.	Jaydeep (Private) ITI, Degan Tal. Shindkheda Dist- Dhule MH- 425407		New	Electrician Fitter Welder Surveyor	2(2+1+0) 2(2+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) NR	NR NR NR NR	<b>Rejected</b> Not approved by the State as not fulfilling criteria for having at least 4 trades.
3.	Pharate Patil Private ITI A/P Mandavgan, Pharata, Tal- Shirur Dist- Pune Maharashtra - 412210		New	Electrician Wireman COPA Fitter	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	<b>Recommended</b>
4.	Shrimati Sulochana Bhat Mahila ITI, Kundal. TL: Palus, Dist:Sangali Maharashtra - 416309		New	Electrician Wireman COPA Surveyor	16(4+4+8) 16(4+4+8) 01(0+0+1) 01(0+0+1)	NR NR NR NR	NR NR NR NR	<b>Rejected</b> as ITI was not ready for inspection and it will not be considered for next 6 months as per norms

*Sunil Kumar*

*CPD*



**STATE: Maharashtra**  
**Total - 10 (New-06/Old-04)**

**Meeting Dated: 10/11/2020**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade which affiliation sought for	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
5.	Ramakrishna Private ITI Akola Road Village Balsond Tal & Dist- Hingoli Maharsashtra - 431513		New	Electrician Fitter Welder Wireman	4(2+2+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	NR NR NR NR	NR NR NR NR	<b>Rejected</b> as not recommended by inspection team due to deficiency in Machinery
6.	Zeal Private ITI Pune Survey No. 39, Narhe Dhayari Road, Narhe, Ta: Haveli, Dist- Pune Maharashtra- 411041		New	Fitter Electrician Wireman Welder Solar Technician (Elec.)	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	NR NR NR NR NR	<b>Deferred</b> ITI is to submit compliance to qualification required for Principal through S/D MH within 7 days.
7.	Bonde Audogik Private Prashikshan Sanstha khapari At. Khapari Post.Ghorad Ta.Kalmeshwar Distt.Nagpur Maharashtra - 441501	PR27000876	Old	Welder	2(1+1+0)	NR	NR	<b>Rejected</b> as not recommended by inspection team due to less electric load and ITI should upgrade to 4 trades by session 2021.

*Sanil Kumar*

*cel*



**STATE: Maharashtra**  
**Total - 10 (New-06/Old-04)**

**Meeting Dated: 10/11/2020**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
8.	Gramin ITI, Sangam Tq- Parli, Dist Beed, Maharashtra - 431515	PR27000999	Old	Wireman MMV Electrician Fashion Design and Technology	6(3+3) 2(1+1) 8(4+4) 2(1+1)	NR NR NR NR	NR NR NR NR	<b>Rejected</b> as not recommended by inspection team due to building plan is different than actual plan, grouting of machinery, installation and safety measures not followed.
9.	Brahma valley Pvt. ITI Educational campus, Anjaneri, Tal- Trimbakeshwar, Nashik Maharashtra - 422213	PR27000970	Old	Wireman Electrician	2(1+1) 2(1+1)	NR NR	NR NR	<b>Rejected.</b> Show cause notice to be issued to ITI for having poor admission in last years. State Director be requested to monitor training in the institute and also undertake physical check of trainee particularly on scholarships.

*Junil*

*ced*



**STATE: Maharashtra**

**Meeting Dated: 10/11/2020**

**Total - 10 (New-06/Old-04)**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade which affiliation sought for	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
10.	Shri Nageshwar Private ITI A/P Bhandgaon, Bhalawani-Bhandgaon Road, Tal Parne AHMEDNAGAR - 414103	PR27000964	Old	Wireman  Fire Technology and Safety Management	2(1+1)  2(1+1)	2(1+1)  NR	2(1+1)  NR	<b>*Recommended</b> Wireman 2(1+1) as proposed by SCI provided that ITI shall comply with the criteria for having at least 4 trades by next academic session.

*Junika*

*co*

*5*



**STATE: Uttar Pradesh**  
**Total - 11, (New-10, Old-01)**

**Meeting Dated: 10/11/2020**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Harinarayan Private ITI Karanpur Khujhi, Shitalaganj, Patti, Distt - Pratapgarh U.P. 230142		New	Electrician Fitter COPA Swing Technology	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	NR NR NR NR	Deferred Clarification from the state on shortage of power load and infrastructure and obtain comments from inspection committee as ITI situated in Uma devi Mahila Mahavidyalay as reported by State. Also campus demarcation through boundary wall as well as adequacy of area.
2.	Ramkishor Private ITI Imamgarh, Mahul, Azamgarh U.P.- 223225		New	Electrician Fitter COPA Swing Technology	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	NR NR NR NR	<b>Rejected</b> as no response received to the clarification raised by DGT. Comments on Inspection from inspection committee as power connection details and Tools & equipment lost not attached in the report.

*Sanjay*

*CD*



**STATE: Uttar Pradesh**  
**Total - 11, (New-10, Old-01)**

**Meeting Dated: 10/11/2020**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
3.	Rakesh Singh Pvt ITI, Vill - Harchandpur, Post- Karimganj, Dist: -Mainpuri, U.P. - 205001		New	Electrician	3(1+1+1)	3(1+1+1)	NR	<b>Not Recommended due to less electricity load</b>
				Fitter	3(1+1+1)	3(1+1+1)	NR	
				COPA	3(1+1+1)	3(1+1+1)	NR	
				Sewing Technology -	3(1+1+1)	3(1+1+1)	NR	
4.	Sushma Private ITI Village - Atoos Agra U.P- 283105		New	Electrician	3(1+1+1)	NR	NR	<b>Not Recommended as per remarks by inspection team</b>
				Fitter	3(1+1+1)	NR	NR	
				COPA	3(1+1+1)	NR	NR	
				Tourist Guide -	3(1+1+1)	NR	NR	
5.	Kanha Pvt ITI Village & Po- Kosi Khurd, Goverdhan, Dist- Mathura, U.P.- 281005		New	Electrician	3(1+1+1)	3(1+1+1)	NR	<b>Not Recommended as minimum 4 trades are not getting affiliated as per norms.</b>
				Fitter	3(1+1+1)	3(1+1+1)	NR	
				Health Sanitary-Inspector	3(1+1+1)	NR	NR	
				Housekeeper	3(1+1+1)	NR	NR	
6.	Shri Natthi Lal Pvt ITI Vill - Syarmau, Tehra Agra U.P.- 283124		New	Electrician	3(1+1+1)	NR	NR	<b>Not Recommended as per remarks by inspection team.</b>
				Fitter	3(1+1+1)	NR	NR	
				COPA	3(1+1+1)	NR	NR	
				Health Sanitary Inspector	3(1+1+1)	NR	NR	

*[Handwritten Signature]*

*[Handwritten Initials]*



**STATE: Uttar Pradesh**  
**Total - 11, (New-10, Old-01)**

**Meeting Dated: 10/11/2020**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
7.	Baba Naipal Pvt. ITI, Sattarbarahpur, Tehsil-SagriDistt.- Azamgarh, Uttar Pradesh		New	Electrician Fitter Plumber  Computer Operator & Programming Assistant	3(1+1+1) 3(1+1+1) 3(1+1+1)  3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1)  3(1+1+1)	NR NR NR  NR	<b>Deferred</b> for clarifications 7 days' time is given to ITI to produce the documents: 1. Meter sealing report 2. Electricity bill, that matches with the online bill
8.	D.C.S. College Pvt. ITI, Mant Road, Raya, Mathura, U.P.-281204		New	Electrician  Fitter  Computer Operator & Programming Assistant  Health Sanitary Inspector	6(2+2+2)  6(2+2+2)  3(1+1+1)  3(1+1+1)	6(2+2+2)  6(2+2+2)  3(1+1+1)  3(1+1+1)	4(2+2)  4(2+2)  2(1+1)  2(1+1)	<b>Recommended</b> as proposed by Standing Committee except 3 <sup>rd</sup> Shift
9.	Shri Bharat Sing Kamala Devi Private Industrial Training Institute, Village-Raipur Khas, Atrauli, Dist-Aligarh, Uttar Pradesh-202133		New	Electrician Fitter Plumber H.S.I	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	4(2+2) 4(2+2) 2(1+1) 2(1+1)	<b>Recommended</b> as proposed by Standing Committee except 3 <sup>rd</sup> shift

*Signature*

*Signature*





**Skill India**  
शरीरमै भारत - कौशलमै भारत

**DGT-Aff011(51)/2/2020-O/o Dir (TC)**



**STATE: Uttar Pradesh**  
**Total - 11, (New-10, Old-01)**

**Meeting Dated: 10/11/2020**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
10.	P.R.D.Pvt.ITI, Vill-Manikpur, Post-Alipur, Distt-Mainpuri, U.P.-205262		New	Electrician Fitter  Physiotherapy Tec. Health Sanitary Inspector	6(2+2+2) 6(2+2+2)  3(1+1+1) 3(1+1+1)	6(2+2+2) 6(2+2+2)  3(1+1+1) 3(1+1+1)	2(1+1) 2(1+1)  2(1+1) 2(1+1)	Recommended as proposed by scrutiny Committee
11.	Babu Ram Pvt. ITI, Vill- Bhisaha, Po- Banpokhara, Dist- Mau, U.P.- 221603	PR09900948	Old	Electrician	6(2+2+2)	NIL	NIL	Deferred for the next meeting comments be asked from the State Directorate U.P

*Junil*

*ca*

*9*