

DGT-Aff011(51)/2/2020-O/o Dir (TC)
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Employment Exchange Building,
1st floor, Pusa, New Delhi,
Dated: 8th January, 2021

To

The State Directors,


(Uttar Pradesh, west Bengal, Karnataka, Maharashtra, Tamil Nadu and Telangana)

Subject: Affiliation of Units/Trades of Govt./Pvt. Industrial Training Institute with NCVT-regarding.

Sir,

As decided in the 15th Meeting of Recommendation Committee DGT held on 17th November 2020, affiliation will be granted only for units in shift 1&2, as running the ITI in 3rd shift is not feasible in light of COVID-19 for maintaining Social Distancing and transport facilities after 3rd shift concern further, committee recommended trades/units in to DGT for session 2020-21.

2. The Committee examined affiliation proposals and accorded approval for the proposals conforming to the DGT Norms as per the list enclosed herewith.
3. The affiliation of the trades/units stated above are further subjected to,
 - (i) Periodic verification.
 - (ii) The ITI must comply with DGT norms/guidelines issued from time to time.
 - (iii) ITI must display the newly released logo of ITI on the Display Board at the main gate.
4. The said information is also available under "News & Updates" on NCVT MIS Portal at <https://ncvtmis.gov.in>.
5. Discrepancies if any in the affiliation orders, same may be intimated to undersigned within 15 days after the date of issue of order.

Yours faithfully

(Sunil Kumar Gupta)
Director of Training

Copy along with enclosures for information to:

1. Sr PPS to Chairman of Recommendation Committee-DGT.
2. Sr PPS to DDG (Affiliation).
3. NCVT MIS Portal In charge, DGT Hqr. New Delhi, with request to upload these orders on NCVT MIS Portal .


(Ravi Chilukoti)
Joint Director of Training



STATE: Uttar Pradesh
Total - 06, (New-03, Old-03)

Meeting Dated: 17/11/2020

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Baba Naipal Pvt. ITI, Sattarbarahpur, Tehsil-Sagri Distt.- Azamgarh, U.P. -		New	Electrician Fitter Plumber Computer Operator & Programming Assistant	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	NR NR NR NR	Deferred, As final recommendations from State Directorate are awaited.
2.	Shri Jyoti Narayan Pvt ITI Vill- Augan, Po- Daulaatpur, Baldeo, Dist- Mathura, Uttar Pradesh- 281301		New	Electrician Fitter Computer Operator & Programming Assistant Health Sanitary Inspector	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	NR NR NR NR	Deferred, As final recommendations from State Directorate are awaited.
3.	Disha Private ITI Vill/Post - Khirikotha, Tahseel Madhuban, District - Mau, Uttar Pradesh - 221603	PR09900184	Old	Electrician	6(2+2+2)	6(2+2+2)	NR	Deferred, As final recommendations from State Directorate are awaited.

Sumit

CS



STATE: Uttar Pradesh
Total - 06, (New-03, Old-03)

Meeting Dated: 17/11/2020

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
4.	Bhikki Singh Pradhan Pvt ITI Village- Kanjaulighat, Baldeo, Dist.: Mathura, Uttar Pradesh.- 281301		New	Electrician Fitter Marketing Executive Finance Executive Health Sanitary Inspector	9(3+3+3) 6(2+2+2) 3(1+1+1) 3(1+1+1) 3(1+1+1)	9(3+3+3) 6(2+2+2) 3(1+1+1) 3(1+1+1) 3(1+1+1)	NR NR NR NR NR	Deferred, For seeking final recommendations from State Directorate.
5.	Baba Bhirigu Private ITI VILL/POST- PALIYA TEHSIL- MUHAMMDABAD GOHANA, MAU, U.P.- 276403	PR09900572	Old	Electrician	6(2+2+2)	NR	NR	Deferred, for seeking final recommendation from State Directorate.
6.	Saraswati Private ITI - Mathura Ading, Sonkh, District - Mathura, Uttar Pradesh - 281501	PR09000313	Old	Electrician Fitter	Addl. 8(2+2+4) 6(2+2+2)	NR NR	NR NR	Proposal rejected, ITI is old & needs to re-apply for re-affiliation with 4 or more trades.

Sumit

CD



STATE: West Bengal

Meeting Dated: 17/11/2020

Total - 02, (New-00, Old-02)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Govt. Industrial Training Institute Fulia P.O.&Vill.-Fulia Colony, NADIA, West Bengal - 741402	GR19000021	Old	Electrician	1(0+1)	1(0+1)	1(0+1)	Recommended
				Welder	1(0+1)	1(0+1)	1(0+1)	
				Surveyor	2(1+1)	2(1+1)	2(1+1)	
				Refrigeration & Air Conditioning	2(1+1)	2(1+1)	2(1+1)	
2.	Government Industrial Training Institute, Alipurduar P.O.- Birdara, Via Alipurduar JALPAIGURI, West Bengal - 736121	GR19000045	Old	Electronics Mechanic	1(0+1)	1(0+1)	1(0+1)	Recommended State Directorate also needs to provide admission status of trainees in next 15 days.
				Computer Hardware & Network Maintenance	2(1+1)	2(1+1)	2(1+1)	
				Diesel Mechanic	2(1+1)	2(1+1)	2(1+1)	
				Mechanic Motor Vehicle	2(1+1)	2(1+1)	2(1+1)	

Sumit

ca



Skill India
कौशल भारत - कुशल भारत

DGT-Aff011(51)/2/2020-O/o Dir (TC)



STATE: Karnataka

Meeting Dated: 17/11/2020

Total - 01, (New-00, Old-01)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Komalanna Doddanannavar Bharatesh Pvt ITI, Shindolli Cross Basavan Kudachi Extension Belaguru BELGAUM, KARNATAKA - 591124	PU29000094	old	Electrician Fitter	2(0+0+2) 4(0+0+4)	NR 1(0+0+1)	NR NR	Rejected, as 3 rd shift is not permitted, as decided in its 10 th meeting held on 15.09.2020

Sumil Kz

JS



STATE: Maharashtra

Meeting Dated: 17/11/2020

Total - 04, (New-04, Old-00)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Dadaso Anandrao Ganpat Pawar Private ITI, Gate No. 279, National Highway-3, Near Nardana, At. Po. Gorane Tal- Shindkheda, Dist- Dhule		New	Electrician	2(1+1)	2(1+1)	NR	Deferred, as recommendations from State Directorate are awaited, after receipt of comments accordingly it will be up
				Fitter	2(1+1)	2(1+1)	NR	
				Welder	2(1+1)	2(1+1)	NR	
				Electronics Mechanic	2(1+1)	2(1+1)	NR	
				Solar Technician	2(1+1)	2(1+1)	NR	
2.	Trimurti Private ITI, Survey No. 227/2, Near KBCNMU, Opp.-Hotel Govind, Paldhi BK., Tal Dharangoan, Dist- Jalgoan		New	Electrician	2(1+1)	2(1+1)	NR	Rejected, as not recommended by State Directorate for not fulfilling criteria of having at least 4 trades
				Wiremen	2(1+1)	2(1+1)	NR	
				Draughtsman Civil	2(1+1)	2(1+1)	NR	
				Fitter	2(1+1)	NR	NR	
3.	Latur College of Pvt ITI At & Po- Hasegoan TQ- AUSA Dist- Lature Maharashtra - 413531		New	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				Mechanic Diesel	2(1+1)	2(1+1)	2(1+1)	
				Surveyor	2(1+1)	2(1+1)	2(1+1)	
				Wireman	2(1+1)	2(1+1)	2(1+1)	
4.	Zeal Private ITI Pune Survey No. 39, Narhe Dhayari Road, Narhe, Ta: Haveli, Dist-Pune Maharashtra- 411041			Fitter	2(1+1)	2(1+1)	2(1+1)	Recommended
				Electrician	2(1+1)	2(1+1)	2(1+1)	
				Wireman	2(1+1)	2(1+1)	2(1+1)	
				Welder	2(1+1)	2(1+1)	2(1+1)	
				Solar Technician	2(1+1)	2(1+1)	2(1+1)	

Sumit

oe

6



Meeting Dated: 17/11/2020

STATE: Tamil Nadu
Total - 01, (New-00, Old-01)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Government ITI Opp. To Govt. Hospital, Dharapuram Road TIRUPPUR, TAMIL NADU - 641608	GU33000110	Old	Draughtsman Civil Wireman	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
					2(1+1+0)	2(1+1+0)	2(1+1+0)	

Sanil

JR



STATE: Telangana
Total - 01, (New-00, Old-01)

Meeting Dated: 17/11/2020

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Sri Balaji ITI, Budimi Gate, Pitlam Road, Post/Mandal : Banswada, Dis:Kamareddy , Telangana - 503187	PR36000255	Old	Electrician	8(2+2+4)	NR	NR	The proposal of Sri Balaji Pvt. ITI was recommended . It is advised to rectify minutes of the 13th meeting; and to circulate the same to State of Telangana for confirmation.
				Mechanic Diesel	3(1+1+1)	NR	NR	
				Radiology Technician	6(2+2+2)	3(1+1+1)	3(1+1+1)	
				Sewing Technology	3(1+1+1)	NR	NR	

Junika

CR

8



STATE: Tamil Nadu

Meeting Dated: 17/11/2020

Total - 01, (New-01, Old-00)

Spare Capacity of Polytechnics

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Sree Kumaraguru Polytechnic College Gopinathampatti Koot Road, Dist-Dharpuri Tamil Nadu - 636906		New	Wireman Fitter Electrician	1(0+1+0) 1(0+1+0) 1(0+1+0)	NR NR NR	NR NR NR	Rejected as not recommended by State Directorate as per the comments of inspection team

Sunitha

CO

9



STATE: Maharashtra

Meeting Dated: 17/11/2020

Total - 01, (New-01, Old-00)

Spare Capacity of Polytechnics

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	K.P.Patil Polytechnic Private ITI, Kholapur At-Mudel Tahasil-Bhudargad, Dist Kolhapur Maharashtra-		New	Details not Received		NR	NR	Rejected, as not recommended by State Directorate for not fulfilling criteria of having NoC from AICTE.

Sumit

SD

10