

Speed Post

DGT-Aff011(51)/2/2020-O/o Dir (TC)
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Employment Exchange Building,
1st floor, Pusa, New Delhi,
Dated: 8th January, 2021

To

The State Directors,

(Uttar Pradesh, Himachal Pradesh, Maharashtra, Tamil Nadu Andhra Pradesh, Rajasthan and
Telangana)

**Subject: Affiliation of Units/Trades of Govt./Pvt. Industrial Training Institute with NCVT-
regarding.**

Sir,

As decided in the 16th Meeting of Recommendation Committee DGT held on 25th November 2020, affiliation will be granted only for units in shift 1&2, as running the ITI in 3rd shift is not feasible in light of COVID-19 for maintaining Social Distancing and transport facilities after 3rd shift concern further, committee recommended trades/units in to DGT for session 2020-21.

2. The Committee examined affiliation proposals and accorded approval for the proposals conforming to the DGT Norms as per the list enclosed herewith.
3. The affiliation of the trades/units stated above are further subjected to,
 - (i) Periodic verification.
 - (ii) The ITI must comply with DGT norms/guidelines issued from time to time.
 - (iii) ITI must display the newly released logo of ITI on the Display Board at the main gate.
4. The said information is also available under "News & Updates" on NCVT MIS Portal at <https://ncvtmis.gov.in>.
5. Discrepancies if any in the affiliation orders, same may be intimated to undersigned within 15 days after the date of issue of order.

Yours faithfully

(Sunil Kumar Gupta)
Director of Training

Copy along with enclosures for information to:

1. Sr PPS to Chairman of Recommendation Committee-DGT.
2. Sr PPS to DDG (Affiliation).
3. NCVT MIS Portal In charge, DGT Hqr. New Delhi, with request to upload these orders on NCVT MIS Portal .


(Ravi Chilukoti)
Joint Director of Training

①



STATE: Uttar Pradesh
Total - 04, (New-02, Old-04)

Meeting Dated: 25/11/2020

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Shambhu Narayan Private ITI, Vill & Post : Harahari, Dist : Ghazipur Uttar Pradesh - 233226		New	Electrician Fitter Sewing Technology COPA	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	NR NR NR NR	Deferred Building layout to be verified by Architect and state Director. ITI needs to furnish the photographs of the drawing hall with required furniture
2.	Shri Swami SatSanganand Awam Parmanand Seva Samiti Private ITI , Kakrdahi, Baghpur, Kanpur Dehat, Uttar Pradesh - 209307	PR09001842	Old	Fitter Electrician COPA	2(1+1) 2(1+1) 1(1+0)	NR NR 1(1+0)	NR NR NR	Not Recommended. As recommended by State Director that since ITI is more than 5 years old, should apply for minimum 4 for affiliation by session 2021
3.	Saraswati Pvt. ITI, Mathura Ading Sonakh, Dist. Mathura- Uttar Pradesh- 281501,	PR09000313	Old	Electrician Fitter	Addl. 8(2+2+4) 6(2+2+2)	NR NR	NR NR	Not Recommended Since ITI is more than 5 years old, it needs to have 4 or more trades for affiliation by session 2021.

Sumit

Ja



Skill India
मनोहरासु भारत - गुशरलु भारत

DGT-Aff011(51)/2/2020-0/o Dir (TC)



STATE: Uttar Pradesh
Total - 04, (New-02, Old-04)

Meeting Dated: 25/11/2020

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
4.	Ma Jasoda Private ITI, Village ATARA, Post Bhithadan, Block Ahirori, Dist:Hardoi Uttar Pradesh - 241122		New	Electrician	3(1+1+1)	3(1+1+1)	2(1+1)	Recommended As per the recommendations of State Directorate & 3rd shift not allowed
				Fitter	3(1+1+1)	3(1+1+1)	2(1+1)	
				Wireman	3(1+1+1)	3(1+1+1)	2(1+1)	
				Health Sanitary Inspector	3(1+1+1)	3(1+1+1)	2(1+1)	

Sumit

ca

(TC)



STATE: Himachal Pradesh
Total - 01, (New-00, Old-01)

Meeting Dated: 25/11/2020

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Takshila Private ITI, Near M.L.S.M College Sundernagar, DISTRICT-MANDI, Himachal Pradesh 175018	PR02000211	Old	Electrician	3(1+1+1)	3(1+1+1)	NR	Not Recommended Since ITI is more than 5 years old, should apply for minimum 4 for affiliation by session 2021.

[Handwritten Signature]

[Handwritten Signature]

(4)



Skill India
शिक्षण भारता - कुशलता भारता

DGT-Aff011(51)/2/2020-O/o Dir

(TC)



STATE: Maharashtra
Total - 09, (New-06, Old-03)

Meeting Dated: 25/11/2020

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Dr. Devendra Joshi Pvt ITI, Laxminagar Wadi(BK) Tal. & Dis : Nanded, Maharashtra - 431605		New	Electrician Fitter Welder Wireman	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	NR NR NR NR	Rejected, as not recommended by State Director, School is running in the campus and not shifted despite the permission for shifting from June 2019, therefore it shows no intention for shifting.
2.	Gramin Private ITI, Beed At Post Dagawadi, Tq. Parli V. Dist : Beed Maharashtra - 431515		New	Electrician Wireman Welder COPA Fashion Design and Technology Mechanic Diesel	24(8+8+8) 12(4+4+4) 6(2+2+2) 3(1+1+1) 3(1+1+1) 3(1+1+1)	8(4+4) 4(2+2) 2(1+1) Withdrawn by ITI 2(1+1)	8(4+4) 4(2+2) 2(1+1) Withdrawn by ITI ITI 2(1+1)	Recommended
3.	Mauli Private ITI, Near Vilas 2 Sugar Industry, At Post Tondar, TQ UDGIR Dist : Latur MH-413517		New	Electrician Wiremen Welder Mechanic Diesel	4(2+2) 2(1+1) 2(1+1) 2(1+1)	4(2+2) 2(1+1) NR NR	NR NR NR NR	Rejected as not recommended by State, Since ITI needs to have 4 or more trades for affiliation
4.	Sandip Private ITI, Zodge, Tal. Malegoan, Dist.Nashik,		New	Surveyor Electrician Welder	2(1+1) 3(2+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1)	Recommended

[Handwritten Signature]

-1-

[Handwritten Initials]

[Handwritten Mark]

(TC)



STATE: Maharashtra
Total - 09, (New-06, Old-03)

Meeting Dated: 25/11/2020

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
	Maharashtra - 423205			Fitter	3(2+1)	2(1+1)	2(1+1)	
5.	Swami Vivekanand Private ITI, Masad Road Tq. Chimur, Dist : Chandrapur, Maharashtra - 442903		New	Fitter	2(1+1)	2(1+1)	NR	Rejected as not recommended by State Director, Since ITI needs to have 4 or more trades for affiliation
				Electrician	2(1+1)	2(1+1)	NR	
				Health Sanitary Inspector	2(1+1)	NR	NR	
				Housekeeper	2(1+1)	NR	NR	
6.	Trimurti Private ITI, Jalgoan Survey No.227/2 Near KBCNMU, Opp. Hotel Govind, Paldhi Bk. Tal Dharangoan, Dist:Jalgoan Maharashtra -		New	Electrician	2(1+1+0)	2(1+1+0)	NR	Rejected as not recommended by State Director, Since ITI needs to have 4 or more trades for affiliation
				Wireman	2(1+1+0)	2(1+1+0)	NR	
				Draughtsman Civil	2(1+1+0)	2(1+1+0)	NR	
				Fitter	2(1+1+0)	NR	NR	
7.	Gramin ITI At. post Gharni Tq Chakur, dist latur, LATUR Mahahrashtra - 413513	PR27000992	Old	Electrician	16(4+4+8)	4(2+2)	NR	Recommended
				Wireman	8(2+2+4)	2(1+1)	NR	
				Welder	1(0+0+1)	NR	NR	
				Fitter	1(0+0+1)	NR	NR	
				COPA	3(1+1+1)	NR	NR	
				Surveyor	3(1+1+1)	NR	NR	
				Mechanic Diesel	3(1+1+1)	2(1+1)	2(1+1)	

Sumit

-2-

JD

(L)

(TC)



STATE: Maharashtra

Meeting Dated: 25/11/2020

Total - 09, (New-06, Old-03)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
8.	Gramin Pvt ITI, Palam Post Sarfarajpur, Tal- Palam, Dist Parbhani. Maharashtra - 431720	PR27000998	Old	Electrician Wireman COPA	8(4+4) 4(2+2) 2(1+1)	8(4+4) 4(2+2) 2(1+1)	NR NR NR	Not Recommended Lay out drawing received in respect of IT lab unavailability, however, the same was not verified by inspection team and State.
9.	Shri Dadasaheb Pundalik Patil Pvt ITI, Pachora, Dist Jalgaon Maharashtra- 424105	PR27000981	Old	Fitter Electrician	2(1+1) 2(1+1)	NR 2(1+1)	NR 2(1+1)	Recommended

Sanik

COO

(7)



STATE: Andhra Pradesh
Total - 01, (New-00, Old-01)

Meeting Dated: 25/11/2020

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Maruthi Industrial Training Centre, Inkollu, PRAKASAM, ANDHRA PRADESH - 523167	PR28000088	old	Electrician Fitter	2(0+0+2) 1(0+0+1)	NR NR	NR NR	Not Recommended for 3rd shift is not allowed. Since ITI is more than 5 years old, should apply for Minimum 4 trades for affiliation by session 2021..

Sunil

SR

(8)



STATE: Tamil Nadu
Total - 03, (New-00, Old-03)

Meeting Dated: 25/11/2020

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	T E L C Private Industrial Training Institute Nagal Nagar, Dindigul TAMIL NADU - 624003	PR33000065	Old	Fitter Turner Welder	2(1+1) 2(1+1) 1(0+1)	NR NR NR	NR NR NR	Not Recommended. Since not recommended by State Director due to deficiencies mentioned in the Inspection report
2.	Government ITI, Ambattur THIRUVALLUR TAMIL NADU - 600098	GR33000051	Old	Food and Beverage Service Assistant Electrician Mechanic Auto Body Repair Mechanic Auto Body Painting Food Production (General)	2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	NR NR NR NR 2(1+1)	NR NR NR NR 2(1+1)	Recommended
3.	KS Rangasamy Institute of Technology, KSR Kalvi Nagar, Thokkavadi Post, Tiruchengode Tal, Namakkal, Tamil Nadu - 637215	PR33000643	Old	Health Sanitary Inspector	2(1+1)	1(1+0)	1(1+0)	Recommended

Sunil

ca



STATE: Telangana

Meeting Dated: 25/11/2020

Total - 01(New-00 Old-01)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Haritha Econogical Industrial Training Centre BCM Road Palvancha, KHAMMAM, TELANGANA - 507115	PR36000085		Electrician	04(2+2)	NR	NR	Not Recommended Since State Director not recommended due to deficiencies mentioned in the Inspection report. And ITI should apply for minimum 4 for affiliation by session 2021.

Sanith

CD

10

File No. DGT-Aff011(51)/2/2020-O/o Dir (TC)
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

1st Floor, CIRTES Building,
Pusa Campus, Pusa, New Delhi-110012
Dt. 8th January, 2021

To,
The State Director
(Uttar Pradesh and Rajasthan)

Sub:- Change of name of ITI

Sir,

The 16th Recommendation Committee Meeting held on 25th September, 2020 vide agenda item no. 16.2.5 approved for change name of ITIs as per resolution as recommended by State Directors n. Accordingly, name of ITI is changed as stated below:

Sl.No	State	Existing name of ITI	New name as approved by 60 th Recommendation Committee Meeting
1	Rajasthan	JK Institute of f Technology Pvt ITI Kailash Nagar, Nimbahera (Raj) PR08000986	Sh. Yadupati Singhania Institute of Technology, Pvt ITI, Kailash Nagar, Nimbahera (Raj)
2	Uttar Pradesh	JK Industrial Training Centre Kamla Nagar, Kanpur (UP) PR09000784	Sh. Yadupati Singhania Industrial Training Centre, Pvt ITI, Kamla Nagar, Kanpur
3	Uttar Pradesh	JK Centre For Technician Training Pvt ITI, Dada Nagar, Kanpur (UP) PR09001814	Sh. Yadupati Singhania Centre for Technician Training, Pvt ITI Dada Nagar, Kanpur

The change of name of ITI is w.e.f Session 2020-21/22 onwards and DGT will not be responsible for change of ITI name in legacy certificate.

Yours faithfully,

(Sunil Kumar Gupta)
Director(TC)

Copy to:

1. Concerned ITIs
2. Deputy Director, TC Section, DGT, New Delhi (to update on NCVTMIS)


08/1/2021
(Ravi Chilukoti)
Joint Director

(11)