DGT-Daff/69/2019- O/o DIR (TC) (Uttar Pradesh) Government of India Ministry of Skill Development and Entrepreneurship Directorate General of Training

Employment Exchange Building, 1st floor, Pusa, New Delhi,

Dated: 28.01.2021

To,

The Director,

Department of Employment and Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh – 226004

Sub: De-Affiliation of 77 Private ITIs/Trades/Units of Uttar Pradesh

Sir,

Letter no. 2733/T-3/RP/S/De-affiliation/2018 dated 03.10.2018 from the Director Training & Employment, Lucknow, Uttar Pradesh addressed to DG (T) regarding de-affiliation of 115 ITIs in the State of Uttar Pradesh. Subsequently, DGT had issued show cause notices to 115 ITIs seeking for reply. On scrutiny, the replies of 108 ITIs were not found justified. The matter of de-affiliation of these ITIs was placed before the 2nd Recommendation Committee Meeting held on 28.03.2019 at agenda point No.2.4., and committee recommended for de-affiliation. Before issue of De-affiliation order, decision of recommendation committee was challenged by some ITIs in Hon'ble Courts. The matter was then reviewed in 4th Recommendation Committee Meeting held on 28.05.2019. It was decided that the said ITIs will be taken up for joint inspection and decision will be taken based on Inspection report.

Further In addition to 108 ITIs, 19 more ITIs were included for Joint Inspection for De-affiliation based on the complaints received against these ITIs, The State forwarded the report along with remarks for recommended for de-affiliation. Committee approved the recommendation as given by the Standing Committee as per remarks mentioned in 10th Recommendation Committee Meeting-DGT dt. 15.10.2020 at agenda item no 10.1. The List of de-affiliated ITIs with deficiencies as per Joint Inspection Committee report is attached.

The said information is also available on web site https://ncvtmis.gov.in

In case of any discrepancy observed in the de-affiliation orders, same may be intimated to undersigned within a week of date of receipt of the order.

Yours faithfully

(Sunil Kumar Gupta)
Director of Training

Email: sunil.gupta67@nic.in

Copy to:-

1. Sr PPS to DG/AS, DGT.

3. Sr PPS to DDG (Affiliation).

3. The officer dealing with NCVT MIS Portal to update the data.

(CH Ravi)

Joint Director of Training E-mail-: ravi.chilukoti@nic.in

Sl. No	DGT MIS Code	Name of Private ITI	Deficiencies	Remarks
1.	PR09001622	C.R.S Private ITI, Village-Sadarpur, Sec-45 Noida, G.B Nagar, Gautam Buddha Nagar-201301	1. Principal of the ITI was available and told us that they are not getting the trainees and hence not interested to run the ITI. 2. Accordingly, he gave us the letter in the IT Letter head for requesting to de-affiliate the CRS Private ITI, Village- Sadarpur, Sector - 45, Noida, G.B Nagar, Gautam Buddha Nagar, UP - 201 301 (letter enclosed). 3. No trainees available in ITI. 4. No ITI related Infrastructure like Workshop, Tools & Equipment, IT Lab and staff were found in the ITI Premises. 5. All class rooms are equipped with furniture & writing boards (but no students) 6. This trust/society/organization running schools in the same campus in other buildings. 7. Since no TI Staff were available at the time of inspection, document proof of land, Electricity etc., could not be verified.	De-Affiliated
2.	PR09001329	Bhoomi Private ITI, J-71, Site 5, Kasna, Greater Noida, Gautam Buddha Nagar-203208	1. Concerned authority of the Institute has arranged to show us the Institute by sending his representative to the site. 2. It is told by the ITI's representative that the owner of the building wanted to do some other business and hence not willing to extend the rent agreement for running ITI. Since the management of this Institute is unable to get the extension of Rent agreement, decided to close down this ITI. 3. Accordingly, Institute gave us the letter in the ITI Letter head for requesting to de- affiliate the Bhoomi Private ITI, J- 71, site 5, Kasna, Greater Noida, Gautam	



Sl. No	DGT MIS Code	Name of Private ITI	Deficiencies	Remarks
	-		Buddha Nagar- 203 208. (Letter enclosed). 4. No trainees available in ITI. 5. No ITI related Infrastructure like Workshop, Tools & Equipment, IT Lab and staff were found in the ITI Premises. 6. Since no ITI Staff were available at the time of inspection, document proof of land, Electricity etc., could not be verified.	
3.	PR09000737	ChaudharyCharan Singh Memorial ITI, Main Shyam Park Sahibabad Near Sahibabad Railway, Ghaziabad-201005	1. No board of the Institute was seen. 2. Many educational Institutes are running under this trust in the same campus. 3. The building meant for ITI is under renovation. 4. No trainees of ITI. 5. No ITI Staff were available at the time of inspection and hence the document proof of land, Electricity etc., could not be verified. 6. No ITI related Infrastructure like Workshop, Tools & Equipment, IT Lab and staff were found in the ITI Premises. 7. TIs website not updated since 02 Feb 2015 8. We met the Chairman of this organization & told that the concerned persons are not available. He spoke to the concern person of this ITI over Mobile Phone and asked to give letter saying no interest to run ITI. 9. Accordingly, this Chaudhary Charan Singh Memorial ITI, Main Shyam Park, Sahibabad near Sahibabad Railway Station, Ghaziabad - 201 005 Authority	De-Affiliated
			sent a mail stating that they are not going run the ITI and hence closed.	

Sl. No	DGT MIS Code	Name of Private ITI	Deficiencies	Remarks
4.	PU09001854	Ambey Private ITI, GovindPuram C-11, 12 Krishna Garden, Near NDRF Camp, Harsaon, Ghaziabad- 201013	1. Institute name found painted in front on the Institute compound. 2. One gentleman came out and told that they have closed the ITI because of very low admission of trainees. 3. One room marked as class room was having a cot & bed inside. 4. Website of the Institute not updated since 02.02.2015. 5. No trainees available in ITI. 6. No ITI related Infrastructure like Workshop, Tools & Equipment, IT Lab and staff were found in the ITI Premises. 7. No ITI Staff were available at the time of inspection and document proof of land, Electricity etc., could not be verified.	De-Affiliated
5.	PR09000844	Aman Private ITI, Duhai, B-245 YojnavihardelhiGhaziabad-201206	1. No board or Institute found at the place where it was affiliated earlier. 2. The National Highways Authority of India has acquired the land of this ITI and made National Highway (Western Periphery Road). 3. Accordingly, this ITI Authority gave us a letter in the ITI Letter head that the ITI land has been acquired by the NHA. 4. No ITI Staff were available at the time of inspection and document proof of land, Electricity etc., could not be verified.	De-Affiliated
6.	PR09000195	H.K.T. Private ITI, Ghazibad- 201310	1. Presently ITI Building laying Vacant since 2014, It is told by the ITI's representative that the owner of the building wanted to close it. 2. Accordingly, Institute gave us the letter in the ITI Letter head for requesting to de- affiliate the	De-Affiliated



Sl.	DGT MIS	Name of Private ITI	Deficiencies	Remarks
No	Code			
			H.K.T. Private ITI, Ghaziabad - 201 310. 3. No trainees available in ITI. No ITI related Infrastructure like Workshop, Tools & Equipment, IT Lab and staff were found in the ITI Premises. No ITI Staff were available at the time of inspection and document proof of land, 4. Electricity etc., could not be verified. In view of the above, we are recommending to De-affiliate H.K.T. Private ITI, Ghaziabad - 201 310.	
7.	PR09000777	Ramzan Khan Institute of Technology, Loni, Ghaziabad-201102	1. No board of Institute name seen. 2. No trainees available in ITI. 3. No ITI related Infrastructure like building, Workshop, Tools & Equipment, IT Lab were found in the ITI Premises. 4. No ITI Staff were available at the time of inspection and document proof of land, Electricity etc., could not be verified. 5. Already they have written letter to State DTE, Lucknow regarding De-affiliation of Ramzan Khan Institute of Technology, Loni, Ghaziabad and now they want to shift ITI (pasopua Adoɔ) In view of the above, we are recommending to De-affiliate Ramzan Khan Institute of Technology, Loni, Gazhiabad - 201102.	De-Affiliated
8.	PR09001659	Idea Private ITI, Delhi Garh Road, 40 Mile Stone, Pilakhuwa, Hapur-245304	1. Presently LG Authorised distributers in name of Laxmi Electronics are running in m Building, ITI Closed in Auguest,2018 It is told by the ITI's representative 2. Accordingly, Institute gave us the letter in the ITI Letter head for requesting to de- affiliate the Idea Private ITI, Delhi Garh Road, 40 Mile Stone, Palikhuwa, Hapur - 245 304 (letter enclosed).	De-Affiliated

Sl. No	DGT MIS Code	Name of Private ITI	Deficiencies	Remarks
			3. No trainees available in ITI, No ITI related Infrastructure like Workshop, Tools & Equipment, IT Lab and staff were found in the ITI Premises. 4. No ITI Staff were available at the time of inspection and document proof of land, Electricity etc., could not be verified. In view of the above, we are recommending to De-affiliate Idea Private ITI, Delhi Garh Road, 40 Mile Stone, Palikhuwa, Hapur 245 304.	
9.	PR09000334	Rastriya Private ITI, Vill. Dehra Chakpo. Chuchelakalan, Amroha, JyotibaPhule Nagar-244231	Committee visited the institute and found that institute is locked from Outside. Nobody is found in the institute. No training activities are found. Institute is not taking admission since last some years.	De-Affiliated
10.	PR09000193	Bhartiya Private ITI, Moradabad, Ashiyana-I Near Red Sapphire Banquet Hall, Moradabad-244001	The institute does not produce the original Document of rent agreement. Tool & Equipment bill etc. for verification. Technical staff is not available as per norms. Fitter and electrical workshop is not proper, Biometric machine is not installed. There is a shortage in Tolls/ equipment engineering drawing room is not available. One room is being used as a theory room as well as IT lab.	De-Affiliated
			in the institute Fitter (1+1+1)=03 Units) & Electrician (1+1+1)=3 Units) are recommended for deaffiliation.	
11.	PR09000117	Ganpati Private ITI, Vikas Nagar, Bahjoi Road Chandausi, Sambhal-244412	Institute is already not taking admission in above trades. Institute has given a latter regarding to De-affiliation of both trades in the institute COPA (1+1 =2 Units) & DATA Entry Operator DEO (1+1=2 Units). In view of above, trades COPA &	De-Affiliated



Sl. No	DGT MIS Code	Name of Private ITI	Deficiencies	Remarks
			Data Entry Operator are recommended for de- affiliation.	
12.	PR09001074	Shivangi Private ITI, Jawaher Uri , Badaun-243601	1. During the inspection committee noticed that no such ITI name board exits the premises 2. No training is running in the premises 3. The owner of the Institute said he is not running the ITI since year 2016 due to his personal reason 4. The owner also handed over a request letter to the committee to de-affiliate the ITI.	De-Affiliated
13.	PR09000059	Narayan Private ITI, Prem Nagar, Barelly	The owner handed over a request letter to the committee to deaffiliated the ITI.	De-Affiliated
14.	PR09000378	Ruhelkhand Private ITI, Bareilly	Since no such ITI is found in the given address also no relevant person could be contacted and as no related training activities are noticed during inspection. The committee recommends for Deaffiliation of all trades of subject ITI.	De-Affiliated
15.	PR09000806	Mehra Infosys Private ITI,194-E Civil Line, Mehra Colony, Bareilly-243001	During the inspection the no committee has the noticed no training activity in the premises, could not room find any workshop, machinery, trainees or faculty related to Rajesh ITI. Also, as per the statement of the Owner no training activity is being carried out in the ITI since 2014.	De-Affiliated
16.	PR09000641	Aakash Private ITI, Izzarnagar, Air force station, Bareilly-243122	During the inspection the committee has noticed no training activity in the premises. Also, the Owner has submitted a request letter to committee for de- affiliation of the ITI. Considering the above facts, the committee recommends for deaffiliation of all trades of subject ITI. (Photos of the inspection	



Sl. No	DGT MIS Code	Name of Private ITI	Deficiencies	Remarks
			Committee visit are attached for reference please.)	
17.	PR09900686	Focus Private ITI, 19 KM NH- 24 Rampur Road Fatehganj (W), Bareilly-243501	Management has given writing regarding permanent closing of ITI and in this regards affidavit & letter submitted by management.	De-Affiliated
18.	PR09900366	Daya Medical Science Private ITI, 62-63 SahanpurSantoki- Haridwar, Kotedwar Bypass Najibabad, Bijnor-246763	Bases upon the above facts and also as the ITI management has given a request letter for Deaffiliation of the ITI the committee recommends for reaffiliation of the existing trade i.e Health Sanitary Inspector for all 09 Units in respect of the M/S Diya Medical Science Pvt. ITI, 62-63, Sahanpur Santoki haridwar kotawar pass, nijibababad bijnore U.P. The report is submitted along with the Deaffiliation request letter submitted by the subject ITI for necessary action please.	De-Affiliated
19.	PR09001898	Ch. Charan Singh Private ITI, Vill+Post, TalheriBujurg, Saharanpur-247551	No Electric connection in ITI.	De-Affiliated
20.	PR09000123	Khushi Ram Tyagi Memorial Private ITI, Chhachhreki, Saharanpur-247001	ITI found closed at the time of inspection.	De-Affiliated
21,	PU09002111	Sophia Private ITI, Gali no 2, Pratap Nagar, Saharanpur- 247001	Sophia Private ITI is closed from last 02 years.	De-Affiliated
22.	PR09000499	Lalchandra Bhagwandas Private ITI, Sadar Bazar , Agra-282001	While inspection nothing found except digitally printed new banner hanging outside a locked building on equipment. people told around that no ITI is functioning at this place.	De-Affiliated
23.	PR09001393	Krishna Private ITI, Jagner Kheragarh, Agra-283115	During the inspection ITI was found closed. It is further observed that this ITI is not at all running in this location.	De-Affiliated
24.	PU09001595	St. Johns Private ITI, Hospital Road Rajendra Market Agra- 282003	ITI was running in St. Johns Inter college building. It is further observed that this ITI is closed/nonfunctional.	De-Affiliated

SI. No	DGT MIS Code	Name of Private ITI	Deficiencies	Remarks
25.	PR09001263	Shiv Shankar Private ITI, Kasturba Nagar, Jain Nagar, Firozabad-283202	This ITI is not functioning on the day of Visit. Further, during the inspection we found building only that was in precarious stage. Neither staff nor Tools / Equipment's / Machinery was there. No Student were present during inspection. It shows that ITI is not at all functioning in this building.	De-Affiliated
26.	PR09000210	Shri Pandit Hukum Singh Private ITI, Atas Mathura- 281001	It is found that ITI is located in pandit Hukum Singh Inter College. It is observed that no ITI students and Staff are present. It is further observed that no workshop is available. Manager of ITI handed over a letter saying that ITI is close today due to death of a student. He has not produced any document regarding training.	De-Affiliated
27.	PU09001599	Amar Private ITI, 566 B Govind Nagar Sector F Mathura-281001, UP	1. The ITI was not found on location on indicated in office order for Joint Inspection. The inspection committee reached ITI location board on MIS portal address: - Adda Karav, Mathura. 2. No instructional staff and trainees were present at the time of joint inspection. 3. No tools, equipment & machinery were available either in Electrician & Fitter workshop. 4. Biometric attendee machine is not installed in ITI. 5. ITI Map not in proper format.	De-Affiliated
28.	PR09000217	Shri Giriraj Maharaj Private ITI, RaipuraJaat, Farah Mathura-281502	No ITI is functioning in this location. Manager Mr. Ashok kumar Inform that ITI Building is under construction at hathura baldev road Mathura. He has submitted a letter in this regard.	De-Affiliated
29.		R.D. Private ITI, Mathura	Not Exist on NCVT Portal	De-Affiliated
30.	PR09001397	Ratan Private ITI,566 B Govind Nagar Sec F, Mathura- 281003	No ITI is functioning in this location. Manager Mr. Ashok kumar Inform that ITI shifted to	De-Affiliated



Sl. No	DGT MIS Code	Name of Private ITI	Deficiencies	Remarks
			New Location. He has submitted a letter in this regard.	
31,	PR09001438	Teerth Vikas Trust Private ITI, Anyor Parikrima Marg Goverdhan, Mathura-281502	The member of the ITI met with the members of Joint Inspection Committee at ITI site & handed over a letter stating that because some unavoidable circumstances the institute is closed for the last 1.5 to 2 years which they find trainees than they will start training at some place or another place pith prior information to the competent authority. The workshop of both the trades were found empty and its all tools & equipment etc. were kept in a store room in disassembled manners.	De-Affiliated
32.	PR09000648	Saraswati Private ITI, Tarsi Mathura-281001	 No student were found of the time of inspection at 11:00 am onward. No infrastructure and machinery were installed. Some handed tools found missing. Building, floor & bathroom not in good condition. Meter ceiling certificate is after year 2014 whereas the ITI got affiliation in the year 2012. 	De-Affiliated
33.	PR09001767	Shri Sundar Singh Private ITI, Baldeo, Mahavan Road Mathura-281301	1- No Trainees were found. 2. No Staff and principal were present. 3. Some party function preparation was going on in the campus of ITI. 4. The machinery and Equipment were fully covered with dust and it appears that tools, equipment & Machinery were laying unused for a long time. 5. The Electrician and Fitter Workshop were apparently shorter then the prescribed norms. Fitter workshop position / location was different than indicate in map.	De-Affiliated



Sl. No	DGT MIS Code	Name of Private ITI	Deficiencies	Remarks
			6. New Additional tools and Equipment as per NSQF- Lavel-5 was not available in both Fitter and Electrician trades. 7. Electricity Connection /Bill is not in the name of ITI. 8. Biometric Attendance machine is not installed.	
34.	PR09001986	Maa Vimalesh Devi Private ITI, Tambaka Post Anora Mathura-281303	1. No Trainees & staff were present during Joint inspection. 2. Tools, Equipment & Machinery were available as per old syllabus, additional items as per NSOF-5 syllabus, was not available 3. Class room furniture was not proper for training 4. Biometric Attendance machine was not installed.	De-Affiliated
35.	PR09000647	NIEM Privte ITI, vill- Fatiha,Hatawali Road,NH-2, Mathura, Pin-281122	ITI Main door & workshop closed. No staff & trainees available during inspection, after prior information, given to the ppl. Called ppl, but Annexure III is not prepared.	De-Affiliated
36.	PR09000062	Chandrakanta Private ITI, Etah Road, Mirhachi, Etah- 207001	No power connection physically, shortage of equipment and machinery as per norms, Workshop / Lab space area not as per norms	De-Affiliated
37.	PR09000523	S. S. Private ITI, Todapur, Etah-207001	संस्था के पते पर कुछ भी नहीं पाया गया है संस्था के प्रार्थना पत्र दिनांक 02.11.2019 के द्वारा अवगत कराया गया है की संस्था के शिफ्टिंग जिला etah से जिला budaun के लिए आवेदन किया है	De-Affiliated
38.		Seth Balkishan Private ITI, Sasni, Hathras- UP	Institute request to closed the ITI.	De-Affiliated
39.	PR09001601	Sri Giriraj Dhawan Private ITI, Dhawan Hathras-204213	1- अवगत कराना है कि गिर्राजधरण (निजी) आई.टी.आई 06/03/2013 से बन्द है । जाँच आख्या राजकीय औद्योगिक प्रशिक्षण संस्थान के प्रधानाचार्य व्दारा 26/06/2013 को जाँच की	



Sl. No	DGT MIS Code	Name of Private ITI	Deficiencies	Remarks
			गई थी । 2-संयुक्त निशेठक प्रशि 0 / शिक्षु बरेली को प्रेषित की गई	
			संयुक्त निदेशक के व्दारा 29/06/2013 को अपर निदेशक	
			प्रशि 0 / शिक्षु प्रशिक्षण एव सेवा	
			की गई छायाप्रति संलग्न है । 3- श्रम एंव रोजगार मंत्रालय रोजगार	
			एंव प्रशिक्षण महानिदेशालय श्रम	
			शक्ति भवन रफी मार्ग व्दारा 23/06/2015 में मान्यता रद कर दी गयी	
40.	PR09001757	M.P. Singh Private ITI, PaharpurMafi, Kansganj- 207123	Institute request to closed the ITI.	De-Affiliated
41.	PR09000780	H W Sah Private ITI, Mela Ground Dewasarif, Barabanki-225301	No infrastructure, no trainees, no admission after year 2017 and no training activity. Hence no evidence of existence of the ITI.	De-Affiliated
42.	PR09000155	S.V.P. Private ITI, Adil Nagar, Kurri Road Lucknow-226020	1- In same building SVP Inter College is established since 2007 which is recognized by U.P Board, and without getting NOC from UP Board affiliation from NCVT has been gotten in Electrician 02 (01 + 01) unit and	De-Affiliated
			in fashion Technology 02 (01 + 01) unit w.e.f. August 2009. which is not acceptable. 2- In same building 80 % part is utilized for S.V.P Inter College and Electrician workshop is on second floor in newly constructed hall which is	
			unfinished like civil work (Plaster etc.) and electrical fittings. Which means in 2009 affiliation was taken on somewhere else which is not acceptable.	



Sl. No	DGT MIS Code	Name of Private ITI	Deficiencies	Remarks
			3- Fashion Design Technology workshop is in two parts which is not acceptable. 4- There is single electric connection is the name of Rahul Sen and sanction load 7.00 K.W. for both INTER COLLEGE & above Private ITI, which is not acceptable. 5- There is heavy shortage of tools, equipment and machinery. 6- There is no appointment of Principal for the above Private ITI. 7- Instructor and other staff have been appointed from 01.11.2019. 8- No trainees were present on the date of inspection 9. During Financial Year 2017-18 and Financial Year 2018-19 no admission is made in any of above affiliated trade and unit. 10- No Biometric attendance for staff and trainees are available. 11. Payment proof of salary for the staff and purchase of tools, equipment and machinery was not available. Thus, due to above condition and facts found on the spot S.V.P. Private.	
43.	PR09001515	Microsoft Computer Center, Charbagh, 92/217 G.B. MARG, OPP. MOHAN HOTEL CHARBAGH Lucknow- 226004	ITI has died in 2018 and ITI is not running since four years.	De-Affiliated
44.	PR09000008	M.A. Academy and Education Private ITI. Guin Road Aminabad, Lucknow-226001	Vacated the land since 2014 and ITI is closed.	De-Affiliated
45.	PR09001049	Gee Tech Private ITI, 545- Ka/D-337/3 KUMARPURAM New ParaRoadrajaji, Lucknow-226017	Joint Inspection Committee has inspected it physically and on spot found that it is not functioning since 2016. The trade of Fitter 03(1+1+1) units. On the same day on spot Manager, Smt. Nirupama Srivastava, Gee-Tech. Private Industrial Training Institute, 545-K/D. 337/3, Kumarpuram, New Para Road,	De-Affiliated



Sl. No	DGT MIS Code	Name of Private ITI	Deficiencies	Remarks
			Rajajipuram, Lucknow (U.P informed by his letter Dated: 13-11-2019 (Copy attached to Joint Director (Training apprenticeship), Lucknow Mandal, Campus-G.LT.L. Aliganj. Lucknow that they are not interested to continue training in the NCVT affiliated trade Fitter 03(1+1+1) units in future and requested to get De Affiliation by the Committee for its affiliated unit of trades.	
46.	PR09001336	Mangalam Infotech Private ITI, 2/113, Vishal Khand, Gomti Nagar, Lucknow- 226010	मैं संजय शुक्ला निदेशक मंगलम औद्योगिक प्रशिक्षण संस्थान विशाल खण्ड, गोमती नगर, लखनऊ अगस्त 2014 से । संस्थान बन्द कर दिया है एवं कोई भी प्रशिक्षण कार्य नहीं किया गया है । भविष्य में इस संस्थान में प्रशिक्षण कार्य नहीं किया जायेगा।	De-Affiliated
47.	PU09001856	Shashwat Institute Paramedical & Nursing & Vocational Private ITI , Aurangabad Amar Shaheed Path, 309,Aurangabad Jageer Kanpur Raibareli Highway, Lucknow-226012	1. In same building and in same premises GNM PROGRAMME approved by Indian Nursing Council, combined council building, Kotla Road, Temple Lane New Delhi is running from year 2010 and without getting NOC from above body affiliation Physiotherapy technician 412427 has been gotten from NCVT. 2. Two faculty is common in both GNM course and Physiotherapy technician. 3. Institute has not taken any admission from the date of affiliation in Physiotherapy technician and on the date of inspection no trainees was found on the spot. 4. There is only one electricity connection in the name of Laxmina Devi Bhola Nath which	De-Affiliated



Sl. No	DGT MIS Code	Name of Private ITI	Deficiencies	Remarks
			is not as per norms and not for two different courses. 5. There is Heavy Shortages of tools and equipment and machinery. 6. Laboratory of GNM and Physiotherapy technician is used for each other.	
48.	PR09900121	Meemanshu Private ITI, Village : Patiyayet, Manikothi, Tehsil: Bidhuna, Auraiya- 206249	Due to Shortage in tool & equipment for the trade of Fitter and Electrician hence 3 rd shift not recommended.	Fitter 02(1+1) Electrician02(1+1) to maintain affiliation status. 3rd Shift not allowed as per decision taken in 10th Recommendation committee meeting.
49.	PR09000397	Navyug Private ITI, Kanpur Nagar 111/273, Harsh Nagar, Kanpur-208012	आपको सूचित करना चाहतािक आई.टी.आई. जून 2018 में बंद हो चुका है इससे पुन: De-affiliate या De-activate कर दिया जाये। भविष्य में किसी नये स्थान पर आई.टी.आई. स्थानान्तरित किया जाता है.ती पुनः मान्यता के लिए आवेदन किया जायेगा।	De-Affiliated
50.	PR09900549	Shrimati Satyawati Diwedi Private ITI, KatkaPurwa, Village Changa, Post Narharpur, District Gorakhpur	ई-मेल के माध्यम से एवं मोबाइल के माध्यम से भी अवगत करा दिया गया था। वहाँ कोई भी भवन श्रीमती सत्यवती द्विवेदी प्रा॰ आई॰टी॰आई, के नाम से नहीं पाया गया। यदि कोई भवन होगा भी तो ऐसा प्रतीत होता है कि वह पी०जी० कालेज के परिसर के अन्दर ही स्थापित होगा। इससे ऐसा प्रतीत होता है कि लिखित पते पर कोई भी निजी आई०टी०आई० अपने स्वयं के भवन में नहीं पायी गयी।	

Sl. No	DGT MIS Code	Name of Private ITI	Deficiencies	Remarks
			अतः आई०टी०आई की मान्यता	
			रदद करने हेत् संस्तृति की जाती	
			9 9	
L 1	DI100000476	Cida Duianta ITI Castan 22	है।	D = 4 (C): -4 = 1
51.	PU09900476	Gida Private ITI, Sector-22 Transport Nagar Sanjana, Gorakhpur-273209	1. The layout map is not as per actual layout. The modifications Fitter-6{2+2+2} have been done in attached map, 2. The space for workshop for electrician on "few was found short as per norms, 3. The ITI was found done as make shift arrangement on the day of inspection. Not found to be running on daily basis. 4. No doors and windows found installed in the rooms. Classrooms found with inadequate furniture, not as per norms. No blackboard, white board found installed in classrooms. Black paint was painted on the wall for writing. 5. Machineries, tools and equipment found not as per norms Only 30% tools and equipment found available both for electrician and fitter trade, which was also in condemnation condition. 6. DG set found not in working condition 7. Installed machineries found not in working condition 8. Of no Lathe, only 01 no. Lathe was found in working condition, which was also not fit for use and not as per norms. 8. Of no fitter classroom found without any set up. 9. No IT lab set up found available. No licensed software found available. No licensed software found available. No proper lighting found available. 10. Biometric machine available without operation. Attendance is being done manually.	De-Affiliated

Sl. No	DGT MIS Code	Name of Private ITI	Deficiencies	Remarks
No 52.	PU09001936	Gorakhpur Private ITI, Awadesh Nagar, Sheshpurwa, Mohripur, Gorakhpur-273007	11. Salary to staff paid through cash mode. 12. Electricity power bill not found proper. Not produced during inspection. 13. No Lab set up found. No cabling and electrical points. No work benches found available in workshop 14. Building Completion Certificate not produced. 15. The Annexure III and its supporting documents related to staff, power bill not provided by the ITI. 16. Availability of tools, equipment and machinery shown in the list has been verified. 1. The layout map is not as per actual layout. The modifications have been done in attached map. 2. The ITI is found located within the Public-School Building in same premises. The same building is found used for ITI as well as school 3. Classrooms found used for ITI as well as school 3. Classrooms found used for school purpose. Gate of classroom found written LKG UKG 01 to 30 classroom mentioned in layout map was found a workshop installed with lathe machines. 4. IT Lab was found as computer room with 04 no. Cs, even not connected. No IT lab as per norms found. 5. Na licensed software found available. 6. Machineries, tools and equipment found not as per norm. Only, 4096 tools and equipment found not as per norm.	De-Affiliated
52.	PU09001936	Awadesh Nagar, Sheshpurwa, Mohripur,	Certificate not produced. 15. The Annexure III and its supporting documents related to staff, power bill not provided by the ITI. 16. Availability of tools, equipment and machinery shown in the list has been verified. 1. The layout map is not as per actual layout. The modifications have been done in attached map. 2. The ITI is found located within the Public-School Building in same premises. The same building is found used for ITI as well as school 3. Classrooms found used for school purpose. Gate of classroom found written LKG UKG 01 to 30 classroom mentioned in layout map was found a workshop installed with lathe machines. 4. IT Lab was found as computer room with 04 no. Cs, even not connected. No IT lab as per norms found. 5. Na licensed software found available. 6. Machineries, tools and	De-Affiliated

Sl. No	DGT MIS Code	Name of Private ITI	Deficiencies	Remarks
			8. Few Installed machineries found not in working condition in Copy of electricity bill produced during on the day of inspection was of 0, 2018. ETI was not able to reply about load sanctioned and connected. It was written 35 KW on the produced bill No latest electricity bill produced. No proper lighting found available during inspection at ITI Biometric machine available without operation Attendance is being done manually. Salary to staff paid through cash mode. Workshops not equipped with electrical fittings, No Labs found. No cabling and electrical points SVL Building Completion Certificate not produced. The Annexure III and its supporting documents related to staff, power bill, not provided by the ITL Availability of tools, equipment and machinery	
53.	PR09001655	V.N.P. Private ITI, Gorakhpur-273008	shown in the list has been verify. 1. The ITI found under construction on the day of inspection 2. The ITI found situated within the premises of degree college. The newly plastered wall was found erected for providing partition between the college and ITI on the day of inspection. 3. The ITI affiliated earlier with the Map Layout has been found completely altered/modified as per actual layout 4. The classrooms are found located within the building of college 5. The tools and equipment found short by 60% as per NCVT norms. 6. The machinery was not found installed as per norms. No	De-Affiliated



Sl. No	DGT MIS Code	Name of Private ITI	Deficiencies	Remarks
54.	PR09900679	Balendra Singh Private ITI,	electrical fittings found arranged in the workshop 7. No electricity bills produced. 8. Electrical connection not found available 9. No set up found for IT lab. It was found to be makeshift for inspection 10. No licensed software found available. 11. The floor of the workshop found not as per norms 12. As the layout map of the ITI has been found modified as per earlier affiliation in totality, it is recommended by the inspection team to go for fresh affiliation after completion of building. The copy of old and new map layout is enclosed. 13. Building Completion Certificate not produced. 14. The Annexure III and its supporting documents related to staff, power bill, etc. not provided by the ITI. 15. Availability of tools, equipment and machinery shown in the list has been verified. The list has been signed by all the members. 1. BCC is not issued by competent	De-Affiliated
54.	F NO 3 9000 7 3	Rajnauli, Sirsi, Haisar Bazar, SantKabir Nagar-272165	authority 2. Electrical meter ceilings certificate is fake. On account no 751602782451. Only 2K.W. electric connection is found which is less required norms. Three-month electrical bill not produced. No electrical connection in the ITI. 3. All the machinery are not properly installed, it is appear that both Lathe machine are transferred from another ITI which QCI application no is KRPITI16004032, Both Lathe	

SI. No	DGT MIS Code	Name of Private ITI	Deficiencies	Remarks
			machine is not working properly, No electric starter m/ apprentice/guard is not fitted, machine working in reverse direction only, No connection is found in drilling machine, no any kind of safety, there is no electrical connection in the ITI. 4. Dead stock register is not found. 5. Raw material register is not found. 6. Staff attendance records and biometric machine not found 7. No trainee available in ITI Biometric machine not available. 8. No student Available in ITI 9. All the machinery are not properly installed. 10. In trade fitter both lathe m/c were working in reverse directions no dual switches were found and no any safety devices were found. Electrical machines found in working conditions, No electrical connection in drilling machines. 11. Toilets (Boys & Girls) are not found properly as per NCVT Norms. 12. No trainers' records were found. 13. Building area details not provided by ITI 14. No threat 15. In view of the above we are recommending to de-affiliate	
55.	PR09000512	Mata Shanti Private ITI, Ghazipur, Vill- BabhanauliKalan Post Rampur Distt-Ghazipur- 233223	balendra singh pvt. ITI. 1. Presently ITI Building Laying vacant since 2016 it is told by the ITI representative that the owner of Building wanted to Close it. 2. Accordingly, institute gave us a letter in the ITI letter hade for regarding to De-affiliate the	De-Affiliated



Sl. No	DGT MIS Code	Name of Private ITI	Deficiencies	Remarks
			Mata Santi Pvt. ITI. Letter enclosed 3. No Board of Institute name seen 4. No trainees available in ITI. 5. No ITI related infrastructure like workshop, Tools & equipment's, IT lab and staff were found in the ITI premises. 6. No ITI Staff were available at the time of inspection and document proof of land electricity etc. could not be verified.	
56.	PR09001247	Sati Anusuia Private ITI, Ghazipur, Vill-Medanipur Post- MedanipurDistt- Ghazipur-232332	1. Accordingly, institute gave us a letter in the ITI letter hade for regarding to De-affiliate the Sati Anusuia Pvt. ITI 2. Presently ITI building laying vacant since 2017 it is told by the ITI representative that the owner of the owner the building wanted to close it. 3. No Trainee available in ITi 4. No Board of institute name seen. 5. No ITI staff were available at the time of inspection and document proof of land electricity etc. could not be verified. 6. We are recommending to De-affiliate Sati Anusia Pvt. ITI Ghazipur.	De-Affiliated
57.	PR09000837	Maa Tijiya Private ITI, Vill- Bhavanipur, Post-Mardah, Distt Ghazipur-233226	1. Presently 75% ITI Building /land	De-Affiliated



Sl. No	DGT MIS Code	Name of Private ITI	Deficiencies	Remarks
			5. No Board of Institute name Seen. We are recommending to De-affiliate Maa Tijiya Pvt. ITI.	
58.	PR09001183	Ram Pyare Singh Private ITI, Vill-Samaskhanpur Zafarabad, Jaunpur-222180	 No land record available Building under construction. No Electric connection, electric meter not installed. Machinery / payment bills not available. No admission from 2018 session letter given by owner. 	De-Affiliated
59.	PR09000255	Vijay Laxmi Private ITI, Kanhaipur, Wajidpur Muradganj Jaunpur-222002	 ITI is physically not available. Affiliated ITI had been converted in to Apartment. At present there is no infrastructure is available as per NCVT norms. ITI management has been given willing letter for deaffiliation. 	De-Affiliated
60.	PR09000926	Hakim ZahirHaiderNumani Private ITI, Urdu Firojshahpur Jaunpur- 222003	 No Students are available. No Instructor is engaged. Civil infrastructure is in dismantled condition. Only two classrooms are available. More than 50 % Tools & Equipment are not available as per NCVT norms. ITI is not established as per NCVT norms. ITI is in closed condition & after several follow ups owner came & open the ITI. Staff appointment orders are not available. Biometric attendance of staff & students are not available. Salary disbursements to the staff documents are not available. 	De-Affiliated
61.	PR09000413	Rojgar Private ITI, UmarpurSambhuganj, Jaunpur-222132	1)-ITI is physically not available. (2)-Affiliated ITI had been converted into hospital & Coaching center. (3)-At present there is no infrastructure is available as per NCVT norms. (4)-	De-Affiliated



Sl. No	DGT MIS Code	Name of Private ITI	Deficiencies	Remarks
			ITI management has been given letter, ITI is in now closed condition (e-mail copy Enclosed). Show cause notice for Deaffiliation of ITI is vide issued DGT letter no. DGT-Aff011(49)5/2018-0/0 DD (TC)(UP) Dated-01.11.2018 and State Directorate intimation about show cause notice for Deaffiliation of ITI no.3075/a-3/RTO40/Fio /De- vide letter Affiliation/2018 Dated-16-11-2018.	
62.	PR09900902	R.K Private ITI, Patora, Kerakat, Jaunpur-222001	(1)-ITI is physically not available. (2)-Affiliated ITI had been converted into Public School in the name of Divine public school. (3)-At present there is no infrastructure is available as per	De-Affiliated
63.	PR09000577	Gajraj Singh Audyogik	NCVT norms. (4)-ITI management has been given willing letter for De-Affiliation. Accordingly, there is no ITI	De-Affiliated
		Prashikshan Sansthan, Jamuniya, Jaunpur-223103	available in the name of Gajraj Singh Audyogik Prashikshan Sansthan, Jamuniya, Jaunpur-223103 Hence it is recommended that the name of this ITI (Gajraj Singh Audyogik Prashikshan Sansthan, Jamuniya, Jaunpur-223103 (MIS Code – PR09000577)) May be deleted from NCVT MIS Portal for future.	
64.	PR09000646	J.P. Memo. Hospital and Paira Medical, Laxmi Complex Jaycees Crossing Jaunpur- 222002	 ITI is physically not available. Affiliated ITI had been converted into Nursing Home in the name of Vijay Laxmi Nursing Home. At present there is no infrastructure is available as per NCVT norms. 	De-Affiliated
65.	PR09000354	Sakal Narayan Dharmraj Private ITI, Jaunpur-222136	 ITI is physically found in closed conditions. ITI management has been given willing letter for Deaffiliation. 	De-Affiliated

Sl. No	DGT MIS Code	Name of Private ITI	Deficiencies	Remarks
66.	PR09000861	Muskan Private ITI, HarpurNaiBasti Ballia- 277001, U. P	ITI not found on address Given in order (De-affiliation).	De-Affiliated
67.	PR09001117	A to Z Sewa Sansthan Private ITI, Mohammdabad Gohna Mau-276403	ITI not found as address given recommended for de-affiliation.	De-Affiliated
68.	PR09000798	Gramin Private ITI, MohammdavadGohana Mau- 276403	ITI not found on address Given in order (De-affiliation).	De-Affiliated
69.	PR09001216	Kaushal Private ITI, Thariyaon, Fatehpur-212622	Management has given writing regarding permanent closing of ITI and this regard affidavit and letter submitted by management.	De-Affiliated
70.	PR09000041	Saket Private ITI, Galighat Road Pratapgarh-230001	Management of the said ITI has inform that they have closed the ITI due to no admission.	De-Affiliated
71.	PR09001288	Kirti Private ITI, 326C/73A/1 Stanley Road, Allahabad- 211002	1. No Such Private ITI exist at the given premises address and there is other activities taken place like girls hostel running at the premises 2. Owner of the building have informed that private ITI is already being shifted from the	De-Affiliated
Tex Ti			building and no ITI run at their premises.	
72.	PR09001042	Shiv Bahadur Singh Private ITI, Allahabad, Jhalwa, Chandrabhanpur, Allahabad- 211012	1. No Such Private ITI exist at the given premises address and there is Allahabad airport premises exist at the mentioned address.	De-Affiliated
73.	PR09001615	C.V.A.P.P.S Private ITI, 9-H Liddle Road George Town, Allahabad-221505	1. Accordingly Institute send a letter in the ITI Letter head for requesting to De-affiliate the C.V.A.P.P.S. Private ITI, Allahabad. 2. Presently address of Building found residential house. 3. The owner of the building wanted to close it. 4. No Institute name board is seen nearby campus/building. 5. No ITI related Infrastructure like Tools equipment, IT Labs were found in the ITI premises.	De-Affiliated

SI. No	DGT MIS Code	Name of Private ITI	Deficiencies	Remarks
			6. No ITI staff were available at the time of Inspection and documents proof of land, Electricity, etc. could not be verify.	
74.	PR09000919	Access Computer Education Private ITI, 14A, Association Road, George Town Allahabad-211001	1. Accordingly Institute gave us a letter in the ITI Letter head for requesting to De-affiliate the ACCESS COMPUTER EDUCATION PRIVATE ITI, ALLAHABAD (MIS CODE-PR09000919) 2. Presently address of ITI Building found a residential house 3. No ITI related Infrastructure like-Tools equipment, IT Labs and staff were found in the ITI premises 4. No ITI staffs were available at the time of Inspection and document's proof of Land Electricity, etc. could not be verify 5. No Institute name board is seen nearby ITI campus building.	De-Affiliated
75.	PR09000482	Ajay Raj Singh Private ITI, 229B/8 Jayantipur Sulem Saray, Allahabad-211011	1. Accordingly Institute gave us a letter in the ITI Letter head for requesting to De-affiliate the AJAY RAJ SINGH PRIVATE ITI, ALLAHABAD (MIS CODE-PR09000482). 2. Presently ITI Building lying Vacant. The owner of the building wanted to close it. 3. No Institute name board is seen nearby ITI campus/building 4. No IT related Infrastructure like. Tools equipment, IT Labs and staff were found in the ITI premises. 5. No IT staff were available at the time of Inspection and document's proof of Land. Electricity, etc. could not be verify.	De-Affiliated

Sl. No	DGT MIS Code	Name of Private ITI	Deficiencies	Remarks
76.	PR09900003	IshwariDayal Private ITI, Koraon Allahabad-212306	1. Presently John Deere Tractor Agency & Service Centre is running in the ITI building. 2. No IT staffs available at the time of Inspection and document's proof of Land, Electricity, etc. could not be verified. 3. Electric Meter not installed in the building 4. No ITI\ related Infrastructure like-Tools equipment. IT Labs and staff were found in the ITI premises. 5. No Institute name board is seen nearby ITI campus/building.	De-Affiliated
77.	PU09001690	Nalanda Private ITI, 137/123 Balarampur House, Allahabad-211003	 ITI Address is different. Presently ITI Building vacant. No ITI related Infrastructure like-Tools equipment, IT Labs and staff were found in the ITI premises. No IT Staffs were available at the time of Inspection and document's proof of Land, Electricity, etc. could not be verify. Electric Meter installed but no electrical connection in the ITI. 	De-Affiliated

