

DGT-Aff011(51)/2/2020-O/o Dir (TC)
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Employment Exchange Building,
1st floor, Pusa, New Delhi,
Dated: 15th January, 2021

To,

All the State Directors (dealing with Affiliation)

Subject:- Minutes of Meeting of 18th Recommendation Committee Meeting

Sir/Madam

Please find enclosed herewith the approved Minutes of Meeting along with Annexure of 18th Recommendation Committee held on 23rd December, 2020. However implementation orders agenda item wise will be issued in due course of time.

This issues with the approval of competent authority, DGT

Yours faithfully,



(Sunil Kumar Gupta)
Director of Training

Copy to:-

1. Sr. PPS to DG/AS, DGT, New Delhi
2. Sr. PPS to DDG, DGT, New Delhi
3. All RDSDEs



(R. Murugarajan)
Deputy Director of Training

Draft Minutes of 18th Meeting of "Recommendation Committee DGT" dealing with affiliation ITIs held on 23rd December, 2020 at 1750Hrs through Video conference

Representation From DGT	Representation from States
Smt. Neelam Shami Rao, Director General Smt. Sandhya Salwan, Deputy Director General Shri. Sunil Gupta, Director Shri. Ravi Chilukoti, Jt. Director Shri. Amit Yadav, Asst Director Shri. Parveen Kumar, JTA	Shri Neeraj Kumar, Additional director, UP Shri Rajasehar, additional director, Tamil Nadu Shri. Nagesh, Jt Director, Telengana Shri. Sunil Desai, Dy Director, Madhya Pradesh Shri Prasanjit Bose, Dy Director, west Bengal

At the outset, Shri. Sunil Kumar Gupta, Director and Shri. Ravi Chilukoti, Joint Director welcomed all the committee members. Thereafter, DG(T), The Chairman of the Recommendation Committee took the agenda point by point for the detailed discussions. The details of the discussions, deliberations and agenda wise decisions in the meeting are as appended below:
The DG(T) desired that the agenda to be scrutinised as per the protocol of apex committee recommendations.

Agenda No. 18.1: Affiliation of ITIs

18.1.1(a) New ITI proposals:

DGT received 8 proposals- 5 from Uttar Pradesh and 3 from West Bengal state, the ITI wise break up for recommendation of the committee is as follows:

Sl. No.	ITI's Name/MIS Code/ Application Number	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1	Babu Ramjeet Singh Sengar Pvt. ITI, Jewainiya, Pradhanpur, Ballia - Uttar Pradesh Application no. 1809019144	Electrician Fitter Plumber COPA	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	NR	ITI Inspected on 21/08/2020 & State Re-Inspected for errors on 21/10/2020 which ITI refused & State Not Recommended. - Computer available in IT lab but bill not attached. - online Electricity Bill Not available.	Reverted to State Director to check all land records, Electricity bills, computer bills and also to verify whether any other educational institute runs at the site from State education MIS.
2	Lalmuni Chandrabhan Pvt. ITI, Govindpur Dugauli, Ballia, Uttar Pradesh Application no. 1809022111	Electrician Fitter Health & Sanitary Inspector Hospital Housekeeping	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	NR	Recommended by Inspection committee for inspection on 20/08/2020 & State Director Not Recommended	Reverted to State Director to check all land records, Electricity bills computer bills and also to verify whether any other educational institute runs at the site from

Sunil Kumar

Prasanjit Bose
- 1 -
- 15/12/21

					committee for inspection on 21/10/2020 since ITI was not ready for inspection.	
3	Maharishi Baba GeladasMA Chandramuni Pvt ITI, Shahmohammadpur, Chandeawar, Rasea Ballia - 221712 Application no. 1809015833	Electrician Fitter Plumber COPA	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	NR	Recommended Based on the Inspection Report of 17/08/2020. 2. State Not recommended based on 21/10/2020 since No Inspection could be carried out as ITI rejected for Re-Inspection.	Reverted to State Director to check all land records, Electricity bills and also to verify whether any other educational institute runs at the site through various MIS.
4	Shekhar Private ITI, Sammopur, Gopalpur, Tehsil- Sadar Azamgarh 276001 Application no. 1809026586	Electrician Fitter Plumber COPA	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	NR	Not Recommended 1. Shekhar ITI Staff was Not Available for Inspection. 2. Containment Zone banner was forged & area was not under containment Zone. 3.A Bed 4 Diploma in Elementary education run with the name of Shear Social Manila College & Education Foundation	Rejected
5	Shri Raj Kumar Singh College of Private ITI, Villa- Bhawanipur, Karhal, Dist.- Mainpuri, U.P.-205268	Electrician Fitter COPA Health Sanitary Inspector	6(2+2+2) 6(2+2+2) 3(1+1+1) & 3(1+1+1)	NR	1. State has not recommended for affiliation, since it is suspected another college is running in the same building.	Reverted to State Director to check all land records, Electricity bills and also to verify whether any other educational institute runs at the site through various MIS

Sanil

- 2 -
Shri Raj Kumar Singh
- 15/11

					for Re-inspection	
6	Govt. ITI Dasburg - II Running Under PTP Joteghanshyam Shyamgang, West Medinipur - 721153	Fitter Electrician Welder COPA	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	Recommended except for 3rd shift	Recommended Fitter 4(2+2) Electrician 4 (2+2) Welder 2(1+1) COPA 2(1+1)
7	Moyna Private Iti, Brindabanchak, Srikantha, Moyna Mednipur East, West Bengal - 721629 Tmp19317pr1581 705897	Fitter Electrician Health Sanitary Inspection Early Childhood Educator	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	Recommended except for 3rd shift	Recommended Fitter 2(1+1) Electrician 2(1+1) Health Sanitary Inspection 2(1+1) Early Childhood Educator 2(1+1)
8	Sister Nivedita Private Industrial Training Institute, Nadia Private Industrial Training Institute, Nadia Vill- Bejpara, Po-Gachha, Ps-Nakashipara, Dist-Nadia, Pin-741154, West Bengal TMP19320PR158 1245816	Electrician Fitter Electronics mechanic Welder	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	ITI needs to provide details on land lease and staff qualification details. 1. Inspection committee mentioned shortage of minor tools but no mention in the deficiency list. 2. Recommended as standing committee on inspection except for 3rd Shift.	Recommended as Recommended by State Director Electrician 4(2+2) Fitter 4(2+2) Electronics Mechanic 2(1+1) Welder 2(1+1)

For all Affiliated Trades and Units, Instructor staff Qualification should be made 100% CITS qualified and State Director, West Bengal to update on Instructor Staff Qualification by 25th January, 2021.

18.1.2(a) Existing ITIs seeking Affiliation for Extension of Trades/Units:

DGT received 5 proposals from 3 States.

ITI wise break up for recommendation of the committee is as follows:

Sl.	ITI's	Trades/Units	ITI	Units	Remarks	by	Remarks	by
-----	-------	--------------	-----	-------	---------	----	---------	----

Senally

- 3 -

15/11

	Application Number	affiliation	Units	ended by SCI	Committee	Committee
1	Government Industrial Training Institute, Trichy Thanjai Main Raod, Thiruverambur, Tiruchirappalli Tamil Nadu - 620014 GR33000046	Mechanic Diesel	1(1+0+0)	1(1+0+0)	Details about IT lab not available photograph etc.	Recommended Mechanic Diesel 1(1+0)
2	Maa Madhuri Private Industrial Training Institute, Village- Pindahara, Post - Bansdih, Ballia -277202 PR09900243	Fitter Electrician	3(1+1+1) 1(0+0+1)	NR	Not Recommended Place before the Committee for decision. Recommended for Inspection Date 21/08/2020 ITI did Not agree for Inspection on 22/10/2020 State recommended as per 21/08/2020 and asked for Re-inspection, Since ITI did Not agree on 22/10/2020. & Not recommended	Rejected as not Recommended by State Director and will be debarred as per DGT norms.
3	Maa Ananadmai Private ITI , Jajmau Railway Station, Saiya, Agra - 283124, Uttar Pradesh PR09001764	Electrician Fitter Food Production Sewing Technology House Keeping Tourist Guide	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	NR	Not Recommended	Rejected as not recommended by State Director due to Classrooms not available for Additional Electrician. Food production Sewing Tech. Housekeeping & Tourist Guide and ITI has old equipment. ITI is more than 5 years and no trade are recommended, ITI should apply with minimum 4 Trades by 2021

[Handwritten signature]

[Handwritten signature]

4	Government ITI Siliguri Govt. Industrial Training Institute Sevoke Road, P.O. - Ektiasal, Darjeeling, 734401 GR19000025	Solar Technician (Electrical) Lift and Escalator Mechanic	2(1+1) 2(1+1)	2(1+1) 2(1+1)	Recommended	Recommended Solar Technician (Electrical) 2(1+1) Lift and Escalator Mechanic 2(1+1)
5	Govt Industrial Training Institute, Pilkhana Road, P.O.+ Dist.- Cooch Behar - 736101, West Bengal GR19000014	Bamboo Works	2(1+1)	2(1+1)	Recommended	Recommended Bamboo Works 2(1+1)

18.1.2(b) Existing ITIs seeking Affiliation for Extension of Trades/Units- Deferred Proposals:

Of the deferred proposals, reply is received for 1 ITI the ITI wise break up for recommendation of the committee is as follows:

Sl. No.	ITI's Name/MISCode/ Application Number	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1	Baba Bhirigu Private ITI Vill/Post- Paliya Tehsil- Muhammdabad Gohana, Mau, U.P.- 276403 PR09900572	Electrician	6(2+2+2)	6(2+2+2)	State verified building layout received, placed before the committee for decision	Recommended Electrician 4(2+2) And ITI shall apply for one more trade by 2021 to comply with minimum 4 trade norms.

18.1.3 Existing ITIs applied for Shifting : Nil

18.1.4 MSTI Proposal : Nil

18.1.5 ITI in Spare capacity of Polytechnics: 01

DGT received 1 proposal from Tamil Nadu for ITI in Spare capacity of Polytechnic college

ITI wise break up for recommendation of the committee is as follows:

Sl.	ITI's	Trades/Units	ITI	Units	Remarks by	Remarks by
-----	-------	--------------	-----	-------	------------	------------

Santhosh - 5

	Number			by SCI		
1	Venkateshwara Pvt ITI, Sri Venkateshwara Polytechnic College , Parasur, Cheyyar Talkua, Dist Thiruannamalai Tamilnadu	Electrician Fitter Mechanic Motor Vehicle Mechanic Refri. & A.C. Surveyor Wireman Welder	2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	NR	Not Recommended since NOC from AICTE not available	Rejected as not recommended by State Director due to 1. Time table for polytechnic with Parallel section of ITI, As the full-time polytechnic running, same laboratory for both Polytechnic and ITI which cannot give the effective training without proper Time table. 2. Machinery Bills and Payment receipt and Transaction details not available. 3. NOC certificate from AICTE for conducting NCVT courses in this polytechnic. 4. In the application from they mentioned about faculty Strength is found as Wrong. No separate faculties recruited 5. Shortage of Electrical power

Agenda 18.1.6: SCVT to NCVT Conversion

18.1.6(a): Madhya Pradesh State has proposed 27 ITIs for Conversion from SCVT to NCVT. These proposals were placed at Annexure 17.1.6(a) and deferred. The required details have been received from the state vide mail dt. 16/12/2020. The proposals are placed at annexure 18.1.6 (a).

18.1.6(b) Tamil Nadu State has forwarded 2 proposals for conversion from SCVT to NCVT. These proposals are placed at annexure 18.1.6 (b).

The Committee considered the aforesaid matters one by one and the proposals for affiliation were approved / rejected by the committee, as per remarks mentioned against each column of ITIs [list enclosed at Annexures 18.1.6(a) and Annexures 18.1.6(b). Further, after detail discussion expressed its recommendations as follows: -

- The committee observed that the Affiliation order for conversion of SCVT Trades to NCVT Trades will be valid for 1 year only, till session 2021 and ITI shall apply on online affiliation portal for continuation of affiliation
- That, these proposals need to be Re-inspected as per the current Inspection process through NIMI portal within next 3 months.

Smith - 6 - *Amurupur*

- iii. That, the proposals in respect of new ITIs which were not yet affiliated with NCVT, and had applied with less than 4 trades, were rejected with the comment to apply afresh through the existing channel for obtaining affiliation.

Agenda 18.2: Representation received from ITIs /States

18.2.1: Mail from Uttar Pradesh State Directorate:

1. The state directorate has sent the details of:
 - a. Smt. Dharamwati Bhedjeet Singh Pvt. ITI
 - b. G city Pvt ITI

Both these ITIs were Not Recommended in 12th RCM, agenda 12.2.2 (sl no. 20 and 27) and deferred in 17th RCM, agenda 17.2.8(b). The committee had Not Recommended these ITIs and it was decided to issue notice for de-affiliation due to non-availability of Drawing hall. State in its mail dt. 03.12.2020 has sent verification report and has not mentioned any recommendation (annexure 18.2.1).

ITI wise break up for recommendation of the committee is as follows:

Sl. No.	ITI's Name/MISCode/ Application Number	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1	Smt. Dharamwati Bhedjeet Singh Pvt. ITI, Vill/Po-Barauli, Mahavan Block Baldev, Mathura, U.P- 281301 PR09002107	Electrician	12(4+4+4)	12(4+4+4)	Placed before the committee for decision	Recommended Electrician 8(4+4) ITI shall apply with minimum 4 trades by 2021
2	G City Private ITI C-51, Natwar Nagar, Dhauri Pyau, Mathura Uttar Pradesh - 281001	Electrician Health Sanitary Inspector	9(3+3+3) 6(2+2+2)	9(3+3+3) 6(2+2+2)	Placed before the committee for decision	Recommended Electrician 6(3+3) Health Sanitary Inspector 4(2+2) ITI shall apply with minimum 4 trades by 2021

Agenda No. 18.3: Inspection status of applications registered on online affiliation portal (By NIMI)



Recommendations of Committee:

Since no member from NIMI team was available, it has been decided that the details will be placed in next meeting.

Agenda No 18.4: Dual System of Training:

5 Proposals from Pvt ITIs in Odisha for running in DST trades, matter was referred to State for comments and consent on Affiliation/ conversion of Trades/units under DST. State Director, Odisha replied with the following comments:

1. Registration of Industry under MSME/ valid registration with State/Central authority registered at least for 2 years or Establishments include entities registered with any Govt./Local authorities/Shops covered under Factory Act-1948 need to be verified.

 
-7-

3. Number of Employees and turnover conforming to the DST guideline needs to be verified.
4. Health and safety facilities created by the Industry for the trainees need to be verified.
5. If the Industry is signing MoU for DST, it should be enlisted for apprenticeship training.
6. Relevance of the Trade and the Industry must be ensured before MoU.

Recommendations of Committee:

It was decided in the meeting that a Mechanism needs to be developed for DST affiliation. A good IT system for managing DST should be envisaged on DGT MIS portal. An order to be issued for the same.

It was further decided that 5 private ITIs from Odisha are not to be given DST orders till the time it is conferred by State Directorate.

Agenda No 18.5:

18.5.1: Deferred case of 16th RCM, Agenda 16.2.4 and 17th RCM, agenda 17.11:

Sri Krishna Pvt ITI, Gangobher Madhuban, Mau, UP inspected on 5.11 2019 reported that some shortage of Trainee Tool Kit for Electrician trade and State Government has proposed for De-affiliation vide letter dt. 20.11.2019. The above proposal was placed in 10th Recommendation Committee Meeting held on 15th September, 2020 (agenda item 10.1) and committee recommended for De-affiliation. ITI vide letter dt. 13.11.2020 represented that the case is not for De-affiliation as per remarks of inspection report.

Case was referred to state to provide the details on admission and their comments. State vide letter dt. 09.12.2020 provided the details for admission and qualified candidates for Sri Krishna Pvt ITI and recommended for continual of affiliation for these ITIs.

No information has been provided by State Director for Shri Krishna Ambedkar Pvt ITI, Segha Akhilespur, Post Madhuban, Uttar Pradesh. The State mentioned that they had sent the reply and would be received by DGT in due course of time.

Proposal of both ITIs placed before the committee.

Recommendations of Committee:

Based on the **recommendation of the state Directorate in the meeting and admission and pass percentage data, as mentioned by them in the report submitted**, the Committee agreed to continue the Affiliation of Sri Krishna Pvt ITI and Sri Krishna Ambedkar Pvt ITI. The De-affiliation order for these ITIs is to be revoked to maintain their affiliation status.


18.5.2: Deferred Case of 16th RCM, Agenda 16.4.4

SBS Daddu ji ITI: Complaint was received against this ITI citing reasons:
ITI running in the building of SBS Inter College
ITI has 80% tools and equipment's
Running only on paper, has not held any practical till date
Only 1 teacher in ITI, etc.

In this regard, mails and reminders were sent to State to verify the same and provide the report latest by 27/11/2020. The mail was received from the state on 15.12.2020 informing complaint is baseless.

Recommendations of Committee:

As mentioned by the State Directorate in their report that the complaints against the SBS Daddu ji ITI is baseless, the Committee agreed to maintain the affiliation status of this ITI.



It was also proposed in the meeting to come up with a process against motivated complaints, whereby the data of the ITI for last 3 years regarding Seats, Admission, Pass percentage, Grading, Techers details and qualifications, etc. to be included.

Agenda No 18.6: Extension of Trades in existing IToT:

Shivalik Institute for Training of Trainers, Bir Kaul, Distt. - Patiala (Punjab). Director CFI suspected that the Institute tampered the electricity bill of ITI run in the same.

Recommendations of Committee:

Deferred for Verification of the IToT details with existing ITI.

Meeting concluded with vote of thanks.

 
- 15/11

Sr.No	ITI Name	MIS Code / Application Number	New Trade Sought for Affiliation	Units	Units Recommended by SCI	Existing Trade	Affiliated Units Since When	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Land lease valid	Power connection per norms	Workshop space	Class room	IT Lab	Drawing hall	Availability of Machinery, Tools & Equipments	Staff qualification & Documents	Remarks	Remarks by Re-commissioning Committee	
1	Govt. ITI Shirpur (M.P.)	GR23000135	FITTER (NSQF)	2	YES		1 ELECTRICIAN 2 FITTER 2 WELDER	52 20 16 18	116	106	OWNED	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS		Recommended	
2	Govt. ITI BUDHI	GR23000064	MECHANIC TRACTOR (NSQF)	2	YES		NA	NA	NA	NA	NA	OWNED	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	Existing 5 Trades	Recommended
3	Govt. ITI Aarnoud	NEW	Electrician (NSQF) FITTER (NSQF) COPA (NSQF) Welder (NSQF) FITTER (NSQF)	2 2 2 2 2	YES		NA NA NA NA NA	31 21 52 42 20	136	128	OWNED	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS		Recommended
4	GOVT ITI SHIVGAON	GR23002097	COMPUTER OPERATOR AND PROGRAMMING ASSISTANT (NSQF) WELDER (NSQF) MECHANIC DIESEL ENGINE (NSQF)	2 2 2	YES		NA NA NA	52 11 31	114	61	OWNED	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS		Recommended
5	Govt. ITI Sheradongri	NEW	Electrician (NSQF) Electrician (NSQF) COPA (NSQF) Fitter (NSQF) Welder (NSQF) mechanic diesel engine (NSQF)	2 2 2 2 2 2	YES		NA NA NA NA NA NA	21 49 16 16 41 20	168	18	OWNED	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	New ITI, applied for 1 trade.	Not Recommended
6	Govt. ITI KHUNER	NEW	MECHANIC DIESEL ENGINE (NSQF) SEWING TECHNOLOGY (NSQF) NA NA NA	2 1 NA NA NA	YES		NA NA NA NA NA	27 3 52 20 7	129	77	OWNED	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS		Recommended
7	GOVT. I.T.I. LATERI	GR2001106	NA NA MECHANIC MOTOR VEHICLE (NSQF) MECHANIC REFRIGERATION AND AIR CONDITIONING (NSQF)	NA NA 2 2			2 1 1 2	16 15 20 21				OWNED	OWNED	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS		Recommended	
8	GOVT. ITI BARKHAST - PAUGAHI	GR23000146	MECHANIC Motor Vehicle (NSQF) Mechanic Tractor (NSQF) Electrician (NSQF) Welder Steno (blind) Fitter Cops	2 2 2 NA NA NA NA	YES		NA NA NA NA NA NA NA	5 5 21 5 47 15 37	152	77	OWNED	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS		Recommended
9	Govt. ITI Bhatkhepur	GU23000066	Draftsman Civil (NSQF) Diploma Mechanical Engineering	2 2	YES		NA NA	NA NA	NA NA	NA NA	NA NA	OWNED	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	Existing 8 Trades	Recommended
10	Govt. ITI, Beauli	GU23000063	Diploma Mechanical Engineering	2	YES		NA	NA	NA	NA	NA	OWNED	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS		Recommended

Signature
Signature

15	GOVERNMENT CHAWALDI SERONE	602300136	WELDER (NSQF)	2	YES	COPA	2	COPA-52 ELECTRICIAN-23	79	1.COPA-46 2.ELECTRICIAN- 20	66	OWNED	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	Building 2 under Execution and COPA	Recommended
17	GOVT. ITL KARNADURGA	602300024	MECHANIC MOTOR VEHICLE (NSQF)	2	YES	ELECTRICIAN	1	21	93	20	57	OWNED	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	Building 4 trades	Recommended
						COPA	2	31		21																	
						FITTER	1	20		11																	
						WELDER	2	21		5																	
18	Govt. ITI Nandagpur	602300073	Turner (NSQF)	2	YES	Copa	2	57	159	19	60	OWNED	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	AS PER NORMS	Building 7 trades	Recommended
						Capenter	1	18		2																	
						Plumber	2	42		0																	
						Electrician	2	21		20																	
						Electron Mechanic	2	26		18																	

Amrinder

Sanita

Annexure-18.1.6 (b)

Sl. No.	ITI Name	State	Inspected Date	MIS Code / Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
1	GOVERNMENT ITI TINDIVANAM Sanchal Medu VILLUPURAM TAMIL NADU 604001	Tamil Nadu	NA	GR33000637	1.82	10-Aug-2018	Fitter (NSQF) Mechanic (Refri. & Air-Conditioning) (NSQF) Turner Welder	2(1+1) 2(1+1) 2(1+1) 2(1+1)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enrol in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enrol in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Land lease valid
	Solar Technician (Electrocal)	2(1+1)	2(1+1)	Fitter - (21+0+0) Mechanic (Refri. & Air-Conditioning) - (26+0+0) Welder - (21+0+0) Wireman - (21+0+0)	21 + 26 + 21 + 19 = 89	Fitter - (0+17+0) Mechanic (Refri. & Air-Conditioning) - (0+22+0) Welder - (18+12+0) Wireman - (0+19+0)	17 + 22 + 30 + 19 = 88	Yes
	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Availibility of Machinery, Tools & Equipments	Staff Qualification & Documents
	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Remarks by Standing Committee Recommended	Remarks by Scrutiny Committee Recommended	Remarks by Recommendations Committee Recommended					

Sunil Kumar

Amritha
15/1

Sl. No.	ITI Name	State	Inspected Date	MIS Code/Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
2	<u>Government Industrial Training Institute, Perambalur, Thaneerpanthal, Perambalur, Tamil Nadu - 621220</u>	Tamil Nadu	NA	GR33000565	NA	30-Dec-2008 19-Feb-2009 10-Aug-2018 6-Sep-2019	Electrician (NSQF) Fitter (NSQF) Machinist(NSQF) Mechanic (Motor Vehicle)(NSQF) Turner Welder	3(1+1+1) 4(2+2) 2(1+1) 2(1+1) 2(1+1) 4(2+2)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Land lease valid
	Solar Technician (Electrocal)	2(1+1)	2(1+1)	Electrician - (21+0+0) Fitter - (32+0+0) Machinist - (13+0+0) Mechanic (Motor Vehicle) - (21+0+0) Turner - (11+0+0) Welder - (42+12+0)	21 + 32 + 13 + 21 + 11 + 54 = 152	Electrician - (0+19+3) Fitter - (39+0+0) Machinist - (0+18+0) Mechanic (Motor Vehicle) - (0+24+0) Turner - (0+10+0) Welder - (24+24+0)	22 + 39 + 18 + 24 + 10 + 48 = 161	Yes
	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents
	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Remarks by Standing Committee		Remarks by Scrutiny Committee		Remarks by Recommendations Committee		Recommended	
	Recommended		Recommended		Recommended		Recommended	

Signature
Smith