Speed Post

# DGT-Aff011(51)/2/2020-0/o Dir (TC) Government of India Ministry of Skill Development and Entrepreneurship Directorate General of Training

Employment Exchange Building, 1st floor, Pusa, New Delhi, Dated: 8<sup>th</sup> January, 2021

To

The State Directors,

(Odisha, Gujrat, Rajasthan, Telangana, Uttar Pradesh, Karnataka, West Bengal, Maharastra)

Subject: Affiliation of Units/Trades of Govt./Pvt. Industrial Training Institute with NCVT-regarding.

Sir,

As decided in the 17<sup>th</sup> Meeting of Recommendation Committee DGT held on 11<sup>th</sup> December 2020, affiliation will be granted only for units in shift 1&2, as running the ITI in 3rd shift is not feasible in light of COVID-19 for maintaining Social Distancing and transport facilities after 3<sup>rd</sup> shift concern further, committee recommended trades/units in to DGT for session 2020-21.

- 2. The Committee examined affiliation proposals and accorded approval for the proposals conforming to the DGT Norms as per the list enclosed herewith.
- 3. The affiliation of the trades/units stated above are further subjected to,
  - (i) Periodic verification.
  - (ii) The ITI must comply with DGT norms/guidelines issued from time to time.
  - (iii) ITI must display the newly released logo of ITI on the Display Board at the main gate.
- 4. The said information is also available under "News & Updates" on NCVT MIS Portal at https://ncvtmis.gov.in.
- 5. Discrepancies if any in the affiliation orders, same may be intimated to undersigned within 15 days after the date of issue of order.

Sunil Kumar Guptay

urs faithfully

Director of Training

#### Copy along with enclosures for information to:

- 1. Sr PPS to Chairman of Recommendation Committee-DGT.
- **2.** Sr PPS to DDG (Affiliation).
- 3. NCVT MIS Portal In charge, DGT Hqr. New Delhi, with request to upload these orders on NCVT MIS Portal.

Joint Director of Training





(TC)



**STATE: Odisha** 

**Meeting Dated: 11/12/2020** 

Total - 02, (New-00, Old-02)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which	Units fo	r which affiliatio recommended l		Remarks
				affiliation sought	Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1,	Govt. Industrial Training Institute, Dhenkanal At-Borapada, Po-Gahamakhunti, Via-Govindpur, P.S-S Dhenkanal, Odisha – 759027.	GR21000504	Old	COPA	2(1+1)	2(1+1)	2(1+1)	Recommended  ITI needs to submit compliance about hiring of 2nd Instructor within 7 days from the issue.
2,	Government ITI, Jharsuguda JES Campus, Badheimunda chowk, Kalimandir road JHARSUGUDA Odisha – 768202.	GU21000601	Old	Dress Making	2(1+1)	2(1+1)	2(1+1)	Recommended  ITI needs to submit compliance report regarding installation of machinery

Sunto





**STATE:** Gujarat

Meeting Dated: 11/12/2020

Total - 02, (New-01, Old-01)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation	Units	for which affiliation recommended l		Remarks
1.				sought	Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Somnath Private TTI Ramvadi Kodinar, at Kodinar, Highway Bypass, Near Gohilni khan Dist. GIR Somnath Gujarat.	PR24007115	Old	Health Sanitary Inspector	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended  ITI needs to apply for Reaffiliation for session 2021.
2.	Bullwark Private ITI Village Vaghada, Dist. Surendra Nagar- 382130, Gujarat		New	Fire technology and Industrial safety management	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended FTISM 2(1+1) Fireman 2(1+1) Health Safety &
				Fireman	3(1+1+1)	3(1+1+1)	2(1+1+0)	Environment 2(1+1)
				Health Safety & environment	2(1+1+0)	2(1+1+0)	2(1+1+0)	HSI 2(1+1)
			^	Health Sanitary Inspector	2(1+1+0)	2(1+1+0)	2(1+1+0)	

Symlte.







STATE: Rajasthan

**Meeting Dated: 11/12/2020** 

Total - 05, (New-04, Old-01)

Sl. no.	Name of Institute with	NCVT/MIS Code	Old/ New	Trade for which affiliation	Units fo	or which affiliation recommended		Remarks
	address			sought	Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendati on Committee	
1.	Govt. ITI , Baswa,	GR08001932	Old	Fitter	2(1+1)	2(1+1)	2(1+1)	Recommended
	Dausa,Tehsil = Baswa, District-Dausa,			Mechanic Diesel	2(1+1)	2(1+1)	2(1+1)	ITI need to submit compliance by 15th
	Rajasthan- 303327.			Mech. (Refrigerator& AC)	2(1+1)	2(1+1)	2(1+1)	January, 2021 regarding the Principal document, separate from Govt ITI, Sikri
2.	Govt. ITI, Tehsil:	GR08001918	Old	Fitter	2(1+1)	2(1+1)	2(1+1)	Recommended
<	Sikrai, Dist: Dausa, Rajasthan –			Mechanic	2(1+1)	2(1+1)	2(1+1)	ITI need to submit compliance
	303508.			Diesel Mech. (Refrigerator & AC)	2(1+1)	2(1+1)	2(1+1)	regarding the Principal document, separate from Govt ITI, Baswa by 15th January, 2021 through State Director.
3.	Govt. ITI, Alwar, Jakhera- Perveni Road, The;- Raini, Dist: Alwar, Rajasthan- 301409.	GR08000646	Old	COPA	2(1+1)	2(1+1)	2(1+1)	Recommended
4.	Govt. ITI. Mereta City Mela Maidan Nagaur Road, Nagaur Rajasthan	GR08001010	Old	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
5.	Sanskar Pvt ITI, Piprau Road, Nadbai, Bharatpur, Rajasthan	×		Electrician	4(2+2)	4(2+2)	NR	Not Recommended  Since, it is based on Inspection carried out in 2020.  ITI should apply on online affiliation portal with minimum 4 trades for affiliation.

lumile

,9







**STATE: Telangana** 

**Meeting Dated: 11/12/2020** 

Total - 04, (New-01, Old-03)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation	Units for which affiliation sought / recommended by			Remarks
no.	with address	douc	New	sought	Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Venkata Sai Pvt		New	Electrician	6(2+2+2)	NR	NR	Deferred
	Adilabad SY No.			СОРА	3(1+1+1)	NR	NR	As confirmed by team leader
	104, Main Road, ICHODE, Dist: Adilabad			Dress Making	3(1+1+1)	NR	NR	(Shri Vijay Krishna, Asst, Director, NSTI,
	Telangana – 504307			Mechanic Refrigeration & AC	3(1+1+1)	NR	NR	Hyderabad) on the date of inspection IT lab was not there, based on the ITI letter State Director verified IT lab. Joint Inspection shall be conducted and shall be considered for session 2021 for which ITI shall apply on online affiliation portal.
2.	Grace Private ITI 2-1-456/1/b, Vagumallaram, Manuguru Post and Mandal BHADRADRI KOTHAGUDEM TELANGANA – 507117.	PR36000511	Old	Electrician	Addl. 12(4+4+4)	Addl. 12(4+4+4)	Addl. 8(4+4+0) Total 14(6+6+2)	Recommended Electrician 8(4+4) except for 3rd shift State Director should ensure CITs qualified Instructor staff.
3.	Sri Balaji ITI,	PR36000255	Old	Electrician	8(2+2+4)	NR	NR	Deferred
	Budimi Gate, Pitlam Road, Post/Mandal:Bans			Mechanic Diesel	3(1+1+1)	NR	NR	State to provide report with
	wada, Dist: Kamareddy ,			Radiology Technician	6(2+2+2)	3(1+1+1)	NR	Photographs of machinery and
	Telangana - 503187			Sewing Technology	3(1+1+1)	NR	NR	equipment, details about GST of High

L







**STATE: Telangana** 

**Meeting Dated: 11/12/2020** 

Total - 04, (New-01, Old-03)

Sl.	Name of Institute with address	NCVT/MIS Code	Old/ Trade for whi	Trade for which affiliation	Units	n sought / oy	Remarks	
				sought	Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
								value machinery, Deficiency of machineries and Equipment list.
4.	Rajiv Gandhi Memorial	PU36000129	Old	Electrician	10(5+5)	10(5+5)	NR	Not Recommended
	Industrial Training Centre			Fitter	4(2+2)	NR	NR	ITI need to
	Plat No. F-14, Industrial Estate, Mulugu Road, Warangal, Telangana, 506001			Diesel Mechanic	4(2+2)	NR	NR	apply with minimum 4 trades for session 2021 (speaking order to be issued).

Junilly









## STATE: Uttar Pradesh Total – 06, (New-02, Old-04)

Meeting Dated: 11/12/2020

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation	Units	for which affiliation recommended		Remarks
				sought	Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1,	Shambhu Narayan	-	New	Electrician	3(1+1+1)	NR	NR	Rejected
	Private ITI,Vill& Post: Harahari, Dist: Ghazipur			Fitter	3(1+1+1)	NR	NR	State Director not recommended
	Uttar Pradesh – 233226.			Sewing Technology	3(1+1+1)	NR	NR	due to non- availability of
				COPA	3(1+1+1)	NR	NR	Drawing Hall and ITI shall apply on online affiliation portal for next session
2.	Shri Jyoti Narayan		New	Electrician	6(2+2+2)	6(2+2+2)	NR	Deferred
	Pvt ITI Vill- Augan, Po- Daulaatpur,			Fitter	6(2+2+2)	6(2+2+2)	NR	GST details to be verified for
	Baldeo, Dist- Mathura, Uttar			COPA	3(1+1+1)	3(1+1+1)	NR	high value machines and
	Pradesh- 281301.			Health Sanitary Inspector	3(1+1+1)	3(1+1+1)	NR	equipment's by the State Director
3.	Disha Private ITI Vill/Post Khirikotha, Tahseel Madhuban, District - Mau, Uttar Pradesh - 221603	PR09900184	Old	Electrician	Addl. 6(2+2+2)	Addl. 6(2+2+2)	Addl. 4(2+2+0) Total 10(4+4+2)	Recommended Electrician 4(2+2)  State Director to ensure 100% CITS trained
								instructors to be appointed.
4.	Hind Private ITI, Address-G.T. Road Sikandra Rao, District- HATHRAS, State- UTTAR Pradesh- 204215	PU09900212	Old	Electrician	Addl. 3(1+1+1)	Addl. 3(1+1+1)	NR	Deferred Electricity bill to be provided by State. To be upgraded with Four trades.
5.	Smt. Dharamwati Bhedjeet Singh Pvt. ITI, Vill/Po- Barauli, Mahavan Block	PR09002107	Old	Electrician	12(4+4+4)	NR	NR	Deferred State needs to submit verified reports.

-1







STATE: Uttar Pradesh

**Meeting Dated: 11/12/2020** 

Total - 08, (New-02, Old-06)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation	Units	s for which affiliation recommended l		Remarks
				sought	Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
	Baldev, Mathura, U.P- 281301							
6.	G City Private ITI C-51, Natwar Nagar, Dhauli Pyau, Dist. Mathura Uttar Pradesh - 281001	PR09900674	Old	Electrician  Health Sanitary Inspector	9(3+3+3) 6(2+2+2)	NR NR	NR NR	Deferred State needs to submit verified reports.
7.:	GLOBAL PRIVATE ITI Village Rastipur, Post:Khakhaicha, Dist: Allahabad UP 212405.	PR09900383	Old	Electrician	6(2+2+2)	6(2+2+2)	4(2+2+0)	Recommended
8.	Global Technical Institute, khwajajahanpur Maunath, Mau, U.P275101	PU09001932	Old	Electrician	12(4+4+4)	12(4+4+4)	8(4+4+0)	Recommended

Junil Kan

UD.







**STATE:** Karnataka

Meeting Dateu.

**Meeting Dated: 11/12/2020** 

Total - 04, (New-00, Old-04)

Sl.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation	Units	for which affiliat recommended		Remarks
no.	With address	douc	New	sought	Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Govt ITI (W), Hosur, Dist BENGALURU URBAN, Karnataka - 560029	GU29000214	Old	Electrician Fitter	2(1+1) 2(1+1)	2(1+1)	2(1+1)	Recommended as recommended by State Director
2.	Merger ITI Vinayaka Private ITI Manaya Road, Pandavapur Town ,Mandya, Dist. Mandya, Karnataka	PR29000711 And PU29000001	Old	Fitter  Electrician	2(1+1) and 3(1+1+1) 2(1+1) and	NR NR	NR NR	Not Recommended by State Director Since less than
	- 571434 And Varada Private ITI, Sagar Chamarajpet J.C.Road, Dist SHIVAMOGGA, Karnataka - 577401			Electronic Mechanic	3(1+1+1) 3(2+1) and 3(2+1)	NR	NR	4 trades in total. These ITIs need to upgrade to 4 trades.
3,	R.A. Patil Private ITI, Post Borgaon, Dist. – BELGAUM, Karnataka – 591216	PR29001062	Old	Fitter Electrician	2(0+0+2) 4(1+1+2)	NR NR	NR NR	Not Recommended by State Director Since less than 4 trades in total. The ITI need to upgrade to 4 trades.
4	Shifting Old Add.:- MVM Takshashila ITC MVM Takshashila ITC, VAranasai TC, Palya, Bangalore New Add. MVM Pvt ITI, Vaddahalli, Alangur road, padamghanta, Mulbagaltq., Kolar District	PU29000586	Old	Fitter Electrician	6(2+2+2) 6(2+2+2)	NR NR	NR NR	Not Recommended by State Director  Since less than 4 trades in total. The ITI need to upgrade to 4 trades.

Junille -1-

01





STATE: West Bengal
Total - 02, (New-01, Old-01)

**Meeting Dated: 11/12/2020** 

Sl. Name of Institute no. with address		NCVT/MIS Code	Old/ New	Trade for which affiliation	Units	for which affiliat recommended		Remarks
				sought	Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1,:	Ramkrishna Memorial Pvt ITI		New	Fitter	8(3+3+2)	8(3+3+2)	6(3+3+0)	Recommended Fitter 6(3+3)
	Vill - Manakchitra Post office Joypur			Electrician	8(3+3+2)	8(3+3+2)	6(3+3+0)	Electrician 6(3+3)
	Dist - Purulia West Bengal –			Welder	5(2+2+1)	5(2+2+1)	4(2+2+0)	Welder 4(2+2) Mechanic
	723103			Mechanic Diesel	4(2+1+1)	3(1+1+1)	2(1+1+0)	Diesel 2(1+1) However, Instructor staff Qualification should be made 100% CITS qualified. States to update on Instructor Staff Qualification by 15th January, 2021
2.	Govt. ITI, Tufanganj	GR19000012	Old	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
	Vill-Andaranfulbari, P.OTufanganj, Dist. KOCH BIHAR, 736160. West Bengal			Fitter	2(1+1)	NR	NR	Electrician 2(1+1) Three months' time to be given for upgrading no. of trades to 4. The ITI is remotely located near international borders and the population in the area is as such that not many trades can be included in the ITI as per the State Directors comments in the meeting.









**STATE: Maharashtra** 

**Meeting Dated: 11/12/2020** 

Total - 17, (New-11, Old-06)

Sl.	Name of Institute with	NCVT/MIS Code	Old/ New	Trade for which		or which affiliat recommended	l by	Remarks
	address			affiliation sought	Institute Apply for	Trade/ Units Recommende d by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Dr.Tanajirao		New	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
	Chorge Private ITI At/Post- Nandwal,			Fitter	2(1+1)	2(1+1)	2(1+1)	
	JaitalPhata)Tal.  Karveer Dist.  Kolhapur,			Mechanic (Motor Vehicle)	2(1+1)	2(1+1)	2(1+1)	
	Maharashtra - 416001			Welder	2(1+1)	2(1+1)	2(1+1)	
2.	KESHAVRAO		New	СОРА	2(1+1)	2(1+1)	2(1+1)	Recommended
	SHENDE Private ITI, At. Akola(Udasa),			Fitter	2(1+1)	2(1+1)	2(1+1)	
	Post: Aptur Ta: Umred, Dist:			Electrician	2(1+1)	2(1+1)	2(1+1)	
	Nagpur, Maharashtra- 441203.			Electronic Mechanic	2(1+1)	2(1+1)	2(1+1)	
3.	Shri Tukaramji	-	New	Fitter	2(1+1)	NR		Rejected
	Solav Patil Pvt ITI,			Welder	2(1+1)	NR	NR	As not recommended
	Tornala-						NR	by State
	Jodgavhan, Tq. Dist. Washim-			Mechanic Diesel	2(1+1)	NR	NR	Director as the ITI was not recommended
	4444505			СОРА	2(1+1)	NR		by inspection
				Electrician	2(1+1)	NR	NR	team and not to be considered
				Wireman	2(1+1)	NR	NR	for this
				vviieman	2(1+1)	INIX	NR	session.









#### **STATE:** Maharashtra

**Meeting Dated: 11/12/2020** 

Total - 17, (New-11, Old-06)

Sl. no.	Name of Institute with	NCVT/MIS Code	Old/ New	Trade for which		or which affiliat recommended	l by	Remarks
	address			affiliation sought	Institute Apply for	Trade/ Units Recommende d by SCI/State	Trade/units Approved by DGT Recommendation Committee	
4.	DadasoAnandr aoGanpat Pawar Private		New	Electrician Fitter	2(1+1)	2(1+1)	2(1+1)	Recommended
	ITI, Gate No. 279, National			Welder	2(1+1)	2(1+1)	2(1+1)	
	Highway-3, NearNardana, At. Po. Gorane Tal-			Electronics Mechanic	2(1+1)	2(1+1)	2(1+1)	
	Shindkheda, Dist- Dhule			Solar Technician	2(1+1)	2(1+1)	2(1+1)	
5.	Dharti ITI, Pohetakli	PR27000991	Old	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended Electrician
	Tq- pathri, DistParbhani, PARBHANI Maharashtra- 431506.			Mechanic Diesel	2(1+1)	NR	NR	2(1+1) ITI shall upgrade to 4th Trade by next academic session and ensuring CITS qualification for all instructors
6.	PN SARODE Private ITI, Sawali,		New	Electrician Welder	2(1+1+0) 2(1+1+0)	NR NR	NR NR	Rejected As State Director not
	Hinganghat, District- Wardha, Maharashtra-			Fitter	2(1+1+0)	NR	NR	recommended due to deficiencies reported by
	442301.			Hardware & Network Maintenance	2(1+1+0)	NR	NR	inspection team and ITI shall apply again on online affiliation portal

Juw De







**STATE: Maharashtra** 

Meeting Dated: 11/12/2020

Sl. no,	Name of Institute with	NCVT/MIS Code	Old/ New	which		for which affiliat recommended	l by	Remarks
	address			affiliation sought	Institute Apply for	Trade/ Units Recommende d by SCI/State	Trade/units Approved by DGT Recommendation Committee	
7	Pavanraje Nimbalkar Pvt. ITI At. Govardhanwad i post. Dhoki, Tq-Dist. Osmanabad Maharashtra- 413508.	PR27000930	Old	Electrician Mechanic Diesel	2(1+1)	2(1+1)	NR NR	Not recommended due to non- availability of IT lab. Notice to be given for not having ITI lab being Existing ITI.
8	Somayya Private ITI, Wadgaon Ward, Akashwani Road, Chandrapur- Maharashtra 442401.	PU27000871	Old	Electrician	2(1+1)	2(1+1)	NR	Not recommended State Director not recommended and ITI shall upgrade with two more trades by next academic session, else Re-affiliation will to be granted session, else Re-affiliation not to be granted

Sunler

DD







**STATE: Maharashtra** 

**Meeting Dated: 11/12/2020** 

Total - 17, (New-11, Old-06)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which	Units f	Remarks		
				affiliation sought	Institute Apply for	Trade/ Units Recommende d by SCI/State	Trade/units Approved by DGT Recommendation Committee	
9	Vidyaniketan Private Industrial Training Institute, Bhadgaon Tal-Bhadgaon, Dist-Jalgaon, Maharashfra	PR27000868	Old	Electrician	4(2+2)	4(2+2)	4(2+2)	ITI need to upgrade to 4 trades by next session.
10	Jaydeep (Private) ITI,	590	New	Electrician	2(2+1+0)	2(1+1+0)	NR	Deferred
	Degan Tal. ShindkhedaDist			Fitter	2(2+1+0)	2(1+1+0)	NR	State needs to verify and
	- Dhule MH- 425407,			Welder	2(1+1+0)	2(1+1+0)	NR	submit the report about
	Maharashtra			Surveyor	2(1+1+0)	NR	NR	tools of Surveyor trade.
11	Advance Skill Pvt ITI,		New	Electrician	2(1+1+0)	2(1+1+0)	NR	Not recommended
(	Samata Colony Majalgaon, Dist			Wireman	2(1+1+0)	2(1+1+0)	NR	1. Invoices older than 4 to
	Beed, Maharashtra- 431131.			Stenographer & Secretarial Assistant (Eng.0	2(1+1+0)	2(1+1+0)	NR	6 years 2. NO GST no on invoices 3. Old tools and
				Cosmetology	2(1+1+0)	2(1+1+0)	NR	equipment's 4. Payment mode for machinery, tools not found











**STATE:** Maharashtra

**Meeting Dated: 11/12/2020** 

Total - 17, (New-11, Old-06)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Units f	Remarks		
					Institute Apply for	Trade/ Units Recommende d by SCI/State	Trade/units Approved by DGT Recommendation Committee	
12	Jagat Jyoti Private ITI,		New	Electrician	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
	Krunda Tal- Basmat,			Fitter	2(1+1+0)	2(1+1+0)	2(1+1+0)	
	Dist- Hingoli Maharashtra -			Wireman	2(1+1+0)	2(1+1+0)	2(1+1+0)	
	431512			COPA	2(1+1+0)	2(1+1+0)	2(1+1+0)	
13	Nalanda Private ITI,A/P		New	Electrician	2(1+1)	NR	NR	Not Recommended
	Ugwa, Tq. & Dis.			Wireman	2(1+1)	NR	NR	ITI need to
	Akola, Maharas htra – 444006			СОРА	2(1+1)	2(1+1)	NR	minimum 4 trades for next
				Draughtsman Civil	2(1+1)	NR	NR	session 2021
14	Gramin Pvt. ITI Malakoli	PR27000611	Old	Electrician	8(4+4)	2(1+1)	2(1+1)	Recommended
1	Tq.LohaDist.Na nded			Wireman	8(4+4)	2(1+1)	2(1+1)	
	NANDED, Maharashtra -			СОРА	2(1+1)	NR	NR	
	431708			Surveyor	2(1+1)	NR	NR	

Junila









**STATE: Maharashtra** 

**Meeting Dated: 11/12/2020** 

Total - 17, (New-11, Old-06)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Units fo	Remarks		
					Institute Apply for	Trade/ Units Recommende d by SCI/State	Trade/units Approved by DGT Recommendation Committee	
15.	Swami Vivekanand		New	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
	Private ITI, P- 74, MIDC, Kalamb Road, Latur, Maharashtra			Wireman	2(1+1)	2(1+1)	2(1+1)	
				Desktop Publishing	2(1+1)	2(1+1)	2(1+1)	
				Fitter	2(1+1)	2(1+1)	2(1+1)	
				Welder	2(1+1)	NR	NR	
				Draughtsman (Civil)	2(1+1)	NR	NR	
16.	Gramin Pvt ITI, PalamPost Sarfarajpur, Tal- Palam, Dist Parbhani. Maharashtra - 431720	PR27000998	Old	Electrician	8(4+4)	8(4+4)	8(4+4)	Recommended
				Wireman	4(2+2)	4(2+2)	4(2+2)	
				СОРА	2(1+1)	2(1+1)	NR	

Junila

19. Dr







**STATE: Maharashtra** 

Meeting Dated: 11/12/2020

Total - 17, (New-11, Old-06)

Sl. no.	Name of Institute with	, ,	Old/ New	Trade fo	or	Units fo	or which affiliati recommended	0 ,	Remarks
	address			affiliation sought		Institute Apply for	Trade/ Units Recommende d by SCI/State	Trade/units Approved by DGT Recommendation Committee	
17.	B. Y. Patil Private ITI,		New	Electrician		6(2+2+2)	6(2+2+2)	NR	Deferred
	Nandurbar- Prakasha			Wireman		3(1+1+1)	NR	NR	State to verify the details
	Highway, Near Astoria, Sugar			Fitter		6(2+2+2)	6(2+2+2)	NR	about 4 <sup>th</sup> trade
	Factory Samsherpur, At Post Bamdod, Tal. Dist. Nandurbar, Maharashtra			СОРА		2(1+1+0)	2(1+1+0)	NR	

Dunk

(200





STATE: Maharashtra Total - 01, (New-00, Old-01) **Meeting Dated: 11/12/2020** 

**Spare Capacity of Polytechnics** 

Sl.	Name of	NCVT/MIS	Old/	Trade for which		or which affiliat	ion cought /	Remarks
no.	Institute with	Code	New	affiliation	Offics i	Kemarks		
no.	address	Sout	New	sought	Institute Apply for	recommended Trade/ Units Recommended d by	Trade/units Approved by DGT	
						SCI/State	Recommendation Committee	
1.	Gramin Polytechnic Gramin ITI, At-	PR27000692	Old	Basic Cosmetology	2(1+1+0)	NR	NR	Recommend ed Electrician
	Vishnupuri, Tq/Dis: Nanded,	e <sup>n</sup>		Surveyor	3(1+1+1)	NR	NR	4(2+2) Wireman
	Maharashtra – 431606			Health Sanitary Inspector	2(1+1+0)	NR	NR	2(1+1)
				Solar Technician	3(1+1+1)	NR	NR	ITI needs to apply for Re- affiliation for
				Sheet Metal Worker	2(1+1+0)	NR	NR	session 2021.100% CITS trained
				Plumber	2(1+1+0)	NR	NR	instructors to be
				Fitter	6(2+2+2)	NR	NR	appointed.
				Welder	3(1+1+1)	NR	NR	
				Wireman	6(2+2+2)	6(2+2+2)	2(1+1)	
				Electrician	16(4+4+8)	16(4+4+8)	4(2+2)	

Sunt