DGT-Aff011(51)/2/2020-O/o Dir (TC) Government of India Ministry of Skill Development and Entrepreneurship Directorate General of Training

Employment Exchange Building, 1st floor, Pusa, New Delhi, Dated: 8th February, 2021

To.

All the State Directors (dealing with Affiliation)

Subject:- Minutes of Meeting of 19th Recommendation Committee Meeting Sir/Madam

Please find enclosed herewith the approved Minutes of Meeting along with Annexure of 19th Recommendation Committee held on 15th January, 2021. However implementation orders agenda item wise will be issued in due course of time.

This issue with the approval of competent authority, DGT

Yours faithfully,

(Sunil Kumar Gupta)
Director of Training

Copy to:-

- 1. Sr. PPS to DG/AS, DGT, New Delhi
- 2. Sr. PPS to DDG, DGT, New Delhi
- 3. All RDSDEs

(Ravi Chilukoti)
Joint Director of Training

Draft Minutes of 19th Meeting of "Recommendation Committee DGT" dealing with affiliation ITIs held on 15th January, 2021 at 1630 Hrs through Video conference

Representation From DGT	Representation from States
Smt. Neelam Shami Rao, Director General Smt. Sandhya Salwan, Deputy Director General Shri. Sunil Gupta, Director Shri N R Aravindan, Director (CFI) Shri. Ravi Chilukoti, Jt. Director Shri R. Murugarajan, Dy. Director Shri. Amit Yadav, Asst Director Shri. Parveen Kumar, JTA	Shri Deependra Singh Kushwaha, Director, Maharastra Smt Ranjita, Director, Bihar Shri Vivek Chandel, Director, Himachal Pradesh Shri Krishnappa, Director, Karnataka Shri Naik, Director, Telangana Shri Niraj Kumar, Additional Director, Uttar Pradesh Dr Soumen Basu, Additional Director, West Bengal Shri. Nagesh, Jt Director, Telangana Shri Sanjeev Sharma, Joint Director, Haryana Shri Prasenjit Bose, Dy Director, west Bengal Shri Tapan Vyas, Dy Director, Gujrat Shri Nitin Nikam, Assistant Director, DVET, Maharastra Shri Kabaria, Technical Officer, Gujrat

At the outset, Shri. Sunil Kumar Gupta, Director welcomed all the committee members. Thereafter, DG(T), The Chairman of the Recommendation Committee took the agenda point wise for the detailed discussions. The details of the discussions, deliberations and agenda wise decisions in the meeting are as appended below:

The DG(T) desired that the agenda to be scrutinised as per the protocol of apex committee recommendations.

Agenda 19.1: Affiliation of ITIs


19.1.1 Existing ITIs seeking Affiliation for Extension of Trades/Units:

DGT received 10 proposals from 5 States (list placed at Annexure 19.1.1).

ITI wise break up for recommendation of the committee is as follows:

Sl. No.	ITI's Name/MISCode/ Application Number	Trades/Units sought for affiliation	ITI Proposed Units	Units recomm ended by SCI	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1	SAI KRUPA GRAM VIKAS TRUST, SAI PRIVATE ITI, SF SAI KRUPA GRAM VIKAS TRUST I.T.C., BALAIYA CROSSING PADALIYA, FATEPURA, DAHOD, 389190	Wierman Electrician Health Sanitary Inspector	1(0+0+1) 1(0+0+1) 6(2+2+2)	NR NR 4(2+2)	Not Recommended Placed Before the Committee for decision	Reverted back to State Directorate. 1-day time from the date of issue of minutes of meeting, to be given to ITI for submitting the principal details. The case to be taken up on file and ratified in the Recommendation Committee Meeting.
	71	Junile	5		200	

	PR24006117					
2	Samarth Seva Sansthan Pvt ITI, D-Block Shanay Complex, Damodar area, Near Satyam Hospital, Idar, Sabar Kantha 383430	Physiotherapy Technician	2(1+1)	2(1+1)	Not Recommended Bill of 20 PC's available COPA, alone requires 24 PC's. Placed before the committee for decision	Recommended Physiotherapy Technician 2(1+1) State Director confirmed that COPA lab and IT lab are different with different equipment set up.
3	SF Jamiah Uttumal	Attendant	1	1	Not	Reverted back to
	Pvt. ITI, JAMIAH UTTUMAL DARUL QURAN CAMPUS, BY PASS ROAD JAMBUSAR, DARUL QURAN CAMPUS, BY PASS ROAD, DABHA CHOKDI JAMBUSAR, Gujarat - 392150	(chemical Plant) Mechanic Refrigeration & A.C.	1	1	Recommended Placed Before the Committee for decision	State Directorate. 1-day time from the date of issue of minutes of meeting, to be given to ITI for submitting the principal details. The case to be taken up on file and ratified in the Recommendation Committee Meeting.
4	PR24000851 R.A. Patil ITI Pvt.	Electrician	4(1+1+2)	4(1+1+2	IT Lab details	Rejected
*	Post Borgaon, BELGAUM, 591216 Karnataka PR29001062	Fitter	2(0+0+2)) 2(0+0+2)	not available Bill etc. NR since only 2 Trades & ITI is from 2008	since ITI is more than 5 years old and has less than 4 trades. ITI
5	GOVERNMENT	Dress Making	2(1+1)	2(1+1)	Recommended	Recommended
	ITI, for Women Kalburgi, Opposite Govt. Printing press, M. S. K. Mill Road, GULBARGA, KARNATAKA- 585102 GU29000115					Dress Making 2(1+1) As recommended by State Government
6	Balaghat Pvt ITI,	Electrician	2(1+1)	2(1+1)	Recommended	Recommended
	Nanded Highway, Ruddha -413515	Welder Surveyor	2(1+1) 2(1+1)	2(1+1) NR	for Electrician 2(1+1) Welder 2(1+1)	
7	Raje Pratishthan	Fitter	1(1+0)	1(1+0)	Not	Recommended
	Sanchalit Mayureshwar Pvt	Electrician	4(2+2) 1(1+0) 2(1+1)	4(2+2) 1(1+0) 2(1+1)	Recommended Since no additional	







	Khandukhairewad i, Morgaon Road, Tal Baramati, Dist- Pune MH- 412204 PR27000968	Diesel			space available for additional units	As recommended by State Government
8	Government Industrial Training (SCP), Jaripatka Road Indora, Nagpur-440014 GU27000717	Machinist	2(1+1)	2(1+1)	Recommended Machinist 2(1+1)	Recommended Machinist 2(1+1) As recommended by State Government
9	Sadhu Venkatreddy Pvt.ITI,On Kamareddy to Sircilla Road, Yellareddy Peta,Karlmnagar, Telangana- 505303 PR36000259	Electrician Mechanic Diesel	3(1+1+1) 6(2+2+2)	3(1+1+1) 6(2+2+2)	Not Recommended since ITI is more than 5 years old and has less than 4 trades. ITI needs to re- apply with minimum 4 trades in total	Rejected since ITI is more than 5 years old and has less than 4 trades. ITI needs to re-apply with minimum 4 trades in total
10	Government Industrial Training Institute, Alipurduar P.O Birdara, Via Alipurduar JALPAIGURI, West Bengal - 736121 GR19000045	Electrician	2(1+1)	2(1+1)	Recommended	Recommended Electrician 2(1+1) As recommended by State Government

Agenda 19.1.2: SCVT to NCVT Conversion

19.1.2(a): Gujarat State has forwarded 125 proposals for SCVT to NCVT Conversion vide mail and letter dt. 08.01.2021 and are placed at Annexure 19.1.2(a).

Recommendations of the Committee:

The Committee considered the aforesaid proposals affiliation were approved / rejected / reverted by the committee, as per remarks mentioned against each column of ITIs [list enclosed at Annexure 19.1.2(a)]. 115 of 125 ITIs were approved by the committee and 10 proposals were deferred for upgradation to minimum 4 trades as per the affiliation norms of DGT. Further, after detail discussion expressed its recommendations as follows: -

 The committee observed that the Affiliation order for conversion of SCVT Trades to NCVT Trades will be valid for 1 year only, till session 2021 and ITI shall apply on online affiliation portal for continuation of affiliation

Us.

(3)

- ii. That, these proposals need to be Re-inspected as per the current Inspection process through NIMI portal within next 3 months.
- That, the proposals in respect of new ITIs which were not yet affiliated with NCVT, and had applied with less than 4 trades, were rejected with the comment to apply afresh through the existing channel for obtaining affiliation.

Agenda 19.2: Representation received from ITIs /States

19.2.1: Representation from PRD Pvt ITI, UP:

PRD Pvt ITI, Manikpur was recommended in 14th RCM at Agenda 14.2.5. The ITI had applied for 12 units in 1st and 2nd shift, but 8 units were recommended, citing the power factor of 0.8 as National standard. However, vide its mail dt. 22/12 and 11/01, the ITI has presented its case that for UP, the PF is 0.9. The details are attached at Annexure 19.2.1.

ITI wise break up for recommendation of the committee is as follows:

Sl. No.	ITI's Name/MISCode/ Application Number	Trades/Units sought for affiliation	ITI Proposed Units	Units recomm ended by SCI	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1	P.R.D.Pvt.ITI, Vill-Manikpur, Post-Alipur, Distt- Mainpuri, U.P205262	Electrician Fitter	3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1)	Required load 19.22 KW (available 20KW, with PF=0.9) Placed before the committee for decision	Recommended Add. Electrician 2(1+1) Fitter 2(1+1) Total Electrician 4(2+2) Fitter 4(2+2) Physiotherapy Tec. 2(1+1) Health Sanitary Inspector 2(1+1)

Agenda 19.3: Court Cases

19.3.1: Court Cases from 6 ITIs in Haryana

Placed in 13th Committee Meeting, at Agenda 13.5.1, the committee decided for Joint Inspection before taking decision regarding Affiliation/De-affiliation and Admission. Joint Inspection report in respect of litigant ITIs are placed at Annexure 19.3.1.

Recommendations of the Committee:

The agenda was deferred for further scrutiny by the State Director and to be taken up in next meeting for detailed discussion and decision of the committee.

19.3.2: Takshila Pvt ITI, Himachal Pradesh

The matter of petitioner ITI is that it is affiliated with single trade i.e. electrician trade for 9(3+3+3) units. It has applied again for additional units 3(1+1+1) in electrician trade. However,

Sunilas

20

4

the Recommendation Committee DGT did not recommend it and given its remarks that "since ITI is more than 5 years old, should apply for minimum 4 trades for affiliation by session 2021". The petitioner ITI aggrieved with the aforesaid decision of Recommendation Committee DGT and filed a court case.

After hearing both the parties in detail, the Hon'ble High Court has allowed the writ petition. The said rejection order passed by DGT has been quashed and set aside by the Hon'ble Court vide its judgment dated 08.01.2020. Further, directions have been passed by the Hon'ble Court for respondent to re-consider the case of the petitioner within a period of two weeks from today and pass an appropriate order in accordance with law.

Recommendations of the Committee:

The committee decided that as per the current policy, it is mandatory to apply for re-affiliation to those ITIs which are affiliated for more than 5 years. Also, as per DGT norms and guidelines, ITI should have minimum 4 trades for affiliation. The policy will be uniform for all the ITIs and detailed speaking order will be issued in this case.

19.3.3: Revoking De-affiliation orders

In compliance to directions passed by Different High Courts of law, The De-affiliation orders in respect of litigant ITIs has been revoked. The copy of the orders is placed at Annexure 19.3.3. Submitted for Ratification from the Committee.

Recommendations of the Committee:

The orders were ratified by the committee. The State Directorate requested the same orders to be provided to them through mail. Further Show-Cause Notice will be issued on the case by case basis and based on the reply of ITI and comments from states, it will be placed before the Recommendation Committee for the decision on Joint-Inspection/Affiliation/De-affiliation.

Agenda 19.4: De-affiliation of ITIs

After successive reminders and mails for comments on De-affiliation cases, no reply has been received from Rajasthan, UP and Gujarat.

7 cases from UP, 97 from Rajasthan and 10 cases from Gujarat are pending. 3 Reminders have been sent to each State Directorate.

Recommendations of the Committee:

All the three states are required to submit their comments on the said matter within 15 days for further processing by DGT. A DO letter will be issued by Deputy DG to these 3 states to take up the matter urgently and reply within the stipulated time.

Agenda 19.5: Agenda: CITS (Affiliation of Trades)

19.5.1: Shivalik IToT Rajpura, Punjab

19.5.2: SBS IToT, Sirsa, Haryana: Clarification on affiliation of units received from IToT and Sh. Manjit Singh, Regional Director, RDSDE Punjab and Director (CFI).

Synita

Recommendations of the Committee:

The case was deferred for carrying out need analysis for the said IToTs.

Agenda 19.6: 89 Proposals from Bihar for SCVT to NCVT Cases:

Dar



- 1. DGT vide letter dt. 04.01.2021, intimated to all state Directorates that last date of admission to be 16.01.2021, whereas DET Bihar, vide their letter scheduled the admission date as 31.01.2021
- 2. DET, Bihar has not been participating in the online admission process as intimated vide this office letter and mail dt. 31.08.2020
- 3. Also, Desktop Assessment have not been carried out for any ITI applications for affiliation from the State Directorate.
- 4. The details of Standing Committee members for Inspection has also not been provided, which is leading to lot of litigation processes. It was also intimated to them vide letter dt. 12.10.2020.
- 5. However, the 89 proposals from SCVT to NCVT Conversion received from DET, Bihar vide letter dt. 31.12.2020 is under scrutiny.

Recommendations of the Committee:


All the 89 cases for SCVT to NCVT conversion from Bihar were deferred and to be processed only after the reply from Bihar is received regarding admission and completion of 1600 hours of lecture in line with the schedule proposed by DGT.

Meeting concluded with vote of thanks.

0

Annexuxe -1

I. No.	ITI Name	State	Inspected Date	MIS Code/Application Number	Grading	Affiliation Year		nnexu & e -) Affiliated Units
	SAI KRUPA GRAM VIKAS TRUST, SAI PRIVATE ITI, SF SAI KRUPA GRAM VIKAS TRUST I.T.C., BALAIYA CROSSING PADALIYA, FATEPURA, DAHOD, 389190	GUJARAT	08-12-2020	PR24006117	1.4	15-Jun-2010 26-Sep-2013 16-Sep-2016	Fitter (NSQF) Electrician (NSQF) Welder(NSQF) Wireman (NSQF) COPA(NSQF)	8(4+2+2) 2(1+1) 2(2+0) 2(2+0) 2(2+0)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Land lease valid	Power connection as per norms	Building as per norms
	Wierman Electrician Health Sanitary Inspector	1(0+0+1) 1(0+0+1) 6(2+2+2)	NR NR 4(2+2)	Fitter - (26+15+14) Electrician - (0+18+0) Welder - (19+0+0) Wireman - (15+0+0) COPA - (41+0+0)	55 + 18 + 19 + 15 + 41 = 148	Yes	45kW available, 48.18kW required, Attached affidavit for 10kW additional load applied.	Yes
	workshop space	Class room	IT lab	Drawing Hall	Availability of	of Machinery, Tools &	Staff Qualification	1 & Documents
	Workshop for Wiermen is less	Yes	Bills for IT lab Not available	Yes		Yes	Expirence certificate No 2.Details about CTS tra availa	t available for princ ined Instroctors No
	Remarks by Standir		Rema	rks by Scrutiny Comm	ittee	Remai	ks by Recommendations Co	
	1. 4(2+2+0) Unit of HIS trade is recommended 1 Unit of Electrician, 01 Unit of Wiremen and 02 Unit of HIS Trade Under 3rd Shift is Not Recommended due to ITI is in Remote location an there are limited transport facilities available. 02 Unit of Fitter Trade in 3rd Shift zero		Not Recommended Placed Before the Committee for decision		decision	Reverted back to State Directorate. 1-day time from the issue of minutes of meeting, to be given to ITI for submit principal details. The case to be taken up on file and ratific Recommendation Committee Meeting		I for submitting the land ratified in







0.	ITI Name	State	Inspected Date	MIS Code/Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units	
	Samarth Seva Sansthan Pvt ITt, D-Block Shanay Complex, Damodar area, Near Satyam Hospital, Idar, Sabar Kantha 383430	GUJARAT	08-12-2020	PR24008173	NA	31-Jul-2019	COPA(NSQF) Health Sanitary Inspector (NSQF) Old Age Care (NSQF)	2(1+1) 2(1+1) 2(1+1)	
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Land lease valid	Power connection as per norms	Building as per norms	
	Psysiotherapy Technician	2(1+1)	2(1+1)	COPA - (0+19+0) Health Sanitary Inspector - (0+24+0) Old Age Care - (0+20+0)	19 + 24 + 20 = 63	Yes	Mention 3 Ele.Mtr But Total load attached 6.5 kW from 1 Mtr. Required load is 12.45kW	Yes	
	workshop space	Class room	IT lab	Drawing Hall	Availability of	of Machinery, Tools &	Staff Qualification	n & Documents	
	In Reply Bill of 20 PC's available COPA, alone requires 24 PC's.	Yes	In reply Bill of 20 PC's available COPA, alone requires 24 PC's	Not Required	la reply Bill of	20 PC's available COPA, requires 24 PC's.	Yes		
	Remarks by Standi	ng Committee	Rema	rks by Scrutiny Com	nittee	Remai	ks by Recommendations C	ommittee	
	Photo of IT Lab No	vot available	Bill of 20 PC's av	Not Recommended ailable COPA, alone ore the committee f	requires 24 PC's	Recommended 's. Physiotherapy Technician 2(1+1) State Director confirmed that COPA lab and IT lab are different equipment set up.			





or Women Kalaburagi, Opposite Govt. Printing Oress, M. S. K. Mill Road, GULBARGA, KARNATAKA- 585102 Trades/Units sought for affiliation Dress Making	KARNATAKA ITI Proposed Units 2(1+1)	Units recommended by SCI	Student enroll in 2019-20 session with Trade wise	2.44 Total student enrolled in	27-Jul-2012 9-Sep-2016 20-Jul-2018	COPA(NSQF) Computer Hardware & Network Maint. Electrician (NSQF) Fitter (NSQF) Electronics Mechanic (NSQF) Power connection as per	4(2÷2) 2(1+1) 2(1+1) 4(2+2) 7(3+3+1) Building as per		
affiliation	Units	recommended by SCI	2019-20 session		Land lease valid	Power connection as per	Building as per		
Dress Making	2(1+1)	2(1+1)		2019-20		norms	norms		
			COPA - (0+16+0) Computer Hardware & Network Maint (0+16+0) Electrician - (19+20+0) Fitter - (0+31+0) Electronics Mechanic - (15+34+0)	16 + 16 + 39 + 31 + 49 = 151	Yes	Yes	Yes		
workshop space	Class room	IT lab	Drawing Hall	Availability (of Machinery, Tools &	Staff Qualificatio	on & Documents		
Yes	Yes	Yes	Yes		Yes	Ye			
Remarks by Standi	ng Committee	Rema	Remarks by Scrutiny Committee			Remarks by Recommendations Committee			
Recommended		Recommended			Recommended Dress Making 2(1+1) As recommended by State Government				
	Yes Remarks by Standi	Yes Yes Remarks by Standing Committee	Yes Yes Yes Remarks by Standing Committee Rema	vorkshop space Class room IT lab Yes Yes Remarks by Standing Committee Class room Remarks by Standing Committee Remarks by Scrutiny Comm	vorkshop space Class room IT lab Drawing Hall Availability of Yes Yes Yes Remarks by Standing Committee Remarks by Scrutiny Committee	vorkshop space Class room IT lab Drawing Hall Availability of Machinery, Tools & Yes Yes Yes Yes Yes Remarks by Standing Committee Remarks by Scrutiny Committee By By Scrutiny Committee By By Scrutiny By	vorkshop space Class room IT lab Drawing Hall Availability of Machinery, Tools & Staff Qualification Yes Yes Yes Yes Yes Yes Yes Yes Remarks by Standing Committee Remarks by Scrutiny Committee Recommendations Committee Recommended Recommended Recommended Dress Making 2(1+1)		

Junilar

200



Vo.	TI Name	State	,	MIS Code/Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units		
	SF Jamiah Uttumal Pvt. ITI, JAMIAH UTTUMAL DARUL QURAN CAMPUS, BY PASS ROAD JAMBUSAR, DARUL QURAN CAMPUS, BY PASS ROAD, DABHA CHOKDI JAMBUSAR, Gujarat, - 392150	GUJARAT		PR24000851	1.13	6-May-2002 25-May-2007	Fitter (NSQF) Electrician (NSQF) Information Communication Technology System Maintenance (NSQF)	1(1+0+0) 1(1+0+0) 1(1+0+0)		
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Lamd lease valid	Power connection as per norms	Building as per norms		
	Attendant (chemical Plant) Mechanic Refrigeration & A.C.	1	1	Fitter (NSQF) - (0+0+0) Electrician (NSQF) - (0+0+0) Information Communication Technology System Maintenance (NSQF) - (0+0+0)	0	Yes	Yes	Yes		
	workshop space	Class room	IT lab	Drawing Hall	Availability of	of Machinery, Tools &	Staff Qualification	n & Documents		
	Yes	Yes	Reply Received Details, Bill, Pics not available/Attached	Yes		Yes	Principal Doc. f	Not Available		
	Remarks by Standi	ng Committee	Remar	ks by Scrutiny Comm	ittee	Reman	·ks by Recommendations Co	ommittee		
	Recommended		Not Recommended				Reverted back to State Directorate. 1-day time from the date of issue of minutes of meeting, to be given to ITI for submitting the principal details. The case to be taken up on file and ratified in the Recommendation Committee Meeting.			







Sl. No.	ITI Name	State	Inspected Date	MIS Code	Grading	Affiliation Year	Existing Trade	Affiliated Units
6	Balaghat Pvt ITI, Nanded Highway, Ruddha -413515	Maharashtra	24th Dec 2020	PR27001005	NA	31-Jul-2019	COPA (NSQF) Electrician (NSQF) Wireman (NSQF)	2(1+1) 2(1+1) 2(1+1)
	Trades/Units sought for affiliation	IT1 Proposed Units	Units recommended by SCI	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Land lease valid	Power connection as per norms	Building as per norms
	Electrician Welder Surveyour	2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1)	COPA - (0+0+0) Electrician- (20+0+0) Wireman - (0+0+0)	0 + 20 + 0 = 20	Yes	Yes	Yes
	workshop space	Class room	IT lab	Drawing Hall	Availability c	of Machinery, Tools &	Staff Qualification	1 & Documents
	Yes	Yes	Yes	Yes	Major Defic	iency in Machinery	Yes	3
	Remarks by Standing Committee		Remarks by Scrutiny Committee			Remar	ks by Recommendations Co	ommittee
	Recommended for Eld Welder 2(Recommended for Welder 2(1+1)	r Electrician 2(1+1)		As re	Recommended Electrician 2(1+1) Welder 2(1+1) ecommended by State Gove	ernment

Suni Par

, 98r

Vo.	lTI Name	State	Inspected Date	MIS Code/Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units		
	Raje Pratishthan Sanchalit Mayureshwar Pvt ITI Khandukhairewadi, Morgaon Road, Tal Baramati, Dist-Pune MH- 412204	Maharashtra	14th Dec 2020	PR27000968	NA	31-Jul-2019	Electrician (NSQF) Fitter(NSQF) Welder (NSQF) Wireman (NSQF)	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)		
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Land lease valid	Power connection as per norms	Building as per norms		
	Fitter Electrician Wireman Mechanic Diesel	1(1+0) 4(2+2) 1(1+0) 2(1+1)	1(1+0) 4(2+2) 1(1+0) 2(1+1)	Electrician - (20+14+0) Fitter - (10+0+0) Welder - (5+0+0) Wireman - (5+0+0)	34 + 10 + 5 + 5 = 54	Own land	Required 48.22 kW, available 60 kW	Yes		
	workshop space	Class room	IT lab	Drawing Hall	Availability of	of Machinery, Tools &	Staff Qualification & Document			
	Not available for additional units	Yes	Yes	Yes	Not availab	le for additional units	Yes (ITI needs to subm training of in			
	Remarks by Standin	ng Committee	Remai	rks by Scrutiny Commi	ittee	Remai	ks by Recommendations C	ommittee		
	Not Recomm	nended		Not Recommended Since no additional space available for additional units			Recommended Electrician 2(1+1) As recommended by State Government			

Sunth

Dar

lo.	ITI Name	State	Inspected Date	MIS Code	Grading	Affiliation Year	Existing Trade	Affiliated Units
	Government Industrial Training (SCP), Jaripatka Road Indora, Nagpur-440014	Maharashtra	14th Dec 2020	GU27000717	0.9	24-Feb-2012 31-Jul-2019	COPA (NSQF) Electrician (NSQF) Fashion Design & Technology (NSQF) Fitter (NSQF)	2(1+1) 2(1+1) 2(1+1) 2(1+1)
111	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Land lease valid	Power connection as per norms	Building as per norms
	Machinist	2(1+1)	2(1+1)	COPA - (23+15+0) Electrician - (16+0+0) Fashion Design & Technology - (19+10+0) Fitter - (18+0+0)	38 + 16 + 29 + 18 = 101	Yes	Yes	Yes
	workshop space	Class room	IT lab	Drawing Hall	Availability of Machinery, Tools & Eqipments		Staff Qualification & Documents	
	Yes	Yes	Yes	Yes		Yes	Ye	S
	Remarks by Standir	ng Committee	Remai	rks by Scrutiny Comm	ittee	Remar	arks by Recommendations Committee	
	Recommended		Recommended Machinist 2(1+1)			Recommended Machinist 2(1+1) As recommended by State Government		

Synil Eur

J.D.



No.	ITI Name	State	Inspected Date	MIS Code	Grading	Affiliation Year	Existing Trade	Affiliated Units
10	Government Industrial Training Institute, Allpurduar P.O Birdara, Via	West Bengal	3rd Nov 2020	GR19000045	NA	23-Nov-2001	Mechanic Radio & 'T.V. (NSQF) Electronics Mechanic (NSQF)	1(1+0+0)
	Alipurduar JALPAIGURI, West Bengal - 736121					9	Computer Hardware & Network Maint. Mechanic Motor Vehical (MMV)	2(1+1)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Land lease valid	Mechanic Diesel Power connection as per norms	2(1+1) Building as per norms
	Electrician	2(1+1)	2(1+1)	Mechanic Radio & T.V (0+0+0) Electronics Mechanic - (22+0+0)	0 + 22 = 22	Yes	Yes	Yes
	workshop space	Class room	IT lab	Drawing Hall	Availability of	of Machinery, Tools &	Staff Qualification	n & Documents
	Yes	Yes	Yes	Yes		Yes	Ye	S
	Remarks by Standi	ng Committee	Rema	rks by Scrutiny Comir	ittee	Remar	ks by Recommendations Co	ominittee
	Recomme	ended		Recommended		As re	Recommended Electrician 2(1+1) ecommended by State Gove	ernment

Sunth





.No		MIS Code/Applicati on Number	New Trade Sought Fni Affiliation	Units	Unils Recommended by SCI	Exissing Trade	AMIIIated Units Shift Wise	Student enroll in 2018-19 session with Trade wise (Only NCVT Affiliated Unit	Total student enrolled in 2018 19 (Only NCVT Attiliated Unit	with Trade wise [Only NCV] Altituded that	20 (Only NCVT Allillated Unit	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab
1	GOVERNMENT	3	doub air teann teabhile	-S	1(0+0+1)	7	8	9	10	11	17	33	14	15	16	17	. 18
1. 1		GU24000120	Mochusic Motor Vehicle	110+6×11		Mechanic Motor Vehicle	2(1+1+0)	78	58	C	- 0	Own Land (20235 sqm)	Yes (Total-56 kw)	Yes (Total-1118 sqm)	Yes (215sipn)	To Bount	Yes 177 so
-			Serving Technology	2(3+1+0)	2(1+1+0)				-						Yes (98 sqm)	Yes £30 rums.	
	GOVERNMENT NDUSTRIAL TRAINING	GR24008150	Welder	1(0:0+1)	1.(0+0+1)	Welder	2(1+1+0)	31	100	ð	9	Own Land (8093.91 sq:n)	Yes (Fotal-80 kw	Yes (Total-2344 58 sgm)	Yes (101 S0 sqm)	TYS ÜÜRMINE	Yes (120 so
_	INSTITUTE, KANKEEI		Sewing Technology	1{0+1+0}	1(0+1+0)							(002232 34:0)		**(11)	Yes (101 Gd sqm)	les Ottown)	
3 11	NDUSTRIAL TRAIN:NG NSTITLITE, DECIDAR	GU240008145	Electrician	2(1+1+0)	281+1+03							(10000 sqm)	YES (TOTAL 60KW)	YES (TOTAL ZDE) sqin)	YES (107 59 sqm)	TI (Harm)	YES (47 sc
4 1	OVERNMENT NDUSTRIAL TRAINING NSTITUTE LAKHANI		Computer Operator And Programming Assistant	3(1+1+1)	3(1+)+1)							Own Land (7399 sqm)	Yes (Total-82 5 kw)	Yes (Yotal-1054 sqin)	Yes (101 \$8 sgm)	Yos (30 squar	Yes (101 68
- 1			Surveyor	3(1+1+1)	3(1+1+1)	/									Yes(69 sqm)	Yes(30 sqni)	
5	GOVERNMENT DIVINIANT JAINTEUDINI	GUZ4090130	Welder	3(1+1+1)	3(1+1+1)							Own Land [8100	Yes{Total- 50 kw	Yes(Total- 2793 04	Yes(97 sqm)	Ves[30 sqm]	Yes(76.9)
	INSTITUTE, IOAN [N3MOW]	000.400411-	Health Samuary Inspector	2(1+1+0)	2(1:1:0)							sqm)	restroial 30 km	sqm)	Yes(52 S sqm)	Yes(32-45 squij	regross
			Compoter Hordware &	7(1+1+G)	2[1+1+0]										Yes(112 squa)	Yes(30 sqm)	7
6 1	GOVERNMENT NDUSTAIAL TRAINING NSTITUTE, VADALI	GU24008131		121+0+00	1{1+0+0}							Own Land (1011 sqm)	7 Yes (Total-97 kw	Yes (Total-2311 sqm)	Yes (73 sqiri)	fer [37.62 s,co]	Yec (#5 sc
7	GOVERNMENT INDUSTRIAL TRAINING	01324000032	Pina	3(1+1+1)	3(1+1+1)	fitter	3(1+1+1)	20		12	12	Own Land (3600	O Yes (Total 134	Yes (Total-GS14	Yes [129 98 sqrn]	Per 16 Manual	
_	INSTITUTE	9024800163	{lectric).in	3(1+1+1)	3(1+1+1)	Electrician	3(1+1+1)	63	£3.	G	32	sgm)	kw)	sam)	Yes (130 5.1 sqm)	Yes (45-18 sqip)	YES (40 si
			Computer Hardware &	2 (1+1+0)	2 (1+1+0)	Computer Hardware & Network Mainteparts	2(2+2+2)	Ü		0					Ves(76 91 sam)	Yes(30 sq.s.)	
	GOVERNMENT		Health Sanitary Inspector	231+1501	2 [1+1+0]	Health Sanltary Inspector	3(1+1+1)	72		72		Own Landin 752	4 YesiTotal-277.5) Yes(Total- \$200.0)	yes(112 0 sum)	31:310 4443	
	INDUSTRIAL TRAINING INSTITUTE, PALANPUR	GU24000106	Event Making	2 (1+1+0)	2 (1+1+0)				.77.		77	sqm)	Kw)	sqm)	Yeş[140 J8 sqni]	Yes[30 sqns]	Yes(27 5)
			Planibei	1(0+1+0)	1(0+1+0)										Yes(140 18 sqm)	Yes(30 som)	
	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE AMIRGADIA	GR24000128	Fine	2 (1:1+0)	2 (1+1+0)	Fitter	3(1+1+1)	ng.	fiQ.	45	45	Own land (21311 sqm)	Yes [Total - G3 kw]	Yes (Total = 2457 : sqm)	30 Yes (131 sqm)	Yes (33 50 sqin	Yes (81 18
	GOVERNMENT INDUSTRIAL TRAINING		Electrician	2(1:1+0)	2{1+L+0}							Own Land (100	Yes (Total - 5)	Yes (Tota) - 656	Yes (107 sem)	Yes (32 sqni)	
10	INSTITUTE, DANTIWADA	GRZ400B155	Welder	1(0:0:1)	1(0:0:1)	Welder	2(1+1+0)	42	12	C	0	(mps	lov)	sqni)	Yes (85 sqm)	Yes (31 sqm)	Yes (26 s
11	GOVERNMENT INDUSTRIAL TRAINING	GU24008049	Welder [GMAW & GTAW]	3(1:1:+1)	1(1+1+1)							Own Land (100)	Yes (Total-72 kg	v) Yes (Foral 746 sqr	n) Yes (107 59 sgm)	Yes (57-12 sqm	j Yes (57.34
			Occupian	1(0+0+1)	1(040+1)	Electrician	5(2+2+1)	0		12		Sittle			Yes(237 46 sam)	Trial Copia	
12	GOVERNMENT INDUSTRIAL TRAUPING	GU24000121	Witeman	1(0:0:1)	1(0+0+1)	Wireman	5(2+2+1)	0	ū	17	8.5	Own Land	Yes	Yes (101al 3803 sqrs	Yesikii 28 sqmi	Yesl80 som)	Yes
	INSTITUTE, PATAN		Cosmetology	1(0+L+0)	1(0+1+0)				1			(noroz.oa squ	i) (10/a) <30 3 KV	d tieser anna zdea	Yes(160 squt)	Yes(40 agm)	(T&N# 165
			Welder	1(0+0+1)	1(0+0+1)	Welder	2(1+1+0)	40		20					Yes (101 50 sqm)	West States	
13	GOVERNMENT INDUSTRIAL TRAINING	GK24008158	Mechanic Diesel	2(1+1+0)	2(1+1+0)						2.0	Dwn Land (100	00 Yes (Total-80 k	w) Yes (Total 898sq:		Yes (58 sum)	Yes (51
	INSTITUTE_SAMI		Electrisian	2(1+1+0)	-							(mpz			Yes (1110 som)	Yellithigal	-
14	GOVERNMENT INDUSTRIAL TRAINING	GU24066)17		8 (0+0+1)		Welder	2 (1+1+0)	29	28	3		OWN LAND (13157 18	75 KW	835 S5 Sq&tein			VES (8 SoMe
	INSTITUTE	1	Waster	3(1+1+1)	N11111			-				SaMeterl			T0423531(0)(0)	Yes [47 ki sap	_
			Diesel	12(7424)			1								Incompant		
	SOVEDOWN 417.		Marzelli	251×1101		-						TORSE LANGERTON	XXXII Fe 9 47 4622 1.0	n.	New Laboratory	96 (12 92s)	
	MOUNTED TO ANALE		tomboh	1915-160		+	1	1	72	-	- "	Dillett.	KHI	2004-100-2-5010-0		SALSON.	
				1 00000	Albura see			Λ									
							Dur		$\overline{)}$				50	U		(IT)






No	ITI Name	MIS Code/Applicati on Number	New Trade Sought For Affiliation	Units	Units Recommended by SCI	Existing Trade	a Hunter Units Shift Wise	Student enroll in 2018-19 session with Frade wise [Only NCVT		Student earoll in 2019-20 session with Trade wise JONLY NOVI Affiliated Unit	Total student enrolled in 2019 20 (Only NCVT Affiliated Dot	Land lease valid	Power connection as per norms	Bullding as per norms	workshop space	Class room	iT lab
			Computer Operator And Programming Assistant	1(0:0:1)	1(0.0+1)	Computer Operator Area Program vers, A sistant	2(1+1+0)	45		48					Yes(85-18 sum)	Yes [24 5 10m]	
	GOVERNMENT INDUSTRIAL TRAINING		Electricias	3([+1+1]	3(5)(4))							and first (1) 500		1010)	yes (98 sqm)	yes (31,47 sgm)	V - 127 07
15	INSTITUTE, DHANDIIJKA	GU14000124	Mechanic Mutor Vehicle	1(0+1+0)	- 170-1-01	Mechanic Matar Vehicle	2(1)(0)(1)	20	311	15	15	ii	yes (total 60 kw)	yes (846 sqm)	yes (210 sgm)	yes(29,60 agm)	Yes (32 07 so
	GOVERNMENT		Wireman	7(1+1:41)	गान्त्रसम							Divisions	168 4.0	Yes (101a) 2496	Yes (105 5 Sam)	Yes(26-27-Sqm)	La
17	INDUSTRIAL TRAINING INSTITUTE, DHOLKA	GR24808162	Weitler	3[1+1+1]	3(1+1+1)							, (6000 siin)	lovi	5qm)	Ves(\$0 5am)	Yes(25 S0 Sqm)	Y##[15 68 Sq
	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, DROLERA		Computer Operator And Programming Assistant	2(1+1+0)	2(1+1+0)							JWN 9640 SQMT	90 xW	2048 88 SQNAT	1015QMT	TMIC2 0E	101 ER SQS
19	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, MEHSANA	GU24006040	Welder(SMAW>AW)	2(1+1+0)	2(1-1-0)							OwnSamili Intile tend	Yes (Total-153 kw)	Yes (Fotal= 895 sqm)	Yes [74 03 sqm]	Yes (\$1.64 sqm)	Yes (96 2 sq
20	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE	GU24008140	Health Sanitary Inspector	1(0+0+1)	1(0+0+1)	Realth Sankary Inspector	2(1+1+0)	2.4	48	26	48	Given Land (?200 spm)	Yes (Total 68 5 kw)	Yes (Total-7200) sqm)	Yes (52-34 sqm)	Yes (32 07 sqm)	Yes (85 15 so
21	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE	GU240U606/1	Computer Operator And Programming Assistant	3(1+1/3)	3(1+1+1)	Computer Operator And Programming Addistant	3[1+1+1]	78	78	72	7.2	(3/13/64 sqm)	Yes (Total 50 kw)	Yes (Total-22R5 sqm)	Yes (74 01 sgm)	Yes (32,07 sqm)	Yes (63 08 sc
	,MANINAGAR- VASTRALI MAHILA 1		Fashion Design And Technology	2(1+1+0)	211-1-01										Ves (71-26 sqm)	Yes {32,07 spm}	
			Electrician	3.458 (0.004))	1 Unit (0+0+1)	(Mersiki:-	5(2+2+1)	80		20					Yes (198 sqm)	Yes (60 snm)	1
22	GOVERNMENT INDUSTRIAL TRAINING	GRZ4000110	Wireman	1 900	Unit (0+0+1)	Whitemaili	5(2+2+1)	60	160	40	104	dian (wile great)		Yes (Total 3542	Yes (184 sqm)	Yes (60 sqm)	Nei 117 m
	INSTITUTE, BHILODA		Mechanic Motor Vehicle	11 x 7 x 22	2 thm: (1+15-0)	Medicini Moser Vietros	3(1+1+1)	24		44		DHHS	39 6kW]	sqm)	Yes (420 sqm]	Yes (60 sqm)	
			Mechanic Diesel	6 Unit (2+2+2)	6 Unit (2+2+2)										Yes (429 sqm)	Yes (60 sqm)	
23	GOVERNMENT INDICATOR TRAINING	GU24000126	Mechanic Diesel	1(1+1+1)	Ristal							Chief Land SHITE:	Yes(45 Kw)	Yes[763sr(m]	Yes (235 sqin)	Yes (38 sgm)	9es (91 so
			Filler	2(1+1+0)	2(1+1+0)	Exclusive	19(5±5±5)	105		184					Yes (90 sign)	Yes (30 sqm)	4
24	GÖYERNMENT INDUSTRIAL TRAINING	5 GR24000107	Turner	1(0+1+0)	1(0+1+0)	fisionido.	9(3+3+3)	80	185	6)	247	Opt 155119720		Yes (Total - 6420	Yes (150 sqm)	Yes (30 sqm)	Yes (75 sq
-	INSTITUTE, VISNAGAE		Health Sanitary inspector	3(1:1+1)	3(14111)							Odjet i	215 58 Rwij	sqm)	Yes (48,92 sqm)	Yes (48,92 sqm)	
			Plumber	1(0) [10]	1{(0+1+0}										Yes (90 sqm)	Yes (48 92 sqm)	
	GOVERNMENT		Interior Design And Decoration	(0+1+0)	{(1+) +D}									1	Yes (192 sqm)	Yes (40 sqm)	
25	INDUSTRIAL TRAININ		Flospital Housekeeping	(()+1+0)	{()+1+0}							1991) (1905)	Yes (Yotal 89 kw	Yes (Total-32375 sqm)	Yes (65 sijm)	Yes (48 92 sqm)	Yes (67 S0 s
	INSTITUTE, VADNAGA	SH .	Cosmetology	[1+1+0]	(1+1+O)										Yes (132 sqm)	Yes (48 92 sqm)	7
26	GOVERNMENT	GR24D08030	Mechanic Motor Vehicle	2(1+1+0)	2(1+1+0)							94H 14H 16E9	Vectional 75 KW	Yes(Total-2311	Yes[210 sq. mt]	Yes(26 55 Sq Mt)	VISUST 64 Su
			Computer Hardware & Network Mainteniere	2(1+1+0)	2(1+1+0)										Yes (96 sqm)	Yes (60 sqm)	
27				J[1+14 8]	3(1+1+1)	Emer	9(3+3+3)	97	205	64	167	Own Limit (103)	Yes (Total 190 056 KW)	Yes (Total 593) sum)	Yes (137-43 sqm)	Yes (60 sam)	ହିଳ୍ୟ (ନିଟିୟା)
	INSTITUTE, SARKHE	1	Machanic Dieser	3(1+1+1)	3(1+1+1)	Methani Diesel	6(2+2+2)	109		103					Yes (283 sqni)	Yes (GO sgm)	1
			Mechanic Diesel	3[14371	3(1+1+1)	Abidumii Orsal	3[1+1+1]	0		22					Yes (219-96 sqm)	Yes (35 65 sqm)	
			Computer Operator And Programming Assistant	1 1+0+0) 1(1+0+0)	Your and Assume	4(1+2+1)	78		Ж.					Yes (71-32 sgm)	Yes (35 66 som)	
28			7 Health Sanitary Inspector	3[2+1+7	3(141)1)				18		168	Own r xed (207	(B) 763 (Fotol 86 5 453)	Yes (Total 470 79 sqin)	Yes (52-12 sqin)	Yes (15 71sqm)	Yes (18 4 s
	Coder Stuttiza	54	Surface Ornamensation Techniques(Cimbioidery)	1(0+1+0	1(0+1+0)										Yes [64 I sqm]	Yes (J.S. 71 sqm)	
			Smartphone Verbneron Cum Ann Tecor	110-1-3	a toosasa										Yes (63-15 sqm)	Yes (15 68 somi	
-															D /		

Sundbor



r No	ITI Name	MIS Code/Applicati on Number	New Trade Sought For Affiliation	Unils	Units Recommended by SCI	Existing Trade	Adillated Units Shift Wise	Student enroll in 2016-19 session with Trade wise JONLY NEVT Affiliated Unit	Total student enrolled in 2018 19 (Only NCVT Athilated Unit	Student enrail in 2019-20 session with Trade wise Only NCVT Alfiliated Unit		Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	iT lab
	GOVERNMENT INDUSTRIAL TRAINING	G924008957	Mechanic Motor Vehicle	3(1+1+1)	3(1+1+1)							Own Land (40470)		VAL (Tuttal 2058	Yes (335 sqm)	Yes (27 60 sqm)	Yes152.12 so
	INSTITUTE VIRANGAM		Welder	2(1+1+0)	7[1+1+0]							sqm)	kw)	10501.	Yes (84 69 sgm)	Yes (29 66 sqm)	162(32.12.3
			Fitter	3 (1-1-1)	3 (1+1+1)	filter	3 (1)-1-11	21		40					Yes (90 sgm)	Yes (18 39 sam)	
	GOVERNMENT GROUSTAGE TRAINING		Technician Medical Electronics	2 [1+1+0]	2 (1+1+0)										Yes (150 sqm)	Yes (26.52 sqin)	
10	INSTITUTE,	GU24000134	Mechanic Diesel	1 (0+1+0)	1 (0+1+0)	Mechanic Diesel	3 (1:1:1)	63	R4	50	100	Own Land (4229 6 sqm)	Yes (Tatal 259 618 kw)	VICTORIA 4506	Yes (210 sqm)	Yes (26 52 sqm)	Yes (40 sc
	[KHOKH4A]		IOT fechnician(Smart City)	1 (0+1+0)	1 (0+1+0)										Yes (B7 sqm)	Yes (26,52 sqm)	
			Smartphone Technician Cum Aga Tester	Z (1+1+D)	Z (1+1+0)										Yes (19 sqm)	Yes (26 \$2 sqm)	
3 J	Francia Institute Divida Colony	GR24000205	Mechanic Diesel	Z[0+1+1)	2(0+1+1)	Michael Tigger)	33340539	21	21	22	32	Own Land (40468 6 sqm)	59 kw	NFX315000	210 sqin	Yes (210	Vesi sqm)
			Welder	2[140:1]	2(1+0+1)	Waldin	r(d+1+01	20		20					Yes [60 Sq A4t]	Yes (40 Sq Mt)	
			Machanic Diesel	1(0 (1)-1)	1[0+0+1]	Mechanic Dieset	No. 1101	48		48		Own Land (40400)	YestTotal (8)	479 97	Yes (23.2 5q ML)	Yes (40 Sq (Mt.)	
(2	Government industrial	GU240010213	Wireman	2(0+0+2)	2[0+0+2]	(Wireless)	4(2+2+6)	80	196	66	196	sq meter)	KAN)	10.000	Yes (183 de 5q Mt.)	Yes (62.15 Sq Mr.)	yes (70
	Framing institute, Lunawada		Electronics Mechanic	1(0:0:1)	1{0+0+1}	Electronics Mechanic	1(1+1+5)	48		48	i				Yes (58 Sq Mil.)	Yes (32 L5 Sq ML)	
			Fitter	3(0+1+2)	3(0+1+2)	Filter	3[2+1+0]	21		40					yes(200 sqm)	yes(44.8 sqm)	
			Electrician	3(0+1+2)	3(0+1+2)	Electrician	3(2+1+0)	21		4G	1			primal 249)	yes[195.sqm]	yes(44 B sqm)	
5.1	Coverament garageal	GU240EXI207	Witeman	3(0:1:2)	3(0+1+2)	Wireman	3(2+1+G)	21	126	40	192	own(AZEFE sign)	vas (mitsi 60 kw)	1214	yes[175 sqm]	yes(44,9 sqm)	yes(36
	Training institute Balasiner		Mechanical Diezel	1(1+0+0)	1(1+0+0)	Mechanical theory	3(1:2:0)	63		72			ļ.		yesi420 sam)	yes(44.8 sgm)	+
	Government to shutiful		Multimedia Animation & Special Effects	2(1:1:0)	2(1+1+0)							Own(60000) \$q			Yes(86 45 Sq Mit)	Yes(35,10 Sq Mr)	
3.0	frames insulote Oaked	GU24900202	Computer Hardware &	2(1:1:0)	2(1+1+0)			1			-	Mt)	232 8 KW	XetotalaxyMt	Yes(79 21 Sq Mt)	Yes(27.30 Sc Mt)	Yes 79.
	Severmment Industrial		Health Sanitary Inspector	2{1+1+0}	2(1:1:0)								1		58.64 Sq.mt	30 Sq int	
yń.	Fractiong Institute	G924008103	Mechanic Diesel	2(1+1+0)	2(1+1+0)							Own land(10000 Sq mt)	30 KW	Yes (2348 Sq.int)		30 Sq int	51.50
	lusavada		Electrician	Z[1+0+1]	2(1+0+1)	4.9ecirlation	110+1+0)	21		0					Yes (107 sqm)	Yes (3Z sam)	
le.	Government Industrial	GU74008058	Welder	2(041+1)	2(0+1+1)	Weller	1[1=0=0]	21	42	20	70	own (L4235 sgm	Yes (Intal-70 S	Ves (Fosai 231.1 sq	n Yes (85 sqin)	Yes (26.5 sgm)	Yes (26
	Training Institute,		Mechanic Diesel	3(1+1+1)	3(1+1+1)								[kse]		Yes (220 sqm)	Yes (26.5 sqm)	
	XIIII		Draughtsman Mechanic	3(2+2+1)	3(1+1+1)	Draughtsman Mechanic	3(1+1+1)	26		43		1			195	60	+
			Fitter	3(1+1+1)	3(1+1+1)	fitter	12(4+4+4)		-	92					450	150	
			Turger	6(2+2+2)	6(2+2+2)	Turner	9(3+3+3)	54		67					648	150	
			Machinist	3(1+1+1)		Machinist	6(2+2+2)			54					593.49	90	
		1	Maclonist Grinder	1(0+1+0)	1	Machinist Grinder	2(1+0+1)	-		2.5	-				14/83	30	-
			Mechanic Refrigeration And			Mechanic Refrigeration	3(1+1+1)	-		23					199 45	60	-
			Air Condition	3(1+1+1)	+	And Air Condition	6(2+2+2)		-	46					300	90	-
			Clactrician	5(2+2+2)	_	(Assurous	9(3+3+3)			73	-					-	
			Wireinad	1(0-1+0)	-	Wireman	3(3+3+2)			78					6000	150	-1
			Computer Operator And Programming Assistant	3(1+1+1)		Continue Coerator An	d			134					190	90	
		6634001401		3(1+7+1) 3((-1-1)	Mark and Durker	Hilly-	- 61	790	£11	683	93077.7	Slaty		Aug III.	60	1








,No		Men Code/Applicati on Number	New Trade Sought For Affiliation	Valts	Units Recommended by SCI	Existing Trade	Alfillated Units Shift Wise	Student enroll in 2018-19 session with Trade wite (Only NEVT attraction		Student enroll in 2019-20 tession with Trade wise (Only NCV? atMated that		Land fease valid	Power connection as per norms	Building as per	workshap space	Class room	IT fab
			Crisino bology	1(0+1+0)	1(0+1+0)										75	30	
			lealth Sanitary Inspector	3(1÷1+1)	3(1+1+1)										40	30	
			Cycloperative	1(0+1+0)	L(0+1+6)										107.83	30	
			Distriction of the state of the	1(0+1+0)	1(0+1+0)										șô.	30	
			in F Technician (Simirt City)	1(0+1+0)	1(0+1+0)										385	30	
			IDT Technician(Smart Health Care)	1(041+0)	1(0+1+0)										76	30	
			Computer Hardware Si Hetwark Maintenance	2(1+1+0)	2(1+1+0)										75	30	
			Eastition Design And Tricheology	1(()+1+0)	1(0+1+0)										6a	30	
	Government Industrial		Interior Besign And Decoration	1(04140)	1(0+1+0)										96	30	
	Francing Eastitute,		Physiotherapy Technician	1(0+1+0)	L(0+1+0)										170	GE	
)B	Control of the Control of	marinemia 16	Electrician	3(1+)+1)	3(1(1)1)							Dwn Land (1012) Sp MI	Yes (Total-BS 5	Yes (Total 2311, 75 Sq M 1	Yes (107 Sq. M.)	Yes (42.84 Sq.M)	Yes (26 55 Sq.
			witerings.	1(0+0+1)	1(0+0+1)	Wireman	2(1+1+0)	o		73					Yek [BIT SOSI; M.]	Yes (SR 64 Sq.M)	
			Mechanic Diesel	1(1+0+0)	1(1+0+0)	Mechanic Diesel	1(0+1+0)	23		26		OWN			Yes (150 5q 51)	Yes (32 07 Sq M)	
19	Government Industrial	GR24008117	Computer Operator And Programming Assistant	1(1:0+0)	1(1:0:0)	Computer Operator And Programming Assistant	1[0:1:0]	2t	61	24	90	LAND(10000 SQ METER)	YES(TOTAL 8B KW)	Yes Total 2348 88 5q M	164s (101_50 Sa 85.)	Yes (32 07 Sq M)	51 DO SQ ME
	fræming Institute, Karian		Seveng Technology	1(1+0+0)	1(1+0+0)	Sewing Technology	1(0+1+0)	20		19					[Na p2 89 101] zev	Yes (30 (IO Sq M)	
	1411/101		Sular Fechnician(Flectrician)	1[0+1+0]	1(0+1+0)										52 12 SQ METER	26 55 SQ METER	
an		6874660723	it)) Technician(Smark Linality Care)	1(0+1+0)	1(0+1+0)							DWN LAND(40458 6	YES(TOTAL	YES[1976 OR 50]	70.82.5G METER	12 16 SQ METER	29.66.5Q ME
	Guzeromest Industrial Training Institute Washodia		Remotely Piloted Aircraft(RPA)/Orone Pilot	1(0:1:0)	1(0:1:0)							SO WELEH)	63KW)	METER	35 S8 SG MAYER	EBTBM DZ SE 01	
	Government Industrial		Wireman	1(0+0+1)	1(0+0+1)	Wireman	4(1+2+1)	20	78	60	137	Own Eand (1301 (mps	Yes (Total: 115,5	Yes (Fotal 3183	YES (130 sqm)	YES (30 sqm)	YES (38) sgr
41	Fracting institute, Goowa	GU24000218	Computer Operator And	2(1+0+L)	2(1+0+1)	Computer Operator & Programming Assistant	3(1+1+1)	28	1	72	137		kw)	s(Hn)	YES (70 sqm)	YES (30 sqm)	167 (3) 2(b)
45	Guserimino, Indiatool Francis Institute, Pades	582499072z	Instrument Mechanic(Chemical Plant)	2(1+1+0)	2(1+1+0)							OWN BUILDING (11341 5QM)	YCS (Total-71KW	YES (8094 SQM)	YESILGA SQM)	YES(32 07 SQM)	YES (85,18 50
			Information Communication (echnology System Maintenance	1(0+0+1)	1.(0+0+1)	Information Communication Lechnology System Maintenance	2(1+1+0)	26		24		Own tand		Vie Theatares	Yes (42 mm)	Yes (39 59 sgm)	
43		GR24000235	Oranghtsman (Civil)	1(0+1+0)	1(0+1+0)	Draughtsman (Civil)	1(1+0+0)	0	\$6	2.7	46	(11375sqn)	Yes (Total-70kw	SIMO)	Yes (24 67 sqm)	Yes (31 sqm)	Yes (81 sq
	Government todastra Training Institute GorvalWoment		Surface Ornamentation Techniques(Embroidery)	2(1+1+0)	5(3+1+0)										Yes (70 sure)	Yes (40 sqm)	
			filter	3(0:0:3	3(0:0:3)	Fitter	401×3×111	6.8		60					Yes (414 Ng melen)	Yes (\$20 sq meters)
46	Coverbinate Industria	C454649213	Computer Operator And Programming Assistant	3(0+0+3	3(0+0+3)	Computer Operator And Programming Assistant	6(3+3+C)	156	219	[46	204	57439 sq molers	142.5 KW	THEM; STOR	Tes (230 eq moters	Yes (120 sq ineters) Total (30 se
	Training Institute Utbasanda		Machanic Dieset	[6]1+1/4	1 1(1+1+1)										Tills (212 sq nieseks	Yes (46) sq meters	
	Biogramma School	(4)	patricont	1(1+0+9	1(1:0:0)		il .					Com Lane (190	W. 411.01.12.20.1	TVA (focal 23 on vi	H1 ((05 50.009)	Per (30 scan)	Yes (30 sq
15	Districts according to American	GUZ406685	Welder	14146+0	1{1+0+0}							spinit	TES ELLINA:- 78 KG	(F)	mail that the signal	Yes (30 sqm)	162 f 30 30
	All of the second		Michaelle Michael (Chemical Flanc	HH141	3(1+1+1)							Lanck 9599	Yes(Foral 93 S	Carrier Park	mesta All Somme:	Yes (30 Sam)	Nation Committee

Surilly





.No	ITI Name	MIS Code/Appikati on Number	New Trade Sought For Affiliation	Units	Units Recommended by SCI	Existing Trade	AMIAted Units Shift Wise	Student enroll in 2018-19 session with Trade wise [Only NCVT Affiliated Unit	Total student enrolled in 2018 19 [Only NCVT Affiliated Linit	Student enroli in 2019-20 session with Trade wise (Only NCVT Affiliated Unit	Total student enroiled in 2019 20 [Only NCVT Affiliated Unit	Land lease valid	Power connection as per norms	Bullding as per norms	workshop space	Class toom	iT lab
	Goskinnteni thdustrial Training institute Vosasi	11101100011	Maintenance Mechanic(Chemical Plant)	8(000)	3(1+1+1)							orin's j	KW)	0.43500000000000000000000000000000000000	Ves(143 Sqm)	Yes (30 Sam)	
47	(Savermini)) Industrial Training Institute	GRZ4NGB110	Welder (SMAW & GTAW)	1(0+1+9)	110+1+01							Own Land(4046 Sn Meter)	75 K.W	2311 Sq Meter	85 Sq AAtr	30 Sq AAtr	Yes(30 Sa 56
			Methanic Diesel	7(5:1(1)	3(1+1+1)	Mechanic Diesel	3(1+1+1)	62		> 2					Yes (424-03 sqm)	Yes (50 sqm)	
			Mechanic Motor Vehicle	203100	3(1+1+1)	Mechanic Motor Vehicle	3[1+1+1]	42		74.		Own Land	Yes [Yotal 177,5	Yes (Total-5905	Yes (424 38 sqm)	Yes (60 sqin)	
48	Government Industrial	G#24000209	Wireman	100	1(0+1+0)	Wireman	9(31313)	84	109	100	196	(41916 S7 sqre)	kse)	sdw)	Yes (353 46 sqm)	Yes (60 sgm)	Yes (70 sqa
	Fraining Institute Palana		Sewing Technology	1(0+1+0)	1(0+1+0)										Yes (161 09 sqm)	Yes (30 sqm)	
			Filter	3[[=]+[]	3(1+1+1)										Yes(101 68 sqin)	Yes(30 00 sqm)	
			Electricities.	3111411	3(1+1+1)										Yes(101 50 sqm)	Yes(31,50 sqm)	
			Witeman	3(1-1+1)	3(1+1+1)				1						Yes[103, 50 sqm]	Ves(30.00 sqm)	
49			Competer Operator And	4(1+2+1)	3(1+1+1)							then Land(10000 sqm)	YES (TOTAL 73 00 KW)	YES TOTAL-834 63 sqm)	Yes(101,50 sqm)	Yes[S8 64 sqmi	Yest / You
			Sewing Technology	3(1+1+1)	3(1+1+1)									,	Yes(120,00 sqin)	Yes(58-64 sqin)	
	Government Industrial		Welder	HIGH;	3(1+1+1)										Yes[98 45 sqm]	Yes(51 60 sqin)	
	Framing Institute,		Mechanic Diesel	-0000000	3[1+1+1]										Yes(ZED DO sam)	Yes(32 (77 rqm)	
			Computer Operator And	2(1+1+0)	2[1+1+0]										85,88 sqrn	30 sqm	
			Filler	History.	3(1+1+1)										120 cqm	30 sam	
50			Wireman	2(1)(1)(0)	2(1+140)							Own Land(10000 sqm)	YES (TOTAL = : 14 DO KW)	YES(FOTAL-3076 sqm)	101,68 sqm	31. S sciiii	59+00
	Government Industrial		Mechanic Diesel	2(111-0)	2[1+1+0]										210 sqm	12 squi	
	Training Institute,		Sowing Technology	1(0+1+6)	2(1+1+0)										84 3 sqin	31 S sam	
			Fitter	3(1+1+1)	3(1+1+1)								Yes (70kw)		Yes (101 50 sqrn)	Yes (30 00 sqrn)	
51	Government Industria		Computer Operator And	2(1:1:0)	2(1+1+0)							Own Land (9000 317 isqm)	Yes (70kw)	Yes(Total 2348 86 sqm)	Yes (101 50 sqin)	Yes (30 00 sum)	Yes (\$1.00
	Training Institute: Kheda		Wireman	2(5-1-1)	3(1+1+1)								Yes [70kw]		Yes (161 50 sqan)	Yes (31 35 sqm)	
			Instrument Mechanic(Chomic ii Plant)	2054100	2(1+1+0)	Instrument Mechanic(Chemical Plant	3(1+1+1)	2.5		4,0					Yesjil (U Sqm)	Yes(44.93.5gm)	
			Maintenance Mechanic(Chemical Plant)	3(1+1+1)	3(1+1+1)	Maintenance Mechanic(Chemical Plant	3(1+1+1)	82.9		éc.					Yes(L10 Squn)	Yes(44 93 5qm)	
52	Government festivities Teaming Institutes Dasheath	GR24000209	Lationatory Assistant (Chemical Plant)	3(1-1-1)	3(1+1+1)	Laboratory Assistant(Chemical Plant)	3(1:1:1)	42	210	20	160	Own Land (2996 sqm)	Ves (Talai-134 KW)	Yes (Iotal 2714 sym)	Yes(110 Sqin)	Yes(44 93 Sqns)	Ves E Francisco
			Attendant operator(Chemical Plant)	311(18)	31(1)1)	Attendant operator(Chemical Plant)	6{2+2+2}	84		40					Yes(285 Sqm)	Yes(44 93 Sgm)	
			Refugection And Air	2(5:0) (0	2(1+1+0)										Yes(110 Sqm)	Yes(44 93 Sorn)	
		4	Mechanic Motor Vehicle	200000	201100										Yes(220 5qm)	Yesidi 91 Sqiri	
53	Government fretistic framing testiliate,	GR (400810)	We de	1/9/01	1(0+0+1)	Welder	2(1+1+0)	35	35)/(-)	30	Dwit tis tid (242)		Yell	Yes (05-1% sem)	1 8 + 17 55 +	C. TANDAS
.7 1	Ohar pur	C-1646D0101	Meclosur Mater Vehalt	\$1\$£100	2(1+1+0)							Main	(Total 70 5 km	I FOREZA HIANE	1 (0.5 (210 00 sqn	4 940 (00,000,000	
	GOVERNMENT		Uscultário	3(1911)	3 (1+1+1)	Electrician	3(141=1)	60		7					(01 /3 state	51 08 sgm	
14		G GR246(3)226	6 Machiner	341420	42 3 J1+2+12				Mi:		241	37,374 S - A	5J kw	Y	136.97 squa	1011119	701 161
	mental Mai		Severa Technology	1000	vy 140+4+6+										77.45	40000	







Part	Nio		All5 Code/Applicati on Humber	New Trade Sought For Affiliation	Units	Units Recommended By SCI	Existing Trade	Affiliated Units Shift Wise	Student enroll in 2018-19 session with Trade wire (Only NCVT Affiliated Linit	Total student enroiled in 2018 19 (Cnly NEVT Lichted Licht	Student enzollin 2019-20 session with Trade wite (Only NCVT Affiliated Linit	Total student enrolled in 2019 20 (Only NCVT Affiliated Unit	David Wassershiller	ber garuz cannection as borner	Building as per norms	workshop space	Cláss rugm	ff hab
March Marc			G034008104	Mechanic Diesel	\$12 (1-0)	THOUGH							D			Yes (210 00 sqm)	Yes (32 07 sqm)	Not
5 MONTH MATERIAN CONTROLLED MATERIAN CONTROLLE	-		CHZHUDGIGH	Plumber	1 (1+9+0)	1(1:0:0)							Null	(Total 57 kw)	(Total 2311 05 sqm)	Yes (85-18 sgm)	Yes (26 SS sgin)	
# 1000 1000		INDUSTRIAL TRAINING	SA24008169	Sewing Technology	28242408	2[1+1+0]										Yes (50), 68 sqin)	Yes (5A G4 sqm)	Yes (Int 60
MICHINES				Fliter	2(14)	211 (1 + 0)	litter	101+1-10	42		No.					YES (249 2 sqm.)	YES (60 sgm)	
2 MOSTRIAL MARINE CONTROL CO				Wireman	1(0+Q+1)	110/0+14	WHITE SALE	2[[0.190]]	21		290					YES (1.15 B sqm.)	YES (25 sqm.)	
Politiful Entropy			C	Mechanic Motor Vehicle	2(0+1+1)	nderell	Mechanic Motor Vehicle	2(1)1+0)	21	470	24	120	avertana.	Yes (Total 98	Yes (Total 3124	YES (488 sqm.)	YES (60 sqm.)	
Controlled Con			CUSUROSEIA		2/04/14/1		Mechanic Diesel	2[1+1+0]	42	176	48	1017	199100 1965	KW)	sum)	¥65 [438 cons.)		Yes (27 sq
Postpost Minist Postpost Minist M																		
MONTHANE ALGORISMS MONTHAN							Programming Assistant	2(14(10)	35		118		Shortpur (Sire)					
Part	38		GU24088182			2(114-9)								Yes (50 KVA)	Yes (2785 sqm)	Yes (85-18 sgm)	Yes (25.55)	Yes (63 tl6 ·
Continue Center Notice Continue Center Not																		
Government industries Companies processes and processe				Condition			Condition											
Convenience Industries Convenience Industr									1									1
Programming Asstration Programming Asstrat	50		GU24000329	Computer Operator And			Compiler Operator And			302		236	e isographic to	YES(48 S8 KVV)	YES(1494.66 snm)			Yes (132 97
Content Cont		Training Institute, Bhoj			100010-													
Series S							The free sales of the second	1,1,1,0,1		-								-
COUNTINE				Sewing Technology	1[1+0+0]	((1+0+0)										Yes (70 sqm)	Yes (42 sain)	
POUND NOT							Limpold	3(11040)	3.05		H							1
MINISTRAL FRANKS MINI		GOVERNMENT		The state of the s														
MACHATRANA MAC	60		GR24008147				ASSORTE	20141101		73			is taud (10000 S	Yes (Total 60 kw	es (Total 2311-25 Sq			Yes [95 19
GOVERNMENT INDUSTRIAL TRAINING GOVERNMENT INDUSTRIAL TRAINING GOVERNMENT INDUSTRIAL TRAINING IND					1								1					
MOUSTAM TRAINING PARATIONEOUS							Efecteixias	3(1+1+0)	20		26							
INSTITUTE PARADHROW Parameter (Parameter) Parameter) Parameter (Parameter) Parameter) Parameter (Parameter) Parameter) Par					Hiliovit	10100011	Hitel	2(1+1+0)	18		20					315 (1313 spn)	YES (30.50 Sigm)	
Figure F	61	INSTITUTE,	G924000321			1(0+0+1)		3(1+1+0)	48	106	48	Mi	PN LAND(48600 S	YES (28.5 K W)	YES (634 SQM)	YES (94 50 Sqm)	Y6S (20 50 50m)	YES! 76 S
February		-	-	The state of the s											-			
GOVERNMENT INDUSTRIAL TRAINING RESTRICTE, MANDER RESTRICTE RESTR			1		3 30 +0 + 31	1 (0.60+1)	Brigingers	2 (1+1+0)	40		- B					Tes (129.94 sign).	Vict (AZ squri)	
RECOMPTION CONTINUES CON																		
INSTITUTE, MANDVI (KUTCHH)				Mechanic Biesel														
Cosktop Publishing Desator Des	62	INSTITUTE, MANDY:	GU24000311	detributes a partition of the	3 (1+1+1	3(0180)				187		64	m kandydddig	Yes (50 KW)	Yes (1022 sqns)	Yes (82.73 sqn1)	Yes (29 sqm)	Yes (82.7
Health Sanitary Inspector 1,1		(KUTCHH)		Cesktop Publishing	191-00	171-0-01										Yes (60 sqm)	Yes (29 sqm)	
GOVERNMENT NOUSTRIAL TRAINING HISTORY (INCIDENCE AND					340-000	117:000										Yes (93 S sqm)	Yes (29 sqm)	
SUPERINANCE			1	Electrician	200141	271+1+00	lestra čsis	2(3+1+0)	39		n					Yes (107-59 sqm)	Yes (31.47 sond	
REDUSTRICE TORKING FOR THE PROPERTY FOR THE P								-	+			-1						-1:
CAUTCHH Welder 2(1-1) (1-1)	10			1						57		11	WE SHIP HALLAND	of the Count 40 km				Yes(167.5
Cate				1				-				-			- Conspirit			-
BIGGS OF MIN AND STATE OF THE S		1		Filter		स्ति लीव्या	Filter	30143309	18		110					res [215-18 som)	Yes (31.47 som)	
		INDUSTRIAL IRAININ	c.	Wormbook						-					VES TOTAL / 5200			
INSTITUTE, MATERIAL PROPERTY OF THE PROPERTY O	51	exstitute,	GU2400030	7 Solat									(36166 50 MH	YES 1 100 KWI	SQ MTS)			103101.3
GANDRICHAM TECHNICA (1997) (19		GANOHIOHAM	1				Ewater and	17.5 1	- 10				- '	1	1			

No	ITI Name	MIS Code/Applicati on Number	New Trade Sought For Affiliation	Units	Units Recommended by SCI	Existing Trade	Alfiliated Units Shift Wise	Student enroll in 2018-19 session with Trade wise (Only NCVT Affillated Unit	Total student enrolled in 2018 19 (Only NCVT Alfiliated Unit	Student enroll in 2019-20 session with Trade wise [Only NCVT Affiliated Linit	Total student enrolled in 2019 10 (Only NCVI Affiliated Unit	Land lease valid	Power connection as per norms	Duilding as per narns	workshop space	Class room	IT iab
			fitter	2(1+1+0)	2(151.0)	fiffet	Brook	30		- 0					Yes (107 58 som)	Yes (3) 47 sam)	
Ш	GOVERNMENT		Warenan	2(1+1+0)	2(1+1+0)	Wittenson	2(1111111	26		- 0.		[-	Yes (AB sons) Yes (AC soint)	Yes (32.07 sam)	
П	INDESTRIAL BAILING	G824008143	Wester	1(1+0+0)	1(1+0+0)	Welder	1(1:0:0)	1	146		86	(0) [and [3,0249:50]	XexaTerrit fdf.forth	es (fistal 2312 sign	100 per suprid	(C3 C32 07 VQB)	Yes (2)
Ш	INSTITUTE ANIAR		Loinputer Operator And Programming Assistant	1(1+0+0)	311+0+01	Computer Operator And - Programming Assistant	HELLO)	53		62			1		Yes (104-24 sqm)	Ves (26 55 sqns)	
				and the second of	000000	Linkeying mak yeterine		1					1		ALC: THE RESIDENCE	0000444040000000	
-	DOMESTICAL		Sewing Technology Fitter	110+0+11	2(1+1+0)	Fitter	2019598	21	-	71					Ves (73 02 turn) Ves (107 59 tarn)	Yes (32:07 som) Yes (28:55 som)	
	INDUSTRIAL TRAINING	GR240G0312	Welder(fabrication &			Welliam Fabrication &			21	0	21	en Lanu(24281 sq.	Yes(50Kw)	77 (2008-05 san)	Yes(85 18sqm)	Yes(32 02 sigin)	Yes(57
	PROBLET, 600500A		Fitoegi	3(1+1+14)	3(1+1+1)	fittend	2(1+1+0)	N.							texton tordint	restac os situit	
	INDUSTRIAL TRAINING	GU24000304	Compliter Operator April Programming Assistant	1(1+1÷1)	1[1:1+1]	Computer Operator And Programming Assistant	6(2+2+2)	114	360	144	3641	Own land(57,275spm)	YESHotal 227	XESpenii Ex (Migrat	200(27 (000)	YES127 88 SQM)	yes[
	MADAMVANA		Mechanic Divisit	3(1+1+1)	1(1+1+1)	Mechanic Diesel	H.f-7-31	2.19		216					ves(312.26sum)	ves(42.27 ram)	
	GOVERNASIAN	GU24000313	Welder(GMAWRGTAW)	2(1+1+0)	2[1+1+0]							Own Land			Yes (120 sum)	Yes (40 sgm)	
è	INCUSTRIAL TRAINING	GU24000311	Desktop Publishing	1(0+1+0)	140+1103							[15197 18 sqm]	res (Total 69 S ko.)	res (Total 1631 stan	Yes (70 sqin)	Yes (30 sqm)	Yes (
	: :::STITUTL_GWARKA GOVERNMENT		(Decial0)				-	-	-			1					
	INDUSTRIAL TRAINING INSTITUTE VISAVADAR	GR24008080	Mechanic Diesel	01 (0:61:0)	01(0+01+0)							own Land (10000 sc	res (Total 57 5 kw	ts (Total 2311 05 sq	251 59 sam	42 B4 Sqiri	Yes (5
)	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE	GR24008127	Welder	2(1+5+1)	2{1+0+1}	Welder	31(D+3.4D)	12	12	С	0	Own Land (5657 sqm)	Yes (Total-50 kw)	Krastfood 2000 samt	Yez (86 18 sgm)	Yes (32.07 sqm)	Yes
			Mechanic Diesel	3(1+1+1)	3(1+1+1)										Yes (210 squt with	Yes (58 sqm)	
	GOVERNMENT		Historiciae	5(1+1+1)	F(1×1)(1)	-		-	-	-					Yes (179 sqm)	Yes (32 son)	
1	INDUSTRIAL TRAINING	GUZ4000325	Edier	1(1.4040)	111+0+01	Fitter	200-1-11	21	61	20	42	Own Land (2023)	Yes (Foral 40 kw)	Vecilian-Elikum Mont	rec (191 sam)	745 (30 sqm)	Yesl
	INSTITUTE, PATOI		Mechanic Motor Vehicle	1(1+0+0)	1(1+0+0)	Mechanic Motor Vehicle	2(0+1+1)	19		11		sqm)			Yes (210 sam with	Yes (31 sqm)	
		li .	Wireman	111:0:01					-	- 11	-				natringl Yes (101 som)	Yes (32 open)	
	GOVERNMENT			11110101	[[]+0>0]	Watura	210+X+31	- 21	-	***				a Color of Allice and	(e1)101 FJM	103,043,0439	
2	INDUSTRIAL FRAINING	GU24900320	Alterdant operator(Chemical Plant)	1(0:1:0)	1(0+1+0)	Attendant operator(Chemical Plant)	2{1+0+1]	21	21	24	24	n Land (25646 st	Yes (Total 27 XW	Pet (Gen. 6-34) (6-37) (416)	Yes (171 23 sqm)	Yes (32.9 sqe)	Yes (:
	GOVERNMENT INDUSTRIAL TRAINING		Fashion Design And Exchanlesy	2(1+1+0)	2(1+1+0)				1			Own Land (8205	Yes Hotel 615	resitional 3.3.00	Yes (85.18 sqtn)	Yes (32 07 srpm)	
73	, STUTUTE! SURENDRANAGARUZ	GU24008089	Health Socitary Inspector	7(1+1+0)	2(1+1+0)							sqm)	lov)	hipt	Yes (57.34 sqm)	Yes (32 07 sqm)	Yes (I
	SHRI M P SHAN		Information Communication Technology System Maintenance	5 1+1+3]	5(141+0)										Yes (101 02 sqm)	Yes (31, 47 sqm)	
74	INDUSTRIAL TRAINING	Gt/24000302	Health Sandary Inspector	3(1+1+1)	3(1(1)+1)			1	105		11.2	Own Land (2841) Sgm)	Yes(Total- 125KVV)	955 (TOTAL 7634 80 5gm)	Yes (114 55 sum)	Ves (47 62 sqm)	Yes (
	SURENDEANAGAR		Welper	2(1+1+0)	20141101	Welder	2[].(1)()	42	-1	43		Stilli	(2,5,00)	30,000	Yes (10) 18 (qm)	Yes (31.47 snm)	1
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		tefrigerams And Alr												Yes (111 38 sqin)	Yes (30 39 sqm)	1
		1	Crinditium	3(1+1+1)					4		_		1				1
	GOVERNMENT	-	Filter	2(1+1+0)	2(3+3+0)	1000	\$6313121	63	-	69	-	-	-		Yea (401 04 Sant)	Yes (30,39 sqm)	1
75	INDUSTRIAL TRAINING	GR24008030	Wireman	1(0+1+0)	1(0+1+0)	wireman	7(1+0+1)	21	1/5	10	20	Gwn Land (700) sgm)	Yes (Total 40) ks	Yes (Total 864-13 sam)	Yes (101 50 sgm)	Yes (51 sqm)	Ye
7.5	GOVERNMENT INDUSTRIAL TRAINING	GU24660303	Computer Operator And Programming Assistant	3(3+1+1)	3(1+1+1)	Computer Operator And Programming Assistant	2(4+1+1)	7)	195	72	27	Own Land 119058 52 sum	Yes (262 kyr)	Vet (1633) 3915	Yes (297 sqm)	YES (26 sqm)	YES
	INSTITUTE, JAMNAGAN	ì	Computer Hardware &	3(1+1+1)	3(1+1+1)							[29 42Acre)		politic.	Yes [120 sqin]	YES (48 sqm)	
			Network Maintenance			-				-	-	Dwn Land [101]					
7?	COVERNMENT	6924008126	Wireman	1/0+0+1		Pitter	2(1+1+1)		79	21	45	sanil	Yestforal 70 is	Testimore and	Ye (107 59 sqm) (re (107 50 sem)	Yes (3), 67 sam) Yes (3), 67 sam)	
			Computer Operator And Programming Assistant	1(0+0+1)		Che patra Operana And Program Hing Asiation				120					Yes (140 sqin)	Yes (64-14 scm)	
	FOVENSEN)		Fashian Design And	L(0+0+1] 3(0(0)1)	Bashiner Design (feit)	Restan			49)					Yes (\$5.18 sqm)	Yes (76 55 sq n)	
78	memerical fineshia	GU24008048	Computer Hardware &	1		Morrison	-		172		160	2000 Daily 1952	SOCITION NO.	000176607331		0	Yes
	INSTITUTE;		METWORK MODMERCHICK	111+0+0	1 Rivition							Head		9-8012	Yes (85 18 sqm)	Yes (26 55 agm)	
	A STATE OF THE PARTY OF THE PAR		Architectural Draughtsman	n 1(1+0+0	n month										No DE SET	991(20)(25)(am)	
			Manufacturing	1(1+0+0	0.000										OVERSTANDAM	Wn(1055 total	
		- H			THE THE PARTY NAMED IN										all L5 care	35.55 irgm	
			EMESTICATES	2014333	D- 1179 (+3)											\$\$.15 tem.	





la	ITI Name	MIS Code/Applicati on Number	New Trade Sought For Affiliation	Units	Units Recommended by SCI	Exterior Trade	Affiliated Units Shift Wise	2018-19 ression with Trade wise [Only NEV?		Student enroll in 2019-20 session with Trade wise LONIY NCVT Affiliated Unit	Total student enrolled in 2019 20 (Only NCVT Aifiliated Unit	Land lease valld	Pawer connection as per norms	Building 35 per norms	workshop space	Class room	del T!
IN	DUSTRIAL TRAINING		within (Lahiratini &	2(141+0)	2(1-1:0)							an i andihogo en e	Ves (Forol 30 tour	Yes Flotal 2008 sumi	101 58 sq m	32 07 sq m	101 68 sq r
	enstitute,		(itting)	3(1+1+1)	3(1+1+1)							Mit Philadia ann 2d a	163 (10:00 70 # W)	THE INDIGENTION SCHOOL	Lizh ili ma	32 07 sq m	101 08 36 1
	JAMEODIERUR		Longotes Operator And	3(1+1+1)	3(1:1:1)												
60	IVERNMENT	G824000332	Propositional Available Commission (Commission of the Commission o	2(1+1)			-					Own	Yes Total : 50 00	Yes(97 (SQMI)	\$20 sq m	,10 sq m	Yes (52 sq
100	GOVERNMENT		Computer Gjierato: And	1(0+1+0)	2(1+1)		-					Eand(8444-00	K51	= itsisy (sqwif)	Bugging	Yes(31 sque)	tas tas adi
	DUSTRIAL TRAINING		Programming Assistant									Dwn Land (8918	Very (Thintal-20 km)	Yes (1601-3500	Res (161 S. sqm)	Yes (30 sgm)	1018
	MIYANA		P/W Kithous	1(0+1+0)	1(0+1+0) 1(0+1+0)							sqm)		\$((11)	Yes (100 ches)	res (30 s mm)	
IN IN	DVERNMENT DUSTRIAL TRAINING STITUTE, MORBI		Computer Operator And Programming Assistant	7(1+1+0)	2(1+1.+0)							own land (10000 sqm)	Yes(total - 30 kw)	Andirated 1556 school	Yes (sital 101 50 sqet)	Yes(lotal-3() sqm)	Yes(total - sym)
H	DAD RAIKOT		(m)/i	1(0+1+0)											YES (101 68 sqm) YES (198 45 sqm)	765 (10.0pn). 765 (00.1qm)	
			Weeman	2(1+1+0)							1				115 (120 sam)	Yes 130 signst	
3 11	GOVERNMENT VOUSTRIAL TRAINING		Competer Operator And	110+1+01	1{0+1+0}							Own land (10000 sqn1)	Yes (Total 45 Ew)	Yes (Total 23n0 Nom)	YES (90 71 sqni)	Yes (30 sqm)	Yes 190 sq
	INSTITUTE RATNAL		Health Sankary Inspector	1(0+1+0)	1{0+1+0}							Mont		216,418	YES (51 sqin)	Yes (30 sam)	
			Computer Hardware &	1(0+1+0)	1(0+1+0)										YES(90 21 sum)	Yes (10 stain)	
4	OVERNMENT IDUSTRIAL FRAINING ISTITUTE	GR240308950		3(1+1+1)	3(1+1+1)	Wireman	3(1+1+1)	6	ń.G	0	0	Own Land (3936,90 sqm)	Yes (Total-65 kw	Yes (Tetal 3946 90 ograf	Yes (88 sqm)	Yes (33-35 sqm)	Yes (34.7 sq
5 10	OVERNMENT IDUSTAINT TANIHUNG VSIITUTE, CHUDA		Svireman	2(1÷1+0)	2(141+0)							Own tand (1000D s	Yes (Total Stilkw) yei (lotal 142) sqn	Yes (10): 68 squa)	Yes (58 64 sqm);	Yes (1015s
7			Fitter	1(0+1+0)	tject-rej										Yes (101 sqm)	New (S.E. George	
- 1	GOVERNMENT		Wireman	1(0+1+01	[[0+1+0]]	-			i		-				Yes (320 sqm)	Yes (30 sunt)	1
16	NDUSTRIAL TRAINING		Welder(Welding & Inspecting	1(0+1+0)	1(0+1+0)							Own Land (1000)	Yes (Total 50 kw	dis Horal Zida 88 so	Yes [101 sqn1]	Yes (36 sqm)	0
	INSTITUTE, SAYLA		Computer Operator And	L(0+1+0)	1(0+1+0)						1	sgin)			Yes (101 sgm)	Yex (31 sqm)	
			Frozensowna Assistant Rethank Diesel	1(0+3+0)	T(0+1+0)		-	-							Yes (221 sain)	Yes (52 Sqiii)	-
12 1	OVERNMENT NOUSTRIAL TRAINING NSTITUIT, HANGADII		Fitter	J(6+T+0)						į.		Own Land (9999 sc	g Yes(Intol - 35 XV	y Yes (Total - 2348 8 ann	Yes(101 50 sqm)	Yes (20sqm)	No
88	SOVERNMENT SOVERNMENT		Cosmetology	E[G+1+ff)	1(0+1+0)							RENT UNLIMITED(220 26 sq. rt.)	7 bkw	479 605 sq m	66 sq ny	33 sq m	32 49
89	GOVERNMENT ROUSTRIAL TRAINING	GU24000305	Health Sanitory Inspector	3(1+1+1)	3(3+1+1)							Own land (5260 sem.)	9 236 5 kw	yds (972 sqrw)	yes 177 sqm	yes 30 sizm	no.
	COVERNMENT		Mechanic Diesel	3(1+1+1)	3(1+1+1)							Own Land(3000	0	. Yesfikitai	Yes[210 So M.)	Nes(58 Sq. 58)	
90	INDUSTRIAL TRAINING	GR24008123	Meldonfelmicolom & Enough	3(1+1+1)	3{1+1+1}							Sq M }	Yes(Total 45kw	21485q 54	Yes(101 Sq M)	Yes[32.5q M]	Yes(58 Sq
	GOVERNMENT ISHNOTIDAE IRANGMG INSTITUTE ADRAVAV	GR24000331		1(0+(+0)	1{0+1+0}							OWN LAND(40467 SC	YCS(TOTAL 27KW)	YES(TOTA: 1907) M)	YES(72 SQ M)	¥E5(30 SQ M]	YES[41 SC
	COALHAMENE		Computer Operator And	3(1+1+1)	3(1+1+1)							Own Land (990	0	Yes (Tetal 4172 7)	Yes (120 sam)	Yes (30 sum)	
92	eyousting thousand	3	Voteman	3(1+1+1)	3(1+1+1)							Sqiff)	Technology is	\$6,00	Yes 198.as somi	Yes Dill sqmf	NO
	INSTITUTE, LILIYA		Saucing Technology	2(1+1+0)											563 (184.65 opin)	Finite of 3 50A	
81	COVERNMENT VENUSTRIAL FRAINING	5R240G0310	Welder/Fabrication &	2(1+1+1)	3(8+8+1)	Welder/Fabrication &	3[]+1+[]		10	Ð	- 0	Dwn Land (202)	id Yes (Total 66 s	5 Yes (Total 1738 8)	Yes (34) 44 sqm)	Yes (72 sqm)	Yes 127 s
	Government Industria		fitters)	3040	\$ (3(\$\infty)(1)	Fitter	021212	8		60		*(qm)	0	7.1	Sec. (236 your)	Wes. (32.350)	1
91	framing institute,	GR24090498	(Oray Group)	201(1(0)	7[1+1(0)]	# Telefolickiere	20+100		126	20	60	un Land 176890	salini Evini 1977. S	PARTY OF THE PARTY OF	Yex 197, 29 soin1	Yes 132 saml	Yes (30 s
	Vitiga		arrenthal otsister	3(1)(1)4		TORNAL TORNAL	1466/2511		-	10				4	0.00000	Yes (25 sain)	1
	فالتواطأ المحاصدين	0	(finite)	100:014		Fittier	28141746			20					Yes(107 \$95qm)	Vrs[35-47(c0)] Ves[28-66(gm]	
95.	Treesing eventually.)(1+1+1)					8		92	WW.Land(16184)	to Testimento			36e([33/4764e6]	Yek (43.9)
	Kilponik		Withhelm	100-0-1		Military Company	2000		-	-10		11			*CUE 675000	20131,62suml	
			Welline	1[040+1		districts Medical	2(1-1-0)					1	1	1	Teld24 6/9 mile	red Money	
			Hactennics Mech mic	111+0+11	A STANSON	Bromont	((c-1+)	- 7		11					Ver (156 min)	Yes (50 6 sore) Yes (50 6 sore)	



No .	ITI Name	MIS Code/Applicati on Number GR24600411	New Trade Sought For Affiliation	Units	Units Recommended by SCI	Existing Trade	Affliated Units Shift Wise	Student enroll in 2018-19 session with Trade wise (Only NCVT Affiliated Unit	Total student enrolled in 2018 19 (Only NCVT Athilated Unit	Student enroll in 2019-20 session with Trade wise (Only NCVT Altillated Unit	Total student enroiled in 1919 20 (Only NCVT Athitated Unit	Land lease valid	Power connection as per norms Yes (100) on kw)	Building as per norms	workshap space	Class ream	Wellian
	Dharampur		Minnack Maintenance	3(1+1+1)	3(1+1+1)				119		1	TITATIONA THETWA THE		THE DAY HE SAME AND A	Yes (95 sqm)	Yes (50 5 sqm)	101140.3210
			Satur Cectoricum	1(140+0)	1(1+0+6)										Yes [/6 sqm]	Yes (50 6 sgm)	
12	Coursement leasuring: Framming Institute.	(Vt2/2008)5	Luthur	1(0+1+61	1(0+1+9)	Termin	(((+()+())	0.	0	20	70	FREE WORLD THE STREET	Yes (Total 50 kW)	Yes Hotal Andrages	Yestifol squat	Yarst Dak ug—A	Yes(30 sqm
	O STORE TO MARKET		Attendant operator	2(1+1+8)	3(1+1+1) 2(1+1+0)										785(100 Sum)	Yes(30 sqim)	
			Medianise.	2(1+1+0)	2(1+1+0)									1	YM4125.58 (mm) PH4123.11 (mm)	Yes(12.07 sqm) Yes(12.07 sqm)	
8	Opvernment Industrial	GU24908429	Computer Isantware &	1(1+0+0)	AC 5-								N	CONTRACTOR OF THE PARTY OF THE			
	Valsad(Women)	COEMOGEZ	Birtmark Maintenness		1(1:(1:0)							wn cansguy 19 Sql	resticial-75 KW)	rs(Total 2285 Of squ	Yes(85-18 sqm)	Yes(42.84sqm)	Yes[63-6 squ
			Straing Technology Countriology	2(3+1+0)	1(0+1+0) 2(1+1+0)										Testfo7 25 somt Testfo2 GS somt	Yes[37.07.50m] Yes[37.07.50m]	
99	Government Industrial		Computer Operator And	2(1+1+0)	2[1+1+0]							Kum Udyag			Yes (71_5 sqm)	Yes (76-25 kg/n)	
-	Training Institute, Vagi		Programming Assistant Serving Vechnology	2(1+1+0)	2(1+1+0)				-			Talire Kendra	Yes (Total B kw)	es[fotal-239.68 syn]			. No
0.0	Government Industrial		Attenutied agreeing	3[1+1+1]	1[3+1+3]		-					Van beking			Yes 65-5 v(m) Yes 715 cme)	Yes[76,38 sqm] Yes[31,47 sqm]	
GU	Training Institute	GR24000458	Sensing Inchnology	1(0+0+1)	10.0.11	Soving Inclinatings	211-1-01	40	10			in landingser, 5 se	Yes (Total-75 kW)	res (Total 2311 sqm)	Yes(24 5 com)	Yest75 sum)	Yes(70 ago
	Government Industrial		Wineman	1(0+0+1)	1[0+0+1]	WIREMAN	2(1)1.01	21		20					Yes[129 67 squit	Yes(32 07 sam)	
O.L.	Training Institute,	GUZ4000428	Electricas	1(0+0+1)	1(0+0+1)	HECTRICIAN	2[1+1+0]	47	105	0	20	win Land (5000 sq)		Yes(fatal 1144 sqm)	Yes (175 87 com)	Yes(31, 47 sq.nt)	Yes(62.79 so
-	Navsari(Women) Gevernment industrial		Welder	1(0+0+1)	1(0+0+1)	WEIDER	2(1+)+(1)	42		.19					Yes(R5 18 squy)	Yes(26.55 upn)	
.02	Training Institute, Agasi	GR24006454	Sening Technishogy Markania Diorat	1 (0+0+1)	1 (0+0+1) 1 (0:U:E)	MECHANIC DIESES	211-1-01	5.2	45	- 1	30	Ftand (2231 282	Ves (Total 43 5 kM	Yes In(al-2677 tum)	Yordal 44 mmi	Veni41.24 repri)	Yes 92 25 sq
	Government Industrial		Computer Operator And				2 1 1 0	20	1	26		_			tent Pa ESCIPaY	Yen(44,85 sum)	
tn5	France Institute Jambusar	GR240GB097	Programating Assistant	1(1+0+0)	1(1+0+0)	Computer Operator And Pa	1(0+1+0)	25	28	24	2.4	entona (1000) su	914 (1mm) 90 5 WA	Yes (Total 2004) squi	Yes (101,50 sqm)	Yes (51 sgm)	ю
104	Greenveen Indestrial Framme Institute	GR24008095	Electrician	1 (0+0+1)	1 (0+0+1)	ELECTRICIAN	2(1+1+0)	42	4.2	0	0	m Land (10000 sc	Ves (Total 60 kw)	Yes (Total 2349 sque		Yes (58-64 sqm)	NG
105	Government Industrial Training Institute, Ganeshalsodia	GU24000424	Computer Operator And Programming Assistant	1(1+0+0)	1(1+0+0)	Computer Operator And Programming Assistant	1(0+1+0)	24	24	18	18.	rn Land (20023 sr	Yeş[Toral -85 XW	Yes(Talak 1881 sam)	Yest (DA synt)	Yes(32 sgm)	Yes(32 5 sq
106	Convertament Industrial	6924500410	Electrician	1(0+0+1)	1(0.0)11	Disassan	201109	20	40	0	S	1 1 mil 184515 62	Yellforal, 21 KW	Vest[Satol 2472 spint	(first) (100 sq/m)	Virs(64 sam)	Yes[47 suit
-	Takining Settings.		Weids:	100+0+11	110:0:11	Weider	2(1:1:0)	20		5		1 23.00 1 1 7 7 7 7 7 7	12.411412.22	1(; para ; 1.77 tijat)	Yes(48 rgin)	Yes(41 sura)	163545 201
	Severmment industrial		Computer Operator And Programming Assistant	3(1+1)1)	3(1+1+1)							1 8s Tokya Lease			Yes (144 sqm)	Yes [40 sqm]	
107	Training institute	GR2400G494	Elektrician	100.1101	1(0+1+0)		-		63		47	[12803 sqm] from	Yes (Total-34 kw)	Yes [Lotal 1774 squ	Yes [144 sqin]	Yes (40 sgm)	Na
- 1	Kevadiya		Fister	180+0+1)	110+0+11	Fitter	2[1+1:0]	Z.L		15		17 4 2009 to 16	1,000		Yes [144 soint	Yes (40 sqm)	110
			Wieman	150+0+31	1(0:0:1)	Wiceman	42+2+01	42		12		4 2039			Yes (212.4 sum)	Yes (40 smm)	1
	Government Industrial		Computer Operator And	3(1):1:11	3(1+1+1)										Yes(73 sqm)	Yes(30 sqm)	
803	Framing Institute,	GR24000417	Programming Actions Searing Technology	2/14/1407	7(1+1+0)				-		-	Own Land(12515	Yes fotal	Yes[hotal 900 sqm]			(6)
	Demapada		Electrician	412+2+01	5(2+2+0)		1	-	-			SQIII)	43 5kw)		Vesi250 sand	Yes[30 sqm]	
	Sometiment Industrial	0	Altendant Operator (Checklest Plant)	2(1+1+0)	2 (1+1+0)										Yes (185 sum)	Yes (40 Sqm)	
109	Training Institute,	GR7460IM57	Computer Operator And	3 (1:1:1)	3(1+1+1)		1		1			vn Land (28170 S	Yes (Total 40 kw	Yes (Total 3076 Squ			No
	Sagbara		Pringramming Assistant						-1				1		Yes (92 agm)	Yes (40 Sqm)	
-		-	Electrician	2(1+1+0)	2(1+1+0)		-								Yes(102 sqrn)	Yes (40 Sam)	
			Computer Operator And Programma & Assistant	2(1+1+0)	2(1+1+0)										Yes(71, 28 sqm)	Yes (40 sqm)	
	Government Industrial		Efecteleian	2[1+1+0]	361+2+01					1	-1	Shared Campus	1	1	Tes (102.33 som)	Yes (25 sgm)	1
110	Training Institute,		Hiller	2(1+1+0)	2(1+1+0)							of ITI Kevadía) res (10151-1340 sam	(tis 192.1 spm)	Yes (40 sam)	nie
	Garudeshwar		Mechanic Diesol	130+1+03	3(0+1+0)				-			(2633 sqm)			Ye11226.41 tam	74x (40 sqm)	
			Andrea Technology	2(1)(1)(0)	2[1+1+0]		-		-		-				Yes (87, 13 spin)	Yes (40 cam)	
	Government foliagraph		Welder Hecyclopu	2[14140]	2[1+1+0]		-				-	4	-		Yes 187, 13 sapid	Yes (40 sout)	
111	Training institute,	GU24800430	Computer Operator And					_			-	on Land(J1286 o	o Yest fotal - 32 Ku	YestTotal-3245 soin	Tenta (2013)	Yes(30 sqim)	111
-	Tilakwada	-	Programming Assistant Computer Operator And	2(1+1+0)	2(1+1+0)		-	1		1	-	The Control of the Co	TENTION SE WA	O TOTAL MANAGEMENT AND THE	Yes(125 sqm)	Yes(125 sqnr)	No
			Programming Ambrant	2(1+1+0)	2(1+1+0)										Tes (101 sqm)	Yes (30 sam)	
	GOSOOBS CLOSUS DA		Mechanic Days of	2(14)401	2(11140)				4						Yes (ERFsmy)	YestSH squal	1
112	benny manuer.		Welder	2(1:1:0)	2(1:1:0)			1				Minnali 100 KW)	a Verticul State	Vertical 2245 inc	Yes LEOL sgmt	Yes 32 sam3	No.
	Kamey,		Wireman Flitter	2(1+1+0)	3(1+1+1)			-							Try (IIII (1991)	Yell to swill	1 "
			diealth Sanitary respector	1(0+1+0)											Yes (101 sain) Yes (120 saru)	Terl 12 agest	
			Cosmitting	110 = 2 = 0)	I(0+1+0)						1	To a source	Walles In Co.	Profession 2255	(9985.13 600)	**************************************	1
th it		GU24000460	information Communication	18991+0										012000002053			No
	Sara(Wilman)		Technology System Maintenance									THE FORUMENTS	Out One Drie	A THINK SHOTH		(OHEO BIT MENT)	34403.00
	and atternal		Witeman.	2(1(1)(0)		V(Marchine)	301=00			7	7.0			onenier Sissa	V 33.0	VestSt sunt	
			11 14 4 1 1 7 7 1	1		0.000	117.03.511	71.	200 TM			ACT TO SECURE A SECURE ASSESSMENT		CAMPAGE TALL ST 157 (57)			

Sunilly





.Na	ITI Name	MiS Code/Applicati on Number	New Trade Sought for Affiliation	Vnits	Units Recommended by SCI	Existing Trade	Affiliated Units Shift Wise	Student enroll in 2018-19 session with Frade wise (Only NCVT Affiliated tink	Total student conclusion in 2010 19 (Only NCVT AMILIANA UNIC	Stantell aword in 2019-20 session with Trade wise (Only NCVT AMINOCELLINE		Feed bright while	Power connection as par neithe	Building as per notms	workshop space	Class room	II fab
	Pattarix		Fitter	350+3147	700-1+04	bities	311-3-31	21		25					YES (181 58 som)	Yes 197 sami	
15	Government indestrations Training Institute Sachin(Women)	6034009460	Computer Operator And Programming Assistant	301(4)(4.3)	flament	Computer Operator And Programming Assistant	2(1+1+0)	89	69	.04	1,9	en Gest Place in	nes (Yoral 70 kw)	Yes (Total 2285 sqm	Ye: {71.02 sgin}	Yes (31-47 sqm)	Yes [42 84 sq
	Gavernment Industrial		Methanic Motor Vehicle	1 month	T.10+011)	Mechanic Mosor Vehicle	2 (1(1)0]	21		19		Die Leitzitz		Yes (Total -2565 55	Yes(100.25 sqm)	Yes[33-64 sqm]	
136	fraining Institute,	6874000453	Mechanic Diesel	11(10)+11	23111489				63		38	44-1	Year Intial 54 KW	Sqm)	Yes1130 25 comb	Yes(37.62 sqm) 33.64 Sq. M	Yes(33,64 sq.
	Uchchhal		Singeyor	1 (0) 1 (0) 1 (1) (1) (1)	1(1:0:0)	Sewine Lectionalizary	5 [147:0]	42	-	19					130 25 5g M	12 24 24 M	1
			Seama Technology		311+1+0)	+ 2 4 4 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3[1+1+1]	53	-	36					VES (104 SQ METER)	TESTES SQUARTER)	_
	Construent lands of and		1+(trittan	217-17-08	2(1+1+0)	Efectionary Filter	2(1+1+0)	36	-	31	-		1		YES 192 SCLANLTER	765 (85 SQ METER)	-
117	Government Industrial	GR24000407	Filter	Zite telij	213+1+01	17997	21211101	70	75	0	59	in Cond(21784-88)	Yes (Total-90 kw)	Yes(Total 3628 sqm)	VEHIOUS CLANETURE	VES DIO 50 METOLI	Yes[35 sq:
	Training Institute, Ukai		Cosmotology		30+1+11		-		-	0		1			YES THE SCHOOL STATE	VIN 180 SQ-METER	1
_			Welder Structural	Harrist.		1		-	-		-						_
	Soverment Industrial		Mochanic Diesel	2(1+1)00	2(3+3+0)			-			-	Vinctional 25046 an	Ver Starsh Milhin	Yes(Foral 4381 spm)	V(1) 19 mm)	уецій комі	Yes(30sgn
110	Training Institute,	G#24500422	Weider(Fabrication & Fithing)	3((+1,+))	3(1+1+1)	V						All Chici50a us 20	I TES (CHAP I HOKE)	Leafantan abot ablisi	yes(0), 2 sgm)	yes(30 sqm)	185(30593
119	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, JALALPOR	GU240((809B	Electrician	1300-3	11049-11	Eluctricion	2(1+1+0)	20	20	20	16	yn Land (1000) s	reinoul COSCW	Ves(Fotal-2368.9 sgr	Ves (98 sqm)	Yes (56 64 sqm)	Yes(00 sun
120	INSTITUTE HARDEN	G1124900413	Computer Operator And Programming Assistant	7(3+1+0)	2(1+)+01	Computer Operator And Programming Assistant	3[1+1+1]	51	51	is	75.	on Lann (102)= (Yes ifotal 99 kw	Yes(Total 6297 sqin	Yes (92 25 sqm)	Yes (30 sgm)	Yes(40.61 sr
121	HISTOTUSE, MANDON	GUZ4090496		2(111+0)	54 F + 2 +00);							Own Card (4500 se	Yes (Fotal 65 kw) res (Total: 159,4 sqm	Yes (119 43 sqm)	Yes (40 sqm)	Yes (27 so)
122	GOVERNMENT		Programming Assistant	39273458	3{1+1+1}							lyn Land (4000) sa	Yes (Total-40 kw) es [Total-2348 B3 sq	Yes (100 84 sqm)	Yes (29.95 sqm)	Yes (100 84
12.6	INSTITUTE	1	Severa Technology	3(1)1+11	3(1+1+1)										Yes (118 9 sqnd	971 (32.53 990)	
			Attendant operator(Chemical Plant)	11441-11	3(1-1-7)	Attendant operator(Chemical Plant)	6(2+2+2)	7B		48					Yes(S10 sam)	Yes (30 sqm)	
			Computer Operator And Programming Assistant	101-1-10	3(1+1+1)	Consuler Operator And Programming Assistant	3(1+1+1)	78		77					Yes(140 sqin)	Yes (30 sam)	
	GOVERNMENT		Hecrocon	2001349	2[0+1+1]	Gecrocian	3(1+1+1)	39		2G					Pest 392 sansi	Yes [30 rgm]	
123		GR2400040S	Fitter	3,00 1+1	2(0+1+1)	Filter	5(2+2+1)	21	405	69	108	Own triad(9712			Weig264 laying	Yes (30 agm)	Yes (30 se
12.	INSTITUTE, PARDS	0 002/200/03	Instrument Mechanic(Chemical Plant)	2(0+1+1)	2(0+1+1)	Instrument Mechanic(Chemical Plant	2(1+1+0)	21		10		scius}	KW;	sqm)	Budgett Approl	Yes (30 sqm)	
			Laboratory Assistant(Chemical Plant)	=303+3+0	310+340)	Tanoratory Assistant (Chemical Plant)	3(14111)	21		37					Yes(192 sqm)	Yes [30 sam]	
			Weider	15/1/17/0	200-140)	Stelder	3[[4:1+3]	6.3		A.					Yest 126 search	74+150 spm1	1
			Wirkgian	200111		Wiremail	6(10202)			40					Yes(268 ound	Yes (30 sam)	
			Otter	1331010		fater	3(1+1)1)			20					Yes 206 mont	Yes 1.22 sumj	
	GOVERNMENT	1	Hoching (173-0-9		Electriclas	38141743			50					Yes t 1.96 varm)	Ves 1.76 sning	
12	4 INDUSTRIAL TRAINING	GR24000423	Wireman	M54143	RECEI	Witeman	Histell		168	25	127	en Landi 19494	to all Torals 60 %!	W Yes Total 2659 up		Yes [72 1000]	Yes [34] s
	INSTITUTE, OLPAD		Machinelle Misson Vehicles	Different	Housell 1	Mechanic Motor Vehitle.	2[1+1+0]			201					Yes i 210 sqnil	Yes E Hi (qm)	
			Medicini, (Hebri	[(((((())))	100(004)	Mechanic Diesei	201100	42		42					Yes (210 sym)	Xes.E.Mt.samb	
	GOVERNMENT		Computer Operator And Programming Assistant	3(11)33	3(1+1+1)	Computer Operator And Programming Assistant	3{1+1+1	78	163	72		Lun Landis 174	Parel Variation 2000	Albine (Tatal - 5105	Yes(99 sqm)	Yes (10 zqm)	10 m (200 -
12	S INDUSTRIAL TRAININ		Programming Assistant	3(44)31					160	72 6	112	Jern Lond(\$46k <	ser Yes(Total = 76X)	Wijes(Total = 1182 sq.		Yes (20 zqm)	Yes (30 s
			Programming Assistant		0): 1(1+0+0)	Programming Assistant		19.	100		112	lwn Land(S56k «	ser*Yes(Total = 76K)	W) res(Total = 1182 sq.	70		Y € 3 (30 si

Junilh





I.	ITI's Name	State	MIS Code/	Govt ITIs in	Pvt ITIs in	Inspected Date
0.			Application Number	the District	the District	
	P.R.D.Pvt.ITI, Vill-Manikpur, Post-Alipur, Distt- Mainpuri, U.P205262	Uttar Pradesh	New	4.	22	20-08-2020
	Trades/Units sought for affiliation	IT1 Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms
	Fitter	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	Electrician 6(2+2+2) Fitter 6(2+2+2) Physiotherapy Tec. 3(1+1+1) HSI 3(1+1+1)	Yes	Required load 19.22 KW (available 20KW, with PF=0.9)	Yes
	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Eqipments	Staff Qualification & Documents
	Yes	Yes	Yes	Yes	Yes	Yes
	Remarks by Inspection Committee	Remarks by S	Scrutiny Committee	Rer	narks by Reco	mmendation Committee
	Recommended		KW (available 20KW, with PF=0.9) committee for decision.		cian 2(1+1)) 4(2+2)	







SI. No.	ITI Name & MIS Code	Deficiency observed at the time of inspection	Reply of the institute	Comments of State Directorate	Observations by the members of Joint Inspection Committee on
7	CPS, Pvt. IT! Litani Mod Prabhu wala Distt Hisar MIS CODE- PR0600029 3	1 Only two trade instructors and one accountant were present in the ITI whereas a list of 14 staff was submitted during the recently held grading inspection. 2 No staff attendance register was produced 3. Forgery in the trainees attendance register was found. 4 Very less physical presence of trainees were found like only 11 trainees of session 2018-19 were found present against enrolled 182 and 6 trainees of session 2019-20 were found present against enrolled 45. 5. No Library was maintained in ITI.	1. In our ITI We have a total no. of 15 staff member is working. On the day of inspection two staff members and principle on leave and five staff members had gone on industrial visit with ITI Trainee at industrial Area Hisar and sector 27-28. 2. On the day of inspection our ITI Clerk and also gone on industrial tour with ITI Trainees and Staffs. On the day of Inspection, when team told our staff member to show the staff attendance register, and our staff member replied to the inspection team, that he will show it after only 45 minutes because our clerk was not present here but after 10 minutes inspection team left the ITI. 3. There are above 150 trainees are registered on MIS PORTAL, but only 100 trainees are pursuing their course and the remaining trainees have left the course, that's why the inspection team misunderstood it as a forgery. Only one trade Trainees Attendance Register was shown on the time of inspection because the clerk was not present on the day on inspection. In that register there was no forgery and attendance were complete till the day of inspection. 4. On the day of Inspection our ITI Electrician and Radiology Technician Trainee had gone on Industrial and medical Visit to Hisar, A part from these trades only 34 Trainee are enrolled and 25 of them were present in ITI at the time of inspection. 5. In our ITI we have maintained a proper library, but on the day of inspection team did not visit our ITI Library.	1. Institute didn't inform about Industrial visit to the Inspection team on the date of inspection Moreover, as per DGT, Govt. of India syllabus. There is no such type of schedule has been described in that duration of training. 2. Institute could not produce any type of record. This is baseless excuse that they requested to inspection team to produce the same in 45 minutes 3. Registration of Trainees on MIS Portal is not clarification about regular institute. Inspection report clearly shows that the institute is adopting non-attending culture. 4 Institute didn't inform about Industrial visit to the Inspection team on the date of inspection Moreover, as per DGT, Govt. of India syllabus There is no such type of schedule has been described in that duration of training 5. Inspection team informed that there was no Library so, it was the duty of institute to inform about the same at the time of inspection. It shows it is baseless excuse.	Electrician: 1. Approximate 2% shortage in availability of hand tools. 2. Motor generator set AC to DC found not working properly. Oil testing machine not working properly. Plumber: 1. Pipe bending machine found out of order. 2. 05 nos. screw driver 250mm found short. Fitter: 1. Tool Machinery and space available only for 02 Units (1+1) 2. One Lathe Machine not working properly. Mechanic Diesel: 1. Approximate 3% shortage in availability of hand tools. 2. Hose pipe of portable air compressor not available. Radiology Technician: 1. X-ray machine was out of order. Other Observations: • Fiooring of class Rooms and IT Lab is not of good quality. • Writing boards in some class Rooms were small in size and not of appropriate quality. • There was no proper lighting arrangement in Works

Junil De

JBDM Pvt. ITI, VPO Saral, Distt. Bhiwani.

> (MIS Code PR0600021 6):

- Trainees: As per enclosed documents or picture the institute was locked and no trainee of any trade was found present on the date of inspection.
- ii. Staff: No staff member was available on the date of inspection.
- Store: Store has not been maintained which shows no raw material is being purchased so that no practical training is being imparted in the institute.
- Computer Lab: -Computer system was not available. Hence, there is no lab.
- v. Workshop: In workshop no practical training is being imparted in the institute as the machinery has been kept in single room.
- Electric Power: -No document has been produced.
- Theory Room: -No theory room was available. School is being run in the premises.

Trainees

In our ITI Eighty Trainees are admitted in different trades. In the day of inspection Fire Technology and Industrial Management and Mechanic Diesel Trainees was going for Industrial Visits at Hisar Distt Auto Market, Apart from these trades 20 trainees of Basic Cosmetology and Sewing Technology trades are present but sir assessment team stay only fifteen minutes in ITI so that assessment team checks only office and two class room in the day of inspection.

2. Staff

In our ITI we have managed ten instructors for theory and management. Four members are going for industrial visit on Hisar Auto Market and Three are on live and other was present on the day of assessment.

3.Store

Assessment team checks our ITI store form outside. In this store we have put the extra tools and equipment. We have raw material time to time for practical work.

4. Computer lab

We have a computer lab with ten computer and wifi internet facility. Assessment team was not visit our computer lab.

5. Workshop

We have separate workshop for each trade but sir in fire technology and industrial safety trade no demand of workshop so that we put all tools and equipment of fire technology and industrial safety trade in a room.

6. Electrical power

In this time, we have an electrical connection with 18 KW load.

7. Theory room In our IT we established

1.Trainees

No trainees were présent. No Attendance Register record was produced. No information about industrial visit was shared and

communicated by head of the institute, it is mere their afterthought.

2. Staff No staff was present and no

attendance register of staff was produced to sign.

3. Store

No store has been maintained in PITI reflects no raw material. was purchased for training. No store related records were produced.

4. Computer lab No Computer/ IT lab was available in PITI.

5. Workshop

No workshop and no trade wise machinery was available in PITI instead ITI tools were locked in space below staircase. Picture were enclosed for reference.

6. Electrical Power No record of electric power was produced. There was no Generator and no record of generator running hours and Diesel consumed was produced.

7. Theory Room

No Theory rooms were available instead ITI building is used as school premises.

8. Attendance Record No attendance register record was produced for staff and

Committee visited the JBDM Private ITI, VPO Saral, Distt. Bhiwani on dated 27,11,2020 and 1.12.2020 no authority found in the campus. When contacted telephonically representative of the institute did not take interest in putting the documents related to inspection to the committee. The representative of the ITI did not presented their self in front of committee. This shows that this Institute is no more interested in running the course sanctioned by DGET Delhi, Govt. of India and Govt. of Haryana.






			total four theory room for trainee's theory classes of each Trade. 8. Attendance record. On the day of assessment, we were showing the trainees attendance registrar to assessment team. Assessment team has not asked us for instructor attendance record. 9. Placement Record. Our placement cell instructor also going for industrial visit at Auto Market Hisar and assessment team has not asked us for placement record. 10. CCVT Camera & Biometric Machine In our ITI we install bio metric attendance machine for trainees and CCVT Camera But sir our ITI CCVT Cameras are not worked properly.	trainees. 9. Placement Record No placement record was produced. 10. CCTV Camera & Biometric Machine. No CCTV cameras and no Biometric Machine were installed in PITI	
3	Saheed Bhagat Singh, private ITI, Vill. Allika Teh. & Distt. Palw al (MIS Code PR0600024	As per inspection report on the date of inspection the institute was locked. It has also been observed that no official/ Officer/Chowkidar of the institute was present. Only one old lady (perhaps mother of the owner of the institute) was present in the residence built in the front courtyard of the institute. No trainees were available in the premises of the institute and it seems that institute is totally non-attending. Moreover, it is also submitted that the said institute was inspected	We filed a CWP- 8868-2020 in the Hon'ble Punjab and Haryana High Court Chandigarh against the said letter no. T4/Inspection/pvt.iti/2019-20/Trg-III/Part-I/7176 date 11-06-2020. The CWP was decided in our favour on 30-06-2020. The copy of order is attached here with. As per order we are permitted to file a representation to the Director Skill Development & Industrial Training Department of Haryana within seven days after disposed of the petition. The representation was sent to Director Skill Development & Industrial Training Department of Haryana (alihary ana@gmail.com) via email id rahulmalik006@gmail.com on 07-07-2020 15:43 with in time as per the order of the Hon'ble Punjab and Haryana High Court , so please cancel the show cause notice.	Speaking order w.r.t. this ITI has been already passed vide orders dated 25.08.2020 by Worthy DGSDIT after giving personal hearing to this ITI owner on dated 5.08.2020. A copy of the orders may be sent again to the DGT for necessary action.	Biometric records/attendance were not available. Staff attendance register and student attendance register, staff salary disbursement details not available on the day of inspection. Raw material consumption and placement record of passout students were not available on the date of inspection.





	discrepancies was observed. In respect to these discrepancies department has already informed DGT, Govt. of India. After receiving this information DGT, Govt. of India has issued show cause notice to the concerned institute.			
4. Sanska Fire & Safety, Pvt. ITI, Sidharwali, Gurugram MIS Code PR0600030 8	i. Trainees: - No trainee of any trade was found present on the date of inspection but only 10 students have been marked present in various trades. Remaining column of students are kept blank. ii. Staff: - Only 3 instructor out of total staff (Supervisior, Technical, Ministrial) were available. Leave record of absent staff has not been supplied. Moreover, as per record there is no vacancy it clearly shows fake record is being	1. Trainee: All the trainees are sent on training for practical knowledge in the company. Due to which the register was not complete and the remaining 10 trainees could not go due to "Lohri and Makar Sankranti". Hence the allegation not proved. 2. Staff: As mentioned in your letter, only 3 staff were available during inspection, which is not proved. During the inspection all the staff was available in the institute except 3 staff. The 3 staff, who was not available during the inspection, took telephonic leave, due to which the institute could not show their leave application. A leave application form is attached. Hence the allegation made is not proved. The instructor of F.T.I.S.M Mr. Prahlad Singh have fulfilled their qualification as well as he has 36-year experience from Indian Navy and completed various fire training course from Indian Navy Institute and his document are attached, hence the allegation made is not proved. 3. Store: Some bills could not be entered in the stock register due to	1. No student of ITI was present at the time of surprise Inspection. Although the institute has good building, tool and Machinery, but whole infrastructure was found not being utilized for training purpose. There was no information available with the present staff about the industrial visit of trainees at the time/day of inspection and the plea taken now is baseless and fabricated. Actually the courses related to Deck Cadets related to Ministry of Shipping are running in this building. Seven videos recorded during inspection are attached herewith, which narrates the true ground level reality. Industrial visit is merely an excuse so that the issue in respect to adoption of non-attending culture may be diverted. 2. Three officials were only	 Biometric machine is found installed in institute premises but presently suspended due to COVID 19. Out of total staff strength of 12, Salary of only 4 employees are being disbursed by bank transaction. Trainees present on the day of inspections were quite less(only total 9 trainees were present), It was appraised by the institute that keeping in view the situation arise due to COVID 19, online classes are being conducted to the remaining candidates. On the date of inspection total 8 officials out of 12 were present. D-registers/Bills have been verified and it has been found that procurement is not as per norms. Raw material Bills are found







prepared,

iii. Store: - Store
has not been
maintained which
shows no raw material
is being purchased so
that no practical training
is being imparted in the
institute.

iv. Computer
Lab:- Lab is being used
as mess for the hostlers
admitted in course of
shipping operations.

v. Workshop: In workshop all
Machinery is in
polythene packing so
that no practical training
is being imparted in the
institute. Area of HSI
workshop is short.

vi. Theory
Room: -Theory room
has been converted into
hostel. About 50
students of shipping
courses are residing in
institute. Therefore,
institute is completely
non-attending in nature.
vii. Attendance
Record: -Blank column
of attendance register's

student training. Raw material is procured according to training criteria. Hence the allegation made is not proved.

4. Computer lab: Computer lab is available for the ITI student in a systematic way. Therefore, the charge levied is not proved and photo of computer lab is attached for your convenience.

5.Workshop: Due to being a rural area and the surrounding agricultural land, due to the dust, the machinery can be damaged, hence the machinery are covered with polythene after the use by the students as per the requirement and the job work form D created by the students is attached for your reference. Any type of activity such as mesh should not be performed in the fitter lab. The lab is well equipped and fully functional, hence the allegation made is not proved.

The area of Health Sanitary Inspector lab is full as per rules, so this charge is not proved; the map of the building is attached for your convenience.

6. Theory room: Under the social responsibility, 50 students are provided free firefighting short-term course by the institution and the institute has additional rooms, of ITI, the same rooms are used, the map of the building is attached for your convenience. Therefore, the allegation made is not proved.

7. Attendance Record: All the students had gone to various places for training the students. The Registers have been completed as per the attendance records received from the establishments and show cause notice for negligence in their duty was issued

present and attendance of others is fake, as observed during the inspection. Shri Prahlad Singh is looking after the shipping related course in this ITI building.

3. No store was available and plea taken is fabricated. No trainees, no training as no raw material is consumed.

4. Computer Lab is being used for I.T. training of Deck Cadets.

5. M&E of all trades is lying wrapped in polythene sheet and is totally unutilized. Fitter workshop is converted into Mess for deck candidates. Video attached is evidence.

6. Class rooms have been converted into hostels. Video attached is evidence.

7. As per DGT norms institutions premises cannot be shared. Moreover, Institution itself accepted that 50 students of firefighting course are getting training in ITI campus.

8. Placement record should be produced to inspection committee if the same was available then it must be shown to the committee on the date of inspection.

Summary: Although the Institute has good infrastructure, but it is not being used for skill training under CTS, all CTS/ITI trainees are non-attending, most of the staff is non-attending and the institute is

without GST No. & Bill no.)

 On the date of inspection, no evidence has been found regarding computer lab / workshop/ Theory room to be utilized for any other purpose. (Undertaking for the same has also been furnished by the Institute.)

 Placement record has been found incomplete and need to be maintained properly.

• On the date of inspection there was no evidence found regarding using the Institute for shipping operations courses, However keeping the seriousness of this issue and COVID 19 situations, it is recommended to have further scrutiny/ watch for any such activity.





		photocopy of viii. students/staff shows fake record is being prepared, ix. Placement Record: -No placement record has been maintained.	to them by the staff, and proper disciplinary action has been taken against them. 8. Placement Record: The placement record of the students of session 2016-17, 2017-18 is attached; the result of the students of session 2018-19 is late and flawed. The placement has not been done due to nationwide Lockdown. Hence the allegation made is not proved. No reply has been received.	running Deck Cadet courses (related to shipping), which is illegal as per DGT norms. Total seven videos attached as evidence. The shortcoming mentioned in the Inspection report are true which have been intimated to the ITI vide letter dated 11.06.2020. The ITI has absolutely no infrastructure for any trade. Non-attending culture has been adopted.	
F E F F	Chaudhary Pvt. ITI, Bahal, Distt Bhiwani MIS Code PU0600020	Trainees: - As per enclosed documents or picture the institute was locked and no trainee of any trade was found present on the date of inspection. Moreover, no record has been produced. ii. Staff: - No staff member was available on the date of inspection Moreover; no record has been produced. iii. Store: - Store has not been maintained which shows no raw material is being purchased so that no practical training is being imparted in the institute. iv. Computer Lab: - No computer lab	Institution informed that they have declared restricted holiday on the eve of Maharishi Dayanand Saraswati birthday on dated 18-02-2020. Therefore, staff / students were not present in institute that was the reason due to which they could not submit their record to the inspection team. Institution also submitted that they are following DGT norms complete in all respect.	1. NO Trainees were present. No attendance Register record was produced. 2. No staff was present and no attendance register of staff was produced to sign. 3. No store has been maintained in PITI reflects no raw material was purchased for training. No store related records were produced. 4. No Computer/ IT lab was available in PITI. 5. No workshop and no trade wise machinery was available in PITI instead ITI tools were locked in space below staircase. Picture was enclosed for reference. 6. No record of electric power was produced. There was no Generator and no record of generator running hours and Diesel consumed was produced. 7. No Theory rooms were available instead ITI building is used as school premises. 8. No attendance register record was produced for staff	Defects and deficiencies noticed: nil Recommended for continuation of existing affiliation of Electrician 4(2+2).







				and trainage	
		was available. v. Workshop: - In workshop no electric connection so that no practical training is being imparted in the institute. vi. Electric Power: - No document has been produced. vii. Theory Room: - No theory room was available. viii. Attendance Record: -Attendance record has not been		and trainees. 9. No placement record was produced. 10. No CCTV cameras and no Biometric Machine were installed in PITI 11. Institute did not inform any such type of declaration about restricted holiday. Moreover, there is no provision for such type of declaration.	
		produced. ix. Placement Record: -No placement record has been produced. x. CCTV Cameras/No Biometric Machine: - No CCTV Cameras/Biometric has been installed.			
6.	Swastik Pvt. ITI, Tosham Distt. Bhiwani MIS Code PR0600029	i. Trainees: - As per enclosed documents or picture the institute was locked and no trainee of any trade was found present on the date of inspection. ii. Staff: - No staff	No reply There is Staff attendance register available in institute and the attendance of staff is also being marked through biometric machine. On the date of inspection some of the staff members along with trainees went to industries. Store is available in our institute inspection team did not visit in our store.	1.Institute did not submit any clarification about the presence of trainees. 2. As per inspection report no staff was available. Thus by this time such type of statement is baseless. 3. As per inspection report there was no store in the institute if It was maintained then the institute should	Defects and deficiencies noticed: nil Electrician 4(2+2) & HIS 2(1+1) is recommended for continuation of affiliation on granted in 2016







member was available on the date of inspection.

iii. Store: - Store
has not been
maintained which
shows no raw material
is being purchased so
that no practical training
is being imparted in the
institute.

iv. Computer Lab: -12 Computer andfurniture was availablebut no software hasbeen installed.

v. Workshop: workshop was available.

vi. Electric Power: -As per DGT norms electric load is available.

vii. Theory Room: -Theory room was available.

viii. Placement Record: -No placement record has been produced.

ix. CCTV
Cameras/Biometric
Machine: - No CCTV
Cameras/Biometric has
been installed.

has per norms.

- 5. Library is being maintained along with NIMI pattern books.
- 6. Workshop and machinery as per norms which was observed by inspection team.
- 7. Electric load/ power load is complete as per norms.
- 8. Placement facility is available but there is no separate cell.
- 9. CCTV Camera and biometric machine are available.

inform the inspection team for the same.

- 4. As per inspection report there was no IT lab and computer lab in the institute if the same was maintained then the institute should inform the inspection team.
- 5. As per inspection report there was no library in the institute if It was maintained then the institute should inform the inspection team for the same.
- 6. Workshop was available but the institute was adopting non-attending culture.
- 7. Admitted
- 8.No placement record was produced.
- 9. At the time of inspection no CCTV camera and biometric were there

Junib



CI Mas	ITI's Name	State	MIS Code	Grading	Affiliation	Existing Trade	Affiliated
PP'MO'	tti s name		Application Number	Grading	Year	Existing Trade	Units
1		Himachal	PR02000211	3.18	2014	Electrician (NSQF)	9(3+3+3)
	<u>Takshila Private ITI,</u>	Pradesh			&		
	Near M.L.S.M College Sundernagar,			1	2018		
	DISTRICT-MANDI, HP- 175018						
	Trades/Units sought for	ITI Proposed	Units	Student enroll in	1	Student enroll in 2019-20 session with	Total stud
	affiliation	Units	recommended by	2018-19 session	student	Trade wise	enrolled
			SCI	with Trade wise	enrolled in 2018-19		2019-2
	Electrician (NSQF)	3(1+1+1)	3(1+1+1)	Electrician	63	Electrician =	120
				(21+0+0)		(0+0+20+20)	
				(21+0+0)		(0+0+20+20)	
				(21+0+0)		(0+0+20+20)	
	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing I
	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Avilability of Machinery, Tools & Eqipments	Staff Qualification & Documents	Remarks by Standing Committee	Remark by Scrut	iny Committee	Remark By Recommendation Committee	Inspected Date
	Yes	Yes	Recommended	ITI needs to upgrade to 4 trades for the session 2021.			07-10-
						Since ITI is more than 5 years old, it	
						needs to have 4 or more trades for affiliation by session 2021.	



By Speed Post

DGT-Daff/69/2019- O/o DIR (TC) (Uttar Pradesh) Government of India Ministry of Skill Development and Entrepreneurship **Directorate General of Training**

Employment Exchange Building, 1st floor, Pusa, New Delhi, Dated: 13.11,2020

To,

The Director, Department of Employment and Training, Guru Gobind Singh Marg, Lucknow, Uttar Pradesh - 226004

Sub: De-Affiliation of 101 Private ITIs/Trades/Units of Uttar Pradesh

Sir,

With reference to this office letter of even no., dated 23.10.2020 vide which a 101 nos. of ITIs were recommended for de-affiliation, it is learnt that some procedural steps (as per directions & judgment dated 21.10.2019 passed by the Hon'ble High Court of Delhi in the matter of a bunch of writ petitions lead matter WP no. 5051/2019 titled Greater Valley Private ITI v/s DGT) had been missed out inadvertently.

2. Accordingly, as decided by the Competent Authority the order of de-affiliation dated 23.10.2020 is being hereby revoked qua the following litigant institute only:-

SI.	WP no.	DGT MIS	State	Name of Private ITI
No		Code		
1	5111/2019	PR09000924	Uttar Pradesh	Ram Swaroop Private ITI, RatiKaNagla, Hathras- 204212, Uttar Pradesh.
2.	4848/2019	PR09900138	Uttar Pradesh	Janhit Private ITI, VILLAGE and POST - PISAWA TEHSIL - GABANA, Pin-202155, Aligarh, Uttar Pradesh
3_	4936/2019	PR09900249	Uttar Pradesh	Gagan Private ITI, Vill GABHANA, Post — GABHANA, Tehsil — GABHANA , Distt. —ALIGARH, UP - 202136
4.	5152/2019	PR09900287	Uttar Pradesh	SHRI RADHA KRISHNA PRIVATE ITI, VILLAGE RAJPUR POST RAJPUR KHAIR, Pin-202141, Aligarh, Uttar Pradesh
5	5051/2019	PU09900365	Uttar Pradesh	Greater Valley Private JTI, Najibabad -246763, Uttar Pradesh.
6	5657/2019	PR09001664	Uttar Pradesh	Shagun Private ITI, Gorakhpur-273001, Uttar Pradesh
7	5852/2019	PR09900225	Uttar Pradesh	Jay Bajarangbali Private ITI, Sointha, Jaunpur- 222161, Uttar Pradesh
8,	5980/2019	PR09900483	Uttar Pradesh	National Private ITI, Vill-parnaigopalpurchauaha, post-gopalpur, Gorakhpur-273009, Uttar Pradesh









This would be placed before the Recommendation Committee DGT in its ensuing meeting, for ratification. Apart from above if any other court case filed by the ITI please intimate to this Directorate immediately.

yours faithfully

(Sunil Kumar Gepta)
Director of Training

Email: sunil.gupta67@nlc.in

Copy to:-

- Sr PPS to DG/AS, DGT.
- 2. Sr PPS to DDG (Affiliation)
- All corned ITIs
- The officer dealing with NCVT MIS Portal to update the data.
- Concerned File

Joint Director of Training E-mail-: ravi.chllukotl@nic.in

Suniloz

\$~17 to 24 & 26 to 59

* IN THE HIGH COURT OF DELHI AT NEW DELHI

+ W.P.(C) 5051/2019 & CM APPL. 22361/2019

GREATER VALLEY PRIVATE ITI

...Petitioner

versus

DIRECTORATE GENERAL TRAINING

...Respondent

W.P.(C) 5066/2019 & CM APPL. 22449/2019

RAJANSHREE PRIVATE ITI

...Petitioner

versus

DIRECTORATE GENERAL TRAINING

....Respondent

W.P.(C) 5076/2019 & CM APPL. 22543/2019

PARVATI PRIVATE ITI

...Petitioner

versus
DIRECTORATE GENERAL TRAINING

...Respondent

W.P.(C) 5079/2019 & CM APPL. 22548/2019

ETAH PRIVATE ITI

...Petitioner

versus

DIRECTORATE GENERAL TRAINING

...Respondent

W.P.(C) 5105/2019 & CM APPL. 22591/2019

VIKASH KENDRA PRIVATE ITI

...Petitioner

versus

DIRECTORATE GENERAL TRAINING

...Respondent

W.P.(C) 5106/2019 & CM APPL. 22592/2019

SHADABAD PRIVATE ITI

...Petitioner

versus

DIRECTORATE GENERAL TRAINING

...Respondent

W.P.(C) 5107/2019 & CM APPL. 22593/2019

PTN.R PRIVATE ITI

...Petitioner

...Respondent

Versus

DIRECTORATE GENERAL TRAINING

W.P.(C) 5111/2019 & CM APPL. 22597/2019

RAM SWAROOP PRIVATE ITI

Petitioner

versus

DIRECTORATE GENERAL TRAINING

W.P.(C) 5051/2019 & Conn.

...Respondent

Page Lof 8

Sunibo

Short

W.P.(C) 4586/2019 & CM APPL. 20423/2019 SARASWATI PRIVATE ITI	Petitioner
DIRECTORATE GENERAL OF TRAINING	Respondent
W.P.(C) 4641/2019 & CM APPL. 20634/2019 JAMUNA DEVI PRIVATE ITI versus	Petitioner
DIRECTORATE GENERAL OF TRAINING	Respondent
W.P.(C) 4649/2019 & CM APPL. 20648/2019 LORD SHIVA PRIVATE ITI versus	Petitioner
DIRECTORATE GENERAL OF TRAINING	Respondent
W.P.(C) 4666/2019 & CM APPL. 20700/2019 SAHVIR MAHTO PRIVATE ITI versus	Petitioner
DIRECTORATE GENERAL OF TRAINING	Respondent
W.P.(C) 4669/2019 & CM APPL. 20705/2019 BANI SINGH SIKARWAR PRIVATE ITI versus	Petitioner
DIRECTORATE GENERAL OF TRAINING	Respondent
W.P.(C) 4774/2019 & CM APPL. 21291/2019 ROHTASH PRIVATE ITI versus	Petitioner
DIRECTORATE GENERAL OF TRAINING	Respondent
W.P.(C) 4819/2019 & CM APPL. 21461/2019 GAUTAM BUDH PRIVATE I.T.I versus	Petitioner
DIRECTORATE GENERAL OF TRAINING (DGT) Respondent
W.P.(C) 4837/2019 & CM APPL. 21534/2019 TAGORE PRIVATE ITI versus	Petitioner
DIRECTORATE GENERAL OF TRAINING	Respondent

W.P.(C) 5051/2019 & Com

38

Page 2 of 8

W.P.(C) 4848/2019 & CM APPL. 21560/2019 JANHIT PRIVATE ITI	Petitioner
versus DIRECTORATE GENERAL OF TRAINING (DGT) Respondent
W.P.(C) 4850/2019 & CM APPL. 21562/2019 L.R. PRIVATE ITI	Petitioner
DIRECTORATE GENERAL OF TRAINING	Respondent
W.P.(C) 4853/2019 & CM APPL. 21567/2019 TIRUPATI PRIVATE ITI versus DIRECTORATE GENERAL OF TRAINING	Petitioner Respondent
W.P.(C) 4854/2019 & CM APPL. 21568/2019 G. L. PRIVATE ITI versus DIRECTORATE GENERAL OF TRAINING	Petitioner Respondent
W.P.(C) 4860/2019 & CM APPL, 21591/2019 VANSHIKA PRIVATE ITI versus DIRECTORATE GENERAL OF TRAINING	Petitioner
W.P.(C) 4936/2019 & CM APPL. 21924/2019 GAGAN PRIVATE I.T.I versus DIRECTORATE GENERAL OF TRAINING (Petitioner DGT) Respondent
W.P.(C) 4939/2019 & CM APPL. 21928/2019 NANH KUNWAR PVT. I.T.I versus DIRECTORATE GENERAL OF TRAINING (Petitioner DGT) Respondent
W.P.(C) 4957/2019 & CM APPL. 22059/2019 RAM SAKAL SINHA PVT. I. T. I versus DIRECTORATE GENERAL OF TRAINING (Petitioner DGT) Respondent

Smilken

W.P.(C) 5051/2019 & Conn.

00

39

Page 3 of 8

W.P.(C) 5152/2019 & CM APPL. 22868/2019 SH. RADHA KRISHNA PVT. ITI versus	Petitioner
DIRECTORATE GENERAL OF TRAINING (I	OGT) Respondent
DADA DAGIMI SHAGILI MATARISTA	Petitioner
DIRECTORATE GENERAL OF TRAINING	Respondent
W.P.(C) 5435/2019 & CM APPL. 23854/2019 A. K. PVT. I.T.I	Petitioner
DIRECTORATE GENERAL OF TRAINING	Respondent
W.P.(C) 5440/2019 & CM APPL. 23887/2019 SWAMI VIVEKANAND PVT. I.T.I	Petitioner
versus DIRECTORATE GENERAL OF TRAINING ((DGT) Respondent
W.P.(C) 5563/2019 & CM APPL. 24480/2019 PANDIT BRAHMDEV PVT. ITI versus	Petitioner
DIRECTORATE GENERAL OF TRANINIG	(DGT) Respondent
W.P.(C) 5570/2019 & CM APPL. 24536/2019 SMT. RESHAM DEVI PVT. ITI versus	Petitioner
DIRECTORATE GENERAL OF TRAINING	Respondent
W.P.(C) 5592/2019 & CM APPL. 24585/2019 BALAJEE PRIVATE ITI	Petitioner
versus DIRECTORATE GENERAL OF TRAINING	Respondent
W.P.(C) 5648/2019 & CM APPL. 24786/2019 DIXIT PRIVATE ITI	Petitioner
versus DIRECTORATE GENERAL OF TRAINING	(DGT) Respondent

IV.P.(C) 5051/2019 & Conn.

Page 4 of 8

Synilor

w

W.P.(C) 5657/2019 & CM APPL, 24825/2019 SHAGUN PRIVATE ITI Petitioner versus DIRECTORATE GENERAL OF TRAINING (DGT)..... Respondent W.P.(C) 5662/2019 & CM APPL. 24855/2019 C. C. S PRIVATE ITI Petitioner versus DIRECTORATE GENERAL OF TRAINING (DGT).... Respondent W.P.(C) 5763/2019 & CM APPL, 25097/2019 RAJASTHAN PRIVATE ITI Petitioner DIRECTORATE GENERAL OF TRAINING Respondent W.P.(C) 5852/2019 & CM APPL. 25524/2019 JAY BAJARANBALI PRIVATE ITI Petitioner versus DIRECTORATE GENERAL OF TRAINING Respondent W.P.(C) 5980/2019 & CM APPL. 25855/2019 NATIONAL PRIVATE I.T.I THROUGH: ITS AUTHORIZED SIGNATORY PREM SHANKAR YADAV Petitioner versus DIRECTORATE GENERAL OF TRAINING (DGT)..... Respondent W.P.(C) 6005/2019 & CM APPL, 25940/2019 VIKAS PRIVATE I.T.I THROUGH: ITS AUTHORIZED SIGNATORY SUNSHIL KUMAR SHARMA Petitioner versus DIRECTORATE GENERAL OF TRAINING (DGT)..... Respondent W.P.(C) 6121/2019 & CM APPL, 26358/2019 GIDDA PRIVATE I.T.I Petitioner versus DIRECTORATE GENERAL OF TRAINING (DGT).... Respondent W.P.(C) 6129/2019 & CM APPL. 26398/2019 V.N.P. PRIVATE I.T.I Petitioner versus DIRECTORATE GENERAL OF TRAINING (DGT)..... Respondent W.P. (C) 5051/2019 & Conn.

Swild O



W.P.(C) 6277/2019 & CM APPL. 26861/2019 SIR GANESH DUTTA PRIVATE ITI Petitioner

versus

DIRECTORATE GENERAL OF TRANINING Respondent

W.P.(C) 6300/2019 & CM APPL. 26917/2019 NEEZAMIA PRIVATE ITI

..... Petitioner

versus

DIRECTORATE GENERAL OF TRAINING Respondent

Advocates:

Petitioners: Mr. Sanjay Sharawat, Adv. with Mr. Divyank Rana and Mr. Ashok Kumar, Advs.; Mr. Murari Kumar and Mr. Shobhit Kumar, Advs.

Respondents: Mr. Rahul Sharma, Ms. Jyoti Dutt Sharma and Mr. C.K. Bhatt. Adv. for UOI.

Mr. Praveen Kumar Jain, Adv.

Mr. Ranvir Singh and Mr. Himanshu Pathak, Advs.

Ms. Rashmi Bansal, CGSC with Ms. Niddhi Raman, Advs.

Mr. Gigic. George and Mr. Amit Sharma, Advs. for UOI.

Mr. Vikrant N. Goyal and Mr. Shoumendhu, Advs.

Mr. Amit Kumar and Mr. Abhishek Kr. Choudhary, G.P. for UOI

Mr. Amit Anand, Mr. Ramesh Kumar Shukla and Mrs. Manpreet Kaur Bhasin, G.P. for UOI.

Mr. Sanjev Uniyal, Sr. Panel Counsel with Mr. Vinod Tiwari, G.P. and Mr. Dhawal Uniyal, Adv. for UOI.

Mr. Anil Dabas with Mr. Santosh K. Pandey and Mr. Praveen Kumar, Advs. for DGT.

Mr. Gaurav Rohilla, Sr. Govt. Counsel for UOI.

Mrs. Awnish Ahlawat, SC for GNCTD with Ms. Laweena Arora and Mr. N.K. Singh, Advs.

Ms. Manisha Tyagi, Adv. for DDA.

Mr. Bhagvan Swarup Shukla, CGSC with Mr. Mukesh Kumar Pandey, Mr. Kavindra Gill and Mr. Murari Kumar Shukla, Advs.

Mr. Rahul Arya, Adv.

Mr. Vikas Mahajan, CGSC with Mr. Aakash Varma, Advs. for UOI.

Mr. Ripu Dhawan, CGSC with Ms. Aakanksha Kaul, Mr. Manek Singh and Mr. T.P. Singh, Advs.

Ms. Monika Arora, CGSC with Mr. Kushal Kumar, Adv. for UOI.

Ms. Barnali Basak, Adv. for GNCTD. W.P (C) 5051/2019 & Conn.

Page 6 of 8

Swiller

90°



CORAM:

HON'BLE MR. JUSTICE RAJIV SHAKDHER

ORDER

0/0

21.10.2019

- 1. It is not in dispute that in the captioned writ petitions challenge is laid to a decision taken by the Director General of Training (in short 'DGT') at its second meeting held on 28.3.2019.
- 2. At the said meeting, the concerned committee was required to consider various matters including the matter pertaining to de-affiliation of ITIs (i.e. the writ petitioners) as proposed by the State Directorates. This aspect is referred to against agenda item no.2.4 in the impugned minutes.
- 3. A perusal of the same would show that the concerned committee had received proposals for de-affiliation from the State Directorates of Bihar, Rajasthan and Uttar Pradesh. The concerned committee de-affiliated 301 ITIs out of a total of 546 proposals made in that behalf.
- 3.1 The writ petitioners before this Court are those ITIs which have assailed the decision of de-affiliation.
- 4. A plain reading of the impugned minutes would show that there are no reasons given as to why the ITIs i.e. the writ petitioners before me had been deaffiliated.
- 5. It is not in dispute that in each of these matters there is an interim order operating whereby the operation of the impugned minutes has been stayed.
- 6. Learned counsel for the DGT, who appears in the captioned matters, say that the impugned decision has been kept in abeyance by the DGT. I am told that this decision was taken on 11.06.2019. I am further informed by the learned counsel that the decision to de-affiliate the writ petitioners is being reconsidered,
- 7. Thus, having regard to the aforesaid circumstances, I am of the view that the best way forward would be to set aside the impugned decision and accord W.P.(C) 5051/2019 & Conn.

 Page 7 of 8

Synillo 2

Da



opportunity to the DGT to pass fresh orders after giving due opportunity to the affected party.

- 8. It is ordered accordingly. The impugned decision dated 28.3.2019 is set aside *qua* the writ petitioners before me. The DGT will revisit the matter whenever necessary.
- 8.1 Inspections will be conducted in case deficiencies are found followed by a show cause notice. Opportunity to file a reply will be given to the affected party. Personal hearing will be granted to the authorized representatives of the affected parties whereupon a speaking order will be passed separately for each of the affected parties.
- 9. Needless to add, the affected party, if aggrieved, will have liberty to take recourse to an appropriate remedy as per law.
- 10. The writ petitions are disposed of with the aforesaid directions.
- 11. Resultantly, all pending applications shall stand closed.

RAJIV SHAKDHER, J

OCTOBER 21, 2019 rb

W.P.(C) 5051/2019 & Conn.

Page 8 of 8

Smills

90

DGT-Daff/69/2019- O/o DIR (TC) (Uttar Pradesh) Government of India Ministry of Skill Development and Entrepreneurship Directorate General of Training

Employment Exchange Building, 1st floor, Pusa, New Delhi, Dated: 23,10,2020

To,

The Director,
Department of Employment and Training,
Guru Gobind Singh Marg, Lucknow,
Uttar Pradesh – 226004

Sub: De-Affiliation of 101 Private IIIs/Trades/Units of Uttar Pradesh

Sir,

With reference to this office letter of even no., dated 23.10.2020 vide which a 101 nos. of ITIs were recommended for de-affiliation, it is learnt that the matter of some of the ITIs are under sub-judice before the Court of Law wherein the Hon'ble Court has given interim relief to the petitioner ITI to the extent that no coercive action shall be taken against the petitioner till next date of hearing. The same has not even intimated by the State Government while forwarding the de-affiliation proposals. The name of such litigant ITIs is enlisted here-under: -

SI. No	WP no.	DGT MIS Code	State	Name of Private ITI	Remarks
1,		PR09000367	Uttar Pradesh	Smt. Ramdulari Private ITI, OLE MATHURA, Pin-281122	Sub-judice matter
		PR09002142	Uttar Pradesh	BS Private IT! VILL. & POST AJAUDA, Pin- VILL. & POST AJAUDA	Sub-judice matter
	42565 / 2019	PR09000450	Uttar Pradesh	Baba Harchand singh Private ITI, NEAR ATV NH2 PAWANKUNJ MATHURA, pin-281001	Sub-judice matter
		PR09001820	Uttar Pradesh	KD Private ITI, OLE, MATHURA, Pin-281122	Sub-judice matter
		PR09001311	Uttar Pradesh	Raya Private ITI, khirari raya, mathura, Pin-281204	Sub-judice matter
2.	18755/2019	PR09001929	Uttar Pradesh	Global Genius Private ITI, Kumher Road Sonkh Mathura-281123	Sub-judice matter
		PR09001419	Uttar Pradesh	Pt. Govind Ram Private ITI,Vill + Post Ral Mathura-281504	Sub-judice matter
3,	1443/2020	PU09001763	Uttar Pradesh	Dayanand Private ITI, MandiChauraha, Mathura- 281004	Sub-judice matter







4.	11263/2019	PU09001914	Uttar Pradesh	Dixit Private ITI, Rukmini Bihar, Post Krishna Nagar Mathura- 281004	matter
5	19228/2019	PR09900329	Uttar Pradesh	Thakur Shivpal Singh Private ITI, Sarai Jalal KervaKhera Etawah- 206242	

In view of above, the effect & operation of said de-affiliation order quo the aforesaid litigant institutes shall remain stayed until further directions in the matter.

Yours faithfully

(Sunii Kumar Gupta)

Director of Training Email: sunll.gupta67@nlc.in

Copy to:-

- 1. Sr PPS to DG/AS, DGT.
- 2. Sr PPS to DDG (Affiliation)
- 3. All corned ITIs
- 4. The officer dealing with NCVT MIS Portal to update the data.

5. Concerned File

(CH, Ravl)

Joint Director of Training E-mail-: ravi.chilukoti@nlc.in

wills of



Court No. - 54

Case: - WRIT - C No. - 42565 of 2019

Petitioner :- Smt. Ram Dulari Private Iti Oal District Mathura And 4 Others

Respondent :- State Of U.P. And 3 Others

Counsel for Petitioner: - Shariq Shamim, Prem Narayan Rai

Counsel for Respondent :- C.S.C., A.S.G.I.

Hon'ble Rajiv Joshi, J.

Memo of appearance filed on behalf of Ms. Deepmala Srivastava on behalf of respondent no. 3 & 4 is taken on record.

Heard counsel for the petitioners, Ms. Deepmala Srivastava for respondent no. 3 & 4 and learned standing counsel for the State respondents.

Counsel for the petitioners submits that against the orders impugned dated 22.10.2019 & 24.10.2019, Writ-C No. 38817 of 2019 has already been filed and hence the present petition may be connected with the said petition.

All the respondents are directed to file counter affidavit which four weeks. Rejoinder affidavit may be file within two weeks thereafter.

Connect and list with Writ Petition C No. 38817 of 2019.

Till then, no coercive action shall be taken against the petitioners.

Order Date :- 20.12.2019

SNT/

Spr



DGT-Daff/69/2019- O/o DIR (TC) (Uttar Pradesh) Government of India Ministry of Skill Development and Entrepreneurship Directorate General of Training

Employment Exchange Building, 1st floor, Pusa, New Delhi, Dated: 26.11.2020

The Director, Department of Employment and Training. Guru Gobind Singh Marg, Lucknow. Uttar Pradesh - 226004

Sub: De-Affiliation of 03 Private ITIs/Trades/Units of Ultar Pradesh

With reference to this office letter of even no., dated 22.10,2020 and 23.10,2020 vide which a 03 nos. of ITIs were recommended for de-affiliation, it is to inform that the hon'ble court as a passed the following direction:

"Having considered the submissions of learned counsel for the parties and fact that impugned orders contained in Annexure No.1 have been passed without considering the reply of the petitioners and without assigning any reasons and the concerned opposite parties are ready to review the matter, the impugned orders dated 22 10.2020 and 23.10.2020 contained in Annexure No.1 to the writ petition are hereby quashed and the comparent authority is directed to re-consider the matter afresh after considering the reply submitted by the positioners and additional reply in regard to constitution of Enquiry Committee, if any, submitted by the petitioners within a period of three days from today and to pass a fresh reasoned and speaking order in accordance with law within a period of one week thereafter and communicate to the peritioners forthwith tops quences shall follow accordingly as per law,"

2. In compliance to the court directions the matter is under review by DGT. Hence, the de-affiliation order dated 22.10.2020 and 23.10.2020 in respect of following ITIs, is hereby revoke with immediate effect till further

LHHIS:			2
WP na	DGT MIS Code	State	Name of Private PT
20069/2020	PR09900619	Uttar Pradesh	Sri Ram Chandra Private III. Beruganj Bazar Faizabad Uttrar Pradesh 224209
20069/2020	PR09001041	Uttar Pradesh	Kaushailya Devi Smarak Private ITI, Ram Nagar Amawa Sufi, Faizabad Distt, Faizabad Uttar Pradesh 224121
20069/2020	PR09001830	Uttor Pradesh	Tribhuwan Pvt. ITC, Village Gopalpur Post Ahirauli AmbedkarnagarUtttar Pradesh 224157

This would be placed before the Recommendation Committee DGT in its ensuing meeting, for ratification.

Yours faithfully

Director of Training

Email: sunil.gupta67@nic.in

The officer dealing with NCVT MIS Portal to update the data

1. 11 n

Joint Director of Training

DGT-Aff011(51)/2/2019-0/o DIR (TC)(UP) Government of India Ministry of Skill Development and Entrepreneurship Directorate General of Training

Employment Exchange Building 1st floor, Pusa, New Delhi Dated: 23,10,2020

The Director, Department of Employment and Training Corn Cobind Singh Marg, Lucknow, Utta: Prodesi ~ 226004

Sub: De-Affiliation of 03 Private FFIs/Trades/Units of Uttar Pradesh

In partial modification to DGT letter dated 22.10.2020 and with reference to the letter on 153/2f-3/0.9/8i. DGT-60/2019 dt. 18.02.2020 from the Director. Stare Director. Department of Employment and Training, Gurn Gobind Singh Marg, Lucknow. Utter Pradesis – 226001 which has torwarded the proposals on the subject cited above. It is to inform that the Trades/Units of 03 Private (1) (as per the list enclosed) affiliated to DGT have been de-affiliated. Directorate General of Training governments to all the ITIs represent through Show-cause notice intimating the deficiencies reported. Replies received were examined and Joint Inspection of the ITIs were carried out and placed before the 10° Recommendation Committee Meeting-DGT dt. 15.10.2020 at agenda item no 10.2

As decided by the committee, the ITIs, as per annexure, are De-alfillated from the Session 2020, and will not be allowed to take admissions in Session 2020. However, the students already undergonouralizing will continue their training and it is the responsibility of concerned ITI to provide complete maining as per curriculum and schedule. The De-alfillated ITIs are de-barred for a period of 3 years [ull 2022 as per norms]; after 3 years ITIs can apply for Re-alfillation, if they desire as per the terms & conditions of alfillation prevailing at that time. The status of these de-alfillated ITIs will be reflected by "Active/Alfillated" to facilitate earlier batch student to upload attendance, download Half Tickets etc. and trades will be "de-activated" on NCVT MIS Portal so that ITIs shall not take admissions.

The said information is also available on web site https://ucytnis.ggy.in . In case of any discrepancy observed in the de-affiliation orders, same may be intimated to undersigned within a week of date of receipt of the order.

Each List of 03 ff is

ones faithfully

(Smill Kalmar kapital)

Email: socilgupta67@mich

Lupy to:-

1. Sr PPS to DG/AS, DGT.

2. Sr PPS to DDG (Affiliation).

3. All corned ITIs

4. The officer dealing with NCVT MIS Portal to update the data.

5. Concerned File

190

(CD. Have)



Agenda no. 11.3 De-affiliation of 03 ITIs in Uttar Pradesh State

SI.	DGT MIS Code	State	Name of Private ITI	Remarks
L	PR05900619	Uttar Pradesh	Srl Ram Chandra Private ITI, Beruganj Bazar Faikabad Uttitar Praciesh 224209	De-Affiliated
	PR09001830	Uttar Pradesh	Kaushailya Devl Smarak Private ITI ,Ram Nagar Amawa Sufi, Faizabad Distt. Faizabad Littar Pradesh 224121	De-Affiliated
3,	PR02001041	Uttar Fradesh	Triofiuwan Pvt, ITC. Village Schaipur Post Ahlraull AmbedkarnagarUtttar Pradesh 224157	Dewillerant

Dan Maria

SP22 10 100

0

Page | |

IN THE HON'BLE HIGH COURT OF JUDICATRE AT ALLAHABAD SITTING AT LUCKNOW


Writ Petition No.

20069

of 2020 (M/S)







- 1. Sri Ram Chandra Private ITI, Beruganj Bazar Faizabad Now Ayodhya through its Principal/. (PR0990069)
- 2. Kaushalya Devi Smarak Private ITI, Ram Nagar Amawa Sufi Faizabad now Ayodhya through its Principal (PR0900830)
- 3. Tribhuvan Private ITC (ITI) , Village Gopalpur , post Ahirauli Ambedkarnagar Uttar Pradesh through its
 Principal (PR09001041) Ambedkarnagar Uttar P

Versus

wayon fill food numbri

- High Court, Allahabad 1. Union of India through the Secretary, Ministry of Skill Development and Entrepreneurship , Directorate General of Training, Sharm Shakti Bhawan Rafi Marg New Delhi.
- 2. Director General of Training, Ministry of Skill Development and Entrepreneurship, Sharm Shakti Bhawan Rafi Marg New Delhi.
- 3. Joint Director of Training , Ministry of Skill Development and Entrepreneurship, Sharm Shakti Bhawan Rafi Marg New Delhi.
- 4. Director of Training , Member Secretary (NCVT) Employment Exchange , Building 1st Floor , Pusa , New Delhi .
- 5. State of U.P. through Secretary Labour Gratuity , Lucknow .
- 6. Director , Training and Employment , U.P. Lucknow .

-----Opp. Parties.

HINTE NOT THE THE





Case: - MISC, SINGLE No. - 20069 of 2020

Petitioner: Ram Chandra Private Iti Thru Principal/Manager & Ors. Respondent: U.O.I.Thru Secy.Skill Devpmnt.&Entrepeneurship Newdelhi &Ors

Counsel for Petitioner: Ajay Kumar Gupta, Vijay Kumar Tiwari Counsel for Respondent: C.S.C., A.S.G.

Hon'ble Rajnish Kumar, J.

- 1. Heard Sri V.K. Tiwari, learned counsel for the petitioner, Sri S.B. Pandey, Assistant Solicitor General of India assisted by Sri Anand Dwivedi, learned counsel for the respondent nos. 1 to 4 and learned Additional Chief Standing Counsel for the opposite party nos. 5 and 6.
- 2. This petition has been filed challenging the recommendation dated 15.10.2020 and the De-Affiliation Orders dated 22.10.2020 and 23.10.2020 passed in respect of the petitioner institutions contained in Annexure No.1 to the writ petition.
- 3. Submission of learned counsel for the petitioners is that the joint inspection of the petitioners ITIs was conducted against the Training Manual Appendix XX(Para 74) Procedure for Evaluation of ITIs/ITCs/Trades/Units, which are already affiliated to NCVT (Government and Private) De affiliation Procedure. Thereafter a show cause notice was issued to the petitioners on 26.02.2020. In response thereto the petitioners had submitted their replies, contained in Annexure No.10 to the writ petition but without considering the same the impugned orders dated 22.10.2020 and 23.10.2020 contained in Annexure No.1 to the writ petition have been passed.
- 4. Learned counsel for the opposite party nos. I to 4 could not dispute the aforesaid submissions of the learned counsel for the petitioners in regard to non consideration of reply of petitioners and assigning reasons for the same. He, on the basis of instructions, submitted that the concerned authority is ready to review the matter after considering the reply submitted by the petitioners and pass a reasoned and speaking order in

hille

m/

مول المحل

(52)

accordance with law within the shortest possible time. However, in regard to the objection regarding inspection made by the authorities, he submitted that the petitioners may raise this objection before the authority concerned, who shall consider the same as no specific instruction could be provided to him on this point.

5. Having considered the submissions of learned counsel for the parties and fact that impugned orders contained in Annexure No.1 have been passed without considering the reply of the petitioners and without assigning any reasons and the concerned opposite parties are ready to review matter, the impugned orders 22.10.2020 and 23.10.2020 contained in Annexure No.1 to the writ petition are hereby quashed and the competent authority is directed to re-consider the matter afresh after considering the reply submitted by the petitioners and additional reply in regard to constitution of Enquiry Committee, if any, submitted by the petitioners within a period of three days from today and to pass a fresh reasoned and speaking order in accordance with law within a period of one week thereafter and communicate to the petitioners Consequences shall follow accordingly as per law.

(Rajnish Kumar, J.)

Order Date :- 19.11.2020

Akanksha

-cooly - 4100

Section Office Cape Company

High Co. drumanser

DGT-Daff/69/2019- 0/o DIR (TC) (Uttar Pradesh)

Government of India Ministry of Skill Development and Entrepreneurship Directorate General of Training

> Employment Exchange Building, 1st floor, Pusa, New Delhi, the 26 Dec. 2020

The Director, Department of Employment and Training, Guru Gobind Singh Marg, Lucknow, Uitar Pradesh - 226004

Sub: De-affiliation of 101/102 Private ITIs/Trades /Units of Uttar Pradesh

Sir,

With reference to this office letters of even no. dated 22,10,2020 and dated 23.10.2020 vide which a 101/102 nos. of ITIs were recommended for de-affiliation, it is to inform that the Hon'ble Delhi High Court vide its interim order dt. 01.12.2020 passed in CWP No. 9619/2020 titled 'Sri Radha Krishna Private ITI Versus DGT & Anr.' has directed to stay of the operation of the impugned order dated 22.10.2020 till next date of hearing (i.e. till 06.04.2021) qua the petitioner ITI.

In compliance to the aforesaid directions of the Hon'ble High Court, there would be stay of the operation of the impugned order dated 22,10,2020 till next date of hearing (i.e. till 06.04.2021) or till further directions, qualithe following politioner ITI only: -

SI	No.	SI.	No.	in	State	ITI
ì		impu 102/	igned o		Ultar Pradesh	Shri Radha Krishna Private ITI, Village Rajpur Post Rajpur Khair-202141, Aligarh

This would be placed, before the Recommendation Committee DGT in its ensuing meeting, for ratification.

Yours faithfully,

(Sunti Kumar Gupta) Director of Training

Email: sunil.gupta67@ nic.in

Sr PPS to DG/AS, DGT.

Sr PPS to DDG (Affiliation)

The officer dealing with NCVT MIS Portal to update the data.

Conserned File

Joint Director of Training

E-mail: ravi.chilukoti@nic.in

\$~A-34

%

* IN THE HIGH COURT OF DELHI AT NEW DELHI

+ W.P.(C) 9619/2020 and CM No. 30814/2020

SHRI RADHA KRISHNA PVT. ITI

.... Petitioner

Through Mr. Murari Kumar, Adv.

versus

DIRECTORATE GENERAL OF

TRAINING (DGT) & ANR.

..... Respondents

Through

CORAM:

HON'BLE MR. JUSTICE JAYANT NATH

ORDER

01.12.2020

This hearing is conducted through Video-Conferencing.

- 1. This writ petition is filed by the petitioner seeking to quash the impugmed order dated 22.10.2020 passed by the respondent and seeking restoration of the affiliation of the petitioner in respect of the third shift in Electrician Trade, Fitter Trade and Mechanic Diesel.
- 2. The case of the petitioner is that the petitioner was granted affiliation for 6 units in 'Electrician Trade', 6 units in 'Fitter Trade' and 6 units in 'Mechanic Diesel Engine Trade' on 07.10.2016. On 28.03.2019, the DGT passed an order of de-affiliation of the petitioner. A writ petition was filed by the petitioner in this court being WP(C) 5152/2019. This court stayed the impugned order of the respondent stating that no reasons have been provided by the respondent for the impugned decision. This writ petition was disposed of on 21.10.2019 setting aside the de-affiliation decision and are opportunity was given to the DGT to pass a reasoned order after giving due opportunity to the petitioner.

Juni des

- 3. It is stated that now by the impugned order, the respondent has disallowed the third shift in the aforenoted trades. The minutes of the meeting simply state that the 3rd shift is not allowed. It is pleaded that the impugned order is unreasoned and non-speaking and does not mention about any deficiency of the petitioner.
- 4. Issue notice to the respondent, returnable for 06.04.2021.
- 5. In the meantime, there will be stay of the operation of the impugned order dated 22.10.2020.

JAYANT NATH, J

DECEMBER 1, 2020

Present: Mr

Mr.Raj Kumar Yadav, Sr. Panel Counsel with Mr.Abhishek Khanna, Adv. GP for the respondent.

At this stage, learned counsel for the respondent has entered appearance. He has been apprised of the order.

JAYANT NATH, J

DECEMBER 1, 2020

Later Land

Bhagat Singh

Fwd: Urgent please offer your comments against the Show-cause notice Reply Regarding

From: Bhagat Singh <chauhan.bs68@gov.in>

Thu, Dec 17, 2020 11:40 AM

Subject: Fwd: Urgent please offer your comments against the

Show-cause notice Reply Regarding

To: dte pvt trg raj <dte.pvt.trg.raj@gmail.com>

Cc: Ravi Chilukoti <ravi.chilukoti@gov.in>, AMIT KUMAR

<amitk.yadav@dgt.gov.in>, sunil gupta67

<sunil.gupta67@gov.in>, Sunil kumar gupta
<sunil.gupta67@nic.in>, bschauhan68

<bschauhan68@gmail.com>

Respected Sir,

In continuation to our mail dt. 29,10,2020 and 1st Reminder Date 08,12,2020 reply from State is still awaited.

REMINDER

Regards, Bhagat Singh Training Officer DGT

From: "Bhagat Singh" <chauhan.bs68@gov.in>
To: "dte pvt trg raj" <dte.pvt.trg.raj@gmail.com>

Cc: "Sunil kumar gupta" <sunil.gupta67@nic.in>, "Ravi Chilukoti" <ravi.chilukoti@gov.in>, "Murugarajan Rathinam" <murugarajan.r@dgt.gov.in>, "AMIT KUMAR"

<amitk.yadav@dgt.gov.in>, "bschauhan68" <bschauhan68@gmail.com>, "kamal verma3spl" <kamal.verma3spl@gmail.com>

Sent: Tuesday, December 8, 2020 3:59:49 PM

Subject: Fwd: Urgent please offer your comments against the Show-cause notice Reply

Regarding

REMINDER

Sir,

Please find the scanned copies of replies received from ITIs against Show-cause notice. Please offer your comments by tomorrow to decide on the status of replies received the minutes of meeting for 10th Recommendation Committee meeting is pending due to delay on your comments please provide the comments ASAP so that the minutes may be published.

Regards, Bhagat Singh Training Officer

From: "Ravi Chilukoti" <ravi.chilukoti@gov.in>
To: "dte pvt trg raj" <dte.pvt.trg.raj@gmail.com>

Co: "Bhadat Singh" <chauhan hs68@dov in> "Sunil kumar dunta"

Sunil Dr



Sent: Tuesday, September 29, 2020 11:39:31 AM

Subject: Reply of Show Cause Notices from Rajasthan State

Sir.

Please find the scanned copies of replies received from ITIs against Show-cause notice. Please officer your comments within 2weeks (latest by 13th October, 2020) to decide on the status of replies received

Regards,
CHILUKOTI RAVI
JOINT DIRECTOR (TC)
GOVERNMENT OF INDIA
MINISTRY OF SKILL DEVELOPMENT AND ENTREPRENEURSHIP
DIRECTORATE GENERAL OF TRAINING
ROOM NO: 105
NEAR PUSA ITI, PUSA CAMPUS, PUSA
NEW DELHI-110012
Ph: 011-25802123

- Adarsh Private ITI Reply.pdf
- Anpurna Private ITI Reply.zip
- Aravali Privarte ITI Reply.pdf
- Bal Bharti Private ITT Reply.zip

 Bhawani Niketan Private ITT Reply.pdf
- Bhumika Private ITI Reply.zip
- Deepak Private ITI Reply.zip
- Deshraj Private ITT Reply.pdf
- Dhoalpalash Private ITI Reply.pdf
- Golbal Private ITI Reply.JPG
- GT Private TII Rpely.pdf
- Impuls Private ITI Reply.jpg
- W JMK Private ITI Reply.jpg
- a Modern Private ITI Reply.pdf
- a Mother India Private ITI Reply.zip
- a RAJASTHAN ITIS REPLY PART-2 CO1.pdf
- Rajasthan Private ITI Reply.pdf
- ": Reply Laxmi Devi Pvt. ITI.pdf
- Sanskar Private ITI Reply.pdf

Junil De

(58)

- & Sharda Private ITI Reply.pdf
- Shekhawati Private ITI Reply.zip
- Shri Bajrang Private ITT Reply.pdf
- Shri R N Private ITI Reply.jpg
- Siddhant Private ITI Reply.zip
- * SMT BHAWARI DEVI PVt ITI Reply.zip
- Thanagazi Private ITI Reply.pdf
- ", Various ITIS REPLY OF SHOW CAUSE RAJASTHAN COLpdf
- Vinayakraj Private ITI reply.pdf
- Vishvakarma Private ITI Reply.pdf
- Vivekanand Private ITI Reply.jpg



From: Bhagat, Singh < chauhan. bs68@gov.in>

Tue, Dec 08, 2020 03:59 PM

Subject: Fwd: Urgent please offer your comments against the

Show-cause notice Reply Regarding

To: dte pvt trg raj <dte.pvt.trg.raj@gmail.com>

Cc: Sunil kumar gupta <sunil.gupta67@nic.in>, Ravi Chilukoti <ravi.chilukoti@gov.in>, Murugarajan Rathinam <murugarajan.r@dgt.gov.in>, AMIT KUMAR <amitk.yadav@dgt.gov.in>, bschauhan68 <bschauhan68@gmail.com>, kamal verma3spl <kamal.yerma3spl@gmail.com>

REMINDER

Sir.

Please find the scanned copies of replies received from ITIs against Show-cause notice. Please offer your comments by tomorrow to decide on the status of replies received the minutes of meeting for 10th Recommendation Committee meeting is pending due to delay on your comments please provide the comments ASAP so that the minutes may be published.

Regards, Bhagat Singh Training Officer

From: "Ravi Chilukoti" <ravi.chilukoti@gov.in>

To: "dte pvt trg raj" <dte.pvt.trg.raj@gmail.com>

Car "Dharat Singh" roboutan hass



<sunil.gupta67@nic.in>, "rajkumar 1960" <rajkumar_1960@yahoo.co.in>

Sent: Tuesday, September 29, 2020 11:39:31 AM

Subject: Reply of Show Cause Notices from Rajasthan State

Sir.

Please find the scanned copies of replies received from iTIs against Show-cause notice. Please officer your comments within 2weeks (latest by 13th October, 2020) to decide on the status of replies received

Regards, CHILUKOTI RAVI JOINT DIRECTOR (TC) GOVERNMENT OF INDIA MINISTRY OF SKILL DEVELOPMENT AND ENTREPRENEURSHIP DIRECTORATE GENERAL OF TRAINING **ROOM NO: 105** NEAR PUSA ITI, PUSA CAMPUS, PUSA NEW DELHI-110012 Ph: 011-25802123

- . Adarsh Private ITI Reply.pdf
 - Dopuma Private ITI Reply.zip
 - Aravali Privarte ITI Reply.pdf
 - Bal Bharti Private ITI Reply.zip
 - Bhawani Niketan Private ITI Reply pdf
 - Bhumika Private ITI Reply.zip
 - Deepak Private ITI Reply.zip.
 - Deshraj Private ITI Reply.pdf
 - Dhoalpalash Private ITI Reply.pdf
 - Golbai Private ITI Reply JPG
 - GT Private ITI Roely.pdf
 - impuls Private ITI Reply.jpg
 - JMK Private ITI Reply.jpg
 - Modern Private ITI Reply.pdf
 - Mother India Private ITI Reply zip
 - RAJASTHAN ITIS REPLY PART-2 COL.pdf
 - Rajasthan Private TTI Reply.pdf
 - Reply Laxmi Devi Pvt. ITI.pdf
 - Sanskar Private ITI Reply.pdf

Junillas

- Shanti Pvt iti reply.pdf
- In Sharda Private ITI Reply.pdf
- E Shekhawati Private ITI Reply.zip
- Shri Bajrang Private ITI Reply.pdf
- & Shri R N Private ITI Reply.jpg
- h Siddhant Private ITI Reply.zip
- E SMT BHAWARI DEVI PVt ITI Reply.zip
- Thanagazi Private ITI Reply.pdf
- Various ITIs REPLY OF SHOW CAUSE RAJASTHAN_CO1.pdf
- Vinayakraj Private ITI reply.pdf
- W Vishvakarma Private ITI Reply.pdf
- Vivekanand Private ITI Reply.jpg



P



Bhagat Singh

Fwd: Replies received from ITIs against Show-cause notice regarding.

From: Bhagat Singh < chauhan. bs68@gov.in>

Subject: Fwd: Replies received from ITIs against Show-cause

notice regarding.

To: director-det@gujrat.gov.in, ctsadtdet@gmail.com, tnbhavsar@gmail.com, KETANKUMAR PATEL

<patel.ktan@gov.in>

Cc: Sunil kumar gupta <sunil.gupta67@nic.in>, sunil gupta67 <sunil.gupta67@gov.in>, Ravi Chilukoti <ravi.chilukoti@gov.in>, Murugarajan Rathinam <murugarajan.r@dgt.gov.in>, AMIT KUMAR <amitk.yadav@dgt.gov.in>, Sunil kumar gupta <sunil.gupta67@nic.in>, Ravi Chilukoti <ravi.chilukoti@gov.in>, Murugarajan Rathinam

<murugarajan.r@dgt.gov.in>, AMIT KUMAR <amitk,vadav@dgt,gov.in>

REMINDER - 2

your comments is still awaited. Please offer your comments as per attached Consolidated sheet,

From: "Bhagat Singh" <chauhan.bs68@gov.in>

To: director-det@gujrat.gov.in, ctsadtdet@gmail.com, tnbhavsar@gmail.com,

"KETANKUMAR PATEL" <patel.ktan@gov.in>

Cc: "Sunil kumar gupta" <sunil.gupta67@nic.in>, "sunil gupta67" <sunil.gupta67@gov.in>,

"Ravi Chilukoti" <ravi.chilukoti@gov.in>, "Murugarajan Rathinam"

<murugarajan.r@dgt.gov.in>, "AMIT KUMAR" <amitk.yadav@dgt.gov.in>

Sent: Friday, October 16, 2020 3:36:36 PM

Subject: Replies received from ITIs against Show-cause notice regarding.

Sir.

Please find the scanned copies of replies received from ITIs against Show-cause notice. Please offer your comments (De-Affiliate or not de-affiliation clearly mention). latest by 2th November, 2020. to decide on the status of replies received.

GU24000902.zip 11 MB

-- PR24000592.pdf 2 MB

Sunilbo or



PU24000513.jpeg 568 KB

- PU24000518.pdf 249 KB
- PU24000552.pdf 119 KB
- PU24000577.pdf 843 KB
- PU24000593.pdf 748 KB
- **PU24005517.pdf** 593 KB
- **PU24005518.pdf** 266 KB

From: Bhagat Singh <chauhan.bs68@gov.in>

Subject: Fwd: Replies received from ITIs against Show-cause

notice regarding.

To: director-det@gujrat.gov.in, ctsadtdet@gmail.com, tnbhavsar@gmail.com, KETANKUMAR PATEL <patel.ktan@gov.in>

Cc: Sunil kumar gupta <sunil.gupta67@nic.in>, Ravi Chilukoti <ravi.chilukoti@gov.in>, Murugarajan Rathinam <murugarajan.r@dgt.gov.in>, AMIT KUMAR <amitk.yadav@dgt.gov.in>, sunil gupta67 <sunil.gupta67@gov.in>, bschauhan68 <bschauhan68@gmail.com>

Respected Sir,

your comments is awaited. Please offer your comments as per attached Consolidated sheet.

From: "Bhagat Singh" <chauhan.bs68@gov.in> `

To: director-det@gujrat.gov.in, ctsadtdet@gmail.com, tnbhavsar@gmail.com,

"KETANKUMAR PATEL" <patel.ktan@gov.in>

Cc: "Sunil kumar gupta" <sunil.gupta67@nic.in>, "sunil gupta67" <sunil.gupta67@gov.in>,

"Ravi Chilukoti" <ravi.chilukoti@gov.in>, "Murugarajan Rathinam"

<murugarajan.r@dgt.gov.in>, "AMIT KUMAR" <amitk.yadav@dgt.gov.in>

Sent: Friday, October 16, 2020 3:36:36 PM

Subject: Renlies received from ITIs against Show-cause notice regarding.

esunil.gupta67@gov.in>,

Thu, Nov 12, 2020 01:05 PM

10 attachments

(63)

Please find the scanned copies of replies received from ITIs against Show-cause notice. Please offer your comments (De-Affiliate or not de-affiliation clearly mention). latest by 2th November, 2020

Performa of Consolidated Sheet.xlsx 9 KB

GU24000902.zip 11 MB

PR24000592.pdf 2 MB

> PU24000513.jpeg 568 KB

- PU24000518.pdf 249 KB
- PU24000552.pdf 119 KB
- PU24000577.pdf 843 KB
- ___ PU24000593.pdf 748 KB
- PU24005517.pdf 593 KB
- PU24005518.pdf 266 KB

From: Bhagat Singh <chauhan.bs68@gov.in>

Subject: Replies received from ITIs against Show-cause notice regarding.

To: director-det@gujrat.gov.in, ctsadtdet@gmail.com, tnbhavsar@gmail.com, KETANKUMAR PATEL <patel.ktan@gov.in>

Cc: Sunil kumar gupta <sunil.gupta67@nic.in>, sunil gupta67 <sunil.gupta67@gov.in>, Ravi Chilukoti <ravi.chilukoti@gov.in>, Murugarajan Rathinam

<murugarajan.r@dgt.gov.in>, AMIT KUMAR

<amitk vadav@dot nov in>

Fri, Oct 16, 2020 03:36 PM @9 attachments

Sur

Please find the scanned copies of replies received from ITIs against Show-cause notice. Please offer your comments (De-Affiliate or not de-affiliation clearly mention). latest by 2th November, 2020 to decide on the status of replies received.

- GU24000902.zip 11 MB
- PR24000592.pdf 2 MB

PU24000513.jpeg 568 KB

- PU24000518.pdf 249 KB
- PU24000552.pdf 119 KB
- PU24000577.pdf 843 KB
- PU24000593.pdf 748 KB
- PU24005517.pdf 593 KB
- PU24005518.pdf 266 KB

20

(65

D.E.

Fwd: Reminder Regarding reply received from ITIs

From: bschauhan68@gmail.com

Thu, Dec 17, 2020 11:05 AM

Subject: Fwd: Reminder Regarding reply received from ITIs

777 117 attachments

To: info dte <info.dte@gmail.com>

Cc: Ravi Chilukoti <ravi,chilukoti@gov.in>, AMIT KUMAR

<amitk.yadav@dgt.gov.in>, Bhagat Singh <chauhan.bs68@nic.in>, sunil gupta67 <sunil.gupta67@gov.in>, Sunil kumar gupta

<sunil.gupta67@nic.in>



Sir,

In continuation to our mail dt. 14.10.2020, Ist Reminder Date 7.12.2020 and IInd Reminder Date 10.12.2020 reply from State is still awaited

-----Forwarded message -----

From: Ravi Chilukoti < ravi.chilukoti@gov.in>

Date: Thu, Dec 10, 2020 at 3:20 PM

Subject: Re: Reminder Regarding reply received from ITIs

To: det up <info.dte@gmail.com>

Cc: Sunil kumar gupta < sunil.gupta67@nic.in>, < bschauhan68@gmail.com>

REMINDER-II

Sir.

In continuation to our mail dt. 14.10.2020, 7.12.2020 reply from State is still awaited

Regards, CHILUKOTI RAVI JOINT DIRECTOR (TC) GOVERNMENT OF INDIA

MINISTRY OF SKILL DEVELOPMENT AND ENTREPRENEURSHIP

DIRECTORATE GENERAL OF TRAINING

ROOM NO: 105

NEAR PUSA ITI, PUSA CAMPUS, PUSA

NEW DELHI-110012 Ph: 011-25802123

From: "Bhagat Singh" < chauhan.bs68@gov.in>

To: "info dte" < info.dte@gmail.com>

Cc: "Ravi Chilukoti" < ravi.chilukoti@gov.in >, "Sunil kumar gupta"

<sunil.gupta67@nic.in>, bschauhan68@gmail.com



15/01/2021 En

Sent: Monday, December 7, 2020 2:13:54 PM

Subject: Fwd: Reminder Regarding reply received from ITIs

Reminder

Sir,

Please find the scanned copies of replies received from ITIs against Show-cause notice. Please officer your comments within 7 days to decide on the status of replies received.

Regards Bhagat Singh Training Officer DGT Hqrs., Pusa, New Delhi

From: "Bhagat Singh" < chauhan, bs68@gov.in>

To: "info dte" < info.dte@gmail.com>

Cc: "sunil gupta67" < sunil.gupta67@gov.ln >, "Ravl Chllukoti" < ravi.chilukoti@gov.in >,

"bschauhan68" < bschauhan68@gmail.com >

Sent: Wednesday, October 14, 2020 5:11:44 PM

Subject: Regarding reply received from ITIs

Sir/Madam,

Please find the scanned copies of replies received from ITIs against Show-cause notice. Please officer your comments within 2 weeks (latest by 29th October, 2020) to decide on the status of replies received.

Regards Bhagat Singh Training Officer DGT Hqrs., Pusa, New Delhi





With Regards,

(Bhagat Singh Chauhan)
Training Officer

Ministry of Skill Development & Entrepreneurship, Directorate General of Training,
Room No. 105 Employment Exchange Building.

DO



- Reply of Atlantis Private ITI.pdf 145 KB
- Reply of Guru Prasad Private ITI.pdf
 1 MB
- --- Reply of Maharani Laxmibai Private ITI.pdf
 3 MB
- Reply of Moolchand ITI.pdf 3 MB
- Reply of Navodya Private ITI.pdf 8 MB
- Reply of Ramakant Private ITI.pdf 5 MB
- Reply of VR Private ITI.pdf
 3 MB

From: Bhagat Singh <chauhan.bs68@gov.in>

Mon, Dec 07, 2020 02:13 PM

Subject: Fwd: Reminder Regarding reply received from ITIs

7 attachments

To: info dte <info.dte@gmail.com>

Cc: Ravi Chilukoti <ravi.chilukoti@gov.in>, Sunil kumar gupta <sunil.gupta67@nic.in>, bschauhan68
 <bschauhan68@gmail.com>

Reminder

Sir,

Please find the scanned copies of replies received from ITIs against Show-cause notice. Please officer your comments within 7 days to decide on the status of replies received.

Regards Bhagat Singh Training Officer DGT Hgrs., Pusa, New Delhi

From: "Bhagat Singh" <chauhan.bs68@gov.in>

To: "info dte" <info.dte@gmail.com>

Cc: "sunil gupta67" <sunil.gupta67@gov.in>, "Ravi Chilukoti" <ravi.chilukoti@gov.in>,

"bschauhan68" <bschauhan68@gmail.com>

Sent: Wednesday, October 14, 2020 5:11:44 PM

Subject: Regarding reply received from ITIs

Sir/Madam,

Please find the scanned copies of replies received from ITIs against Show-cause notice. Please officer your comments within 2 weeks (latest by 29th October, 2020) to decide on the status of replies



Regards Bhagat Singh Training Officer DGT Hors., Pusa, New Delhi

- Reply of Atlantis Private ITI.pdf 145 KB
- Reply of Guru Prasad Private ITI.pdf 1 MB
- Reply of Maharani Laxmibai Private ITI.pdf 3 MB
- Reply of Moolchand ITI.pdf 3 MB
- Reply of Navodya Private ITI.pdf
 8 MB
- Reply of Ramakant Private ITI.pdf
 MB
- Reply of VR Private ITI.pdf
 3 MB



	Name	auts Christopphiai an Sumber	New Tride Spinghi For Affibation	Unuls	Units Recommended by SCI	Existing Frank	Affiliated Units Shift Wise	Smilen smylim po (kurr seenm with finale was	2018 19	Student orbidler 2019-20 system with Trade wise		Specially continued Afficienced order or time melanted 231 in the tro	Land letse	Frayer o movemát o por o mis	History Es For Certis	
			Electricals	02 (4:4)	02:(1=()	Discussion (SCVI)	ON HALL (SCVT)	5		- 11			OWN			
	GOV1 III		Filler	102 (1 (1)	02 (3±13	Falm:(SUNT)	02 (1) 11 (SCV 1)	1		11	7		LAND			
- 9	BENIPUR	NEW	Electronics Mechanic IC ISM:	02(1+1)	92 (1 · 1) 92 (1 · 1)	Electronics Mechanic (SCV1)	62 (1-1) (SCV1) 62 (1-1) (SCV1)	1 71	1-45			NY	E10400.42	Y ! S (A/L)	YES	YES
	DARBHANGA	1	Machanic Dieset	62 (4 + 1)	0241-01	Machanic Diesel (SCVT)	01 (1-1) (SCVT)	31		4			SQ MITTE			
			Webler	02 (141)	02 (1 = 1)	Welder (SCVT)	OF CHED (SCVT)	2)		2						
			Bledusciae	02(1+1)	02 (11) 11	Electrician (SCVT)	02 (1+1) (SCYT)	13		38					uruveole	
	GOVERN		Electronics Mechanic	02 (1 11)	07 (1=1)	Electronics Mechanic (SCV1)	02(1-11(SCVI)	1	140	2		NA .	OWN LAND(121	YESTFO Y	YES(TOT	YES(160
- 3	RAJAULI	NEW	Fitter	02 (141)	02 (1=1)	Finge (SCVT)	92 (1+1) (SCVT)	1	3.0		-1		40 sqm)	AL-S0kw)	794sqip)	1 2300 100
	NAWADA		Mechanic Diazet	102 (1+1)	211-11	Mechanic Diesel (SCV1)	62 (1-11 (SCV1)	- 11		-4			To other			
			Welder	102 (1-1)	2 (114)	Welder (SCVT)	02 (1:11) (SCVT)	3		1,8	tion of the same o					
			1		02(1)(3) Chur		02 (1+1) (SCV1)	13		1	0					YES
			Electricis	02(T+T) Um		Electrician (SCVT)					4					6 18
			Filter	102(1 / I); Linu	OZET - Fa Linux	l'inter (SCVT)	024111145CVT1	2			9					VES(12)
	Z'(1) (T 1)		Electronies Mechanic	02(1+1) Uses	02t1+13 Limit	Electronics Mechanic (SCV1)	02 (1 H) (SCY I)	2		1	5		OWN		YESGIOT	1178 08
	GOVETTI SASARAM ROHTAS	NEW	ICTSM	02(1+1)(Doi:	(Chr)+fir Chem	ICTSM (SCVT)	02 (1+4) (SCVI)	1	13		125	NA	LAND(2.8 7 Acres)	YES(TOT AL-50kw)	AL- 7258sgm)	(210.55)
GOVT ITI		Welder	6217+81 Unit	02(i e) Und	Welder (SCVT)	92 (1±1) (SCVI)			2	9					YES (210.55)	
		McCarrie Diesel	02(1+1) Unit	02(1 - (+ Unit	Mechanic Diesel (SCVT)	92 (LEDISCVI)	3		A	1					1305 1161 08	
		Electronia	02 (1×1)	02 (4+1)	Electrician (SCVT)	02 (1.41) (SCVT)	NA		2	0					YESTE	
	1	ELECTRONIC MIZETIANIC	02 (1+1)	423100	Electronics Mechanic (SCV1)	02 (191) (SCVT)	NA		2	荊		OWN	YES(TOT	YESCIOT	YEST	
	GOVE ITE		FITTER	02 (1+1)	(0.511) LE	Firter (SCVT)	COLUMN SCYTE	NA	NA		7 12	7 NA	LAND(101	AL-70kw)	AL-	YESH
	NALANDA		ICTSM	(02 (111)	02(1:1)	ICTSM (SCVT)	0241 - D (SCV f)	6.4			5		l ?sqan)	, it. sait,	794sqm)	YEST
			MECHANIC DIFSEL	102 (11)	[6110])	Mechanic Diesel (SCV1)	02 (1-1) (SCVF)	80A 81A	-							VESU
			WELDER	02 (141)	2:17:11	Welder (SCVT)	02 (1+1) (SCVT)		15 15			1		UUE:		
			Electricis	02 (1+1)	02(1-1)	Electrician (SCVT)	02 (111) (SCVT)	1	5	1	3	NA			BLOCK	
	AND SECURE		FICTER	02 (1 (1)	02 (L+I)	Hitter (SCVT)	02 (1H) (SCV1)				3	NA.	OWN		PART	
	BARILIATNA		ELECTRONICS MECHANIC	92 (1-1)	02 (1-1)	Electronies Mechanic (SCV1)	102-11-11 (SCVT))3 12	5 NA	LAND(2.8 9 ACRES)		B,TAGGE D WITH	YES	
	BARTLEATION		ICTSM	02 (1+1)	802 (3 × 13) 802 (1 × 14)	Mechanic Dicsel (SCVT)	02114114SCVT)		R	-	141	NA NA	19 ACRES)	1	GOV1 ITI	
		1	MECHANIC DIESEL WELDER	02 (1+1)	02/11/11	Wolder (SCVT)	02 (I + D ISCVD				11	NA			DIGHA	
		1			-		02 (1+1) (SCVT)				19				20	
		II.	£ledfricku)	(1+1)2	(1.61)5	Electrician (SCVT)					100				- 180 ×	0
	Government [T]		Fittigt	1(1+1)2	(1-112	Fitter (SCVT) Electronics Mechanic (SCVT)	02(1+1)(8CVI) 02(1+1)(8CVI)	+	201	4	18	5 NA	-	X X	Gove, ITI guestra: Hos Builden	
	BAKURI	1	Electronics Mechanic IC TSM	(1+1)2	(1+1)2 (1+1)2	ICTSM (SCVT)	02 (1=1) (SCVI)			-	ō		76		Ne as a	
	BEGUSARAI	4	Mechanic Diesel	(1) (1)2	((111)2	Mechanic Diesel (SCVT)	02 (1+1) (SCVT)				Hr.	1	3		The state of the s	
			Welder	(1=1)2	10:07	Welder (SCV1)	02 (1+1) (SCVT)		20	1	16.		-	-	-	-
	IIIUNIYAD		Electricia	02 (1+1)	92 (111)	Electrician (SCVT)	02 (1×1) (SCV1)		21	1	19		ORN			
	RAMKRISIINA		FITTER	102 (1+1)	02 (1*4)	Filter (SCVT)	02 (1+1) (SCVT)		191		17		LAND			
	TILAK ZINDUSTRIAL		MRAC	102 (1-11)	(2) (1-1)	MRAC (SCVT)	02(1×1)(SUVI)		1 2	9	20	37 NA	(1064) 23	YES	YES	5115
	TRAINING		ICTS51	03 (1=1)	02 (1.71)	ICISM (SCVT)	02 (1+1) (SCMT)		LS		18		SQM or		li .	
	INSTITUTE		MECHANIC DIESEL	02 (1+1)	02 (1-1)	Mechanic Diesel (SCV1)	62 (J) 11 (SCVT)	1	101		20		2 63 Acrel			
	BSIL		WELDER	02 (1=11	02 (1-1)	Welder (SCVT)	az (i i ti (SCVI)	+				-	1	_	1	
	GOVERN		Electrician	02 (1 +1)	02.14.913	ELECTRICIAN(SCVT)	02 (481)	1	251		19	1	OWN		YESCTOT	Y ES(
	. KAWAKOL	Sec.	ELECTRONICS MECHANICS	02 (151)	92 (1=13	FLECTRONICS MECHANICS(SCV1)	02 (1-1)		24.6	(1	10.	a NA	UAND(20	YESULOT		37 1256
	NAWADA	18 1930	DUESM	02(11)	172-11-11	(CTSM(SCVT)	0277=1)		in .		13		3 lages1	1 Med0kw)	\$100 Stri23	VEST
	(LWE)	1	ETER	07(1=1)	02(1-1)	TITTER(SC VI)	0241-11	-	(5)		141					V.051
		-	DRAUGIU MANTIVE.	02 (1=1)	(23(1+1)	DRAUGHT MAN CIVILISCV I) ELECTRICIAN	02 (1/1)		38		(1)					YES
	IOOST ITE		ELECTRONIC MECHANIC	02:01:10	07 (8 - 1)	ELECTRONIC MECHANIC	1(24)(1)		34		10		2/10	A) Upo VAS II	YESGO	1721/9 11121 I
	DOUNSE	NEW	ETI D R	02:(5:14	02 (10 4)	errA	0213540		30	-	101	11 ///	1.4 ND:05		11.4.3	VEN
			ETT B R	0245414	0231-11	Junilon	0:11-1:		or).		111	. 00	ILANDEOS APRIPOS	41.33.50		



	I I Name	AIIS CoderApplicati co Number	New Trade Sough: For Affination		times Recomminded by SCI	Texaning Frade	Additional Units Stuff, Wise	Stritent secold in 2018-19 section such Trade waste	Tetal studen erroller in 2018-19	Studies catall in 2019-20 seems with Finds were.	Total Student corolled in 2019-20	Send All existing Affiliation order of the included 171 mile lim	setted	Power connections as per epities	per
			RTISM.	172 (1.14)	02 (1 - 1)	IC1SM	02 (1-11)			1.1		1/45	Syremite.		
			ORAUGHTSMAN CIVII	02(L+I)	201-11	DRAUGHTSMAN CIVIL	02 (1-1)	30							
			Electrician	02(1:1)	02(1) (1)	ELECTRICIAN	02 TELL	20		14	e e				
			DNIC	0241(1)	02 (1-1)	DMC	02(1:1)	19	-		1			1	
	GOVTATU GUZAFFARPU		ICTSM	02 (3 - 1)	07 (4-1)	ICTSM	02 (1 1)	21			3	NA NA	Gast	45K,W	v
	(LWE)	1	U(SACIDAT	02 (1-1)	02 [3 +1]	ELLIER	02 (1 -1)	-				1000	172913	All	1
			FULLER	-		V-14.10-15.11		- 0			-				
-			ELECTRONIC MECHANICS	02 (1 - 1)	02((+1)	FLECTRONIC MECHANICS	02(171)	75		E					+
	Joyt Industrial Framing Institute		Electrician FITTER	02 (1 (1)	02 (1 = 1)	FETTER	02 (1/1)	20).	0				
- 1	LWE)		Electronics Meclanic	02 (1:1)	02 (1 - 1)	Eleguonics Mechanic	62 (1.0)		81	1	7	NA		YES (40 KW)	
- 11	Sonbhadra Bansı		Draughtsman.cost	02 (3 (1)	02(1:1)	Оонуйнашао кауй	0243-13	11		1			OWN	[WW]	1
1)	Arval	NEW	ICUSM	(4.0°11	V=3(1-1)	ICISM	MARKET		r .	1	9		EAND		S
			Electrician	02 (451)	02(1-1)	Electricities	(2.11.11)	2	0	1	9			1	
- 1	m		Entire	02(131)	02(1:1)	Uniter	02(11/1)		0						1
	CHAKIA EAST	1	Electropics Meclisuic ICTSM	02(1-1)	02 (1-1)	Electronics Mechanic ICTSM	102 (17.1)	- 0	31	1	0 15	5 NY	Own	36 KW	1
- 1	CHIAMPARAIN		Welder	02 (174)	02 (1±0) 02 (1±1)	Welder	[02:(1+0) [02:(1+1)	1		1	01				- 1
	DESCRIPTION AND ADDRESS OF THE PARTY OF THE		Machana Diesel	02 (1+1)	02 (1+1)	Meclanic Diesel	02(111)			1 3	n e				
	INDUSTRIAL TRAINING		Hodricking	02 (4.40)	02 (11 (1)	ELECTRICIAN (SCVT)	02 (1-1) (SCV1)	. 2	0	1	9		OWN		
13	INSTITUTE		FITTER	D2.01-13	(2 (E)) i	FITTER (SCVT)	02 (1+1) (SCV1)		0 %	8	2 (8 NA	LAND ()	Ves	
-	SHIVNAGAR		ICTSM	02 (1+1)	021111	RCISM (SCV f)	07 (1-1) (SC VT)		2				Acre):		П
-	BENDEATH		MECHANIC FRACTOR	01 (1:0)	07 (1:0)	SIECHANIC TRACTOR (SCVT)	Of trought and						1	-	+
			Electrician Enter (SCVT)	inetia.	(113)2 (77)72	Electrical (SCVT)	0/+1/5	-	0	- 1					
14	Government (1)	1	Filter (SCVT) Flactronics Mediums (SCVT)	(181)	(1-1)!	Fitter (SCVT) [Beatronics Mechanic (SCVT)	1(3 + 1)2	1	11 01 E1			18 N/A	Crows	NOSW	
, ,	Halia Bugasana		ICTSM (SCVE)	(1-11)	(1+1)2	ICASM(SCVT)	11 - 112		7		3		Limid	1000	
			Mechanic Diesel (SCV1)	(1+1)2	(1+1)2	Mechanic Diesel (SCVT)	(1-1)2	2	0		100	1	1		
-		-	Welder (SCV1)	02 (1-1):	0.2(1.1)	Welder (SCVT)	(1-1)2	1 - 1	0		9	-	-	-	-
	m		Fitter -	0741111	02(1:1)	Paties	102 (1-11		0		9				
15	SERAIINA EX	S	Electronics Mechanic	02 (1+1)	((2 (1+1)	Electronics Mechanic	02 (1-1)		1.5	1	0 1-	18 NA	Own	16 KW	
	E CHAMPARAS		Welder	02 (1±1) 92 (1±1)	02 (1 = 1)	Velidat	102 (1×1): 102 (1×1):		A Company		10			10.1	
			Mechanic Durset	02 (1-1)	02 (1-1)	Mechanic Decid	02 (1 : 1)		ixi		to				
			Electrician	2(1+1) Cmt	2(1-1) 12mt	ELECTRICIAN	SE-TECHE		10	1 3	(0)				-
	711 0 4 7 11 4		FITTER	2(1+1)(1)00	201-17/190	EITTER	201-133 but		0		10		OWN		
Įζ	HIPATRA CHYPAINA		ELECTRONICS MECHANIC	201-311500	2(1+1) Unit	ELECTRONICS MECHANIC	2(1-1) Um.				1990	42 NA	LANDIO	21 YES	
	100000		ICTSM MECHARIC DIESEL	2(1 = 1) Cont 2(1 = 1) Cont	2(1-1) Umi	MECHANIC DIESEL	2(1 (5) Linu 2(1 (1) Unit		16		146		##sqinj		
			WELDER	2(1-1) Vinn	2(1+1) Dan	WELDER	2(1 - 1 1 Line)		78		27				
			Beckiesan	(1+1)2	13-130	Georgia (SCVI)	(1 (1)2		21		19			19	
	Same and the second section is a second section in the second section in the second section is a second section in the second section in the second section is a second section in the second section in the second section is a second section in the second section in the second section is a second section in the section in the second section in the second section in the section in the second section in the section		Viber (SCVT)	(1112)	(1)(1)2.	Fine (SCVT)	(3 0 ()2		20		18			8	·pg
17	Government (1) Teghta ilegisata		Electronics Mechanic (51/V4)	01/11/2	100/02	Hiermones Mochame (SCV1) ICTSM (SCV1)	(1+1)2		20		1.10	21 10/4			100
	1 Branch Barrell		Medianic Direct (SCAC)	(1 - 1)2 (1 - 1)2	10 -112 11 -137	Stechanic Diegel (SCV1)	(1.7.1)= (1.7.1)=		100		10			100	7
		×	Weller (SCV1)	(7:01	13 (1) (1)	Walterstati	11/15		tu .		70			~	
			Местрени	20700	34-13	BagonenigSCVTI	partethses to		13		Ht.				
	COVERS	1	Eithir	2011/03	NECD:	Uma (SCV-I)	02 (11 (1)SCV1)		15		10	XIIIO	1-11-0	45003	
15	Millianii		Blegmours Alechone: ICASM	261761	20300	(C1SM18CV1)	#2 (17 EUSCVE)			-	201	21/8/	risk.	-12 milk	Š.
			WSthr	201533	3(110)	Waldard (CVT)	HO 11 - 11 181 1/24		50		ii				
	1	-	Strelning Doesel	20 - 01	2011	Madem Designation 11 ELPCTRICASE	07 11 13 SC VII) 07 1 11 31 V		50	-	19 10 21	-	_	-	
			ESQUICUS ELL CHONGES SUICE	(0.000 t) (0.000 t)	31117	ELECTRONIC SAL	00 (1 t) (80 V I)	-1	10		12				



	II Name	A#IS Laute Applicant I ser Manifest	Sew Trade Sought For Affiliation	Units	Units Reconstitutal d h SCI	is cong Trade.	Arithmed Units Shift Wise	Student enroll in 2018-19 session with Trade wise	Tanal student search in 2018-19	Student encolf of 2011-20 tessoon well Type wyse	Total shuken emolost as 12019-24	Send All existing Affiliation order of the included 111 or the list	Lami lenis Valid	Pouns donnection notine	Handröung as per moreus	
10.	Gest TT Stales		C 1851	2(1+1)	2(1+1)	ICT SM	02 (1+1):35CVT)	16	5 199	1.	5 (1)	NA	150	Timlet	(Under	
	candigh;		HITTER	2(1+11	20-17	FITTER	0231F11(SCV1)	20	0	2	1	1		Marcess.	constructio	
-1		1	MECHANIC DIESEL WEI DER	2(1>1)	2(1-1) 2(1-1)	AN CHARIC DIFSCI WHEDER	02 (141) (SCV1) 02 (141) (SCV1)	3	H -	3 7					n)	
			5-111-1-200		02 [[+1]	No. 4-6/06/16/20		2	0							
			Electrician	02 (111)		ELECTRICIAN	03 (1+1) (SCAL)				2		Lagged			
	Gevi III		ELECTRONIC MECHANIC FITTER	02 (1+1). 02 (1+1).	02 (1+1)	ELECTRONIC MECHANIC	02 (1+1) (SCVT) 02 (1+1) (SCVT)	1 2		-	8	NA.	With Govi	Applied	C247/D	Lore
	Kahatgaon (Uhagelper)	80%	ICTSM	02 (1+1)	02 (1+1)	ICESAL	02 (1±1) (SCVT)	1			100	13/24	LDNIII	for 40 km	YES	YES
	(Outdenbur)		MECHANIC DIESEL	03:(1+1)	2.0(*1)	MECHANIC DIESEL	02 (1±1) (SCVT)		6	4	3		Glagalpur			
			WELDER_	02 (1+1)	7(1-1)	WELDER	92 (1+1) (SCVT)	2		1						_
			liberneian	102 (1+1)	02 (1=1)	FIACTRICIAN CONTROL	92 (1+1) (SCVT)		ti l							
- 1	Government III		ELECTRONIC MECHANIC FITTER	02 (1+1)	02 (1+1)	FLECTRONIC MECHANIC	02 (1+1) (SCVT) 02 (1+1) (SCVT)		9	2	0		GOVE			
	ROSERA	150	ICISM	02 (1±1)	02 (1+1)	DCTSM.	02 (1+1) (SCV7)		월 141		귀 THE	NA .	AND	YES	YES	YES
	SAMASTIPUR		MECHANIC DIESEL	(02 (1+1)	2 (1+1)	MECHANIC DRISEL	92 (1+1) (8CVT)	3			n			1		1
			WELDER	02 (1+1)	2(1(1)	WELDER.	02 (1+1) (SCVT)	2	7		9					
			Electrician	02 (1+1)	02 (1+1)	CLECTRICIAN	02 (141) (SCVT)	2	0		9					
	GOVETIL		ELECTRONIC MECHANIC	02 (4+1)	(2) (1+1)	FLECTRONIC MECHANIC	02 (1341) (SCVT)		9.	1	6	1	OWN	1		
10	NAUGACIIIA	NEW	-TTER	02 (1+1)	02 (1-1)	HITER	07 (1+1) (SCVT)	2	12	9	19	NA	LANDO 0	Applied	YES	YE
	BHAGALPUR		ICISM	02 (1=1)	62 (1+1)	ICTSM	02 (F+1) (SCVT)		4	9		8 Acres)	for 40 kw		1	
		1	MECHANIC DIESEL.	02 (1+1)	2 (1+1)	MECHANIC DIESEL	62 (1+1) (SCVT)		1X)		10					
			Electrician	02(1+1)	02(1+1)	ELDICTRICIAN	07 (1 v1) (SCV1)		19	-	ral	+	-		-	+-
DA	Government 111	1 8	ELECTRONIC MECHANIC	02(141)	02(1+1)	ELECTRONIC MECHANIC	02 (1 : 1) (SCVT)		20		10					
	DALSINGE	NUM	ETCUSA.	GE (1+1)	02(1+1)	FIFTER	02(I+1)(2(AL)		13	9	11	1 NA	£=14	SUS	YES	YE
	SARAI		ICISM	02 (1+1)	02 (1+1)	ICISM	[62 (1 × 1 (SCA-F)		171	17		Land	1 55.1	11120	1, 1, 1,	
	SAMASTIPUR		MECHANIC DIESEL WELDER	02 (1+1)	2 (104)	MUCHANIC DIESEL WILDER	02 (1±1) (SCVT) 02 (1±1) (SCVT)		24		10 29		1			
			STELLIE A	No. Literal	1000	ETTER			19			DG1	1			YES
		Name of the Control				ELECTRONICS MECHANIC	02 (1+1)(NCV1) 02 (1+1)(NCV1)	+	19	-	16	12/1-20-X				YE
	GOVI III		ELECTRICIAN	02 (1+1)	02 (1+1)	PLECTRICEAN	02 (1+i) (SCVT)	-		-	10		OWN		YES(TO (YE
51	Kaddininaan.	G109901225	IC FSM	-		ICISM		+	18	12	-9		AND(S Acres)	YES	All- 7258sqm)	(16 YE
				02 (1+1)	02 (1+1)		92 (1+1) (SCVT)	-	4	-		1				721 YB
			MECHANIC DIESEL	02 (1+1)	2 (1+1)	MECHANIC DIESEL	92 (1±1) (SCVT)		42		3.2					40
	-		WELDER	02 [111]	2 [1-1]	WEI DER	02 (1+1) (SCVT)		27	-	31		-	C	Usalding e	
			ELECTRICIAN	2(1+1) Unit	2(1+1) Unit 2(1+1) Unit	ELECTRICIAN	2(1+1) Unit		20		76			Currently	Under	De
0.0	Cart III		ELECTRONICS MECHANIC	2(1+1) Limi	2(1) 1) time	DEFETRONICS MECHANIC	2(1) (1) Urat		21	14	30	KZ III	YES	under old	a Courently	
	Chiquo, Smala		ICTSM	2(110) Dnit	2(1 : 1) Unit	ICISM	2(1) 1) Unit		19		102		7 12.1	Building u	runating	rue
			MECHANIC DIESEL	2(1±3) Dan	2(1±1) Unit	MECHANIC DIESEI	2(1)(1)(0)(0)		37		45			Markowro	under old	
	-	1	WELDER	2(1:1) Unit	(26) : 11 (Jun)	WELDER	2(1) () (mi		16		30		-	processors)	Building o	of Da
			ELECTRICIAN DITTER	02 (1+1) 02 (1+1)	02 (1/(1)	ELECTRICIAN FILTER	02 (1-1) (SCVT)		18		18					
1.79	GOVERNMEN	1	PLECTRONICS MECHANIC	02 (1+1)	02 (1:11	ELECTROPHE SAIRCHANG	02 (1±1) (SCVT)		21	,,	18		V/17-4-	08KW	lune.	
-	UH BIRAUI DAKBHANGA		ICTSM	02 (101)	03.(1±1)	IC ESM	02 (1+1) (SCVT)		15	11	11	IA NA	YES	(AP)	YES	
			WILDER	02 (1+1) 02 (1+1)	02 (1+1)	WELDER	02 (1±1) (SCVT) 02 (1±1) (SCVT)		13		39					
			Electrician (SCVT)	(Charje	(1):1(2	Uectrician (SCV1)	(f · 1)2		10		19			2	Gov 171 Begusarai	Sulpi
	Levin-ant11-		Pater (NCVT)	241+13	(terps	EntertSCXTV	(1 112		10		19	1		H 5	1 2	3
	September 11- bei		Hocamacs Mechanic (SCVT)	(1=1)2	(1 ± 1)2	Cle annues Mechanic (SUV1)	(1 1)2		17	10	18	17 8 4		- 3	E E	E
	F		ICTSM (SCVT) Mechanic Diesel (SCVT)	(1-1)2	(1+1)2	(C1SM (SCV1) Mexican Diesel (SCV1)	(1+1); (1+1)2		401		111			1	5:	2
			Welder (SCV1)	11+112	(1-1)2	Waller (SCVI)	11/132		28		10				53	ā
			LELECTRICIAN	03 (1-1)	0241.00	ULI CIBETAN	(02(1.41)		10		30					15
			ITETER	030(1+1)	03((141)	1 HILLS	102(1) 13		10	-	7.0	1	1			70
					-1	WHEMAN	H2((=1)		1.47		30	0.6			I.	120
						V 1////					.0	W				

No	III Nanie	MIS Code Applicati on Number	Non-Frade Sought For Allification	Cuns	Finits Recommended	Existing France	Affiliated Units Shift Wise	Student emolt in 2018–19 ressue with Frade with	Total studeni enselled in 2018-19	Student emolt ut 2019-20 session with Trade wite	Total student emolled in 2019-20	Sout Air coroling Affiliation order of the included LPI in the first	Land lease	Po-ve conjection as per norms	thicks just to
						MACHINIST	1/2(1-1)	15		- 1	100	1			
	1			Own Martine at	ASS/201001	TURNER	03(1)()	15		12					1
72	GOVETTE	GR10000042	SECTE DIPSE	0.0(4):03	03(4) 05	MECH DIESES. MECH TRACTOR	03(2+6) 04(1+0)	11/2	317			Numerical 1	YES	200	710
24	BATHWA	CHAT GOOGGET	-			WELDER	101(1:0)	20		1	2	110000000	11.5	RW(Adf)	1
						PLUMBER	02(2+0)	0			o .				
						TOUNDRYMAN	31(4:0)	19		- 1	3				
	1		24747	64(2+2)	0.4(2+2)			15		3	9				
			SIRAC	04(242)	#4(2+2)			- 1			01				1
			THE TRONICS MECHANIC	04(2-2)	03123129		0.073.00.700.0000		-			-		-	-
	1		1510-100-000	000(1711)	0233 - 11	Electrician	MATTERS CVI	30		- 1	9		OWN		1
	GOVE III		Mach Electronic	02(1+1)	02(4+1)	Machifilectrosis	92(1)(1)(CV1)	15		1			LAND		510
2	HAWELI		Patrick	#2(1+1)	02 (1+1)	Fitter	02710111003511	. 19		1	10	0 1854	10117	AEZBIRK	11000
	RHARAGPUR	1	ICTSM	02(1+1)	02(1+1)	ICTSM	02(1)(1)(SCV1)	1			<u>61</u>		SQMY	1	76
			Mark Diesel.	02(1-1)	02(1+1)	Mech. Diesel Welder	02 (1:1) (SCV t) 02 (1:1) (SCV t)	- 1	1			1	2.5		
	1		Werder	102(1-1)	02(121)	ELECTRICIAN(SUVT)	02(1+1)S(1)1	1 20				NA		1	
	100000 1000 1000 1000 1000 1000 1000 1		FILTER	02(1+1)	02(4+))	FITTER	02(1) 135CV I	110	9			NA	GWN		
- 14	GOVE ITE MADHUBANE		ELECTRONICS MILUTANIC	(12) 1 < 1)	02(1-1)	ELECTRONICS MECHANICISCVT)	02(1) F8CVT	- 26	12		6 1	NA.	1.680	YES USE	N. S.
	SADAR		9CTS34	02(1:1)	02(1)1)	LCTS:M(SCVT)	02H-DSCVT	1		1	(0)	NA.	(12130	1.00	
	Britain		Mich Diant	07(111)	07(1+1)	MECTINIC DUESTISCVT)	02(1) ()SUV1	31			7	NA.	Somi		
		-	ZELDER	02(1-1)	03(1-1)	WELDER(SCVT)	02(1+1)SCV-1	- 1				MA	-	-	+
			ULECTRICIAN	02 (Tet)	02 (1 H)	ELECTRICIAN	B23(1×1)	- 2			9	NA .			
	GOVITH,	V	ELLS ERGNIC MET HANIC	02 (1:17	92(11)	ELECTRONIC MECHANIC	07 (1 - 1)	1	H		(0)	NA	OWN		14
	MADHEPURA	NEW	FILLER	102 (1 11	02 (1+1)	PITTER	02 (1-1) 20 (46) 02 (1-1) 19			17 NA	LAND(4)	7.155	17		
	0.0000000000000000000000000000000000000		MECHASIIC DIESEL	92 (1+f) 92 (1+f)	2 (1+1)	MECHANIC DIESEL	(37(1-1)		3		15	NA NA	I Acres)		17.
			WELDER	02 (111)	24(14)	WEIDER		1	8		201	NA	-1		
	1	1	ELECTRICAN	2(1:1)	2 (171)	7f) BLECTRICIAN 02(1-1) 20 29 1	02 (1+1)	28	- 20	10	19 1306 17	a) YES	Y1.5	14	
	GOVT ITI	1	FITTER	2 (1:1)	2(1:1)	CITEER	92 (1=1)	2	0 2	0		(9) (Sin : 17		V-5	1
	SIMRI		EC1554	2(1/1)	2(101)	RCTSM	0.2 (1-1)	12	1 1		400	10 3067 17		1.63	1
	HAKRIIYARPU		LITTERONIC MECHANIC	2(191)	2(1:1)	ELECTRONIC XII/UTIANIC	62 (1+1)		9 1		10	19 13067 17	-017.52	YES.	- 1
	RESAHARSA		MECH DRESH	3 (1:1)	2.(1+1).	MECH DIESEL	(C) (1+11)		0 4			16 (500 / 17		YES	5
	-	-	WILDER	192(1+1) Liver	2 (1+1) 02(1+1) Unit	WELDER BLECTRICIAN(SCV1)	02(1=1) Unit	1 - 1	8		19	28 1506 17	365.83	YES	- ,
	AND DESCRIPTION OF THE PROPERTY.		TITLES	0.2(1 - 1) 1 feet	02(1) 1) 1 mr	BTITER(SCV1)	62(1×1) Uses		ä		10				
	Gost Industrial		ELECTRONICS MECHANIC	10241-115-101	92(1+1) Unit	ELECTRORICS NICCHANGESCATE	19211 - 1 1 Luca		10		11	THE STATE OF	ALL S	473.10	19
	13 Training Institute	NEW III	HCTSM	62(1+1) Umt	02(1+1) Unit	ICTSM(SCV1)	02(1+11.1hm		3	100	1.0	TINA	1657	12 8 11.	
	Massarlu, Pama	1	WILDER	02(T+1)/Unit	02(1+1) Unit	WELDER(SCNT)	92(1+1) Unit		5		9		1		- 1
			MECHANIC DIESEL	02ct+1).from	92(1±1) Limit	MECHANIC DIESELISCVI)	02(1+1).1 ha		14		41	_			_
	GOVE		ELCTRICIAN	2(1-1):	281+1)	ELCTRICIAN	201-11	-	10	-	20				
	INDUSTRIAL		ELECTRONICS SECH	2(1+1)	2(1+1)	ELECTRONICS MECH	2(1 -1)		8		19				
	THAIRING		TITTER	264-11	2(1-1)	FITTER	2000		101		1:9			72 KW	
	INSTITUTE	NA.	IC ISM	20 0	(2(1+1)	ICTSM	2(1):13		18	1.1	11	.45	Yes	CATH	1
	DUMRAON		WELDER	2(1+D):	2(1+1).	WELDER	20.00		28		20				
	BUNAR		MECHANIC DESEL	201-11	201-17	MECHANIC DIESEL	2(1-1)		10		47				
			EEEC TRICIAN	0241413	02(1-1)	ELECTRICIAN	02 (1 = 1)		19		17				
			ELECTRONIC MELLIANIK	0211211	97 (121)	ELECTRONIC MUCHANIC	02.(1=1.)		20		19			1	
	GOV1 ITI UDAKISHUNG		TITTER	02(1:0)	02:(1:1)	FITTER	02 (1) 1)		18		20		DWN:		
	1970	24.76	IC 1884	(C)(1:-1)	07 (1+1)	ICESM	02.cf=f1		14	12	1.5	E KA	LANHO Agresa	YES	
	MADHEPURA		MECHANIC DIESTI	02(1.45)	13(1)=()	METHANE OUSE.	02(0.00)		43		10		11.00		
			WELDER	021111	2(1):0	WELDER	0211>11		34		21				
	0		ELECTRICIAN	0241-11	02311003	HERCTRICIAN	0231 (1		30		20			Consti	
	Chinestonian TT	di.	THE TRUSH MICH VALL	0231.11	02 (1.11)	DEBUTED SIE DER LOSGE	(2:17-14)		201		20			Territors	
	34 PALANTIA A		PETER	9297 19	112-01-113	PETSIER	0.5 (1 = 1.1		201	11	39	MISIA	1 im	HIE-CC 154	
	THE RESERVE AND ADDRESS OF	171	II 383	(0.5) (-0)	92:(1+1)	II/18M	10551 11		111		153			1111	

Sundle

-5

la



t Industrial ang Institute N shih Supaul VI' HT ARIA VERNMENT DUSTRIAL AINING ETTUTE HYA,	VEW TO	MECHANIC DIESEL WILLDER ELECTROLICAN HIT THE ELECTRONICS MECHANIC ICTSM WELDER MEUTANIC DIESEL ELECTRICIAN ELECRONIC MECHANIC ELTTER ICTSM MECHANIC DIESEL WELDER ELECTRICIAN ELECRONIC MECHANIC FITTER ELECTRICIAN ELECTRICIAN ELECTRICIAN MECHANIC M	02 (1-1) 02 (1-1) Unit 02 (1-1) 03 (1-1) 04 (1-1) Unit 05 (1-1) 07 (1-	2 (1+1) 2 (1+1) 6 (2(1+1) Unit 7 (1+1) Unit 7 (1+1) 7 (1+1) 7 (1+1) 7 (1+1)	MECHANIC DESER WELDER ELECTRICIANISC VI) FITTERSEVT) FLECTRONICS MECHANICSCVT) FLESMSCVT) WELDERISCVT) MECHANIC DIESEL(SCVT) ELECTRICIANISCVT) ELECRONIC MECHANICS (SCVT) FITTERSCVT) ICTSMSCVT)	92 (4 ± 1) (22 14 ± 1) (23 (1 ± 1) Unit (23 (1 ± 1) Unit (24 ± 1) Unit	30 21 20 20 21 21 38 20	120	16 29 14 18 17 37	132	2 NA	NA NA	Madan Madan	OWN BUIL DIR Grender somet sector	11.01.01.0 98 5 Sc 88 5 Sc 55 Scot 70 Son
vi III ARIA VERNMENT USTRIAL AINING TITUTE	VEW TO	ELECTRICIAN TH THE FLECTRONICS MECHANIC FLISM WELDER MELITANIC DIESEL FLECTRONIC MECHANIC FITTER ICTSM MECHANIC DIESEL WELDER FLECTRICIAN FLITER ICTSM FLITER FLECTRICIAN FITTER FLECTRICIAN	02(1)(1) Cint 03(1)(1) Cint 02(1)(1) Cint 02(1)(1) Cint 02(1)(1) Cint 02(1)(1) Cint 02(1)(1) Cint 02(1)(1) Cint 02(1)(1) 2(1)(1) 2(1)(1) 2(1)(1) 2(1)(1) 2(1)(1) 2(1)(1) 2(1)(1)	02(144) Ond 02(144) Unit 02(144) Unit 02(144) Unit 02(144) Unit 02(144) Unit 2(144) 2(144) 2(144) 2(144)	ELECTRICIANISC VID FITTERSE VID FLECTRONICS MECHANIC(SCVT) FLECTRONICS MECHANIC(SCVT) WELDERISC VID MECHANIC DIESEL(SCVT) ELECTRICIANISC VID ELECTRICIANISC VID FITTER(SCVT)	02(1+1) Uni 02(1+1) Uni 02(1+1) Uni 02(1+1) Uni 02(1+1) Uni 02(1+1) Uni 02(1+1) Uni 02(1+1)	20 20 21 21 28 38 20		18	132	!NA	INA		OWN BULDIN Grender	98 5 Sc 88 5 Sc 54 Scor 70 Son
vi III ARIA VERNMENT USTRIAL AINING TITUTE		FLECTRONICS MECHANIC FLECTRONICS MECHANIC FLECTRONIC WELDER MECHANIC DIESEL ELECRONIC MECHANIC HITTER ICTSM MECHANIC DIESEL WELDER ELECTRONIC MECHANIC DIESEL WELDER ELECTRONIC MECHANIC MECHANI	02(1-1) Linu 02(1-1) 02(1-1) 02(1-1) 02(1-1) 02(1-1) 02(1-1) 02(1-1) 02(1-1) 02(1-1)	02(1+1) Unit 02(1+1) Unit 02(1+1) Unit 02(1+1) Unit 02(1+1) Unit 2(1+1) 2(1+1) 2(1+1) 2(1+1)	FITTERSEVI) ELECTRONICS MECHANIC(SCVT) ILISMISCVT) MECHANIC DIESPL(SCVT) ELECTRICIANSEVT) ELECTRICIANSEVT) ELECTRICIANSEVT) FITTER(SCVT)	03(1+1) Unit 02(1+1) Unit 03(1+1) Unit 03(1+1) Unit 02(1+1) Unit 3(1+1)	20 21 21 28 20		18	132	NA !	INA	AT	BUILDIN Glender	88 5 S 56 Str 70 Sor
vi III ARIA VERNMENT USTRIAL AINING TITUTE		HCISM WELDER MECHANIC DIESEL EL ECTRICIAN EL ECRONIC MECHANIC ELTTER ICISM MECHANIC DIESEL WELDER EL ECTRICIAN EL LECTRICIAN	22(1+1)-1 (m) 22(1+1)-1 (m) 22(1+1)-1 (m) 22(1+1)-1 2(1+1)-1 2(1+1)-1 2(1+1)-1 2(1+1)-1	02(1+1) t/ait 02(1+1) Unit 02(1+1) t/nit 2(1+1) 2(1+1) 2(1+1) 2(1+1)	ICTSMISEVE WELDERISCVE MECHANIC DIESEL(SCVE) ELECTRICIAMISEVE ELECTRICIAMISEVE ELECTRICIAMISEVE FUTTER(SCVE)	03(1-1)Xinn D3(1-1)Xini H2(1-1) \int 2(1-1)	21 78 20		17 17 37	132	! NA	NA	AT	Grender	56 Su 70 So
VI III ARIA VI III HARSA VERNMENT JUSTRIAL AINING		WELDER MEUTANIC DIESEL EL ECTRICIAN EL ECRONIC MECHANIC ELTTER ICTSM MECHANIC DIESEL WELDER EL ECTRICIAN ETTLER ICTSM ALIACC	22(1+1) (1) Ont. (2(1+1) (1) (1) (1) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	02(1+1) Unit 02(1+1) Unit 2(1+1) 2(1+1) 2(1+1) 3(1+1)	WELDERISCVI) MECHANIC DIESEL(SCVI) ELECTRICIAMSCVI) ELECRONIC MECHANICS (SCVI) FITTERISCVI)	03(1-1) Amit 02(1-1) Amit 2(1-1)	38 20		37						
VETHI HARSA VERNMENT DUSTRIAL AINING FITTUTE		MECHANIC DIESEL ELECTRICIAN BLECRONIC MECHANIC ELTTER ICTSM MECHANIC DIESEL WELDER ELECTRICIAN ELTTER ICTSM AMERICAN ELTTER ICTSM AMERICAN ELTTER ICTSM AMERICAN	2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	02(1+4) Unit 2(1+4) 2(1+1) 2(1+1) 2(4+1)	MECHANIC DIESPL(SCVI) BLECTRICIAMSEVI) BLECRONIC MECHANICS (SCVI) FITTER(SCVI)	82(* 1) Unit 2(1-1)	38 20		2.0	1					80 Sc
VETHI HARSA VERNMENT DUSTRIAL AINING FITTUTE		ELECRONIC MECHANIC FITTER ICTSM MECHANIC DIESEL WELDER FLECTRICIAN FITTER ICTSM ARRAC	2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(11-1) 2(1+1) 3(4+1)	ELECTONIC MECHANICS (SCVT) FITTERISCVT)	1	20		27			1		11)	1503
VETHI HARSA VERNMENT DUSTRIAL AINING FITTUTE		MECHANIC FITTER ICTSM MECHANIC DIESEL WELDER FLECTRICIAN FITTER ICTSM AIRAC	2(1+1) 2(1+1) 2(1+1) 2(1+1): 2(1+1):	2(1+1) 2(4+1)	FITTER(SCVT)	3000					NA		GUNDER		
VETHI HARSA VERNMENT DUSTRIAL AINING FITTUTE		ICTSM MECHANIC DIESEL WELDER FLECTRICIAN FITTER ICTSM AREAC	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(4+1)			20	}	17		NA	YES(GWN		YES	YES
VETH HARSA VERNMENT VUSTRIAL AINING FITTUTE		MECHANIC DIESEL WELDER ELECTRICIAN ELTER ICTSM AUGAC	2(1+1) 2(1+1) 2:(1+1)			201-1)	20		I-l	177	NA:	LAND	CHON	UNDER	UNE
VERNMENT DUSTRIAL AINING TITUITE		DIESEL WELDER FLECTRICIAN FILLER ICTSM ARRAC	2((+1) 2:((+1)	2(1+1)	MECHANIC DIESEL (SCVI)	2(3+1)	.30		18		NA	20216 SQM)	O 3 PHASE	CUNSTRU	CON
VERNMENT DUSTRIAL AINING TITUITE		FLECTRICIAN FILLER ICISM AIRAC	7:(1+1)			2(1-1)	10				NA	J.Q.11,	CONNECT	Technology :	1
VERNMENT DUSTRIAL AINING TITUITE	2.	FILLER ICTSM MIRAC		2(1+1):	WELDER(SCVT)	2(1)(1)	27	1	25		NA .	Leron .	ION WILL		
VERNMENT DUSTRIAL AINING TITUITE		ICTSM MRAC		2(140)	ELECTRICIAN FITTER	OF THE ORSEVED	120				0 2181 / 23-0 0 2181 / 21-0	YES	YES	YES	YES
VERNMENT DUSTRIAL AINING TITUITE			2(141)	2 (1-F1)	ICTSM	0231511(SCV4)	14	11	1.4	1/2	4 2181 / 23.0		YES	YES	ΥP
DUSTRIAL AINING TITUI'E			2 (1+1)	2(1:1)	MRAC MECH DIFSEL	02 (LFILISCVI)	20	20				YES	YES	KEZ	YES
DUSTRIAL AINING TITUI'E		WILDER	2(1+1)	2(D1)	WELDER	02 (1) 1) (SCVT)	2	23	27		5 2181723-0 7 2181721-0		VES.	YES	YES
AINING TITUI'E		FLECTRICIAN	20(4))	2(1+1)	ELECTRICIAN	02 (() LI(SUVT)	- 2		10		7000000				98.8
mmule 📗		MRAC	2 (4+1)	2(1+1)	MRAC	02 (1+11(SCVT) 02 (1+1) (SCVT)	2		20	3					887
		ICISM	2(1)1)	2(1-1)	ICISM	02 (1-1) (SCV I)	2		1	14	6 NA	yes	48KW	ves	703
11.17%		MECHANIC DIESEL	2 (1+1)	2 (1+1)	MECHANIC DIESEL	02 (1+1) (SCV1)	4		J. 3.				(AP)		210
OJPUR,		WELDER	2 (1+1)	3 (1+1)	WELDER	924111108CVD	7		21	8					802
		EUPC TRICIAN	05 (1 + (1	02 (1+1)	ELECTRICIAN	02 (131) (8CVT)	2	25	1.	K 1	8 NA	Own Building	As per noins 60KW	३ ६५ एक इ	
SOVE UT:		ELECTRONIC MECHANIC	92 (1+1)	02 (1+7)	ELECTRONIC MECHANIC	02 (1+th(SCV1)	21	320	1	8 !	8 NA	Divis	As per	3 65 एकड	avai
PALGANI		FITTER	02 (111)	02 (++1)	EFFTER	03 (FEI) (SCVT)	i i) 1:)	0 1	9 NA	Builduo	As per) 65 夏季等	Jyan
		ICTSM	02 (1:11)	02 (1 i 1)	ICTSM	02 (i ei) (SCVI)	1	6	5	8 1	NA 8	Buddon	As per	165 एकड	levai
		WELDER	02 (111)	02 (1 H)	WELDER	02 (1+1) (SCVT)	2	5 2	5 2	2 2	2 NA	Budding	King.	1	eva
		MACHANIC DIESEL	02 (1:1)1	02 (1+1)	MACHANIC DIESEL	02(1-11(SCVT)	3	3) 4	1 4	INA		As per		IISI
		DECIRICIAN	02(1-1) Unit	02(1-1) Unit	ELECTRICIAN(SCV1)		1 3	0			1	Benkinn	Heidin	7 4. 4. 4	-
DV1 Industrial		FUTTER	92(1+1) Umi	02(1±1) Unit	PITTER(SCVT)	02 (1+1) (SCV1)		-11			1				
	NEW ITI								8	12	21 -	44.		Yes	Yes
gari (Khagana)		WELDER	62(1111Unit	07(1+1) 1/m;	WELDER(SCVT)	02 (1:1) (SCVT)			1 2	3			1100033		I
								-					-		VE
							-	-1		-					77
						62 (1-1) (SCVT)			1	9	18	OWN			Fyv
OVIETELSIWA	New					02 (1+1) (\$C V I)		- 14	0	- 1/	MA	LAND			4
						02 (1 (1) (SCV I)	_	-		?		(20196sqn	(65 KW)	squi)	VI
						02 (1+1) (SCV1)		8	1	11	H	ľ			49
						0211-11/25EVT)	-	16.	1 3	15					111
	NEW	1000	20 HSCVI	.02 L1 + 1)	Unter (SCVT)	ED (ELLI)SCVII	-	2.1		7	NA		1		105
	NEW	1 deciniciars	30 PH SCS 1	02 (\$43)	Oscilicas (SCV1)	07 (141) (803.1)		21		(4)	NA				‡ G:C
OVIDET AHARAIGAN	NW	Medianc Blocome	2011/08/10	02 (1+1)	Mechanic Electronic (SCV1)	62 (1 - 1) (SCV5)		19		18	NA.	OWN	65 KW	VIS	10.5
	VEW	R ISM	10 m SC V	nzd×ú.	(CTSALDSCVI)	(CATHERCAT)		(9)		123	NA	ACRES1		1	20
000	ning Institute, pari (Khagarra) VT ITI SIWA	NEW	MACHANIC DIESEL 1. ECTRICIAN HITTER ELECTRONICS MECHANIC IR 15M WELDER MECHANIC DIESEL GLECTRICIAN ELECTRONIC MECHANIC IIITER IC 15M MECHANIC DIESEL GLECTRICIAN ELECTRONIC MECHANIC IIITER IC 15M MECHANIC DIESEL WELDER NEW LIST MECHANIC DIESEL WELDER	MACHANIC DIESEL 02 (141)	MACHANIC DIESEL	MACHANIC DIESEL	MACHANIC DIESEL 02 (1+1) 02 (1+1) MACHANIC DIESEL 02 (1+1) 02 (1+	MACHANIC DIESEL 02 (141) 02 (141) MACHANIC DIESEL 02 (141) 02 (14	MACHANIC DIESEL 02 (1+1) 02 (1+1) MACHANIC DIESEL 02 (1+1) (5CVT) 50	MACHANIC DIESEL 02 (1+1) 02 (1+1) MACHANIC DIESEL 02 (1+1) 10 30 4	MACHANIC DIESEL 02 (141) 02 (141) MACHANIC DIESEL 02 (141) (SCVT) 39 39 31 34	MACHANIC DIESEL 02 (1+1) 02 (1+1) MACHANIC DIESEL 02 (1+1) (SCVI) 50 41 41 NA	MACHANIC DIESEL 02 (141) 02 (141) MACHANIC DIESEL 02 (141) 03 (141) 04 04 04 04 04 04 04 0	MACHANIC DIESEL 02 (141) 02 (141) MACHANIC DIESEL 02 (141) MACHANIC DIES	MACHANIC DIESEL 02 (141) 02 (141) MACHANIC DIESEL 02 (141) MACHANIC DIESEL



Ė	1 Name	MIS Ode/Applicate on Number	New Frade Saught For Affituace		Onte Reconnected by SCI	Exoning feaths	Afflianed Cato: Shirt Wav	Student enroll in 2018-19 session with Trade wise	Fotal student enrolled in 2048-19	Student entoll in 2019-20 season with Trade wise	Loral student enrolled in 2019-20	Send All existing Affiliation prider of the included ITI in the list	Land Sense value		Dialong es perogena	svorkaling apace
		new	Meclanic Disel	SHEDSTATE	02 (1) (1)	Mechanic Disel (SCV1)	νΣ (1+1) (SC V L)	35		-11		NA				150 Sq. M
		NEW	Welder	(III) SCVI	02 (1+1)	Welder (SCV1)	02 (1=1) (SC V13	27				NA				80 Sq. M
	SOV F		ELECTRICIAN	2(1:1)	2(† • 1)	FLECTRICIAN(SCVT)	02 (1+1) (SCVT)	18	18	119	150	NA	OWN GUILDIN	APPLIED AS PER	AVAILAB LE AS	210 02 Sq
	NDUS TRIAL		PITTER	Sprin	2(1+1)	FUTER(SCVT)	92 (TH1) (SCN-1)	15	18	13	17	NA .	DWN BUILDIN OVN	APPLIED APPLIED	AVAILAU LE AS AVAILAU	176sun
	RAINING NSTITUTE		ELECTRONICS MECHANIC	2(3+35)	\$(1+1)	EM(SCV1)	02 (1+1) (SCV1)	.1	19	18	< 18	NA	OWN BTITLDIN	APPLIED	AVAILAU ULEAVA	510 fk
7	JOHANIA KAL		ICTSM	2(1-1)	2(141)	ICTSM	02(FE) (SUVI)	[]	13	1.	1.7	NΛ	OWN DIN.	ANTEED	LEAS	160 sq in
1	JUR		MECH DIESEL	2(1+1)	211+11	MECH DIESEL(893)	(E) (1-11(SCV3)	1(11	1.	2 42	NA	DWN	1777	AVARAU MARAU	STREET, TREET,
			WELDER	2(1:1)	2(1:1)	WELDER(sevi)	RELIGIOUS CVTI	2.				NA.	01/11/05/51	AFTELED	LC 16	160 sq m
10	iovi III		ELECTRICIAN FITTER	02 (131) 02 (131)	92 (1+1) 92 (1+1)	FELTER TERM	02 (13 IV/SCVE)	20		- 11	10.6					
16 5	Semra Bazar		MECHANIC ELECTRONICS	02 (1:11	05 (1+1)	MECUANIC ELECTRONICS	02 (1111) (SCV1)	T.	-1	10	6		YES	YES	YES	YES
	Bagaha, West Jamparan Bibar		ICTSM MECHANIC DIESEL	02 (1+1)	02 (1+1)	ICTSM MECHANIC DIESEL	62 (Litriscyt)	21	1	1	J. 1		1 17	1.41.02	. 1.0	11.3
	component DIGH		WELDER	02 (++1)	1)2 (4+1)	WELDER	(2 (1-1) (SCVT)	-2		1						
	Gove t T i		ELECTRICIAN FITTER	02 (1+1)	02([+1)	ELECTRICIAN	92 (1+11/SCV1) 92 (1+11/SCV1)	2	2)	9					
47	Nadomyagang.	NEW ITI	MECHANIC FLECTRONICS	0211111	02 (1+11	AUSCHARGE ELECTRONICS	02 (1:11 (SCV1)	2	i to	7		R	YES	YES	YES	YES
	West: Champanini Dibar		MECHANIC DIESE	02 (3 (1))	02 (1 - 1)	ECTSM (MECHANIC DIESEL	02 (U-U) SCVT)	1	51		5		1 4 4 7	11.07	(1.6)	11
	e mangsaran in indak		WELDER	02 (11)	02(14))	WELDER	02 (1711(SCV1)	2	N.		ő .					
			Electrician	02(4-1)	02 (1) 1)	Electricims	02 (141) (SCVT)	1 1		3	(1)		OWN			
	GOVETH		Mech Electronic Eliter	02(1+1)	102 (1+1) 102 (1+1)	Mech Electronic Filipi	92 (1:1) (SCV1)	3	4	. 3	190	200	LAND	YES (40	1	
	MANUIARLKA TILIAR	15676/111	ICTSM	02(1:0)	02 (1:61)	KTSM	02(1+1)(SCVT)		7)	1	10	3 NA	(14164SQ		YES	YES
1:11			Mech Digsel Welder	62(1+1) 62(1+1)	(() () () () () () () () () () () () ()	Mish Dorot Wilder	02 (1=1) (SCVT) 02 (1=1) (SCVT)		8		2		N!1			
	GUVEINDUST		ELECTRICIAN	2(1)(1)	2(7+1)	LIECTRICIAN(SCVI)	02 (I HYSEVI)	2			0 2	0 NA	OWN		AVAILAB	
	RIAL TRAINING		FITTER	2(1-1)	2(1+1)	FIFTER(SCVT)	02 (5+1)(SUVI)	2		1 3	2	0 NA	Blilling	Xirideo		AVAILA
	INSTITUTE DIT ELARI		ICTSM	361-13	2(1 + 1)	ICTSM	02 (1×1) (SCVT)		5	5 I	1 1	3 NA	OWN BUILDIN	APPLIED	AVAILAB	
	kidulikis		ELECTRICIAN	02 (1+1)	02 (1:1)	FLECTRICIAN (SCVI)	02 (I+1) (SCVT)		20	0 3	100	9 NA	LANDI12	AL 50kw	Ale	YES(160
			ELECTRONIC MECHANIC	0241+11	02 (1-1)	FLECTRONIC MECHANIC (SCVT)	02 (1+1) (SCV1)		9			5 NA	OWN	VES(TQ) LAL-50ke)	TESTIUT.	
	GOVEUN						02 (1 (1) (SCV1)						1576.5	LEGALION	11501.1731.	YES(120
50	ARERAJ, EAST CHAMPARAN	NEW	FILTER	97,(141)	02 (1+1)	FITTER(SCVT)	02 (L-1) (SCV1)					NA 0		AL-50kel	ALMITOT	YESC176
		1	ICTSM	D2 (1 (1)	92 (1=1)	ACTSM	02 (1 · 1) (SCV1)					8 NA		Ai. Sokwi	VIV.	YES(210
			MECHANIC DIESEL	02 (FF1)	02 (1+1)	MECHANIC DIESEL(SCVT)	92 (1:1) (SCV1)		101			15 N.A.	67.15.25	1 AL-50kw)	ALIMANA	YES(21)
		1	WELDER	N2 (1×1)	2(11)	WELDER(SCV1)			Α			AN R	0.00	I AL-SOKW)	TESTUT	YESUGE
			ELECTRICIAN	02 (193)	0.2 (1+1)	FLFCTRICIAN(SCV1)	00000		30	70	20	10 NA	LAND	A1, 50(ac) Y 65(101		YESt16
	GOVEHE		ELECTRONIC MECHANIC	02(1):11	62 (4+1)	ELECTRONIC MECHANIC (SCVT)	02 (1-1)		20	Yu	10	D NA	LAND	AL-50kiv)	AL-	Y EST12
51	RAXAUL EAST	NEW	FUTTER	0231111	02 (121)	EII TERGSCV I)	62 (194)		18.	1X	19	10 NA	LAND	A1 -50ksv)		YES(17
	CHAMPARAN		ICTSM	0341311	02 ((±0))	CISM	32 (12.1)		17	19	11	BL NA	YND	41 ×50kw)	Afr	SESTA
			MECHANIC DIESEL	02(13:4)	2/13/0	MECHANIC DIESEL(SCVT)	02 1 - 1 1		10	10	45	IS NA	LANIA .	al-flow		V18(2)
			WELDER	0.50.ECTAC	20100	WILDURGSOVIT	927(1112)		20	119	10	12 AZ (1)	£ a ND	AL Silkwi	AL	V12861
			ELECTRICIAN	DESCRIPTION.		PERCHAULANCE (VI)	102GE CETAIN		21		21		diva			
	GOVE bidasout		FITTER ELECTRONICS ARE HAVER	02(1.01) Umit 02(1.01) Umit	02(1+1) tant 02(1+1) tant	THE TRUST VIT	0201111100 0201111100	-	191		70)	Wisc.		Y18(19)	V1827-35	
	Leanury litstinate Khagana	29.39.333	10.1834	0211 (3 i 1) mt	020 c135mc	# TSM(5UV)	WARTER A TOTAL OF		13		12	N 754	53 960	AL-SER)		
			WELDER METIANIC DIFSEL	9211-111mt		Will history vity http://www.birshistoryii	02(1-013)en 92(1-112)en		19		11		5030			
			ELECTROCIAN	1031.113.19.43 ntt		TELERIC ASSEST	HORFITTEE				349 100				-	
			PITTER	630 1110		THE HARACH II	C1 111-1				320			Seed on the		



	03 Sanc	Africa Lode Applicati nn Swelter	Now Craste Sought For Affiliation	Units	Lous Recommended by SC1	Kasang Traile	Affiliated Units Suit Wise	Student euroff in 2018-19 sossion with Trade wise	Fetal student smolled in 2018-19	Student emott in To10-20 resent with Toste tose	fotal Student enrolled in 2019-20			Percention Industrian Institu	Tradifing as per nomins	
53	BAISTPLENT A	NEW I'M	ELECTRONICS MECHANIC ICISM WILDER	07(1+1) Unit 02(1+1) Unit 02(1+1) Unit	02(1×() Unii 02(1×() Unii 02(1×() Unii 92(1×() Unii	PLECTRONICS ALIEHANDESOVEC ICISM(SCVI) WEI DERISCVI)	02(1-1) Umi 02(1-1) Umi 02(1-1) Umi	3 J	0 6	18	1 70	NA	Finet I ==1	EWYES	Yes, As per Norms	Visi X Por No
-			MECHANIC DIESEC	02(1+1) tzon	03(1=1) Land	MECHASIC DISSUSCENCE	02(1+1) Unt	1	9	31						-
	0000000		Deciments mechanics	2(1+1)	2(1-1)	Electricias Frecuentes meditames	02 (1+1)		81	21	1 14					
.54	BARRASKIII.		ICTSM	3(1+1)	201-11	ICISM	02 (141)	1	В в	5		NA	19/4	HNI	Applied for	YES
	PERCULA		Virter Welde:	2(1-1)	2041	Walder	02 (101)		2	2/	147			Cand		
			Diesel mechanic	2(1+1)	2(1+1)	Diosel nuchanic	102 (1+1)	1	of	3	1 14				1	
			ELECTRICIAN	02 (191)	02 (1+1)	CLECTRICIAN	02 (1+1)	1	0	1	9					YES
			ELECTRONIC MECHANIC	02 (I±1)	02 (1+1)	ELECTRONIC MECHANIC	02 (1+1)		8	1	s					YES
	6957 133		UTTER	02 ([+1)	02 (1+1)	HITER	02 (1+1)		20 13		-		OWN	YES(IOT	YES(TOT	VES
	HE SAND,SHA MARHE		IC ISM	02 (1+1)	02 (1+1)	ICTSM	02 (1+1)		19			NA C	LAND EXCHOLOGIST	AL-36kw)	264 5sqm)	GK830
			MEC DANIC DIESEL	62 (1+1)	3(1+1)	MECHANIC DIPSEL	02 (1+1)		12	4	-				, and and	Tis
			WELDER	62 (1+1)	2 (141)	WELDER	02 (1+1)	1	17	2	-					學學
	-		ELECTRICIAN	02(1:1)	02(1+1)	ELECTRICIANISC VE)	02(1+I)SCVT		19			160	_	-	-	98.85
	mi.		THIER	02(1+1)	02(113)	FUTER	102(1+1)SCVT		20	2	0	NA	27.80			100.8
34	JUNEAU SERVICE		ELECTRONICS MECHANIC	102(111)	02(1+1)	FLECTRONICS MECHANIC(SCVT)	102(1+1)SCVT		19	1	6 13	8 2	UAND 113140	YES	YES	67.62
	WEDSTHIREST		MECHANIC DIESEL	92(1+1) 92(4+1)	02(1+1)	LUTSM(SCVT) AUCHNICDESERSUVT)	02(1=1)SCVT		101	4		NA NA	Somi			210.0
			WELDER	02(1/+1)	02(1)(1)	WEI DIERISC V I)	02(1+1)SCVT		26	2	6	NA				BD.G.
			ELECTRICIAN	02 (1+1)	02 (1+1)	ELECTRICIAN	02(1±1)SCVT		20		8					Y 1 S
			FLECTRONIC MECHANIC	02 (141)	0241014	ELECTRONIC MECHANIC	02(1+1)SCVT		21		8		11/1/2/			YES (S6so
	DON'T LET I PERIO SILAMA		UTTER	02 (1+1)	02 (1-1)	FUTER	92(1+1)SCVT		19 137 [6]	37	7	Service	EXMD	YESCIOT	YES(101	
	EIII		ICISM	02 (1+1)	02 (1+1)	ICTSM	02(1+1)SCVT				5	1	LOST	AL-36kw)	964 5sqm)	Y ICS
			MECHANIC DIESEL	02 (1+1)	230(03)	MECHANIC DIESEL	02()+(1SCV)		37		u	1				Vis Vis
			WH DER	02 (1±1)	2 (1 (1)	WELDER	02(1+1)SCVT		2.1		2G			1		TES
			BLECCRICAN	2 (1+1)	2 (1)-11	ELECTRICAN	SCVT 2 (1+1)		20		19			Kwis	norms	
	G0VJ 131		FITTER	2 (1+1)	2(1:1)	HITER	SCVI 2 (I+I)		20		19		SES	available	Institute	Ŧ
	SAMMASTER IN	AV	MECHANIC ELECTRONIC	2(1+1)	2 (1) 1)	MECHANIC ELECTRONIC	SCV[2(1+1)		15		12	12-NA	F 78D	& Power extention	Building is inide:	YES
			MECHANIC DIESEL	2(111)	2 (1+1)	MECHANIC DIESEL	SCYT 2 (1-01)		-10		16	1	15 (15)		constructio	,
	ļ		WELDER	2(1+1)	2000	WELDER	SUVI 2 (1+1)	-	37		2	-	-	6= 10 Km		VES
	0		Herman	02 (L+1)	03 (111)	Electrician (SCV1)	02 (1+1)	_	3.0		1.7	Before-	ONEN	YES	YES	VI
	HWELCK HWELCK	GR 10000043	Filter	02([+1)	02 [1.01]	Fitter (SCVT)	02 (1:1)		20	×(i)	18	71 1974(DGI				
	SHARE	17101000	Electronic Mechanic	02 (1+1)	02 (1+1)	Electronic Mechanic (SCV1)	02 (1+1)		20	100	20	1-6490as	Acre	(TOTAL- 15KW)	1101AL- 1380 Sqm	YES
			Draughtsmen (Cival)	02 ([+])	192 f F + 1 E	Draughtsmen (Civil) (SCV1)	02 (1+1)		20		18		, del	13(11)	, mo squi	11122
			Молисии	02 (111)	02(1/1):	Uhranjaming SC V 13	02 (141)		20		19	8/4				143
			Entice	52 (1-1)	62 (4/4)	Point (SCV1)	0.2 (4 - 14		20		19	XA.		14171	VILLE	YES
	GOVE HE PRIVENIGAN		Electronic Machanic	02 (1+1)	02(151)	Electronic Mechanic (SUV1)	62 (1=1)		20	10	17	KA.	- 7×D	YES	YES	THE
	erb/Al		(C183)	02 (1 4 1)	graneti.	11.183((SCV1)	er (t+t):		211		17	11	1 80	20 KW1	(TOTAL- Ese Som	NES
			Alade Divisel	02 (1-1)	ATTENT	Piece Diesel (SCN1)	GHT DSCVT		:319		45	5-3				YES
			Wells	02 (141)	601(F1))	Wilding (SCV1)	02(11) ISCVT		44		507	86.	ī			1733
			ELECTRICIAN	02 (1 1)	E1150	ELECTRICIAN	02(1+1) SCV1		20		ob.					VES
			ELECTRONIC MECHANIC	102 (1 = 1)	45 (t=1)	TT.DORONE MECHANIC	mitt-nscvi		30	-	100					y es
									-1				1	1		



No	FENnine	AHS Code/Applicati on Number	New Frade Sought For Affiliation	Cinns	Units Recontinended by SCI	Existing Traffe	Affibated Cants Sluft Wise	Stadem emoff in 2018-19 sevenon with Trade wise	Foral smalent corolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student emolled in 2019-20	existing Affillations brider of the included 111 in the		Peacer compound as not norms	Madda - 8 per minus	en malibiq eprimi
	GOV1 III		FITTES	02 (1 +1)	(0.1/1)	FITTER	eraction SUVI	24		2	0		OWN	YESTOT	VENTOL	ALSIER
61	SHEOHAR	New	ICISM	02 (1:1)	024141	ICESM	02(1=1) SCV1	19	T-E		8 1.16	NA	£ AND(263 96 sqm)	AL-70ksy)	AL- Philippi	SUSCIL
			MECHANIC DIESEL	02 (1+1)	2 (1 - 1)	MECHANIC DIESEL	621-11SCVI	10			2		l		C.15(0)4113	VESCH
			WEEDER	02 (1+1)	2(1-1)	WELDER	ont-mscvr	3		1	2					-
				-									-		YES (98	STREET
			ELECTRICIAN	2(111)	2(1-1)	ELECTRICIAN(SCVT)	02(1 - 1)SC V I	2				NA			AL2 (22	\$0.05D
			FIFTER	2(1+1)	2(141)	FITTER(SCVT)	02(1×1)SCV(1	20		<u> </u>	"	NA	OWN		Sosto.	PASE
62	GOVI III SONPUR		MECHANICS ELECTRONICS	2(141)	2(1+1)	MECHANICS ELECTRONICS (SCV1)	02(1+1)SCV1	15	13	2	5) (A)	MA	LANDL	YES	YES(\$6 SQAU	SUND.
	SARAN		ICISM	2(1+1)	2(1-1)	ICTSM (SCVT)	03(1-1)SCVT		5		8	NA	ACRES)	50KWIA/F	T (5170)	50515
			Williamit	2(111)	2(1-1)	WELDER(SCYT)	92(1+ ()SCV 1	1	9		Ö	NA			20MP	2121
			MECHANICS DIESEL	2(1+1)	2(1+1)	MECHANICS DESEL(SCV1)	02(1-1)SCV3	1			9	NA			YP5(150 8081)	VENUE SOAL
			EUFCTRICIAN	02 (111)	02 (1+1)	ELECTRICIAN (SCVT)	02 (10/1) (SCV1)	2	0		22	NA				OTE THE
	GOVI INDUSTRIAL		FITTER	02 (1+1)	02 (1 + 1)	ETTTER (SCVT)	02 [1+1] (SCV1)		9		19	NA				
6.7	TRAINING		MECHANIC Electropics	02 (1 (1)	02 (1+1)	MECHANIC Electronics (SCN1)	102 (1 · 1) (SC V F)		13	5	18 14	0 84	LAND	YES	YES	
	INSTITUTE LAINAGAR		ICISM	02 (1+1)	02 ((+1)	IC ISM (SCVT)	92 (F) FESCVE)		0		15	NA	(4 flAcre)		111.5	
	MADROBANI		MECHANIC DIESET	02.01-01	02(171)	SUCCIONIC DIESEL (SCA.)	07(1-111SCV1)		3	15 30 27	NA.		1			
			RVELDE II	02 (1+1)	02 (1:1)	WELDER (SCVI)	U2113111SCV11		(1)			NA		-	-	-
	GOVI		ELECTRICAN	02 (1 1 1)	02 (1+1)	ELECTRICIAN (SCV1)	0231113 (SCVT)	2			181	NZ				
	INDUSTRIAU TRAINING INSTITUTE BIILLA DANAP UR PATNA	į.	FIFTHS	02 (1+1)	92 (1 H)	PTI TER (SCV1)	02 (3 : U) (SCV1)	1	8		17	NA	TAGGED WHITER	WIGHT	TAGGED	
17		INSTITUTE	MECHANIC Electronics	02 (1 +1)	62 (11) 1	MECHANIC Electronics (SUVI)	02 (UEL) (SC VT)	1	17 13	16	20 11	GNA	DIGITA	DIGITA	DIGUA	DEGIT.
		DANAP	KTSN	02 (1+1)	02 (161)	ICTSM (SCVT)	02 [1 - 11 [SCV]]				17	NA	— GUAT PA - INA	INA	GHALPA INA	LYV
			MECHANIC DIESEL WILDER	02 (1+1)	02 (1+1)	MECHANIC DIESEL (SCV1) WELDER (SCV1)	02 (1+1) (SCVT) 02 (1+1) (SCVT)		8		13	NA NA	-			
	INDUSTRIAL		FEEC TREAN	92 (1-1)	02 (1-1)	PLECTRICIAN	92 (131) (SUV.I)				IN	1100				980547
	TRAINING		THE HER THE TRONICS MECHANIC	02 (1-1)	02(1+1)	FLECTRONICS MECHANIC	02 (1-1) (SCVT)		0		20		1	BKW		887.1
b	O,KOTHUA.DIS		4CTSM	02 ([±1)	05.11-17	ICISM	62 (1) DESCVE			33	4.14	I) NA	205	(AF)	Vox	302
	TRIST-		MECHANIC DUESEL.	02 (1+1)	02 (141)	MECHANIC DIESEL WEI DER	02 (1+1) (SCVT) 02 (1+1) (SCVT)		50		45 23					10X1
	mionia		Electrician.	02 (141)	02 (1+1)	Electricino	02 (I+1) (SCVT)		10		17		Op to own	1	1	10.01
(Women IT! Awangabad		ELECTRONIC MECHANIC	02:11-11	02(1+0)	ELECTRONIC MECHANIC	60 (B) FESTIVET		15		16	A:K XI	haiding	V ^e s.	129	Yos
	T tar tangaout		MCEA ICESM	02 (1+1)	02 (1+1).	MCEA 3CTSM	02 (1+1) (SCVT) 02 (1+1) (SCVT)		7		5		Construct			
	GOVT		ELECTRICIAN	02 (1+1)	02 (1+1)	ELECTRICIAN	02 (1+1) (SCVT)		244		17				VESITO	2.17
	WOMEN TH	NEW	PLECTRONIC MECHANIC	02 (1:1)	02(1+))	ELECTRONIC MECHANIC	07:11:1)(SCV1)	1	Tr.	34	14	59 NA	DWN HEANDG (YES(TOT	ALI	YEST
	SASARAM, ROHFAS		MCEA	02 (111)	02 (111)	MCEA	02 (1 1) (SCV1)	-	3	-	15		() Acres)	LAT50kw	100 TO 100	15
		-	BUTSM BLECTIGUAN	02 (1 (1)	02 (1-1)	JETSM JIEGUTIUCIAN	02 (1):114SCV (1)	-	20)	-	18	-		-		17770
,	COVERNIT	NUW	ICTSM	02.(1/10)	02(01)	IC ESM	02 (1. 03)\$(3/1)		4	19	-8	selNX	YES	WES	VIIS	0005
	Enkhisarai		Medido/Tisconoria	02(1)(1)	2 (1/1)	Mechanic Electronics MCHA	DATE HISCOR		10		9					
			WILL BULLY	2011	COLIN	ELECTRICIANGENT;	3(3 3)		16		201	4.2		A TOTAL DAY		YPS
	Lawrence .		ELBORENC	31.31	211111	ELECRONIC MUCHANICS (SCV.)	10,7524		17		17	Sec	VIS		E ENDER	
	GOVE WITE		MEURONE	_				-		71		-	-		ATTENDED	
			MCUK	217-13	Stati	AR (1/8)(/ 1)	map	-			16	2/9	515	CONTR	R LISTHER	1.80
			0,4871	91.09	0	# 12782C A 11	3911149				14					
			10,12.47	3170	Sani	PETSURSCOTT	17 - 18		H	(ge	X-	VEN	83 (1.59)	77	





É	111 Same	Mth Codestquitum ya Mesten	Tree Trade Sought For Affiliation	-	Dana Recommunded the SCI	Estima Frida	Affiliated Course	Sendent untell or products system with Engle	Total ministra minist	Stort and emicle at 2012–20 http://www. world Creeks	Total nuden condict in 2019-20	Send All existing Afritation order of the included III in the her	A and Speed .	Power connection as per norms	Omiting per norms	etrico gospanol
70	GOVT WOMEN ITT BANKA	NEW	ELECTRONIC MECHANIC	03(194)	(02 (4/1)	ELECTRODIAN ELECTRONIC MECHANIC	(02(1/4) (07(1/4)	100	11	17	-14	NA .	OWN LAND(4.2 2 Aires)	VES(TOT) A1250kw)	AL- al w 5850	YES(12)
	DATE OF		MECA ICISM	0211711	02 (177)	MECA RCISM	102 (1-1)			id a			1. 705103)		m()	YESCIGI
			Hectacian	20 (1)	241-11	Electrician	GΣ (1-1)	10		15		NA				8 Sa M
	GOVT WOMEN		Electronics	70 ° 0	2(1)	Electronics	02 (1 1)	1,							Available	56 Sq M
	INDUSTRIAL		Mechanic			Mechanic		L.	ĺ						us per	
71	FRAINING		MZTU	20.000	2011	ICTSM	02(1=1):	1	.0		36			14.53 KM	NCVI	70.Sq.N
	INSTITUTE JAMUI		NICEA	2(1+1)	2((+1)	мсел	02 (1 ÷ 1)	(Nomis	56 Sq N
	GOV WOMAN		ELECTRICIAN	T(T=3)	2(1+1)	ELECTRICIAN	2(111).	20		.13					YES	
"77	INDUSTRIAL	1	REECTRONICS MECH	3(1,1)	201511	PLECTRONICS MECH	2(1:3)	1.5	- 1	6 15	16		YES	13 kw	Linder	
	TRAINING		II TSM	2(1-1)	2(1-1)	ICTSM	(2(1+1)			1;					Совижни	16
	WOMEN ITI NALANDA		ELECTRICIAN	62.(1=1)	02 (1+1)	ELECTRICIAN(SCVT)	02 (1+1)(SCVT)	NA .		ИА		NA				AES(48
7.	WOMEN IT: NALANDA		ELECTRONIC MECHANIC	02 (1+11)	62.(1+1)	ELECTRONIC MECHANIC(SCVT)	02 (1±1)(SCV1)	NA	l NA	NA	NA	NA	OWN LAND(121	YES(TO F AL-46kw	AE8(101	YES(50
	WOMEN ITT NALANDA		MECHANIC CONSUMER GLECTRONIC APPLIANCES	02 (1-1)	(02 (1+1)	MECHANIC CONSUMER ELECTRONIC APPLIANCES(SCVT)	02 (1+D(SCVT)	NA		NA		NA	40 sem)	A/F)	794sqai)	YES(SO
	WOMEN ITI NALANDA		INFORMATION COMMUNICATION CECHNOLOGY & SYSTEM MAINTENANCE	11-11-11	02(1+1)	INFORMATION COMMUNICATION TECHNOLOGY & SYSTEM MAINTENANCE(SCVT)	02 (1+1)(SCV1)	NA.		NA		NA				Y2S(70
			ELECTRICIAN	02 (4+1)	02 (4+1)	ELECTRICIAN	02(1-1)(SCV1)				9	NA	DWN			98 (50
7	WITI		ELECTRONICS MECHANIC	10311111	82 ((-0.1))	ELECTRONICS MECHANIC	05 (T = F(2C A T)	1	4		6	1 NV	LYND	YES(14-73	YES	56 (Sq
	"MADHUBANI		ICISM	02.014.11	02 (11(1)	ICTSM	92 (1+1) (SCVI)		8		1	NA NA	[12140Sq	KW)		70 (50
-	(Government	-	MCEA ELECTRICIAN	02 (1 (1)	02 (1+1)	MCEA ELECTRICIAN	02 (EED SCVT)	- 1		1	0	NA	m)	-		88.50
	Weenen		MCEA	02 (1+1)	02 (1+1)	MCFA	0211:118051	-	8-1		ii.	1			1	1
	Inquistrial	REW III	MECHANIC ELECTRONICS	0311/11	102 (1 FI)	MECHANIC ELECTRONICS	92 HTH SCVT	2	u	52	(e)	9		YES	Yes	YES
	Training bearing	e.	ICTSM	02 (1:11	02.(141)	ICISM	02 (1±1) SC V1		S		1					
	GOVT		BLECTRICIAN	02 (ED	02(1+1)	ELECTRICIAN	02 (1+1) SCVT	1			0		Owii	As per		aválla
	6 WOMEN ITI	-	ELECTRONIC MECHANIC	02 (1011	6211 (11	ELECTRONIC MECHANIC MCEA	02 (1:1) SCV1	-	1	21	2	UNA	(Smithar)	45KW	1 উক্ত	48-18-1
	GOPALGANI		ICESM.	0231013	02 (1+1)	ICTSM	02 (1:11 SCV) 102 (1:11 SCV)	-	-		-		Callottina	applied	1	43001115
			ELECTRICIAN	(ivii	02 (1+1)	ELECTRICIAN	02 (1-1) 5(\ 1	2	0		7		OWN		YES(LOT	YES
	GOVEWITE MADEIFPURA	MEM	ELECTRONIC MECHANIC	02 (1: (1	01(1:1)	ELECTRONIC MECHANIC	02 (1+1) SCV 1					SI NA	LAND(2 3	YES	AL ² 7258sgmj	(161)
			MCEA	021(11)	02 (1+1)	MCEA	102 (1+11 SCV3		9		5					,
			R/1 SM	02(1:1)	02 (15)	ICISM	OEGHD SCVI		-		-	1	-	-	-	VES
	78 GOVI		ELECTRICIAN ELECTRONIC MECHANIC	04(242)	(02 (1+1)	ELECTRICIAN ELECTRONIC MECHANIC	02(1):1(SCV)		9		17 M	11 84	LAND		1001 004	YIS
	WHISIWAN	V.							4		-		120396sqn	PRESE	Aspetil	3000
			ICISM	4201-11	02 (1-1)	40(188)	OZITETEK S		1		174		Ī			
			HECTRICIAN	10(1) (1)	0231111	BLECTRODISS.	62 (E.H.SCV)		1-14		to	NA				5051
	GOVT WITEKHAGAR	RI	DESCRIPTION OF THE PROPERTY OF	62(111)	(02 (1 : 1)	ELECTRONIC MECHANIC	02 (1 1) SC V 1		190	2-3	4 5	VX >>		Y15 1 10mi-40	VESTER SQND	SOA!
	٨		REISM	6361703	B2 (1+1)	ICTSM	02 (1×1) SC V C		7)		R	NA	40 sqm)	KRI	656476	SEA
			MUEA	10373 - 13	923f+11	ATTER	BED USCAT		17]		10	NA		1		100



ŧ	Ef-Source C	MIS Code/Applicate on Number	New Trade Seaght For Affiliation	Kaur	Units Recommended by SCI	Exercise Cont.	Affiliated Units Shift Wise	Student enroll us 2018-19 session wise wise	Lotal student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Het d stadent emelled in 2019-20	Send All existing Affilation order of the included ITI in the her	Land less. valid		Undding as pot name	anice walkspiele
			ELECTRICIAN	13(1-1)	02(1+1)	ELECTRICIAN	0.0(4(91))	20	7	13			yes	Yes	7.62	
			ELECTRONICS MECH	1024 S EX 17	02(1-1)	ELECTRONICS MECP	02(111)			8			ec s	Yes	Yes	
100.00	Sharkhpura	NEW	ICTSA1	HENRICKE	02(1-1)	ICISM	02(1011)	-3	- 31		1.		Nes	Yes	Yes	
			MCEA		02(1+1)	MCEA	02(1:1)				i		ves	Yes	Kar.	
	CHONEROVANCIAL		HLECTRICIAN		0.4(2-2)	FLECTRICIAN	04(2+2)	21	-	B	5.	-		, 23		98X1=91
	WOMEN INDUSTRIAL		PLECTRONICS MECHANIC		0211-11	TEECTRONICS MECHANIC	02(1:1)	21						20K\\		56 X 1 = 50
81	TRAINING INSTITUTE, INSTITUTE		ICISM	(0)(1)1	02(1+1)	ICTSM	02(1):()	24	8.	l.	3		¥63	(AF)	262	#(X) = A
1	Government WIII ARA		Elicentrickin	020100	02[1+1]	(Destriction	02(1-1)	02(1+1)	7	1 15		9 31	N/A	Own	YES	Y18
	BHOJPUR		Efectionics mechanics	02(1++)	03(171)	Plantman's enceloungs	02(1-1)	02(1+1)		-	1	9		hankling		
	GOVI		ELECTRIC AN	2 (1+1)	2 ([+1]	ELECTRIC AN	SCVT2(14)	.31	1		5	NA	OWN AI:2	YES 15 Kwis	As per points	WIS
83	WOMENTH	NA	MECHANIC SURCERONIC	2(0.1)	2(1:11.	MECHANIC ELECTRONIC	SCALS(LIF		7			1	11.000		I ATTIVE	
	SAMASTIPUR		MCEA	2 (b(t);	2.0(0)	IC USM MCEA	SCVI 20111	1	7					-		
	GOVI		ELECTRICIAN	21////	2 (1 > 1)	ELECTRICIAN	SCV12(J+1)	2		2	(1	1-Opins 27/2010-				
	WOMEN'S ITT MUNGER		MECH ELECTRONICS.	2000	2(1/1)	MECH ELECTRONICS ICISM	SCVERGAL SEVERGAL	3		8	4	1235 dened	Ceacemness	011 66 KW	3 ti Acre	160 sqr
			ELEC TRICIAN	2(801).	2(1+1)	FLECURICIAN	ozętii		2	96	de 1	n NA	(OWN LA)	1OD 24Y	YFS (98 SC	10151
			MECHANICS ELECTRONICS	2(1 (1)	2(1+1)	MECHANICS ELECTRONICS	02(1+)+		4 2	20 3	2	eo na	(OWN LA	NYES (FO)	YES(56 SC	Foll 84
			TC LZW	20110	2(1-4)	ICISM	0284415		K	20	ĸ	DO NA	(OWN LA	AYES (101	YES(76 St	71 SO
	GOVE WITH		MCEA	518 - F1	2(1*11	MCEA	024 + 1)	Į.			16	20 NA	COMPLLA	NYES HOE	YESH30 S	11000
85	GOVT	SER.	FLECTRICAN	2 (1 - 1)	2 (1=1)	ELECTRICAN	SUVT 241+11		18.		15	and the same	OWN	Applied	1 (1772) 1730 3	A A PERSON
86	WOMEN 1TI	NA	MECHANIC BLOCKRONIC	2(1-1)	2(1-1)	MECHANIC ELECTRONIC LC LS M	SCV1 2(134)		10	14	2	21 NA	BUILDIN	Will be	YES	VES
	KISHANGANJ		MCEA	1(1:1)	211+11	MCEA	SCV1 2(1+1)		4		1		G	available		
	Govi Women		ELECTRICIAN	92(1-1) (mi	(/2) i + 1) Unit	ELECTRICIAN	05(1+151/10)		10		18	NA	BIRLIMS!	48.000	AVAILAD	211.9
	Industrial		ELECTRONICS MECHANIC	0214 - 144 and	0003-11 fins	ELECTRONICS MECHANIC	05(1-1) (200)		.0		7	NA	BUILDIN	APPLIED AS PER	LE AS	111=
8.7	Traming Institute Kamuri	NEW III	ICTSM	62) L=1,64:no	07(1:1) 1/mit	OCTSM	02(1 (113)00)		0	1.5	11	NA	OWN	APPLIED AS PER	LUAS	V. IZIIA
	Alubuat		MCEA	Viii 11 11 11 11	02(1=0.10m	MCFA	020 111-0				12	868	966	OPPLIE	CAVAILAL	100
			LLECTRICIAN	051170E	0.11-13	ELECTRICIAL	neaten.		1.4		-		OHS		emunion.	YE III
10	COVI COVI	New	A ECTRONIC MECHANA	66 CL-12	024(11)	FUECTRONIC MECHANIC	(121(21)		7		6	A NA	11.59(81)	WESTER ALCOHOL	1-1	VES
	SHUOHAR		MCEA	62 Y FOLY	021111 (C1111)	ROPEA RCTSNI	02 (100)		.t.	-	-41		28 opul	31,5 40,00	1 Sulph	VES
		1	HEACTRICESM	0.10101	2.17 (10)	DESCRIPTION OF THE PROPERTY OF	2(17)		30	30		re regress re service re service	2.2 Yes.	1812	71.5	715
	WINDS III	1	THE GONIES AS CITED IS	20 11	21111	TO SALE TROPOLES SHOULDSH	(MA)	1	20		111		1115	YES	VIII	- Wie







8	ms	MIE Codu/Applicati es Hambey	New Years Sought For Allianies	Units	Unite Reconstructed	Fixens 2044		Shideol wirod in 2018-19 willion with Traile with	Fatili madent strong in	2019-70 985000	Toud enders emoled in	fine :	Long Texas		Building sa pernornis	
			TOT THE HATE ARE SMART.	2 (1+1)	ZGITT:	BO TECHNICKIN-SWART I DALTHEVIRE)	7(1+1)						VHR	YES	VIES (VES

luntby

gr