

DGT-Aff011(51)/2/2020-O/o Dir (TC)
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Employment Exchange Building,
1st floor, Pusa, New Delhi,
Dated: 5th February , 2021

To,

All the State Directors (dealing with Affiliation)

Subject:- Minutes of Meeting of 20th Recommendation Committee Meeting

Sir/Madam

Please find enclosed herewith the approved Minutes of Meeting along with Annexure of 20th Recommendation Committee held on 19th January, 2021. However implementation orders agenda item wise will be issued in due course of time.

This issue with the approval of competent authority, DGT

Yours faithfully,


(Sunil Kumar Gupta)
Director of Training

Copy to:-

1. Sr. PPS to DG/AS, DGT, New Delhi
2. Sr. PPS to DDG, DGT, New Delhi
3. All RDSDEs


(Ravi Chilukoti)
Joint Director of Training

Draft Minutes of 20th Meeting of "Recommendation Committee DGT" dealing with affiliation ITIs held on 19th January, 2021 at 1100 Hrs through Video conference

Representation From DGT	Representation from States
Smt. Neelam Shami Rao, Director General Smt. Sandhya Salwan, Deputy Director General Shri. Sunil Gupta, Director Shri. Ravi Chilukoti, Jt. Director Shri R. Murugarajan, Dy. Director Shri. Amit Yadav, Asst Director Shri. Parveen Kumar, JTA	Dr Rakesh Gupta, IAS, Director General, SDE, Haryana Shri Deependra Singh Kushwaha, Director, Maharashtra Shri Niraj Kumar, Additional Director, Uttar Pradesh Shri Sanjeev Sharma, Joint Director, Haryana Shri Nitin Nikam, Assistant Director, DVET, Maharashtra Shri Sameer Dewangan, Training Officer, Chhattisgarh

At the outset, Shri. Sunil Kumar Gupta, Director welcomed all the committee members. Thereafter, DG(T), The Chairman of the Recommendation Committee took the agenda point wise for the detailed discussions. The details of the discussions, deliberations and agenda wise decisions in the meeting are as appended below:
 The DG(T) desired that the agenda to be scrutinised as per the protocol of apex committee recommendations.

Agenda 20.1: Affiliation of ITIs

20.1.1 New ITIs seeking Affiliation:

DGT received 10 proposals from Chhattisgarh, Maharashtra and Uttar Pradesh (list placed at Annexure 20.1.1).

ITI wise break up for recommendation of the committee is as follows:

Sl. No.	ITI's Name/MISCode/ Application Number	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1	Chhattisgarh pvt ITI, Dhanora, Durg, Chhattisgarh New ITI	Electrician COPA HSI Computer Hardware and Networking	4(2+2) 4(2+2) 4(2+2) 4(2+2)	2(1+1) 4(2+2) NR NR	Not Recommended, Since New ITI need minimum 4 trades	Reverted to State Directorate. 15 days' time to be given to ITI to upgrade to 4 trades.
2	Shrimati Sulochana Bhat Mahila ITI, Kundal. TL: Palus, Dist:Sangali Maharashtra - 416309 TMP27493PR158 2184992	COPA Information Tech. Electrician Draughtsman Mechanical Welder (GMAW and GTAW)	01(1+0) 01(1+0) 01(1+0) 01(1+0) 01(1+0)	01(1+0) 01(1+0) 01(1+0) 01(1+0) 01(1+0)	Recommended. The ITI has applied for 1 unit in each trade and to maintain continuity of admission for 2-year trades, ITI needs to apply for 2nd unit	Recommended, as recommended by the State Director COPA 1(1+0) Information Tech. 1(1+0) Electrician 1(1+0) Draughtsman Mechanical 1(1+0) Welder (GMAW and GTAW 1(1+0)

Signature

Signature

①

3	Sahyadri Valley College of Engineering and Technology Private Industrial Training Institute, Rajuri, Tal- Junnar, Dist- Pune-412411 TMP27490PR158 1311552	Fitter Welder Electrician Computer Hardware & Network Maintenance	2(1+1) 2(1+1) 2(1+1) 1(1+0)	2(1+1) 2(1+1) 2(1+1) 1(1+0)	Recommended Minor deficiency mentioned in report for CHNM, but deficiency report shows nil deficiency	Recommended, as recommended by the State Director Fitter 2(1+1) Welder 2(1+1) Electrician 2(1+1) Computer Hardware & Network Maintenance 1(1+0)
4	Bhairavnath Private Industrial Training Institute, A/P Kalam, Tal- Kalamb Dist. Osmanabad TMP27488PR158 2807138	Electrician Wireman Welder COPA	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	Minor deficiency in tools. Air plasma cutting equipment, Oxygen, acetylene, CO2, Argon cylinders not available. Placed before the committee for decision	Deferred for tool and equipment verification by the State Directorate
5	Matoshri Aasarabai Private Industrial Training Institute, Eklahare, Tal-Dist- Nashik New ITI	Electrician Fitter Welder Wireman	4(2+2) 2(1+1) 2(1+1) 2(1+1)	4(2+2) 2(1+1) 2(1+1) 2(1+1)	Recommended	Recommended, as recommended by the State Director Electrician 4(2+2) Fitter 2(1+1) Welder 2(1+1) Wireman 2(1+1)
6	Matoshri Private Industrial Training Institute, Jalgaon Savada- Burhanpur Road, Raver, Jalgaon TMP27478PR158 2812174	Electrician Wireman Welder Fitter	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	ITI to submit details for appointment of new principal	Reverted back to State Directorate. 1-day time from the date of issue of minutes of meeting, to be given to ITI for submitting the principal details. The case to be taken up on file and ratified in the Recommendation Committee Meeting.
7	Prism Pvt ITI, Near Bhavan School Selukate, Dist- Wardha Maharashtra- 442001 TMP27498PR158 1220976	Electrician Fitter Welder COPA	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	Not Recommended	Not Recommended since 1. ITI located in Suresh Peshwa Engineering College, closure letter by AICTE not available.	Rejected as not recommended by State due to 1. ITI located in Suresh Peshwa Engineering College, closure letter by AICTE not available.

Amil

OR

2

					2. Approved building and BCC not for ITI 3. As per lease deed, land is not leased for ITI 4. Partly available and not in working condition	2. Approved building and BCC not for ITI 3. As per lease deed, land is not leased for ITI 4. Partly available and not in working condition
8	Sanmati Pvt. ITI, S.No.41, Washim-Malegaon Road, Sawargoan Barde, Tq & Dist. Washim-444505 TMP27499PR158 1666761	Electrician Fitter Welder Dress Making	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	Not Recommended 1. Workshop roof with asbestos sheet 2. Boundary walls are efnced with metal wires 3. Shortfall around 5% of tools	Rejected as not recommended by State Director due to 1. Boundary walls are fenced with metal wires 2. Shortfall around 5% of tools
9	Rajarshi Sahu pvt ITI, Near palana ghar, Sagwan road, Buldana, 443001 TMP27472PR158 0289485	Electrician Fitter Welder Wireman	2(1+1) 2(1+1) 2(1+1) 2(1+1)	NR	Not Recommended since 1. Not completed as per norms 2. Some old machineries are there, complete installation not on earth/foundati on 3. Tax invoice available, but payment was not done for the delivery of computers	Rejected as not recommended by State Director due to malicious activity during Inspection and debarred from Affiliation for 3 years
10	Patel Panchayat Private ITI, Narayanpur, Post-Ram Sanehi Ghat, Barabaki - U.P. 1809018030	Electrician Fitter COPA H.S.I.	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1)) 3(1+1+1)) 3(1+1+1)) 3(1+1+1))	Recommended for 1st and 2nd shift	Recommended as recommended by the State Director Electrician 2(1+1) Fitter 2(1+1) COPA 2(1+1) H.S.I. 2(1+1)

20.1.2 Existing ITIs seeking Affiliation for Extension of Trades/Units:

Sumit Kumar

JP

3

DGT received 10 proposals from Chhattisgarh and Maharashtra (list placed at Annexure 20.1.2).

ITI wise break up for recommendation of the committee is as follows:

Sl. No.	ITI's Name/MISCode/ Application Number	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1	Gracious Abhanpur Private Iti, Abhanpur, Raipur -493661 PR22000134	Computer Operator and Programming Assistant (NSQF)	4(2+2)	4(2+2)	Not Recommended, since ITI is more than 5 years old and has less than 4 trades in total. ITI needs to re-apply with minimum 4 trades in total	Not Recommended Since ITI is more than 5 years old and has less than 4 trades in total. ITI needs to re-apply with minimum 4 trades in total
2	Sandipani Academy Private ITI, Private Gram. Achhoti, Post. Murmunda, Taluka-Dhamdha, DURG-490036 PR22000109	Stenographer Secretarial Assistant (Hindi)	2(1+1)	2(1+1)	Not Recommended, since ITI is more than 5 years old and has less than 4 trades in total. ITI needs to re-apply with minimum 4 trades in total	Not Recommended Since ITI is more than 5 years old and has less than 4 trades in total. ITI needs to re-apply with minimum 4 trades in total
3	Gee Dee Tech Training Centre Private ITI, 734 Avinashi Road, Near President Hall, Coimbatore-641018 PR33000522	Technician Mechatronics Welder (GMAW & GTAW) Welder (Welding & inspection)	4(2+2) 1 (1+0) 1 (1+0)	4(2+2) 1 (1_0) 1 (1+0)	Recommended TM 2(1+1) Welder (GMAW and GTAW) 1 Welder (Welding and Inspection) 1	Recommended as recommended by the State Director Technician Mechatronics 2(1+1) Welder (GMAW and GTAW) 1 (1+0) Welder (Welding and Inspection) 1 (1+0)
4	Government Industrial Training Institute (SCP), Rahatgaon, Nagpur Road High Way No-6 Dlt: Amravati-444603 GU27000556	Fitter Electrician Mechanic Motor Vehicle (MMV) COPA Fashion Technology Craftsman food production	2(1+1) 2(1+1) 1(0+1) 1(0+1) 1(0+1) 1(0+1) 1(0+1)	2(1+1) 2(1+1) 1(0+1) 1(0+1) 1(0+1) 1(0+1) 1(0+1)	Recommended	Recommended, as recommended by the State Director Fitter 2(1+1) Electrician 2(1+1) Mechanic Motor Vehicle (MMV) 1(0+1) COPA 1(0+1) Fashion Technology 1(0+1) Craftsman food production 1(0+1)

Sanil K

ed

(4)

						ITI needs to have equal units in 1 st and 2 nd shift so that admission is uniform every year
5	Shreeyansh Private Industrial Training Institute, Sahakar Nagar Th-Tirora Gondia-441911	Electrician Fitter	4(1+1+2) 4(1+1+2)	2(1+1) 2(1+1)	Not Recommended, since ITI is more than 5 years old and has less than 4 trades in total. ITI needs to re-apply with minimum 4 trades in total	Not Recommended , since ITI is more than 5 years old and has less than 4 trades in total. ITI needs to re-apply with minimum 4 trades in total
6	New Satara Private Industrial Training Institute, New Solapur Road, Opp. Reliance Petrol Pump, Pandharpur, Dist- Solapur-413304	Electrician	1(0+1)	1(0+1)	Not Recommended, since ITI is more than 5 years old and has less than 4 trades in total. ITI needs to re-apply with minimum 4 trades in total	Not Recommended , since ITI is more than 5 years old and has less than 4 trades in total. ITI needs to re-apply with minimum 4 trades in total
7	Government ITI, Nandgaon, Khandeshwar, Chandurrly Road, Dist: Amravati, Maharashtra-444708	Fitter Electrician Cosmetology	1(0+1) 2(1+1) 2(1+1)	1(0+1) 2(1+1) 2(1+1)	Recommended	Recommended as recommended by the State Director Fitter 1 (0+1) Electrician 2(1+1) Cosmetology 2 (1+1)
8	Bhanudas Maniram Save Shikshan Sanstha'S L. J.Raut Private Industrial Training Institute, Raut Stop, Chinchani, Tal.Dahanu, Thane Maharashtra-401503	Electrician Fitter	1(0+1) 2(1+1)	Not Recommended	Not Recommended Since 1. Electrician workshop sufficient for 1 unit only 2. Specification of PC in IT lab and COPA lab is not as per norms 3. Shortage of space for classrooms.	Not Recommended by State Director as per comments offered by verification/inspection team
9	A.I.E.& D F'S, Bhaskarrao Galande Patil,	Electrician	2(1+1)	2(1+1)	Not Recommended, since ITI is	Not Recommended , since ITI is more than 5 years old and has

Sumit

20

5

	Private Industrial Training Institute, Ashoknagar, Tal. Shrirampur, Dist. Ahmednagar, MH-413717				more than 5 years old and has less than 4 trades in total. ITI needs to re-apply with minimum 4 trades in total	less than 4 trades in total. ITI needs to re-apply with minimum 4 trades in total
10	Nasik Dist Maratha Vidyaprasarak Samaj Industrial Training Center, Tahrabad, Tal Satana, Dist- Nasik-423302	Electrician (NSQF) Fitter (NSQF)	2(1+1) 2(1+1)	Not Recommended	Not Recommended, since ITI is more than 5 years old and has less than 4 trades in total. ITI needs to re-apply with minimum 4 trades in total	Not Recommended , since ITI is more than 5 years old and has less than 4 trades in total. ITI needs to re-apply with minimum 4 trades in total

20.1.3: 89 Proposals from Bihar for SCVT to NCVT Cases:

Deferred from 19th RCM Agenda 19.6, reply from State is waited for 89 cases for SCVT to NCVT Conversions. Also, 6 ITIs need to be upgraded to 4 trades.

Recommendation of the committee: The agenda was deferred since no one was present from Bihar State Directorate.

Agenda 20.2: Representation from States/ITI

20.2.1: Rakesh Singh Pvt ITI:

The ITI was Not Recommended in 14th RCM due to less electricity sanction. The required bill is 17kW while the online bill showed 5 kW. The State vide mail dt. 01.01.2021 has verified the electricity bill and has submitted its report. The details are placed at annexure 20.2.1.

Recommendation of the committee:

Sl. No.	ITI's Name/MISCode/ Application Number	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1	Rakesh Singh Pvt ITI, Vill - Harchandpur, Post- Karimganj, Dist: -Mainpuri, U.P. - 205001 New ITI	Electrician Fitter Computer Operator & - -Programing Assistant Sewing Technology	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	Recommended for 1st and 2nd shift	Recommended as recommended by State Director Electrician 2(1+1) Fitter 2(1+1) Computer Operator & Programing Assistant 2(1+1) Sewing Technology 2(1+1)

Agenda 20.3: CITS (Affiliation of Trades)

Sanil

Sanil

⑥

20.3.1: Shivalik IToT Rajpura, Punjab

20.3.2: SBS IToT, Sirsa, Haryana: Clarification on affiliation of units received from IToT and Sh. Manjit Singh, Regional Director, RDSDE Punjab and Director (CFI).

Recommendation of the committee:

1. SBS IToT: Additional Trades in the Existing IToT

In the 12th Recommendation Committee Meeting, 2(1+1) trades were recommended against 4(2+2) units sought by the SBS IToT inadvertently. Suitable clarification has been sought from the Officials nominated for Standing Committee & it is clarified that "All the tools and Equipment's, space & power" are available for 4(2+2) trades. Accordingly, it was decided in the Recommendation Committee Meeting to recommended the trades with 4(2+2) Units as mentioned in following table:

S.No.	IToT Name	Trades/Units sought for affiliation	IToT Proposed Units	Units recommended by SCI	Units recommended by affiliation Committee (* Including previously recommended 2(1+1) units)	Recommended
1	Shaheed Bhagat Singh Institute for Training of Trainers, Kalanwall District Sirsa-125201 (Haryana)	Draughtsman Civil	4(2+2)	4(2+2)	4(2+2)	Date of Inspection: 07.03.2020 w.e.f. August 2020
		Sewing Technology	4(2+2)	4(2+2)	4(2+2)	
		Computer Software Application	4(2+2)	4(2+2)	4(2+2)	
		Painter General	4(2+2)	Not Recommended	4(2+2)	
		Draughtsman Mechanical	4(2+2)	Not Recommended	Not Recommended	

2. Shivalik IToT: Additional Trades in the Existing IToT

In the 18th Recommendation Committee Meeting, the proposal for affiliation of additional trades in Shivalik IToT was put up. In the meeting, it was informed that there is a overwriting in the Electricity Bill submitted by the Principal of the Institute. The Chairperson of the Recommendation Committee has suggested to take the clarification from the IToT. The IToT has given the clarification that it was the mistake of Punjab State Power Corporation Limited (PSPCL Punjab) along with the Letter from PSPCL, Punjab. The proposal along with the received Clarification was again submitted in the 19th Meeting of Recommendation committee held on 15-01-2021 wherein the Chairman has desired to make a Need analysis of the Instructors for these trades.

Manjit Singh

SC

Accordingly, the Need analysis report was put up and deliberated in the 20th Meeting of Recommendation committee held on 19-01-2021 and based on the recommendation of the committee the following trades have been recommended except **Cosmetology & Fashion Design & Technology**.

S.No.	IToT Name	Trades/Units sought for affiliation	IToT Proposed Units	Units recommended by SCI	Units recommended by affiliation Committee (* including previously recommended 2(1+1) units)	Recommended
1	Shivalik Institute for Training of Trainers, Bir Kauli, Rajpura - Patiala Road Distt. - Patiala 140701 (Punjab)	Computer Software Application	2(1+1)	2(1+1)	2(1+1)	Date of inspection: 07.03.2020 w.e.f. August 2020
		Draughtsman (Civil)	2(1+1)	2(1+1)	2(1+1)	
		Fashion Design and Technology	2(1+1)	2(1+1)	Not Recommended	
		Mechanic Ref.& Air Conditioning	2(1+1)	2(1+1)	2(1+1)	
		Cosmetology	2(1+1)	2(1+1)	Not Recommended	
		Electronics Mechanic	2(1+1)	2(1+1)	2(1+1)	
		Sewing Technology	2(1+1)	2(1+1)	2(1+1)	

Agenda 20.4: Court Cases

20.4.1: Court Cases from 6 ITIs in Haryana

Placed in 13th Committee Meeting, at Agenda 13.5.1, the committee decided for Joint Inspection before taking decision regarding Affiliation/De-affiliation and Admission. It was deferred in 19th RCM at Agenda 19.3.1 for scrutiny by State Directorate, Haryana. Joint Inspection report in respect of litigant ITIs are placed at Annexure 20.4.1.

Recommendation of the committee:

Sl. No.	ITI Name & MIS Code	Observations by the members of Joint Inspection Committee on	Recommendation of the Committee
1	CPS, Pvt. ITI Litani Mod,	Electrician:	On Account of Deficiency of Joint Inspection and recommendation of the

Sanil Kumar

or

8

	<p>Prabhu wala Distt. Hisar</p> <p>MIS CODE- PR0600029 3</p>	<p>1. Approximate 2% shortage in availability of hand tools.</p> <p>2. Motor generator set AC to DC found not working properly.</p> <p>Oil testing machine not working properly.</p> <p>Plumber:</p> <p>1. Pipe bending machine found out of order.</p> <p>2. 05 nos. screw driver 250mm found short.</p> <p>Fitter:</p> <p>1. Tool Machinery and space available only for 02 Units (1+1)</p> <p>2. One Lathe Machine not working properly.</p> <p>Mechanic Diesel:</p> <p>1. Approximate 3% shortage in availability of hand tools.</p> <p>2. Hose pipe of portable air compressor not available.</p> <p>Radiology Technician:</p> <p>1. X-ray machine was out of order.</p> <p>Other Observations:</p> <p>Flooring of class Rooms and IT Lab is not of good quality.</p> <p>Writing boards in some class Rooms were small in size and not of appropriate quality.</p> <p>There was no proper lighting arrangement in Works</p>	<p>State Directorate, the ITI to be de-affiliated</p>
2	<p>JBDM Pvt. ITI, VPO Saral, Distt. Bhiwani.</p> <p>(MIS Code PR0600021 6):</p>	<p>Committee visited the JBDM Private ITI, VPO Saral, Distt. Bhiwani on dated 27.11.2020 and 1.12.2020 no authority found in the campus. When contacted telephonically representative of the Institute did not take interest in putting the documents related to inspection to the committee. The representative of the ITI did not presented their self in front of committee. This shows that this Institute is no more interested in running the course sanctioned by DGET Delhi, Govt. of India and Govt. of Haryana.</p>	<p>On Account of Deficiency of Joint Inspection and recommendation of the State Directorate, the ITI to be de-affiliated</p>
3	<p>Saheed Bhagat Singh, private ITI, Vill. Allika</p>	<p>Biometric records/attendance were not available.</p> <p>Staff attendance register and student attendance register, staff salary</p>	<p>The case was deferred and three surprise/flash inspections to be carried out in next 30 days. Based on those inspections, comments from State Directorate to be sought. These</p>

Sanit K

ee

	Teh. & Distt. Palwal (MIS Code PR0600024 0	disbursement details not available on the day of inspection. Raw material consumption and placement record of pass-out students were not available on the date of inspection.	comments to be placed after the three inspections are complete.
4.	Sanska Fire & Safety, Pvt. ITI, Sidharwali, Gurugram MIS Code PR0600030 8	Biometric machine is found installed in institute premises but presently suspended due to COVID 19. Out of total staff strength of 12, Salary of only 4 employees are being disbursed by bank transaction. Trainees present on the day of inspections were quite less (only total 9 trainees were present), It was appraised by the institute that keeping in view the situation arise due to COVID 19, online classes are being conducted to the remaining candidates. On the date of inspection total 8 officials out of 12 were present. D-registers/Bills have been verified and it has been found that procurement is not as per norms. Raw material Bills are found without GST No. & Bill no.) On the date of inspection, no evidence has been found regarding computer lab / workshop/ Theory room to be utilized for any other purpose. (Undertaking for the same has also been furnished by the Institute.) Placement record has been found incomplete and need to be maintained properly. On the date of inspection there was no evidence found regarding using the Institute for shipping operations courses, however keeping the seriousness of this issue and COVID 19 situations, it is recommended to have further scrutiny/ watch for any such activity.	On Account of Deficiency of Joint Inspection and recommendation of the State Directorate, the ITI to be de-affiliated
5.	Chaudhary Pvt. ITI, Bahal, Distt Bhiwani	Defects and deficiencies noticed: nil Recommended for continuation of existing affiliation of Electrician 4(2+2).	The case was deferred and three surprise/flash inspections to be carried out in next 30 days. Based on those inspections, comments from State Directorate to be sought. These comments to be placed after the three inspections are complete.

Sumit

Se

10

	MIS Code PU0600020 0		
6.	Swastik Pvt. ITI, Tosham Distt. Bhiwani MIS Code PR0600029 2	Defects and deficiencies noticed: nil Electrician 4(2+2) & HIS 2(1+1) is recommended for continuation of affiliation on granted in 2016	The case was deferred and three surprise/flash inspections to be carried out in next 30 days. Based on those inspections, comments from State Directorate to be sought. These comments to be placed after the three inspections are complete.

Meeting ended with vote of thanks.

[Handwritten signature]

[Handwritten signature]

(11)

Sl. No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date
1	Chattisgarh pvt ITI, Dhanora, Durg	Chattisgarh		10	15	24th Dec 2020
	Trades sought for affiliation (NSQF)	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms
	Electrician COPA HSI Computer Hardware and Networking	4(2+2) 4(2+2) 4(2+2) 4(2+2)	2(1+1) 4(2+2) NR NR	Yes	Yes	Yes
	workshop space	Class room	IT lab	Drawing Hall	Availability of Machinery, Tools & Equipments	Staff Qualification & Documents
	Yes	Yes	Yes	Yes	Shortage of tools in Electrician by 50%, 16 PCs less in CHN, and shortage of tools and equipments for H.S.I	Yes (Details about CTI trained instructors is not available)
	Remarks by Inspection Committee	Remarks by Scrutiny Committee		Remarks by Recommendation Committee		
	Recommended COPA and Electrician	Not Recommended, Since New ITI need minimum 4 trades		Reverted to State Directorate. 15 days' time to be given to ITI to upgrade to 4 trades.		




Sl. No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date
2	<u>Shrimati Sulochana Bhat Mahila ITI, Kundal.</u> <u>TL: Palus, Dist: Sangli</u> <u>Maharashtra - 416309</u>	Maharashtra	<u>TMP27493</u> <u>PR1582184992</u>	10	15	18th Dec 2020
	Trades sought for affiliation (NSQF)	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms
	COPA Information Tech. Electrician Draughtsman Mechanical Welder(GMAW and GTAW)	01(1+0) 01(1+0) 01(1+0) 01(1+0) 01(1+0)	01(1+0) 01(1+0) 01(1+0) 01(1+0) 01(1+0)	Yes	Yes	Yes
	workshop space	Class room	IT lab	Drawing Hall	Availability of Machinery, Tools & Equipments	Staff Qualification & Documents
	Yes	Yes	Yes	Yes	Yes	Yes (Details about CTI trained instructors is not available)
	Remarks by Inspection Committee	Remarks by Scrutiny Committee		Remarks by Recommendation Committee		
	Recommended	Recommended. The ITI has applied for 1 unit in each trade and to maintain continuity of admission for 2 year trades, ITI needs to apply for 2nd unit		Recommended, as recommended by the State Director COPA 1(1+0) Information Tech. 1(1+0) Electrician 1(1+0) Draughtsman Mechanical 1(1+0) Welder (GMAW and GTAW) 1(1+0)		

Sunil

COO

13

Sl. No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date
3	Sahyadri Valley College of Engineering and Technology, Private Industrial Training Institute, Rajuri, Tal- Junnar, Dist- Pune-412411	Maharashtra	TMP27490 PR1581311552	18	43	16th Dec 2020
	Trades sought for affiliation (NSQF)	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms
	Fitter Welder Electrician Computer Hardware & Network Maintenance	2(1+1) 2(1+1) 2(1+1) 1(1+0)	2(1+1) 2(1+1) 2(1+1) 1(1+0)	Yes	Yes	Yes
	workshop space	Class room	IT lab	Drawing Hall	Availability of Machinery, Tools & Equipments	Staff Qualification & Documents
	Yes	Yes	Yes	Yes	Minor deficiency mentioned in report for CHNM, but deficiency report shows nil deficiency	Yes (Details about CTI trained instructors is not available)
	Remarks by Inspection Committee	Remarks by Scrutiny Committee		Remarks by Recommendation Committee		
	Recommended	Recommended		Recommended, as recommended by the State Director Fitter 2(1+1) Welder 2(1+1) Electrician 2(1+1) Computer Hardware & Network Maintenance 1(1+0)		

Sumit

COE

34

Sl. No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date
4	Bhairavnath Private Industrial Training Institute, A/P Kalam, Tal- Kalamb Dist. Osmanabad	Maharashtra	TMP27488 PR1582807138	8	9	14th Dec 2020
	Trades sought for affiliation (NSQF)	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms
	Electrician Wireman Welder COPA	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	Yes	Yes	Yes
	workshop space	Class room	IT lab	Drawing Hall	Availability of Machinery, Tools & Equipments	Staff Qualification & Documents
	Yes	Yes	Yes	Yes	Minor deficiency in tools. Air plasma cutting equipment, Oxygen, acetylene, CO2, Argon cylinders not available	Yes (Details about CII trained instructors is not available)
	Remarks by Inspection Committee	Remarks by Scrutiny Committee		Remarks by Recommendation Committee		
	Recommended	Placed before the committee for decision		Deferred for tool and equipment verification by the State Directorate		

Sanil Kumar

ee

154

Sl. No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date
5	<u>Matoshri Aasrabai Private Industrial Training Institute, Eklahare, Tal-Dist- Nashik-</u>	Maharashtra	New ITI	21	30	14th Dec 2020
	Trades sought for affiliation (NSQF)	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms
	Electrician Fitter Welder Wireman	4(2+2) 2(1+1) 2(1+1) 2(1+1)	4(2+2) 2(1+1) 2(1+1) 2(1+1)	Yes	Yes	Yes
	workshop space	Class room	IT lab	Drawing Hall	Availability of Machinery, Tools & Equipments	Staff Qualification & Documents
	Yes	Yes	Yes	Yes	Yes	Yes (Details about CTI trained instructors is not available)
	Remarks by Inspection Committee	Remarks by Scrutiny Committee		Remarks by Recommendation Committee		
	Recommended	Recommended		Recommended, as recommended by the State Director Electrician 4(2+2) Fitter 2(1+1) Welder 2(1+1) Wireman 2(1+1)		

Sanika

ee

16

Sl. No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date
6	Matoshri Private Industrial Training Institute, Jalgaon Savada-Burhanpur Road, Raver, Jalgaon	Maharashtra	TMP27478 PR1582812174	17	73	5th Dec 2020
	Trades sought for affiliation (NSQF)	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms
	Electrician Wireman Welder Fitter	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	Yes	Yes	Yes
	workshop space	Class room	IT lab	Drawing Hall	Availability of Machinery, Tools & Equipments	Staff Qualification & Documents
	Yes	Yes	Yes	Yes	Yes	Principal experience certificate of 5 years against required 8 years
	Remarks by Inspection Committee	Remarks by Scrutiny Committee		Remarks by Recommendation Committee		
	Recommended given ITI appoints new principal	ITI to submit details for appointment of new principal		Reverted back to State Directorate. 1-day time from the date of issue of minutes of meeting, to be given to ITI for submitting the principal details. The case to be taken up on file and ratified in the Recommendation Committee Meeting.		

Sumit

Ja

(17)

Sl. No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date
10	Patel Panchayat Private ITI, Narayanpur, Post- Ram Sanehi Ghat, Barabaki - U.P.	Uttar Pradesh	1809018030	5	22	17-12-2020
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms
	Electrician Fitter COPA H.S.I.	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	Yes	Required 16.16 kW, 17 kW available	Yes
	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Equipments	Staff Qualification & Documents
	Yes	Yes	Yes	Yes	Yes	Yes (Details about CTI trained instructors is not available)
	Remarks by Inspection Committee	Remarks by Scrutiny Committee		Remarks by Recommendation Committee		
	Recommended	Recommended for 1st and 2nd shift		Recommended as recommended by the State Director Electrician 2(1+1) Fitter 2(1+1) COPA 2(1+1) H.S.I. 2(1+1)		

Sanika

ee

18

Annexure-20.1.2

Sl. No.	ITI Name	State	Inspected Date	MIS Code	Grading	Affiliation Year	Existing Trade	Affiliated Units
3	Gee Dee Tech Training Centre Private (P), 734 Avinashi Road, Near President Hall, Coimbatore-641018	Chattisgarh	20th Nov 2020	PR33000522	3.42	2003, 2015, 2016	Tool & Die Maker (Dies & Moulds) (NSQF) Machinist (NSQF)	6(2+2+2) 4(2+2)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Land lease valid	Power connection as per norms	Building as per norms
	Technician Mechatronics	4(2+2)	4(2+2)	Tool & Die Maker (Dies & Moulds) - (23+2+0) Machinist - (10+0+0)	35	Yes	Available 141.2 kW, required 149.2 kW	Yes
	Welder(GMAW & GTAW)	1	1					
	Welder(Welding & inspection)	1	1					
	workshop space	Class room	IT lab	Drawing Hall	Availability of Machinery,		Staff Qualification & Documents	
	Yes	Yes	Yes	Yes	Yes	Yes (Details about CTI trained instructors is not available)		
Remarks by Standing Committee		Remarks by Scrutiny Committee				Remarks by Recommendations Committee		
Recommended TM 2(1+1) Welder(GMAW and GTAW) 1 Welder (Welding and Inspection) 1		Recommended TM 2(1+1) Welder(GMAW and GTAW) 1 Welder (Welding and Inspection) 1				Recommended as recommended by the State Director Technician Mechatronics 2(1+1) Welder (GMAW and GTAW) 1 (1+0) Welder (Welding and Inspection) 1 (1+0)		




Sl. No.	ITI Name	State	Inspected Date	MIS Code	Grading	Affiliation Year	Existing Trade	Affiliated Units
4	Government Industrial Training Institute (SCP), Rahatgaon, Nagpur, Road High Way No-6 Dist:Amravati-444603	Maharashtra	7th Dec 2020	GU27000556	1.83	16-Oct-1997 24-Feb-1998 1-Jul-1998 25-Jun-1999 4-Nov-1999 7-Jul-2000 26-Apr-2001 20-Mar-2004 20-Mar-2007 24-Aug-2007	COPA (NSQF) Craftsman Food Production (Vegetarian) (NSQF) Draughtsman (Civil) (NSQF) Driver Cum Mechanic (NSQF) Electrician (NSQF) Fitter (NSQF) Fashion Design & Technology (NSQF) Food Production (General) (NSQF) Mechanic (Motor Vehicle) (NSQF) Welder (NSQF) Wiremen(NSQF)	1(1+0) 1(1+0) 1(1+0) 1(1+0) 3(1+2) 3(1+2) 1(1+0) 1(1+0) 1(1+0) 3(1+2) 1(1+0)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Land lease valid	Power connection as per norms	Building as per norms
	Fitter Electrician Mechanic Motor Vehicle(MMV) COPA Fashion Technology Craftsman food production	2(1+1) 2(1+1) 1(0+1) 1(0+1) 1(0+1) 1(0+1)	2(1+1) 2(1+1) 1(0+1) 1(0+1) 1(0+1) 1(0+1)	COPA - (20+0+0) Craftsman Food Production (Vegetarian) - (0+0+0) Draughtsman (Civil) - (0+0+0) Driver Cum Mechanic - (0+0+0) Electrician - (0+0+0) Fitter - (0+0+0) Fashion Design & Technology - (12+0+0) Food Production (General) - (18+0+0) Mechanic (Motor Vehicle) - (24+0+0) Welder - (0+0+0) Wiremen - (0+0+0)	20 + 0 + 0 + 0 + 0 + 0 + 12 + 18 + 24 + 0 + 0 = 74	Yes	Yes	Yes
	workshop space	Class room	IT lab	Drawing Hall	Availability of Machinery,	Staff Qualification & Documents		
	Yes	Yes	Yes	Yes	Yes	Yes (Details about CTE trained instructors is not available)		
	Remarks by Standing Committee		Remarks by Scrutiny Committee			Remarks by Recommendations Committee		
	Recommended		Recommended			Recommended, as recommended by the State Director Fitter 2(1+1) Electrician 2(1+1) Mechanic Motor Vehicle (MMV) 1(0+1) COPA 1(0+1) Fashion Technology 1(0+1) Craftsman food production 1(0+1) ITI needs to have equal units in 1st and 2nd shift so that admission is uniform every year		

Amrinder

CS

Sl. No.	ITI Name	State	Inspected Date	MIS Code	Grading	Affiliation Year	Existing Trade	Affiliated Units
7	Government ITI, Nandgaon, Khandeshwar, Chandurly Road, Dist. Amravati, Maharashtra-444708	Maharashtra	24th Dec 2020	GR27000152	NA	10-Jul-1988 11-Jul-1988 4-Nov-1999 26-Apr-2001 30-Dec-2008 15-Jun-2010 30-Jun-2011	COPA (NSQF) Fashion Design & Technology (NSQF) Fitter (NSQF) Sheet Metal Worker (NSQF) Wireman (NSQF) Welder (NSQF) Surveyor (NSQF) Plumber (NSQF) Mason (Building Constructor) (NSQF) Draughtsman (Civil) (NSQF)	2(1+1) 2(1+1) 3(2+1) 2(1+1) 2(1+1) 2(1+1) 1(0+1) 1(0+1) 1(1+0) 1(1+0)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Land lease valid	Power connection as per norms	Building as per norms
	Fitter Electrician Cosmetology	1(0+1) 2(1+1) 2(1+1)	1(0+1) 2(1+1) 2(1+1)	COPA - (21+23+0) Fashion Design & Technology - (11+19+0) Fitter - (0+19+0) Sheet Metal Worker - (20+20+0) Wireman - (0+20+0) Welder - (19+20+0) Surveyor - (0+0+0) Plumber - (18+0+0) Mason (Building Constructor) - (0+0+0) Draughtsman (Civil) - (0+0+0)	44 + 30 + 19 + 40 + 20 + 39 + 0 + 18 + 0 + 0 = 210	Yes	Yes	Yes
	workshop space	Class room	IT lab	Drawing Hall	Availability of Machinery,	Staff Qualification & Documents		
	Yes	Yes	Yes	Yes	Yes	Yes (Details about CTI trained instructors is not available)		
	Remarks by Standing Committee		Remarks by Scrutiny Committee			Remarks by Recommendations Committee		
	<u>Recommended</u>		Recommended			Recommended as recommended by the State Director		
						Fitter 1 (0+1) Electrician 2(1+1) Cosmetology 2 (1+1)		

Signature

Signature

Sl. No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date
1	Rakesh Singh Pvt ITI, Vill - Harchandpur, Post- Karimganj, Dist: -Mainpuri, U.P. - 205001	Uttar Pradesh	NEW ITI	4	12	20-08-2020
	Trades sought for affiliation (NSQF)	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms
	Electrician	3(1+1+1)	3(1+1+1)	Yes	required electricity load is 17.16kW, while the online bill shows 5kW. State verified the updated report	Yes
	Fitter	3(1+1+1)	3(1+1+1)			
	Computer Operator & -Programing Assistant	3(1+1+1)	3(1+1+1)			
	Sewing Technology	3(1+1+1)	3(1+1+1)			
	workshop space	Class room	IT lab	Drawing Hall	Availability of Machinery, Tools & Equipments	Staff Qualification & Documents
	Yes	Yes	Yes	Yes	Yes	Yes
	Remarks by Inspection Committee	Remarks by Scrutiny Committee		Remarks by Recommendation Committee		
	Recommended	Recommended for 1st and 2nd shift		Recommended as recommended by State Director Electrician 2(1+1) Fitter 2(1+1) Computer Operator & Programing Assistant 2(1+1) Sewing Technology 2(1+1)		

Junil

ee

Sl. No.	ITI Name & MIS Code	Deficiency observed at the time of inspection	Reply of the institute	Comments of State Directorate	Observations by the members of Joint Inspection Committee on
1	CPS, Pvt. ITI Litani Mod, Prabhu wala Distt Hisar MIS CODE- PR06000293	1. Only two trade instructors and one accountant were present in the ITI whereas a list of 14 staff was submitted during the recently held grading inspection. 2. No staff attendance register was produced. 3. Forgery in the trainees attendance register was found. 4. Very less physical presence of trainees were found like only 11 trainees of session 2018-19 were found present against enrolled 182 and 6 trainees of session 2019-20 were found present against enrolled 45. 5. No Library was maintained in ITI.	1. In our ITI We have a total no. of 15 staff member is working. On the day of inspection two staff members and principle on leave and five staff members had gone on industrial visit with ITI Trainee at industrial Area Hisar and sector 27-28. 2. On the day of inspection our ITI Clerk and also gone on industrial tour with ITI Trainees and Staffs. On the day of Inspection, when team told our staff member to show the staff attendance register, and our staff member replied to the inspection team, that he will show it after only 45 minutes because our clerk was not present here but after 10 minutes inspection team left the ITI. 3. There are above 150 trainees are registered on MIS PORTAL, but only 100 trainees are pursuing their course and the remaining trainees are pursuing their course and the remaining trainees have left the course, that's why the inspection team misunderstood it as a forgery. Only one trade Trainees Attendance Register was shown on the time of inspection because the clerk was not present on the day on inspection. In that register there was no forgery and attendance were complete till the day of inspection. 4. On the day of Inspection our ITI Electrician and Radiology Technician Trainee had gone on Industrial and medical Visit to Hisar, A part from these trades only 34 Trainee are enrolled and 25 of them were present in ITI at the time of inspection. 5. In our ITI we have maintained a proper library, but on the day of inspection team did not visit our ITI Library.	1. Institute didn't inform about Industrial visit to the Inspection team on the date of inspection Moreover, as per DGT, Govt. of India syllabus. There is no such type of schedule has been described in that duration of training. 2. Institute could not produce any type of record. This is baseless excuse that they requested to inspection team to produce the same in 45 minutes. 3. Registration of Trainees on MIS Portal is not clarification about regular institute. Inspection report clearly shows that the institute is adopting non-attending culture 4 Institute didn't inform about Industrial visit to the Inspection team on the date of inspection Moreover, as per DGT, Govt. of India syllabus There is no such type of schedule has been described in that duration of training. 5. Inspection team informed that there was no Library so, it was the duty of institute to inform about the same at the time of inspection. It shows it is baseless excuse.	Electrician: 1. Approximate 2% shortage in availability of hand tools. 2. Motor generator set AC to DC found not working properly. Oil testing machine not working properly. Plumber: 1. Pipe bending machine found out of order. 2. 05 nos. screw driver 250mm found short. Fitter: 1. Tool Machinery and space available only for 02 Units (1+1) 2. One Lathe Machine not working properly. Mechanic Diesel: 1. Approximate 3% shortage in availability of hand tools. 2. Hose pipe of portable air compressor not available. Radiology Technician: 1. X-ray machine was out of order. Other Observations: • Flooring of class Rooms and IT Lab is not of good quality. • Writing boards in some class Rooms were small in size and not of appropriate quality. • There was no proper lighting arrangement in Works




2	<p>JBDM Pvt. ITI, VPO Saral, Distt. Bhiwani.</p> <p>(MIS Code PR06000216):</p>	<p>i. Trainees: - As per enclosed documents or picture the institute was locked and no trainee of any trade was found present on the date of inspection.</p> <p>ii. Staff: - No staff member was available on the date of inspection.</p> <p>iii. Store: - Store has not been maintained which shows no raw material is being purchased so that no practical training is being imparted in the institute.</p> <p>iv. Computer Lab: - Computer system was not available. Hence, there is no lab.</p> <p>v. Workshop: - In workshop no practical training is being imparted in the institute as the machinery has been kept in single room.</p> <p>vi. Electric Power: - No document has been produced.</p> <p>vii. Theory Room: - No theory room was available. School is being run in the premises.</p>	<p>Trainees In our ITI Eighty Trainees are admitted in different trades. In the day of inspection Fire Technology and Industrial Management and Mechanic Diesel Trainees was going for Industrial Visits at Hisar Distt Auto Market. Apart from these trades 20 trainees of Basic Cosmetology and Sewing Technology trades are present but sir assessment team stay only fifteen minutes in ITI so that assessment team checks only office and two class room in the day of inspection.</p> <p>2. Staff In our ITI we have managed ten instructors for theory and management. Four members are going for industrial visit on Hisar Auto Market and Three are on live and other was present on the day of assessment.</p> <p>3. Store Assessment team checks our ITI store form outside. In this store we have put the extra tools and equipment. We have raw material time to time for practical work.</p> <p>4. Computer lab We have a computer lab with ten computer and wifi internet facility. Assessment team was not visit our computer lab.</p> <p>5. Workshop We have separate workshop for each trade but sir in fire technology and industrial safety trade no demand of workshop so that we put all tools and equipment of fire technology and industrial safety trade in a room.</p> <p>6. Electrical power In this time, we have an electrical connection with 18 KW load.</p> <p>7. Theory room In our IT we established</p>	<p>1. Trainees No trainees were present. No Attendance Register record was produced. No information about industrial visit was shared and communicated by head of the institute, it is mere their afterthought.</p> <p>2. Staff No staff was present and no attendance register of staff was produced to sign.</p> <p>3. Store No store has been maintained in PITI reflects no raw material was purchased for training. No store related records were produced.</p> <p>4. Computer lab No Computer/ IT lab was available in PITI.</p> <p>5. Workshop No workshop and no trade wise machinery was available in PITI instead ITI tools were locked in space below staircase. Picture were enclosed for reference.</p> <p>6. Electrical Power No record of electric power was produced. There was no Generator and no record of generator running hours and Diesel consumed was produced.</p> <p>7. Theory Room No Theory rooms were available instead ITI building is used as school premises.</p> <p>8. Attendance Record No attendance register record was produced for staff and</p>	<p>Committee visited the JBDM Private ITI, VPO Saral, Distt. Bhiwani on dated 27.11.2020 and 1.12.2020 no authority found in the campus. When contacted telephonically representative of the institute did not take interest in putting the documents related to inspection to the committee. The representative of the ITI did not presented their self in front of committee. This shows that this Institute is no more interested in running the course sanctioned by DGET Delhi, Govt. of India and Govt. of Haryana.</p>
---	--	--	---	--	---

[Handwritten signature]

[Handwritten mark]

		<p>viii. Attendance Record: -Attendance record has not been produced.</p> <p>ix. Placement Record: -No placement record has been produced.</p> <p>CCTV Cameras/No Biometric Machine: - No CCTV Cameras/ Biometric has been installed.</p>	<p>total four theory room for trainee's theory classes of each Trade.</p> <p>8. Attendance record. On the day of assessment, we were showing the trainees attendance registrar to assessment team. Assessment team has not asked us for instructor attendance record.</p> <p>9. Placement Record. Our placement cell instructor also going for industrial visit at Auto Market Hisar and assessment team has not asked us for placement record.</p> <p>10. CCTV Camera & Biometric Machine In our ITI we install bio metric attendance machine for trainees and CCTV Camera But sir our ITI CCTV Cameras are not worked properly.</p>	<p>trainees.</p> <p>9. Placement Record No placement record was produced.</p> <p>10. CCTV Camera & Biometric Machine. No CCTV cameras and no Biometric Machine were installed in PITI</p>	
3	Saheed Bhagat Singh, private ITI, Vill. Allika Teh. & Distt. Palwal (MIS Code PR06000240	<p>As per inspection report on the date of inspection the institute was locked. It has also been observed that no official/ Officer/Chowkidar of the institute was present. Only one old lady (perhaps mother of the owner of the institute) was present in the residence built in the front courtyard of the institute. No trainees were available in the premises of the institute and it seems that institute is totally non-attending. Moreover, it is also submitted that the said institute was inspected</p>	<p>We filed a CWP- 8868-2020 in the Hon'ble Punjab and Haryana High Court Chandigarh against the said letter no. T4/Inspection/pvt.iti/2019-20/Trq-III/Part-I/7176 date 11-06-2020. The CWP was decided in our favour on 30-06-2020. The copy of order is attached here with. As per order we are permitted to file a representation to the Director Skill Development & Industrial Training Department of Haryana within seven days after disposed of the petition. The representation was sent to Director Skill Development & Industrial Training Department of Haryana (itiharyana@gmail.com) via email id rahulmalik006@gmail.com on 07-07-2020 15:43 with in time as per the order of the Hon'ble Punjab and Haryana High Court , so please cancel the show cause notice.</p>	<p>Speaking order w.r.t. this ITI has been already passed vide orders dated 25.08.2020 by Worthy DGSDIT after giving personal hearing to this ITI owner on dated 5.08.2020. A copy of the orders may be sent again to the DGT for necessary action.</p>	<ul style="list-style-type: none"> • Biometric records/attendance were not available. • Staff attendance register and student attendance register, staff salary disbursement details not available on the day of inspection. • Raw material consumption and placement record of pass-out students were not available on the date of inspection.

Sunil K

ce

(24)

24

		on dated 12 and 13/04/2018. During this inspection many discrepancies was observed. In respect to these discrepancies department has already informed DGT, Govt. of India. After receiving this information DGT, Govt. of India has issued show cause notice to the concerned institute.			
4.	Sanska Fire & Safety, Pvt. ITI, Sidharwali, Gurugram MIS Code PR06000308	<p>i. Trainees: - No trainee of any trade was found present on the date of inspection but only 10 students have been marked present in various trades. Remaining column of students are kept blank.</p> <p>ii. Staff: - Only 3 instructor out of total staff (Supervisor, Technical, Ministerial) were available. Leave record of absent staff has not been supplied. Moreover, as per record there is no vacancy it clearly shows fake record is being</p>	<p>1. Trainee: All the trainees are sent on training for practical knowledge in the company. Due to which the register was not complete and the remaining 10 trainees could not go due to "Lohri and Makar Sankranti". Hence the allegation not proved.</p> <p>2. Staff: As mentioned in your letter, only 3 staff were available during inspection, which is not proved. During the inspection all the staff was available in the institute except 3 staff. The 3 staff, who was not available during the inspection, took telephonic leave, due to which the institute could not show their leave application. A leave application form is attached. Hence the allegation made is not proved. The instructor of F.T.I.S.M Mr. Prahlad Singh have fulfilled their qualification as well as he has 36-year experience from Indian Navy and completed various fire training course from Indian Navy Institute and his document are attached, hence the allegation made is not proved.</p> <p>3. Store: Some bills could not be entered in the stock register due to</p>	<p>1. No student of ITI was present at the time of surprise inspection. Although the institute has good building, tool and Machinery, but whole infrastructure was found not being utilized for training purpose. There was no information available with the present staff about the industrial visit of trainees at the time/day of inspection and the plea taken now is baseless and fabricated. Actually the courses related to Deck Cadets related to Ministry of Shipping are running in this building. Seven videos recorded during inspection are attached herewith, which narrates the true ground level reality. Industrial visit is merely an excuse so that the issue in respect to adoption of non-attending culture may be diverted.</p> <p>2. Three officials were only</p>	<ul style="list-style-type: none"> • • Biometric machine is found installed in institute premises but presently suspended due to COVID 19. • Out of total staff strength of 12, Salary of only 4 employees are being disbursed by bank transaction. • Trainees present on the day of inspections were quite less(only total 9 trainees were present) , It was appraised by the institute that keeping in view the situation arise due to COVID 19, online classes are being conducted to the remaining candidates. • On the date of inspection total 8 officials out of 12 were present. • D-registers/Bills have been verified and it has been found that procurement is not as per norms. Raw material Bills are found

[Handwritten Signature]

[Handwritten Mark]

(25)

	<p>prepared.</p> <p>iii. Store: - Store has not been maintained which shows no raw material is being purchased so that no practical training is being imparted in the institute.</p> <p>iv. Computer Lab:- Lab is being used as mess for the hostlers admitted in course of shipping operations.</p> <p>v. Workshop: - In workshop all Machinery is in polythene packing so that no practical training is being imparted in the institute. Area of HSI workshop is short.</p> <p>vi. Theory Room: -Theory room has been converted into hostel. About 50 students of shipping courses are residing in institute. Therefore, institute is completely non-attending in nature.</p> <p>vii. Attendance Record: -Blank column of attendance register's</p>	<p>student training. Raw material is procured according to training criteria. Hence the allegation made is not proved.</p> <p>4. Computer lab: Computer lab is available for the ITI student in a systematic way. Therefore, the charge levied is not proved and photo of computer lab is attached for your convenience.</p> <p>5. Workshop: Due to being a rural area and the surrounding agricultural land, due to the dust, the machinery can be damaged, hence the machinery are covered with polythene after the use by the students as per the requirement and the job work form D created by the students is attached for your reference. Any type of activity such as mesh should not be performed in the fitter lab. The lab is well equipped and fully functional, hence the allegation made is not proved.</p> <p>The area of Health Sanitary Inspector lab is full as per rules, so this charge is not proved; the map of the building is attached for your convenience.</p> <p>6. Theory room: Under the social responsibility, 50 students are provided free firefighting short-term course by the institution and the institute has additional rooms, of ITI, the same rooms are used, the map of the building is attached for your convenience. Therefore, the allegation made is not proved.</p> <p>7. Attendance Record: All the students had gone to various places for training the students. The Registers have been completed as per the attendance records received from the establishments and show cause notice for negligence in their duty was issued</p>	<p>present and attendance of others is fake, as observed during the inspection. Shri Prahlad Singh is looking after the shipping related course in this ITI building.</p> <p>3. No store was available and plea taken is fabricated. No trainees, no training as no raw material is consumed.</p> <p>4. Computer Lab is being used for I.T. training of Deck Cadets.</p> <p>5. M&E of all trades is lying wrapped in polythene sheet and is totally unutilized. Fitter workshop is converted into Mess for deck candidates. Video attached is evidence.</p> <p>6. Class rooms have been converted into hostels. Video attached is evidence.</p> <p>7. As per DGT norms institutions premises cannot be shared. Moreover, Institution itself accepted that 50 students of firefighting course are getting training in ITI campus.</p> <p>8. Placement record should be produced to inspection committee if the same was available then it must be shown to the committee on the date of inspection.</p> <p>Summary: Although the Institute has good infrastructure, but it is not being used for skill training under CTS, all CTS/ITI trainees are non-attending, most of the staff is non-attending and the institute is</p>	<p>without GST No. & Bill no.)</p> <ul style="list-style-type: none"> On the date of inspection, no evidence has been found regarding computer lab / workshop/ Theory room to be utilized for any other purpose. (Undertaking for the same has also been furnished by the Institute.) Placement record has been found incomplete and need to be maintained properly. On the date of inspection there was no evidence found regarding using the Institute for shipping operations courses , However keeping the seriousness of this issue and COVID 19 situations , it is recommended to have further scrutiny/ watch for any such activity .
--	---	--	--	---

Sumit

co

26

		<p>viii. students/staff shows fake record is being prepared.</p> <p>ix. Placement Record: -No placement record has been maintained.</p>	<p>to them by the staff, and proper disciplinary action has been taken against them.</p> <p>8. Placement Record: The placement record of the students of session 2016-17, 2017-18 is attached; the result of the students of session 2018-19 is late and flawed. The placement has not been done due to nationwide Lockdown. Hence the allegation made is not proved. No reply has been received.</p>	<p>running Deck Cadet courses (related to shipping), which is illegal as per DGT norms. Total seven videos attached as evidence.</p> <p>The shortcoming mentioned in the Inspection report are true which have been intimated to the ITI vide letter dated 11.06.2020. The ITI has absolutely no infrastructure for any trade. Non-attending culture has been adopted.</p>	
5.	<p>Chaudhary Pvt. ITI, Bahal, Distt Bhiwani</p> <p>MIS Code PU06000200</p>	<p>Trainees: - As per enclosed documents or picture the institute was locked and no trainee of any trade was found present on the date of inspection. Moreover, no record has been produced.</p> <p>ii. Staff: - No staff member was available on the date of inspection Moreover; no record has been produced.</p> <p>iii. Store: - Store has not been maintained which shows no raw material is being purchased so that no practical training is being imparted in the institute.</p> <p>iv. Computer Lab: - No computer lab</p>	<p>Institution informed that they have declared restricted holiday on the eve of Maharishi Dayanand Saraswati birthday on dated 18-02-2020. Therefore, staff / students were not present in institute that was the reason due to which they could not submit their record to the inspection team. Institution also submitted that they are following DGT norms complete in all respect.</p>	<p>1. NO Trainees were present. No attendance Register record was produced.</p> <p>2. No staff was present and no attendance register of staff was produced to sign.</p> <p>3. No store has been maintained in PITI reflects no raw material was purchased for training. No store related records were produced.</p> <p>4. No Computer/ IT lab was available in PITI.</p> <p>5. No workshop and no trade wise machinery was available in PITI instead ITI tools were locked in space below staircase. Picture was enclosed for reference.</p> <p>6. No record of electric power was produced. There was no Generator and no record of generator running hours and Diesel consumed was produced.</p> <p>7. No Theory rooms were available instead ITI building is used as school premises.</p> <p>8. No attendance register record was produced for staff</p>	<p>Defects and deficiencies noticed: nil</p> <p>Recommended for continuation of existing affiliation of Electrician 4(2+2).</p>

Sumit

CS

27

19

		<p>was available.</p> <p>v. Workshop: - In workshop no electric connection so that no practical training is being imparted in the institute.</p> <p>vi. Electric Power: - No document has been produced.</p> <p>vii. Theory Room: - No theory room was available.</p> <p>viii. Attendance Record: -Attendance record has not been produced.</p> <p>ix. Placement Record: -No placement record has been produced.</p> <p>x. CCTV Cameras/No Biometric Machine: - No CCTV Cameras/Biometric has been installed.</p>		<p>and trainees.</p> <p>9. No placement record was produced.</p> <p>10. No CCTV cameras and no Biometric Machine were installed in PITI</p> <p>11. Institute did not inform any such type of declaration about restricted holiday. Moreover, there is no provision for such type of declaration.</p>	
6.	<p>Swastik Pvt. ITI, Tosham Distt. Bhiwani</p> <p>MIS Code PR0600029 2</p>	<p>i. Trainees: - As per enclosed documents or picture the institute was locked and no trainee of any trade was found present on the date of inspection.</p> <p>ii. Staff: - No staff</p>	<p>1. No reply</p> <p>2. There is Staff attendance register available in institute and the attendance of staff is also being marked through biometric machine. On the date of inspection some of the staff members along with trainees went to industries.</p> <p>3. Store is available in our institute inspection team did not visit in our store.</p> <p>4. IT lab and computer lab are available</p>	<p>1. Institute did not submit any clarification about the presence of trainees.</p> <p>2. As per inspection report no staff was available. Thus by this time such type of statement is baseless.</p> <p>3. As per inspection report there was no store in the institute if It was maintained then the institute should</p>	<p>Defects and deficiencies noticed: nil</p> <p>Electrician 4(2+2) & HIS 2(1+1) is recommended for continuation of affiliation on granted in 2016</p>

Sumit Singh

JS

		<p>member was available on the date of inspection.</p> <p>iii. Store: - Store has not been maintained which shows no raw material is being purchased so that no practical training is being imparted in the institute.</p> <p>iv. Computer Lab: - 12 Computer and furniture was available but no software has been installed.</p> <p>v. Workshop: - workshop was available.</p> <p>vi. Electric Power: - As per DGT norms electric load is available.</p> <p>vii. Theory Room: - Theory room was available.</p> <p>viii. Placement Record: -No placement record has been produced.</p> <p>ix. CCTV Cameras/Biometric Machine: - No CCTV Cameras/Biometric has been installed.</p>	<p>has per norms.</p> <p>5. Library is being maintained along with NIMI pattern books.</p> <p>6. Workshop and machinery as per norms which was observed by inspection team.</p> <p>7. Electric load/ power load is complete as per norms.</p> <p>8. Placement facility is available but there is no separate cell.</p> <p>9. CCTV Camera and biometric machine are available.</p>	<p>inform the inspection team for the same.</p> <p>4. As per inspection report there was no IT lab and computer lab in the institute if the same was maintained then the institute should inform the inspection team .</p> <p>5. As per inspection report there was no library in the institute if It was maintained then the institute should inform the inspection team for the same.</p> <p>6. Workshop was available but the institute was adopting non-attending culture.</p> <p>7. Admitted</p> <p>8.No placement record was produced.</p> <p>9. At the time of inspection no CCTV camera and biometric were there</p>	
--	--	---	---	--	--

Junil

oo

29

109