# DGT-Aff011(51)/2/2020-O/o Dir (TC) Government of India Ministry of Skill Development and Entrepreneurship Directorate General of Training

Employment Exchange Building, 1st floor, Pusa, New Delhi, Dated: 18th February, 2021

To.

All the State Directors (dealing with Affiliation)

**Subject:-** Minutes of Meeting of 21<sup>st</sup> Recommendation Committee Meeting Sir/Madam

Please find enclosed herewith the approved Minutes of Meeting along with Annexure of 21<sup>st</sup> Recommendation Committee held on 9<sup>th</sup> February, 2021. However implementation orders agenda item wise will be issued in due course of time.

This issue with the approval of competent authority, DGT

Yours faithfully,

(Sunil Kumar Gupta)
Director of Training

# Copy to:-

- 1. Sr. PPS to DG/AS, DGT, New Delhi
- 2. Sr. PPS to DDG, DGT, New Delhi
- 3. All RDSDEs

Joint Director of Training

# Draft Minutes of $21^{st}$ Meeting of "Recommendation Committee DGT" dealing with affiliation of ITIs held on $9^{th}$ February, 2021 at 1100 Hrs through Video conference

Representation From DGT	Representation from States
Smt. Neelam Shami Rao, Director General Smt. Sandhya Salwan, Deputy Director General Shri. Sunil Gupta, Director Shri. Ravi Chilukoti, Jt. Director Shri R. Murugarajan, Dy. Director Shri. Amit Yadav, Asst Director Shri. Parveen Kumar, JTA	Shri G T Pandya, Director, Gujarat Smt. Ranjita, Commissioner, Bihar Shri Vivek Chandel, Director, Himachal Pradesh Shri Awanish Kumar Sharan, Director, Chhattisgarh Shri Krishnappa, Director, Karnataka Shri M K Verma, Director, Rajasthan Shri Deependra Singh Kushwaha, Director, Maharashtra Shri Naik, Director, Telangana Shri Reghu G., Director, Odisha Shri Kumar Saurabh Raj, Director, Punjab Shri Rajashekhar, Additional Director, Tamil Nadu Shri Nagesh, Jt. Director, Telangana Shri Sanjeev Sharma, Jt. Director, Haryana Shri Tapan Vyas, Dy. Director, Gujarat Shri Nitin Nikam, Assistant Director, DVET, Maharashtra Shri Kumar Vikas Rajak, Asst. Director, Bihar Shri Sameer Dewangan, Training Officer, Chhattisgarh

At the outset, Shri. Sunil Kumar Gupta, Director welcomed all the committee members. Thereafter, DG(T), The Chairman of the Recommendation Committee took the agenda point wise for the detailed discussions. The details of the discussions, deliberations and agenda wise decisions in the meeting are as appended below:

The DG(T) desired that the agenda to be scrutinised as per the protocol of apex committee recommendations.

#### Agenda No. 21.1: Affiliation of ITIs

#### 21.1.1 New ITI proposals:

DGT received 6 proposals from 5 states as given below: -

ITI wise break up for recommendation of the committee is as follows:

Sl.	ITI's	Trades/Units	ITI	Units	Remarks by	Remarks by
No.	Name/MISCode/	sought for	Proposed	recomm	Scrutiny	Recommendation
	Application	affiliation	Units	ended	Committee	Committee
	Number			by SCI		
1	Rungta Private	Electrician	16(8+8+0)	Not	Not	Rejected
	Industrial Training	Fitter	8(4+4+0)	Recomm	recommended	As not recommended
	Institute, Durg,	Computer	16(8+8+0)	ended	,	by the State Director
	Rungta Knowledge	Operator and				due to shortage of
	City, Kohka-Kurud	Programming				machines, tools,
	Road, Bhilai,					

Syrille

	Chhattisgarh TMP22378PU158 0299192	Assistant (COPA) Welder	4(2+2+0)			equipment and staff detail not available.
2	Shreeji Bapa Trust Private Industrial Training Institute, Aravalli Malpur Road, Opp. Mamlatdar office, At Po.Ta. Meghraj Dist-Aravalli- 383350 TMP24672PR158 0985310	Hospital Housekeeping Health Sanitary Inspector Computer Operator and Programinig Assistant (COPA) Old Age Care	2(1+1+0) 6(2+2+2) 2(1+1+0) 2(1+1+0)	2(1+1+0 ) 6(2+2+2 ) 2(1+1+0 )	Recommended with reduced units since Available electric load is 15 kW, required 18.45 kW Hospital Housekeeping 2(1+1) Health Sanitary Inspector 2(1+1) Computer Operator and Programming Assistant (COPA) 2(1+1) Old Age Care 2(1+1)	Recommended  Hospital Housekeeping 2(1+1) Health Sanitary Inspector 2(1+1) Computer Operator and Programming Assistant (COPA) 2(1+1) Old Age Care 2(1+1)  ITI needs to furnish the details of CTI trained instructors within 15 days from the issue of affiliation order
3	Govt. Industrial Training Institute, Lunkaransar Distt. (Bikaner) 334603	Electrician Fitter Wireman COPA Welder Architectural Draughtsman	2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	Recommended	Recommended Electrician 2(1+1) Fitter 2(1+1) Wireman 2(1+1) COPA 2(1+1) Welder 2(1+1) Architectural Draughtsman 2(1+1)  ITI needs to furnish the details of CTI trained instructors within 15 days from the issue of affiliation
4	Geerthana Private ITI, Mattigai Post, Uludurpet TK, Kallakurchi – 607204  TMP33596PR158 0135514	Electrician Plumber Mechanic (Ref & A/C) Wireman	2(1+1) 2(1+1) 2(1+1) 2(1+1)	NR	Not Recommended due to shortfall of tool and equipment by 40 % and no appointment of staff.	1 1 1
5	Bharti Private ITI Private Industrial Training Institute, Meerut,	Electrician Fitter Physiotherapy Technician	6(2+2+2) 6(2+2+2) 4(2+2+0)	6(2+2+2 ) 6(2+2+2 )	Recommended with reduced units for 1st and 2nd shift	not present in the





	Vill Rali Chauhan Post Abdullapur Kila Road Meerut, Meerut, Uttar Pradesh TMP9169PR1579 862140	Health Sanitary Inspector	4(2+2+0)	4(2+2+0 ) 4(2+2+0 )	since Required electricity load is 26.22 kW, available 25 kW  Electrician 4(2+2) Fitter 4(2+2) Physiotherapy Technician 4(2+2) Health Sanitary Inspector 2(1+1)	
6	Fatehbahadur Singh Shivshankar Singh Pvt ITI, Sasana Bahadurpur, Akhop, Ballia – 221715 Uttar Pradesh	Electrician Fitter Plumber COPA	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	Not Recommended due to shortage of electricity load	<b>Deferred</b> since the UP-State Director was not present in the meeting.


# **21.1.2** Existing ITIs seeking Affiliation for Extension of Trades/Units: DGT received 23 proposals from 9 states as given below: -

ITI wise break up for recommendation of the committee is as follows:

SI. No.	ITI's Name/MISCode/	Trades/Units sought for	ITI Proposed	Units recomm	Remarks by Scrutiny	Remarks by Recommendation
	Application Number	affiliation	Units	ended by SCI	Committee	Committee
1	Shri Sai Pvt. ITI, Deurjhal, Nandini, Durg, Chhattisgarh DURG- 490036  PR22000177	Electrician	4(2+2)	4(2+2)	Not Recommended for session 2021 as ITI is more than five years old and need to apply for re- affiliation with minimum 4 trades map/layout to be revised as per construction. separate meter to be installed. electrician trade not recommended.	Not Recommended by the State Director since ITI is more than five years old and need to apply for re- affiliation with minimum 4 trades map/layout to be revised as per construction and also separate electricity meter to be installed

Sunille

2	Dev Enterprises	Fireman	3(1+1+1)	2(1+1)	Not	Not recommended
4	ITC Private ITI,	Surveyor	2(1+1)	2(1+1)	Recommended	by the State Director
	· ·	Sui veyoi	4(111)	2(111)	Fireman trade	since adequate
	Mahisagar,				since Fire	machinery not
	At-Po.Salawada,					available.
	Ta-Lunawada,			1	tender and	avanable.
	Dist- Mahisagar,				Rescue Van not	
	Gujarat-388270				available	
	· ·				Surveyor trade	
	PR24008185				recommended	
3	Shree N.G. Patel	Health Sanitary	3(1+1+1)	3(1+1+1	Not	Not Recommended
	Private Iti Umta	Inspector	,	)	recommended,	by the State Director
	Shree V.D.Patel	mapeeter		'	low grading	since available
					and Sanctioned	electricity load is 29
	Education				load is less than	kW and required 34
	Campus,Umta,Ta-					
	Visnagar,				required	kW.
	Mahesana-384320					[1]
	PR24005124					
4	Shri K.D. Barad	Electrician	2(1+1)	NR	Not	Not Recommended
	Private Iti, Sf	Health Sanitary	2(1+1)		recommended	by State Director
	Kodinar Professor	Inspector			ITI is more than	since in Mechanic
	Society,Veraval	Mechanic	2(1+1)		5 years old and	Diesel trade
	Road, Near	Diesel	2(1+1)		needs to apply	equipment are short.
	Byepass,Kodinar,	Fitter			for Re-	Electrician trade
		rittei			affiliation	equipment are
	Kadavasan,				annation	sparking during
	Kodinar,					1 20
	Junagadh,-362720					testing, HSI trade
						working models are
	PR24007114					not available.
						Machines are not
						properly installed.
						ITI is more than 5
				1		years old and needs to
						apply for Re-
						1 1 1 0
						affiliation with
						minimum 4 trades in
						total.
5	Chanshal pvt ITI	Electrician	3(1+1+1)	NR	Not	Not Recommended
	Chanshal Park PO.	Fitter	3(1+1+1)		Recommended	by State director as
	Oachghat Tehsil				ITI was closed	IT was closed on the
	and Dist Solan-				at the time of	day of inspection and
	173223			ľ	inspection	ITI needs to apply
	1/3223				Inspection	again for addition of
	DD02000201		1			trades for the next
	PR02000301					session.
	0.1	TV-64-	2(1.1.4)	2(1.1.1	Dagammandad	Deferred due to low
6	Galaxy Private		3(1+1+1)	3(1+1+1	Recommended	
	Industrial Training			)	for 1st and 2nd	
	Institute, College				shift	committee is formed
	Road, Paonta					to decide the course of
	Sahib		1			action for those ITIs
	SIRMAUR -		V.			which have applied
	173028					for Addition of trades
	173020					
5		.1	1	1	1	





	PR02000177					and have less than 2.0
7	Govt ITI Nagrota Government, Serathana Tehsil Nagrota Bagwan Dist Kangra- 176056 GR02000290	Mechanic Diesel Travel & Tour Assistant	2(1+1) 2(1+1)	2(1+1) NR	Recommended Mechanic Diesel 2(1+1)	grade points.  Recommended by State Director Mechanic Diesel 2(1+1) ITI needs to furnish the details of CTI trained instructors within 15 days from the issue of affiliation order.
8	Govt. ITI Talwar at Lahru, Tehsil jaisinghpur, KANGRA H.P-176082 GR02000162	Computer Operator and Programming Assistant (COPA)  Tool & Die Maker (Dies & Moulds)	2(1+1)	2(1+1)	Not Recommended due to low grading of ITI	Rejected as not recommended by State director since ITI is more than 5 years old and has less than 4 trades. ITI needs to re-apply for renewal of affiliation with minimum 4 trades in total.
9	Modern Industrial Training Institute Private, Pragpur Dehra, Kangra- 177107 PR02000135	Electrician	2(1+1)	2(1+1)	Recommended	Recommended by State Director Electrician 2(1+1)  State Directorate to provide the admission details for the year 2019 within 15 days from the date of issue of Minutes of meeting.
10	Prayaas Pvt. Iti V.P.O. MAIRA KANGRA-176023 PR02000228	Electrician Fitter	3(1+1+1) 1(0+0+1)	ITI not having minimu m 4 trades, to be decided by DGT committ ee	Not Recommended	Rejected as not recommended by State director since ITI is more than 5 years old and has less than 4 trades. ITI needs to re-apply for renewal of affiliation with minimum 4 trades in total.
11	Universal Pvt Iti Village Gagloo Po Bane Di Hatti Kangra-176029 PR02000231	Electrician	3(1+1+1)	Agree, subject to removal of shortco mings	Not Recommended	Rejected as not recommended by State director since ITI is more than 5 years old and has less than 4 trades. ITI needs to re-apply for renewal of affiliation with

Sunte

Mary US

						minimum 4 trades in total.
12	Aatmananda Saraswathi Private ITI, Billadi Grama, Manya, Januvarkatte, UDUPI – 576223	Mechanic Referigeration and Air Conditioner	2(1+1)	2(1+1)	Recommended	Rejected as not recommended by State Director since the ITI is more than 5 years old and needs to re-apply with minimum 4 trades in total.
13	Lokpanchayat Rural Technical Training Institutes Private Iti At- Kurkundi Post- Ghargoan, Tal - Sangamner, Dist - Ahmednagar- 422620 PR27000848	Fitter Electrician Computer Operator and Programing Assistant (COPA)	1(0+0+1) 1(0+0+1) 3(1+1+1)	1(0+0+1 ) 1(0+0+1 ) 3(1+1+1	Recommended COPA 2(1+1) units in 3rd shift NR	Reverted to the State Directorate for the comments on Inspection report and clarity on recommendation.
14	Svs Industrial Training Center Dondaicha Dist Dhu Private ITI, Dhule-425408  PR27000248	Electrician (NSQF) Fitter (NSQF) Wireman (NSQF)	1(0+1+0) 1(0+1+0) 1(0+1+0)	1(0+1+0 ) 1(0+1+0 ) 1(0+1+0 )	Not Recommended, ITI is more than 5 years old and needs to apply with minimum 4 trades	Rejected as not recommended by State Director since the ITI is more than 5 years old and needs to re-apply with minimum 4 trades in total.
15	Government Industrial Training Institute, Sonepur -767017 GU21000523	COPA	2(1+1)	2(1+1)	Recommended	Recommended COPA 2(1+1)
16	Govt ITI, Masuda AJMER -305623 GR08001912	COPA	2(1+1)	2(1+1)	Not Recommended, due to low grading	Recommended COPA 2(1+1) State to make specific efforts to for teaching and learning outcome improvement for better grading of the IT1 and also ensure better grades in 3rd phase of grading.
17	Government Industrial Training Institute, Rajsamand N,H,08, Near Old Chungi Nakka 03, Piparada,		2(1+1)	2(1+1)	Not Recommended due to low grades of ITI	Recommended MMV 2(1+1)
		^				6

Junite 98

	Rajasmand- 313324 GU08000657					better grading of the ITI
18	Shiva Sai Private ITI Shanthi Nagar, Peddapally Karimnagar 505172 PU36000235	Electrician	4(2+2)	4(2+2)	Not Recommended  ITI is more than 5 years old and is currently running 2 trades only. ITI needs to upgrade to 4 trades. Also, grading of ITI is low.	Rejected as not recommended by State director since the ITI is more than 5 years old and needs to re-apply with minimum 4 trades in total.
19	Shyama Devi Private ITI, 2460, Barail, Barabanki- 225001 PR09901274	Electrician	12(4+4+4)	12(4+4+4)	Recommended for 1st and 2nd shift	Deferred since the UP-State Director was not present in the meeting.
20	Late Banshi Private ITC - Ghazipur Vill & Po- Alawalpur, Ghazipur  PR09000605	Electrician Fitter	10(3+3+4) 4(1+1+2)	7(2+2+3 ) 1(0+0+1 )	Not Recommended since ITI is more than 5 years and has less than 4 trades and shortage of electricity load also.	<b>Deferred</b> since the UP-State Director was not present in the meeting.
21	Gulabi Bhimal Private Iti, Vill- Mainpur (Manikpur), Post- Mainpur, Ghazipur-233224	Electrician (NSQF) Fitter (NSQF)	9(3+3+3) 3(1+1+1)	9(3+3+3 ) NR	Not Recommended due to shortage of electricity load	<b>Deferred</b> since the UP-State Director was not present in the meeting.
22	Maa Vaishnavi Private ITC - Ghazipur Barahpur, Nandganj, Ghazipur-233302 PR09000727	Electrician Fitter	10(3+3+4) 4(1+1+2)	9(3+3+3 ) 2(1+1)	Not Recommended since ITI is more than 5 years and has less than 4 trades and shortage of electricity load also.	Deferred since the UP-State Director was not present in the meeting.
23	Kamla Private Iti	Electrician Fitter	9(3+3+3) 3(1+1+1)	3(1+1+1	Not recommended	<b>Deferred</b> since the UP-State Director was

Juseph

N

Muglani Chak,		3(1+1+1	due to shortage	not present	in	the
Sadar, Ghazipur		)	in electrical	meeting.		
		1	load			
PU09900719						

#### 21.1.3: SCVT to NCVT Conversion of Govt ITIs:

# 21.1.3(a) 89 Proposals from Bihar for SCVT to NCVT Conversion:

Deferred from 20<sup>th</sup> RCM Agenda 20.1.3 and 19<sup>th</sup> RCM Agenda 19.6, Proposal of 89 ITIs for SCVT to NCVT Conversions is received from Bihar State Directorate. Also, as discussed in 19<sup>th</sup> RCM, 6 of these proposals need to be upgraded to minimum 4 trades for grant of affiliation. Details are placed at Annexure 21.1.3(a).

**21.1.3(b)** Tamil Nadu State Directorate has forwarded 2 proposals for conversion from SCVT to NCVT. Details are placed at annexure 21.1.3 (b).

#### **Recommendation of the Committee:**

The Committee considered the aforesaid proposals affiliation were approved / rejected / reverted by the committee, as per remarks mentioned against each column of ITIs [list enclosed at Annexure 21.1.3(a) and Annexure 21.1.3(b)]. Out of 89 proposals from Bihar, 83 proposals were agreed upon and 6 proposals were deferred for fulfilment of minimum 4 trades. These 6 cases will be taken up on file and ratified by the Recommendation committee. From Tamil Nadu, both the proposals were recommended. After detailed discussion, committee expressed its recommendations as follows: -

- The committee observed that the Affiliation order for conversion of SCVT Trades to NCVT Trades will be valid for 1 year only, till session 2021 and ITI shall apply on online affiliation portal for continuation of affiliation
- ii. That, these proposals need to be Re-inspected as per the current Inspection process through NIMI portal within next 3 months.
- That, the proposals in respect of new ITIs which were not yet affiliated with NCVT, and had applied with less than 4 trades, were rejected with the comment to apply afresh through the existing channel for obtaining affiliation.

# Agenda 21.2: Representation received from States/ITIs vide letters and emails 21.2.1: Representation from Maharashtra State Directorate

#### 21.2.1(a):

#### (1) Jaydeep (Private) ITI (TMP27474PR1582808385), Maharashtra

The case was deferred in  $17^{th}$  RCM with the comment "Deferred, State needs to verify and submit the report about tools of Surveyor trade".

The State Directorate has verified the details of 4ht Surveyor Trade. Details are attached at Annexure 21.2.1(a).

#### (2) B. Y. Patil Private ITI, Maharashtra

Lundh

98

The case was deferred in 17th RCM with the comment "Deferred, State to verify the details about 4th trade".

The State Directorate has verified the details of 4ht Trade. Details are attached at Annexure 21.2.1(a).

#### Recommendation of the committee:

ITI wise break up for recommendation of the committee is as follows:

SI.	ITI's	Trades/Units	ITI	Units	Remarks by	Remarks by
No.	Name/MISCode/	sought for	Proposed	recomm	Scrutiny	Recommendation
	Application	affiliation	Units	ended	Committee	Committee
	Number			by SCI		
1	Jaydeep (Private)	Electrician	2(1+1+0)	2(1+1+0	Recommended	Recommended
	ITI, Degan Tal.	Fitter	2(1+1+0)	)	for all 4 trades	
	Shindkheda, Dist-	Welder	2(1+1+0)	2(1+1+0	based on the	
	Dhule MH-425407	Surveyor	2(1+1+0)	)	reports re-	
				2(1+1+0	submitted by	
	TMP27474PR158			)	the state for	
	2808385			NR	Surveyor trade.	
2	B. Y. Patil Private	Electrician	6(2+2+2)	6(2+2+2	Recommended	Recommended
	ITI, Nandurbar-			)	for all 4 trades	
	Prakasha	Wireman	3(1+1+1)		based on the	
	Highway, Near			NR	reports re-	
	Astoria, Sugar	Fitter	6(2+2+2)		submitted by	
	Factory			6(2+2+2	the state for	
	Samsherpur, At	COPA	2(1+1+0)	)	Wireman trade.	
	Post Bamdod, Tal.					
	Dist. Nandurbar,			2(1+1+0		
	Maharashtra			)		

# 21.2.1(b): Pavanraje Nimbalkar Pvt. ITI (PR27000930), Maharashtra

The ITI was Not recommended in 17th RCM with the comment mentioned as "Not recommended due to non-availability of IT lab. Notice to be given for not having ITI lab being Existing ITI." The State Directorate has verified the IT lab and submitted the reports with photographs. Details are attached at Annexure 21.2.1(b).

#### Recommendation of the committee:

ITI wise break up for recommendation of the committee is as follows:

Sl. No.	ITI's Name/MISCode/ Application Number	Trades/Units sought for affiliation	ITI Proposed Units	Units recomm ended by SCI	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1	Pavanraje Nimbalkar Pvt. ITI At. Govardhanwadi post. Dhoki, Tq- Dist. Osmanabad	Electrician Mechanic Diesel	2(1+1) 2(1+1)	2(1+1) 2(1+1)	IT lab details filled in annexure, not available in floor plan	Deferred*  ITI needs to improve its grading

Sunt

DD

Maharashtra 413508	-			
PR27000930				

\* A sub-committee is to be formed with Director (Maharashtra), Director (RDSDE Mumbai), Director (RDSDE Gujarat) as members to study the current guidelines on addition of trades and grading. This sub-committee will discuss what will be case for addition of trades for those ITIs which have grading less than 2.0. Assistant Director(grading) will be the convener and will provide the details to the committee. Assistant Director (affiliation) will also assist this committee. The committee to submit its report in 15 days.

# 21.2.2: Representation from Odisha State Directorate

Odisha State Directorate vide their letter dt. 29.12.2020 have forwarded the Shifting case of Madhusudan ITI (govt.) to new location and for Nomination of DGT representative for Inspection

It has been mentioned that due to expansion of SCB Medical college and hospital, shifting of Madhusudan Govt. ITI was necessary. Accordingly, the required infrastructure as per NCVT norms have been created at RI Center, Choudwar, Cuttack and ITI has been already shifted to new location.

Therefore, they have requested for nomination of DGT member for Inspection.

State Directorate has also submitted detailed report of Inspection carried out by ITI Principal. Letter is attached at Annexure 21.2.2

#### Recommendation of the committee:

The committee decided that the details of this ITI will be taken up on online affiliation portal for Auto batch generation by the system.

# Agenda 21.2.3: Representation from Telangana State Directorate

# 21.2.3(a): Deferred cases of Telangana:

1. Gautam Buddha Minority Industrial Training Centre ITI (PU36000130), Telangana

The case was Not Recommended in 17th RCM due to "Institute's roof in tin sheet Crack in the wall of electrical workshop IT lab not maintained Drawing hall and library not available". The comments mentioned were "Not Recommended To upgrade with 4th Trade and to be considered next academic session". However, the ITI has already more than 4 trades and State Directorate has submitted report verifying the deficiencies. Details are placed at Annexure 21.2.3 (a)

2. Venkata Sai Pvt ITI, Telangana

The case was deferred in  $17^{th}$  RCM with the comment "**Deferred** To be considered for session 2021". The case was deferred due to poor quality IT lab as was submitted in the report by State Directorate. The details are placed at Annexure 21.2.3(a).

#### Recommendation of the committee:

Jui H

Sl. No.	ITI's Name/MIS Code/Applicatio n Number	Trades/Units sought for affiliation	ITI Proposed Units	Units recomm ended by SCI	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1	Gautam Buddha Minority Industrial Training Centre ITI Bus Stage, Khammam Road, Subhash Nagar, Yellandu Bhadradri Kothgudan Telangana – 507123 PU36000130	Computer Operator and Programing Assistant Draughtsman Civil Welder	3(1+1+1) 3(1+1+1) 3(1+1+1)	Not Recomm ended Institute' s roof in tin sheet Crack in the wall of electrical worksho p IT lab not maintain ed Drawing hall and library not available	State replied 1. All the tools and equipment are available for COPA, DM Civil, Welder trade 2. Roof has structural civil and additional truss support 3. Crack was filled with solid structure.  Placed before committee for decision	Rejected as infrastructure is poor.  The ITI needs to reapply again on online affiliation portal.
2	Venkata Sai Pvt ITI Adilabad SY No. 104, Main Road, ICHODE, Dist: Adilabad Telangana – 504307 TMP36501PR158 2789810	Electrician COPA Dress Making Mechanic Refrigeration & AC	3(1+1+1) 3(1+1+1) 3(1+1+1)	NR due to non- availabili ty of IT lab	The state has forwarded details verifying the availability of IT lab, completing the shortage of tools for MRAC	Recommended as recommended by the State Director  Electrician 4(2+2) COPA 2(1+1) Dress Making 2(1+1) Mechanic Refrigeration & AC 2(1+1)

**21.2.3(b):** Telangana State Directorate vide their letter dt. 30.01.2021 have represented the case of GAARGI Pvt ITI (PU28000478), Karimnagar. The ITI was Not Recommended in 11<sup>th</sup> RCM, due to deficiencies mentioned for Classroom, tool, workshop and instructors. The State Directorate has mentioned that ITI has completed the deficiencies and DGT may reconsider this for Inspection. Details are placed at Annexure 21.2.3(b).

#### Recommendation of the committee:

ITI wise break up for recommendation of the committee is as follows:

Sl. No.	ITI's Name/MIS Code/Applicatio n Number		ITI Proposed Units	Units recomm ended by SCI	Remarks by Scrutiny Committee	Remarks by Recommendation Committee
1	Gaargi Iti, Private Warangal Road, Huzurabad	Mechanic Diesel	6(2+2+2) 6(2+2+2)	NR	Not Recommended	Not Recommended as the case has been decided and can only

Junit

00

Karimnagar 505468	Welder	6(2+2+2)	1.No class room available.	be taken for new session.
	Dress Making		2.No staff with CITS qualification 3.Tool kit shortages	ITI needs to re-apply on the online affiliation portal.

# 21.2.4: Representation from UP State Directorate

**21.2.4(a):** The UP-State Directorate vide its mail dt. 02.02.2021 and letter dt. 02.02.2021 has requested for the cancellation of Affiliation of 3 ITIs, the details are placed below:

- 1. M.D(Maya Devi) Pvt ITI, Aligarh, Uttar Pradesh- Recommended in 11<sup>th</sup> RCM and NR in 16<sup>th</sup> RCM
- 2. Maya Deep Pvt ITI, Aligarh, Uttar Pradesh- Recommended in 11th RCM
- 3. Shri Bharat Sing Kamala Devi Private ITl, Aligarh, Uttar Pradesh- Recommended in 14th RCM

The state has maintained in its letter that the Bank Guarantee submitted by these ITIs was false. The details of these ITIs are placed at annexure 21.2.4(a).

#### Recommendation of the committee:

The agenda was deferred since the UP-State Director was not present in the meeting.

21.2.4(b) Verification of details of Sri Jyoti Narayan Pvt lTl, Mathura

The case was deferred in  $17^{th}$  RCM at Agenda 17.1.1(b) for verification of GST Bills for High valued machinery and equipment.

The State has submitted its report vide letter dt. 19.01.2021. The details are placed at Annexure 21.2.4(b).

## Recommendation of the committee:

ITI wise break up for recommendation of the committee is as follows:

SI.	ITI's	Trades/Units	ITI	Units	Remarks by	Remarks by
No.	Name/MISCode/	sought for	Proposed	recomm	Scrutiny	Recommendation
	Application	affiliation	Units	ended	Committee	Committee
	Number			by SCI		
1	Shri Jyoti Narayan	Electrician	6(2+2+2)	6(2+2+2	Recommended	<b>Deferred</b> since the
	Pvt ITl	Fitter	6(2+2+2)	)	for 1st and 2nd	UP-State Director was
	Vill- Augan, Po-	Computer	3(1+1+1)	6(2+2+2	shifts	not present in the
	Daulaatpur,	Operator &		)		meeting.
	Baldeo, Dist-	Programming		3(1+1+1		
	Mathura,	Assistant		)		
	Uttar Pradesh-	Health Sanitary	3(1+1+1)	3(1+1+1		
	281301	Inspactor		)		
	1809016468					

Junik

Le<sup>a</sup>

#### Agenda 21.3: Court Cases

# 21.3.1: Shifting cases of Rajasthan:

- 1. Nav Bharti Pvt. ITI (PR08001295)
- 2. S R Mund Pvt ITI (PR08001715)

approached the Hon'ble High Court of Delhi at New Delhi with Writ Petition praying to quash the decision taken by the Recommendation Committee DGT in its 11th Meeting held on 22.09.2020 vide which shifting application has been rejected and further the petitioner is seeking directions for answering respondent / DGT to decide the shifting application of the petitioner ITI dated 26.08.2019.

The ITIs were placed in 11th RCM in Annexure 11(B) and were not recommended for affiliation due to Zero admission for 2 years. However, being shifting case, the ITI needs to maintain zero admission. As per the Court orders, the ITI needs to be re-considered by the Recommendation Committee. The details are placed at Annexure 21.3.1.

#### Recommendation of the committee:

ITI wise break up for recommendation of the committee is as follows:

Sl.	ITI's	Trades/Uni	ts	ITI	Units	Remarks by	Remarks by
No.	Name/MISCode/	,	for	Proposed	recomm	Scrutiny	Recommendation
	Application	affiliation		Units	ended	Committee	Committee
	Number				by SCI		
1	Old- Nav Bharti Private Industrial Training Institute Address 05, Bhuvneshwari Vatika, Panchayawala, JAIPUR-302034 & New address - Nav Bharti Private Industrial Training Institute-Behind goud factory, Guni wala, Dhani dausa- 303303 PR08001295	Electrician Fitter		8(2+2+4) 1(0+0+1)	Elect- Add.4(2+ 2+0) Total - 8(4+4+0) Nil	Not Recommended, since ITI is more than 5 years old and need to apply with minimum 4 trades	Rejected since ITI is more than 5 years old and need to apply with minimum 4 trades in total.
2	Old- S R Mund Private Industrial Training Institute, Mundsar, District BIKANER- 334202 & New Address-	Electrician		3(1+1+1)	Add.3(1+ 1+1) Total- 6(2+2+2)	Not Recommended, since ITI is more than 5 years old and need to apply with minimum 4 trades	Rejected since ITI is more than 5 years old and need to apply with minimum 4 trades in total.

Junill

00

	S R Mund Private			
	Industrial Training			
	Institute,Plot No-3,			
	Shila Vihar ,			
	Gokulpura Jaipur-			
l.	302012			
	00000			
	PR08001715			

#### 21.3.2: Bihar Cases

Put up in 16th RCM, at Agenda 16.3.1, the cases are:

Sl.No.	Name of the ITI	Inspected on	Inspected by
1	Rajdeo Yadav Pvt ITI, Fatepur Chandosh Road P.o.Mukhmilpur, Ps. Paligan Dist. Patna, Bihar-801110 PR10000813		Shri A V Rao, RD, RDSDE Telanagana& Smt Asha Singh, Assit. Director, DET Bihar
2	Kumar ITC, NH-31, Kenamore Madhobigha, Nawada, Bihar 848102 PR10000306	I .	Shri A V Rao, RD, RDSDE Telanagana& Dr. Ravindra Prasad, Principal, IT Kalyanbigha,Nalanda, Bihar.
3	Maa Sharada Pvt IT Partappur, Muktapur Samastipur, Bihar-848102 PU10000863		Shri A V Rao, RD, RDSDE Telanagana& Shri RamashrayMahto, Deput Director, DET Bihar

The ITIs were re-inspected in January as per the orders of H'nble court after the Show Cause notice was issued. The details are placed at Annexure 21.3.2.

## Recommendations of the Committee:

The agenda was **Deferred** for the supplementary information on the scrutiny of the reports of these ITIs, in the similar manner as is being done for scrutiny of Inspection reports of New ITIs and ITIs applied for Addition of trades.

# Agenda 21.4: Change of Name for CVM Pvt ITI (PR24008065)

Gujarat State Directorate has forwarded the letter for Change of Name of "CVM Pvt ITI for Engineering" trades to "Kanubhai patel Pvt ITI for Engineering trades". The details are attached at Annexure 21.4

#### **Recommendations of the Committee:**

The committee agreed for the Change of name of the ITI from "CVM Pvt ITI for Engineering Trades" to "Kanubhai Patel Pvt ITI for Engineering Trades".

Sunit

So So

## Agenda 21.5: De-affiliation cases:

# 21.5.1: Guru Kripa ITI, Punjab (PU03000389)

The State Directorate has represented its case vide letter dt. 10.01.2021, for withdrawal of Affiliation order of said ITI, since it was recommended without the recommendation from State Directorate, vide affiliation order no. DGT-12/1/2018-TC dt. 27.03.2018. The details are placed at Annexure 21.5.1.

# Recommendation of the Committee:

The proposal was **Deferred** in the meeting. The case is to be taken on file with the details of the ITI regarding admission, passed percentage etc. and all this data to be checked on the merit basis.

# 21.5.2: De-affiliation cases of 4 ITIs in Haryana

The case was put up in  $13^{th}$  RCM at Agenda no. 13.5.1, based on the comments received from Haryana State Directorate on the Show Cause Notice issued to the 22 ITIs, it was decided by the committee for Joint Inspection of the 10 ITIs. The 6 were the court cases put up in  $20^{th}$  RCM, and rest 4 are being put up in this meeting. The details are placed at Annexure 21.5.2.

# Recommendation of the Committee:

Sl. No	ITI Name & MIS Code	Deficiency observed at the time of inspection	Comments of State Directorate	Observations by the members of Joint Inspection Committee	Remarks by Recommendati on Committee
1.	Ambition Pvt. ITI, Moriwala, Sirsa, Haryana MIS CODE PR06000 178	i. As per admission position of institute there should be 70 trainees but neither trainees nor staff was present, ii. In adjacent school building	time of inspection, no staff/trainees were present in the institute. Inspection team	trade in 3 <sup>rd</sup> shift is recommended for Deaffiliation, as no Separate	ITI to be Deaffiliated and debarred from further affiliation for 3 years

Jurill

00

		attending			
		culture.			
	1				
					vmv . I D.
2.	Daksh	1- In the	State has already	1. No Biometric attendance	ITI to be De-
1	Pvt, ITI,	ground floor as	requested to DGT	is being followed by staff or	affiliated and
	V.P.O	well as 1st floor	vide letter 25	trainee's manual	debarred from
	Chak	of the ITI	8.2020 to conduct	attendance register was	further
	Faridpur	Building, school	joint inspection of	maintained on day of	affiliation for 3
	Distt.	classes of small	the said institute.	inspection only 03 trainees	years
	Sirsa,	kids from		of Electrician 2nd year	
1	Haryana	nursery onwards		present in the Institute. All	
	(MIS	was running and		staff members along with	
	CODE-	approximate 150		Principal was present in the	
		plus children of		Institute.	
	PR06000			2. Tool Equipment and	
	180	school were		Machinery for Electrician	
1		sitting in the		trade was as per latest	
		classes whereas		norms syllabus but only for	
		as per admission		06 (3+3) units, since there	
		position of this		. ,	
		ITI, there should		11 410	
4		be 90 trainees in		shortage of machinery. (List	
		Electrician 2nd		Attached) So it is	
		year & 88		recommended that 02	
		trainees of 1st		(1+1) units of Electrician	
	1	year (48 of COPA		trade should be de-affiliated	10.
	1	+ 40 of		and $06(3+3)$ units are	
		Electrician) but		recommended to continue	
-1		only 13 trainees		for affiliation	
		were found	.1	3. Library was constructed	
		present in the		in the spare space below the	
		premises of ITI		stairs. There was no	
		which is totally a		Drawing Hall and in map	
		violation of		also Drawing Hall not	L C
		NCVT Norms as		present. But space is	
	1	well as cheating		available so Drawing Hall	
	1	with the SDIT		may be constructed.	
		Department.		4 For COPA Trade Tools and	
	1	2- Even		Equipment was there as per	
		attendance		2014 syllabus and following	
				deficiencies were found as	
	ľ	register of trainees as well		per latest norms and	
			•	syllabus Only 10	
		as staff register	1	computers was there in	
		were not		COPA Lab. 50% shortage of	
		maintained and			
		found unfilled		II :	
		which proves a	ı	equipment's. (List	
		non-Attending		Attached). No dedicated	1
		culture in ITI.			

Sunth



3- All attendance class room was there for register seems a COPA Trade. fake attendance So, COPA 02 (1+1) units is filled and earlier recommended for dedays attendance affiliation as per latest of a present norms and syllabus. 5. On the day of inspection trainee of Electrician trade no infrastructure, sign named Sandeep board, activities of play ground found. was cross checked and The above asked in person comments/recommendatio that How many ns from S. No. 1 to 7 are days he attended made by us. A copy of the class in complete Inspection Report month of Feb has been collected by the 2020. In reply, he representative of stated that he Directorate General of was sick so did Employment and Training not attend 4-5 for sending the same to the days in first week Headquarters, New Delhi. else he attended The other copies would be all classes but in forwarded to the DGE&T, Ministry of Labour, by the attendance register there State Director. was filled full days attendance of this candidate. 4. After seeing the condition of class room and workshop filled with school kid which clearly shows that your institution is adopting nonattending culture.

lunill

,					
3.	Sanskriti Pvt. ITI, VillAmarp urJorasi (Narnaul) MIS Code PR06000 327	i. Trainees: - No trainee of any trade was found present. ii Staff: - No staff was present on the date of inspection.	The institute did not inform about such type of mis happening to the inspection committee. This shows that it is mere excuse to disguise non-attending culture which is being adopted by the institute.	1. Total area of 1014.17 sqmt. is allotted for establishing ITI (as per rent agreement) and that area is of basement where the IT is established. No other activity found on the day of inspection in that specific area t is also pertinent to mention that in the same premise where the ITI is established there was another building where D Pharma College was running. There was no separate/common boundary wall constructed between these two buildings.  On the day of inspection principal along with another staff member were not present. Only Chairman of the Institute was there. For both the trade Electrician and HSI all the tool equipment is as per syllabus. Classrooms and workshops were satisfying space norms The 2018 session only 09 no, of admission, In 2019 session no admission in the institute in both the trade. Attendance record of Staff and trainees was not maintained Electricity supply connection was 3 phase Domestic category. Raw material and stock register were not maintained. Apart from above observations this inspection team recommends that ITI might be allowed to continue affiliation if ITI remove all deficiencies mentioned above, from next session onward.	ITI to be Deaffiliated and debarred from further affiliation for 3 years

Jungh



4.	Om Pvt. ITI, V.P.O Juglan Distt. Hisar. MIS CODE- PR06000 232	1. Workshop was found in lock condition. 2. No trainee was available at the time of inspection while more than 100 trainees are enrolled. 3. No staff was available in the ITI at the time of inspection except one Principal.	attention from	2. All the trades do not fulfill Land & Building norms, Tools & Equipment's norms and Power norms.	affiliated and debarred from further
----	---	--	----------------	--	--

The committee further stated that, for similar cases in future; Unit wise enrolment data, pass out percentage, Instructor data, salary records and grading of ITI to be considered.

# 21.5.3: De-affiliation cases of ITIs in Rajasthan

Deferred in 10<sup>th</sup> RCM at Agenda 10.4, Rajasthan State Directorate proposed de-affiliation of 153 lTIs (list of 154 lTIs in which 1 lTI was repeated). The case was deferred for Comments from Rajasthan State Directorate, the comments have been received for 56 lTIs and the details are placed at Annexure 21.5.3

#### **Recommendation of the Committee:**

The committee decided to defer the case as the details of these 153 ITIs to be checked, as to which ITIs applied on Online affiliation portal. The list to be prepared District wise and the case is to be taken up on file and ratified by the committee.

# Any Other point with the permission of chair

#### 21.6: Affiliation of ITIs for Short Term Courses under PMKVY 3.0

1,	Total Applications at TC Cell:	228
2.	Total Affiliations issued:	189
3.	Total Deferred Applications to RDSDEs:	36
4.	Total applications pending for Processing:	3

The details are placed below:

- 1. GU06000045
- 2. GU06000018
- 3. GU06000073

The details are available at https://www.nimionlineadmission.in/pmkvy/rdsdelogin.php

Junth

مال

#### Recommendation of the committee:

1. MIS CODE-GU06000045

Name of ITI-Govt. Industrial Training Institute Rewari Approved shifts by the Recommendation Approved shifts by RDSDE Committee Shift 2 Shift 1 Shift 2 Shift 3 Shift 1 Shift 3 PMKVY Course 0 0 1 1 0 0 Lineman Distribution (Multi-Skilled) 0 0 0 1 0 1 Solar & LED Technician 0 1 1 0 0 Mobile Phone Hardware Repair Technician 0 0 0 1 1 Field Technician - UPS and Inverter 0 0 0 1 1 0 Domestic Data entry Operator 0 1 0 0 0 1 Junior Software Developer

2. MIS Code-GU060000018 Name of the ITI- Govt. Industrial Training Institute Hassangarh

	Approv	ed shifts b	y RDSDE	Approved shifts by the Recommendation Committee		
PMKVY Course	Shift 1	Shift 2	Shift 3	Shift 1	Shift 2	Shift 3
Maintenance Technician- Service Workshop	1	0	0	0	0	1
Field Technician - AC	1	0	0	0	0	1
Field Technician - Computing and Peripherals	1	0	0	0	0	1
Field Technician - Other Home Appliances	1	0	0	0	0	0
Carpenter Wooden Furniture	1	0	0	0	0	1
Plumber (General) - II	1	0	0	0	0	1
CNC Setter cum operator - Turning	1	0	0	0	0	1

3. MIS Code-GU060000073 Name of the ITI- Govt. Industrial Training Institute Meham

	Approv	ed shifts b	Approved shifts by the Recommendation Committee			
PMKVY Course	Shift 1	Shift 2	Shift 3	Shift 1	Shift 2	Shift 3
Solar Panel Installation Technician	1	0	0	0	0	1
Industrial Electrician	1	0	0	0	0	1
Domestic Data entry Operator	1	0	0	0	0	1
Sewing Machine Operator	1	0	0	0	0	1
Beauty Therapist	1	0	0	0	0	1
Plumber (General) - II	1	0	0	0	0	1

Sunf

98

**Agenda 21.7: De-affiliation of 457 ITIS in UP** State Director has forwarded letter 24.12.2020 regarding the fraud cases related to scholarship of students. Show cause notice is being issued to all the ITIs for starting the De-affiliation Process. Details are attached.

#### Recommendation of the committee:

The committee decided that the de-affiliation process be initiated against these ITIs by issuing the Show Cause Notice.

It was noticed that State Directors are forwarding the proposals of "Rejected/Not-Recommended" for re-consideration. It was decided in the meeting any proposal "Rejected or Not-recommended" by the "Recommendation Committee" will not be taken up again and such ITIs shall apply again on ONLINE affiliation portal.

The meeting ended with vote of thanks to the chair

\*\*\*

Sunth

	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District		Inspected Date
	RUNGTA PRIVATE INDUSTRIAL TRAINING INSTITUTE, DURG, RUNGTA KNOWLEDGE CITY, KOHKA-KURUD ROAD, BHILAI, Chhatisgarh	CHHATTISGARH	TMP22378PU15802991 92	6	29	05-01-2021
	Trades sought for affiliation (NSQF)	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms
	Electrician Fitter Computer Operator and Programming Assistant (COPA) Welder	16(8+8+0) 8(4+4+0) 1(8+8+0) 4(2+2+0)	Not Recommended	Yes	Yes	Yes
1.	workshop space	Class room	IT lab	Drawing Hall	Availability of Machinery, Tools & Eqipments	Staff Qualification & Documents
	Yes	Yes	Yes	Yes	Shortage of machines, tools and equipments	Staff details not available
	Remarks by Inspection Committee	Remarks by Sc	Remarks by Recommendation Committee			
	Not Recommended	Not recommended	Rejected As not recommended by the State Director due to shortage of machines, tools, equipment and staff detail not available.			

Sunth

Sl. No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District		Inspected Date	
2	Shreeji Bapa Trust Private Industrial training Institute, Aravalli Malpur Road, Opp. Mamlatdar office, At Po,Ta. Meghraj Dist- Aravalli-383350	GUJARAT	TMP24672PR15809853	7	7	09-01-2021	
	Trades sought for affiliation (NSQF)	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms	
	Hospital Housekeeping Health Sanitary Inspector Computer Operator and Programinig Assistant(COPA) Old Age Care	2(1+1+0) 6(2+2+2) 2(1+1+0) 2(1+1+0)	2(1+1+0) 6(2+2+2) 2(1+1+0) 2(1+1+0)	On lease, valid till 31.01.2050	Available 15 kW, required 18.45 kW	Yes	
	workshop space	Class room	IT lab	Drawing Hall	Availability of Machinery, Tools & Eqipments	Staff Qualification & Documents	
	Yes	Yes	Yes	Yes	Yes	Yes, CTI trained instructor details not available	
	Remarks by Standing Committee	Remarks by S	crutiny Committee	Remarks by Recommendation Committee			
	Recommended	Recommended with red electric load is 15 kW, re Hospital Housekeeping Health Sanitary Inspector Computer Operator and (COPA) 2(1+1) Old Age Care 2(1+1)	Recommended  Hospital Housekeeping 2(1+1) Health Sanitary Inspector 2(1+1) Computer Operator and Programming Assistant (COPA) 2(1+1) Old Age Care 2(1+1)  ITI needs to furnish the details of CTI trained instructors withit days from the issue of affiliation order				
			Sunsp			J	

Sl. Io.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date		
3	Govt. Industrial Training Institute, Lunkaransar Distt. (Bikaner) 334603	Rajasthan	New	6	21	23 09 2020		
	Trades sought for affiliation (NSQF)	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms		
	Electrician Fitter Wireman COPA Welder Architectural Draughtsman	2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	Yes	Required 38.16 kW, available 55 kW	Yes		
	workshop space	Class room	IT lab	Drawing Hall	Availability of Machinery, Tools & Eqipments	Staff Qualification & Documents		
	Yes	Yes	Yes	Yes		Yes, CTI trained instructor details not available		
	Remarks by Standing Committee	Remarks by S	crutiny Committee	Rem	narks by Recor	nmendation Committee		
	Recommended	Recommended		Recommended Electrician 2(1+1) Fitter 2(1+1) Wireman 2(1+1) COPA 2(1+1) Welder 2(1+1) Architectural Draughtsman 2(1+1)  ITI needs to furnish the details of CTI trained instructors within days from the issue of affiliation order				

Junih

l.	ITI's Name	State	MIS Code/	Govt ITIs in		Inspected Date	
0.			Application Number	the District	the District		
·	Geerthana Private ITI, Mattigai Post, Uludurpet TK, Kallakurchi - 607204	Tamil Nadu	TMP33596PR15801355 14		7	18.12.2020	
	Trades sought for affiliation (NSQF)	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms	
	Mechanic(Ref & A/C)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	NR	Yes	Available 21 kW, required 20.02 kW	Insufficient amenities like drinking water, canteen, toilets, etc.	
	workshop space	Class room	IT lab	Drawing Hall	Availability of Machinery, Tools & Eqipments	Staff Qualification & Documents	
	Yes	Yes	Yes	Yes	Shortfall of tools and equipment by 40%.	Staffs not appointed yet	
	Remarks by Inspection Committee	Remarks by So	Remarks by Scrutiny Committee		Remarks by Recommendation Committee		
	Not Recommended	Not Recommended due t equipment by 40 % and i		1	nded since not re ools and Equipme	ecommended by the State due to ent	

Sumb



SI.	ITI's Name	State	MIS Code/	Govt ITIs in	Pvt ITIs in	Inspected Date
No.	11101141110	butto	Application Number		the District	inspected Bate
1101			ipplication itamber	the Bistrice	che District	
5	BHARTI PRIVATE ITI	Uttar Pradesh	TMP9169PR157986214	6	32	11-01-2021
	PRIVATE INDUSTRIAL	ottar i radosii	0	Ü	0.2	
	TRAINING INSTITUTE,					
	MEERUT,					
	VILL RALI CHAUHAN POST					
	ABDULLAPUR KILA ROAD					
	MEERUT,					
	MEERUT,					
	UTTAR PRADESH					
	Trades sought for	ITI Proposed Units	Units recommended by	Land lease	Power	Building as per norms
	affiliation (NSQF)		SCI	valid	connection	
					as per norms	
	Electrician	6(2+2+2)	6(2+2+2)	Yes	Required 26.22	Yes
	Fitter	6(2+2+2)	6(2+2+2)		kW, available	
	Physiotherapy	4(2+2+0)	4(2+2+0)		25 kW	
	Technician					
	Health Sanitary	4(2+2+0)	4(2+2+0)			
	Inspector					
	workshop space	Class room	IT lab	Drawing	Availability	Staff Qualification &
	7 7			Hali	of	Documents
					Machinery,	
					Tools &	
					Egipments	Y.
	Yes	Yes	Yes	Yes	Yes	Yes, CTI trained instructor details
						not available
	Remarks by Inspection	Remarks by Sc	rutiny Committee	Rem	narks by Recor	nmendation Committee
	Committee					
	D	December ded with wed.	iced units for 1st and 2nd	Defermed sings	- Al- IID Chata Di	rector was not present in the
	Recommended	shift since Required elect		meeting.	e the OP-State Di	rector was not present in the
		available 25 kW	ricity toau is 20.22 kw,	meeding.		
		aranabic 25 RW		1		
		Electrician 4(2+2)				
		Fitter 4(2+2)		1		
		Physiotherapy Technicia	n 4(2+2)			
		Health Sanitary Inspector	r 2(1+1)			

Junill

la

Sl. No.	ITI Name	State		MIS Code/Applica tion Number	Grading	Govt ITIs in the District	Pvt ITIs in the District	Affiliated Units
6	Fatehbahadur Singh Shivshankar Singh Pvt ITL Sasana Bahadurpur, Akhop, Ballia - 221715	UTTAR PRADESH	22.10.2020	NEW ITI	NA	5	79	NA
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2019 20 session with Trade wise	Total student enrolled in 2019-20	Lamd lease valid	Power connectio n as per norms	Building as per norms
	Electrician Fitter Plumber COPA	3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	NA	NA =	Yes	Required 14.26, available 8 kW	Yes
	workshop space	Class room	IT lab	Drawing Hall	Availability	of Machinery, Tools & Eqipments	Staff Qual	ification &
1	yes	Yes	Yes	Yes		Yes	Details of	CTI trained
1	Remarks by Stan	ding Committee	Remarks by Scrutiny Committee			Remarks by Recommendations Committee		
	Recomm	nended	Not Recommended due to s	hortage of elect	ricity load	Deferred since the UP-State Director was not present i the meeting.		

JY.

Sl. No.	ITI Name	State	Inspected Date	MIS Code/Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
1	Shri Sai Pvt. Iti, Deurjhal , Nandini , Durg, Chhattisgarh DURG- 490036	Chhattisgarh	21-01-2021	PR22000177	1.71	2015	Computer Operator and Programming Assistant (NSQF) Health Sanitary Inspector (NSQF)	4(2+2) 2(1+1)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Lamd lease valid	Power connection as per norms	Building as per norms
	Electrician	4(2+2)	4(2+2)	Computer Operator and Programming Assistant - (42+30+0) Health Sanitary Inspector - (24+4+0)	72 + 28 = 100	Yes	common meter and bill existing for polytechnic and iti	*The construction does not match with the drawings *no demarcation between polytechnic and iti land
	workshop space	Class room	IT lab	Drawing Hall	Availability o	f Machinery, Tools &	Staff Qualification	& Documents
	Yes	Yes	Yes	Yes		Yes	Yes, CTI trained instructor	details not available
	Remarks by Standin	g Committee		ks by Scrutiny Commit		Remar	ks by Recommendations Cor	nmittee
	Not Recommended  map/layout to be revised as per construction. separate meter to be installed. electrician trade not recommended.		Not Recommended for session 2021 as ITI is more than five years old and need to apply for re-affiliation with minimum 4 trades map/layout to be revised as per construction. separate meter to be installed. electrician trade not recommended		Not Recommended by the State Director since ITI is more than five years old and need to apply for re-affiliation with minimum 4 trad map/layout to be revised as per construction and also separate electricity meter to be installed			

lundl

No.	ITI Name	State	Inspected Date	MIS	Grading	Affiliation Year	Existing Trade	Affiliated Units	
				Code/Application Number					
2	Dev Enterprises ITC Private ITI, Mahisagar, At-Po.Salawada, Ta-Lunawada, Dist- Mahisagar,	GUJARAT	09-01-2021	PR24008185	NA	2019	HSI (NSQF)	3(1+1+1)	
	Gujarat-388270 Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Lamd lease valid	Power connection as per norms	Building as per norms	
	Fireman Surveyor	3(1+1+1) 2(1+1)	2(1+1)	Health Sanitary Inspector - (24+0+0)	24	Yes	Yes	Yes	
	workshop space	Class room	IT lab	Drawing Hall	Availability of Machinery, Tools &		Staff Qualification	& Documents	
	Yes	Yes	Yes	Yes	1	der and Rescue Van, oU signed	Yes, CTI trained instructor	r details not available	
	Remarks by Standir	ng Committee	Remar	ks by Scrutiny Comm	ittee	Remai	ks by Recommendations Co	mmittee	
	Recommen			d Fireman trade since ot available		Not recommended by the State Director since adequate machine not available.			

Junith

. No.	ITI Name	State	Inspected Date	MIS Code/Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units		
	SHREE N.G. PATEL PRIVATE ITI UMTA SHREE V.D.PATEL EDUCATION CAMPUS.UMTA,TA- VISNAGAR, MAHESANA-384320	GUJARAT	09-01-2021	PR24005124	0.94	26-Aug-2010 30-Jul-2015 31-Aug-2015 16-Sep-2016	Computer Operator and Programming Assistant (NSQF) Electrician (NSQF) Fitter (NSQF) Welder (NSQF)	3(2+1) 3(1+2) 2(1+1)		
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Lamd lease valid	Power connection as per norms	Building as per norms		
	Health Sanitary Inspector	3(1+1+1)	3(1+1+1)	Computer Operator and Programming Assistant - (0+0+0) Electrician - (5+0+0) Fitter - (14+0+0) Welder - (0+0+0)	0 + 5 + 14 + 0 = 19	Own land	Available 29 kW, required 34 kW	Yes		
	workshop space	Class room	IT lab	Drawing Hall	Availability o	f Machinery, Tools &	Staff Qualification	& Documents		
	Yes			Yes	Yes		Yes			
	Remarks by Standin	g Committee	Remar	ks by Scrutiny Commi	ltee	Remar	ks by Recommendations Co	mmittee		
	Recommen		Not recommended	ot recommended, low grading and Sanctioned load less than required			Not Recommended by the State Director since available electricity load is 29 kW and required 34 kW.			

lunil

l. No.	ITI Name	State	Inspected Date	MIS	Grading	Affiliation Year	Existing Trade	Affiliated Units	
				Code/Application Number					
4	SHRI K.D. BARAD PRIVATE ITI, SF KODINAR PROFESSOR SOCIETY, Veraval Road, Near Byepass, Kodinar, KADAVASAN, KODINAR, IUNAGADH, -362720	GUJARAT	09-01-2021	PR24007114	1.35	26-Aug-2010	Wireman (NSQF)	2(2+0)	
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Lamd lease valid	Power connection as per norms	Building as per norms	
	Electrician	2(1+1)	NR	Wireman -	11	Own land	Available 23 kW, required	Yes, Other non	
	Health Sanitary	2(1+1)		(11+0+0)			22.51 kW	Engineering graduates courses running in the	
	Inspector							campus	
	Machanic Diesel	2(1+1)						·	
	Fitter	2(1+1)							
	workshop space	Class room	IT lab	Drawing Hall	Availability of Machinery, Tools &		Staff Qualification & Documents		
	Yes	Yes	Yes	No, without seating table	are short. Elect are sparking d working mo	iesel trade equipments rician trade equipments ering testing, HIS trade dels are not available. not properly installed.	Engineering drawing Staff available. one Wireman, Instructor not pres	ED and Workshop	
	Remarks by Standing Committee		Remar	Remarks by Scrutiny Committee			Remarks by Recommendations Committee		
	Not recommended		Tr.	Not recommended ITI is more than 5 years old and neeeds to apply for Re-affiliation			Not Recommended by State Director since in Mechanic Diesel trade equipment are short. Electrician trade equipment are sparking during testing, HSI trade working models are not available. Machine are not properly installed.  ITI is more than 5 years old and needs to apply for Re-affiliation with minimum 4 trades in total.		

Sund

900

1 the fill

Sl. No.	ITI Name	State	Inspected Date	MIS	Grading	Affiliation Year	Existing Trade	Affiliated Units	
				Code/Application Number					
5	Chanshal pvt ITI	Himachal	21.12.2020	PR02000301	NA	26-Jun-2019	Electrician (NSQF)	2(1+1)	
	Chanshal Park PO.	Pradesh					Fitter(NSQF)	2(1+1)	
	Oachghat Tehsil and Dist				1				
	Solan-173223								
	Trades/Units sought for	ITI Proposed	Units	Student enroll in	Total student	Lamd lease valid	Power connection as per	Building as per	
	affiliation	Units	recommended by	2019-20 session	enrolled in		norms	norms	
1			SCI	with Trade wise	2019-20				
1	Electrician (NSQF)	3(1+1+1)	ITI was closed at	Electrician -	19 + 0 = 19	ITI was closed at the	ITI was closed at the time	ITI was closed at the	
1	Fitter(NSQF)	3(1+1+1)	the time of	(19+0+0)		time of inspection	of inspection	time of inspection	
			inspection	Fitter - (0+0+0)					
1	workshop space	Class room	IT lab	Drawing Hall	Availability o	f Machinery, Tools &	Staff Qualification & Documents		
1	ITI was closed at the time	ITI was closed at	ITI was closed at the	ITI was closed at the	ITI was clo	as closed at the time of ITI was closed at the time		me of inspection	
	of inspection	the time of	time of inspection	time of inspection	in	spection			
		inspection					<u> </u>		
1	Remarks by Standin	g Committee	Remarks by Scrutiny Committee			Remarks by Recommendations Committee			
	Not Recomme	ended	Not Recommended ITI was closed at the time of inspection			Not Recommended by State director as IT was closed on the day of			
						inspection and			
1						ITI needs to apply again for addition of trades for the next session.			

No.	ITI Name	State	Inspected Date	MIS Code/Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units		
	Galaxy Private Industrial Training Institute, College Road, Paonta Sahib SIRMAUR - 173028	Himachal Pradesh	09-01-2021	PR02000177	1.51	01-Jan-1969 26-Jun-2019	Electrician (NSQF) Computer Operator and Programming Assistant (NSQF) Pump Operator-Cum- Mechanic (NSQF)	6(2+2+2) 2(1+1) 2(1+1)		
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Lamd lease valid	Power connection as per norms	Building as per norms		
	Fitter	3(1+1+1)	3(1+1+1)	Computer Operator and Programming Assistant - (18+0+0) Electrician - (40+40+0) Pump Operator-Cum-Mechanic - (20+20+0)	18 + 80 + 40 = 138	Inspection committee mentioned Lease Expiry Date: 5/3/2020, whereas this date is lease execution date	Required 23.15 kW, available 40.13 kW	Yes		
	workshop space	Class room	IT lab	Drawing Hall			Staff Qualification			
	Yes	Yes	Yes	Yes	Yes		Yes, CTI trained instructor details not available			
	Remarks by Standing Committee		Remai	Remarks by Scrutiny Committee			Remarks by Recommendations Committee			
	Recommer	nded	Recommended for	Recommended for 1st and 2nd shift			Deferred due to low grading of ITI. A committee is formed to decide the course of action for those ITIs which have applied for Addition of trades and have less than 2.0 grade points.			





Sl. No.	ITI Name	State	Inspected Date	MIS	Grading	Affiliation Year	Existing Trade	Affiliated Units	
				Code/Application Number					
7	Govt ITI Nagrota	Himachal	09-01-2021	GR02000290	NA	29-Apr-2019	Draughtsman (Civil)	2(1+1)	
	Government,	Pradesh					(NSQF)		
	<u>Serathana Tehsil</u>						Electrician (NSQF)	2(1+1)	
	Nagrota Bagwan Dist						Fitter(NSQF)	2(1+1)	
	Kangra-176056								
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by	Student enroll in 2019-20 session	Total student enrolled in	Lamd lease valid	Power connection as per norms	Building as per norms	
	Mechanic Diesel	2(1+1)	2(1+1)	with Trade wise Draughtsman	2019-20 45 + 37 + 40	Yes	Yes	Yes	
	Travel & Tour		NR	(Civil) - (22+23+0)		165	ies	162	
		2(1+1)	INK	Electrician -	= 122				
	Assistant			(19+18+0)			S1		
				Fitter (20+20+0)					
	workshop space	Class room	IT lab	Drawing Hall	Availability o	 f Machinery, Tools &	Staff Qualification & Documents		
	Yes	Yes	Yes	Yes	Available fo	or MD, not for TTA	Yes, CTI trained instructor details not availabl		
	Remarks by Standing Committee		Remarks by Scrutiny Committee			Remarks by Recommendations Committee			
	Recommended		Recommended			Recommended by State Director			
	Mechanic Diesel 2(1+1)		Mechanic Diesel 2(1+1)			Mechanic Diesel 2(1+1)			
						ITI needs to furnish the details of CTI trained instructors within 15			
						days from the issue of affiliation order.			

Sunik

lo.	ITI Name	State	Inspected Date	MIS Code/Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
- 1	Govt. ITI Talwar at Lahru, Tehsil	HIMACHAL PRADESH	10-01-2021	GR02000162	0.95	1-Jan-1969	Plastic Processing Operator (NSQF)	1(1+0)
	jaisinghpur, KANGRA H.P-176082	114152511					Tool & Die Maker (Dies & Moulds) (NSQF)	
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Lamd lease valid	Power connection as per norms	Building as per norms
	Computer Operator and Programming Assistant (COPA) Tool & Die Maker (Dies & Moulds)	2(1+1)	2(1+1)	Plastic Processing Operator - (0+0+0) Tool & Die Maker (Dies & Moulds) - (10+0+0)	0 + 10 = 10	Yes	Yes	Yes
	(NSQF)		Tron 1 - 1	Danis a Hall	Availability a	of Machinery Tools P.	Staff Qualification	8. Documents
	workshop space	Class room	IT lab	Drawing Hall	Availability	of Machinery, Tools &		
	Yes Yes  Remarks by Standing Committee		Yes Yes  Remarks by Scrutiny Committee			Yes Yes, CTI trained instructor details not available Remarks by Recommendations Committee		
	Recommen	nded	Not Recommended due to low grading of ITI			Rejected as not recommended by State director since ITI is more tha 5 years old and has less than 4 trades.  ITI needs to re-apply for renewal of affiliation with minimum 4 trades in total.		

Suntl



3,-

). I	TI Name	State	Inspected Date	MIS	Grading	Affiliation Year		Affiliated Units
1	Modern Industrial Fraining Institute Private, Pragpur Dehra, Kangra- 177107	Himachal Pradesh	21-12-2020	PR02000135	2.16	1969	Electrician (NSQF) Electronics Mechanic (NSQF) Fitter (NSQF) Mechanic (Motor Vehicle) (NSQF) Sewing Technology (NSQF) Welder (NSQF)	6(3+3) 2(1+1) 2(1+1) 2(1+1) 1
a	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Lamd lease valid	Power connection as per norms	Building as per norms
	Electrician (NSQF)	2(1+1)	2(1+1)	Electrician (NSQF) Electronics Mechanic (NSQF) Fitter (NSQF) Mechanic (Motor Vehicle) (NSQF) Sewing Technology (NSQF) Welder (NSQF)	0	Own land	Yes, required 47.95, available 48 kW	Yes
ł	workshop space	Class room	IT lab	Drawing Hall	Availability o	of Machinery, Tools &	Staff Qualification	& Documents
Ì	Yes	Yes	Yes	Yes		Yes	Yes	
	Remarks by Standir	ng Committee	Remar	ks by Scrutiny Commi	ttee	Remarks by Recommendations Committee		
	Recommen	nded	Recommended			Recommended by State Director Electrician 2(1+1)  State Directorate to provide the admission details for the y within 15 days from the date of issue of Minutes of me		

Synill

De

Si. No.	ITI Name	State	Inspected Date	MIS Code/Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units	
10	Prayaas Pvt. Iti V.P.O. MAIRA KANGRA-176023	Himachal Pradesh	09-01-2021	PR02000228	1.23	1-Jan-1969 9-Sep-2016	Electrician (NSQF) Fitter (NSQF)	3(1+1+1) 2(1+1+0)	
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Lamd lease valid	Power connection as per norms	Building as per norms	
	Electrician (NSQF) Fitter (NSQF)	3(1+1+1) 1(0+0+1)	ITI not having minimum 4 trades, to be decided by DGT committee	Electrician - (20+1+0) Fitter - (0+20+0)	21 + 20 = 41	Yes	Yes	Yes	
	workshop space	Class room	IT lab	Drawing Hall	Availability o	of Machinery, Tools &	Staff Qualification	& Documents	
	Yes	Yes	Yes	Yes	installation	not complete for	Yes, CTI trained instructo	r details not available	
	Remarks by Standin	ng Committee	Remar	ks by Scrutiny Comm	ittee	Remar	Staff Qualification & Documents Yes, CTI trained instructor details not available s by Recommendations Committee		
	Not Recomm	ended	Not Recommended	l		5 ye	mmended by State director ars old and has less than 4 to oply for renewal of affiliation trades in total.	rades.	

Sl. No.	ITI Name	State	Inspected Date	MIS Code/Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
11	Universal Pvt Iti VILLAGE GAGLOO PO BANE DI HATTI KANGRA-176029	Himachal Pradesh	12.01.2021	PR02000231	3.17	1-Jan-1969 23-Sep-2016	Electrician (NSQF) Fitter (NSQF) Dress Making (NSQF)	3(1+1+1) 3(1+1+1) 3(1+1+1)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Lamd lease valid	Power connection as per norms	Building as per norms
	Electrician	3(1+1+1)	ITI not having minimum 4 trades, to be decided by DGT committee	Electrician - (17+0+0) Fitter - (19+0+0) Dress Making - (20+0+0)	17 + 19 + 20 = 56	Yes	Yes	Yes
	workshop space	Class room	IT lab	Drawing Hall	Availability o	of Machinery, Tools &	Staff Qualification	& Documents
	Yes	Yes	Yes	Yes	still Bills not	uploaded. complete	Yes, CTI trained instructo	r details not available
	Remarks by Standin	g Committee	Remar	ks by Scrutiny Commi	ttee	Remar	ks by Recommendations Co	mmittee
	Not Recomm	ended	Not Recommended	1		Rejected as not recommended by State director since ITI is more to 5 years old and has less than 4 trades.  ITI needs to re-apply for renewal of affiliation with minimum 4 trades in total.		

Symple

No.	ITI Name	State	Inspected Date	MIS	Grading	Affiliation Year	Existing Trade	Affiliated Units	
				Code/Application Number					
12	Aatmananda Saraswathi	Karnataka	07-01-2021	PR29001371	1.06	25-Sep-2012	Electrician (NSQF)	2(1+1)	
- 1	Private ITI, Billadi						Electronics Mechanic	2(1+1)	
- 1	Grama, Manya,						(NSQF)		
- 1	lanuvarkatte,								
- 1	UDUPI - 576223								
	Trades/Units sought for	ITI Proposed	Units	Student enroll in	Total student	Lamd lease valid	Power connection as per	Building as per	
	affiliation	Units	recommended by	2019-20 session	enrolled in		norms	norms	
			SCI	with Trade wise	2019-20				
	Mechanic Referigeration	2(1+1)	2(1+1)	Electrician -	9 + 11 = 20	own land	Available 40 kW, required	Yes	
	and Air Conditioner			(0+9+0)			15 kW		
				Electronics					
		1		Mechanic -					
				(0+11+0)					
	workshop space	Class room	IT lab	Drawing Hall	Availability o	f Machinery, Tools &	Staff Qualification	& Documents	
	Yes	Yes	Yes	Yes		Yes	Yes, CTI trained instructor	details not available	
	Remarks by Standin	g Committee	Remar	ks by Scrutiny Comm	ittee	Remar	ks by Recommendations Cor	nmittee	
	Recommen	ded	Recommended	Recommended			Rejected as not recommended by State Director since the ITI is more		
						than 5 years old a	nd needs to re-apply with m	inimum 4 trades in	
							total.		

Sunife

08

-39

Sl. No.	ITI Name	State	Inspected Date	MIS Code/Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units	
13	Lokpanchayat Rural Technical Training Institutes Private Iti At- Kurkundi Post- Ghargoan, Tal - Sangamner, Dist - Ahmednagar- 422620	Maharashtra	20-01-2021	PR27000848	2.22	25-Aug-2015 15-Dec-2016	Mechanic (Motor Vehicle) (NSQF) Welder (NSQF) Electrician (NSQF) Fitter (NSQF)	2(1+1) 2(1+1) 2(1+1)	
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Lamd lease valid	Power connection as per norms	Building as per norms	
	Fitter Electrician Computer Operator and Programing Assistant(COPA)	1(0+0+1) 1(0+0+1) 3(1+1+1)	1(0+0+1) 1(0+0+1) 3(1+1+1)	Mechanic (Motor Vehicle) - (0+24+0) Welder - (20+20+0) Electrician - (20+0+0) Fitter - (20+0+0)	24 + 40 + 20	Yes	Yes, available 50 kW	Yes	
	workshop space	Class room	IT lab	Drawing Hall	Availability o	of Machinery, Tools &	Staff Qualification	& Documents	
	Yes	Yes	Yes	Yes		Yes	Yes, CTI trained instructo		
	Remarks by Standir Yes	ng Committee	Remar Recommended CO units in 3rd shift N	• •	ttee	Reverted to the St	emarks by Recommendations Committee he State Directorate for the comments on Ins report and clarity on recommendation.		
		-97	Λ					40	

Sunit


Sl. No.	ITI Name	State	Inspected Date	MIS	Grading	Affiliation Year	Existing Trade	Affiliated Units	
				Code/Application Number					
14	Sys Industrial Training Center Dondaicha Dist	Maharashtra	06-01-2021	PR27000248	0.68	22-Feb-1996 16-Oct-1997	Electrician (NSQF) Fitter (NSQF)	5(2+3) 6(3+3)	
	Dhu					24-Nov-1998			
	Private ITI, Dhule-425408	rmr D	VI-la	Student enroll in	Total student	26-Apr-2001	Power connection as per	Building as per	
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	2019-20 session with Trade wise	enrolled in 2019-20	Lamu lease vanu	norms	norms	
	Electrician (NSQF) Fitter (NSQF) Wireman(NSQF)	1(0+1+0) 1(0+1+0) 1(0+1+0)	1(0+1+0) 1(0+1+0) 1(0+1+0)	Electrician - (0+40+0) Fitter (20+20+0) Welder - (0+0+0)	40 + 40 + 0 = 80	Yes	32kW required, 40 kW avialable	Yes	
	workshop space	Class room	IT lab	Drawing Hall	Availability of	f Machinery, Tools &	Staff Qualification	& Documents	
	Yes	Yes	Yes	Yes		Yes	Yes, CTI trained instructor details not a		
	Remarks by Standi	ng Committee	Remar	ks by Scrutiny Commi	ttee	Remar	ks by Recommendations Co	mmittee	
	Recommen		1	Remarks by Scrutiny Committee     Remarks by Recommendations Committee       Recommended, ITI is more than 5 years old and is to apply with minimum 4 trades     Rejected as not recommended by State Director since than 5 years old and needs to re-apply with minimum total.					
								91	

Sunit

(De

l. No.	ITI Name	State	Inspected Date	MIS Code/Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
15	Government Industrial Training Institute, Sonepur -767017	Odisha	21-12-2020	GU21000523	1.8	28-Jun-2012 15-May-2014 30-Jul-2015 28-Mar-2019	Data Entry Operator (NSQF) Electrician (NSQF) Fitter(NSQF) Mechanic (Motor Vehicle) (NSQF) Mechanic (Refrigeration and Air-Conditioning) (NSQF) Welder (NSQF)	2(1+1) 12(4+4+4) 12(4+4+4) 2(1+1) 6(2+2+2) 6(2+2+2)
	Trades/Units sought for	ITI Proposed	Units	Student enroll in	Total student	Lamd lease valid	Power connection as per	Building as per
	affiliation	Units	recommended by	2019-20 session with Trade wise	enrolled in 2019-20	Builta lease valia	norms	norms
	COPA(NSQF)	2(1+1)	2(1+1)	Data Entry Operator - (0+0+0) Electrician - (37+38+35) Fitter - (36+33+33) Mechanic (Motor Vehicle) - (22+0+0) Mechanic (Refrigeration and Air-Conditioning) - (17+16+13) Welder - (8+0+0)	0 + 110 + 102 + 22 + 46 + 8 = 288	Yes	Yes, available 82.5 kVA	Yes
	workshop space	Class room	IT lab	Drawing Hall	Availability o	f Machinery, Tools &	Staff Qualification	
	Yes	Yes	Yes	Yes		Yes	Yes, CTI trained instructo	r details not available
	Remarks by Standing Committee  Recommended		Recommended	ks by Scrutiny Commi	ttee	Remarks by Recommendations Committee  Recommended  COPA 2(1+1)		





Sl. No.	ITI Name	State	Inspected Date	MIS	Grading	Affiliation Year	Existing Trade	Affiliated Units	
				Code/Application					
				Number				241	
16	Govt ITI, Masuda	Rajasthan	03.09.2020	GR08001912	1.05 (self	2018	Electrician (NSQF)	2(1+1)	
	AIMER -305623				grading)		Fitter(NSQF)	2(1+1)	
	Trades/Units sought for	ITI Proposed	Units	Student enroll in	Total student	Lamd lease valid	Power connection as per	Building as per	
	affiliation	Units	recommended by	2019-20 session	enrolled in		norms	norms	
1			SCI	with Trade wise	2019-20				
	COPA(NSQF)	2(1+1)	2(1+1)	Electrician -	18 + 18 = 36	Yes	Yes	Yes	
		, ,	, ,	(0+18+0)					
1				Fitter - (18+0+0)					
	workshop space	Class room	IT lab	Drawing Hall	Availability o	f Machinery, Tools &	Staff Qualification	& Documents	
	Yes	Yes	Yes	Yes		Yes	Yes, CTI trained instructo	r details not available	
	Remarks by Standin	ng Committee	Remar	ks by Scrutiny Commi	ttee	Remar	ks by Recommendations Co	mmittee	
	Recommer	nded	Not Recommended	d, due to low grading			Recommended		
1							COPA 2(1+1)		
1	1					State to make spec	ific efforts to for teaching a	nd learning outcome	
1						improvement for better grading of the ITI and also ensure better			
						<u> </u>		COPA 2(1+1) efforts to for teaching and learning outcome	

Summer

No.	ITI Name	State	Inspected Date	MIS Code/Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units	
	Government Industrial Training Institute, Rajsamand N.H.08, Near Old Chungi Nakka 03, Piparada, Rajasmand- 313324	Rajasthan	29.08.2020	GU08000657	0.92	26 Sep 2008, 30 July 2009, 20 July 2018 31 July 2019	Mechanic Diesel (NSQF) Welder (NSQF) Plumber (NSQF) Stone Mining Machine Operator (NSQF) COPA(NSQF) Electrician (NSQF) Fitter (NSQF) Mechanic (Refrigeration and Air-Conditioning) (NSQF)	2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	
	affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Lamd lease valid	Power connection as per norms	Building as per norms	
	Mechenic Motor Vehicle	2(1+1)	2(1+1)	Mechanic Diesel - (24+24+0) Welder - (20+0+0) Plumber - (14+0+0) Stone Mining Machine Operator - (11+0+0) COPA - (24+24+0) Electrician - (0+20+0) Fitter - (0+20+0) Mechanic (Refrigeration and Air-Conditioning) - (0+21+0)	48 + 20 + 14 + 11 + 48 + 20 + 20 + 21 = 202	Yes	Required 56.58 kW, available 57 kW	Yes	
	workshop space	Class room	IT lab	Drawing Hall	Availability o	f Machinery, Tools &	Staff Qualification		
	Yes	Yes	Yes	Yes		Yes	Yes, CTI trained instructo	r details not available	
	Remarks by Standin			ks by Scrutiny Commi		Remar	ks by Recommendations Co	mmittee	
	Recommended Not Recommend			d due to low grades o	f ITI	Recommended  MMV 2(1+1)  State to make specific efforts to for teaching and learning outcomprovement for better grading of the ITI			

Sl. No.	ITI Name	State	Inspected Date	MIS	Grading	Affiliation Year	Existing Trade	Affiliated Units	
Jan Mor			•	Code/Application Number					
18	Shiva Sai Private ITI Shanthi Nagar, Peddapally Karimnagar 505172	Telangana	09-01-2021	PU36000235	1.49	18-Aug-2011 27-Apr-2012	Draughtsman (Civil) (NSQF) Electrician (NSQF)	4(2+2) 4(2+2)	
	Trades/Units sought for affiliation	Units	Units recommended by SCI	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Lamd lease valid	Power connection as per norms	Building as per norms	
	Electrician (NSQF)	4(2+2)	4(2+2)	Draughtsman (Civil) - (0+0+0) Electrician - (0+39+0)	0 + 39 = 39	Own Land	Yes	Yes	
	workshop space	Class room	IT lab	Drawing Hall	Availability o	f Machinery, Tools &	Staff Qualification	& Documents	
1	Yes	Yes	Yes	Yes		Yes	Yes, CTI trained instructor	details not available	
	Remarks by Standin	g Committee	Remar	ks by Scrutiny Commi	ittee	Remar	ks by Recommendations Co	mmittee	
	Recommended, Standing committee recommended for surrender/de-affiliation of D'man Civil 4(2+2) as requested by the ITI management		ITI is more than 5	years old and is curr eds to upgrade to 4 t		than 5 years old ar	Rejected as not recommended by State director since the ITI is than 5 years old and needs to re-apply with minimum 4 trade total.		

Sunite

l. No.	ITI Name	State	Inspected Date	MIS	Grading	Affiliation Year	Existing Trade	Affiliated Units	
				Code/Application Number					
19	Shyama Devi Private ITI,	Uttar Pradesh	05-01-2021	PR09901274	NA	2019	Draughtsman (Civil)	3(1+1+1)	
	2460, Barail, Barabanki-				1		(NSQF)	3(1+1+1)	
	225001						Electrician (NSQF)	3(1+1+1)	
			l l		1		Fitter (NSQF)		
				1			Mechanic Auto Electrical		
							and Electronics (NSQF)	3(1+1+1)	
	Trades/Units sought for	ITI Proposed	Units	Student enroll in	Total student	Lamd lease valid	Power connection as per	Building as per	
	affiliation	Units	recommended by	2019-20 session	enrolled in		norms	norms	
			SCI	with Trade wise	2019-20		W 051147 1111	V	
		12(4+4+4)	12(4+4+4)	Draughtsman	3 + 20 + 12 +	1	Yes, 35 kW available	Yes	
	Electrician (NSQF)	-		(Civil) - (3+0+0)	0 = 35	period of 20 years			
				Electrician -					
				(20+0+0)		1	1		
				Fitter - (12+0+0)					
				Mechanic Auto					
				Electrical and					
				Electronics -					
	workshop space	Class room	iT lab	(0+0+0) Drawing Hall	Availability o	of Machinery, Tools &	Staff Qualification	& Documents	
	Yes	Yes	Yes	Yes		Yes	Yes, CTI trained instructo	r details not available	
	Remarks by Standin	g Committee	Remar	ks by Scrutiny Comm	ittee		ks by Recommendations Co	mmittee	
	Recommen	ded	Recommended for	1st and 2nd shift		Deferred since the U	UP-State Director was not present in the meeting		
		N/							

Sunde

Sl. No.	ITI Name	State	Inspected Date	MIS	Grading	Affiliation Year	Existing Trade	Affiliated Units	
				Code/Application					
20	Late Banshi Private ITC -	UTTAR PRADESH	14-08-2020	Number PR09000605	NA	25-Sep-2012	Electrician (NSQF)	2(1+1)	
	Ghazipur						Fitter (NSQF)	2(1+1)	
	Vill & Po- Alawalpur,								
	Ghazipur	ITI Days and	II-ita	Student enroll in	Total student	Land lease valid	Power connection as per	Building as per	
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	2019-20 session with Trade wise	enrolled in 2019-20	Land lease valid	norms	norms	
	Electrician (NSQF)	10(3+3+4)	7(2+2+3)	Electrician -	20 + 20 = 40	Yes	Available 10kW, required	Yes	
	Fitter (NSQF)	4(1+1+2)	1(0+0+1)	(0+20+0) Fitter - (0+20+0)			17.42 kW		
1	workshop space	Class room	IT lab	Drawing Hall	Availability o	f Machinery, Tools &	Staff Qualification	& Documents	
	In electrician, out of 4, 1 workshop is short	Yes	Yes	Yes		tools for extra unit of fitter	Details of CTI trained inst	ructors not available	
1	Remarks by Standin	g Committee	Remar	ks by Scrutiny Commi	ttee	Remar	ks by Recommendations Co	mmittee	
	Recommen	ded		d since ITI is more th des and shortage of e		Deferred since the U	s by Recommendations Committee P-State Director was not present in the meetin		





Sl. No.	ITI Name	State	Inspected Date	MIS	Grading	Affiliation Year	Existing Trade	Affiliated Units
				Code/Application Number				
21	GULABI BHIMAL PRIVATE ITI, VILL- MAINPUR (MANIKPUR), POST- MAINPUR, GHAZIPUR-233224	UTTAR PRADESH	17.08.2020	PR09900713	0.73	8-Nov-2017	Electrician (NSQF) Fitter (NSQF)	3(1+1+1) 3(1+1+1)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Land lease valid	Power connection as per norms	Building as per norms
	Electrician (NSQF) Fitter (NSQF)	9(3+3+3) 3(1+1+1)	9(3+3+3) NR	Electrician - (0+0+20) Fitter - (0+0+20)	20 + 20 = 40	Yes	Available 9 kW, required 17.42 kW	
	workshop space	Class room	IT lab	Drawing Hall	Availability o	f Machinery, Tools &	Staff Qualification	& Documents
	No partition between the labs	Yes	Yes	Yes	Shortage of t	tools for fitter trade	Details of CTI trained inst	ructors not available
	Remarks by Standin	g Committee	Remar	ks by Scrutiny Commi	ittee	Remar	ks by Recommendations Co	mmittee
	Recommen	ded	Not Recommende	d due to shortage of o	electricity load	Deferred since the U	IP-State Director was not pi	resent in the meeting.

Sunth

1)

Sl. No.	ITI Name	State	Inspected Date	MIS Code/Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
22	Maa Vaishnavi Private ITC - Ghazipur Barahpur, Nandgani, Ghazipur-233302	UTTAR PRADESH	20.08.2020	PR09000727	2.21	6-Dec-2012	Electrician (NSQF) Fitter (NSQF)	2(1+1) 2(1+1)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Land lease valid	Power connection as per norms	Building as per norms
	Electrician (NSQF) Fitter (NSQF)	10(3+3+4) 4(1+1+2)	9(3+3+3) 2(1+1)	Electrician - (0+20+0) Fitter - (0+20+0)	20 + 20 = 40	Yes	Available 11.11 kVA(10 kW) online, required 17.42 kW	
l	workshop space	Class room	IT lab	Drawing Hall	Availability o	f Machinery, Tools &	Staff Qualification	& Documents
	Yes	Yes	Yes	Yes	Shortage for	r 1 unit in 3rd shift	Details of CTI trained inst	ructors not available
1	Remarks by Standin	ng Committee	Remar	ks by Scrutiny Commi	ittee	Remar	ks by Recommendations Co	mmittee
	Recommer	nded	1	d since ITI is more th des and shortage of e	•	Deferred since the U	JP-State Director was not p	resent in the meeting.

Suriff

40

De

Sl. No.	ITI Name	State	Inspected Date	MIS	Grading	Affiliation Year	Existing Trade	Affiliated Units
				Code/Application Number				
23	KAMLA PRIVATE ITI	UTTAR	20.08.2020	PU09900719	NA	8-Nov-2017	Electrician (NSQF)	3(1+1+1)
	MUGLANI CHAK,	PRADESH					Fitter (NSQF)	3(1+1+1)
	SADAR, GHAZIPUR							
1	Trades/Units sought for	ITI Proposed	Units	Student enroll in	Total student	Land lease valid	Power connection as per	Building as per
	affiliation	Units	recommended by	2019-20 session	enrolled in		norms	norms
			SCI	with Trade wise	2019-20			
N 1	Electrician (NSQF)	9(3+3+3)	3(1+1+1)	Electrician -	20 + 40 = 60	Yes	Online bill available for 1	Yes
	Fitter (NSQF)	3(1+1+1)	3(1+1+1)	(0+0+20)			KW only	
				Fitter - (0+20+20)				
	workshop space	Class room	IT lab	Drawing Hall	Availability o	f Machinery, Tools &	Staff Qualification	& Documents
	2 electrician and 2 fitter	Yes	Yes	Yes		Yes	Details of CTI trained inst	ructors not available
	workshops available							
	Remarks by Standin	g Committee	Remark	ks by Scrutiny Commi	ttee	Remar	ks by Recommendations Co	mmittee
	Recommen	ded	Not recommended	due to shortage in e	lectrical load	Deferred since the U	P-State Director was not pr	resent in the meeting.

Sunita

ITI Name	MIS Code/Applic ation Number	New Trade Sought For Affiliation		Units Recommended by SCI	Existing Trade	Affillated Units Shift Wise	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018- 19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019- 20	existing Affiliation order of the included ITI in the	lease valld	n as per norms	as per norms		room		Hall	Machiner	Staff qualificati on & Document s	Remarks
GOVT. ITI	NEW	Electrician		02 [1+1]	Electrician (SCVT)	02 [1+1] (SCVT)	2	14			NA	OWN	YES (A/F)	YES	YES	YES	YES	YES	YES	YES	Recommende
DARBHANGA		Fitter Electronics Mechanic		02 (1+1)	Fitter (SCVT) Electronics Mechanic (SCVT)	02 (1+1) (SCVT) 02 (1+1) (SCVT)	21		19			LAND (10400.42								11	
	1	ICTSM		02 (1+1)	ICTSM (SCVT)	02 (1+1) (SCVT)	16		17			SQ MT)									
				02 (1+1)	Mechanic Diesel (SCVT)	02 (1+1) (SCVT)	31		47											1	
GOVTITI	NEW	Welder		02(1+1)	Welder (SCVT) Electrician (SCVT)	02 (1+1) (SCVT) 02 (1+1) (SCVT)	28		21		NA	own	YESTTOTA	YESITOTA	YES(160sq	VES/31som	VESI30som	VES/60som	VEStattach	VRS(attach	Recommend
RAJAULI										]		LAND(121		L-	,		in modern Am		ed	ed	
NAWADA		Electronics Mechanic Fitter	02 (1+1)	02 (1+1)	Electronics Mechanic (SCVT)	02 (1+1) (SCVT)	15		20			40 sqm)		794sqm)						annexure-	
10		ICTSM	02 (1+1)	02(1+1)	Fitter (SCVT) ICTSM (SCVT)	02 (1+1) (SCVT) 02 (1+1) (SCVT)	120		15									V 1	8 & 9)	7)	
		Mechanic Diesel	02 (1+1)	2(1+1)	Mechanic Diesel (SCVT)	02 (1+1) (SCVT)	44		4				1								
COLUMNITU	NEW COLUMN	Welder	02 (1+1)	2(1+1)	Welder (SCVT)	02 (1+1) (SCVT)	3	1	31			aum.	unarmama	Linormani	une	uperas			Limber 11 1	umar	_
GOVT ITI SASARAM,	NEW	Electrician	02(1+1) Unit	02(1+1) Unit	Electrician (SCVT)	02 (1+1) (SCVT)	10	13	7 19	129	NA	OWN LAND(2.8	YES(TOTA L-50kw)	YES(TOTA	(161.08sa	YES(31sqm	YES(94.18:	YES(150sq	YES(attach	YES(attach	Recommend
ROHTAS	1	Fitter	02(1+1) Unit	02(1+1) Unit	Fitter (SCVT)	02 (1+1) (SCVT)	2	1	15			7 Acres)	B 50mm)	7258sqm)	YES/120sq				annexure-	annexure-	
1		Electronics Mechanic		02(1+1) Unit	Electronics Mechanic (SCVT)	02 (1+1) (SCVT)	2:	ij	15					1	YES		1		B & 9)	7)	
		ICTSM	02(1+1) Unit	02(1+1) Unit	ICTSM (SCVT)	02 (1+1) (SCVT)	14	1	(						(178,0830 YES (210,55sq	V					
		Welder	02(1+1) Unit	02(1+1) Unit	Welder (SCVT)	02 (1+1) (SCVT)	2	7	29	1					YES (210.55sq						
		Mechanic Diesel	02(1+1) Unit	02(1+1) Unit	Mechanic Diesel (SCVT)	02 (1+1) (SCVT)	30	6	41						YBS C161.08eo						
GOVT. ITI		Electrician	02 (1+1)	02 (1+1)	Electrician (SCVT)	02 (1+1) (SCVT)	NA	NA	20	127	NA	OWN LAND(101	YES(TOTA	YES(TOTA	YES(160sq	Y6S(31sqm	YES(30sqn	YES(60sqn	YES(attach	YES(attach	Recommen
NALANDA		ELECTRONIC MECHANIC	02 (1+1)	02 (1+1)	Electronics Mechanic (SCVT)	02 (1+1) (SCVT)	NA	]	- 20			17sqm)		794sqm)	YES(120sq				annexure-	annexure-	
		FITTER	02 (1+1)	02 (1+1)	Fitter (SCVT)	02 (1+1) (SCVT)	NA.	4	1	4					YES(176.9E				8)	3)	
	1	MECHANIC DIESEL	02 (1+1)	2(1+1)	ICTSM (SCVT) Mechanic Diesel (SCVT)	02 (1+1) (SCVT) 02 (1+1) (SCVT)	NA NA	1	4	1					YES(210sq						
		WELDER	02(1+1)	2 (1+1)	Welder (SCVT)	02 (1+1) (SCVT)	NA		24						YES(160sq						
S GOVT. ITI BARH.PATNA		Electrician	02 (1+1)	02 (1+1)	Blectrician (SCVT)	02 (1+1) (SCVT)	1	5 9	3 1	135	NA	OWN	YES	COE	YES	YES	AEZ	YES	FNCLOSE	YES	Recommen
BARH,PAINA	1	FITTER	02 (1+1)	02 (1+1)	Fitter (SCVT)	02 (1+1) (SCVT)		6	19	5	NA.	LAND(2,8 9 ACRES)		BLOCK			l.			ENCLOSE WITH	
		ELECTRONICS MECHANIC	02 (1+1)	02 (1+1)	Electronics Mechanic (SCVT)	02 (1+1) (SCVT)	1		1		NA:	, Ackas,		B,TAGGED						ANNEXUR	
1	1	MECHANIC DIESEL	02 (1+1)	02 (1+1)	ICTSM (SCVT) Mechanic Diesei (SCVT)	02 (1+1) (SCVT)	1 3	71	3		NA.			WITH					E III	E III	
		WELDER	02 (1+1)	02 (1+1)	Welder (SCVT)	02 (1+1) (SCVT) 02 (1+1) (SCVT)	1	1	3		NA.			GOVT ITI							
6 Government IT BAKHRI	ï	Blectrician	(1+1)2	(1+1)2	Electrician (SCVT)	02 (1+1) (SCVT)	2	_	4 19	135	NA	Land	YES	Eag	mps o	NO.	S.	Sqm	ank-	-X-E	Recommend
BEGUSARAI		Fitter Electronics Mechanic	(1+1)2	(1+1)2	Fitter (SCVT) Electronics Mechanic (SCVT)	02 (1+1) (SCVT) 02 (1+1) (SCVT)	2		11			ب ا		Govt al Hos Build	570	150	25	8	9	9	
		ICTSM	(1+1)2	(1+1)2	ICTSM (SCVT)	02 (1+1) (SCVT)	î	7	10			ģ		l g					9	9	
		Mechanic Diesel	(1+1)2	(1+1)2	Mechanic Diesel (SCVT)	02 (1+1) (SCVT)	3	7	4	5				5					S.	Ser	
7 BUNIYAD	+	Welder Electrician	02 (1+1)	02 (1+1)	Welder (SCVT) Electrician (SCVT)	02 (1+1) (SCVT) 02 (1+1) (SCVT)	1 2		9 1		NA.	OWN	YES	YES	YES	YES	YES	YES	YES	YES	Recommen
RAMKRISHNA							-	1 13	7	13/	INA .	LAND	165	1 63	163	1163	1183	163		(Enclosed	Recommend
TILAK		PITTER	02 (1+1)	02 (1+1)	Fitter (SCVT)	02 (1+1) (SCVT)	1		- 1	7		(10643.23							with	with	
INDUSTRIAL	1	MRAC ICTSM	02 (1+1)	02 (1+1)	MRAC (SCVT) ICTSM (SCVT)	02 (1+1) (SCVT) 02 (1+1) (SCVT)	1		2			SQM or 2.63 Acre)							Annexure-	Annexure-	
INSTITUTE		MECHANIC DIESEL	02(1+1)	02 (1+1)	Mechanic Diesel (SCVT)	02 (1+1) (SCVT)	3		4			2.03 ACTU)							inij	,	
BISEL	- August	WELDER	02 (1+1)	02 (1+1)	Welder (SCVT)	02 (1+1) (SCVT)	2							tion (marks					liner		
8 GOVT ITI KAWAKOL	NEW	Electrician	02 (1+1)	02 (1+1)	BLECTRICIAN(SCVT)	02 (1+1)	2	0 6	0 1	81	NA	OWN LAND(202	YES(TOTA	YES(TOTA	YES(98sqm	YES(31sqn	r YES(30sqn	Y 65(60sqn	YES(attach	YES(attach	Recommen
NAWADA (LW	E)	ELECTRONICS MECHANICS	02 (1+1)	02 (1+1)	ELECTRONICS MECHANICS(SCVT)	02 (1+1)	2		1			34sqm)		890sqm)	YES(56sam				annexure-	annexure-	
	1	ICTSM. PITTER	02 (1+1)	02 (1+1)	ICTSM(SCVT) FITTER(SCVT)	02(1+1)	1 1		1						YES(70sqm YES(88sqm	1			8 & 9)	7)	
		DRAUGHT MAN CIVIL	02 (1+1)	2(1+1)	DRAUGHT MAN CIVIL(SCVT)	02 (1+1)	1 î		1						YES(64sqn						
9 GOVT ITI BOUNSI.	NEW	Electrician	02 (1+1)	02 (1+1)	ELECTRICIAN	02 (1+1)	2	0 7	9 1	72	NA.	OWN LAND(05	YES(TOTA L-55kw)	YES(TOTA	YES (211som)	(31sam)	YES(80,54	YES(56,1se	YES(attach	YES[attach	Recommen
BANKA(LWE)	1	BLECTRONIC MECHANIC	02 (1+1)	02 (1+1)	BLECTRONIC MECHANIC	02 (1+1)	2	0	1	6		ACRES)	D JOKH J	acres)	YES (121.05sq	(0134111)			annexure- B & 9)	annexure-	
		FITTER	02 (1+1)	02 (1+1)	FITTER	02 (1+1)	2	0	1	9					YES	1			,	<b>'</b>	
		ICTSM	02 (1+1)	02 (1+1)	ICTSM	02 (1+1)		9	1	1					YES	1					
		DRAUGHTSMAN CIVIL	02 (1+1)	2 (1+1)	DRAUGHTSMAN CIVIL	02 (1+1)	1	o		7			1		YES	1					
GOVT ITI MUZAFFARPU		Biectrician	02 (1+1)	02 (1+1)	BLECTRICIAN	02 (1+1)	2	0 16	00 1	9 86	S NA	Govt	45 K/W	Yes	YES(98	YES(25	27.5	50	As	As	Recommen
(LWE)	*	DMC	02 (1+1)	02 (1+1)	DMC	02 (1+1)	1	9	1	5		LAND	A/F		YES(98	SQM)	SQ M	SQ.M	enclosed anx-III	enclosed anx-III	
		ICTSM	02 (1+1)	02 (1+1)	ICTSM	02 (1+1)	2	33	1						YES( 70	1					
100		FITTER	02 (1+1)	02 (1+1)	FITTER	02 (1+1)	2	10	1	9					SOM) YES (88	1					
		ELECTRONIC MECHANICS	02 (1+1)	02 (1+1)	ELECTRONIC MECHANICS	02 (1+1)	2	0	1	9					YES(56	1					
	NEW	Electrician	02 (1+1)	02 (1+1)	ELECTRICIAN	02(1+1)		9 6	1 2	0 00	5 NA	OWN	YES (40	YES 890	YES	YES	27.5 Sq. m	50 Se m	yes	yes	Recomme
			02 (1+1)	02 (1+1)	FITTER	02 (1+1)					1	LAND			100	100	er oq. m	20.34.00	Attached	Attached	Reconnine
1 Govt. Industri Training Institue (LWE		FITTER Electronics Mechanic	02 (1+1)	02 (1+1)	Electronics Mechanic	02(1+1)		0	1	2.1	1	LAND	KW)	Sq.m.		1			Attached	Attached	

		ation Number			Recommended by SCI		Shift Wise	enroll in 2018-19 session with Trade wise	student enrolled in 2018- 19	enroll in 2019-20 session with Trade wise	student enrolled in 2019- 20		lease valid	connectio n as per norms	norms	space	гоот			Machiner y, Tools & Eqipment s	qualificati on & Document s	
	Bansi Arwai		ICTSM	02 (1+1)	02 (1+1)	ICTSM	02 (1+1)	6	6	15												
12			Electrician	02 (1+1)	02 (1+1)	Blectrician	02 (1+1)	20	0 144	1 1	152	NA NA	Own	36 KW	Avallable	Avallable	Avallable	Available	Available	Available	Attached with	Recommende
	CHAKIA,EAST CHAMPARAN		Fluor	02 (1+1)	02 (1+1)	Fitter	02 (1+1)	20	o		2										Annexure-	
			Electronics Mechanic	02 (1+1)		Electronics Mechanic	02 (1+1)	20		19											"	
		i	ICTSM Welder	02 (1+1)	02 (1+1)	ICTSM Welder	02 (1+1)	26		30												
			Mechanic Diesel	02 (1+1)	02 (1+1)	Mechanic Diesel	02 (1+1)	46		4			014101	- Allena	YES	YES	une	YES	YES	YES	YES	Recommende
	INDUSTRIAL TRAINING		Electrician	02 (1+1)	02 (1+1)	BLECTRICIAN (SCVT)	02 (1+1) (SCVT)	20	_		_	B NA	OWN LAND (3	YES	182	163	YES	1 63	183	(Enclosed	(Enclosed	Mecommende
- 1	INSTITUTE		FITTER	02 (1+1)	02 (1+1)	FITTER (SCVT). ICTSM (SCVT)	02 (1+1) (SCVT) 02 (1+1) (SCVT)	20		1			Acre)							with	with	
- 1	SHIVNAGAR		ICTSM MECHANIC TRACTOR	02 (1+1)	02 (1+1)	MECHANIC TRACTOR (SCVT)	01 (1+0)(SCVT)	10	6	1	5									Annexure-	Annexure-	
	Government ITI		Electrician	(1+1)2	(1+1)2	Electrician (SCVT)	(1+1)2	20	0 14	5 1	138	B N/A	Govt. Land	60KW	yes	103Bsqm	105sqm	94.20sqm	308sqm	AS enclosed	AS enclosed	Recommende
- 1	Balla Begusaral		Fitter (SCVT)	(1+1)2	(1+1)2	Fitter (SCVT)	(1+1)2	2		, i			Lanu							anx- III	anx- III	
J			Electronics Mechanic [SCVT]	(1+1)2	(1+1)2	Electronics Mechanic (SCVT)	(1+1)2	2		- 1								1			1	
- 1			ICTSM (SCVT) Mechanic Diesel (SCVT)	(1+1)2	(1+1)2 (1+1)2	ICTSM (SCVT) Mechanic Diesel (SCVT)	(1+1)2	3	9	4	6											
			Welder (SCVT)	(1+1)2	(1+1)2	Welder (SCVT)	(1+1)2	2	8	2	7	NA.	Owe	36 KW	Avallable	Avallable	Available	Available	Avallable	Available	Attached	Recommende
15	ITI SIKRAHNA,EAST		Electrician Fitter	02 (1+1)	02 (1+1)	Electrician Fitter	02 (1+1)	2		3 1		NA B	Own	30 KW	WASHISDIE	Available	Available	Available	Myariabre	Aaltable	with	Recommend
- 1	CHAMPARAN		Electronics Mechanic	02 (1+1)	02 (1+1)	Electronics Mechanic	02 (1+1)	2	20	1	9										Annexure-	
J		1 3	ICTSM	02 (1+1)	02 (1+1)	ICTSM	02 (1+1)	1		1											111	
- 1			Welder Mechanic Diesel	02 (1+1)	02 (1+1)	Welder Mechanic Diesei	02(1+1)	2	0	4												
16	ITI PATNA		Blectrician	2(1+1) Unit	2(1+1) Unit	ELECTRICIAN	2(1+1) Unit	2	0 12	6 1	9 14	2 NA	DWN	AER	COE	YES	YES	YES	YES	YES	YES	Recommend
- 1	CITY,PATNA		distance de	254 - 43 11-11-	2(1+1) Unit	FITTER	2(1+1) Unit	2	20	- 1	9		LAND(121 40 sqm)		BLOCK PART					BNCLOSE	ENCLOSE WITH	
7			FITTER ELECTRONICS MECHANIC	2(1+1) Unit 2(1+1) Unit	2(1+1) Unit	ELECTRONICS MECHANIC	2(1+1) Unit	2	0	2			To squii)	1	A,TAGGED			1			ANNEXUR	
- 1			ICTSM	2[1+1] Unit	2(1+1) Unit	ICTSM	2(1+1) Unit	1		1				1	WITH			1		E III	EIII	
- /			MECHANIC DIESEL WELDER	2(1+1) Unit 2(1+1) Unit	2(1+1) Unit 2(1+1) Unit	WELDER	2(1+1) Unit 2(1+1) Unit	3	8	3					GOVT ITI							
17	Government ITI		Electrician	(1+1)2	(1+1)2	Electrician (SCVT)	(1+1)2	2	1 13			3 N/A	Pu	Pe	EBB	E	YES	E S	E	₽ =	AS	Recommend
- 9	Teghra,Begusara		Fitter (SCVT)	(1+1)2	(1+1)2	Fitter (SCVT)	(1+1)2	.2	20	1	8		3	Tac	Govt. Saral C Bulld	85.8		25.5	S 09	lose	enclosed	
- /	t .		Electronics Mechanic (SCVT)	(1+1)2	(1+1)2	Electronics Mechanic (SCVT)	(1+1)2	2	19	1			1 ×	-		-				e P		
			ICTSM (SCVT) Mechanic Diesel (SCVT)	(1+1)2	(1+1)2	ICTSM (SCVT) Mechanic Diesel (SCVT)	(1+1)2	1 3	39	1 4			ď		Begu			l .		AS		
			Welder (SCVT)	(1+1)2	(1+1)2	Welder (SCVT)	(1+1)2	2	20	2	0											
18	GOVT ITI		Electrician	2(1+1)	2(1+1)	Electrician (SCVT)	02 (1+1) (SCVT)	1	17 16	4 1	B 15	1 NA	12169 sq	45,00 KW	1411	213,15	30	94	150	Yes (enclosed	(Attached Enclosure	Recommen
- 7	Mahnar		Fitter	2(1+1)	2(1+1)	Fitter (SCVT)	02 (1+1) (SCVT)		9	1			liiu			121.51				with	with	
- /			Electronics Mechanic ICTSM	2(1+1)	Z(1+1) Z(1+1)	Electronics Mechanic (SCVT) ICTSM (SCVT)	02 (1+1) (SCVT) 02 (1+1) (SCVT)	1	12	4	0					161,74				Annexure)	) Annexure)	
			Welder	2(1+1)	2(1+1)	Welder(SCVT)	02 (1+1) (SCVT)	2	85		1					210	]					
			Mechanic Diesel	2(1+1)	2(1+1)	Mechnic Diesel(SCVT)	02 (1+1) (SCVT)		10 13	1		4 NA	Yes	Under	Yes	213.15	30	94	150	Yes	Yes	Recommende
	Govt ITI Mahua, Valshall.		Electrician ELECTRONICS MECH.	2(1+1)	2(1+1)	ELECTRICIAN ELECTRONICS MECH.	02 (1+1) (SCVT) 02 (1+1) (SCVT)	2	18	2 2		T INA	100	process	(Under	121,15	i	1 1		(enclosed		N. Coolinia and a
- /	Tuisnan,		ICTSM	2(1+1)	2(1+1)	ICTSM	02 (1+1) (SCVT)	1	16	1	5				constructi	161.74		1		with	with	
1			FITTER	2(1+1)	2(1+1)	MECHANIC DIESEL	02 (1+1) (SCVT) 02 (1+1) (SCVT)	2	20 3B	2	+		1		on)	138	5	1		Annexure	Annexure)	
			MECHANIC DIESEL WELDER	2(1+1)	2(1+1)	WELDER	02 (1+1) (SCVT)	2	24		7					160	)					
	Govt ITI	New	Blectrician	02 (1+1)	02 (1+1)	BLECTRICIAN	02 (1+1) (SCVT)	2	20 13	16 1	.9 14	4 NA	Tagged With	Applied for 40 kw	YES	YES	YES	YES	YES	AS enclosed	YBS	Recommen
	Kahalgaon (Bhagalpur)		ELECTRONIC MECHANIC	02 (1+1)	02 (1+1)	ELECTRONIC MECHANIC	02 (1+1) (SCVT)	1	19				Govt LDN	IOF 40 KW						annexure-		
	[bitagaiput]		FITTER	02 (1+1)	02 (1+1)	FITTER	02 (1+1) (SCVT) 02 (1+1) (SCVT)	- 3	20	-	9		ITI			1	1	1		111		
			MECHANIC DIESEL	02 (1+1)	2(1+1)	MECHANIC DIESEL	02 (1+1) (SCVT)	3	36		5		Bhagalpur					1				
			WELDER	02 (1+1)	2(1+1)	WELDER	02 (1+1) (SCVT)	2	29				-		Lunni Lunni	time.	WOD .	wee	NO.	AS	AS	Recommen
21	Government ITI ROSERA	New	Electrician ELECTRONIC MECHANIC	02 (1+1)	02 (1+1)	ELECTRICIAN ELECTRONIC MECHANIC	02 (1+1) (SCVT) 02 (1+1) (SCVT)	2	20 14	10		I3 NA	GOVT	YES	YES	YES	AEZ	YES	YES	enclosed	enclosed	Recommen
	SAMASTIPUR		FITTER	02 (1+1)	02 (1+1)	FITTER	02 (1+1) (SCVT)	1 2	20		8							1		annexure-		
			ICTSM	02 (1+1)	02 (1+1)	ICTSM	02 (1+1) (SCVT)	1-1	16 37		17									uı	10	
			MECHANIC DIESEL WELDER	02 (1+1)	2(1+1)	MECHANIC DIESEL WELDER	02 (1+1) (SCVT) 02 (1+1) (SCVT)		27										1			
	GOVT ITI	NEW	Electrician	02 (1+1)	02 (1+1)	ELECTRICIAN	02 (1+1) (SCVT)	2	20 17			9 NA	OWN	Applied	YES	YES	YES	YES	YES	AS	YES	Recommen
	NAUGACHIA,		ELECTRONIC MECHANIC	02 (1+1)	02 (1+1)	ELECTRONIC MECHANIC	02 (1+1) (SCVT)		19	1	16		LAND(3.0 8 Acres)	for 40 kw						enclosed annexure-		
	BHAGALPUR		FITTER	02 (1+1)	02(1+1)	PITTER	02 (1+1) (SCVT)	1	20		19		o Acres)							III		
			ICTSM	02 (1+1)	02 (1+1)	ICTSM	02 (1+1) (SCVT)		11		9											
			MECHANIC DIESEL WELDER	02 (1+1)	2(1+1)	MECHANIC DIESEL NA	02 (1+1) (SCVT) 02 (1+1) (SCVT)		21		17											
		Tumu.	Electrician	02 (1+1)	02 (1+1)	ELECTRICIAN	02 (1+1) (SCVT)	2 - 3	19 13			AN E	Govt	YES	YES	YES	YES	YES	YES	AS	AS	Recommen
23	Government ITI	MRAA																				
23	DALSINGH	MRAA	ELECTRONIC MECHANIC	02 (1+1)	02 (1+1)	ELECTRONIC MECHANIC	02 (1+1) (SCVT)		20	2			Land							enclosed	enclosed	
23		INEM				ELECTRONIC MECHANIC FITTER ICTSM	02 (1+1) (SCVT) 02 (1+1) (SCVT) 02 (1+1) (SCVT)		20 19 17		18		Land							enclosed annexure-	0.1101.000.0	

		MIS Code/Appilc ation Number	New Trade Sought For Affiliation	Units	Units Recommended by SCI	Existing Trade	Affillated Units Shift Wise	Student enroll in 2018-19 session with Trade wise	Fotal student enrolled in 2018- 19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019- 20	Send All existing Affilialtion order of the included ITI in the	Land lease valid	Power connectio n as per norms		workshop space	Class room	iT lab	Kall	y of Machiner	Staff qualificati on & Document	Remarks
	GOVT ITI, akhisarai	GU10001275				FITTER	02 (1+1)(NCVT)	19	132	1	6 112	DGT-	OWN	YES	YES(TOTA		YES(31sqm	YES(94.18s	YES[150sq:	YES(attach	YES(attach	Recommende
ľ	аклізагаі	1				ELECTRONICS MECHANIC	02 (1+1)(NCVT)	19	,	1	2	12/1/201 8-TC	(LAND(5 Acres)		7258sqm)	(100sqm) YES	0 1			аппехиге)	led )	
- 1		1	ELECTRICIAN	02 (1+1)	02 (1+1)	ELECTRICIAN	02 (1+1) (SCVT)	18	1	1	9					(60 sam) YES					1 1	
- 1			ICTSM			ICTSM		-	1							[161.08sq					1 1	
-1	- 1			02 (1+1)	02 (1+1)		02 (1+1) (SCVT)	1 '	1		9			ľ		YES (210.55to						
- 1			MECHANIC DIESEL	02 (1+1)	2 (1+1)	MECHANIC DIESEL	02 (1+1) (SCVT)	42		3	2					YES (210.55sa					1 1	
or c	and mot		WELDER	02 (1+1)	2 (1+1)	WELDER	02 (1+1) (SCVT)	27		2			uma			YES				n 1	1170	
	Govt, ITI Chapra,Saran		ELECTRICIAN	2(1+1) Unit	2(1+1) Unit	ELECTRICIAN	2(1+1) Unit	21	13-	2	0 150	NA	AER	Currently	Building is Under	Building Is Under	Building is Under	Avallable	Available		YES ENCLOSE	Recommend
	·		FITTER ELECTRONICS MECHANIC	2(1+1) Unit 2(1+1) Unit	2(1+1) Unit 2(1+1) Unit	FITTER ELECTRONICS MECHANIC	2(1+1) Unit 2(1+1) Unit	20		1 2			1	under old Building	constructi	constructi	constructi				WITH ANNEXUR	
-1			ICTSM	2(1+1) Unit	2(1+1) Unit	ICTSM	2(1+1) Unit	19					1	of ITI	Currently	Currently	Currently				E III	
			MECHANIC DIESEL WELDER	2(1+1) Unit 2(1+1) Unit	2(1+1) Unit 2(1+1) Unit	MECHANIC DIESEL WELDER	2(1+1) Unit 2(1+1) Unit	37			2			Marhowra	running	running	running					
	OVERNMENT		ELECTRICIAN	02 (1+1)	02 (1+1)	ELECTRICIAN	02 (1+1) (SCVT)	19		1	9 12	NA	YES	08KW	VES VES	undecold 160	under old 31	30 sq. Mts	60	ACCORDIN	ATTACHE	Recommende
	TI BIRAUL		FITTER	02 (1+1)	02(1+1)	FITTER	02 (1+1) (SCVT)	10	В		0		22-1	(AF)	1000	178				G TO NORMS	D	
l,	DARBHANGAA		ELECTRONICS MECHANIC ICTSM	02 (1+1)	02 (1+1)	ELECTRONICS MECHANIC ICTSM	02 (1+1) (SCVT) 02 (1+1) (SCVT)	15	5		4					120 210				AVILABLE		
- 1			MECHANIC DIESEL	02 (1+1)	02 (1+1)	MECHANIC DIESEL	02 (1+1) (SCVT)	40	0	- 3	7					210					1	
	Government ITI Manjhaul,Hegusa sal		WELDER Electrician (SCVT)	02 (1+1) (1+1)2	02 (1+1) (1+1)2	WELDER Blectrician (SCVT)	02 (1+1) (SCVT) (1+1)2	19	13		9 14:	N/A	9	ttached	rusaral	160 mb/s 58	YES	25 Sqm	шь 09	AS enclosed anx- III	AS enclosed anx- III	Recommende
- [['	ē.		Fitter (SCVT) Electronics Mechanic (SCVT)	(1+1)2	(1+1)2	Fitter (SCVT) Electronics Mechanic (SCVT)	(1+1)2	19		- 1	8		4	- <	8 5 8 8	"		1			"	
			ICTSM (SCVT)	(1+1)2	(1+1)2	ICTSM (SCVT)	(1+1)2	16	6	1	5		ا ا		E						1 1	
			Mechanic Diesel (SCVT) Welder (SCVT)	(1+1)2	(1+1)2	Mechanic Diesel (SCVT) Welder (SCVT)	(1+1)2	40		- 4					S Po							
28 (	OVT ITI	GR10000042	ELECTRICIAN	02 (1+1)	02 (1+1)	ELECTRICIAN	02(1+1)	40		7 3		Attached	YES	200	YES	196 SQ. M	50 SQ, M	181.74	300 SQ. M	YES	YES	Recommen
F	ATHWA		FITTER	02((1+1)	02((1+1)	FITTER	02(1+1)	20	0	3	7			KW(A/F)		176 SQ. M	50 SQ.M 25 SQ. M	SQ.M		(Attached		
- 1		1				WIREMAN MACHINIST	02(1+1)	19	5	- 0	5					70 SQ, M 88 SQ. M	25 SO. M	1		Annex)	annex.)	
Н						TURNER	02(1+1)	15	5	- 3	5					110 SQ. M	30 SQ.M	1				
- 1			MECH, DIESEL	04(4+0)	04(4+0)	MECH, DIESEL MECH, TRACTOR	02(2+0)	116		12	2					420 SQ. M 210 SW. M		-			1 1	
						WELDER	01(1+0)	20			2					80 SQ.M	30 SQ.M	1			1 7	
- 1						PLUMBER	02(2+0)			-	0		li .			160 SQ.M		4				
- 1			MMV	04(2+2)	04(2+2)	FOUNDRYMAN	01(1+0)	19			5		1			128 SW. M 210 SQ.M		1			1 /	
- 1			MRAC	04(2+2)	04(2+2)				o o		0		1			240 SQ.M	60 SQ.M	1			1 7	
29 0	GOVT, ITI		ELECTRONICS MECHANIC Electrician	04(2+2)	04(2+2)	Electrician	02 (1+1) (SCVT)	20	0 13	5 1	6 10	7 NA	OWN	YES (40 K.	YES	160 SQ.M YES (160		YES (30 SQ	YES (60 SQ	YES (Attack	YES	Recommen
	HAWELI Kharagpur		Mech.Electronic	02[1+1]	02 (1+1)	Mech.Electronic	02 (1+1) (SCVT)	10	0	- 8	6		LAND (10117		(TOTAL- 794 SQM	SQM)	SQM)				(Attached)	
	MARAGEOR		Fitter	02(1+1)	02 (1+1)	Fitter	02 (1+1) (SCYT)	19			45		III IUI II/		134 SUM			1			1 '	l'
						ICTSM			21		4		SQM)					1			Annexure-	
			ICTSM	02(1+1)	02 (1+1)		02 (1+1) (SCVT)	13	3		6		SQM)								Annexure-	
1			ICTSM Mech. Diesel Weider	02(1+1)	02 (1+1) 02 (1+1) 02 (1+1)	Mech, Diesel Welder			3 4 2		8											
30	GOVT. ITI		ICTSM Mech. Diesel Welder ELECTRICIAN	02(1+1) 02(1+1) 02(1+1)	02 (1+1) 02 (1+1) 02(1+1)	Mech, Diesel Welder IILECTRICIAN(SCVT)	02 (1+1) (SCVT) 02 (1+1) (SCVT) 02 (1+1) (SCVT) 02(1+1) SCVT	13 34 32 20	3 4 2 0 12	4	6  8  8	NA.	OWN	YES (45KV	YES	98.0Sqm	42.4Sqm	YES	YES	YES	YES	Recommen
30	GOVT. ITI MADHUBANI SADAR		ICTSM Mech. Diesel Weider	02(1+1)	02 (1+1)	Mech, Diesel Welder	02 (1+1) (SCVT) 02 (1+1) (SCVT) 02 (1+1) (SCVT) 02 (1+1) SCVT 02 (1+1) SCVT	13 34 32 20	3 4 2 0 12	4	6 8 8 9 13	NA NA		YES (45KV	/ YES	98.0Sqm 100.8Sqm 67.62Sqm	43,7Sqm	YES	YES	YES (Enclosed		Recommen
30	MADHUBANI		ICTSM Mech. Diesel Weider BLECTRICIAN FITTER BLECTRONICS MECHANIC ICTSM	02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1)	02 (1+1) 02 (1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1)	Mech, Diesel Welder ILECTRICIAN(SCYT) FITTER IILECTRONICS MECHANICISCYT) ICTS MISCYT)	02 (1+1) (SCVT) 02 (1+1) (SCVT) 02 (1+1) (SCVT) 02 (1+1) SCVT 02 (1+1) SCVT 02 (1+1) SCVT 02 (1+1) SCVT	13 34 32 20 15 20	1 4 2 0 12 9	4	6 8 9 13 9 6	NA NA NA	OWN LAND	YES (45KV	V YES	100.8Sqm 67.62Sqm 102.82Sqm	43,7Sqm 42,7Sqm 42Sqm	YES	YES	(Enclosed with annexture	YES (Enclosed with	Recommen
30	MADHUBANI		ICTSM Mech. Diesel Welder ELECTRICIAN FITTER ELECTRONICS MECHANIC	02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1)	02 (1+1) 02 (1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1)	Mech, Diesel Welder BLECTRICIAN(SCYT) FITTER BLECTRONICS MECHANIC(SCYT)	02 (1+1) (SCVT) 02 (1+1) (SCVT)	13 34 32 20 15 20	1 4 2 0 0 1 2 0 1 1 2 0 1 1 2	4	6 8 9 13 9 6 6	NA NA	OWN LAND (12140	YES (45KV	YES .	100.8Sqm 67.62Sqm 102.82Sqm 210.08Sqm	43.7Sum 42.7Sum 42Sum 42Sum	YES	YES	(Enclosed with	YES (Bnclosed with	Recommen
30 (	MADHUBANI SADAR GOVT ITI,	NEW	ICTSM Mech. Diesel Weider BLECTRICIAN FITTER BLECTRONICS MECHANIC ICTSM Mech. Diesel	02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1)	02 (1+1) 02 (1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1)	Mech. Diesel Welder BLECTRICIAN(SCYT) FITTER BLECTRONICS MECHANICISCYT) LCT.S.M(SCYT) MECHNIC DISSEI/SCYT)	02 (1+1) (SCVT) 02 (1+1) (SCVT) 02 (1+1) (SCVT) 02 (1+1) SCVT 02 (1+1) SCVT 02 (1+1) SCVT 02 (1+1) SCVT	13 34 32 20 15 20	1 2 0 1 1 1 8	4	6 8 9 13 9 6 6 6	NA NA NA	OWN LAND (12140 Sqm)	YES	YES YES(TOTA	100.85qm 67.625qm 102.825qm 210.085qm 80.045qm YES	43.75gm 42.75gm 425gm 425gm 425gm			(Enclosed with annexture [11]	YES (Enclosed with	Recommen
30 (	MADHUBANI SADAR	NEW	ICTSM Mech Diesel Weider ELECTRICIAN FITTER ELECTRONICS MECHANIC ICTSM Mech. Diesel WELDER ELECTRICIAN ELECTRICIAN ELECTRICIAN ELECTRICIAN ELECTRICIAN	02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1)	02 (1+1) 02 (1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1)	Mech. Diesel Weider BLECTRICIANISCYT) FITTER BLECTRONICS MECHANICISCYT  LCTS.MISCYT  MECHNIC DIESEI/SCYT  WELDERISCYT	02 (1+1) (SCVT) 02 (1+1)	13 34 32 20 19 20 11 31 10 20	1 12 0 12 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1	6 1	6 8 9 13 9 6 6 6	NA NA NA NA	OWN LAND (12140 Sqm) OWN LAND(4.2	YES	YES(TOTA	100.8Sqm 67.62Sqm 102.82Sqm 210.08Sqm 80.04Sqm YES (161.08sq	43.75gm 42.75gm 425gm 425gm 425gm			(Enclosed with annexture III)  YES(attach ed	YES (Enclosed with annexture III) h YES(attach ed	
30 (	MADHUBANI SADAR GOVT ITI,	NEW	ICTSM Mech. Diesel Weider ELECTRICIAN FITTER ELECTRONICS MECHANIC ICTSM Mech. Diesel WELDER ELECTRONIC MECHANIC ELECTRONIC MECHANIC FITTER	02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1)	02 (1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1)	Mech. Diesel Weider  BLECTRICIANISCYTI FITTER BLECTROICS MECHANICISCYTI LCTS MISCYTI MEIGHIC DIESEI/SCYTI WELDER/SCYTI BLECTROICA BLECTROICA BLECTROIC MECHANIC FITTER	02 (1+1) (SCVT) 02 (1+1) (SCVT)	13 34 32 30 15 20 13 36 16 20	12 0 12 0 12 0 1 1 8 6 0 14	6.	6 88 9 9 13 9 6 6 6 6 11 127 9 14	NA NA NA NA NA NA NA	OWN LAND (12140 Sqm)	YES		100.8Sqm 67.62Sqm 102.82Sqm 210.08Sqm 80.04Sqm YES (161.08sq	43.75gm 42.75gm 425gm 425gm 425gm			(Enclosed with annexture [11]	YES (Enclosed with annexture III) h YES(attach ed	
30 (	MADHUBANI SADAR GOVT ITI,	NEW	ICTSM Mech. Diesel Weider ELECTRICIAN FITTER ELECTRONICS MECHANIC ICTSM Mech. Diesel WELDER BLECTRICIAN ELECTRICIAN ELECTRICIAN ELECTRICIAN ELECTRICIAN ELECTRICIAN ELECTRICIAN	02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1)	02 (1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1)	Mech. Diesel Welder ILLECTRICIANISCYTI FITTER ILLECTRONICS MECHANICISCYTI LCTS MISCYTI MELHINIC DIESEISCYTI WELDERISCYTI WELDERISCYTI ELECTRICIAN SLECTRONIC MECHANIC FITTER ICTSM	02 (1+1) (SCVT) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1)	13 34 32 20 15 20 11 36 20 20 20	12 9 0 12 9 0 1 1 8 6 6 0 14	6 1	6 8 8 9 13 9 13 9 14 19 14 19 19 16 6	NA NA NA NA NA 7 NA	OWN LAND (12140 Sqm) OWN LAND(4.2	YES	YES(TOTA	100.8Sqm 67.62Sqm 102.82Sqm 210.08Sqm 80.04Sqm YES (161.08sq	43.75gm 42.75gm 425gm 425gm 425gm			(Enclosed with annexture III)  YES(attach ed annexure-	YES (Enclosed with annexture III) h YES(attach ed	
30 (3)	MADHUBANI SADAR GOVT ITI, MADHBPURA	NEW	ICTSM Wech, Diesel Weider BLECTRICIAN PITTER BLECTRONICS MECHANIC ICTSM Mach, Diesel WELDER BLECTRICIAN WECHANIC DIESEL	02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1)	02 (1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1)	Mech. Diesel Weider BLECTRICIANISCYT) FITTER BLECTRONICS MECHANICISCYT) LCTS MISCYT MECHNIC DIESEISCYT) WELDERISCYT) BLECTRONIC MECHANIC FITTER ICTSM MECHANIC DIESEL WELDERISCYT WELDERISCYT BLECTRONIC MECHANIC FITTER ICTSM	02 (1+1) (SCVT) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1)	13 34 32 20 19 20 11 38 10 20 20 15 16 20 20 20 20 20 20 20 20 20 20 20 20 20	3 4 2 2 3 3 4 2 3 3 4 3 3 3 3 4 3 3 3 3	4	6 8 8 9 13 9 14 9 14 19 19 14 15 15 15 15 15 15 15 15 15 15 15 15 15	NA NA NA NA NA NA NA NA NA	OWN LAND (12140 Sqm) OWN LAND(4.2 1 Acres)	YES	YES(TOTA L- 7258sqm)	100.8Sqm 67.62Sqm 102.82Sqn 210.08Sqn 80.04Sqm YES (161.08sq m)	43.75qm 42.75qm 42.5qm 42.5qm 42.5qm 42.5qm YES(3.15qm	n YES(94.18	s YES(150sq	(Enclosed with annexture (III) YES(attach ed annexure- 8 & 9)	YES (Enclosed with annexture III)  h YES(attach ed annexure-7)	Recommen
30 (31)	MADHUBANI SADAR GOVT ITI, MADHBPURA GOVT. ITI SIMRI	NEW	ICTSM Mech Diesel Weider ELECTRICIAN FITTER ELECTRONICS MECHANIC ICTSM Mech Diesel WELDER ELECTRICIAN ELECTRONIC MECHANIC FITTER ICTSM MECHANIC DIESEL WELDER BLECTRICIAN MECHANIC DIESEL WELDER BLECTRICIAN	02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1)	02 (1+1) 02(1+1)	Mech. Diesel Wedder  BLECTRICIANISCYTI FITTER BLECTROICS MECHANICISCYTI LC.TS.MISCYTI MEGINIC DIESEISCYTI WELDBERISCYTI BLECTROICAN BLECTRONIC MECHANIC FITTER ICTSM MEGIANIC DIESEL WELDBER BLECTROICAN	02 (1+1) (SCVT) 02 (1+1) 02 (1+1)	13 34 32 20 15 20 10 36 20 20 20 21 46 22 22	3 4 2 0 0 1 1 1 8 6 6 0 1 4 9 9 9 9 9 1 1 1 9 9 9 9 9 9 9 9 9 9	66	6 8 8 9 13 9 16 6 6 6 11 77 9 14 9 9 9 16 6 5 5 5 9 9 19 16 15 5 9 9 19 19 19 19 19 19 19 19 19 19 19 19	NA NA NA NA NA NA NA NA NA NA NA NA NA N	OWN LAND (12140 Sqm)  OWN LAND(4.2 1 Acres)	YES	YES(TOTA L- 7258sqm)	100.85qm 67.625qm 102.825qn 210.085qn 80.045qm YES (161.08sq m)	43.75gm 42.75gm 42.5gm 42.5gm 42.5gm 78.5(3.15qm	TYES(94.18	s YES(150sq	(Enclosed with annexture III)  YES(attach ed annexure- 0 & 9)	YES (Enclosed with annexture III) h YES(attach ed - annexure-7)	Recommen
30 (	MADHUBANI SADAR GOVT ITI, MADHBPURA	NEW	ICTSM Wech, Diesel Weider BLECTRICIAN PITTER BLECTRONICS MECHANIC ICTSM Mach, Diesel WELDER BLECTRICIAN BLECTRIC	02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1)	02 (1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1)	Mech. Diesel Weider BLECTRICIANISCYT) FITTER BLECTRONICS MECHANICISCYT) LCTS MISCYT MECHNIC DIESEISCYT) WELDERISCYT) BLECTRONIC MECHANIC FITTER ICTSM MECHANIC DIESEL WELDERISCYT WELDERISCYT BLECTRONIC MECHANIC FITTER ICTSM	02 (1+1) (SCVT) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1)	13 34 32 36 36 37 38 38 39 30 30 30 30 30 30 30 30 30 30 30 30 30	12 0 12 0 12 0 14 0 14 0 14 0 20 0 20 0 20	66	5 8 8 9 9 13 9 9 6 6 6 6 11 1 7.7 9 14 6 6 5 5 19 9 9 1 10 10 1 1 1 1 1 1 1 1 1 1 1 1	NA NA NA NA NA NA NA NA NA	OWN LAND (12140 Sqm) OWN LAND(4.2 1 Acres)	YES	YES(TOTA L- 7258sqm)	100.8Sqm 67.62Sqm 102.82Sqn 210.08Sqn 80.04Sqm YES (161.08sq m)	43.75qm 42.75qm 42.5qm 42.5qm 42.5qm 42.5qm YES(3.15qm	n YES(94.18	s YES(150sq	(Enclosed with annexture III)  YES(attach ed annexure-8 & 9)	YES (Enclosed with annexture III)  h YES(attach ed annexure-7)	
30 (	MADHUBANI SADAR GOVT ITI, MADHEPURA GOVT. ITI SIMRI BAKHTYYARPUR,	NEW	ICTSM Mech. Diesel Weider ELECTRICIAN FITTER ELECTRICIAN ELECTRICIAN ELECTRICIAN ELECTRICIAN Mech. Diesel WELDER BLECTRICIAN ELECTRICIAN ELECTRICIAN ELECTRICIAN ELECTRICIAN ELECTRICIAN ELECTRICIAN ELECTRICIAN ELECTRICIAN ELECTRICIAN FITTER ELECTRICIAN FITTER ICTSM MECLANIC DIESEL WELDER ELECTRICIAN FITTER ICTSM ELECTRICIAN FITTER ICTSM ELECTRICIAN	02(1+1) 02(1+1)	02 (1+1) 02 (1+1)	Mech. Diesel Weider  BLECTRICIANISCYTI FITTER BLECTRONICS MECHANICISCYTI LCT'S MISCYTI MECHANIC DIESEISCYTI WELDBERISCYTI BLECTRONIC MECHANIC FITTER ICTSM MECHANIC DIESEL WELDER BLECTRICIAN ELECTRICIAN FITTER ICTSM MECHANIC DIESEL WELDER BLECTRICIAN FITTER ICTSM BLECTRICIAN FITTER ICTSM BLECTRICIAN FITTER ICTSM BLECTRICIAN FITTER BLECTRICIAN FITTER BLECTRICIAN FITTER BLECTRONIC MECHANIC	02 (1+1) (SCVT) 02 (1+1) (O2 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1)	13 34 22 20 21 11 11 34 20 20 21 21 21 21 21 22 22 22 24 24 24 24 24 24 24 24 24 24	12 14 14 15 10 10 11 11 18 18 16 10 11 14 19 19 19 19 19 19 19 19 19 19 19 19 19	66	9 13 9 9 13 9 9 14 9 9 14 9 14 9 14 9 14 9 16 15 15 19 1 14	NA NA NA NA NA NA NA NA NA NA NA NA NA N	OWN LAND (12140 Sqm)  OWN LAND(4.2 1 Acres)	YES YES YES YES YES	YES(TOTA L- 7258sqm) YES YES YES YES	100.85qm 67.625qm 102.825qm 210.085qm 80.045qm YES (161.08sq m) YES YES YES YES	43.75am 42.75am 42.5am 42.5am 42.5am 42.5am 76.5(3.15am 76.5(3.15am) 7	YES YES YES YES YES	YES YES YES YES YES	(Enclosed with annexture III)  YES(attach ed annexure-8 & 9)  YES YES YES YES YES	YES (Enclosed with enclosed with enclosed with enclosed with enclosed with enclosed	Recommen
30 (	MADHUBANI SADAR GOVT ITI, MADHEPURA GOVT. ITI SIMRI BAKHTYYARPUR,	NEW	ICTSM Mech. Diesel Welder ELECTRICIAN FITTER ELECTRONICS MECHANIC ICTSM Mech. Diesel WELDER ELECTROLICAN ELECTRONIC MECHANIC ICTSM MECHANIC ICTSM MECHANIC FITTER ICTSM MECHANIC DIESEL WELDER ELECTRICIAN ELECTRI	02(1+1) 02(1+1)	02 (1+1) 02 (1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	Mech. Diesel Weider ELECTRICIANISCYTI FITTER ELECTRONICS MECHANICISCYTI LCTS MISCYTI MELHING DIESEISCYTI WELDERISCYTI ELECTRONIC MECHANIC FITTER ELECTRICIAN ELECTRONIC MECHANIC MECHANIC DIESEL WELDER ELECTRICIAN ELECTRICIAN ELECTRICIAN ELECTRICIAN ELECTRONIC MECHANIC MECHANIC DIESEL	02 (1+1) (SCVT) 02 (1+1) (OZ (1+1) 02 (1+1)	13 34 34 32 32 32 32 32 32 32 32 32 32 32 32 32	1 1 2 0 1 2 0 1 1 2 0 1 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	000000000000000000000000000000000000000	9 13 9 9 13 9 9 14 14 19 9 14 19 9 14 16 6 1 19 9 1 16 6 1 19 1	NA NA NA NA NA 7 NA NA NA NA NA NA 1506 / 17 9 1506 / 17 9 1506 / 17 6 1506 / 17	OWN LAND (12140 Sqm) OWN LAND(4.2 1 Acres)  YES YES YES YES	YES YES YES YES YES	YES(TOTA L- 7258sqm) YES YES YES YES YES	100.85qm 67.625qm 102.825qn 210.085qn 80.045qm YES (161.08sq m) YES YES YES YES YES	43.75gm 42.75gm 42.5gm 42.5gm 42.5gm 42.5gm 78.5(3.15gm 78.5) 78.5 78.5 78.5 78.5 78.5 78.5 78.5 78.5	YES YES YES YES YES YES	YES YES YES YES YES	(Enclosed with annexture III) YES(attach ed annexure-8 & 9) YES YES YES YES YES YES	YES (Enclosed with with the sentence of the se	Recommen
31 32 4	MADHUBANI SADAR  GOVT ITI, MADHEPURA  COVT. ITI SIMRI BAKHTYYARPUR, SAHARSA  GOVT. Industrial	=	ICTSM Mech. Diesel Weider ELECTRICIAN PITTER ELECTRONICS MECHANIC ICTSM Mach. Diesel WEIDER ELECTRICIAN	02(1+1) 02(1+1)	02 (1+1) 02 (1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 2(1+1)	Mech. Diesel Welder  ILLECTRICIAN(SCVT) FITTER  ILLECTRONICS MECHANICISCVT)  IC.TS MISCVT)  WELDERISCVT) WELDERISCVT) WELDERISCVTO BLECTRICIAN  SLECTRONIC MECHANIC FITTER ICTSM MECHANIC DIESEL WELDER  LECTRICIAN  ELECTRICIAN  ELECTRONIC MECHANIC MECHANIC MECHANIC MECHANIC MECHANIC MECHANIC MECHANIC MECH DIESEL WELDER LECTRONIC MECHANIC MECH DIESEL WELDER LECTRONIC MECHANIC MECH DIESEL WELDER LECTRICIAN(SCVT)	02 (1+1) (SCVT) 02 (1+1) (O2 (1+1) 02 (1+1)	13 34 34 32 32 32 32 32 32 32 32 32 32 32 32 32	2 1 2 2 2 1 2 2 2 1 2 1 2 1 2 2 1 2 1 2 2 1 2 1 2 2 1 2 1 2 2 1 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	6 8 8 8 9 9 13 13 16 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	NA NA NA NA NA NA NA NA NA NA NA NA NA N	OWN LAND (12140 Sqm) OWN LAND(4.2 1 Acres)  YES YES YES YES	YES YES YES YES YES	YES(TOTA L. 7250sqm)  YES YES YES YES YES YES YES YES OWN	100.85sm 67.625am 102.825am 210.085an 80.045am VES (161.08sq m) YES YES YES YES YES YES YES YES YES	43.75qm 42.75qm 42.5qm	YES YES YES YES YES	YES YES YES YES YES	(Gaclosed with annexture III)  YES(attach ed annexture 8 & 9)  YES  YES  YES  YES  YES  YES  YES  YE	YES (Enclosed with enclosed with enclosed with enclosed with enclosed with enclosed	Recommen
31 32 4	MADHUBANI SADAR  GOVT ITI, MADHEPURA  GOVT: ITI SIMRI BAKHTYYARPUR, SAHARSA  GOVT. Industrial	=	ICTSM Mech Diesel Weider ELECTRICIAN FITTER ELECTRONICS MECHANIC ICTSM Mech Diesel WELDER BLECTRICIAN ELECTRONIC MECHANIC ICTSM MECHANIC ICTSM MECHANIC ELECTRONIC MECHANIC FITTER ICTSM MECHANIC DIESEL WELDER BLECTRICIAN FITTER ICTSM BLECTRICIAN ELECTRICIAN	02(1+1) 02(	02 (1+1) 02 (1+1) 02(1+1)	Mech. Diesel Wedder  BLECTRICIANISCYTI FITTER BLECTROICS MECHANICISCYTI LC.TS.MISCYTI MELBURG DIESEISCYTI WELDBERISCYTI BLECTROINE MECHANIC FITTER ICTSM MEGIANIC DIESEL WELDBER BLECTRICIAN FITTER ICTSM LICTSM ELECTRICIAN FITTER BLECTRICIAN FITTER BLECTRICIAN ELECTRONIC MECHANIC METHANIC MECHANIC METHANIC MECHANIC MECHANIC METHANIC MET	02 (1+1) (SCVT) 02 (1+1)	123 34 32 32 32 32 32 32 32 32 32 32 32 32 32	2 1 1 2 2 2 1 1 2 2 2 1 1 2 2 2 1 1 2 2 2 2 1 1 2 2 2 2 1 1 2 2 2 2 2 1 1 2 2 2 2 2 1 1 2 2 2 2 2 2 1 1 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	6 8 9 13 9 14 9 14 19 14 19 19 11 16 16 16 16 16 16 16 16 17 17 19 19 19 19 19 19 19 19 19 19 19 19 19	NA NA NA NA NA NA NA NA NA NA NA NA NA N	OWN LAND (12140 Sqm) OWN LAND(4.2 1 Acres)  YES YES YES YES	YES  YES  YES  YES  YES  YES  YES  YES	YES(TOTA L- 7258sqm) YES YES YES YES YES YES YES	100.855m 67.625am 102.825am 210.085am 80.045am 90.045am 90.045am YES (161.08sq m) YES YES YES YES YES YES YES YES YES YES	43.75qm 42.75qm 42.5qm	YES(94.18 YES YES YES YES YES YES YES	YES	(Gaclosed with annexture III)  YES(attach ed annexture 8 & 9)  YES  YES  YES  YES  YES  YES  YES  YE	YES (Enclosed with Section 1)  H YES(attach ed annexure-7)  YES YES YES YES YES YES YES YES	Recommen
30 4 31 32 9	MADHUBANI SADAR  GOVT. ITI, MADHBPURA  COVT. ITI SIMRI BAKHTIYARPUR, SAHARSA  GOVT. Industrial Training	=	ICTSM Mech. Diesel Weider ELECTRICIAN FITTER ELECTRICIAN Mach. Diesel WELDER BLECTRICIAN ELECTRICIAN ELECTRICIAN ELECTRICIAN ELECTRICIAN ELECTRICIAN ELECTRICIAN ELECTRICIAN MECHANIC DIESEL WELDER ELECTRICIAN	02(1+1) 02(1+1)	02(1+1) 02(1+1)	Mech. Diesel Weider  BLECTRICIANISCYTI FITTER BLECTROICS MECHANICISCYTI LCT'S MISCYTI MEGNIC DIESEISCYTI WELDERISCYTI BLECTROIAN BLECTROIAN BLECTROIAN BLECTROIAN BLECTROIAN MECHANIC FITTER ICTSM MECHANIC DIESEL WELDER BLECTRICIAN FITTER ICTSM BLECTROIC MECHANIC ME	02 (1+1) (SCVT) 02 (1+1) (O2 (1+1) 02 (1+1)	13 34 34 32 32 32 32 32 32 32 32 32 32 32 32 32	2 1 1 2 2 2 1 1 2 2 2 1 1 2 2 2 1 1 2 2 2 2 1 1 2 2 2 2 1 1 2 2 2 2 2 1 1 2 2 2 2 2 1 1 2 2 2 2 2 2 1 1 2	000000000000000000000000000000000000000	6 8 9 13 9 14 9 14 9 14 15 15 15 15 15 15 15 15 15 15 15 15 15	NA NA NA NA NA NA NA NA NA NA NA NA NA N	OWN LAND (12140 Sqm) OWN LAND(4.2 1 Acres)  YES YES YES YES	YES  YES  YES  YES  YES  YES  YES  YES	YES(TOTA L. 7250sqm)  YES YES YES YES YES YES YES YES OWN	100.855am 67.625am 102.825am 210.085am 80.045am YES (161.085q m) YES YES YES YES YES YES YES YES YES YES	43.75qm 42.75qm 42.5qm 43.0 Sqm 30.5qm 30.5qm 30.5qm	YES(94.18 YES YES YES YES YES YES YES	YES	(Gaclosed with annexture III)  YES(attach ed annexture 8 & 9)  YES  YES  YES  YES  YES  YES  YES  YE	YES (Enclosed with the control of th	Recommen Recommen
30 4 31 32 9	MADHUBANI SADAR  GOVT ITI, MADHEPURA  GOVT: ITI SIMRI BAKHTYYARPUR, SAHARSA  GOVT. Industrial	=	ICTSM Mech. Diesel Weider ELECTRICIAN FITTER ELECTRICIAN ELECTRICI	02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(	02(1+1) 02(1+1	Mech. Diesel Weider  BILECTRICIANISCYTI FITTER BILECTRICIS MECHANICISCYTI LCTS MISCYTI MEGNIC DIESEISCYTI WELDERISCYTI BLECTROIC MECHANIC FITTER ICTSM MECHANIC DIESEI WELDER BLECTROIC MECHANIC FITTER ICTSM BLECTROIC MECHANIC FITTER ICTSM BLECTROIC MECHANIC FITTER BLECTROIC MECHANIC MECHANIC DIESEI WELDER BLECTROIC MECHANIC MECHANIC MECHANIC MECHANIC MECHANIC MECHANIC MECHANIC MECHANISCYTI FITTERISCYTI BLECTROICIS MECHANICISCYTI ICTSMISCYTI BLECTROICIS MECHANICISCYTI BLECTROICIS MECHANICISCYTI BLECTROICIS MECHANICISCYTI BLECTROICIS MECHANICISCYTI BLECTROICIS MECHANICISCYTI BLECTROICS MECHANICISCYTI	02 (1+1) (SCVT) 02 (1+1) (O2 (1+1) 02 (1+1)	123 34 32 32 32 32 32 32 32 32 32 32 32 32 32	12 0 12 0 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	000000000000000000000000000000000000000	6 8 9 13 9 14 9 14 19 14 19 19 11 16 16 16 16 16 16 16 16 17 17 19 19 19 19 19 19 19 19 19 19 19 19 19	NA NA NA NA NA NA NA NA NA NA NA NA NA N	OWN LAND (12140 Sqm) OWN LAND(4.2 1 Acres)  YES YES YES YES	YES  YES  YES  YES  YES  YES  YES  YES	YES(TOTA L. 7250sqm)  YES YES YES YES YES YES YES YES OWN	100.85sm 67.625sm 102.825sm 210.085sm 90.045sm VES (161.08sq m) YES YES YES YES YES YES YES YES YES YES	43.75qm 42.75qm 42.5qm 30.5qm 30.5qm 30.5qm 30.5qm 30.5qm 30.5qm	YES(94.18 YES YES YES YES YES YES YES	YES	(Gaclosed with annexture III)  YES(attach ed annexture 8 & 9)  YES  YES  YES  YES  YES  YES  YES  YE	YES (Enclosed with the control of th	Recommen
31 32 4	MADHUBANI SADAR  GOVT. ITI, MADHBPURA  COVT. ITI SIMRI BAKHTIYARPUR, SAHARSA  GOVT. Industrial Training	=	ICTSM Mech. Diesel Weider ELECTRICIAN FITTER ELECTRONICS MECHANIC ICTSM Mech. Diesel WELDER BLECTRICIAN ELECTRONIC MECHANIC ICTSM MECHANIC DIESEL WELDER ELECTRICIAN FITTER ELECTRICIAN FITTER ELECTRICIAN ELECTRICIAN FITTER BLECTRICIAN ELECTRICIAN FITTER BLECTRICIAN FITTER BLECTRICIAN FITTER BLECTRICIAN FITTER BLECTRICIAN FITTER ELECTRICIAN FITTER ELECTRICIAN FITTER ELECTRICIAN FITTER ELECTRICIAN FITTER ELECTRICIAN FITTER ELECTRICIAN FITTER	02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(	02 (1+1) 02 (1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02(1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 02 (1+1) 2 (1+	Mech. Diesel Weider  ILLECTRICIANISCYTI FITTER ILLECTRONICS MECHANICISCYTI LCTS MISCYTI MELBURG DIESEISSCYTI WEIDERISCYTI ELECTRONIC MECHANIC FITTER ICTSM MECHANIC DIESEL WEIDER ELECTRICIAN ELECTRONIC MECHANIC FITTER ICTSM MECHANIC DIESEL WEIDER ELECTRICIAN ELECTRONIC MECHANIC MECH	02 (1+1) (SCVT) 02 (1+1) (02 (1+1) 02 (1+1)	123 34 32 32 32 32 32 32 32 32 32 32 32 32 32	12	00 00 00 00 00 00 00 00 00 00 00 00 00	6 8 8 9 13 6 6 6 6 11 14 9 9 14 6 15 15 15 15 15 15 15 15 15 15 15 15 15	NA NA NA NA NA NA NA NA NA NA NA NA NA N	OWN LAND (12140 Sqm) OWN LAND(4.2 1 Acres)  YES YES YES YES	YES  YES  YES  YES  YES  YES  YES  YES	YES(TOTA L. 7250sqm)  YES YES YES YES YES YES YES YES OWN	100.85sm 67.625am 102.825am 210.085am 90.045am YES (161.08sq m) YES YES YES YES YES YES YES YES YES YES	43.75qm 42.75qm 42.5qm 30.5qm 30.5qm 30.5qm 30.5qm 30.5qm 30.5qm	YES YES YES YES YES 30 Sqm	YES	(Gaclosed with annexture III)  YES(attach ed annexture 8 & 9)  YES  YES  YES  YES  YES  YES  YES  YE	YES (Enclosed with the control of th	Recommen Recommen

NSTITUTE, UMRAON, UXAR,  OVT ITI IDAKISHUNGA IJ, MADHEPURA  SOVETIMALE SET CHAMPARA  SOVE Industrial Training Institute ITI IRARIA  SOVE INTERNANCE INTERNANCE INTERNANCE INSTITUTE INTERNANCE	e/Appilc n sber	w Trade Sought For Affillation		Recommended by SCI	Existing Trade	Affiliated Units Shift Wise	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018- 19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019- 20	Send All existing Affilaltion order of the included ITI in the list.	Land lease valld		Building as per norms	workshop space	room	IT lab	1000	y of Machiner	Staff R qualificati on & Document s	demarks
UXAR,  GOVT ITI DAKISHUNGA II, MADHEPURA  SOVERNMENT ITI AKARIDAYAL,E St Champaran  GOVT. Industrial Training nstitute Illraali Supaul  GOVT. ITI SAHARSA  GOVERNMENT INDUSTRIAL IRABING INSTITUTE BIHIYA, BHOJPUR, GOVT. ITI Industrial Training GOPALGANI  GOVT. Industrial Training Institute, Gogari (Khagaria)		TTER		2(1+1)	FITTER	2(1+1)	18		19	9					88 70	25 25					
GOVT. ITI GOVT.				2(1+1) 2(1+1)	ICTSM WELDER	2(1+1)	21		29						80	25				- 1	
IDAKISHUNGA IJ, MADHEPURA  SOVERIMENT IN				2(1+1)	MECHANIC	2(1+1)	40	ō	47	7					210	25					
IDAKISHUNGA IJ, MADHEPURA  SOVERIMENT IN	/ 515	ECTRICIAN	02 (1+1)	02 (1+1)	DIESEL ELECTRICIAN	02 (1+1)	19	9 13	2 17	7 132	2 NA	OWN	YES	YES(TOTA	YES	YES(31sqm	YES[94.18]	YES[150sq	YES(attach	YES(attach	Recommende
GOVT. ITI SOVERNMENT NOUSTRIAL FRANKIA GOVT. ITI SAHARSA GOVT. ITI SAHARSA GOVT. ITI SAHARSA GOVT. ITI GOPALGAN) GOVT. Industrial Training BIHIYA, BHOJPUR, GOVT. ITI GOPALGAN) GOVT. Industrial Training Institute, Gogari (Khagaria)							-	1		-	1	LAND(3		L-	(161.0944			I DOMESTICS TO	ed	ed	
AKARIDAYAL,E st Champaran Siove Industrial Training Sidule Sirve State S				02 (1+1)	ELECTRONIC MECHANIC FITTER	02 (1+1)	10	8	20	2		Acres)		7250sqm)	YES 120sq		1			annexure- 7)	
AKARIDAYAL,E st Champaran Siove Industrial Training Sidule Sirve State S	111					02 (1+1)	1-		13	1					YES	1			0017)	"	
AKARIDAYAL,E st Champaran Siove Industrial Training Sidule Sirve State S				02 (1+1)	ICTSM		3		40						VES	-		1			
AKARIDAYAL,E st Champaran Siove Industrial Training Sidule Sirve State S	ME	ECHANIC DIESEL	02 (1+1)	2 (1+1)	MECHANIC DIESEL	02 (1+1)	3	1	40	ا					(210,55sq						
AKARIDAYAL,E st Champaran Siove Industrial Training Sidule Sirve State S	WE	ELDER	02 (1+1)	2 (1+1)	WELDER	02 (1+1)	2-	4	23	3					YES						
AKARIDAYAL,E st Champaran Siove Industrial Training Sidule Sirve State S	V ELI	ECTRICIAN	02 (1+1)	02 (1+1)	ELECTRICIAN	02 (1+1)	2	0 14	3 20	0 150	0 N/A	Govt	Currently	Building	Building	Building	Building	Building	AS		Recommende
GOVT. Industrial NEW ITI ITI ITI ITI ITI ITI ITI ITI ITI IT	gr.			02 (1+1)	ELECTRONIC MECHANIC	02 (1+1)	2	0	20	o		Land	running	is Under	Is Under	is Under	Is Under		enclosed anx- III		
Training situite directions and the second s		TTER		02 (1+1)	FITTER	02 (1+1)	25	ol.	20	0		l.	under old Building	constructi	constructi	constructi	constructi	constructi	anx- III	- 1	
Training situite directions and the second s			02 (1+1)	02 (1+1)	ICTSM	02 [1+1]		7	1			l' .	of ITI	Currently	Currently	Currently	Currently	Currently		- 1	
Training situite directions and the second s				2(1+1)	MECHANIC DIESEL	02 (1+1)	2	6	29				Mothari	running	running	running	running	running			
Training situite directions and the second s				2 (1+1) 02(1+1) Unit	ELECTRICIAN(SCVT)	02(1+1) Unit	2	1 15			2 NA	NA	A/F	own	98,5 Sqm	30 Sqm	30 Sqm	40 Sqm	attached	attached	Recommended
COVT. ITI COVT. Industrial Training Institute, Cogari (Khagaria)				02(1+1) Unit	FITTER(SCVT)	02(1+1) Unit	2	0	1	8				BUILDING	88.5 Sam	30 Sam			with	with	
GOVT. ITI GAHARSA  GOVERNMENT INDUSTRIAL IFALINING INSTITUTE BIHITYA, BHOIPUR, GOVT ITI GOPALGANJ  GOVT. Industrial Training Institute, Gogari (Khagaria)		LECTRONICS MECHANIC	02(1+1) Unit	02(1+1) Unit	ELECTRONICS MECHANIC(SCVT)	02(1+1) Unit		1	1					(under	56 Sqm	30 Sqm	-		annexure	annexure	
GOVT. ITI SAHARSA  GOVERNMENT INDUSTRIAL TRAINING INSTITUTE BIHITYA, BHOIPUR, GOVT ITI GOPALGANI  GOVT. Industrial Training Institute, Cogarl (Khagaria)		TSM		02(1+1) Unit	ICTSM(SCVT)	02(1+1) Unit 02(1+1) Unit	2 2	2	1 3					sonctructi on)	70 Sqm B0 Sqm	30 Sqm 30 Sqm	4	1 1			
GOVT. ITI SAHARSA  GOVERNMENT INDUSTRIAL TRAINING INSTITUTE BIHITYA, BHOIPUR, GOVT ITI GOPALGANI  GOVT. Industrial Training Institute, Cogarl (Khagaria)			02(1+1) Unit 02(1+1) Unit	02(1+1) Unit	WELDER(SCVT) MECHANIC DIESEL(SCVT)	02(1+1) Unit	3	18	2					unj	150 Sam	30 Sqm					
GOVT. ITI SAHARSA  GOVERNMENT INDUSTRIAL TRAINING INSTITUTE BIHITYA, BHOIPUR, GOVT ITI GOPALGANI  GOVT. Industrial Training Institute, Cogarl (Khagaria)		LECTRICIAN		2(1+1)	ELECTRICIAN(SCVT)	2(1+1)		0 14	7 1	9 12	2 NA	YES(OWN	BUILDING	YES	YES	YES	YES	YES	yes(enclos	yes[encios	Recommend
GOVERNMENT INDUSTRIAL IRAINING INSTITUTE BIHITA, BHOIPUR GOVT. Industrial Training Irailine, Gogari (Khagaria)	BL	LECRONIC		2(1+1)	ELECRONIC MECHANICS (SCVT)	2(1+1)	2	0	1	7	NA	LAND	UNDER	UNDER	UNDER	UNDER	UNDER	UNDER	ed	ed	
GOVERNMENT INDUSTRIAL IRAINING INSTITUTE BIHITA, BHOIPUR GOVT. Industrial Training Irailine, Gogari (Khagaria)		ECHANIC					-	101	1	-	NA	20230	CONSTRU	CONSTRU	CONSTRU	CONSTRU	CONSTRU	CONSTRU	with annexure-	with annexure-	
GOVERNMENT INDUSTRIAL IRAINING INSTITUTE BIHITA, BHOIPUR GOVT. Industrial Training Irailine, Gogari (Khagaria)		TTER		2(1+1)	FITTER(SCVT)	2(1+1)		0	1		NA NA	SQM)	CTION O	CTION	CTION	CTION	CHON	LIION		annexure-	
GOVERNMENT INDUSTRIAL IRAINING INSTITUTE BIHITA, BHOIPUR GOVT. Industrial Training Irailine, Gogari (Khagaria)		TSM ECHANIC	2(1+1)	2(1+1)	MECHANIC DIESEL (SCVT)	2(1+1)	4		3		NA	1	CONNECTI				1		,	",	
GOVERNMENT INDUSTRIAL IRAINING INSTITUTE BIHITA, BHOIPUR GOVT. Industrial Training Irailine, Gogari (Khagaria)	IQ.	HESEL					-					-	ON WILL				1			1	
GOVERNMENT INDUSTRIAL IRAINING INSTITUTE BIHITA, BHOIPUR GOVT. Industrial Training Irailine, Gogari (Khagaria)		ELDER LECTRICIAN	2(1+1)	2(1+1)	WELDER(SCVT) ELECTRICIAN	2(1+1) 02 (1+1) (SCVT)		0 2	0 2		0 2181 / 23	VES	YES	YES	YES	YES	YES	YES	YES	YES	Recommende
GOVT: Industrial Training Institute, Gogari (Khagaria)		TTER	2(1+1)	2(1+1)	FITTER	02 (1+1) (SCVT)	1	9 1	9 1		9 2181 / 23		YES	YES	YES	YES	YES			YES	The commona
INDUSTRIAL FRAINING INSTITUTE BIHITYA, BHOIPUR, GOVT: ITT GOPALGANI  GOVT. Industrial Training Institute, Cogarl (Khagaria)		TSM	2(1+1)	2(1+1)	ICTSM	02 (1+1) (SCVT)	1	4 1	4 1	4 1	4 2181 / 23	YES	YES	YES	YES	YES	YES			YES	
INDUSTRIAL FRAINING INSTITUTE BIHITYA, BHOIPUR, GOVT: ITT GOPALGANI  GOVT. Industrial Training Institute, Cogarl (Khagaria)	MI	RAC	2(1+1)	2(1+1)	MRAC	02 (1+1) (SCVT)			0 2		4 2181 / 23		YES	YES	YES	YES	YES		YES	YES	
INDUSTRIAL FRAINING INSTITUTE BIHITYA, BHOIPUR, GOVT: ITI GOPALGANI  GOVT. Industrial Training Institute, Cogarl (Khagaria)		ECH. DIESEL	2 (1+1)	2(1+1)	MECH. DIESEL	02 (1+1) (SCVT)	4		7 2		5 2181 / 23		YES	YES	YES	YES	YES		YES	YES	
INDUSTRIAL FRAINING INSTITUTE BIHITYA, BHOIPUR, GOVT: ITI GOPALGANI  GOVT. Industrial Training Institute, Cogarl (Khagaria)		VELDER LECTRICIAN	2(1+1)	2(1+1)	WELDER ELECTRICIAN	02 (1+1) (SCVT) 02 (1+1) (SCVT)		1 15			7 2181 / 23 6 NA	yes	48KW	yes	98X1×98	30 Sq.m	30 Sq. m	50 Sq m	ACCORDIN		Recommende
GOVT. Industrial Trailing trailing trailing to the firm of the fir		ITTER	2(1+1)	2(1+1)	FITTER	02 (1+1) (SCVT)		21	2			,	(AF)	ř	88X1×88	305q.m	] '		G TO	D	
GOVT. Industrial Training Institute, Gogari (Khagaria)	MI	IRAC	2(1+1)	2(1+1)	MRAC	02 (1+1) (SCVT)	2	21	2						56X1=56	30 Sq.m	-		NORMS		
GOVT. Industrial Institute, Gogari (Khagaria)		TSM	2(1+1)	2(1+1)	ICTSM	02 (1+1) (SCVT)		18	1						70X1=70 210X1=21		-		AVILABLE		
GOVT: Industrial Training Institute, Cogari (Khagaria)	I <sub>M</sub> i	IECHANIC DIESEL	2 (1+1)	2 (1+1)	MBCHANIC DIESEL	02 (1+1) (SCVT)	1 '	"	, "	-	1				0	Susquit				1	
GOVT. Industrial Training Institute, Cogari (Khagaria)		VELDER	2(1+1)	2(1+1)	WELDER	02 (1+1) (SCVT)		28	2							30 Sq.m.				4	Decree 1
GOVT: Industrial Training Institute, Gogari (Khagaria)	EL	LECTRICIAN	02 (1+1)	02 (1+1)	ELECTRICIAN	02 (1+1) (SCVT)	2	20 2	0 1	.8	8 NA	Own Building	As per norms	3,65 VPS	avallable a	available 8	an available a	avallable at	Annexture	Аппехшге	Recommende
Industrial Training Institute, Gogari (Khagaria)	- 1							1				Buitairig	60KW						enclosed	enclosed	
Industrial Training Institute, Gogari (Khagaria)													applied								
Industrial Training Institute, Gogari (Khagaria)	EL	LECTRONIC MECHANIC	02 (1+1)	02 (1+1)	ELECTRONIC MECHANIC	02 (1+1) (SCVT)	2	20	1	8 1	IB NA	Dwn	As per	3,65 एकड़	available a	avallable a	as available a	available a	Annexture	Annexture	
Industrial Training Institute, Gogari (Khagaria)	FT	ITTER	02 (1+1)	02 (1+1)	FITTER	02 (1+1) (SCVT)	1	19	9 1	9 1	9 NA	Own	As per	3.65 एकड़	available a	available a	a avallable a	avallable a	Annexture	Annexture	
Industrial Training Institute, Gogari (Khagaria)	IC	CTSM	02 (1+1)	02 (1+1)	ICTSM	02 (1+1) (SCVT)	1	16	6 1	18 1	B NA	Own	As per	3.65 एकड़	available :	avallable a	ar available a	avallable a	Annexture	Annexture	
Industrial Training Institute, Gogari (Khagaria)	w	VELDER	02 (1+1)	02 (1+1)	WBLDBR	02 (1+1) (SCVT)	2	25	25 2	2 2	22 NA	Own	As per	3,65 एकड़	available :	avallable a	a avallable a	avallable a	Annexture	Annexture	
Industrial Training Institute, Gogari (Khagaria)	M	IACHANIC DIESEL	02 (1+1)	02 (1+1)	MACHANIC DIESEL	02 (1+1) (SCVT)	3	39	19 4	1 4	1 NA	Own	As per	3.65 एकड़	available :	avallable a	ar available r	avallable a	Annexture	Annexture	
Industrial Training Institute, Gogari (Khagaria)	AT ITT UI	LECTRICIAN	02(1+1) Unit	02(1+1) Unit	ELECTRICIAN(SCVT)	02 (1+1) (SCVT)	9	20 1	18 1	19 12	21	Dull-Hara	Under	Yes	Yes, As	Yes, As	Yes, As	Yes, As	Under	attached	Recommended
Training Institute, Gogari (Khagaria)		TTTER		02(1+1) Unit	PITTER(SCVT)	02 (1+1) (SCVT)		20					Process	1	per Norms	per Norm	s per Norms	s per Norms	Process		
(Khagaria)	Et	LECTRONICS MECHANIC	02(1+1) Unit	02(1+1) Unit	ELECTRONICS MECHANIC(SCVT)	02 (1+1) (SCVT)	- 3	20	1	16		1									
		CTSM		02(1+1) Unit	ICTSM(SCVT)	02 (1+1) (SCVT)		16 24	2	7			1								
GOVT. ITLSIWAN New		VELDER MECHANIC DIESEL	102(1+1) Unit	02(1+1) Unit 02(1+1) Unit	WELDER(SCVT) MECHANIC DIESEL(SCVT)	02 (1+1) (SCVT) 02 (1+1) (SCVT)		38	1 2	mand						1					
		LECTRICIAN	02(1+1)	02 (1+1)	BLECTRICIAN	02 (1+1) (SCVT)		21 1	_+:		IO NA	OWN	YES Total-	yes (794	YES (160	YES (31	YES (30	YBS (60		YES(Attac	Recommend
	_	LECTRONIC MECHANIC	02(1+1)	02 (1+1)	BLECTRONIC MECHANIC	02 (1+1) (SCVT)		17		19		LAND	65 KW)	sqm)	YES (120	YES (31	sqm)	sqm)	hed with	hed with	
		TTTER	02(1+1)	02 (1+1)	FITTER	02 (1+1) (SCVT)		20	1	-		(20396sq			YRS	YES (31	-		annexure-	annexure-	
										10		m)			4400444	_	-	1	"	"	
		CTSM.	02(1+1)	02 (1+1)	ICTSM.	02 (1+1) (SCVT)		18	1			1			YES (210	YES (31	-				
	М	MECHANIC DIESEL	02(1+1)	02 (1+1)	MECHANIC DIESEL	02 (1+1) (SCVT)		30	4	¥1					YES (210	YES (31					
	w	VELDER	02(1+1)	02 (1+1)	WELDER	02 (1+1) (SCVT)		26	7	25					YES (160	YES (31					
GOVT. LT.1 NEW		ltter	2(1+1) SCVT	02 (1+1)	Pitter (SCVT)	02 (1+1) (SCVT)		21 1	16	17 13	38 NA	own	65 KW	YES	105 Sq. M	. 30 Sq. M.	26 Sq. M.	60 Sq. M.	YES	YES	Recommend
MAHARAJGANI, NEW		llectrician	2(1+1) SCVT		Blectrician (CVT)	02 (1+1) (SCVT)		21	-	19	NA	LAND (3 ACRES)	(APPLIED	)	100 Sq. M				YES YES	YES	

NEW   Mechanic Disel   2(1+1) SCVT   02 (1   1) NEW   Welder   2(1+1) SCVT   02 (1   1) NEW   Welder   2(1+1) SCVT   02 (1   1) NEW   Welder   2(1+1) SCVT   02 (1   1) NEW   NEW   Welder   2(1+1)   2	nits ecommended by I	Existing Trade	Affiliated Units Shift Wise	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018- 19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019- 20	Send All existing Affilation order of the included ITI in the	Land lease valld	Power connectio n as per norms	Building as per norms	workshop space	room	(T lab	Hall	y of Machiner y, Tools & Eqipment s	qualificati on & Document s	Remarks
NEW   Mechanic Dise    2(1+1) SCVT   02(1+1) NEW   NEW   Welder   2(1+1) SCVT   02(1+1) NEW   Welder   2(1+1) SCVT   02(1+1) SCVT   02(1+1) NEW   Welder   2(1+1) SCVT   02(1+1) SCVT   02(1+1) NEW   Welder   2(1+1) SCVT   02(1+1)	2 (1+1)	Mechanic Electronic (SCVT)	02 (1+1) (SCVT)	19	1	18		NA				65 Sq. M.	43 Sq. M.			YES	YES	
NEW   Weider   2(1+1) SCYT   02(1+1) INDUSTRIAL TRAINING INSTITUTE, MOHANIA, KAIM UR   ELECTRICIAN   2(1+1)	2 (1+1)	ICTSM (SCVT)	02 (1+1) (SCVT)	19	1	19	1	NA	1			70 Sq. M.	43 Sq. M.			YES	YES	
AS   GOVT.	2 (1+1)	Mechanic Disel (SCVT)	02 (1+1) (SCVT)	-39	1	41	1	NA	1			150 Sq. M.	55 Sq. M.			YES	YES	
INDUSTRIAL	2 (1+1)	Welder (SCVT)	02 (1+1) (SCVT)	27	1	24	1	NA	1			80 Sq. M.	55 Sq. M.			YES	YES	
INSTITUTE,   MOMANIA, KAIM   UR	1+1)	ELECTRICIAN(SCVT)	02 (1+1) (SCVT)	18	16	19	19	NA NA	OWN BUILDING	APPLIED AS PER	AVAILABL E AS PER	210.02 Sq.	61.5 sq.m	70_22 sq_m	152,3 sq.mm	Yes(enclose ed with	ATTACHE D	Recommended
MOHANIA, KAIM UR	1+1)	FITTER(SCVT)	02 (1+1) (SCVT)	18	16	17	17	NA NA	OWN	APPLIED	AVAILABL	176 sq.m	63 sq.m	70,22 sq m		Yes(enclos	ATTACHE	
UR	1+1)	EM(SCVT)	02 (1+1) (SCVT)	19	19	18	18	NA.	OWN	APPLIED	AVAILABL	210.18	63.08 sq.m	70,22 sq.m	152.3	Yes(enclos	ATTACHE	
WELDER   2(1+1)   2	1+1)	ICTSM	02 (1+1) (SCVT)	15	15	12	12	NA NA	OWN	APPLIED	AVAILABL	160 sq.m	61.6 sq.m	70.22 sq m	152.3	Yes(enclos	ATTACHE	
WELDER   2(1+1)   2		MECH DIESEL(svt)	02 (1+1) (SCVT)	40	40	42	4	2 NA	DWN DING	APPLIED	AVAILABL		62,25sq.m	70.22 sq.m	an our	Yes(enclos	0	
Semina Bazar, Bagain, West Champaran, Bilbar   Semina Bazar, Bagain, West Champaran, Bilbar   MECHANIC ELECTRONICS   Q2 (1+1)   Q2		WELDER(scvt)	02 (1+1) (SCVT)	23		1		NA.	OWN	APPLIED	AVAILABL			70.22 sq.m		Yes(enclos		
Semita Bazari	2 (1+1)	ELECTRICIAN	02 (1+1) (SCVT)	20	-	_	_	_	YES	YES	YES	YES	YES	YES	YES	YES	144 11401111	Recommended
Champaran, Bihar	2 (1+1)	FITTER	02 (1+1) (SCVT)	20	4	17	1										****	
Bihar		MECHANIC ELECTRONICS ICTSM	02 (1+1) (SCVT) 02 (1+1) (SCVT)	19		16	+									1		
ATT   A   A   A   A   A   A   A   A	2(1+1)	MECHANIC DIESEL	02 (1+1) (SCVT)	39	4	45								1				
Narkatiyaganj, West Champaran, Bihar   MECHANIC ELECTRONICS   02 (1+1)   02	2(1+1)	WELDER ELECTRICIAN	02 (1+1) (SCVT) 02 (1+1) (SCVT)	19		23 19	148		YES	YES	YES	YES	YES	YES	YES	YES	YES	Recommended
West   Champaran, Bihar   WECHANIC ELECTRONICS   Q2 (1+1)   Q2 (	2 (1+1)	PITTER	02 (1+1) (SCVT)	21		18	140	1	1103	1 63	163	1123	163	163	163	163	183	Recommended
Bihar	2 (1+1)	MECHANIC BLECTRONICS	02 (1+1) (SCVT)	21	4	21			1									
WELDER   02(1+1)   02	2 (1+1)	MECHANIC DIESEL	02 (1+1) (SCVT) 02 (1+1) (SCVT)	15		46	1		l									
MANIHARI, KATI	2 (1+1)	WELDER	02 (1+1) (SCVT)	28	}	29												
HAR	2(1+1)	Electrician Mech.Electronic	02 (1+1) (SCVT) 02 (1+1) (SCVT)	20	125	19	147	7 NA	LAND	YES (40 K.W a/f)	YES	YES	YES (25 SQM)	YES	YES	YES (Attached)	YES	Recommende
	2 (1+1)	Fitter	02 (1+1) (SCVT)	14		19			(14164SQ	IC.VV a/IJ			SQM)			(Attached)	(Attached)	
Welder   02/1+1   02	2[1+1]	ICTSM	02 (1+1) (SCVT)	17		19			M)							Annexure-	Аппехиге-	
SOUTHIND STITUTE, BHE   STITER   STIT	2 (1+1)	Mech. Diesel Weider	02 (1+1) (SCVT)	38		42 28												
SOUTH   STATE   STAT	1+1)	ELECTRICIAN(SCVT)	02 (1+1) (SCVT)	21			20	NA NA	OWN	APPLIED	AVAILABL	AVAILABL	VANITABL	AVAILABL	AVAILABL	Yes(onclos	ATTACHE	Deferred
CTSM   2(1+1)   2(1	1+1]	FUTTER(SCVT)	07 (1+1) (SCVT)	2.1	2.1	20	20	) NA	OWN	APPLIED	AVAILABL	AVAILABL.	AVAILABL	AVAILABL	AVAILABI.	Yes(enclos	ATTACHE	
ARERAJ, EAST CHAMPARAN  BECTRONIC MECHANIC  PITTER  02 (1+1) 02 (  ICTSM  02 (1+1) 02 (  MECHANIC DIESEL  02 (1+1) 02 (  WELDER  02 (1+1) 02 (  ELECTRONIC MECHANIC  02 (1+1) 02 (  WELDER  02 (1+1) 02 (  ICTSM  02 (1+1) 02 (  WELDER  02 (1+1) 03 (  WELDER  02 (1+1) Unit 02 (  WELDER	[1+1]	ICTSM.	02 (1+1) (SCVT)	S		13	13	NA S	OWN BUILDING	APPLIED AS PER NORMS (25KW)	AVAILABI. E AS PER NORMS	AVAILABL E AS PER NORMS	AVAITABL E AS PER NORMS	AVAILAIIL E AS PER NORMS	AVAILABI, E AS PER NORMS	Yes(enclos ed with annexure- ill)	ATTACHE D ENCLOSU RE IN ANNEXUR	
ARBRAJ, EAST CHAMPARAN    BLECTRONIC MECHANIC   02 (1+1)   02 (1+1	2 (1+1)	BLECTRICIAN (SCVT)	02 (1+1) (SCVT)	20	20	19	10	9 NA	OWN	YES(TOTA	VES/TOTA	VES/160ra	VECTTION	VESTANOR	YES(60sqn	VES(attach	E-III VEC(attack	Recommende
FITTER   02(1+1)   02(		BLECTRONIC MECHANIC (SCVT)	02 (1+1) (SCVT)	19				NA PINA	OWN	YES(TOTA		YES(120sq	PARTY DESCRIPTION		YES(60sqm			Kecommende
ICTSM   02(1+1)   02(					1				LAND(121	11-50(nw)	la.	- Constant				ed	ed	
MECHANIC DIESEL   02 (1+1)   02	2 (1+1)	FITTER(SCVT)	02 (1+1) (SCVT)	16	10	19	19	9 NA	OWN	YES(TOTA	YES(TOTA	YES(176.96	YES(31sqn	YES(30sqn	YES(60sqm	YES(attach	YES(attach	
WELDER	2 (1+1)	ICTSM	02 (1+1) (SCVT)	16	10	10	16	B NA	OWN	YES(TOTA	YES(TOTA	YES(210sq	YES(31sqm	YES(30sqn	YES(60sqm	YES(attach	YES(attach	
S1 GOVT TI   RAXAULEAST   CHAMPARAN   SELECTRICIAN   O2(1+1)   O2(	2 (1+1)	MECHANIC DIESEL(SCVT)	02 (1+1) (SCVT)	40	44	45	45	5 NA	OWN	YES(TOTA	YES(TOTA	YES(210sq	YES(31sqr	YES(30sqn	YES(60sqn	YES(attach	YES(attach	
RAXAUL, EAST	(1+1)	WELDER(SCVT)	02 (1+1) (SCVT)	29	29	26	26	NA B	OWN	YES(TOTA	YES(TOTA	YES(160sq	YES(31sqn	YES(30sqn	YES(60sqn	YES(attach	YES(attach	
CHAMPARAN     ELECTRONIC MECHANIC   O2 (1+1)   O2 (1+	2 (1+1)	BLECTRICIAN (SCVT)	02 (1+1)	20	20	20	20	NA	OWN	YES(TOTA	YES(TOTA	YES(160sq	YES(31sqri	YES(30sqn	YES(60sqn	YES(attach	YES(attach	Recommende
FITTER   02 (1+1)	2 (1+1)	BLECTRONIC MECHANIC (SCVT)	02 (1+1)	20	20	19	19	9 NA	OWN	YES(TOTA	YESCTOTA	YES(120sq	YES(31sqm	YES(30sqn	YES(60sqn	YES(attach	YES(attach	
ICTSM   02 (1+1)   0		FITTER(SCVI)		16	11	19	10	9 NA	LAND	I-50kw) YES(TOTA	le .			2 2		ed	ed YES(attach	
MECHANIC DIESEL   02(1+1)   2(1   WELDER   02(1+1)   02(1+1)   02(1+1)   02(1+1)   03(1+1)   0			02 (1+1)						LAND	I. Efferia	1	YES(176.96			YES(60sqn	and .	44	
WELDER   02(1+1)   2(1)	2 (1+1)	ICTSM	02 (1+1)	17		73		4 NA	OWN	YES(TOTA		YES(210sq			YES(60sqn		YES(attach	
SZ GOVT.   NEW ITI   ELECTRICIAN   02(1+1) Unit   02(1-1) Unit	(1+1)	MECHANIC DIESEL(SCVT)	02 (1+1)	39	_			5 NA	OWN	YES(TOTA		YES(Z10sq			YES(60sqrr	24		
Industrial   FITTER   O2(1+1) Unit   O2(1-1) Unit	(1+1)	WELDER(SCVT)	02 (1+1)	25			_	0 NA	OWN	YES(TOTA	YES(TOTA		YES(31sqm	YES(30sqn	YES(60aqn	YES(attach	YES(attach	
Training   ELECTRONICS MECHANIC   C2(1+1) Unit   C27     Institute,   ICTSM   C2(1+1) Unit   C27     Khagaria   WELDER   C2(1+1) Unit   C27     MECHANIC DIESEL   C2(1+1) Unit   C27     PURNEA   FITTER   C2(1+1) Unit   C27     ELECTRONICS MECHANIC   C2(1+1) Unit   C27     ELECTRONICS MECHANIC   C2(1+1) Unit   C27     UNIT   UNIT   UNIT     UNIT   UNIT   UNIT     UNIT   UNIT   UNIT   UNIT     UNIT   UNIT   UNIT   UNIT     UNIT   UNIT   UNIT   UNIT     UNIT   UNIT   UNIT   UNIT   UNIT     UNIT   U		BLECTRICIAN(SCVT)	02(1+1) Unit	21			-4	2 NA	OWN	YES(TOTA	YES(794S	YES(160	YES(25	YES(50	YES(60	YES(attach	YES(attach	Recommended
Institute,   ICTSM   02(1+1) Unit   02(		FITTER(SCVT) ELECTRONICS MECHANIC(SCVT)	02(1+1) Unit 02(1+1) Unit	21		20			LAND(106	L-5KW)	QM)	SQM)	SQM)	SQM)	SQM)	annexure-	ed annexure-	
MECHANIC DIESEL   02(1+1) Unit   0		ICTSM(SCVT)	02(1+1) Unit	17	2	17	Ē		SQM)							B & 9)	8 & 9)	
S3   GOVT. ITI BAIS    NEW ITI   SLECTRICIAN   02(1+1) Unit   02		WELDER(SCVT)	02(1+1) Unit	30	9	44	4											
PURNEA FITTER 02(1+1) Unit 02(  ELECTRONICS MECHANIC 02(1+1) Unit 02(  ICTSM 02(1+1) Unit 02(  WELDER 02(1+1) Unit 02(		MECHANIC DIESEL(SCVT)  ELECTRICIAN(SCVT)	02(1+1) Unit 02(1+1) Unit	21	0 13	29	136	6 NA	Govt	Applied	Yes. As	Yes, As	Yes, As	Yes, As	Yes, As	Under	AS	Recommended
ELECTRONICS MECHANIC   O2(1+1) Unit   O2(1   1) Unit		FITTER(SCVT)	02(1+1) Unit	20		16	130	T'''	Land	for 48	,	per Norms	per Norms		per Norms		enclosed	, commended
ICTSM   O2(1+1) Unit   O2(   WELDER   O2(1+1) Unit   O2(	2(1+1) Unit	ELECTRONICS MECHANIC(SCVT)	02(1+1) Unit	20	0	19	2			KWYES					0.87052052055		anx- 1[]	
	2(1+1) Unit	ICTSM(SCVT) WELDER(SCVT)	02(1+1) Unit	10	6	23	4							1				
		MECHANIC DIESEL(SCVT)	02(1+1) Unit 02(1+1) Unit	39		35	5											
54 GOVT, ITI   Electrician   2(1+1)   2(1+1)	(1+1)	Electrician	02 (1+1)	16			144	4 N/A	N/A	Govt.	Applied for	YES	YES	YES	YES	YES	AS	Recommended
BANMANKHI, PURNEA Electronics mechanics 2(1+1) 2(1-	(1+1)	Electronics mechanics	02 (1+1)	12	5	20	144	4	1."	Land							enclosed anx- III	

Or

	Code// ation Number	Applic	ht For Affiliation		Recommended by SCI	Existing Trade	Affiliated Units Shift Wise	Student enroll in 2018-19 session with Trade wise	student enrolled in 2016- 19	enroll in 2019-20 session with Trade wise	enrolled In 2019- 20	existing Affilaltion order of the included ITI in the	Land lease valld	connectio n as per norms		workshop space	room		Hall	y of Machiner y, Tools & Eqipment	qualificati on & Document s	
		FITTER Welder		2(1+1) 2(1+1)	2(1+1)	FITTER Welder	02 (1+1)	21														
		Diesel mechanic		2(1+1)	2(1+1)	Diesel mechanic	02(1+1)	40	0		12 14	14							luna .	unar	Mark to 1	
55 GOVT. I.T.I. BELSAND,SI		ELECTRICIAN		0Z (1+1)	02 (1+1)	ELECTRICIAN	02 (1+1)	16				9 NA	LAND	L-36kw)	YES(TOTA	(88cam)	(25com)	(27.5com)	(50rom)	ed	VES(attach	Recommended
ARHI	ILAFI	ELECTRONIC ME	CHANIC	02 (1+1)	02 (1+1)	ELECTRONIC MECHANIC	02 (1+1)	16	8		18		(2509	A/F	964.5sqm)	(56mm)	YES(25sq m)	YES (27.5sqm)	YES (50sam)	YES(attach	YES(attach	
	1	FITTER		02 (1+1)	02 (1+1)	FITTER	02 (1+1)	20	0		18		sqm)			YES	l''''	(27.03411)	(Sosqiii)	annexure-	annexure-	
		ICTSM		02 (1+1)	02 (1+1)	ICTSM	02 (1+1)	14			14					YES				2)	[7]	
		MECHANIC DIES	EL	02 (1+1)	2 (1+1)	MECHANIC DIESEL	02 (1+1)	37			40					YES				1		
		WELDER		02 (1+1)	2 (1+1)	WELDER	02 (1+1)	27		1	20		aua:	wee	Wee	con a	AD ROUGH	YES	YES	YES	YES	Recommended
56 ITI IHANIHARPI	DIIR	FITTER		02(1+1)	02(1+1)	FUTTER	02(1+1)SCVT 02(1+1)SCVT	20			19 13	NA NA	OWN LAND	YES	YES	98.85qm 100.85qm	42.4Sqm 43.7Sqm	1183	EBS:	(Enclosed	(Enclosed	Recommended
MADHUBAN		ELECTRONICS M	IECHANIC	02(1+1)	02(1+1)	ELECTRONICS MECHANIC(SCVT)	02(1+1)SCVT	19	9		16	NA.	(12140			67.62Sqm	42.75qm	]		with	with	
		MECHANIC DIES	es ·	02(1+1)	02(1+1)	MECHNIC DIESEI(SCVT)	02(1+1)SCVT 02(1+1)SCVT	17			16 41	NA NA	Sqm)			102.82Sqn 210.08Sqn		1		annexture	annexture	
		WELDER		02(1+1)	02(1+1)	WELDER(SCVT)	02(1+1)SCVT	20	6		26	NA				80.04Sqm	42Sqm					
57 GOVT. I.T.I.		ELECTRICIAN		02 (1+1)	02 (1+1)	BLECTRICIAN	02(1+1)SCVT	20	0 13	7	18 13	35 NA	LAND	VES(TOTA L-36kw)	YES(TOTA	YES (OPERM)	YES (25sqm)	(27.5som)	YBS (50sqm)	YES(attach	VES(attach	Recommended
PUPRI,SITAI H1	MAIM	ELECTRONIC MI	CHANIC	02 (1+1)	02 (1+1)	BLECTRONIC MECHANIC	02(1+1)SCVT	2			10		(12141 sqm)	J. J. Killy	964.5sqm)	YES (56sam)	,,,		1	annexure-	annexure-	
		FITTER		02 (1+1)	02 (1+1)	FITTER	02(1+1)SCVT	14	9		17		pqinj			YES				"	[ ]	
		ICTSM		02 (1+1)	02 (1+1)	ICTSM	02(1+1)SCVT	14	6		15					YES						
		MECHANIC DIES	BL	02 (1+1)	2 (1+1)	MECHANIC DIESEL	02(1+1)SCVT	3,	7		41					YES						
		WELDER		02 (1+1)	2 (1+1)	WELDER	02(1+1)SCVT	2-	4		26				1	YES						
58 GOVT. ITI	NA	BLECTRICAN		2 (1+1)	2 (1+1)	BLECTRICAN	SCVT 2 (1+1)	2	0 15	2	19 14	47 NA	YES OWN	YES 15	As per	YES	YES	YES	YES	YES	YES	Recommended
SAMASTIPU	JR	FITTER		2 (1+1)	2(1+1)	FITTER	SCVT 2 (1+1)	2			19		LAND	Kw is available	norms Institute							
		MECHANIC ELE	CTRONIC	2(1+1)	2(1+1)	MECHANIC ELECTRONIC	SCVT 2 (1+1) SCVT 2 (1+1)	2		_	19			& Power	Bullding					1		
1		MECHANIC DIE	SEL	2(1+1)	2(1+1)	MECHANIC DIESEL	SCVT 2 (1+1)	4	0	_	46			extention is Applied	is under constructi							
	40404	WELDER		2(1+1)	2(1+1)	WELDER	SCVT 2 (1+1)	3	7		17	73 Before-	OWN	YES	YES	YRS	YES	YES	YBS	YES	YES	Recommended
59 GOVT. ITI BIRPUR SU		000043 Electrician		02 (1+1)	02 (1+1)	Blectrician (SCVT)	02 (1+1)			_	18	1974(DGE	LAND				YES	(TOTAL-	(TOTAL-	(Enclosed	(Enclosed	Necommended
		Fitter		02 (1+1)	02 (1+1)	Fitter (SCVT)	02 (1+1)	2	12		- 4	T-	04 Acre	(TOTAL- 35KW)	(TOTAL-	YES		61 Sqm)	51.06 Sqm)	with Annexure	with Annexure-	
		Electronic Mech	anlc	02 (1+1)	02 (1+1)	Electronic Mechanic (SCVT)	02 (1+1)	2			20	6/0/0/0- TC)		33KW)	1380 Sqm		YES	1	Jaqiii)	III)	III)	
		Draughtsmen (C	ivilj	02 (1+1)	02 (1+1)	Draughtsmen (Civil) (SCVT)	02 (1+1)	2	10		18					YES	YES					
60 GOVT. ITI TRIVENIGA	ANESAU	Blectrician		02 (1+1)	02 (1+1)	Electrician(SCVT)	02 (1+1)	2	14	.9	19 1	47 NA	OWN LAND	ARZ	YES	YES	YES	YES (TOTAL-	YES (TOTAL-	YES (Enclosed	YES (Enclosed	Recommende
PAUL	(2)	Fitter		02 (1+1)	02 (1+1)	Fitter (SCVT)	02 (1+1)	2	20		19	NA	2.89	(TOTAL-	(TOTAL-	YES	YES	62 Sqm)	55 Sqm)	with Annexure	with Annexure-	
		Electronic Mech	anic	02 (1+1)	02 (1+1)	Blectronic Mechanic (SCVT)	02 (1+1)	2	20		17	NA	Acre	20 KW)	1380 Sqm	YES	YBS	1		III)	III)	
		ICTSM		02 (1+1)	02 (1+1)	ICTSM (SCVT)	02 (1+1)	2	20		17	NA	1			YES	YES	1		1	·	
	-	Mech.Diesel		02 (1+1)	02 (1+1)	Mech_Diesel (SCVT)	02(1+1)SCVT	4	ю		45	NA		1		YBS	YES	1				
		Welder		02 (1+1)	02 (1+1)	Welder (SCVT)	02(1+1)SCVT	2	_		30	NA	1			YES	YES	1				
61 GOVT, ITI	Now	ELECTRICIAN		02 (1+1)	02 (1+1)	BLECTRICIAN	02(1+1) SCVT	2	20 14	7	20 1	46 NA	OWN	YESTOTA	YES(TOTA	YES(160s	YES(31sqr	YES(30sq	m YES(60sq	m YES(attac	h YES(attach	Recommende
SHEOHAR		ELECTRONIC M	ECHANIC	02 (1+1)	02 (1+1)	BLECTRONIC MECHANIC	02(1+1) SCVT	2			19			L-70kw)	L-	YES(120s	-4			ed With	ed With	
	- 4							2	20	_	20		96 sqm)		794sqm)	YES(176.9	261			3)	3)	
	- 1	FITTER		02 (1+1)	02 (1+1)	FITTER	02(1+1) SCVT						1				_					
		ICTSM		02 (1+1)	02 (1+1)	ICTSM	02(1+1) SCVT		19		18					YES(210s				1		
		MECHANIC DIE	SEL	02 (1+1)	2 (1+1)	MECHANIC DIESEL	02(1+1) SCVT	4	10		42					YES(210s	7.0			1		
		WELDER		02 (1+1)	2 (1+1)	WELDER	02(1+1) SCVT		26		27					YES(160s	(1)					
62 GOVT. ITI		ELECTRICIAN		2(1+1)	2(1+1)	ELECTRICIAN(SCVT)	02(1+1)SCVT	2	21 1	32	19 1	44 NA	(OWN LAND(	YES (TOTAL	YES (98 SOM)	YES(160 SOM)	YES(31.39 SOM)	YES	ARZ	YES (ENCLOSI	YES(ENCL	Recommende
SONPUR SA	ARAN	FITTER		2(1+1)	2(1+1)	FITTER(SCVT)	02(1+1)SCVT	2	20		19	NA	2.98	50KW)A/		YES(1785		7		YES	YES(ENCL	
		MECHANICS EL	ECTRONICS	2(1+1)	2(1+1)	MECHANICS BLECTRONICS (SCVT)	02(1+1)SCVT	1	19		19	NA	ACRES)		YES(56 SQM)	YES(120 SQM)	YES(30.86 SQM)	3		YES (ENCLOS	YES(ENCL B OSED	
		ICTSM		2(1+1)	2(1+1)	ICTSM (SCVT)	02(1+1)SCVT	1 1	18		18	NA	1		YES(70	YES(210	AE2(30'96	1		YES	YES(ENCL	1
		WELDER		2(1+1)	2(1+1)	WELDER(SCVT)	02(1+1)SCVT	1	19		30	NA	1		YES(80	YES(160	YES(30.66	1		AER	YES (ENCL	1
		MECHANICS.DI	ESEL	2(1+1)	2(1+1)	MECHANICS.DIESEL(SCVT)	02(1+1)SCVT	3	35		39	NA	1		YES(150	YES(210	YES(30,66	-		YES	YES(ENCL	1
63 GOVT.		BLECTRICIAN		02 (1+1)	02 (1+1)	BLECTRICIAN (SCVT)	02 (1+1) (SCVT)		20 1	35	22 1	40 NA	OWN	YES	YES	SOMO	SOM).	YES	YES	YES	YES	Recommend
INDUSTRU									_		_0		LAND	SEC.	25.5	1		2,725	-	Enciosed	/Enclosed	
TRAINING		FITTER		02 (1+1)	02 (1+1)	FITTER (SCVT)	02 (1+1) (SCVT)		19		19	NA	(4.0Acre)	1						sed with	sed with	1
INSTITUTE		MECHANIC Ele	ctronics	02 (1+1)	02 (1+1)	MECHANIC Electronics (SCVT)	02 (1+1) (SCVT)	)   2	Ži		10	NA			1	1	1	1	1	YES(encle	YES(enclo	

		MIS Code/Applic ation Number	New Trade Sought For Affillation	Units	Units Recommended by SCI	Existing Trade	Affiliated Units Shift Wise	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018- 19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019- 20	Send All existing Affilation order of the included ITI in the		connectio	Building as per norms	workshop space	Class room	IT lab	Drawing Hall		qualificati	Remarks
MAD	DHUBANI		ICTSM	02 (1+1)	02 (1+1)	ICTSM (SCVT)	02 (1+1) (SCVT)	16		15		NA								YES(enclo	YES(enclo	
1				02 (1+1)	02 (1+1)	MECHANIC DIESEL (SCVT)	02 (1+1) (SCVT)	39		39		NA										
4 GOV	T		WELDER ELECTRICIAN	02 (1+1)	02 (1+1)	WELDER (SCVT) ELECTRICIAN (SCVT)	02 (1+1) (SCVT) 02 (1+1) (SCVT)	20	130	18	136	NA NA	TAGGED	TAGGED	TAGGED	TAGGED	TAGGED	YES	YES	YES	YES	Recommende
TRA	USTRIAL INING			02 (1+1)	02 (1+1)	FITTER (SCVT)	02 (1+1) (SCVT)	16		17		NA	WITH ITI DIGHA	WITH ITI DIGHA	WITH ITI DIGHA	WITH ITI DIGHA	WITH ITI DIGHA			(Enclosed YES(enclo	(Enclosed	
BIH	TITUTE TA,DANAPU		MECHANIC Electronics	02 (1+1)	02 (1+1)	MECHANIC Electronics (SCVT)	02 (1+1) (SCVT)	19		20	1	NA	GHAT,PAT NA	GHAT,PAT NA	NA NA	NA NA	NA NA			YES(enclo		ĺ
R,PA	ATNA	1		02 (1+1)	02 (1+1)	ICTSM (SCVT)	02 (1+1) (SCVT)	17		17	1	NA	1							YES(enclo		
1		))	MECHANIC DIESEL	02 (1+1)	02 (1+1)	MECHANIC DIESEL (SCVT)	02 (1+1) (SCVT)	38	4	43		NA NA	-			1		-				
5 GOV	ERNMENT		WELDER ELECTRICIAN	02 (1+1)	02 (1+1)	WELDER (SCVT) ELECTRICIAN	02 (1+1) (SCVT) 02 (1+1) (SCVT)	24	133	21	141	NA NA	yes	45KW	yes	98X1=98	25*1=25	27 sq. Mts	50	ACCORDIN	ATTACHE	Recommende
	USTRIAL	. 0	FITTER	02 (1+1)	02 (1+1)	FITTER	02 (1+1) (SCVT)	20		20				(AF)	,	88X1=88	25*1=25	1	1	GTO	D	
	INING		ELECTRONICS MECHANIC	02 (1+1)	02 (1+1)	ELECTRONICS MECHANIC	02 (1+1) (SCVT)	20		20						56X1+56	25*1-25	-	1 7	NORMS		in .
	TITUTE,PIRO	h	MECHANIC DIESEL	02 (1+1)	92 (1+1) 92 (1+1)	MECHANIC DIESEL	02 (1+1) (SCVT)	39	4	15 45	1					70X1=70 210X1=21	25*1=25	-		AVILABLE	1	
	THUA,DISTRI BHOJPUR	). I					02 (1+1) (SCVT)		1									4	1			
	men ITI	-	WELDER Blectrician	02 (1+1)	02 (1+1)	WELDER Electrician	02 (1+1) (SCVT) 02 (1+1) (SCVT)	24	50	23	40	N/A	Up to own	Ves	Yes	80X1=80 Yes	25*1=25 Yes	Yes	Yes	Yes	Yes	Recommend
	angabad		ELECTRONIC MECHANIC	02 (1+1)	02 (1+1)	ELECTRONIC MECHANIC	02 (1+1) (SCVT)	15		16	4	7"/"	building			1,,,,	1.00	1	1	1	"	, moconinent
1	,		MCEA	02 (1+1)	02 (1+1)	MCEA	02 (1+1) (SCVT)	1 6	1	11	1		Construct			l.	L		1			
			ICTSM	02 (1+1)	02 (1+1)	ICTSM	02 (1+1) (SCVT)			5												
		NEW	ELECTRICIAN	0Z [1+1]	02 (1+1)	BLECTRICIAN	02 (1+1) (SCVT)	20	34	17	59	NA NA	OWN		YES(TOTA				YES(150sq	YES(attach	YES(attach	Recommen
	SASARAM,		ELECTRONIC MECHANIC	02 (1+1)	02 (1+1)	ELECTRONIC MECHANIC	02 (1+1) (SCVT)		1	14	1			L-50kw)	լ 6130 50sq		m)	m)	m)	annexure-	ed annexure-	
HOF	HTAS		MCEA	02 (1+1)	02 (1+1)	MCEA	02 (1+1) (SCVT)	3		15	1	1	0 Acres)		m)	YES	1	1	1	8 & 9)	7)	
			ICTSM	02 (1+1)	02 (1+1)	ICTSM	02 (1+1) (SCVT)	2	1	13	4		1		J."'	YES	1		1	/	1	
CO.	VT MITI	NEW	ELECTRICIAN	02 (1+1)	02(1+1)	ELECTRICIAN	02 (1+1) (SCVT)	2/	4			NA NA	YES	YES	YES	YES	YES	YES	YES	YES	YES	Recommend
	VT WITI, hisarai	NEW	ICTSM	02 (1+1)	02(1+1)	ICTSM	02 (1+1) (SCVT)	20	4	18	31	'INA	1 62	182	1 63	165	122	155	183	163	1183	Recommend
- Dan	3113-4141		Mechanic Electronics	02 (1+1)	2 (1+1)	Mechanic Electronics	02 (1+1) (SCVT)	13		15	1							1				
			MCEA	02 (1+1)	2(1+1)	MCEA	02 (1+1) (SCVT)	10		9	1											
	/T. WITI		ELECTRICIAN	2(1+1)	2(1+1)	ELECTRICIAN(SCVT)	2(1+1)	19	7	20	68	NA E	YES(OWN	BUILDING	YES	YES	YES	YES	YES	yes(enclos	yes(enclos	Recommen
KAT	TIHAR		ELECRONIC MECHANIC	2(1+1)	2(1+1)	ELECRONIC MECHANICS (SCVT)	2(1+1)	17		17		NA	YES	BUILDING UNDER		YES UNDER	YES UNDER	YES UNDER	YES UNDER	yes(enclos ed	yes(enclos ed	
ı I			MCBA	2(1+1)	2(1+1)	MCEA(SCVT)	2(1+1)	18	1	16		NA	YES	BUILDING		YES	YES	YES	YES	yes(enclos	yes(enclos	
1			ICTSM	2(1,1)	2(1,1)	ICTSM(SCVT)	2(1+1)	17	1	15		NA	YES	BUILDING	UNDER	YES	UNDER YES	YES	YES	vestancios	yes(enclos	1
1_			IC 13M	2(1+1)	2(1+1)	1C13M(3CV1)	2(1+1)	1		13		130	163	UNDER	UNDER	UNDER	UNDER	UNDER	UNDER	ed	nd	
	VT WOMEN BANKA	NEW	BLECTRICIAN	02 (1+1)	02 (1+1)	BLECTRICIAN	02 (1+1)	16	4	17	44	NA NA	DWN LAND(4.7	YES(TOTA L-50kw)	YES(TOTA	YES(211sc	YES(31sqn	T YES(94.18	YES(150sq	ed	ed	Recommend
		1	ELECTRONIC MECHANIC	02 (1+1)	02(1+1)	ELECTRONIC MECHANIC	02 (1+1)	10	1	16			2 Acres)		6130,58sq	182 1210		1		8 & 9)	annexure- 7)	
11			MECA	02 (1+1)	02 (1+1)	MECA	02 (1+1)	1	1	- 8					11117	YES(131sc	4			0 2 //	l''	
1 00	PEMONEN		ICTSM Plantelelen	02 (1+1)	02 (1+1)	ICTSM Electrician	02 (1+1)	20	2 4	15	20	6 NA	-	14.43 KW	Available	98 Sq.Mts	20 St Mile	20 So Me	. 40 Sq. Mts.	Ac par	List	Recommen
	VT WOMEN DUSTRIAL		Electrician Electronics	2(1+1)	2(1+1) 2(1+1)	Electronics	02 (1+1)	120		12		III.	-	14.43 KW	as per	56 Sq Mts			140 30, 1415,	norms	Elclosed	Kecontinen
	AINING		Mechanic	15(171)	J(1.1)	Mechanic	02(1.1)								NCVT	0004	300,			Available	0.0.000	
	TITUTE		ICTSM MCEA	2(1+1)	2(1+1) 2(1+1)	ICTSM MCEA	02 (1+1)		5	- 4					Norms	70 Sq Mts 56 Sq Mts	30 Sq. Mts 30 Sq. Mts					
721 GO	V. WOMAN		ELECTRICIAN	2(1+1)	12(1+4)	ELECTRICIAN	2(1:1)	2	1 4	6 17	44	1	YES	13 kw	YES	21			150	ATTACHE	ATTACHE	Deferre
	DUSTRIAL		RESTRONICS MECH.	2(1:1)	2(1+1)	ELECTRONICS MECH.	2(1(1)	1	1	11	4				(Under	12				D	D	
	MEN ITI		ELECTRICIAN	02 (1+1)	02 (1+1)	ELECTRICIAN(SCVT)	02 (1+1)(SCVT)	NA 31	NA.	NA 1	NA	NA	OWN	YES(TOTA	VESCTOTA	161.7	YES(25sq		YES(50sq	YES(enclo	YES(enclo	Recommen
	LANDA		abbe i Ricini	02 (141)	02 (1+1)	ELECTRICIAN(SCV1)	02 (1+1)(30+1)	luk.	lan.	liva.	l'in	l'in	LAND(121 40 sqm)	L-40kw A/F)	L- 794sqm)	m)	m)	qm)	m)	sed with	sed with	Kelommen
									4		1		-	1				-		-	1,	1
	MEN ITT		ELECTRONIC MECHANIC	02 (1+1)	02 (1+1)	ELECTRONIC MECHANIC(SCVT)	02 (1+1)(SCVT)	NA	1	NA		NA		1			YES(25sq	1		YES(enclo		1
INA	LANDA			1												m)	m)	1		sed with	sed with	
						L			1				1		1			1		III)	III)	
	OMEN ITI		MECHANIC CONSUMER	02 (1+1)	02 (1+1)	MECHANIC CONSUMER BLECTRONIC	02 (1+1)(SCVT)	NA	7	NA	1	NA	0			YES(56sq	YES(25sq	1		YES(enclo		
NA	LANDA		ELECTRONIC APPLIANCES			APPLIANCES(SCVT)			1	1	1			1	I	m)	m)	T		sed with	sed with	
					1				1		1				1		1	1		annexure-	annexure-	1
wo	OMEN ITT		INFORMATION COMMUNICATION	02 (1+1)	02 (1+1)	INFORMATION COMMUNICATION	02 (1+1)(SCVT)	NA	1	NA	1	NA				YES(70sq	YES(25sq	1		YESfencio	YES(enclo	1
	LANDA	1	TECHNOLOGY & SYSTEM	95 (2.2)	(3.12)	TECHNOLOGY & SYSTEM	12 (1/2)(00/1)	I		1						m)	m)			sed with	sed with	
			MAINTENANCE	1	1	MAINTENANCE(SCVT)		1	1											annexure-	annexure-	
			C Proportion A L	02.01-11	00.61-15	CI PETRICIAN	100 F4 L 41 2000 000	1					DIAIS:	VDC/ = -	une	00.60	25.60	·		Im	110	Davi.
74 WI	TI ADHUBANI		ELECTRICIAN ELECTRONICS MECHANIC	02 (1+1)	02 (1+1)	ELECTRICIAN ELECTRONICS MECHANIC	02 (1+1) (SCVT) 02 (1+1) (SCVT)	1	8 5	1	4 6	4 NA	LAND	YES(14.73 KW)	LRZ		25 (Sq m.) 25 (Sq m.)		Yes	Yes (enclosed	Yes (enclosed	Recommen
IMA	NUNGUNU		ICTSM	02 (1+1)	02 (1+1)	ICTSM	02 (1+1) (SCVT)	1	0	15	i	NA	(12140Sq	[KW)			25 (Sq m.)			with	with	
			MCEA	02 (1+1)	02 (1+1)	MCEA	02 (1+1) (SCVT)	1		14	-	NA	m.)			88 SQMT	25 (Sq.m.)	1		annexure-	annexure-	
	vernment	NEW ITI	ELECTRICIAN	02 (1+1)	02 (1+1)	ELECTRICIAN	02 (1+1) SCVT	1	9 5	2 1	5	9		YES	YES	YES	YES	YES	YES	YES	YES	Recommend
W	omen	I	MCEA	02(1+1)	02 (1+1)	IMCEA	102 (1+1) SCVT		8]		31	1	1	1	1	1	1		1		FI.	
						/ //	7													_	$\Omega$	

ITI N		MIS Code/Applic Atlon Number	New Trade Sought For Affiliation	Units	Units Recommended by SCI	Existing Trade	Affiliated Units Shift Wise	Student enroll in 2018-19 session with Trade wise	Total student enrolled In 2018- 19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019- 20	Send All existing Affilaltion order of the included ITI in the	Land lease valld	Power connectio n as per norms	Building as per norms	workshep space	Class room	IT lab	Drawing Hall	Machiner	Staff qualificati on & Document	Remarks
	ustrial		MECHANIC ELECTRONICS	02(1+1)	02 (1+1)	MECHANIC ELECTRONICS	02 (1+1) SCVT	20	2	16		lunu.										
76 GOV	Ining /T. WOMEN		ELECTRICIAN	02 (1+1)	02 (1+1)	ELECTRICIAN	02 (1+1) SCVT 02 (1+1) SCVT	18	2			NA NA	0wn	As per	4 एकड़	avallable	available	avallable	avallable	Annexture	Annexture	Recommended
ITI C	GOPALGANJ		ELECTRONIC MECHANIC	02(1+1)	02 (1+1)	ELECTRONIC MECHANIC	92 (1+1) SCVT	1 3		7	4		Building	norms 45KW		as per norms	norms	as per norms	as per norms	enclosed	enclosed	
			MCEA ICTSM	02 (1+1)	02 (1+1)	ICTSM	02 (1+1) SCVT 02 (1+1) SCVT	- 2	<u>l</u>	7				applied								
	VT WITI,	NEW	BLECTRICIAN	02 (1+1)	02 (1+1)	BLECTRICIAN	02 (1+1) SCVT	20	7.	17	64	1 NA	OWN LAND(2,3	YES	YES(TOTA	YES [161,00sq	YES(31sqn	YES(94.18	YES(150mg	YES(attach ed	YES(attach	Recommende
MAL	DHEPURA		BLECTRONIC	02 (1+1)	02 (1+1)	ELECTRONIC MECHANIC	02 (1+1) SCVT	19	9	19	9		0 Acres)		7250sqm)					annexure- 0 & 9)	annexure-	
			MECHANIC MCEA	02(1+1)	02 (1+1)	MCEA	02 (1+1) SCVT	19		12								1		0 84 93	"	
78 GOV	VT.		ELECTRICIAN	02(1+1)	02 (1+1)	ICTSM ELECTRICIAN	02 (1+1) SCVT 02 (1+1) SCVT	20		16	7 33	3 NA	OWN	YES Total-	yes [794	YES (160	AE2 (31	YES (30	YES (60	YES(Attac	YES(Attac	Deferred
WIT	TLSIWAN		ELECTRONIC MECHANIC	04(2+2)	02 (1+1)	ELECTRONIC MEGHANIC	02 (1+1) SCVT	18	0	16	5	1	LAND (2039650	65 KW)	(dw)	YES (120	sqm)	sqm)	sqm)	hed with annexure-	hed with annexure-	
			TCTSM.	02(1+1)	02 (1+1)	ICTSM.	02 (1+1) SCVT				-		in)	- 1		YES (210				3)	3)	
79 GOV	VT.		BLECTRICIAN	02(1+1)	02 (1+1)	BLECTRICIAN	02 (1+1) SCVT	19	9 6	4 16	5 55	5 NA	OWN	YES TOtal-		YES(160	YES(31	YES(30	YES(60	YBS(Attac	YES(Attac	Recommende
	TLKHAGARIA		ELECTRONIC MECHANIC	02(1+1)	02 (1+1)	ELECTRONIC MECHANIC	02 (1+1) SCVT	19	9	15	5	NA	LAND(121 40 sqm)	40 KW)	SQM)	YES(120	SQM)	SQM)	SQM)	hed with annexure-	hed with annexure-	
						ICTSM.	02 (1+1) SCVT	-	9	-	a	NA	1,			SQM) YES(210	1			3)	3)	
			ICTSM.	02(1+1)	02 (1+1)							NA NA				SOM) YES(210	1					
BO Gov	→ \$4/1°F7	NEW	MCBA ELECTRICIAN	02(1+1)	02 (1+1)	FITTER ELECTRICIAN	02 (1+1) SCVT 02(1+1)	20		1 17			yes	Yes	Yes	183(210	25	27.5	50	YES	YES	Recommended
	ikhpura	14044	ELECTRONICS MECH.	02(1+1)	02(1+1)	BLBCTRONICS MECH.	02(1+1)	1	6			-	ves	Yes	Yes	50				1		
						ICTSM	02(1+1)	-	2		7		yes	Yes	Yes	50				4		
		3	ICTSM	02(1+1)	02(1+1)				1		1				-	70						
			MCEA	02(1+1)	02(1+1)	MCEA	02(1+1)		2	11	1		yes	Yes	Yes			27.5				
	VERNMENT		ELECTRICIAN ELECTRONICS MECHANIC	04(2+2)	04(2+2) 02(1+1)	ELECTRICIAN ELECTRONICS MECHANIC	04(2+2)	2	0 8	4 19	-	4	yes	20KW (AF)	yes	90X1×90 56X1×56		27 sq. Mts	50	G TO	ATTACHE	Deferred
	DMEN DUSTRIAL		ICTSM	02(1+1)	02(1+1)	ICTSM	02(1+1)		9	1:				(717)		70X1±70		100		NORMS		
	AINING STITUTE,	- 5 - 6									3/65								300	AVILABLE		- X
	veriment		Electrician	02(1+1)	UZ(1+1)	Electrician	02(1+1)	02(1+1)		9 3	7 1	9 36	N/A	0wii	YES	YES	YES	YES	YES	YES	AS	Deferred
	ITI ARA		Pro manufacture of the sales	02(1+1)	02(1+1)	Electronics mechanics	02(1+1)	02(1+1)		9	1	9		building		-					enclosed	
83 GOV	VT. WOMEN	NA	Electronics mechanics ELECTRICAN	2 (1+1)	2 (1+1)	ELECTRICAN	SCVT 2 (1+1)	2			7 6	5 NA	YES OWN		As per	YES	YES	YES	YES	YES	YES	Recommende
ITTI	SAMASTIPUR		MECHANIC ELECTRONIC	2 (1+1)	2 (1+1)	MECHANIC ELECTRONIC	SCVT 2 (1+1)	1	9	T	7		LAND	Kwis	nerms							
			I.CT.S.M M.C.E.A	2(1+1)	2(1+1)	I.C.T.S.M M.C.B.A	SCVT 2 (1+1) SCVT 2 (1+1)		7	1			-		-		-					
84 GO		(III)	BLECTRICIAN	2 (1+1)	2 (1+1)	ELECTRICIAN	SCVT 2 (1+1)	2				2 T-3/plan-	Governme	11 66 KW	3.0 Acre	160 sqmt	66 sqmt	73.025sq	n 295 B1 sq	n Available	as per non	Deferred
	DMEN'S IT( JNGER		MECHALICTRONICS.	2(1+1)	254+11	MECHELECTRONICS	SCVT.2 (1+1)	1		1		27/2010- 4235,	1					1	1			
	VT. WITI	NEW	ELECTRICIAN	2(1+1)	2(1+1)	ELECTRICIAN	02(1+1)	1		0 1		0 NA	(OWN LAI	YES (TOT)	A YES (98 S	0 104 5156	5 42.967 SQ	N YES(42.9	7 YES (87.0	B YES (ENCI	YES(ENCL	Recommend
	WAL																				OSED WITH ANNEXUR E-III)	
			MECHANICS ELECTRONICS	2(1+1)	2(1+1)	MECHANICS ELECTRONICS	02(1+1)	1	4 2	0 1	7 2	O NA	(OWN LAI	YES (TOT	YES(56 SC	01 68.84 SQI	42,967 SQ	N YES(42.9	75 YES (87.0	B YES (ENCI	YES(ENCL	1
																					OSED WITH ANNEXUR E-III)	
- 1			ICTSM	2(1+1)	2(1+1)	ICTSM	02(1+1)		8	20	8 2	O NA	(OWN LA	YES (TOT	A YES(70 SC	71 SQM	42.967 50	N YES(42.9	75 YES (87.0	B YES (BNC	YES(ENCL OSED	1
													1	1							WITH	
							1														ANNEXUR E-III)	
			MCEA	2(1+1)	2(1+1)	MCEA	02(1+1)	1		1	6 2	O NA	(OWN LA	YES (TOT	A YES(130 S	50 104.5156	9 42 967 SQ	N YES(42.9	75 YES (87.0	B YES (ENC	L YES(ENCL	1
									1	1		-			1				1		OSED	
					1								1								ANNEXUR E-III)	
86 GO	OVT. WOMEN	NA	ELECTRICAN	2 (1+1)	2(1+1)	ELECTRICAN	SCVT 2 (1+1)			14 1	3 2	3 NA	OWN	Applied.	YES	YES	YES	YES	YES	Partially	Yes.	Recommende
ITI			MECHANIC ELECTRONIC LC.T.S.M	2 (1+1)	2(1+1)	MECHANIC ELECTRONIC  LC.T.S.M	SCVT 2(1+1) SCVT 2(1+1)	- 3	2		4		BUILDING	WIII be						avallable.	For vacent	
		Name and	M.C.E.A	2(1+1)	2 (1+1)	M.C.E.A RLECTRICIAN	SCVT 2 (1+1)		19	32 1	4	51 NA	OWN	APPLIED	AVAILAD	211000	g r 63,50 sq.	70.22 60	m 1523	Regulsitio Yes(enclo	Post	Recommend
	ovt Women dustrial	NEW ITI	ELECTRICIAN ELECTRONICS MECHANIC	02(1+1) Uni	t 02(1+1) Unit	BLECTRICIAN BLECTRONICS MECHANIC	02(1+1) Unit 02(1+1) Unit	-	1		7	NA NA	OWN	APPLIED		L 131 sq.m		m 70.22 sq			s ATTACHE	-
Tr	aining stitute,Kaimur									<u></u>		NA	RULLDING	ASPER	E AS PER			m 70.22 sq.	sa.mm	nd with	n S ATTACHE	
	stitute,Kaimur Ihabua)		ICTSM	02(1+1) Uni	02(1+1) Unit	ICISM	02(1+1) Unit		ď	1	14	INA	BUILDING	APPLIED AS PER	E AS PER	L IZI Sq.M	03,36 50.	70.22 sq.	m 152,3 sq.mm	ed with	D	]
11\$067		m/	141			Sunt	V			58			441						18			

-,No		MIS Code/Appilc ation Number	New Trade Sought For Amiliation		Units Recommended by SCI	Existing Trade	Affiliated Units Shift Wise	Student enroll in 2018-19 session with Trade wise		Student enroll in 2019-20 session with Trade wise	student enrolled in 2019- 20		lease valid	connectio		workshop space	Class room	IT lab	Drawing Hall	Avilabilit y of Machiner y, Tools & Eqipment	qualificati	Remarks
			MCEA	02(1+1) Unit	02(1+1) Unit	MCBA	02(1+1) Unit	12		12		NA	OWN		AVAILABL	161,22 sq.r	63.58 sq.m	70.22 sq m	152.3	Yes[enclos	ATTACHE	
	GOVT. WOMEN ITI SHEOHAR	New			02 (1+1)	BLECTRICIAN	02 (1+1)	14	31	17	43	NA	OWN LAND(128	YES(TOTA	YES(TOTA		and the same of	YES(30sqn	YES(60sqm		YES(attach ed With	Recommended
			MCEA	02 (1+1)	02 (1+1) 02 (1+1) 02 (1+1)	ELECTRONIC MECHANIC MCEA ICTSM	02 (1+1) 02 (1+1) 02 (1+1)	4		6			26 sqm)		, , radini)	YES(121.5: YES(161.74 YES(161.74	YES(34.58)			annexure- 3)	annexure- 3)	
89	WOMEN ITI	2	ELECTRICIAN	2 (1+1)		ELECTRICIAN	2(1+1)	20	20	18	18	842/15.02	YES	YES				YES	YES	YES	YES	Recommended
	SAHARSA		ELECTRONICS MECHANIC	2(1+1)		ELECTRONICS MECHANIC	2(1+1)	20	20	16		842/15.02		YES	YES	YES	YES	YES	YES	YES	YES	i
			ICTSM	2(1+1)	2 (1+1)	ICTSM	2(1+1)	20	. 20	14	14	842/15.02		YES			YES	YES	YES	YES	YES	i
			IOT TECHNICAIN (SMART HEALTHCARR)	2 (1+1)	2 (1+1)	IOT TECHNICAIN (SMART HEALTHCARE)	2 (1+1)						YES	YES	YES	AB2	YES	YES	YES	YES	YBS	

Sunilo

120 D

SI. No.	ITI Name	State	Inspected Date	MIS Code/Applicat ion Number	Grading	Affiliation Year	Existing Trade	Affiliated Units		
- 1	Govt ITI ALATHUR PERAMBALUR-621109  Tamil Nadu		04-09-2020	GR3300066 1	NA	2019	Fitter(NSQF) Welder(NSQF)	2(1+1) 2(1+1) 2(1+1) 2(1+1)		
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Lamd lease valid	Power connection as per norms	Building as per norms		
	Solar Tecnician(NSQF)	2(1+1)	2(1+1)	Wireman (NSQF)	0	Yes	Yes	Yes		
	workshop space	Class room	IT lab	Drawing Hall	Availability of	Machinery, Tools & Eqipments	Staff Qualification & Do	cuments		
	Yes	Yes	Yes	Yes		Yes	Yes			
	Remarks by Standing Committee		Remarks by So	Remarks by Scrutiny Committee			Remarks by Recommendations Committee			
	Recommended		Recommended			Recommended				

o. [	TI Name	State	Inspected Date	MIS Code/Applicat ion Number	Grading	Affiliation Year	Existing Trade	Affiliated Units	
	Govt. ITI(Women)., Semmandalam, Cuddalore-607001	Tamil Nadu	04-09-2020	GU3300008 5	NA	1993, 2012	COPA(NSQF) Draught. (Civil) (NSQF) Draught. (Mechanical) (NSQF) Electron.Mech (NSQF) Info.CTSM (NSQF) Sewing Technology (NSQF) Stenographer & Secretarial Assistant (English) (NSQF) Surface Ornamentation Techniques (Embroidery) (NSQF)	2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Lamd lease valid	Power connection as per norms	Building as per norms	
- 1	Technician Power Electronics System	2(1+1)	2(1+1)			Yes	Yes	Yes	
- 1-	workshop space	Class room	iT lab	Drawing Hall	Availability of	Machinery, Tools & Eqipments	Staff Qualification & Do	ocuments	
Ī	Yes	Yes	Yes	Yes		Yes	Yes		
İ	Remarks by Standing C	ommittee	Remarks by S	crutiny Commit	tee	Remarks by Recommendations Committee			
Ī	Recommende	<u> </u>	Recommended			Recommended			

Junit

L.No.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date	Trades/Units sought for affiliation	ITI Proposed Units
1	laydeep (Private) ITI, Degan Tal, Shindkheda Dist-Dhule MH-425407	МН	TMP27474 PR1582808385	6	15		Welder	2(2+1+0) 2(2+1+0) 2(1+1+0) 2(1+1+0)
	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms	workshop space			Drawing Hall
	2(1+1+0) 2(1+1+0) 2(1+1+0) NR	Yes	Yes	Yes	Yes	YEs	Yes	Yes
	Avilability of Machinery, Tools & Eqipments	Staff Qualification & Documents	Remarks by Inspection Committee		Remarks by Scrutiny Committee		Remarks by Recommendation Committee	
	Shortage of machines and equipments for surveyor trade, ITI has submitted the details fulfilling the shortage	Yes	Recommended		Recommended for all 4 trades based on the reports re-submitted by the state for Surveyor trade.		Recommended	

Sunty

0		MIS Code/Applicati on Number		No. of Govt ITIs in the district	No of PVT ITIs in the district	Trades/Units sought for affiliatiuon	ITI Proposed Units	Units recommended by SCI
	B. Y. Patil Private ITL Nandurbar-Prakasha	New	Maharashtra	8	2	Electrician	6(2+2+2)	6(2+2+2)
- 1	Highway, Near Astoria, Sugar					Wireman	3(1+1+1)	NR
	Factory Samsherpur, At Post Bamdod, Tal. Dist. Nandurbar,					Fitter	6(2+2+2)	6(2+2+2)
	<u>Maharashtra</u>					COPA	2(1+1+0)	2(1+1+0)
	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Eqipments
	Own Building	Yes	yes	space Shortage in wireman trade	space Shortage in wireman trade	Yes	Yes	Yes
1	Staff qualification & Documents	Remarks by S	Remarks by Standing Committee		Remark by Scrutiny Committee			ndation Committee
	Yes	and Equipmen	e to Space, Machinary t & Manpower not as er norms	Recommended for all 4 trades based on the reports resubmitted by the state for Wireman trade.			Recommended	

Sunt

Opr

No.	ITI's Name		MIS Code Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
	Pavanraje Nimbalkar Pvt. ITI At. Govardhanwadi post. Dhoki, Tq-Dist. Osmanabad Maharashtra - 413508	Maharashtra	PR27000930	1.8	2018	Electrician (NSQF) Wireman (NSQF)	2(1+1)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2018-19 session with Trade wise	Total student enrolled in 2018-19	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20
	Electrican Mechanic Diesel	2(1+1) 2(1+1)	2(1+1) 2(1+1)	Electrician (00+21) Wireman (00+21)	42	Electrician (00+20) Wireman (00+18)	38
	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall
	Yes (valid upto 2049)	Yes (Required 15kW, available 19 kW)	Yes	Yes	Yes	Not available in the building plan	Yes
	Avilability of Machinery, Tools & Eqipments	Staff Qualification & Documents	Remarks by Standing Committee on Inspection	Remarks by Scruti	Remarks by Scrutiny Committee		Inspected Date
	Yes	Yes	Yes	IT lab details filled not available in floo		Deferred*  ITI needs to improve its grading	11-11-2020

Sunte





## **By Speed Post**

## DIRECTORATE OF TECHNICAL EDUCATION AND TRAINING ODISHA, CUTTACK

Tel:0671-2301061

E-mail: dtetorissa@amail.com

No. 1CT-I-04/2020/

Date:

From,

Reghu G, IAS Director of Technical Education & Training, Odisha

To

The Director General & Additional Secretary. Ministry of Skill Development and Entrepreneurship, Govt. of India Directorate General of Training (DGT), B-2, Kaushal Bhawan, Pusa Road, Karol Bagh, New Delhi-110005

Sub: Nomination of DGT Representative for constitution of Site Visit Inspection Committee-Regarding.

Sir.

In inviting a reference to the subject cited above, I am to say that as decided by Government of Odisha for expansion of SCB Medical College & Hospital, Cuttack, a premier Medical College & hospital of the State, shifting of Madhusudan ITI (Govt.) to new location at Choudwar was badly necessary. Accordingly the required infrastructure for the Institute as per NCVT norms have been created erstwhile by special renovation of RI Center, Choudwar, Cuttack and the ITI has already been shifted to above new location as per Skill Development and Technical Education Department, Goyt, of Odisha letter No. 1498/SDTE Dtd. 11.03.2020. The copy of the said Govt. instruction is enclosed for your kind reference. It is pertinent to mention that MITI, Cuttack has secured 99th position on All India basis in Phase-1 grading with grade point score of 3.03. The ITI has been implementing the STRIVE Project in 2019-20.

It is therefore requested that as a special case, DGT representative may kindly be Dominated for constitution of Site Visit Inspection Committee for continuance of filiation of existing trades/units of MITI, Cuttack at new location as per the enclosed pplication in Annexure-III.

Encl: As above.

Yours faithfully

Dducation Director of Pecl

& Training, Odisha

د رمیش اساره

Memo No.

Dtd.

Copy to the Director (Projects), Directorate General of Training (DGT), B-2, Kausal Bhawan, Pusa Road, Karol Bagh, New Delhi-110005 for kind information.

Director of Technical Education & Training, Odisha

Memo No.

Dtd.

Copy to the Joint Secretary to Govt. SD&TE Department for information with reference to their letter No.1498, dtd.11.03.2020.

Director of Technical Education & Training Odisha

Suntl

Annexure 21.2.3(a)

No.	ITI Name	State	Inspected Date	MIS Code/Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units	
	Gautam Buddha Minority Industrial Training Centre ITI Bus Stage, Khammam Road, Subhash Nagar, Yellandu Bhadradri Kothgudan Telangana - 507123	Telangana	23.09.2020	PU36000130		10-Jul-1994 17-Feb-1995 30-Dec-2002 01-Dec -2006	Health Sanitary Inspector(NSQF) Sewing Technology(NSQF) Electrician(NSQF) Fitter (NSQF)	2(1+1) 2(1+1) 8(6+2) 2(1+1)	
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Lamd lease valid	Power connection as per norms	Building as per norms	
	Computer Operator and Programing Assistant Draughtsman Welder	3(1+1+1) 3(1+1+1) 3(1+1+1)	Not Recommended Institute's roof in tin sheet Crack in the wall of electrical workshop IT lab not maintained Drawing hall and library not available	Health Sanitary Inspector - (21+13+0) Sewing Technology - (14+0+0) Electrician - (80+0+0) Fitter - (20+0+0)	34 + 14 + 80 + 20 = 148	Yes	Yes Now 52 kW available	Yes	
	workshop space	Class room	IT lab	Drawing Hall	Availability o	of Machinery, Tools &	Staff Qualification	& Documents	
	Yes	Yes	Yes	Yes		Yes	Yes		
0	Remarks by Standing NR	Committee	State replied 1. All the tools and eq DM Civil, Welder trad 2. Roof has structural 3. Crack was filled wi	Remarks by Scrutiny Committee  State replied  1. All the tools and equipments are available for COPA, DM Civil, Welder trade  2. Roof has structural civil and additional truss support  3. Crack was filled with solid structure.			Remarks by Recommendations Committee  Rejected as infrastructure is poor.  The ITI needs to re-apply again on online affiliation portal.		
			Placed before commi	Placed before committee for decision					

Junill

M

Sl. No.		State	MIS Code/ Application Number	District	the District	Inspected Date	
2	Venkata Sai Pyt ITI Adilabad SY No. 104, Main Road, ICHODE, Dist: Adilabad Telangana - 504307	Telegana	TMP36501PR1582 789810	6	12		
	, , ,	ITI Proposed Units	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms	
	COPA Dress Making	6(2+2+2) 3(1+1+1) 3(1+1+1) 3(1+1+1)	NR	Yes	Yes (Required 20.5, available 21 kW)	BCC could not be verified, ITI is a RCC building and commercial godowns are converted as ITI facility	
	workshop space	Class room	IT lab	Drawing Hall	Avilability of Machinery, Tools & Egipments	Staff Qualification & Documents	
	Area short in COPA lab	Yes	No	Yes	Shortage of tools for MRAC	Yes	
	Remarks by Inspection Committee	Remarks by S	Remarks by Scrutiny Committee		Recommenda	tion Committee	
	Not Recommended since no IT lab in the ITI	verifying the completing the	s forwarded details availability of IT lab, e shortage of tools for MRAC	Recommended as recommended by the State Director  Electrician 4(2+2)  COPA 2(1+1)			

Surille

C8

l. No.	ITI Name	State	Inspected Date	MIS	Grading	Affiliation Year	Existing Trade	Affiliated Units
				Code/Application Number				
	Gaargi Iti, Private WARANGAL ROAD, HUZURABAD KARIMNAGAR 505468	Telangan	03.03.2020	PU28000478	3.11	2015	Electrician (NSQF)	12(4+4+4)
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Lamd lease valid	Power connection as per norms	Building as per norms
	Mechanic Diesel Welder	6(2+2+2) 6(2+2+2)	NR	Electrician - (80 + 40 + 0)	120	Yes	Yes	Yes
	Dress Making	6(2+2+2)						
	workshop space	Class room	[T lab	Drawing Hall	Availability of	of Machinery, Tools &	Staff Qualification	
	Yes	Mo classroom avai;able	Yes	Yes	Tool	kit shortage	No staff with CITS	S qualification
	Remarks by Standing	Committee	Remar	ks by Scrutiny Comm	ittee	Remar	ks by Recommendations Co	mmittee
	Not Recommended		Not Recommended 1.No class room available. 2.No staff with CITS qualification			Not Recommended as the case has been decided and can only be taken up for new session.		
			3.Tool kit shortag	-		ITI needs to	re-apply on the online affi	liation portal.

Sunith

Sl. No.	ITI Name	State	Inspected Date	MIS	Grading	Affiliation Year	Existing Trade	Affiliated Units
				Code/Application				
				Number				
1	M.D(Maya Devi) Pvt. ITI,	Uttar Pradesh		PR09000106		16-May-2008	Eletrician	4(2+2+0)
	Nagla Murari Sarsol	,				28-Jun-2012	Fitter	2(1+1+0)
	Phalmandi, G.T. Road						Electronics Mechanic	2(1+1+0)
	Aligarh, Uttar Pradesh- 202001							
	Trades/Units sought for	ITI Proposed	Units	Student enroll in	Total	Lamd lease valid	Power connection as	Building as per
	affiliation	Units	recommended	2019-20 session	student		per norms	norms
			by SCI	with Trade wise	enrolled in			
					2019-20			
	Electrician	8(2+2+4)		Eletrician - (0 +	40 + 20 + 17	Valid up to 2022	Yes	Yes
			35	40 + 0)	= 77		*	
				Fitter - (0 + 20 +				
				0)				
				Electronics				
				Mechanic - (0 +				
				17 + 0)				
	workshop space	Class room	IT lab	Drawing Hall	Availability	of Machinery, Tools	Staff Qualification	& Documents
	Yes	Yes	Yes	Yes		Yes	Yes	
II .	Remarks by Standing (	Committee	Remarks by Sc	rutiny Committee		Remarks by Re	commendations Committ	ee
	Recommended		Not Recommended		Deferred since UP State Director was not present in the meeting			

Sunth

Sl. No.	ITI Name	State	Inspected Date	MIS	Grading	Affiliation Year	Existing Trade	Affiliated Units	
				Code/Application					
				Number					
2	Maya Deep Private ITI,	Uttar Pradesh		PR09001781		25-Aug-2014	Electrician	18(6+6+6)	
	Raipur Dalpatpur Post-					16-Sep-2016	Fitter	6(2+2+2)	
	kakethal, Teh-Atrauli Dist-					27-Aug-2019			
	Aligarh, Uttar Pradesh-								
	202281								
	Trades/Units sought for	ITI Proposed	Units	Student enroll in	Total	Lamd lease valid	Power connection as	Building as per	
1	affiliation	Units	recommended	2019-20 session	student		per norms	norms	
			by SCI	with Trade wise	enrolled in				
					2019-20				
1	Electrician	6(2+2+2)		Electrician - (40 +	200 + 60 =	Yes	Yes	Yes	
				80 + 80)	260				
				Fitter - (0 + 20 +					
1				40)					
	workshop space	Class room	IT lab	Drawing Hall	Availability	of Machinery, Tools	Staff Qualification	& Documents	
	Yes	Yes	Yes	Yes		Yes	Yes		
	Remarks by Standing	Committee	Remark	s by Scrutiny Comm	nittee	Remark	s by Recommendations C	ommittee	
1	Recommended		Recommended for 1st and 2nd shift, ITI needs to			Deferred since UP State Director was not present in the			
1	1	apply with minimum 4 trades			meeting				

Junith

Sl. No.	ITI Name	State	Inspected Date	MIS	Grading	Affiliation Year	Existing Trade	Affiliated Units
				Code/Application				
				Number				
3	Shri Bharat Sing Kamala	Uttar Pradesh		New ITI	New ITI	New ITI	New ITI	New ITI
	Devi Private Industrial							
	Training Institute, Village-			3		,		ľ
	Raipur Khas, Atrauli, Dist-							
	Aligarh, Uttar Pradesh-							
	202133							
	Trades/Units sought for	ITI Proposed	Units	Student enroll in	Total	Lamd lease valid	Power connection as	Building as per
	affiliation	Units	recommended	2019-20 session	student		per norms	norms
			by SCI	with Trade wise	enrolled in			
					2019-20			
	Electrician	6(2+2+2)		New ITI	New ITI	yes	Yes	Yes
	Fitter	6(2+2+2)						
	Plumber	3(1+1+1)				,		
	H.S.I	3(1+1+1)						
	workshop space	Class room	IT lab	Drawing Hall	Availability (	of Machinery, Tools	Staff Qualification	& Documents
	Yes	Yes	Yes	Yes		Yes	Yes	
	Remarks by Standing Committee		Remark	s by Scrutiny Comm	ittee	Remarks	s by Recommendations Co	mmittee
	Recommended		Recomme	commended for 1st and 2nd shift		Deferred since UP State Director was not present in the meeting		

Symith

0.	ITI's Name	State	MIS Code/ Application Number	Govt ITIs in the District	Pvt ITIs in the District	Inspected Date	Trades/Units sought for affiliation	ITI Proposed Units
	Shri Jyoti Narayan Pvt ITI Vill- Augan, Po-Daulaatpur, Baldeo, Dist-Mathura, Uttar Pradesh- 281301	Uttar Pradesh	NEW Application No. 1809016468	3	180	19-08-2020	Electrician Fitter Computer Operator & Programming Assistant Health Sanitary Inspactor	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)
- 1	Units recommended by SCI	Land lease valid	Power connection as per norms	Building as per norms	workshop space	Class room	IT lab	Drawing Hall
	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	Yes	Yes Reply received	Yes	Yes	Yes	Yes	Yes
	Avilability of Machinery, Tools & Eqipments	Staff Qualification & Documents		by Standing nmittee	Scrutiny Co	ommittee Remark	Recommend	ed or not
	<u>Yes</u>	Yes	Recor	nmended	Recommen	ded for 1st and 2nd shifts	Deferred since the UP- not present in the mee	

Symill

). I	ITI Name	State	Inspected Date	MIS	Grading	Affiliation Year	Existing Trade	Affiliated Units
				Code/Application				
+	Old-	Rajasthan		Number PR08001295	NA	1-Jul-2013	Electrician	4(2+2+0)
- 12	Nav Bharti Private Industrial	Rajustriari	0,100.2020	1100001270		1 ) 41 50 20	Fitter	2(1+1+0)
- 1:	Training Institute						ricci	2(11110)
- 13	Address05, Bhuvneshwari							
- 1	Vatika, Panchayawala,							
- 1	JAIPUR-302034							
- 11	&							
	New address -							
	Nav Bharti Private Industrial							
	Training Institute-Behind goud					<		
	factory, Guni wala, Dhani dausa-							
	303303							
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Lamd lease valid	Power connection as per norms	Building as per norms
	Electrician	8(2+2+4)	Elect-	Electrician - (0 +	0	Yes	Yes	yes
	Fitter	1(0+0+1)	Add.4(2+2+0)	0 + 0				
		, ,	Total -	Fitter - (0 + 0 +				
1			8(4+4+0)	0)				
			Nil					
ł	workshop space	Class room	IT lab	Drawing Hall	Availability o	 of Machinery, Tools &	Staff Qualification	& Documents
ı	Yes	yes	Yes	yes		Yes	Yes	
	Remarks by Standing C	ommittee	Remar	ks by Scrutiny Comm	ittee	Remar	ks by Recommendations Co	mmittee
ı	Recommende	d	1	ed, since ITI is more t	-		Rejected	
			old and need to a	pply with minimum	4 trades	since ITI is more tha	nn 5 years old and need to a trades in total.	ipply with minimu

Sunth

Do

No.	ITI Name	State	1	MIS Code/Application Number	Grading	Affiliation Year	Existing Trade	Affiliated Units
2	Old-	Rajasthan			NA	2-Jan-2015	Electrician	3(1+1+1)
- 1	S R MUND PRIVATE INDUSTRIAL	114,40 11411				,		, ,
	TRAINING INSTITUTE,				(			
- 1	MUNDSAR,							
- 1	DistrictBIKANER-334202							
	&							
	New Address-							
	S R MUND PRIVATE INDUSTRIAL							
	TRAINING INSTITUTE, Plot no-3,							
	Shila vihar, Gokulpura Jaipur-						=	
	302012							
								<u> </u>
	Trades/Units sought for affiliation	ITI Proposed Units	Units recommended by SCI	Student enroll in 2019-20 session with Trade wise	Total student enrolled in 2019-20	Lamd lease valid	Power connection as per norms	Building as per norms
	 Electrician	3(1+1+1)	Add.3(1+1+1)	Electrician - (0 +	0			
	2.0007.101411		Total-	0+0)				
			6(2+2+2)			Yes	Yes	No
	workshop space	Class room	IT lab	Drawing Hall	Availability o	Machinery, Tools &	Staff Qualification	& Documents
	Yes	Yes	Yes	Yes		Yes	Yes	
	Remarks by Standing C	ommittee	Remar	ks by Scrutiny Commi	ittee	Remar	ks by Recommendations Co	mmittee
	Recommende	d		ed, since ITI is more t	-		Rejected	
			old and need to a	pply with minimum 4	4 trades	since ITI is more tha	n 5 years old and need to a trades in total.	apply with minimum 4

Sunth

the following ITIs of state of Bihar had applied for seeking affiliation in trades/units during session 2019 for more than 08 units: -

SI.	Name of ITI	Trade/Units	Trade/units	Trade/units	Remark By Joint Inspection Committee
No.	& Address /	for which	Recommend	recommende	
	MIS Code	affillation	ed by SCI /	d by High	
		sought	State	Power Team	
1,	Maa sharda	Electrician			For additional units of electrician trade
	Pvt. ITI,	Addl.	Addl.	NIL	workshop Flooring is completed,
	Pratapur,	24(12+12+0)	24(12+12+0)		Machinies are available and in running
	Muktapur,				condition. For additional unit of
	Samastipur,				electrician trade class rooms are also
	Bihar-				avallable. Machines, workshop and
	848102				periphery of the institute is found neat
	MIS Code -				and clean.
	PU10000863				
2.	Kumar ITC,	Electrician			Consumer no.22210030768(Electricity
	NH-31.	Addl.	Addl.	NIL	Billi) Consumption details of last three
	Kenamore,	8(4+4+0)	8(4+4+0)		months for available unit shown &
	Madhobigha.				certified copy by institute principal
	Nawada,				enclosed.
	Bihar -				Months Units Consumption
	805123				Jan.202     1   690
	MIS Code -				Dec.202
	PR10000306				0 809
					Nov.20   20   782
					All separate attendance register shown
					& certificate copy by institute principal
					enclosed.
					Separate attendance register shown &
					certified copy by institute principal
					enclosed (Jan 2021).
					Overall 50-60% trainees were physically
					present at the time of inspection at
					around 03:20pm

					Introduced and physically present staff was around 50% (Picture enclosed)  DVD  Staff qualification and appointment letters (certified copy by institute principal enclosed). Total no. of CITS trained staff-01 mentioned in man power but Certificate not provided  Staff & faculty attendance register shown & certified copy by institute principal enclosed.  Randomly checked of equipment/machine & found working in condition.  No dust on the machinery/equipment.
3.	Rajdeo	Electrician			Building Completion certificate is issued
	Yadav	Addl.	Addl.	Addl. 4(2+2+0)	by Circle officer & Architect Engineer.  Enclosed as Annexure-1
	Private ITI,	16(8+8+0)	16(8+8+0)	Total 8	
	Fatehpur			(4+4+0)	All documents checked, and found
	Chandhosh Road, PO-				consumption is high in recent
	Mukhmilpur.				December/Jan-2021 bill. Enclosed as Annexure-2
	P\$-				1)
	Paliganj.				(I) The manual attendance
	Dist Patna,				register of trainees is maintained. Photo Copy of
l)			1		maintained Photo Conv of I
	Bihar -				
	Bihar - 801110 MIS Code -				attendance register is
	Bihar -				attendance register is enclosed as Annexure-3

Ju nill 77

	(Iv	v) Visited at 3.15PM. Due to Covide-19, some trainees were present and
=		maintaining Social Distancing.
	(v)	Classes are running in two shifts. Enclosed as Annexure-4
	(1)	photo copy of newly appointed instructors was
	×	found. Enclosed as Annexure-5 Salary Payment is not
		provided through bank. Reimbursement made
	(II)	through Cash Payment only. ) 03 instructor are CITS
		trained, the photo copy of qualification details of the instructors is enclosed as
	(III	•
		W/C&Se, Engg. Drawing and Employability Skills were
		there. Copy of Staff attendance register is
	All	attached as Annexure-7 class room & workshops were
		clean during inspection.

Simille

Speed Post plo Park up is next Day / 2021

To, Ravi Chilukoti Joint Director of Training Directorate General of Training (DGT). Ministry of skill Dev. & Entrepreneurship, 1<sup>st</sup> Floor, Employment Exchange Building, IARI Complex, Adjacent to ITI Pusa, Pusa Campus, New Delhi-110012.

No. DET/Affi./GCVT/ T-10/2020/2717 Directorate of Employment & Training Block No: 1, 2<sup>nd</sup> floor, GCVT, Dr. jivaraj Mehta Bhavan, Gandhinagar , Gujarat. Dated: 28/12/2020

\* To be put up in 19th RCM.

Sub: Application for Change name of ITI Code: PR24008065

Ref: DGT Raply mail to Institute(PR24008065) Dated: 21/12/2020.

Dear Sir.

With reference to the above subject, ITI in Gujarat state (ITI code PR24008065) have requested change name from "CVM PRIVATE ITI FOR ENGINEERING TRADES" to "KANUBHAI M. PATEL PRIVATE ITI FOR ENGINEERING TRADES". This institute applied on NIMI portal and got LOI for stage-1.

Now as per reference of mail this Institute sent a copy of Resolution regarding the nomenclature of Institute at state directorate office (copy enclosed with this letter).

So, kindly do needful regarding the request for Change name of Institute.

Thanking, you,

Yours faithfully,

Deputy controller (Exam) **Gujarat Council of vocational Training** Gandhinagar (Gujarat)

Enclosed: 1) copy of Resolution regarding the nomenclature of Institute. 2) copy of affiliation order no. 12/01/2018-TC. Dated .20/03/2018

## File No.DIT-AF0168(11)/21/2020-O/o JOINT DIRECTOR ADMIN-INDS. TRAINING

1/123967/2021



From

Director Technical Education & Industrial Training, Punjab.

To

Directorate General of Training (DGT)
Ministry of Skill Development & Entrepreneurship,
Government of India, Room No. 102, Ist Floor,
Old CIRTES, Building, IARI Campus PUSA, New Delhi-110012.

Memo No. IT/Affi/NCVT/ 128967 Dated: 10-1-2021

Subject: - Reconsideration of affiliation of Guru Kirpa Private ITI, Jhingra Road, Chanalo, Kurali, District SAS Nagar granted without the recommendation of the State.

This is in reference to our D.O letter No Jt.Director(Admn.)/Per.staff/51 dated 28-9-2020.

It is intimated that the State Directorate vide its D.O. letter no. Jt.Director(Admn.)/ Per.staff/51 dated 28-9-2020 has reported DGT that Guru Kirpa Private ITI, Jhingra Road, Chanalo, Kurali, District SAS Nagar (MIS code PU03000389) was given affiliation without the recommendation of State Director. It was also requested that the affiliation of this pvt. ITI be re-examined and withdrawn. But so far no reply to this D.O letter has been received.

The department is in receipt of an email on dated 30-9-2020 in which DGT has informed that the private ITI has been issued show cause notice for deficiencies found during recent inspection, now DGT issued a show cause notice to institute, but no information has been received by this department whether this ITI has been inspected by the DGT team or not on the basis of this show cause notice.

In the meanwhile this pvt. IT1 has again approached this directorate informing about completing the deficiencies. (copy attached)

It is therefore requested that the State Directorate may please be informed that what action has been taken by the DGT on D.O. letter no. Jt. Director(Admr.)/Per. staff/5.5 dated 28-9-2020. It shall also be informed that affiliation of this pvt. TTI is still continue or not? The action taken on the show cause notice to ITI vide letter no. DGT-Daff/35/2020-O/o DJR(TC) dated 6-11-2020 of DGT may also be informed.

Encl:- As above

Gostion, O. Day, No. 23240 Date 23.11.221

Gui preet Singh Table Joint Director 10/07/2021

Junite 80

9.0

SI. No.	ITI Name & MIS Code	Deficiency observed at the time of inspection	Reply of the institute	Comments of State Directorate	Observations by the members of Joint Inspection Committee on
1.	Ambition Pvt. ITI, Moriwala, Sirsa, Haryana MIS CODE PR06000178	i. As per admission position of institute there should be 70 trainees but neither trainees nor staff was present. ii. In adjacent school building owner of the institute was present who has been requested to produced record in respect to training but in vein. iii. The condition of workshop and class room, depicts that your institute is adopting non-attending culture.	3. We are not adopting non-		(0+0+2) units of Electrician trade in 3 <sup>rd</sup> shift is recommended for Deaffiliation, as no Separate Classroom for 3 <sup>rd</sup> shift is available in the institute. Remaining 8(4+4) units are recommended for continuation of affiliation.

Swill

Jan

2.	Daksh Pvt,	1- In the ground	Due to our ITI being far away from	State has already requested	1. No Biometric attendance
	ITI, V.P.O	floor as well as 1st	the village, the poor children of brick	to DGT vide letter 25	is being followed by staff or
	Chak	floor of the ITI	kilns and dhanis around here were	8.2020 to conduct joint	trainee's manual attendance
	Faridpur	Building, school	being educated in other classes of	inspection of the said	register was maintained on
	Distt. Sirsa,	classes of small kids	ITI through play school.	institute.	day of inspection only 03
	Haryana	from nursery	If the department has objections		trainees of Electrician 2nd
	(MIŠ	onwards was running	then we have stopped teaching		year present in the Institute.
	CODE-	and approximate 150	these students. In our institute,		All staff members along with
	PR06000180	plus children of	students come from different		Principal was present in the
		school were sitting in	villages, their strike was on the same		Institute.
		the classes whereas	day by private bus. Due to which the		2. Tool Equipment and
		as per admission	students cannot reach the institute		Machinery for Electrician
		position of this ITI,	in time and the buses of Haryana		trade was as per latest
		there should be 90	Roadways stop a lot of work here.		norms syllabus but only for
		trainees in Electrician	Due to which the Inspector Inquiry		06 (3+3) units, since there
		2nd year & 88	Committee felt that our ITI students		was around 25-30 %
		trainees of 1st year	were no-attending. The Inspection		shortage of machinery. (List
		(48 of COPA + 40 of	committee totally satisfied and		Attached) So it is
		Electrician) but only	feeling pleasure to see our tools,		recommended that 02 (1+1)
		13 trainees were	machinery, Infrastructure and		units of Electrician trade
		found present in the	quality policy. Inspection		should be de-affiliated and
		premises of ITI which	Committee just advised us to		06(3+3) units are
		is totally a violation of			recommended to continue
		NCVT Norms as well	Our ITI having latest		for affiliation
		as cheating with the	Infrastructure, tools & machinery. I		3. Library was constructed
		SDIT Department.	think, such kind of ITI which having		in the spare space below the
	1	2- Even attendance	such huge infrastructure &		stairs. There was no
		register of trainees as	providing quality education, should		Drawing Hall and in map
		well as staff register	not be discourages.		also Drawing Hall not
		were not maintained	More over stopping PMS of all		present. But space is
		and found unfilled	student will affect their career, as		available so Drawing Hall
1		which proves a non-	most of students belong to very poor		may be constructed.
		Attending culture in	family and could not able to pay		4 For COPA Trade Tools and
		ITI.	institute fee.		Equipment was there as per
2 <del></del>		*1	Suntl	rg\$\rightarrow	
			82		

3- All attendance register seems a fake attendance filled and earlier days of a attendance present trainee of Electrician trade named Sandeep was cross checked and asked in person that How many days he attended class in the month of Feb 2020. In reply, he stated that he was sick so did not attend 4-5 days in first week else he attended all classes but in attendance register there was filled full days attendance of this candidate. 4. After seeing the condition of class room and workshop filled with school kid

which clearly shows

that your institution is adopting non-

attending culture.

I humbly request you to kindly revert the decision of suspending admissions in year 2020-21 onward and stopping PMS of poor students and oblige.

2014 syllabus and following deficiencies were found as per latest norms and syllabus- -Only computers was there in COPA Lab. 50% shortage of other tools and equipment's. Attached). (List dedicated class room was there for COPA Trade. So, COPA 02 (1+1) units is recommended for affiliation as per latest norms and syllabus. 5. On the day of inspection no infrastructure, sign board, activities of play ground found. The above comments/recommendatio ns from S. No. 1 to 7 are made by us. A copy of the complete Inspection Report

comments/recommendations from S. No. 1 to 7 are made by us. A copy of the complete Inspection Report has been collected by the representative of the Directorate General of Employment and Training for sending the same to the Headquarters, New Delhi. The other copies would be forwarded to the DGE&T, Ministry of Labour, by the State Director.

Sunth

el.

3.	Sanskriti	i. Trainees: - No	1. We have separate sign boards of	The institute did not inform	1. Total area of 1014.17
	Pvt. ITI,	trainee of any trade	I.T.I & pharmacy courses on the	about such type of mis	sqmt. is allotted for
	VillAmarp	was found present.	main road in front of the college on	happening to the	establishing ITI (as per rent
	urJorasi	ii Staff: - No staff was	Narnaul to Nizampur Road. 2.	inspection committee. This	agreement) and that area is
	(Narnaul)	present on the date of	Our I.T.I has separate building for	shows that it is mere excuse	of basement where the IT is
		inspection.	separate courses with well-	to disguise non-attending	established. No other
1	MIS Code		furnished and efficiently working	culture which is being	activity found on the day of
	PR06000327		labs. Power supply and DG Set.	adopted by the institute.	inspection in that specific
			3. As per session total of 6 units of 2		area t is also pertinent to
			trades (Electrician -2 units and HIS-		mention that in the same
			4 units) are running smoothly in our		premise where the ITI is
			I.T.I in this session 2019-20, One		established there was
			student was enrolled, whereas, 7		another building where D
			students are enrolled in 2nd year.		Pharma College was
			On the day of inspection, the college		running. There was no
			was observing half day holiday due		separate/common
			to some mishap in one of our staff		boundary wall constructed
			family. So, the students and staff		between these two
			were not found present.		buildings.
					On the day of inspection
					principal along with another
					staff member were not
					present. Only Chairman of
					the Institute was there. For
					both the trade Electrician
					and HSI all the tool
					equipment is as per syllabus.
					Classrooms and workshops
1					were satisfying space norms
					• The 2018 session only 09
					no, of admission, In 2019
1					session no admission in the
		^			institute in both the trade.

					<ul> <li>Attendance record of Staff and trainees was not maintained</li> <li>Electricity supply connection was 3 phase Domestic category.</li> <li>Raw material and stock register were not maintained. Apart from above observations this inspection team recommends that ITI might be allowed to continue affiliation if ITI remove all deficiencies mentioned above, from next session onward.</li> </ul>
4.	Om Pvt. ITI, V.P.O Juglan Distt. Hisar. MIS CODE- PR06000232	1. Workshop was found in lock condition. 2. No trainee was available at the time of inspection while more than 100 trainees are enrolled. 3. No staff was available in the ITI at the time of inspection except one Principal.	It is submitted that we have all necessary infrastructure, faculty and staff at our ITI. We fair to understand why such type of deficiencies reported by the Inspection Team. We may again request you that you may get the infrastructure verified sending another team. The earlier report is not correct.	Institute is adopting non- attending culture & to divert the attention from burning issues. We are adhered to the deficiencies explained in inspection report.	1. Building of Om Private ITI is being used as the Hostel of Om Sterling Universal.  2. All the trades do not fulfill Land & Building norms, Tools & Equipment's norms and Power norms.  All the trades / units running in the ITI are recommended for Deaffiliation w.e.f. 2020-21 session.

Synix

Sl. No	MIS Code	Name & Address of ITIs	Reason for de-affillation	Remarks
1	PR08000408	Mahesh Private ITI, Opp BSNL office Nehru Road, Dist. Bhilwara, Rajasthan	संस्थान संघालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
2	PR08000133	PADHMAWATI PVT. ITI, BEJOLIA (BHILWARA)	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
3	PR08001245	SHAH PVT. ITI, SHAHPURA (BHILWARA)	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
4	PR08000583	B.R. KHOKHAR PVT. ITI, KUCHAMAN CITY (NAGAUR)	निरीक्षण करवाने से मना किया गया , समस्त स्टॉफ तथा प्रविक्षणार्थी अनुपस्थित पाये गये एवं निर्धारित संस्थान भवन में अन्य गतिविधियों का संचालन पाया गया।	Recommended for De-affiliation
5	PR08000353	B.S.R. PVT. ITI, JASNAGAR (NAGAUR)	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
6	PR08000218	GAYATRI PVT. 1TI, DIDWANA (NAGAUR)	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
7	PR08000695	MANJU DEVI MEMORIAL PVT. ITI, LUNWA (NAGAUR)	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
8	PR08000350	MEGA PVT. ITI, BADELA (NAGAUR)	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
9	PR08000250	NAVEEN VIDHYAPEETH PVT. ITI, NIMBI JODHA (NAGAUR)	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
10	PR08000227	NISHKAM PVT. ITI, MAKRANA (NAGAUR)	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
11	PR08000658	RAJASTHAN PVT. ITI, GOTAN (NAGAUR)	संरथान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
12	PR08000244	SANSKAR PVT. ITI, TALANPUR (NAGAUR)	संरथान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
13	PR08001092	SHREE BALDEV RAM MIRDHA PVT. ITI, MERTACITY (NAGAUR)	संरथान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
14	PU08000243	SHREE VEER TEJA PVT. ITI, RIICO INDUSTRIAL AREA, NAGAUR	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
15	PR08001152	SINGHJI PVT. ITI, MARWAR MUNDWA, (NAGAUR)	संरथान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
16	PR08000906	AJAY PVT. ITI, KAMAN (BHARATPUR)	संस्थान यथा स्थान नहीं पाया गया।	Recommended for De-affiliation
17	PR08000144	GIMT PVT. ITI, BHARATPUR	निर्घारित संस्थान भवन में अन्य गतिविधियों का संचालन पाया गया।	Recommended for De-affiliation
18	PU08000910	Dhaulpur Private ITI, Dhaulpur	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
19	PR08001078	RISHI GAALAV PVT. ITI, DHAULPUR	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
20	PR08000120	JAIN RATAN PVT. ITI, HINDAUN CITY (KARAULI)	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
21	PR08000466	S.R. PVT. ITI, MAHU (KARAULI)	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
22	PR08001716	NARAYAN GURU PVT. ITI, KOLAYAT (BIKANER)	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
23	PR08000172	JAITSAR PVT. ITI, JAITSAR (SRI GANGANAGAR)	समस्त स्टॉफ तथा प्रषिक्षणार्थी अनुपस्थित पाये गये।	Recommended for De-affiliation
24	PU08001627	DOON APEX VISION PVT. ITI, HANUMANGARH	संरथान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
25	PR08001036	E-GYAN CENTRE PVT. I'TI, HANUMANGARH JUNCTION	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
26	PR08000705	GEETA JYOTI PVT. ITI, KENCHIYA (HANUMANGARH)	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
27	PU08001700	SURYAUDAY PVT. ITI, HANUMANGARH	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation

Simile

OP

SI. No	MIS Code	Name & Address of ITIs	Reason for de-affiliation	Remarks
28	PR08000458	, , , , , , , , , , , , , , , , , , , ,		Recommended for De-affiliation
20	FK06000438	LAXNMANGARH (ALWAR)	गया।	
		SAINT WILFRED COLLEGE OF	संस्थान यथा स्थान नहीं पाया गया।	Recommended for De-affiliation
29	PR08000024	TECHNOLOGY PVT. ITI,	संस्थान वया स्थान नहां पावा गवार	Necommended to be annuation
	-	MANSAROVER, JAIPUR ARJU PVT. I'TI, MANOHARPUR	संस्थान संचालन समय के दौरान बंद पाया	
30	PR08000865	(JAIPUR)	गया।	Recommended for De-affiliation
			निर्धारित संस्थान मवन में अन्य गतिविधियों	Recommended for De-affiliation
31	PR08001165	DEV PVT. ITI, SITAPURA, JAIPUR	का संचालन पाया गया।	Recommended for De-armiation
22	DD00000014	JAIMAN PVT. ITI, SODALA (JAIPUR)	संस्थान संचालन समय के दौरान बंद पाया	Recommended for De-affiliation
32	PR08000914		गया।	
33	PR08000303	SHRI NAVEEN PVT. ITI, SITAPURA,	संस्थान यथा स्थान नहीं पाया गया।	Recommended for De-affiliation
	1100000000	JAIPUR	Market 1	
34	PR08000682	MODERN PVT. ITI, MALVIYA NAGAR,	संस्थान संघालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
		JAIPUR	संस्थान संचालन समय के दौरान बंद पाया	
35	PR08000140	NEW JAIMAN PVT. ITI, JAIPUR	गया।	Recommended for De-affiliation
		BHARATI PVT. ITI, KANWAPURA	संस्थान संचालन समय के दौरान बंद पाया	
36	PR08001405	(JAIPUR)	गया।	Recommended for De-affiliation
	1	SHRI BAJRANG PVT. ITI, MAHAR	सगरत स्टॉफ तथा प्रविक्षणार्थी अनुपरिथत	
37	PR08001606	KALAN (JAIPUR)	पार्थ गये।	Recommended for De-affiliation
		CHAUDHARY PVT. ITI, SANGANER	संस्थान संचालन समय के दौरान बंद पाया	Recommended for De-affiliation
38	PR08001624	(JAIPUR)	गया।	Recommended for De-armiation
	0000001704	UNIVERSAL PVT. ITI, MANZI RENWAL	संस्थान संचालन समय के दौरान बंद पाया	Recommended for De-affiliation
39	PR08001704	(JAIPUR)	गया।	Recommended for De difficultion
40	PR08001656	PHAGI PVT, ITI, HARSOOLIYA	संस्थान संचालन समय के दौरान वंद पाया	Recommended for De-affiliation
40	PKU8001636	(JAIPUR)	गया।	
41	PR08000547	CHAUDHARY HARLAL PVT. ITI,	संस्थान संचालन समय के दौरान वंद पाया	Recommended for De-affiliation
	/ Hodoos 17	RANASAR (JHUNJHUNU)	गया।	
42	PR08000665	EKTA PVT. ITI, UDAIPURWATI	संस्थान संचालन समय के दौरान वंद पाया गया।	Recommended for De-affiliation
		(JHUNJHUNU) PANDIT GANESH NARAYAN PVT. ITI,	संरथान संचालन समय के दौरान वंद पाया	
43	PR08000763	KHIROR (JHUNJHUNU)	गया।	Recommended for De-affiliation
		VISHWAKARMA PVT. ITI, GUDHA	संस्थान संचालन समय के दौरान बंद पाया	
44	PR08D01602	GORJI (JHUNJHUNU)	गया।	Recommended for De-affiliation
		PRINCE REGIONAL PVT. ITI,	संस्थान संचातन समय के दौरान बंद पाया	Recommended for De-affiliation
45	PR08001251	SHYOPURA (JHUNJHUNU)	गया।	Recommended for De-affiliation
4.5	DD00001120	RAO PVT. ITI, GHARDANA KHURD	संस्थान संचालन समय के दौरान बंद पाया	Recommended for De-affiliation
46	PR08001130	(UNUHLNUHL)	गया।	Recommended for De-affination
47	PR08000202	MANU OXFORD PVT. ITI,	संस्थान संधालन समय के दौरान बंद पाया	Recommended for De-affiliation
47	PR08000202	MOHABBATSAR (JHUNJHUNU)	गया।	incommended for be difficultied
48	PU08001741	SAINIK PVT. ITI, JHUNJHUNUN	निधारित संस्थान भवन में अन्य गतिविधियों	Recommended for De-affiliation
	1000001741	D III WALL THE THE TENT OF THE	का संघालन पाया गया।	<u> </u>
		PRINCE ACADEMY OF HIGHER	संरथान संचालन समय के दौरान यंद पाया	Recommended for De-affiliation
49	PR08001266	EDUCATION PVT. ITI, NANI (SIKAR)	गया।	Recommended for De-arrillation
		SHRI RAGHUNATH PVT. ITI, DANTA	समस्त स्टॉफ तथा प्रविक्षणार्थी अनुपरिथत	
50	PR08001280	RAMGARH (SIKAR)	पार्थ गये।	Recommended for De-affiliation
			निर्धारित संस्थान मवन में अन्य गतिविधियों	
51	PR08000338	JAMNA DEVI PVT. ITI, SIKAR	का संचालन पाया गया।	Recommended for De-affiliation
		MARUTI PVT. ITI, CHIRIYA TIBBA,	संस्थान संचालन समय के दौरान बंद पाया	Paramerandad for Do affiliation
52	PR08000534	SIKAR	गया।	Recommended for De-affiliation
		DESH BANDHU PVT. ITI, SEWA	संस्थान संचालन सगय के दौरान बंद पाया	Recommended for De-affiliation
53	PR08000145	(SIKAR)	गया !	necommended for be-armiation
54	PR08000067	GEETA PVT. ITI, AJEETGARH (SIKAR)	संस्थान संचालन समय के दौरान बंद पाया	Recommended for De-affiliation
<u></u>	FN06000007	GEETAT VI. III, AGETGANIT (SIKAN)	गया।	
55	PR08001288	J. J. PVT. ITI, JUGALPURA (SIKAR)	संस्थान संचालन समय के दौरान वंद पाया	Recommended for De-affiliation
	1 100001200	5.5.1 V1.111,30 G/tel Oliv (510/11)	गया ।	

Lunill

مهر

SI. No	MIS Code	Name & Address of iTIs	Reason for de-affiliation	Remarks
56	PR08001358	SHREE SHYAM PVT. ITI, KHOOD (SIKAR)	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
57	PR08000811	NAVEEN PVT. ITI, LAXMANGARH (SIKAR)	समस्त स्टॉफ तथा प्रषिक्षणार्थी अनुपस्थित पाये गये।	Recommended for De-affiliation
58	PR08001658	RAJASTHAN PVT. ITI, KHEERWA (SIKAR)	समस्त स्टॉफ तथा प्रक्रिकणार्थी अनुपरिधत पाये गये एवं निर्धारित संस्थान भवन में अन्य मतिविधियों का संघालन पाया गया।	Recommended for De-affiliation
59	PR08000228	SHREE RAM PVT. ITI, KHATU SHYAM JI (SIKAR)	निर्धारित संस्थान भवन में अन्य गतिविधियों का संचालन पाथा गया।	Recommended for De-affiliation
60	PR08000267	SARASWATI PVT. ITI, SEWAD BARI (SIKAR)	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
61	PR08000270	GOVINDAM PVT. ITI, SABAI,PURA, SIKAR	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
62	PR08001618	BAL BHARTI PVT. ITI, PALWAS (SIKAR)	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
63	PR08000829	SARASWATI PVT. ITI, BHADRAJOON (JALORE)	निर्धारित संस्थान मवन में अन्य गतिविधियाँ का संचालन पाया गया।	Recommended for De-affiliation
64	PR08000548	SHRI OM PVT. ITI, BORUNDA (JODHPUR)	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
65	PR08001224	G.N. PVT. ITI, ANTA (BARAN)	संस्थान संघालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
66	PR08000358	KANHA PVT. ITI, BARAN	संस्थान संघालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
67	PR08000546	SHREE RADHA PVT. ITI, GAJANPURA, BARAN	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
68	PR08000691	SHRI KRISHNA PVT. ITI, BARAN	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
69	PU08001347	UNIQUE PVT. ITI, BUNDI	संख्थान संचालन समय के दौरान यंद पाया गया।	Recommended for De-affiliation
70	PR08000271	ADITYA PVT. ITI, AKLERA (JHALAWAR)	संस्थान संघालन सभय के दौरान यंद पाया गया।	Recommended for De-affiliation
71	PR08000368	MAHARAJA INDRAJEET SINGH PVT. ITI, JHALRAPATAN (JHALAWAR)	संस्थान यथा स्थान नहीं पाया गया।	Recommended for De-affiliation
72	PR08000800	NEW RAJASTHAN PVT. ITI, KHANPUR (JHALAWAR)	संस्थान संचालन समय के दौरान वंद पाया गया।	Recommended for De-affiliation
73	PR08001201	RAJASTHAN PVT, ITI, JHALAWAR	संरथान यथा स्थान नहीं पाया गया।	Recommended for De-affiliation
74	PR08000817	RAJRANI PVT. ITI, AKLERA (JHALAWAR)	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
75	PR08000364	SAINATH PVT. ITI, AKLERA (JHALAWAR)	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
76	PU08001681	SHREE RAM PVT. ITI, JHALRAPATAN (JHALAWAR)	संस्थान संचालन समय के दौरान वंद पाया गया।	Recommended for De-affiliation
77	PR08000706	SORABH PVT. ITI, KOTA	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
78	PR08000329	BALAJI PVT. ITI, RANGBARI, KOTA	संस्थान संघालन समय के दौरान बंद पाया गया।	Recommended for De-affillation
79	PR08000323	BHARTI PVT. ITI, KOTA	संस्थान संघालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
80	PR08000011	DR. RADHA KRISHNAN PVT. ITI, KOTA	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
81	PR08000263	JAISWAL PVT. ITI, RANPUR (KOTA)	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
82	PR08001242	JAWAHAR LAL NEHRU PVT. ITI, JOLAPA ROAD (KOTA)	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
83	PR08001074	MAHARSHI RAMESHVARANAND PVT. ITI, LADPURA, KOTA	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation

Synill

. 94

Sl. No	MIS Code	Name & Address of ITIs	Reason for de-affiliation	Remarks
84	PR08000462	MOHHAMMADI PVT_ITI, KOTA	गया।	Recommended for De-affiliation
85	PR08001249	ARIHANT PVT. ITI, KOTA	पाये गये।	Recommended for De-affiliation
86	PR08001262	RAMA PVT. ITI, BALAJI NAGAR, KOTA	संस्थान संचातन समय के दौरान वंद पाया गया।	Recommended for De-affiliation
87	PR08001069	RAMESHVRANAND PVT. ITI, MAHAVEER COLONY, LADPURA, KOTA	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
88	PR08000379	SARVODAYA PVT. ITI, RIICO INDUSTRIAL AREA, RANPUR (KOTA)	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
89	PR08001153	SARVODYA PVT. ITI, SURAJ POLE, KOTA	संस्थान संघालन समय के दौरान वंद पाया गया।	Recommended for De-affiliation
90	PR08000786	SHIV PVT. ITI, KHERLI FATAK, KOTA	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
91	PR08000484	RADHA KRISHNA PVT. ITI, BEGUN (CHITTORGARH)	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
92	PR08000148	ADVANCE PVT. ITI, BHIM (RAJSAMAND)	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
93	PR08001088	RANTHAMBHOR PVT. ITI, NATHDWARA, KHAMNOR (RAJSAMAND)	संस्थान संचालन समय के दौरान बंद पाया गया।	Recommended for De-affiliation
94	PR08000608	Meenakshi Private ITI, Ward No. 23, Dev Nagar, Baswa Road, Bandikul, District - Dausa, Rajasthan	निरीक्षण रिपोर्ट के अनुसार संस्थान काफी समय से बंद है	Recommended for De-affiliation
95	PU08000287	Roop Rajat Private ITI, Jhule Ka Marg, Shiprapath, Mansarover, Sanganer, District - Jaipur, Rajasthan	निरीक्षण रिपोर्ट के अनुसार संस्थान पते पर नहीं मिला	Recommended for De-affiliation
96	PU08001294	Siddhant Private ITI, 1, Mahaveer Nagar, Muhana Road, Opp. Vt Road, Mansarover, District - Jaipur, Rajasthan	निरीक्षण रिपॉर्ट के अनुसार लम्बे समय से संस्थान में अवकाश है तथा एनसीवीटी वे अनुमापदण्डानुसार विधुत कनेक्शन नहीं है	Reply Received awaited for S/D
97	PU08001639	Kanchan Shree Private ITI, 78, Anant plaza city kotwali main road, Nagoro Garden, Dist. Bhilwara, Rajasthan		Reply Received awaited for S/D comments

Syniff

								2018-19			2019-20					
	MIS CODE	Name of Pvt_ITI	Grading	Year of Establishment	Existing Trade	Affiliated Units	Total studentenrolle	Student Pass out	Placement of Student	Student enroll	Student Pass out	Placement of Student	Deficiences found during inspection	Institution reply	State Directorate Comments	Remarks by DGT:
P	P.08000013	KUKAS PVT (II, KOOKAS (JAIPUR)	Not done	250G	Firler	1	Ğ	©:		a.	0		lapkyu le; ds nkSjku can lkk;k x;k	पूर्व 2 वर्षों से पर्वेश शून्य है क्यूंकि संस्थान अन्य जगह हेतु निर्माणापीन है निर्माण सम्पूर्ण होने पर है आवेदन किया जायेगा हमारे संस्थान में राजकीय मापदंडों के अनुसार शिक्षण व पशिक्षण के सभी संसाधन यथावत उपलब्ध है परन्तु	O admission from laxt Two years. As per DGT Norms ITI has to apply for Realfiliation? Joint Inspection. ITI to be Deaffiliated.	1 wheather you have taken permission for shifting of ITI or no If you have shifted your ITI withou permission than it will be de- affiliated at old placed and you have to apply as of rash on NIMI Portal with minimum 4 trades as per affiliation norms 2018. (you ar requeste to reply within 07 days)
				2006	Electrician		o	o		o	0			घन प्रयासों के बावजूद एडमिशन के आभाव के कारण सिथिल अवस्था में है		Else your ITI will be de affiliated
P	PR08000016	LARASWATI PVT. ITI,	1,22	2006	Mechanic Diesel	4	21	o o		65	7		शिकासस की जीव	(भिरोक्षाण दिवस का बटाफ सदस्य की शादी	On Complaint of ITI. ITI was Inspected Only 4	to be checked
		IUGALPURA KALAN, NIWAI (TONK)											क्षरवाने पर संख्यान में	होने के कारण समस्य स्टाफ एवं प्रशिक्षणाधी भाषी में गर्म हुए हो। इसी कारण स्टाम एवं	Instructor was present instead of 15. Only 3.  Trainees was present out of 346 Trainees. No Bank.	
				2006	Filter	2	0	0.		40	-3		आनयागवतार गावा गया।	ष्ठात्रा को उपस्थिति कम थै। राजगीतक दबाद एवं द्वेपता है अरुण अधिकतर भ्रामेगा बतार्ष गर्या है।	Record/ No Explerence certifate of any staff was available. Prim facie ITI was not running as per NCVT Norms and no training activity was found	
				2006	Electrician	6	o.	đ		119	52				inthe Iti which can also be corroborated from ITI reply. SBCWP 9335/2020 Rajasthan High Court. ITI to be Deeffillated.	
	PR08000032	ARAVALI PVT. JTI, RAJGARH (ALWAR)	Nat done	2006	Mechanic Diesel	2	υ	0		0	e e		संवालन सपत के दौरान वेद पाया गया	निरीक्षणकर्ता ने हमारी संस्था को बिना निरीक्षण के बंद बता दिया था हमते सन 2020-21 को स्थानांतरित करने हेतु आवेदत शुल्क भी समा करवा दिया था परन्तु कोविड 19 के कारण आर्म की कार्यवाही नहीं कर सने	0 admission from year 2017. As per DGT Norms ITI has to apply for Reaffillation / Joint Inspection. ITI to be Deaffillated.	please Inform wheather you have taken permission for shifting of IT or not. Have you followed the affiliation norms for shifting of IT (please reply within 07 days, Else your ITI will be de-affiliated
Ì				2006	Fitter	2	0	0		0	D.					
1 /	PK08000046	SHARDA PVT_ITI, SODAWAS, MUNDAWAR (ALWAR)	Not done	2006	Machighic Diase)	2	0	1		0	O.		संभातन सभय के पीतन भंद पाया गरा	सब 2012-18 के छात्र छात्रा कोर्स पूर्ण कर जुलाई 2019 में जा युके हैं सब 2018-19 में सस्था में कोई दाखित नहीं हुए हैं संस्था नदीं के पास होने व पानी भर जाने की समन्या से संस्था को 500 मी॰ की दूरी पर नए भवन निर्माण का कार्य घत रहा है जल्द ही	ा in has to apply for Reaffiliation / Joint Inspection ते ते ते व	I. wheather you have raken permission for shifting of ITI or no if you have shifted your ITI withou permission than it will be dearflished at 10d placed and you have to apply as a fresh on NIMI Portal with minimum 4 trades as or affiliation norms 2018, you as
				5006	Fitter	2	0	1		0	0			शिफ्टिंग की पक्रिया पूरी की जाएगी		requeste to reply within 07 days) Else your ITI will be de affiliated
	•			2006	Electrician	2	0	15		0	0					pose your III will be de affiliated.
	PR08000116	DEEPAK PVT. ITI.	1	2005	Mechanic Diesel	2	13	b		0	0		दार विनदक असवेमक	संस्थान का विश्वासानामा प्रतिसीतमी विज्ञाई स्वा रही हैं। संरथा का संधालन जिला	On complaint ITI was inspected. ITI was not found running at affiliated place during inspection.	Check I ft moly
3		MANDAWAR (DAUSA)											क्षतापदाह			

Juni M

رهول

				2005	Electrician	4	84	15	0	o .		ान्य भाषास्त्र र∣	Training activities was found in the ITI. ITI to be Deaffillated.	
6 1	RUS000137	IANAGAZI PYF. ITI, THANAGAZI (ALWAR)	tior draw	2008	Filter	2	0	13	0	o =	संचालन समय के दौरान बंद पामा भया	We have zero admission at the time of inspection as well as in the previous year, so it was made clear to inspection authority at the time of inspection. The Training centre was used by Shukla Private ITI PR08001801 without our permission and the building owner is used our machinery for his institute namely	O admission from last Two years, As per DGT NormsTIT has to apply for Reaffiliation / Joint Inspection TIT to be Destfillated.	Joint imprection of both of the ITs is to be carriyour and if they are not found as per digt AFFILATION commiss than both of them to be de- affillated and lasure a stray cause notice of bintials Private IT PROSDOI NOT Kimdly de-affiliated to old ITI)
				2008	Electricien	2	0	13.	0	o	ě	Shukla Private ITI, Pratap Garh Road Thanagazal.		*
7	PROSCO0146	DHOLAPLASH PVT ITI, DHOLA PALAS UMRAIN (ALWAR)	Not done	2008	Filter	1	0	ø	.0	0	संशालन समय के दौरान बंद पाया गया	We have zero admission at the time of inspection as well as in the previous year, so it was made clear	0 admission from last five years. As per DGT Norms ITI has to apply for Reaffiliation / Joint Inspection. ITI to be Destfiliated.	ITI to be de artificited
				2008	Electrician	1	0	ō	ń	0		to inspection authority at the time of inspection		
*	PROSCO0164	KIRAN PYT, ITI, GURA	5	2014	Electrician	6	o	0	65	-#	संघातम् समयः कं दौरान बंद गाया पया	संस्थान में NCVI के मापदंड अनुसार समस्त तकनिकी स्टाफ कार्यस्त है State Directorate द्वारा करवाए गये निरोक्षण के दीचन संस्थान उपरोक्त विदुओं का पालन कर रहा था इस दौरान करवाई गयो चीडियोगाफी पेश की जा रही है	ITI was inspected in sep.2019, ITI was found tocked, Neither trainee nor any staff was found seven no Guard was found at the location, Prime Facility to the Committee of the ITI.  ITI to be Deaffiliated.	to be checked
9	PR08000206	MODERN PVT. IT, NANI (SIKAR)	0.1	2014	Electrician	6	41	3	D	Ġ.	संघातन समग्र के दौरान बंद पाटा गया	हमारी आईटीआई का किसी भी पकार का कोई भी निरिक्षण नहीं किया गया है DGT व COVID-19 के निर्देशानुसार आईटीआई का संवातन किया जा रहा है संस्थान इंस्पेक्शन करवाने हेतु समस्त है	Even no Guard was found at the location, Prima	Joint Inspection to be carried out
10	PR0800U209	SHRI R.N. PVT. IT, SALASAR (CHURU)	2,49	2014	Electrician	6	0.	S	0	12	संचालन समय के दौरान बंद पाया गया	गत वर्ष 2018 से आईटीआई में कोई प्रवेश नहीं तिया गया है संभान द्वारा संपालन भी बंद कर दिया गया है इस कार्यवाड़ी को शून्य मान कर है हैं। एफिलियेशन हेतु कार्यवाही कर हमें अनुवहित करें	ITI was found closed at the time of inspection, ITI was found closed ITI itself which can be corroborated from ITIs reply. (ITI to be Deaffilkated.	To be De-offliated

Sunt

9.8

I Per		ndarsh Pvt. IT), iklera (Jhalawar)	Not dune	2014	Electrician	6	0		đ	6	भे किर्तिरस संस्थान गवन मै अन्य गतिविधियमें का संशालन पाया गथा	चिछते 2 वर्ष से कोई औं पर्वश नहीं तिया गया है आईटीआई की शिफ्टिंग के लिए आदेदन निभी पोर्टल पर दिनांक 27.02.2020 को ही कर दिया है दस्तावेज़ सलंग्न हैं	O admission from last 2 years. As per DGT Norms IT has to apply for Reaffiliation / Joint Inspection.  It to be Deaffiliated.	L, wheather you have taken permission for arithing of II or net, if you have shifted your IT without permission than it will be de- affiliated at old placed and you have to apply as a fresh on NIMI Portal with minimum 4 trades as per affiliation norms 2018 (you are requeste to reply within 07 days). Ebe your ITI will be de-affiliared.
12 PI		DAKSHA PVT <sub>I</sub> TT, DAUSA	2,66	2013	Electrician	6	105	12	80	11	निरंक्षण के दौरान संख्यान के कशा करा. कार्यापालकों पर साले लगे ग्रुए थे।	त्यवान द्वारा अगरत 2018 में बिक्कून पात में दूरती बिलिंग तैयार कर स्थानान्तरण हत् आवदन किया हुआ हैं। लेकिन पुरानी गिलिंग खाशी नहीं की हैं। विकिट्ग आवदन पर एमार्ट क्षा नई मशीनरी पुरा कनीबर खगैदा गा। है।	On mechining coincilaint against ITI, it was inspected. ITI was Not found running at allifinited Location. Which can be corroborated from ITO reply also. 35CVP 10909/2020 Rejainthan High Court. Deaffillate at Old Location	Check court case, wheather you have takent permission for thilling of ITI or not. If you have shifted your ITI without permission than it will be de-affiliated at old placed and you have to apply us a fresh milkill portal with minimum of stades as per affiliation norms 2018. (you are requested to reply within 07 days), clay your ITI will be rie-affiliated.
13 P	R63000327	SIDDHANT PVT. ITI, RETYA CHOWKI, LADPURA, KOTA	Not done	2013	Electrician	6	0	0	0	0	1.संचालन समय के दौरान बंद गाया गया 2. समस्त स्टॉफ नचा प्रक्रिणाणी जनुपस्थित प्रायं गये	सन 2019-20 में प्रार्थों का प्रवेश शुन्य धा और निरीक्षण टीम साथ 4 बजे बाद संस्थान में औचक निरिकारने पहुंची जबकि संस्थान का समय सुबह 8 से 2 बजे तक था	O admission from last 2 years. As per DGT Norms ITI has to apply for Realfillation / Joint Inspection ITI to be Deaffillated.	weither you have applied for re- stating of your M or not.[please reply with 07 dayrs] If not then your M will be de-affiliated.
1.5 P	PR08000339	ANNPURNA PVT. ITI, MAWANDA (SIKAR)	Not done	2013	Electrician	6	(O)	G.	59	3	<ol> <li>संभालन समय के दौरान बंद पाया गया</li> <li>निर्धारित संस्थान गवन में अन्य गतिविधियों का संघालन गाया गया</li> </ol>	आईटीआई में अन्य पकार की गतिविधियां नहीं चल रही हैं इसके सत्यापन हेतु आप आईटीआई का पुनः निरीक्षण करवा सकते हैं	ITI was inspected Twice, in first inspection in Sep. 2019 ITI was found closed. In the Second Inspection conducted in Dec 2019 other institute( 8 .Ed. College) was found nunning with ITI.  ITI to be Deaffilleted.	Joint Inspection to be carried out
L5 F	FR05000342	SHANTI PVT-ITI, RINGUS (SIKAR)	Not done	2013	Electrician	6	0	31	120	25	ब्द जीम कंजम वि प्देशमधाजपद परे' विशदक बसवेमकण क्योंपिसपंजमक प्य	निरेक्कण रिवस 17 गरवरी 2020 को सीमिति अध्यक्ष के पाताजी का निवन होने के कारण आवासिसका अपनाल रखा गमा था।	A complaint received against ITI. On the rists of inspection ITI was found closed Which can be comborated from ITI reply also. ITI to be Deaffillated.	Joint Inspection to be carried out
TO 1	FRUSOCO370	BURUKUL PVT. M, AKLERA (JHALAWAR)	1,6	2014	Flettrician	3	42	1	19	n	में निर्वापित संस्थान भवन में अन्य गतिविष्यियों का संचालन पाया गया	जोचक निर्देशका में पानी गानी कांग्रेसों को दूर कर दिया गया है। जिसकी आनकारी बीटीर्स जोधापुर को दे दी गयी थी। परन्तु उक्त सूचना मंत्री कार्गात्वय में ई मेरा के उपिये दी पानी थी। आनकारी के अधाव में सूचना नही रे गाये।	inplace of iTI. Neither any staff. Nor any trainee of iTI was found. Prima facle no training activity was found in the ITI.	aoint impection to be carriedout
17	PR080X0420	SHEKAWATI PYT. ITI, DUNDLOD (IHLINIHUNU)	2.53	2007	Fire Technology and Industrial Safety Management	3	٥	12	0	6	संधातन समय के ग्रीशन बद पाया गया श्रीमका स्टॉफ तथा प्राथकाणाणी अनुपरिथत	संस्थान के समस्त कर्मचारी ऑफिस को लॉक करके लंच करने गये हुए थे और उसी दौरान संस्थान में नए पर्वेश भी नहीं थे क्योंकि उस समय संस्था	college. Which can be corroborated from ITIs raply	Joint inspection to be cirriedout
				2007	Mechanic Diesel	2	6	0	3	О	भागे गर्य	का एडमिशन पोर्टल चाल् नहीं था	ITI to be Deeffiliated,	

Suntl 92

Trans

				Conditioning Technician										
			2007	Electronics Mechanic	2	0	o							
			2007	Fitter	7	0	10:		0	G				
							1							
1			2007	flectrician	4	4	D.		1	: I				
			2007	Computer Operator and Programming Assistant	4	b	6		:0	0	11.77			
PR08000423	SHREE RAJEEV GANDHI EVT ITI, HALENA, WEIR (BHARATPUR)	Not done	2008	Fitter	,	0	D		0	C	रांबातन समय के दीरान बंद पाया गया	वर्तमान में उक्त संस्थान में कोई भी बेब नियमित प्रशिक्षण प्राप्त नहीं कर	O admission from last 4 year. As per DGT Norms ITI has to apply for Reaffiliation / Joint Inspection, Also ITI lias requested to close the ITI. ITI to be Deaffiliated.	To be De-affillated
			2008	Electrician	2	0	0		0	-O		19.7		
PR0S000424	BHAGAT SINGH PVT. ITI. MAHWA (DAUSA)	Not skine	2006	Electrician	2	0	0		39		1. योचासन समय के तीरान बेद भाग गया 2.संशालन समय के दीगन बेद पाछ। भया	श्रीमान Covid-19 की वजह सें संस्थान राज्य सरकार द्वारा बंद करवया गया था हमारे संस्थान में covid-19 के पीजिटिव मरीज पाए जाने के कारण संस्थान के स्टाफ व विद्यार्थी आने में असमर्थ थे संस्थान द्वार राजस्थान हाई कोर्ट में श्री याचिका द्यार है S.B. Civil Writ petition no -13547/2011	IT inspection was done twice, in the first inspection in Sup 2019 IT was found closed, in the second inspection building and mechines was not found in working constituent from Faster no training activity was found in the college ITI to be DeeffMeted.	check court casee
PR0800043	ADARSH PVT. ITI, ALWAR	Not done	2008	Mechanic Diesel	2	0	0		0	G	र्शवालन समय के दौराल बंद पाया गया	गत 4 वर्षों से काफी प्रयासों के बावजूद श्री संस्था में पर्वेश नगण्य रहे इसके बावजूद संस्था में संचालित ट्रेडों में प्रवेश हेतु छाडों को आकर्षित करने के लिए समाचार पत्र व अन्य प्रकार के विज्ञापन निकल कर प्रयास किये	G admission from last 4 year, As per GGT Norms IT has to apply for Reaffiliation / sount inspection. Also IT has requested to close the IT. IT to be Deaffillated	To be De-alfillated
		1	2008	Fitter	7	U	Q	1	0	G.		हमें पूर्ण आशा है की संस्था में नये		
			2008	Computer Operator and Programming Assistant	2	0	b		0	9		छाव जल्दी पर्वेश करेंगे		
Pf(D500043	KRISHNA PVT, ITI, DAUSA	3.31	2008	Methanic Dirsel	2	0	0		0	a)	संबातन समय के बीजान बंद पाया गया	संस्था द्वारा डीजीटी के अवन निर्माण के मापदंत्री अनुसार निर्माण कार्य वर्ष 2020-21 में पूर्ण कर के लेव स्थापित कर सत्र 2021-22 में संचालन हेतु पत्रावली शिफ्टिंग हेतु आवेदन कर	(I admission from last 2 year, As per DGT Norms IT has to apply for Keaffilletion / Joint Inspection Alto ITI has requested to close the ITI.  ITI to be Deaffiliated.	To be De-affilialed
			2008	Electrician	2	0	ø		0	0		दिया जावेगा इश आशय शपथ पत्र संसंग्न है		
PR0800048	MOTHER INDIA PYT-	2.5	2 2014	Electrician	6	0	3		D	0	सीबातन समय के दौरान बंद पाया गया	संस्थान में सत्र अगम्त 2017 से अभी तक प्रवेश शून्य हैं इसलिए संस्थान को स्थानांतरित किया जा रहा है जिसका आवेदन दिनांक 26.02.2020 को ऑनलाइन किया जा पूका है	C admirston from last O4 Year, As per DGT Norms ITI has to apply for Reaffiliation / Joint Inspection. Alpa ITI has requested to close the ITI. ITI to be Deaffiliated.	I wheather you have taken permission for slifting of Till or no If you have shifted your I'll withou permission than it will be de affiliated at old placed and you have to apply as a fresh on NIMI Portal with minimum 4 trades as per affiliation norms 2018. (you a requeste to reply within 07 daya) Else your I'll will be de-affiliated.

73		KUCHAMAN PUT ITI KUCHAMAN CITY [NAGAUR]	Not drane	2014	Mechanic Diesel	1	0.	5		0	С	<ol> <li>संशादन समय के दौरान बंद पाया मया 2.संशादन समय के दौरान बंद पाया गया</li> </ol>	दिनांनं 06.09.2019 को संस्थान का निरीक्षण किया गया था उस दिन यहाँ केसरिया कंवर जी का स्थानीय मेला होने के कारण अवकाश था इसलिए आईटीआई बंद थी	0 udminisipil firm past two years. ITI Inspectinis was done but ITI was found closed both times. siECKW 20414/2020 Rejusthan High Court. Deaffiliate ITI	: check to court case
				2014	Electrician	3	0	10		0	17				
7.5	DOGOVECE.	MOHAMMEDI PVT. ITI.	Notdona	2014	Electrician	ī	0	0	_	0	0	संचातन सनग के धीयान	दिवांक 15 06 2020 को प्रसिती हमारा	0 admission from session 2017. As per DGT Norms	To be De affiliated on old placed
24		GAONDI (KOTA)	AUG SAIRE	2004	Live California					*		बँद पाया गया	सर्वसमिति में निर्णय तिया गया की उक्त आईटीआई को अन्यत्र स्थानांतरित किया जाये इसके बाद संस्थान के पदाधिकारी निवन स्थान का ध्यन के पदाधिम में तमे थे इश अवधि में 05.06.2020 को संस्थान का औरिक निरीक्षण किया गया तो संस्थान बंद मिला	(T) has to apply for Reaffillation / Joint Inspection. Alto ITI has requested to close the ITI. ITI to be Desffillated.	will apply as fish on NiMi portal as per Affillation froms munissum 4 urade
25		DESRAI PVT. ITI; NIWAI (TONK)	0.46	2009	Mechanic Diesel	7	U	¢		0	0	शोमालन समय की दौदान बंद पाया गया	का भवन का कार्य चल रहा है जो की पूर्ण होते ही DGT का निरिक्षण करवा लिया जायेगा शिफ्टिंग के लिए निमी ऑनलाइन पोर्टल पे फ़रवरी 2020 में	O admission from last D3 Years. As par DGT Norma. IT has to apply for Restfillation / Joint Inspection. Also ITh has requested to close the IT. IT to be Deaffillated.	1. wheather you have taken permission for shifting of ITI or not, if you have shifted your ITI without permission than R will be deutifulated at all placed and you have to apply as a fresh on NIMI.
				2009	Ejectrician	2	6	o.		0	o		कॉर्म भी भर दिया गया है		Portal with minimum 4 trases as per affiliation norms 2018. (you are requeste to reply within 07 days). Else your ITI will be de-affiliated.
												6.5 3.4	निर्देशमा दिवस को स्टार स्वरथ की गादी	On receiving the Complaint of (T), (T) was	to be cake court case
26	PM0800062-8	SHIV PVTITT, TONK	1.14	2009	Mechanic Diesel	3	42	Q.		48	4	निरीक्षण के दौरान संस्थान के कक्षा क्खा, कार्याशालाओं पर लाले लगे सुए थे। संवालन	होने व आत्म सनस्त स्टाक एवं प्रिकाणकी भाषी में गये हुए थे। इसी कारण स्टाक एवं भाषी के उपस्थिति कम थे। राजनैतिक	inspected. No staff or trainee was found at the ITI. ITI building was not as per NCVT norms. Also a School was running with ITI. This canbe	TO DO CANCE COUNTY CARD
				2009	Electrician	2	0	D.		40	Ō	सगय के दोरान बंद	दबाप एवं द्वेषना कं कारण अधिकतर किमया	commitment of the commitment o	
				2009	Computer Operator and Programming Assistant	2	26	21		24	9	पाया गया समस्त स्टॉफ तथा प्रक्रिमणार्थी अनुपस्थित पाये गये	बाता है। जा कि पूर्णतमा मिथिया एवं मन्तत हैं।	SBCWP 10414/2020 Rejesthen High Court. ITI to be Deaffilleted.	
27	PROBO00639	VIVEKANAND PVT ITI, CHOMU (JAIPUR)	1.86	2009	Mechanic Diesel	3	ø	21		0	0	संघालन सगय के सीरान बंद पाया गया	संस्थान अन्य जगह हेतु निर्माणाधीन है निर्माण सम्पूर्ण होने पर है आवेदन	O admission from last 03 Years. As per DGT Norms ITI has to apply for Reaffiliation / Joint Inspection. Also ITI has requested to close the ITI. ITI to be Deaffiliated.	wheather you have taken permission for shifting of 11 or not. If you have shifted your ITI without permission than it will be deathfulsted at old placed and you.
				2009	Électrician	2	0	0		D	4		है निर्माण सम्पूर्ण होने पर है आवेदन किया जायेगा		have to apply as a fresh on NIMI Portal with minimum 4 trades as per affiliation norms 2018. (you are requeste to rephy within 07 days) Else your ITI will be de-affiliated
ZB	PR08000685	RAJASTHAN PVT. ITI, CHIRAWA (JHUNJHUNU)	Nut done	2009	Electrician :	4	0	9		0	6	सामस्त स्टॉफ तथा प्रविद्याणार्थी अनुपस्थित पाये गये	संस्थान में लेब, क्लासरूम व अन्य उपकरण नियमानुसार सही हैं परन्तु सब जुलाई 2017 से पर्वश शून्य है जिसके कारण संस्थान में परिक्षनार्थी	O admission from lest 4 year. As per DGT Norms ITI has to apply for Reaffillation / Joint Inspection. Also ITI has requested to close the ITI. ITI to be Deaffillated.	to be de affiliated
				2009	Computer Operator and Programming Assistant	2	0	0		0	0		व स्टाफ शून्य पाया गया		

Symth

94

No

	R.M. PYT. ITI, MACHARI (AL WAR)	3,32	2009	Meritanic Diesel	2	42	ġ.	47	19	शंकातम् समय के दौशन दोर पाया गया	निरीक्षण कर के ले गेंगा था परन्तु उस दिन देवता भर्तहरि का मेला था जिसके	At the time of inspection i, Neither are staff nor any training was found at the ITI, No training activity was found in the ITI, This can be corroborated from ITIs reply (SBCWP 9773/2020 Rajesthan High coint) ITIs to be Deatfilisted.	to be checked
			2009	Welder	2	42	15	39	14	+			
			2009	Pitter	2	21	7	20	0	 1			
			2009	Electrician	2	D	0	40	14	 1			
		Not done	2009	Mechanic Divoel	2	0	0	0	- 0	 संधालक समय के दौरान	जिस दिन निरीक्षण दल ने संस्थान	O admission from last two years. As per DGT Norms	to be de-Hiliated
PROBLEMS S	GOMNEGARH (JAIPUR)	Rocone	2508	Mechanic Divocal						चंद्र पाया गया	विजिद्ध की उक्त दिवस संस्थान की और से स्ट्येंडिक अवकाश घोषित किया हुआ था सम्यान में 0 पर्वेश होने के कारण नियमित गतिविधियां पूर्णतयाः संग्रांत्रित नहीं थी	III has to apply for Realfillation / Joint Inspection, Also ITh his requested to close the ITI. IT to be Deaffillated.	
			2008	Electrician	2	0	3	0	0				
PR05000574	SARASWATI PVT. ITI, MALPURA (TONK)	1.02	e005	Machanic Diesel	3	42	0	47			वितेशक दिवस का स्टान्ट स्टान्य की काड़ी होने के कारण समस्य हराक एवं प्रिकाणण्डी सारत में गाउ हुए थे। इसी कारण स्टान्ट एवं प्रस्ता की उपरिचिति कम थे। भौगच्य में हरासन बगाल स्टान जानेगा। स्टाननीतिक ध्याद पूर्व देषणा के कारण अधिकत्तर कमिया स्थाद मुखी है। जो कि पूर्णतमा मिथिया एवं महात	On receiving the Comptaint of ITI, ITI was inspected. Neither any staff nor any traines was found at the ITI. This canbe composated from ITIs reply. SECWP 9335/2020 Rajasthen High Court. Deaffiliate ITI	Joint Hapaiction
			2009	Electricien		41							
PV 6H	MAHARANA PRATAP PVT. IT. BHUPALSAGAR, CHITTORGARH	Not done	2007	Mechanic Diesel	.à.	50:	0	.0	.0	संशास्त्र भगय के दौरात बंद भागा गया	निरीक्षण के दौरान संस्थान वद पाया गया क्योंकि उस दिन भारी बारिश हुई पी एवं लगातार 2 दिनों से वरिश के बारण जन जीवन भी अस्त-व्यस्त भा सांसद मोडदय चितारगढ़ ने भी संस्थान की कमियों की पूर्ति के बाद इसे पुन: चालू करने हेतु माननीय कोशत एवं उपिमता मंत्री मोहदय भारत सरकार को पत्र लिखा है प्रति सलंगन	O edmission from last 3 Years. As per OCT Norms IT has to apply for Realfiliation / Joint Inspection Also ITI has requested to close the ITI. ITI to be Dealfilikotod.	to be chocked
			2007	Fitter	2	0	ø	0	(0)				
												At the time of inspection (TI was closed. The (TI	To be de-affiliated
PR08001030	WARAH MIHIR PVTITI, BAGGAO (IHUMHUNU		2005	Draughtonun (Civil)	1	0	0	0	0	संगासन समय के दौरान वंग पाया गया	अड़टाआइ में छात्रा के प्रवस नहां होने के कारण हम इस संस्थान को आगे संगालित करने में असमर्थ है इसलिय आईटीआई की बंद करने का कष्ट करें	wants to shut down the ITI, which can be inferred from the ITIs reply.	to be desumated
			2005	Electrician	2	D	0	0	. 0				
PR08001043	MAUEANA ÁBUL KALAM AZAD PVT. ITI, JAIPUR	Not done	2006	Electrician	3	0	0	0	0	संधातनं समय के बीरान बंद पाया गया	संस्थान व क्रियान जीकाण क शामरक्ष संस्थान कर्मका उपनन्ध है। गहन प्रयासी के बावजून मुजनीशन का अनाय है।	As per DGT Norms ITI has to apply for Reaffillation  / Joint Inspection	Put up for discussion
			2006	Architectural Oranghtsman	1	U	o	a	6			ITI to be Deaffillated.	
PROBO01285	SANSKAR PVY. ITI, KESHORAI PATAN (BUNDI)	N/III done	2009	Fitter	2	.0	0:	0	.0.	संबातन समय के वौरान बंद पाया गरा	सब 2016 से आईटीआई में शून्य प्रवेश हैं एवं आईटीआई को बंद करने का निर्णय समिती दवारा लिया जा	O admission from last 5 year. As per DGY Norms III has to apply for Reaffillation / Joint inspection. Also ITI has requested to close the ITI which can be confirmed from the ITIs reply.	to be de-affiliated
			2009	Slectrinian		Ó	0	q	0		चूका है	ITI to be Deaffiliated.	
		1	1	diril		-				U car		08/	

36   PRUSDO172D	PREMIEVT ITI, JAIPUR	Not done	2009	Mechanic Diesel	1	0	0	0	o'.	शंधालन समय के दौशन वंद पाया गया	नया प्रवेश नहीं लिया था किन्तु वितीय समस्या को अब खत्म कर	0 admission from session 2016. As per DGT Norms III has to apply for Reaffillation / Joint inspection. III to be Deaffillated.	In has to applied for Re-affiliation (to be discussed)
			2009	fitter	3	0	0	0	0		लिया है प्रेम पाइवेट आईटीआई पुन विश आबेदन करने की अनुमति प्राती है		
			2009	Electrician	3	0	in .	0	6		छाती है		
			2009	Computer Operator	-	0	0	0	0		1		
				and Programming Assistant	-								
37 PR08G01229	Ð K. BIRLA PYT. ITI, KUCHAMANCITY (NAGAUR)	0.99	2009	Mochanic Diesol	2	0	q	0	Ø	ा संचालन समय के दौरान बंद पाया गया 2.संचालन समय के दौरान बंद पाया गया	पिछले कुछ वर्षी से सत्था में छात्रों की संख्या 0 रहीं परन्तु संस्थान बंद नहीं रहा निरीक्षण के दिन कर्मचारियों के आकर्तिमक घरेलू कार्य तथा क्षातिङ 19 के प्रभाव के कारण अवागमन सुविधा उपलब्ध न होने के कारण वे	Gadmission from last Two year, As per DGT Norms ITI has to apply for Reeffiliation / Joint Inspection, Also ITI has requested in close the ITI ITI to be Derfflitted.	Joint inspection to be carriedout
			2009	Welder	2	0	2	0	0		अनुपश्चित रहे		
			2009	Fitter	2	0	¢	0	9		signean to		
			2009	Electrician	2	0	0	0	0				
33 PROBGO1240	B R MIRDHA PVT. ITI, MAULASAR (NAGAUR)	Not done	2009	Electrician	٩	0	a	80	15	।, संवालन समय के दौरान बंद पाया गया 2. संनातन समय के दौरान बंद पाया गया, क्रिमोदिश संस्थान भवन हं अन्य परिविधियों का संयातन पाया गया	पढ़ बात सहा नहा हुए क्योंक उस दिन के ब्यूत वाले दिन यानी ए दिसक्द से ॥ दिसम्बर २,३५ तीन दिन्छ के लिए हमारी आईटीआई के बच्चे व अनुदेशक प्रिसिप्त सहित टूर पर गये थे इस सम्बर्ध में हम पहेले ही मेल कर चुके हैं, प्रतितिपी सलंग्रह	ITI inspection was done twice, in the first imspection ITI was found closed. Neither any staff nor any trainee was found at the ITI in the Second Inspection also No training activities was found in the ITI, which can be cyrroborated from ITIs reply. Also a School was found in unning in the same premises with the ITI, ITI to be DeathBlated.	Joint inspection to be carriedout
			2009	Computer Operator and Programming Assistent	2	0	0	36	С				
39 PR08001342	5.I PVT 1TI, ANTA (BARAN)	3.27	2015	Electrician	6	Ü	8	98	C	संगातन समय के दौरान बँद पाया गया	हमारी संस्था स्टेशन रोड जिला बारों से हटाकर जोगीर बांदीकुई सहसील बसवा जिला दौसा में स्थानांतरित किया जा रहा है जिसकी सुचना पव दिनाक 10.12.2019 (51%/52/2019 को इंमेल एवं पोस्ट द्वारा निदेशालय करें अजवाई गयी है	At the time of inspection ITI was found closed, Neither any staff nor any trainee was found at the ITI. Prime facton to training its conducted by the ITI at a stifliated location. This can be corroborated from ITIs reply, ITI applied for Shifting But OGT has declared ITI Not Eligible for shifting due to not following NCVT norms. SICWP 12399/2020 Rajasthan High Court.  Deaffiliate at Old Location	cehck court case
40 PR08001587	IAXMI DEVI PVT, ITI, MADHO SIRGH PURA, NEEMRANA (ALWAR)	131	2014	Electrician	6	63	17	40	23	व्स वयजनसंपदज	पकान मादिक एवं किशाये यार के विवाद के कारण संरक्षान अंदा पुराना भवन को व्याली कर दिया गया है एका नशीन क्यान पर भवन स्थानान्तरित कर सिया गया है।	inspected, ITI was not found running at affiliated	1. wheather you have taken permission for shifting of ITI or not. If you have shifted your ITI without permission than it will be de-affilliated at old placed and you have to apply as a fresh on NIMI Portal with minimum 4 trades as per affillation norms 2018. (you are requeste to reply within 07 days). Else your ITI will be de affiliated.
41 PR08001630	GLOBAL PVT. ITI, SINGHANA (IHUMHUNUM)	Not done	2015	Marine Engine Fitter	:28	ō	0	0	0	<ol> <li>संघातन रागय के दौरान तंद पाया गया</li> <li>अंगतन समय वी दौरान बंद पाया गया</li> </ol>	आईटीआई में छात्रों का प्रवेश न होने के कारण छात्र उपस्थित शुन्य है निरीक्षण के समय दशाई गयी कमियों को पूर्ण कर तिथा गया है सस्थान	was found in the ITI which can be complorated	Joint inspection to be carriedout

Junit

1		1		2015	Health Sanitary Inspector	6	0	o .	a	0		M.v. नियमों का पूरी तरह पालन कर रही हैं	ITI to be Deaffillated.	
	- 1			2015	Electrician	2	7	0	D	2				
				2015	Computer Operator and Programming Assistant	2	2	Ů.	0	3				
PRO		SHUMIKA PVT ITI, MAHWA (DAUSA)	4.31	<b>2016</b>	Filter	4	a	0	Ü	· d	ध्दं काउपस्थिदात्र	रठाफ रूपरिचत थ। रूप्रकृता विजिस्टर वो ठाया प्रति सक्षंग्य है। संस्थान का संवाजन निरेशानय द्वारा खोडून भवन में किया जा रक्षा है।	On receiving the complaint against the ITD, it was insperted. Not trainless was present till ID.00 AM Equipment. S. Machinery was in Proceed Socret, Prima Fooler on training estivity west-trained at the effitient document.  III to be Deeffiliated.	Joint inspection to be carriedout
				7016	Electrician	.9	0	Ď.	0	42		0.00	D admission from past Two year. As per DGT Norms	Joint inspection to be carriedout
13 PT		SARTHAK PAHAL PVT. ITI, SHIV BARI, BIKANER	Not dane	2019	Fittee	1	0	0	0	0	स्ताक्षनं समय के दौरान वेंद्र पाया गया	संस्थान के प्रमुख प्रतिनिधि का आकर्षिसक निधन 30.12.2020 को हो गया था जिसके कारण आगामी सब 2019-20 को हम सुचाक रूप से शुरू नहीं कर पाए थे सब 2020-21 को कोविड-19 के चलते लॉकडाउन होने से निरीक्षण के दौरान	ন हो III has to upply for Revfillation / Joint Inspection. III to the Deaffillation.  মেন  মেন  মেন  মেন  মেন  মেন  মেন  মে	point inspection to be carried out
1				2018	Electrician	1	(0)	0	(0	0		संस्थान बंद था		
41 PC		MUSKAN PVT. ITI, LADPURA (KOTA)	2.67	2013	Electrician	13	0	ů.	299	2	समस्त स्टोफ तथा प्रविद्याणार्थी अनुगस्थित पार्य गर्थ	राख्यान द्वारा जून 2019 में स्थानान्यपण हैंत् डीजीटी को आवेदन कर रखा है। जिसका निरीक्षण करपाया जाना हैं।	At the time of Inspection Neither any staff nor any trainee was found at affiliated place, which can be corroborated from IThs eply also, ITI is not running at affiliated place and applied for Shifting, DGT has declared ITI Not Eligible for shifting due to not	theck court case
													following NCVT norms, [SBCWP 12388/2020 Rajasthan High Court. } ITI to be Deaffillated.	
45 PL		S L.PVT ITI, JAWAHAR NAGAR, KOTA	2.12	2014	Electrician	6:	0	7.	. 0		संघारन' समय के दौरान बंद पाया गया	निरिक्षण के दौरान संस्थान बंद थक क्योंकि संस्थान पिछले 2 सर्वों से 0 सेशन किन्या हुआ या गत 2 वर्षों से संस्थान में 0 पर्वेश होने के कारण हमने संस्थान को जयपुर में शिफ्ट करने हैन BOT को दिनाक 02,07,2019 को Online MIS Portal पर आवेदन कर दिया है	D admisson from last 2 years. As per GGT Norms III has to apply for Reaffillation / Joint Inspection. III to be Deaffillated.	1, wheather you have taken permission for shifting of IT or not. If you have shifted your ITI without permission than it will be de-affiliated a old placed and you have to apply as a fresh on NIMI Portal with minimum 4 trades as per affiliation norms 2018. (you are
														requeste to reply within 07 days), Else your ITI will be do affiliated.
46 P	U08000727	YON PVT, ITI, ANANTPURA CIRCLE, KOTA	2.27	2014	Elevtrictan	3	12	6	4	à à	संवालन सम्या के दौरान बंद पाया गया	निरोक्षण के दिन संस्थान खुला हुआ या निरिक्षणकर्ता दुवारा वर्कशीए, बलासक्स एवं साझै शीतिक सुविधा शो देखि गयी थी परन्तु अवकाश होनं के कारण विद्यार्थी एवं स्टाफ उपस्थित नहीं था	At the time of inspection Neither any staff nor any traine was found at affilieted place. Prima facie no training activity was found at the III, which can be corroborated from ITs reply also.  IT to be Deaffiliated.	
47 P	PU08001293	ARAVALI PVT I'II, BAGRU (JAIPUR)	Not done	2013	Electrician	24	0	13	,	0	संचालन शम्य के तीरान बंद पाया गया	सन 2016 से आईटीआई में शून्य प्रवेश हैं एवं आईटीआई को वंद करने का निर्णय समिती द्वारा लिया जा चूका है	O admission from last 2 years. As per DGT Norms 171 has to apply for Reaffiliation / Joint Inspection, Also III has requested to close down the ITI, which is confirmed from ITI reply.	To be de-affillated

· Junte

ie Pi		лилуак Raj Pyf. III, AGA IPURA (IAIPUR)	Natidone	2013	Electrician	4	21	7	0	ć.	मधा स्थान नहीं पार गया	निरिक्षण के समय संस्थान अपने स्थान पर नहीं पाया गया क्यूंकि निरिक्षण से एक माह पूर्व माकन मालिक से मतभेद होने के कारण व समान संस्थान परिसर में एकित होने के कारण संस्थान संचालित नहीं था वेकिन पुनः समझीता होने के कारण संस्थान उसी स्थान पर संचालित है	Lat the time of inspection Hellther any staff nor any trainer was found at affiliated place, which can be corroborated from ITs reply also.	Joint inspection to be carriedout
19 Pld 671		KIRAREPHT. ITE, SHANTI NAGAR (IAIPUR)	Notdune	2014			0	O;	•	ė	संगादन समय के व		At the time of ensection Neither any staff and any trainer was found at affiliated olicic, which can be corroborated from ITIs reply also. I'll applied for Shiffung. But DGT has dedared I'll Not Eligible for indring due to not following NCVT norms.  I'll to be De affiliated.	L wheather you have taken permission for shifting of ITI or not. If you have shifted your ITI without permission than it will be de-affiliated at old placed and you have to apply as a fresh on NIMI Portal with minimum 4 trades as per affillation norms 2018, (you are requeste to reply within 07 days). Else your ITI will be de affiliated.
50 P		IMPULSE PVT. ITI, IHOTWARA (JAIPUR)	Not dane	2014	Électrician	6	63	17	60	2	न्द्र बाजवसंपदःन	संस्थान राजलक्ष यहे पर ही संतर्गित है। निर्देशन विक्रम को ज्ञामकार्य पाक का अवश्रश होने कारण संस्थान बन्द था।	On receiving a complaint against ITI, It was inspected. ITI not found running at affiliated place. A Godown was found at affiliated place Instead of ITI, ITI was not running at affiliated place. Deaffiliate ITI	Joint inspection to be carriedout
51 P	PU08001620	BHARTIYA PVT. ITI, REENGUS (SIKAR)	Not done	2015	Electrician	2	o	Ö	0	4	संधालन समय के बंद पारा। भया	तिन निरीक्षण के समय संस्थान बंद पाया गया संस्थान में 0 सेशन होने के कारण छात्रों का प्रवेश 0 होने के कारण संस्थान को बंद कर स्टाफ को कार्यमुक्त कर दिया गया	O admission from last two years. As per DGT Norms ITI has to apply for Realfillation / Joint Inspection. ITI to be Deaffillated.	Ty be de-affiliated
52 P	PU08001671	SARASWATI PVT ITI, KALWAR (JAIPUR)	Not done	2015	Fftimy		0	O.	О	0	संघातल शमय के बैद पाया गया	ाँगा। निरोक्षण के दौरान संस्थान चाल् रिचित में था और कोई अधिकारी निरोक्षण हेतु मौके पर उपस्थित नहीं था केवल दुरआप पर ही जानकारी लेकर रिपोर्ट प्रस्तुत कर दी गयी	0 admission from last two years. As per DGT Norms IT has to apply for Realfillation / Joint Inspection. ITI to be Dealfillated.	Joint inspection to be carriedout
				2015	Electrician	2	0	n	0	0				
				2015	Wireman	3	0	o	0	0				
				2015	Computer Operator and Programming Assistant	3	0	o	0	0				
Sa	PU08001691	SHRIMS PVT. IYI, SARDASHAHAR [CHURU]	Not done	2015	Mechanic Diesel	3	0	ō.	0	c c	समस्त स्टींक तथा प्रकाशको अनुवरि याग्रे गर्य	संस्थान में सब 2018-19 एवं 2019- 20 में प्रवेश (हे हसलिए निरीक्षण के दौरान छात्री की संख्या 0 थी इसके आतावा संस्थान में जल प्रवंन्य मशीनरी य दूल सम्बन्धी किसी प्रका की कोई कमी नहीं है	ITI to be Deaffillated.	Joint inspection to the curried as linactive on NCVT MIS Portal
				2015	Plumber	18	0	0	0	0				
												- 4		
			UII J	2015	Electrician	2	Ō		0	0				

Smill

De

I'	1/	I	015	Wireman	3	ō	Č.	0	0					
PU08001721	BHAWANI NIKETAN PVT. ITI, SIKAR	3.65	2015	Electrician.	3	9	0	19	2	का संधालन पाया ग २ समस्त स्टॉफ तथा	भयन में अन्य गतिविधियों का संधालन पाया गया २ समस्त स्टॉफ तथा प्रणिकणार्थी अनुपरिधत	जिस समय संस्थान का निरीक्षण किया था वह समय संस्थान के समय के बाद का समय था क्योंकि संस्था के प्रथम / द्वितीय इकाई की कक्षा प्रातः ३ बजे से 12 बजे तक संघालित होती है	If) was insuected Twice in first Inspection in Sep. 2019 otherther training activities was found running with ITI. In the second inspection ITI was found closed. In the Second Inspection conducted in Dec 1015 Natible any Saft hor any training accretion or the ITI. Prima facia on training accretion were conducted by the ITI. which can be currobor atted from ITI zeepty.  ITI to be Destitifiated.	feint inscretion to be considered
PR0800043	SMT. BHAWARI DEVI PRIVATE INDUSTRIAL TRAINING INSTITUTE, (JAIPUR)	3,61	2008	Electrician	0	0	a	D	0		संचारतन समय के वीरान बंद पाया गया     स्पारतन समय के दीरान बंद पाया गया     स्पारत समय के दीरान बंद पाया गया	संस्थान में सात्र आगस्त 17, 18, 19 में प्रतेश वहीं होने के कारण राख्यान को नये स्थान पर स्कामानसभ्य देतु अधेदन स्थिम मध्य है।	G admission from last filtren years. As per DGT Norms ITI has to apply for RealfilleLion / Joint Inspection. ITI to be Deaffillated.	1. wheather you have taken permission for shifting of ITI or not. If you have shifted your ITI without permission than it will be de-affiliated a old placed and you have to apply as a fresh on NIMI Fortal with minimum 4 trades as per affiliation norms 2018. (you are requeste to reply within 07 days). Else your ITI will be diaffillated.
5 PR0800158	MAA SARASWATI PVT. ITI, JOBNER (JAIPUR)										निर्देशिय करवाने से मना किया गया	सस्यान मा सरस्वती प्राइवेट आई टी आई के अवन के पास ही अन्य अवन में भारती प्रवित्त रहुन संवाधित था लिखके पास केल के पेवान जिल्लाक का उपलब्ध नहीं या = वित्यालय के कुछ छात्र आई टी संस्थान में खेल के मैदान में छेलने के लिए वर्ज आई टी अंतर्ने संस्थान के स्टाफ वार बार मना करके वापस भेजते रहते हैं किन्तु उस दिन सभी कानवारी दाह संस्थान में तेल गए थे ७ अतः वे छात्र वहाँ छेल रहे थे च अतः वर्ज वे छात्र वहाँ छेल रहे थे च अतः वर्ज हो किन्तु उस दिन सभी कानवारी दाह संस्थान के विश्वा वर्ज केल हो स्थान के दिए गए नीटिस का निस्मारित करमें की कृषा करें व हमा डी जी टी केल संस्थान आपके निर्देशानुसार ही संस्थान का निरीक्षण भी करसाया था ब जिसकी प्रति सोमान में छात्रों को वे सामितित है । महोदय हम संस्थान में छात्रों को बे से हेत् संस्थान के विश्वात वर्ष के बेजली के वित्त भी संलग्न किये जा रहे है। साहोदय हमने सत्र १००४ में संस्थान में कोई भी छात्र प्रवेश नहीं हिन्ये है एवं		

Sunil