

DGT-Aff011(51)/2/2020-O/o Dir (TC)
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Employment Exchange Building,
1st floor, Pusa, New Delhi,
Dated: 09.02.2021

To

The State Director


(Chhattisgarh, Maharashtra, Tamil Nadu, Uttar Pradesh)

Subject: Affiliation of Units/Trades of Govt./Pvt. ITI with NCVT -regarding.

Sir,

As decided in the 20th Meeting of Recommendation Committee DGT held on 19th Jan. 2021, affiliation will be granted only for units in shift 1&2, as running the ITI in 3rd shift is not feasible in light of COVID-19 for maintaining Social Distancing and transport facilities after 3rd shift concern further, committee recommended trades/units in to DGT for session 2020-21.

2. The Committee examined affiliation proposals and accorded approval for the proposals conforming to the DGT Norms as per the list enclosed herewith.
3. The affiliation of the trades/units stated above are further subjected to,
 - (i) Periodic verification.
 - (ii) The ITI must comply with DGT norms/guidelines issued from time to time.
 - (iii) ITI must display the newly released logo of ITI on the Display Board at the main gate.
4. The said information is also available under "News & Updates" on NCVT MIS Portal at <https://ncvtmis.gov.in>.
5. Discrepancies if any in the affiliation orders, same may be intimated to undersigned within 15 days after the date of issue of order.

Yours faithfully

(Sunil Kumar Gupta)
Director of Training

Copy along with enclosures for information to:

1. Sr PPS to Chairman of Recommendation Committee-DGT.
2. Sr PPS to DDG (Affiliation).
3. NCVT MIS Portal In charge, DGT Hqr. New Delhi, with request to upload these orders on NCVT MIS Portal .


(Ravi Chakraborty)
Joint Director of Training



STATE: Chhattisgarh
Total - 03 (New-01 Old-02)

Meeting Date: 19.01.2021

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade which affiliation sought for	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Chhattisgarh Private ITI, Dhanora, Durg, Chhattisgarh		New	Electrician COPA Health Sanitary Inspector Computer Hardware and Networking	4(2+2) 4(2+2) 4(2+2) 4(2+2)	2(1+1) 4(2+2) NR NR	NR NR NR NR	Reverted to State Directorate. 15 days' time to be given to ITI to upgrade to 4 trades.
2.	Gracious Abhanpur Private ITI, Abhanpur, Raipur -493661	PR22000134	Old	Computer Operator and Programming Assistant (NSQF)	4(2+2)	4(2+2)	NR	Not Recommended Since ITI is more than 5 years old and has less than 4 trades in total. ITI needs to re-apply with minimum 4 trades in total
3.	Sandipani Academy Pvt. ITI, Private Gram. Achhoti, Post. Murmunda, Taluka-Dhamdha, DURG-490036	PR22000109	Old	Stenographer Secretarial Assistant (Hindi)	2(1+1)	2(1+1)	NR	Not Recommended Since ITI is more than 5 years old and has less than 4 trades in total. ITI needs to re-apply with minimum 4 trades in total

Sanil
-1-

coo



STATE: Maharashtra

Meeting Date: 19.01.2021

Total - 15 (New-08 Old-07)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Shrimati Sulochana Bhat Mahila ITI, Kundal. TL: Palus, Dist:Sangali Maharashtra - 416309		New	COPA	01(1+0)	01(1+0)	01(1+0)	Recommended, as recommended by the State Director COPA 1(1+0) Information Tech. 1(1+0) Electrician 1(1+0) Draughtsman Mechanical 1(1+0) Welder (GMAW and GTAW) 1(1+0)
			Information Tech.	01(1+0)	01(1+0)	01(1+0)		
			Electrician	01(1+0)	01(1+0)	01(1+0)		
			Draughtsman Mechanical	01(1+0)	01(1+0)	01(1+0)		
			Welder (GMAW and GTAW)	01(1+0)	01(1+0)	01(1+0)		
2.	Sahyadri Valley College of Engineering and Technology Private Industrial Training Institute, Rajuri, Tal- Junnar, Dist- Pune- 412411		New	Fitter	2(1+1)	2(1+1)	2(1+1)	Recommended, as recommended by the State Director Fitter 2(1+1) Welder 2(1+1) Electrician 2(1+1) Computer Hardware & Network Maintenance 1(1+0)
			Welder	2(1+1)	2(1+1)	2(1+1)		
			Electrician	2(1+1)	2(1+1)	2(1+1)		
			Computer Hardware & Network Maintenance	1(1+0)	1(1+0)	1(1+0)		

[Handwritten Signature]

[Handwritten Initials]



STATE: Maharashtra

Meeting Date: 19.01.2021

Total - 15 (New-08 Old-07)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
3.	Bhairavnath Private Industrial Training Institute, A/P Kalam, Tal-Kalamb Dist. Osmanabad		New	Electrician Wireman Welder COPA	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	NR NR NR NR	Deferred for tool and equipment verification by the State Directorate
4.	Matoshri Aasarabai Private Industrial Training Institute, Eklahare, Tal-Dist- Nashik		New	Electrician Fitter Welder Wireman	4(2+2) 2(1+1) 2(1+1) 2(1+1)	4(2+2) 2(1+1) 2(1+1) 2(1+1)	4(2+2) 2(1+1) 2(1+1) 2(1+1)	Recommended, as recommended by the State Director Electrician 4(2+2) Fitter 2(1+1) Welder 2(1+1) Wireman 2(1+1)
5.	Matoshri Private Industrial Training Institute, Jalgaon Savada-Burhanpur Road, Raver, Jalgaon		New	Electrician Wireman Welder Fitter	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	NR NR NR NR	Reverted back to State Directorate. 1-day time from the date of issue of minutes of meeting, to be given to ITI for submitting the principal details. The case to be taken up on file and ratified in the Recommendation Committee Meeting.

Sumit

ca



STATE: Maharashtra

Meeting Date: 19.01.2021

Total - 15 (New-08 Old-07)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
6.	Prism Pvt ITI, Near Bhavan School Selukate, Dist- Wardha Maharashtra- 442001		New	Electrician Fitter Welder COPA	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	NR NR NR NR	NR NR NR NR	Rejected as not recommended by State due to 1. ITI located in Suresh Peshwa Engineering College, closure letter by AICTE not available. 2. Approved building and BCC not for ITI 3. As per lease deed, land is not leased for ITI 4. Partly available and not in working condition
7.	Sanmati Pvt. ITI, S.No.41, Washim- Malegaon Road, SawargoanBarde, Tq& Dist. Washim- 444505		New	Electrician Fitter Welder Dress Making	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	NR NR NR NR	Rejected as not recommended by State Director due to 1. Boundary walls are fenced with metal wires 2. Shortfall around 5% of tools

Sunil Kumar

ced



STATE: Maharashtra

Meeting Date: 19.01.2021

Total - 15 (New-08 Old-07)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
8.	Rajarshi Sahu Pvt ITI, Near palanaghar, Sagwan road, Buldana, 443001		New	Electrician Fitter Welder Wireman	2(1+1) 2(1+1) 2(1+1) 2(1+1)	NR NR NR NR	NR NR NR NR	Rejected as not recommended by State Director due to malicious activity during Inspection and debarred from Affiliation for 3 years
9.	Shreyansh Private Industrial Training Institute, Sahakar Nagar Th-Tirora Gondia-441911	PR27000626	Old	Electrician Fitter	4(1+1+2) 4(1+1+2)	2(1+1) 2(1+1)	NR NR	Not Recommended , since ITI is more than 5 years old and has less than 4 trades in total. ITI needs to re-apply with minimum 4 trades in total
10.	New Satara Pvt. ITI, New Solapur Road, Opp. Reliance Petrol Pump, Pandharpur, Dist-Solapur-413304	PR27000737	Old	Electrician	1(0+1)	1(0+1)	NR	Not Recommended , since ITI is more than 5 years old and has less than 4 trades in total. ITI needs to re-apply with minimum 4 trades in total

[Handwritten Signature]

[Handwritten Initials]

(TC)



STATE: Maharashtra
Total - 15 (New-08 Old-07)

Meeting Date: 19.01.2021

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
11.	Government ITI, Nandgaon, Khandeshwar, Chandurrly Road, Dist: Amravati, Maharashtra-444708	GR27000152	Old	Fitter Electrician Cosmetology	1(0+1) 2(1+1) 2(1+1)	1(0+1) 2(1+1) 2(1+1)	1(0+1) 2(1+1) 2(1+1)	Recommended as recommended by the State Director Fitter 1 (0+1) Electrician 2(1+1) Cosmetology 2 (1+1)
12.	Bhanudas Maniram Save ShikshanSanstha'S L. J.Raut Pvt. ITI, Raut Stop, Chinchani, Tal. Dahanu, Thane Maharashtra-401503	PR27000188	Old	Electrician Fitter	1(0+1) 2(1+1)	NR NR	NR NR	Not Recommended by State Director as per comments offered by verification/inspection team
13.	A.I.E.& D F'S, BhaskarraoGalande Patil, Private Industrial Training Institute, Ashoknagar, Tal. Shrirampur, Dist. Ahmednagar,	PU27000192	Old	Electrician	2(1+1)	2(1+1)	NR	Not Recommended, since ITI is more than 5 years old and has less than 4 trades in total. ITI needs to re-apply with minimum 4 trades in total

Smilky

OP



STATE: Maharashtra

Meeting Date: 19.01.2021

Total - 15 (New-08 Old-07)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade which affiliation sought for	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
14.	Nasik Dist Maratha Vidyaprasarak Samaj Industrial Training Center, Tahrabad, Tal Satana, Dist-Nasik-423302	PR27000490	Old	Electrician Fitter	2(1+1) 2(1+1)	NR NR	NR NR	Not Recommended, since ITI is more than 5 years old and has less than 4 trades in total. ITI needs to re-apply with minimum 4 trades in total
15.	Government Industrial Training Institute (SCP), Rahatgaon, Nagpur Road High Way No-6 Dit: Amravati-444603	GU27000556	Old	Fitter Electrician Mechanic Motor Vehicle (MMV) COPA Fashion Technology Craftsman food production	2(1+1) 2(1+1) 1(0+1) 1(0+1) 1(0+1) 1(0+1)	2(1+1) 2(1+1) 1(0+1) 1(0+1) 1(0+1) 1(0+1)	2(1+1) 2(1+1) 1(0+1) 1(0+1) 1(0+1) 1(0+1)	Recommended, as recommended by the State Director Fitter 2(1+1) Electrician 2(1+1) Mechanic Motor Vehicle (MMV) 1(0+1) COPA 1(0+1) Fashion Technology 1(0+1) Craftsman food production 1(0+1) ITI needs to have equal units in 1 st and 2 nd shift so that admission is

Sumit

oo

7



STATE: Uttar Pradesh
Total - 02 (New-02 Old-00)

Meeting Date: 19.01.2021

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Patel Panchayat Private ITI, Narayanpur, Post- Ram SanehiGhat, Barabaki - U.P.		New	Electrician Fitter COPA H.S.I.	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	Recommended as recommended by the State Director Electrician 2(1+1) Fitter 2(1+1) COPA 2(1+1) H.S.I. 2(1+1)
2.	Rakesh Singh Pvt ITI, Vill - Harchandpur, Post- Karimganj, Dist: - Mainpuri, U.P. - 205001		New	Electrician Fitter Computer Operator & -Programming Assistant Sewing Technology	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	Recommended as recommended by State Director Electrician 2(1+1) Fitter 2(1+1) Computer Operator & Programming Assistant 2(1+1) Sewing Technology 2(1+1)

Junilly

ca



STATE: Tamil Nadu

Meeting Date: 19.01.2021

Total - 01 (New-00 Old-01)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Gee Dee Tech Training Centre Private ITI, 734 Avinashi Road, Near President Hall, Coimbatore-641018, Tamil Nadu	PR33000522	Old	Technician Mechatronics Welder (GMAW & GTAW) Welder (Welding & inspection)	4(2+2) 1 (1+0) 1 (1+0)	4(2+2) 1 (1+0) 1 (1+0)	4(2+2) 1 (1+0) 1 (1+0)	Recommended as recommended by the State Director Technician Mechatronics 2(1+1) Welder (GMAW and GTAW) 1 (1+0) Welder (Welding and Inspection) 1 (1+0)

Handwritten signature

Handwritten signature