

DGT-Aff011(51)/2/2020-O/o Dir (TC)
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Employment Exchange Building,
1st floor, Pusa, New Delhi,
Dated: 04th March, 2021

To

The State Director
(Tamil Nadu)

Subject: Conversion of COE Courses to CTS trades NCVT Affiliation order, regarding.

Sir,

As decided in the 11th Meeting of Recommendation Committee DGT held on 22.09.2020, affiliation will be granted only for units in shift 1&2, as running the ITI in 3rd shift is not feasible in light of COVID-19 for maintaining Social Distancing and transport facilities after 3rd shift concern further, committee recommended trades/units in to DGT for session 2020-21. However, conversion of existing 3rd shift under CoE scheme is permitted for CTS trades for 3rd shift.

2. The Committee examined affiliation proposals and accorded approval for the proposals conforming to the DGT Norms as per the list enclosed herewith.
3. The affiliation of the trades/units stated above are further subjected to,
 - (i) Periodic verification.
 - (ii) The ITI must comply with DGT norms/guidelines issued from time to time.
 - (iii) ITI must display the newly released logo of ITI on the Display Board at the main gate.
4. The said information is also available under "News & Updates" on NCVT MIS Portal at <https://ncvtmis.gov.in>.
5. Discrepancies if any in the affiliation orders, same may be intimated to undersigned within 15 days after the date of issue of order.

Yours faithfully

(Sunil Kumar Gupta)
Director of Training

Copy along with enclosures for information to:

1. Sr PPS to Chairman of Recommendation Committee-DGT.
2. Sr PPS to DDG (Affiliation).
3. NCVT MIS Portal In charge, DGT Hqr. New Delhi, with request to upload these orders on NCVT MIS Portal.


(Ravi Chilukoti)
Joint Director of Training


STATE: Tamil Nadu

Total – 10

COE to CTS

Meeting Dated: 22/09/2020

Sl. No.	Name of Institute with address	MIS Code	New / Old	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1	Government Industrial Training Institute, Chengalpattu, Address Vempakkam Post, Chengalpattu, District KANCHIPURA MState TAMIL NADU Pincode 603111	GR33000066	Old	Operator Advance Machnie tool Fitter Turner Machinist Wireman Welder	2(1+1+0) 1(1+0+0) 1(1+0+0) 1(1+0+0) 1(1+0+0) 1(1+0+0)	2(1+1+0) 1(1+0+0) 1(1+0+0) 1(1+0+0) 1(1+0+0) 1(1+0+0)	2(1+1+0) 1(1+0+0) 1(1+0+0) 1(1+0+0) 1(1+0+0) 1(1+0+0)	Recommended ITI is advised to run 3rd shift in DST Mode.
2	Government Industrial Training Institute, Coimbatore Address Mettupalayam Road, GN Mills- Post, District COIMBATORES tate TAMIL NADU Pincode 641029	GU33000058	Old	Fitter Turner Machinist Electrician Welder	2(1+1+0) 2(0+0+2) 2(0+0+2) 2(1+1+0) 2(0+0+2)	2(1+1+0) 2(0+0+2) 2(0+0+2) 2(1+1+0) 2(0+0+2)	2(1+1+0) 2(0+0+2) 2(0+0+2) 2(1+1+0) 2(0+0+2)	Recommended ITI is advised to run 3rd shift in DST Mode.
3	Government Industrial Training Institute, Dharapuram, Address Tiruppur road, Nanjiyampalayam po., Dharapuram, District TIRUPPURState TAMIL NADU Pincode 638656	GR33000053	Old	Fitter Machinist Turner Welder Wireman Tool & Die Maker (Jig & Fixture)	1(0+0+1) 2(1+1+0) 1(0+0+1) 1(0+0+1) 2(2+0+0) 2(1+1+0)	1(0+0+1) 2(1+1+0) 1(0+0+1) 1(0+0+1) 2(2+0+0) 2(1+1+0)	1(0+0+1) 2(1+1+0) 1(0+0+1) 1(0+0+1) 2(2+0+0) 2(1+1+0)	Recommended ITI is advised to run 3rd shift in DST Mode.
4	Government Industrial Training Institute, Hosur Address Thenkanikot Road, HCF po., Hosur District KRISHNAGIRI State TAMIL NADU Pincode 635110	GR33000054	Old	Electronic Mechnaic Fitter Machinist Turner Welder	2(0+1+1) 2(1+1+0) 1(1+0+0) 2(0+1+1) 1(1+0+0)	2(0+1+1) 2(1+1+0) 1(1+0+0) 2(0+1+1) 1(1+0+0)	2(0+1+1) 2(1+1+0) 1(1+0+0) 2(0+1+1) 1(1+0+0)	Recommended ITI is advised to run 3rd shift in DST Mode.
5	Government Industrial Training Institute, Trichy, Address Thanjai Main Road, Thiruverambur, District TIRUCHIRAPPALI State TAMIL NADU Pincode 620014	GR33000046	Old	Fitter Turner Machinist Welder	2((0+0+2) 2((0+0+2) 2((0+0+2) 2((0+0+2)	2((0+0+2) 2((0+0+2) 2((0+0+2) 2((0+0+2)	2((0+0+2) 2((0+0+2) 2((0+0+2) 2((0+0+2)	Recommended ITI is advised to run 3rd shift in DST Mode.
6	Government Industrial Training Institute, Cuddalore, Address Semmandalam, Cuddalore, District CUDDALORE State TAMIL NADU Pincode 607001	GU33000037	Old	Electrician Plastic Processing Operator	2(1+1+0) 4(1+1+2)	2(1+1+0) 4(1+1+2)	2(1+1+0) 4(1+1+2)	Recommended ITI is advised to run 3rd shift in DST Mode.
7	Government Industrial Training Institute, North Chennai, Address-Old Kathivakkam High Road North Chennai, District CHENNAI State TAMIL NADU Pincode 600021	GR33000069	Old	Civil engineering Assitant Draughtsman Civil Plumber Wireman Interior Design & decoration	2(1+0+1) 1(0+0+1) 1(0+0+1) 1(0+0+1) 2(1+0+1)	2(1+0+1) 1(0+0+1) 1(0+0+1) 1(0+0+1) 2(1+0+1)	2(1+0+1) 1(0+0+1) 1(0+0+1) 1(0+0+1) 2(1+0+1)	Recommended ITI is advised to run 3rd shift in DST Mode.



STATE: Tamil Nadu

Total – 10

COE to CTS

Meeting Dated: 22/09/2020

Sl. No.	Name of Institute with address	MIS Code	New / Old	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
8	Government Industrial Training Institute, Tirunelveli, Address Pettai, District TIRUNELVELI State TAMIL NADU Pincode 627010	GR33000036	Old	Wireman COPA Instrument Mechanic Electrician	2(1+1) 2(1+1) 2(1+1) 4(2+2)	2(1+1) 2(1+1) 2(1+1) 4(2+2)	2(1+1) 2(1+1) 2(1+1) 4(2+2)	Recommended ITI is advised to run 3rd shift in DST Mode.
9	Government Industrial Training Institute, Vellore Address Bangalore Road, Abdullapuram, District VELLORE State TAMIL NADU Pincode 632010	GR33000047	Old	Leather Goods Maker Footwear Maker	4((1+2+1) 2(1+1+0)	4((1+2+1) 2(1+1+0)	4((1+2+1) 2(1+1+0)	Recommended ITI is advised to run 3rd shift in DST Mode.
10	Government Industrial Training Institute, Salem Address Yercaud Main Road, Hasthampatti PO, District SALEM State TAMIL NADU Pincode 636007	GU33000040	Old	Welder (GMAW & GTAW) Welder (Structural) Welder (Pipe)	2(1+1+0) 2(1+1+0) 2(0+0+2)	2(1+1+0) 2(1+1+0) 2(0+0+2)	2(1+1+0) 2(1+1+0) 2(0+0+2)	Recommended ITI is advised to run 3rd shift in DST Mode.

Sumit