

DGT-Aff011(51)/2/2020-O/o Dir (TC)
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Employment Exchange Building,
1st floor, Pusa, New Delhi,
Dated: 24.06.2021

To

The State Director

(Chhattisgarh, Gujarat, Himachal, Karnataka, Maharashtra, Odisha, Rajasthan, Telangana,
Tamil Nadu Uttar Pradesh)


Subject: Affiliation of Units/Trades of Govt./Pvt. ITI with NCVT -regarding.

Sir,

As decided in the 21st Meeting of Recommendation Committee DGT held on 9th Feb. 2021, affiliation will be granted only for units in shift 1&2, as running the ITI in 3rd shift is not feasible in light of COVID-19 for maintaining Social Distancing and transport facilities after 3rd shift concern further, committee recommended trades/units in to DGT for session 2021-22.

2. The Committee examined affiliation proposals and accorded approval for the proposals conforming to the DGT Norms as per the list enclosed herewith.
3. The affiliation of the trades/units stated above are further subjected to,
 - (i) Periodic verification.
 - (ii) The ITI must comply with DGT norms/guidelines issued from time to time.
 - (iii) ITI must display the newly released logo of ITI on the Display Board at the main gate.
4. The said information is also available under "News & Updates" on NCVT MIS Portal at <https://ncvtmis.gov.in>.
5. **Affiliation of Trades/Units mentioned in this order valid till the validity of affiliation of ITIs and ITI should apply for "Renewal of Affiliation "as per DGT Norms.**
6. Discrepancies if any in the affiliation orders, same may be intimated to undersigned within 15 days after the date of issue of order.

Yours faithfully


(Sunil Kumar Gupta)
Director of Training

Copy along with enclosures for information to:

1. Sr PPS to Chairman of Recommendation Committee-DGT.
2. Sr PPS to DDG (Affiliation).
3. NCVT MIS Portal In charge, DGT Hqr. New Delhi, with request to upload these orders on NCVT MIS Portal .


(Ravi Chilukoti)
Joint Director of Training



STATE: Chhattisgarh
Total - 02, (New-01, Old-01)

Meeting Dated: 09/02/2021

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Rungta Private Industrial Training Institute, Durg, Rungta Knowledge City, Kohka-Kurud Road, Bhilai, Chhattisgarh		New	Electrician Fitter COPA Welder	16(8+8) 8(4+4) 16(8+8) 4(2+2)	NR NR NR NR	NR NR NR NR	Rejected As not recommended by the State Director due to shortage of machines, tools, equipment and staff detail not available.
2.	Shri Sai Pvt. ITI, Deurjhal, Nandini, Durg, Chhattisgarh DURG- 490036	PR22000177	Old	Electrician	4(2+2)	4(2+2)	NR	Not Recommended by the State Director since ITI is more than five years old and need to apply for re-affiliation with minimum 4 trades map/layout to be revised as per construction and also separate electricity meter to be installed

[Handwritten Signature]

[Handwritten Signature]
23/6/2021

STATE: Gujarat

Meeting Dated: 09/02/2021

Total - 04, (New-01, Old-03)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade which affiliation sought for	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Shreeji Bapa Trust Private ITI, Aravalli Malpur Road, Opp. Mamlatdar office, At Po. Ta. Meghraj Dist- Aravalli-383350 Gujarat	-	New	Hospital Housekeeping Health Sanitary Inspector COPA Old Age Care	2(1+1+0) 6(2+2+2) 2(1+1+0) 2(1+1+0)	2(1+1+0) 6(2+2+2) 2(1+1+0) 2(1+1+0)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	Recommended ITI needs to furnish the details of CTI trained instructors within 15 days from the issue of affiliation order W.e.f session 2021
2.	Dev Enterprises ITC Private ITI, Mahisagar, At-Po.Salawada, Ta-Lunawada, Dist- Mahisagar, Gujarat-388270	PR24008185	Old	Fireman Surveyor	3(1+1+1) 2(1+1)	2(1+1) 2(1+1)	NR NR	Not recommended by the State Director since adequate machinery not available.
3.	Shree N.G. Patel Private ITI Umta Shree V.D.Patel Education Campus,Umta, Ta-Visnagar, Mahesana-384320 Gujarat	PR24005124	Old	Health Sanitary Inspector	3(1+1+1)	3(1+1+1)	NR	Not Recommended by the State Director since available electricity load is 29 kW and required 34 kW.

Junika

JR 23/2/2021



STATE: Gujarat
Total - 04, (New-01, Old-03)

Meeting Dated: 09/02/2021

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade which affiliation sought for	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
4.	Shri K.D. Barad Private ITI, Sf Kodinar Professor Society, Veraval Road, Near Bypass, Kodinar, Kadavasan, Kodinar, Junagadh, -362720 Gujarat	PR24007114	Old	Electrician	2(1+1)	NR	NR	Not Recommended by State Director since in Mechanic Diesel trade equipment are short. Electrician trade equipment are sparking during testing, HSI trade working models are not available. Machines are not properly installed. ITI is more than 5 years old and needs to apply for Re-affiliation with minimum 4 trades in total.
				Health Sanitary Inspector	2(1+1)	NR	NR	
				Mechanic Diesel	2(1+1)	NR	NR	
				Fitter	2(1+1)	NR	NR	

[Handwritten Signature]

[Handwritten Signature] 23/6/2021



STATE: Himachal Pradesh
Total - 07, (New-00, Old-07)

Meeting Dated: 09/02/2021

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Chanshal Pvt. ITI Chanshal Park PO. Oachghat Tehsil and Dist Solan-173223 Himachal Pradesh	PR02000301	Old	Electrician Fitter	3(1+1+1) 3(1+1+1)	NR NR	NR NR	Not Recommended by State director as ITI was closed on the day of inspection and ITI needs to apply again for addition of trades for the next session.
2.	Galaxy Private Industrial Training Institute, College Road, Paonta Sahib SIRMAUR - 173028 Himachal Pradesh	PR02000177	Old	Fitter	3(1+1+1)	3(1+1+1)	Deferred	Deferred due to low grading of ITI. A committee is formed to decide the course of action for those ITIs which have applied for Addition of trades and have less than 2.0 grade points.

Sanil Kumar

JA 23/2/2021



STATE: Himachal Pradesh
Total - 07, (New-00, Old-07)

Meeting Dated: 09/02/2021

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade which affiliation sought for	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
3.	Govt ITI Nagrota Government, Serathana Tehsil Nagrota Bagwan Dist Kangra-176056 Himachal Pradesh	GR02000290	Old	Mechanic Diesel Travel & Tour Assistant	2(1+1) 2(1+1)	2(1+1) NR	2(1+1) NR	Recommended by State Director Mechanic Diesel 2(1+1) ITI needs to furnish the details of CTI trained instructors within 15 days from the issue of affiliation order. w.e.f session 2021
4.	Govt. ITI Talwar at Lahru, Tehsil jaisinghpur, KANGRA H.P-176082	GR02000162	Old	COPA Tool & Die Maker (Dies & Moulds)	2(1+1) 1(1+0)	2(1+1) 1(1+0)	NR NR	Rejected as not recommended by State director since ITI is more than 5 years old and has less than 4 trades. ITI needs to re-apply for renewal of affiliation with minimum 4 trades in total.

[Handwritten Signature]

[Handwritten Signature] 22/6/2021



STATE: Himachal Pradesh
Total - 07, (New-00, Old-07)

Meeting Dated: 09/02/2021

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
5.	Modern Industrial Training Institute Private, Pragpur Dehra, Kangra- 177107	PRO2000135	Old	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended State Directorate to provide the admission details for the year 2019 within 15 days from the date of issue of Minutes of meeting. w.e.f session 2021
6.	Prayaas Pvt. ITI V.P.O. MAIRA KANGRA- 176023	PRO2000228	Old	Electrician Fitter	3(1+1+1) 1(0+0+1)	NR NR	NR NR	Rejected as not recommended by State director since ITI is more than 5 years old and has less than 4 trades. ITI needs to re-apply for renewal of affiliation with minimum 4 trades in total.

Sanil Kumar

23/6/24



STATE: Himachal Pradesh
Total - 07, (New-00, Old-07)

Meeting Dated: 09/02/2021

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
7.	Universal Pvt. ITI Village Gagloo Po Bane Di Hatti Kangra-176029	PR02000231	Old	Electrician	3(1+1+1)	NR	NR	Rejected as not recommended by State director since ITI is more than 5 years old and has less than 4 trades. ITI needs to re-apply for renewal of affiliation with minimum 4 trades in total.

23/2/2021

** Sunil Kumar*



STATE: Karnataka
Total - 01, (New-0, Old-01)

Meeting Dated: 09/02/2021

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Aatmananda Saraswathi Private ITI, Billadi Grama, Manya, Januvarkatte, UDUPI - 576223	PR29001371	Old	Mechanic Refrigeration and Air Conditioner	2(1+1)	2(1+1)	Not Recommended	Rejected as not recommended by State Director since the ITI is more than 5 years old and needs to re-apply with minimum 4 trades in total.

23/2/2021

Junil



STATE: Maharashtra
Total - 05, (New-02, Old-03)

Meeting Dated: 09/02/2021

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Lokpanchayat Rural Technical Training Institutes Private ITI At- Kurkundi Post- Ghargoan, Tal - Sangamner, Dist - Ahmednagar-422620	PR27000848	Old	Fitter Electrician COPA	1(0+0+1) 1(0+0+1) 3(1+1+1)	NR NR 2(1+1)	Deferred	Reverted to the State Directorate for the comments on Inspection report and clarity on recommendation.
2.	Svs Industrial Training Center Dondaicha Dist Dhule Private ITI, Dhule-425408 Maharashtra	PR27000248	Old	Electrician Fitter Wireman	1(0+1+0) 1(0+1+0) 1(0+1+0)	1(0+1+0) 1(0+1+0) 1(0+1+0)	NR NR NR	Rejected as not recommended by State Director since the ITI is more than 5 years old and needs to re-apply with minimum 4 trades in total.
3.	Jaydeep (Private) ITI, Degan Tal. Shindkheda, Dist- Dhule MH-425407		New	Electrician Fitter Welder Surveyor	2(1+1+0) 2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	Recommended W.e.f Session 2021

[Handwritten Signature]

[Handwritten Signature]
23/6/2021

STATE: Maharashtra
Total - 05, (New-02, Old-03)

Meeting Dated: 09/02/2021

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
4.	B. Y. Patil Private ITI, Nandurbar-Prakasha Highway, Near Astoria, Sugar Factory Samsherpur, At Post Bamdod, Tal. Dist. Nandurbar, Maharashtra	-	New	Electrician Wireman Fitter COPA	6(2+2+2) 3(1+1+1) 6(2+2+2) 2(1+1+0)	6(2+2+2) 2(1+1) 6(2+2+2) 2(1+1+0)	4(2+2) 2(1+1) 4(2+2) 2(1+1)	Recommended W.e.f session 2021
5.	Pavanraje Nimbalkar Pvt. ITI At. Govardhanwadi post. Dhoki, Tq-Dist. Osmanabad Maharashtra - 413508	PR27000930	Old	Electrician Mechanic Diesel	2(1+1) 2(1+1)	2(1+1) 2(1+1)	Deferred	Deferred* ITI needs to improve its grading

(Handwritten signature)

09/23/6/2021



STATE: Odisha

Meeting Dated: 09/02/2021

Total - 01, (New-00, Old-01)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Government Industrial Training Institute, Sonapur 767017 Odisha	GU21000523	Old	COPA	2(1+1)	2(1+1)	2(1+1)	Recommended COPA 2(1+1) ✓

Handwritten signature
22/02/21

Handwritten signature



STATE: Rajasthan

Meeting Dated: 09/02/2021

Total - 05, (New-01, Old-04)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Govt. Industrial Training Institute, Lunkaransar Distt. (Bikaner) 334603 Rajasthan	-	New	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended ITI needs to furnish the details of CTI trained instructors within 15 days from the issue of affiliation order
				Fitter	2(1+1)	2(1+1)	2(1+1)	
				Wireman	2(1+1)	2(1+1)	2(1+1)	
				COPA	2(1+1)	2(1+1)	2(1+1)	
				Welder	2(1+1)	2(1+1)	2(1+1)	
				Architectural Draughtsman	2(1+1)	2(1+1)	2(1+1)	
2.	Govt. ITI, Masuda AJMER -305623	GR08001912	Old	COPA	2(1+1)	2(1+1)	2(1+1)	Recommended COPA 2(1+1) State to make specific efforts to for teaching and learning outcome improvement for better grading of the ITI and also ensure better grades in 3 rd phase of grading.

23/6/2021

Sanil Das



STATE: Rajasthan

Meeting Dated: 09/02/2021

Total - 05, (New-01, Old-04)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
3.	Govt. ITI Rajsamand N,H,08, Near Old Chungi Nakka 03, Piparada, Rajsamand-313324 Rajasthan	GU08000657	Old	Mechanic Motor Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended MMV 2(1+1) State to make specific efforts to for teaching and learning outcome improvement for better grading of the ITI
4.	<u>Old Address</u> Nav Bharti Pvt. ITI Address 05, Bhuvneshwari Vatika, Panchayawala, JAIPUR-302034 & <u>New address -</u> Nav Bharti Private ITI, Behind goud factory, Guniwala, Dhani dausa-303303	PR08001295		Electrician Fitter	Addl. 8(2+2+4) 1(0+0+1)	Addl. 4(2+2) NR	NR NR	Rejected since ITI is more than 5 years old and need to apply with minimum 4 trades in total.

Junil Kumar

23/6/2021



STATE: Rajasthan

Meeting Dated: 09/02/2021

Total - 05, (New-01, Old-04)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
5.	Old-S R Mund Private Industrial Training Institute, Mundsar, District BIKAN ER-334202 & New Address-S R Mund Private Industrial Training Institute, Plot No-3, ShilaVihar Gokulpura Jaipur-302012 PR08001715	PR08001715	Old	Electrician	Add. 3(1+1+1)	Add 3(1+1+1) Total-6(2+2+2)	NR	Rejected Since ITI is more than 5 years old and need to apply with minimum 4 trades in total.

Sanika

22/02/21

STATE: Tamil Nadu

Meeting Date:09/02/2021

Total - 01, (New-01, Old-00)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Geerthana Private ITI, Mattigai Post, Uludurpet TK, Kallakurchi - 607204		New	Electrician	2(1+1)	NR	NR	Not recommended since not recommended by the State due to shortage of Tools and Equipment
				Plumber	2(1+1)	NR	NR	
				Mechanic (Ref & A/C)	2(1+1)	NR	NR	
				Wireman	2(1+1)	NR	NR	

23/6/2021

[Handwritten Signature]



STATE: Telangana

Meeting Dated: 09/02/2021

Total - 04, (New-01, Old-03)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade which affiliation sought for	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Shiva Sai Private ITI Shanthy Nagar, Peddapally Karimnagar 505172 Telangana	PU36000235	Old	Electrician	4(2+2)	4(2+2)	NR	Rejected as not recommended by State director since the ITI is more than 5 years old and needs to re-apply with minimum 4 trades in total.
2.	Gautam Buddha Minority Industrial Training Centre ITI Bus Stage, Khammam Road, Subhash Nagar, YellanduBhadra driKothgudan Telangana - 507123	PU36000130	Old	Computer Operator and Programming Assistant	3(1+1+1)	NR	NR	Rejected as infrastructure is poor. The ITI needs to re-apply again on online affiliation portal.
				Draughtsman Civil	3(1+1+1)	NR	NR	
				Welder	3(1+1+1)	NR	NR	

Santhosh

23/2/2021



STATE: Telangana

Meeting Dated: 09/02/2021

Total - 04, (New-01, Old-03)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
3.	Venkata Sai Pvt ITI Adilabad SY No. 104, Main Road, ICHODE, Dist: Adilabad Telangana - 504307 TMP36501PR15 82789810		New	Electrician COPA Dress Making Mechanic Refrigeration & AC	6(2+2+2) 3(1+1+1) 3(1+1+1) 3(1+1+1)	6(2+2+2) 3(1+1+1) 3(1+1+1) 3(1+1+1)	4(2+2) 2(1+1) 2(1+1) 2(1+1)	Recommended W.e.f. for session 2021 as recommended by the State Director Electrician 4(2+2) COPA 2(1+1) Dress Making 2(1+1) Mechanic Refrigeration & AC 2(1+1)
4.	Gaargi Private ITI, Warangal Road, Huzurabad Karimnagar 505468 Telangana	PU28000478	Old	Mechanic Diesel Welder Dress Making	6(2+2+2) 6(2+2+2) 6(2+2+2)	NR NR NR	NR NR NR	Not Recommended as the case has been decided and can only be taken for new session. ITI needs to re-apply on the online affiliation portal.

Santhosh

09/23/6/2021



STATE: Uttar Pradesh
Total - 08, (New-03, Old-05)

Meeting Dated: 09/02/2021

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade which affiliation sought for	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Bharti Private ITI Private Industrial Training Institute, Meerut, VillRali Chauhan Post Abdullapur Kila Road Meerut, Uttar Pradesh		New	Electrician Fitter Physiotherapy Technician Health Sanitary Inspector	6(2+2+2) 6(2+2+2) 4(2+2+0) 4(2+2+0)	6(2+2+2) 6(2+2+2) 4(2+2+0) 4(2+2+0)	Deferred	Deferred since the UP-State Director was not present in the meeting.
2.	Fatehbahadur Singh Shivshankar Singh Pvt ITI, Sasana Bahadurpur, Akhop, Ballia - 221715 Uttar Pradesh		New	Electrician Fitter Plumber COPA	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	Deferred	Deferred since the UP-State Director was not present in the meeting.
3.	Shyama Devi Private ITI, 2460, Barail, Barabanki-225001	PR09901274	Old	12(4+4+4)	12(4+4+4)	12(4+4+4)	Deferred	Deferred since the UP-State Director was not present in the meeting.

Signature

23/6/2021



STATE: Uttar Pradesh
Total - 08, (New-03, Old-05)

Meeting Dated: 09/02/2021

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade which affiliation sought for	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
4.	Late Banshi Private ITI - Ghazipur Vill & Po- Alawalpur, Ghazipur	PR09000605	Old	Electrician Fitter	10(3+3+4) 4(1+1+2)	7(2+2+3) 1(0+0+1)	Deferred	Deferred since the UP-State Director was not present in the meeting.
5.	Gulabi Bhimal Private ITI, Vill- Mainpur (Manikpur), Post- Mainpur, Ghazipur- 233224	PR09900713	Old	Electrician Fitter	9(3+3+3) 3(1+1+1)	9(3+3+3) NR	Deferred	Deferred since the UP-State Director was not present in the meeting.
6.	Maa Vaishnavi Private ITC - Ghazipur Barahpur, Nandganj, Ghazipur- 233302	PR09000727	Old	Electrician Fitter	10(3+3+4) 4(1+1+2)	9(3+3+3) 2(1+1)	Deferred	Deferred since the UP-State Director was not present in the meeting.
7.	Kamla Private ITI MuglaniChak, Sadar, Ghazipur	PU09900719	Old	Electrician Fitter	9(3+3+3) 3(1+1+1)	3(1+1+1) 3(1+1+1)	Deferred	Deferred since the UP-State Director was not present in the meeting.

Junika

23/6/2021



STATE: Uttar Pradesh
Total - 08, (New-03, Old-05)

Meeting Dated: 09/02/2021

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade which affiliation sought	for	Units for which affiliation sought / recommended by			Remarks
						Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
8.	Shri Jyoti Narayan Pvt ITI Vill- Augan, Po-Daulaatpur, Baldeo, Dist-Mathura, Uttar Pradesh-281301		New	Electrician		6(2+2+2)	6(2+2+2)	Deferred since the UP-State Director was not present in the meeting.	
				Fitter		6(2+2+2)	6(2+2+2)		
				COPA		3(1+1+1)	3(1+1+1)		
				Health Sanitary Inspector		3(1+1+1)	3(1+1+1)		Deferred

Handwritten signature and date: 09/02/2021

Handwritten signature

File No. DGT-Aff011(51)/2/2020-O/o Dir (TC)
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

1st Floor, CIRTES Building,
Pusa Campus, Pusa, New Delhi-110012
June 23, 2021

To,
The Director
Commissioner Employment & Training,
Gandhinagar, Gujrat

Sub: - Change of name of ITI

Sir,

The 21st Recommendation Committee Meeting held on 9th February, 2021 vide agenda item no. 21.4 approved for change name of the following ITI as per resolution as recommended by State Director. Accordingly, name of ITI is changed as stated below:

Sl. No	State	Existing name of ITI	New name as approved by 21 st Recommendation Committee Meeting
1	Gujarat	CVM Pvt ITI for Engineering Trades, Gujarat	Kanubhai Patel Pvt ITI for Engineering Trades, Gujarat


The change of name of ITI is w.e.f Session 2021 onwards and DGT will not be responsible for change of ITI name in legacy certificate.

Yours faithfully,


(Sunil Kumar Gupta)
Director (TC)

Copy to:

1. The Principal, CVM Pvt ITI for Engineering Trades, Gujarat
2. Deputy Director, TC Section, DGT, New Delhi (to update on NCVTMIS)


(Ravi Chilukoti)
Joint Director

21