

**DGT-Aff011(51)/2/2020-O/o Dir (TC)**  
**Government of India**  
**Ministry of Skill Development and Entrepreneurship**  
**Directorate General of Training**

Employment Exchange Building,  
1st floor, Pusa, New Delhi,  
Dated: 24.06.2021

To

**The State Director**

(Himachal Pradesh, Jharkhand, Maharashtra, Tamil Nadu, Uttar Pradesh)


**Subject: Affiliation of Units/Trades of Govt./Pvt. ITI with NCVT -regarding.**

Sir,

As decided in the 22<sup>nd</sup> Meeting of Recommendation Committee DGT held on 23<sup>rd</sup> Feb. 2021, affiliation will be granted only for units in shift 1&2, as running the ITI in 3<sup>rd</sup> shift is not feasible in light of COVID-19 for maintaining Social Distancing and transport facilities after 3<sup>rd</sup> shift concern further, committee recommended trades/units in to DGT for session 2021-22.

2. The Committee examined affiliation proposals and accorded approval for the proposals conforming to the DGT Norms as per the list enclosed herewith.
3. The affiliation of the trades/units stated above are further subjected to,
  - (i) Periodic verification.
  - (ii) The ITI must comply with DGT norms/guidelines issued from time to time.
  - (iii) ITI must display the newly released logo of ITI on the Display Board at the main gate.
4. The said information is also available under "News & Updates" on NCVT MIS Portal at <https://ncvtmis.gov.in>.
5. **Affiliation of Trades/Units mentioned in this order valid till the validity of affiliation of ITIs and ITI should apply for "Renewal of Affiliation "as per DGT Norms.**
6. Discrepancies if any in the affiliation orders, same may be intimated to undersigned within 15 days after the date of issue of order.

Yours faithfully

  
(Sunil Kumar Gupta)  
Director of Training

**Copy along with enclosures for information to:**

1. Sr PPS to Chairman of Recommendation Committee-DGT.
2. Sr PPS to DDG (Affiliation).
3. NCVT MIS Portal In charge, DGT Hqr. New Delhi, with request to upload these orders on NCVT MIS Portal .

  
(Ravi Chilukoti)  
Joint Director of Training



DGT-Aff011(51)/2/2020-O/o Dir (TC)



STATE: Himachal Pradesh  
Total - 01, (New-00, Old-01)

Meeting Date:23/02/2021

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Ganpati Private ITI Kangra, Vpo Bane De Hatti Tehsil Dehra Distt. Kangra Himachal Pradesh-176029,	PR02000092	Old	Electrician	3(1+1+1)	NR	Deferred	Deferred for clarifications from State Directorate over the Recommendation of the ITI. HP State Directorate to provide the letter and Annexure III stating the reasons.

*Sumit*

*23/6/2021*



DGT-Aff011(51)/2/2020-0/o Dir (TC)



STATE: Jharkhand

Meeting Date: 23/02/2021

Total - 01(New-01, Old-00)

MSTI

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Om Private ITI Garhwa, Vill - Aunraiya, Tola - Likhaniya, P.S- Meral, Garhwa. Jharkhand	MSTI	New	Electrician	4(2+2)	4(2+2)	Deferred	Deferred, as State Director was not available
				Fitter	4(2+2)	4(2+2)		

23/6/2021

STATE: Maharashtra

Meeting Date:23/02/2021

Total - 02, (New-02, Old-00)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Kumss Private Industrial Training Institute, Pune, A/P - Karhati, Tal - Baramati, Dist - Pune. 412204., PUNE, Maharashtra	-	New	Draughtsman Mechanical-	2(1+1)	2(1+1)	2(1+1)	For session Aug-2021
				Electrician-	4(2+2)	4(2+2)	4(2+2)	Recommended except Trade-*Fashion Design and Technology, as State Director has clarified the queries.
				Electronics Mechanic-	2(1+1)	2(1+1)	2(1+1)	
				Fashion Design and Technology-	2(1+1)	NR*	NR*	
				Fitter-	4(2+2)	4(2+2)	4(2+2)	
				Interior Design & Decoration-	2(1+1)	2(1+1)	2(1+1)	
				Surveyor-	2(1+1)	2(1+1)	2(1+1)	
				Welder-	2(1+1)	2(1+1)	2(1+1)	
2.	Markandeya Private ITI, Yavatmal, At. Baradgaon, Tah.Ralegaon, Yavatmal, Maharashtra	-	New	Electrician-	2(1+0+1)	NR	NR	Rejected as not recommended by the State Director Since ITI is in the same campus/building of Markandeya Public School.
				Fashion Design and Technology	2(1+0+1)	NR	NR	
				Fitter-	2(1+0+1)	NR	NR	
				COPA	2(1+0+1)	NR	NR	

*[Handwritten Signature]*

*[Handwritten Signature]*  
23/6/2021

## DGT-Aff011(51)/2/2020-0/o Dir (TC)



**STATE: Tamil Nadu**

**Meeting Date: 23/02/2021**

**Total - 01, (New-00, Old-01)**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instit.	Trade/Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1	Sethu Bhaskara ITI, Ponnangudi road Kandramanickam Thiruppathur TK Sivangai District, Tamil Nadu	PR33000365	Old	Draughtsman (Civil)  Solar Technician (Electrical)	2(1+1)  1(1+0)	NR  NR	NR  NR	<p>Rejected as not recommended by the State Director due to deficiencies in Instructor and tools.</p> <p>Also, since ITI is more than 5 years old, it needs to Apply for Re-affiliation with minimum 4 trades.</p>

*COE 23/6/2021*

*Sanika*

## DGT-Aff011(51)/2/2020-O/o Dir (TC)



**STATE: Uttar Pradesh**

**Meeting Date: 23/02/2021**

**Total - 08, (New-03, Old-05)**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instit.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Bharti Private ITI, Meerut Vill Rali Chauhan Post Abdullapur Kila Road Meerut, Uttar Pradesh		New	Electrician	6(2+2+2)	6(2+2+2)	4(2+2)	Recommended  *Before admission of trainees, IIT shall ensure to upload instructor data on NCVT/MIS.
				Fitter	6(2+2+2)	6(2+2+2)	2(1+1)	
				Physiotherapy Technician	4(2+2+0)	4(2+2+0)	4(2+2)	
				Health Sanitary Inspector	4(2+2+0)	4(2+2+0)	4(2+2)	
2.	Fatehabahadur Singh Shivshankar Singh Pvt ITI, Sasana Bahadurpur, Akhop, Ballia - 221715, Uttar Pradesh		New	Electrician	3(1+1+1)	3(1+1+1)	Deferred	Deferred, for verification of online Electricity Bills by the State Directorate.
				Fitter	3(1+1+1)	3(1+1+1)		
				Plumber	3(1+1+1)	3(1+1+1)		
				COPA	3(1+1+1)	3(1+1+1)		
3.	Shri Jyoti Narayan Pvt ITI Vill- Augan, Po-Daulaatpur, Baldeo, Dist-Mathura, Uttar Pradesh-281301"		New	Electrician	6(2+2+2)	6(2+2+2)	4(2+2)	Recommended For session 2021
				Fitter	6(2+2+2)	6(2+2+2)	4(2+2)	
				Computer Operator & Programming Assistant	3(1+1+1)	3(1+1+1)	2(1+1)	
				Health Sanitary Inspector	3(1+1+1)	3(1+1+1)	2(1+1)	

*Sanil Kumar*

*23/02/2021*



DGT-Aff011(51)/2/2020-O/o Dir (TC)



STATE: Uttar Pradesh  
Total - 08, (New-03, Old-05)

Meeting Date: 23/02/2021

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
4.	Shyama Devi Private ITI, 2460, Barail, Barabanki-225001, Uttar Pradesh	PR09901274	Old	Electrician	12(4+4+4)	12(4+4+4)	8(4+4)	<b>Recommended</b> Electrician 8(4+4) *Before admission of trainees ITI shall ensure Trade Instructor data uploaded on NCVTMIS.
5.	Late Banshi Private ITC - Ghazipur Vill & Po Alawalpur, Ghazipur, Uttar Pradesh	PR09000605	Old	Electrician Fitter	10(3+3+4) 4(1+1+2)	7(2+2+3) 1(0+0+1)	NR NR	<b>Rejected,</b> as informed by State Director, bank guarantee submitted by ITI is found to be fake.
6.	Gulabi Bhimal Private ITC, Vill-Mainpur (Manikpur), Post- Mainpur, Ghazipur-233224, Uttar Pradesh	PR09900713	Old	Electrician Fitter	9(3+3+3) 3(1+1+1)	9(3+3+3) NR	NR NR	<b>Rejected,</b> as informed by State Director, bank guarantee submitted by ITI is found to be fake.
7.	Maa Vaishnavi Private ITC - Ghazipur Barahpur, Nandganj, Ghazipur-233302, Uttar Pradesh	PR09000727	Old	Electrician Fitter	10(3+3+4) 4(1+1+2)	9(3+3+3) 2(1+1)	NR NR	<b>Rejected,</b> as informed by State Director, bank guarantee submitted by ITI is found to be fake.

*[Handwritten signature]*

*[Handwritten signature]*  
23/2/2021

DGT-Aff011(51)/2/2020-O/o Dir (TC)



**STATE: Uttar Pradesh**

**Meeting Date: 23/02/2021**

**Total - 08, (New-03, Old-05)**

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instit.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
8.	Kamla Private ITI, Muglani Chak, Sadar, Ghazipur, 233001 Uttar Pradesh	PU09900719	Old	Electrician	9(3+3+3)	3(1+1+1)	NR	Rejected, as informed by State Director, bank guarantee submitted by ITI is found to be fake.
				Fitter	3(1+1+1)	3(1+1+1)	NR	

*Symltz*

*OK 23/6/2021*