

**DGT-Aff011(51)/2/2020-O/o Dir (TC)**  
**Government of India**  
**Ministry of Skill Development and Entrepreneurship**  
**Directorate General of Training**

Employment Exchange Building,  
1st floor, Pusa, New Delhi,  
Dated: 24.06.2021

To


**The State Director**  
(Bihar, Gujarat, Himachal, Jharkhand, Maharashtra, Uttar Pradesh)

**Subject: Affiliation of Units/Trades of Govt./Pvt. ITI with NCVT -regarding.**

Sir,


As decided in the 23<sup>rd</sup> Meeting of Recommendation Committee DGT held on 9<sup>th</sup> March. 2021, affiliation will be granted only for units in shift 1&2, as running the ITI in 3<sup>rd</sup> shift is not feasible in light of COVID-19 for maintaining Social Distancing and transport facilities after 3<sup>rd</sup> shift concern further, committee recommended trades/units in to DGT for session 2021-22.

2. The Committee examined affiliation proposals and accorded approval for the proposals conforming to the DGT Norms as per the list enclosed herewith.
3. The affiliation of the trades/units stated above are further subjected to,
  - (i) Periodic verification.
  - (ii) The ITI must comply with DGT norms/guidelines issued from time to time.
  - (iii) ITI must display the newly released logo of ITI on the Display Board at the main gate.
4. The said information is also available under "News & Updates" on NCVT MIS Portal at <https://ncvtmis.gov.in>.
5. **Affiliation of Trades/Units mentioned in this order valid till the validity of affiliation of ITIs and ITI should apply for "Renewal of Affiliation "as per DGT Norms.**
6. Discrepancies if any in the affiliation orders, same may be intimated to undersigned within 15 days after the date of issue of order.

Yours faithfully  
  
(Sunil Kumar Gupta)  
Director of Training

**Copy along with enclosures for information to:**

1. Sr PPS to Chairman of Recommendation Committee-DGT.
2. Sr PPS to DDG (Affiliation).
3. NCVT MIS Portal In charge, DGT Hqr. New Delhi, with request to upload these orders on NCVT MIS Portal .

  
(Ravi Chilukoti)  
Joint Director of Training



## DGT-Aff011(51)/2/2020-O/o Dir (TC)



STATE: Bihar

Meeting Date:09/03/2021

Total - 03, (New-00, Old-03)

| Sl. no. | Name of Institute with address  | NCVT/MIS Code | Old/New | Trade for which affiliation sought | Units for which affiliation sought / recommended by |                                       |   | Remarks   |
|---------|---|---------------|---------|------------------------------------|---|---------------------------------------|---|---|
|         |   |               |         |                                    | Instt.  | Trade/ Units Recommended by SCI/State | Trade/unit s Approved by DGT Recommendation Committee |   |
| 1.      | Maa sharda Pvt. ITI, Pratapur, Muktapur, Samastipur, Bihar- 848102  | PU10000863    | Old     | Electrician                        | Addl.<br>24(12+12+0)                                | Addl.<br>24(12+12+0)                  | Recommended   | Recommended for 1 year and ITI shall submit the 100% CTI trained instructor details |
| 2.      | Kumar ITC, NH-31, Kenamore, Madhobigha, Nawada, Bihar - 805123  | PR10000306    | Old     | Electrician                        | Addl.<br>8(4+4+0)                                   | Addl.<br>8(4+4+0)                     | Recommended   | Recommended for 1 year and ITI shall submit the 100% CTI trained instructor details |
| 3.      | Rajdeo Yadav Private ITI, Fatehpur Chandhosh Road, PO- Mukhmilpur, PS- Paliganj, Dist.- Patna, Bihar - 801110 | PR10000813    | Old     | Electrician                        | Addl.<br>16(8+8+0)                                  | Addl.<br>16(8+8+0)                    | Recommended   | Recommended for 1 year and ITI shall submit the 100% CTI trained instructor details |

*[Handwritten Signature]*

*[Handwritten Date: 23/5/2021]*

## DGT-Aff011(51)/2/2020-O/o Dir (TC)



**STATE: Gujarat**

**Meeting Date: 09/03/2021**

**Total - 02, (New-00, Old-02)**

| Sl. no. | Name of Institute with address  | NCVT/MIS Code | Old/ New | Trade for which affiliation sought                              | Units for which affiliation sought / recommended by |                                       |  | Remarks   |
|---------|---|---------------|----------|---|---|---------------------------------------|--|---|
|         |   |               |          |   | Instt.  | Trade/ Units Recommended by SCI/State | Trade/units Approved by DGT Recommendation Committee |   |
| 1.      | SAI KRUPA GRAM VIKAS TRUST, SAI PRIVATE ITI, SF SAI KRUPA GRAM VIKAS TRUST I.T.C., BALAIYA CROSSING PADALIYA, FATEPURA, DAHOD, 389190                           | PR24006117    | Old      | Wierman<br><br>Electrician<br><br>Health Sanitary Inspector     | 1(0+0+1)<br><br>1(0+0+1)<br><br>6(2+2+2)            | NR<br><br>NR<br><br>4(2+2)            | Deferred   | Deferred<br>"Report from Grading Committee is waited for decisions on ITIs with less than 2.0 grades" |
| 2.      | SF Jamiah Uttumal Pvt. ITI, JAMIAH UTTUMAL DARUL QURAN CAMPUS, BY PASS ROAD JAMBUSAR, DARUL QURAN CAMPUS, BY PASS ROAD, DABHA CHOKDI JAMBUSAR, Gujarat - 392150 | PR24000851    | Old      | Attendant (chemical Plant)<br><br>Mechanic Refrigeration & A.C. | 1<br><br>1  | 1<br><br>1                            | Deferred   | Deferred<br>"Report from Grading Committee is waited for decisions on ITIs with less than 2.0 grades" |

*23/6/2021*

*Jankar*



DGT-Aff011(51)/2/2020-O/o Dir (TC)



**STATE: Himachal Pradesh**  
**Total - 01, (New-00, Old-01)**

**Meeting Date: 09/03/2021**

| Sl. no. | Name of Institute with address  | NCVT/MIS Code | Old/ New | Trade for which affiliation sought | Units for which affiliation sought / recommended by |                                       |  | Remarks  |
|---------|---|---------------|----------|------------------------------------|---|---------------------------------------|--|--|
|         |   |               |          |                                    | Instit.   | Trade/ Units Recommended by SCI/State | Trade/units Approved by DGT Recommendation Committee |  |
| 1.      | GANPATI PRIVATE INDUSTRIAL TRAINING INSTITUTE PRIVATE INDUSTRIAL TRAINING INSTITUTE, KANGRA, VPO BANE DE HATTI TEHSIL DEHRA DISTT. KANGRA HP-176029, KANGRA | PR02000092    | Old      | Electrician                        | 3(1+1+1)  | 2(1+1)                                | Deferred   | Deferred. State to provide the complete comments and reasons for its comments. |

*23/6/2021*

*Smilky*



## DGT-Aff011(51)/2/2020-O/o Dir (TC)



STATE: Jharkhand

Meeting Date:09/03/2021

Total - 02, (New-02, Old-00)

MSTI

| Sl. no. | Name of Institute with address   | NCVT/MIS Code | Old/New | Trade for which affiliation sought | Units for which affiliation sought / recommended by |                                      |  | Remarks  |
|---------|--|---------------|---------|------------------------------------|---|--------------------------------------|--|--|
|         |  |               |         |                                    | Instt.  | Trade/Units Recommended by SCI/State | Trade/units Approved by DGT Recommendation Committee |  |
| 1.      | Sky Private Industrial Training Institute, Ludharia, Post Office- Ludharia, Thana-Tundi, Dhanbad 828109  | -             | New     | Electrician<br>Fitter              | 4(2+2)<br>4(2+2)                                    | 4(2+2)<br>4(2+2)                     | Deferred   | Deferred since State Director was not present in the meeting |
| 2.      | Om Private Industrial Training Institute, Garhwa, Vill - Aunraiya, Tola - Likhaniya, P.S- Meral, Garhwa. | -             | New     | Electrician<br>Fitter              | 4(2+2)<br>4(2+2)                                    | 4(2+2)<br>4(2+2)                     | Deferred   | Deferred since State Director was not present in the meeting |

09/21/6/2021

Sunil Kumar

STATE: Maharashtra

Meeting Date:09/03/2021

Total - 03, (New-02, Old-01)

| Sl. no | Name of Institute with address   | NCVT/MIS Code | Old/New | Trade for which affiliation sought               | Units for which affiliation sought / recommended by |                                      |  | Remarks   |
|--------|--|---------------|---------|--|---|--------------------------------------|--|---|
|        |  |               |         |  | Instt.  | Trade/Units Recommended by SCI/State | Trade/units Approved by DGT Recommendation Committee |   |
| 1.     | Chattrapati shahu Maharaj Private ITI, A/P Parner, Parner-Supa Road, Tal. Parner, Dist. Ahmednagar, 414302 Maharashtra |               | New     | Electrician                                      | 2(1+1)  | NR                                   | NR   | Rejected as Not Recommended by the State Director since Machines and equipment do not meet the required specifications.                                       |
|        |  |               |         | Wireman  | 2(1+1)  | NR                                   | NR   |   |
|        |  |               |         | COPA   | 2(1+1)  | NR                                   | NR   |   |
|        |  |               |         | Fire Technology and Industrial Safety Management | 2(1+1)  | NR                                   | NR   |   |
|        |  |               |         | Welder   | 2(1+1)  | NR                                   | NR   |   |
| 2.     | Dnyanganga private ITI. Ranisawargaon TQ. Gangakhed Dist. Parbhani 431536 Maharashtra                                  |               | New     | Wireman  | 2(1+1)  | NR                                   | NR   | Rejected as Not Recommended by the State Director since Fire Tender and Rescue Van not in the name of ITI, Principal Experience is less than prescribed norms |
|        |  |               |         | Electrician                                      | 2(1+1)  | NR                                   | NR   |   |
|        |  |               |         | Fire Technology and Safety Management            | 2(1+1)  | NR                                   | NR   |   |
|        |  |               |         | Fashion design and technology                    | 2(1+1)  | NR                                   | NR   |   |






## DGT-Aff011(51)/2/2020-O/o Dir (TC)



**STATE: Maharashtra**

**Meeting Date:09/03/2021**

**Total - 03, (New-02, Old-01)**

| Sl. no | Name of Institute with address  | NCVT/MIS Code | Old/New | Trade for which affiliation sought | Units for which affiliation sought / recommended by |                                       |  | Remarks                            |
|--------|---|---------------|---------|------------------------------------|---|---------------------------------------|--|------------------------------------|
|        |   |               |         |                                    | Instt.  | Trade/ Units Recommended by SCI/State | Trade/units Approved by DGT Recommendation Committee |                                    |
| 3.     | Gramin ITC<br>Nehrunagar<br>Nagalgaon Tq.<br>Kandhar<br>At.Nehrunagar<br>Post.Nagalgaon<br>Tq.Kandsshar<br>Dist.Nanded<br>431714<br>Maharashtra | PR27000157    | Old     | Electrician                        | Addl.<br>16(4+4+8)                                  | Addl.<br>16(4+4+8)                    | Addl.5(1+4)<br>Total12(6+6)                          | Recommended<br>For session<br>2021 |
|        |   |               |         | Wireman                            | <b>Addl.</b><br>16(4+4+8)                           | 16(4+4+8)                             | Addl.9(5+4)<br>Total 12(6+6)                         |                                    |
|        |   |               |         | Fitter                             | <b>Addl.</b><br>3(0+1+2)                            | 3(0+1+2)                              | Addl.2(1+1)<br>Total 4(2+2)                          |                                    |
|        |   |               |         | COPA                               | 3(1+1+1)  | 3(1+1+1)                              | 2(1+1)   |                                    |

*Jr 23/6/2021*

*[Signature]*




STATE: Karnataka

Dated: 09/03/2021

Total -03(Old-03)

## Shifting of ITIs

| Sl. No   | Name of Institute with address   | NCVT/MIS Code | Existing /New | Trade for which affiliation sought             | Units for which affiliation sought / recommended by |   |                                       | Remarks   |
|--|--|---------------|---------------|--|---|---|---------------------------------------|---|
|  |  |               |               |  | Instit.   | Accredited by Members of Standing Committee | Approved by the Recommendation of DGT |   |
| 1.   | Government ITI,<br>New Add.:<br>Govt. ITI, Belavadi, Mysore Tq and Dist, Pin code: 570018            | GU29000346    | Existing      | Fitter   | Addl. 2(1+1)  | Addl. 2(1+1)                                | Addl. 2(1+1)<br>Total 6(3+3)          | Recommended<br>(Affiliation at new Location w.e.f. session 2021)                        |
|  |  |               |               | Electronics Machinic                           | Addl. 2(1+1)  | Addl. 2(1+1)                                | Addl. 2(1+1)<br>Total 4(2+2)          |   |
|  |  |               |               | Electrician                                    | Addl. 2(1+1)  | Addl. 2(1+1)                                | Addl. 2(1+1)<br>Total 6(3+3)          |   |
|  |  |               |               | COPA   | -   | -   | Total 1(1+0)                          |   |
|  |  |               |               | Stenographer & Secretarial Assistant (English) | -   | -   | Total 1(1+0)                          |   |
|  |  |               |               | Turner   | -   | -   | Total 2(1+1)                          |   |
| <b>Note :</b> The Trades Copa 1(1+0) Electrician. 4(2+2) Fitter 4(2+2) Stenographer & Secretarial Assistant ( English). 1(1+0) Turner 2(1+1) Electronics Mechanic. 2(1+1), unit are <b>De-affiliated at old location</b> Govt. ITI Hebbala indl.area, Mysore-18 Pin code: 570018 Karnataka, w.e.f. Aug. 2021 |  |               |               |  |   |   |                                       |   |
| 2.   | Sri Guru Kottureshwara ITC<br>NEW Add.:<br>Doddabathi PB Road,<br>Doddabathi,<br>DAVANGERE<br>577566 | PR29000797    | Existing      | Fitter   | Addl.2(1+1)   | NR  | NR                                    | Not Recommended<br>For shifting due to non-availability of Drawing hall and Power norms |
|  |  |               |               | Electrician                                    | Addl.2(1+1)   | NR  | NR                                    |   |
| <b>Note :-</b> The ITI Will Continue at old Location Add. P. B Road, Doddabathi , Davangere Taulk with Trades Fitter 2(1+1) , Electrician 2(1+1)   |  |               |               |  |   |   |                                       |   |








**STATE: Karnataka**

**Dated: 09/03/2021**

**Total -03(Old-03)**

**Shifting of ITIs**

|   |   |            |          |        |                  |    |    |  |
|---|---|------------|----------|--------|------------------|----|----|--|
| 3   | KENGAL<br>HANUMANTAIA<br>H PRIVATE ITI,<br>KOLAR 563116 | PR29000118 | Existing | Fitter | Add.<br>1(0+0+1) | NR | NR | Not<br>Recommended<br>For shifting due to<br>non-availability of<br>Drawing hall and<br>IT Lab facilities. |
| <b>Note.:</b> - The ITI will continue at old Location Add. Bethamangala KOLAR 563114 with Trades Electronic Mechanic 2(1+1), Fitter 2(1+1), welder 1(1+0) |   |            |          |        |                  |    |    |  |

*[Handwritten Signature]*

*09/03/2021*





DGT-Aff011(51)/2/2020-O/o Dir (TC)



STATE: Uttar Pradesh  
Total - 05, (New-02, Old-03)

Meeting Date: 09/03/2021

| Sl. no. | Name of Institute with address   | NCVT/MIS Code | Old/ New | Trade for which affiliation sought | Units for which affiliation sought / recommended by |                                       |  | Remarks         |
|---------|--|---------------|----------|------------------------------------|---|---------------------------------------|--|-----------------|
|         |  |               |          |                                    | Innst.  | Trade/ Units Recommended by SCI/State | Trade/units Approved by DGT Recommendation Committee |                 |
| 5       | SHRI MOTILAL RICHHARIYA PRIVATE ITI VILL- KUA GAON, POST- KURENCHA, TAHSIL- MAURANIPUR JHANSI 284204 Uttar Pradesh | PU09900625    | Old      | Electrician                        | 6(2+2+2)  | 6(2+2+2)                              | NR   | Not recommended |

*[Handwritten signature]*

*[Handwritten signature]*  
23/6/2021



DGT-Aff011(51)/2/2020-O/o Dir (TC)

STATE: Tamil Nadu

Total – 02, (New-00, Old-02)

SCVT to NCVT

Meeting Dated: 09/03/2021

| Sl. No. | Name of Institute with address  | NCVT/MIS Code | Old/New | Trade for which affiliation sought | Units for which affiliation sought / recommended by |                                       |  | Remarks  |
|---------|---|---------------|---------|------------------------------------|---|---------------------------------------|--|--|
|         |   |               |         |                                    | Instt.  | Trade/ Units Recommended by SCI/State | Trade/units Approved by DGT Recommendation |  |
| 1       | Government Industrial Training Institute For Women, Guindy, Alandur Road, Guindy CHENNAI 600032 | GR33000070    | Old     | Architectural Draughtsman          | addl. 2(1+1)  | addl. 2(1+1)                          | addl. 2(1+1)                               | Recommended  |
| 2       | Government Industrial Training Institute for Women, Pullambadi TIRUCHIRAPPALLI 621711           | GR33000212    | Old     | Machinist Dress Making             | addl. 2(1+1)<br>addl. 2(1+1)*                       | addl. 2(1+1)<br>addl. 2(1+1)*         | addl. 2(1+1)<br>addl. 2(1+1)*              | Recommended Add.<br>Machinist 2(1+1)<br>Dress Making 2(1+1)<br><br>Sewing Technology 2(1+1) is de-affiliated |

*Signature*

*23/6/2021*