

DGT-11012/5/2021-O/o Dir (TC)
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Employment Exchange Building,
1st floor, Pusa, New Delhi,
Dated: 16.09.2021

To

The State Director

Himachal Pradesh, Maharashtra, Telangana, Uttar Pradesh

Subject: Affiliation of Units/Trades of Govt./Pvt. ITI with NCVT -regarding.

Sir,

As decided in the 3rd Meeting of Standing Committee on Accreditation and Affiliation (SCAA) held on 07.09.2021, committee recommended trades/units in ITIs to DGT from session 2022-23.

2. The Committee examined affiliation proposals and accorded approval for the proposals conforming to the DGT Norms as per the list enclosed herewith.
3. The affiliation of the trades/units stated above are further subjected to,
 - (i) Periodic verification.
 - (ii) The ITI must comply with DGT norms/guidelines issued from time to time.
 - (iii) ITI must display the newly released logo of ITI on the Display Board at the main gate.
4. The said information is also available under "News & Updates" on NCVT MIS Portal at <https://ncvtmis.gov.in>.
5. **Affiliation of Trades/Units mentioned in this order valid till the validity of affiliation of ITIs and ITI should apply for "Renewal of Affiliation "as per DGT Norms.**
6. Discrepancies if any in the affiliation orders, same may be intimated to undersigned within 15 days after the date of issue of order.

Yours faithfully

(Sunil Kumar Gupta)
Director of Training

Copy along with enclosures for information to:

1. Sr PPS to Chairman of Recommendation Committee-DGT.
2. Sr PPS to DDG (Affiliation).
3. NCVT MIS Portal In charge, DGT Hqr. New Delhi, with request to upload these orders on NCVT MIS Portal.


(Ravi Chilukoti)
Joint Director of Training



STATE: Himachal Pradesh

Meeting Date:07/09/2021

Total - 05, (New-00, Old-05)

Sl. no.	Name of Institute with address	NCVT-MIS Code	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT SCAA	
1	Ganpati Private Industrial Training Institute, Kangra, Vpo Bane De Hatti Tehsil Dehra Distt. Kangra Hp-176029. Kangra. Himachal Pradesh	PR02000092	Electrician	3(1+1+1)	NR	NR	Not Recommended as per the comments mentioned by the State Director
2	Galaxy Private Industrial Training Institute, College Road, Paonta Sahib, SIRMAUR - 173028, Himachal Pradesh	PR02000177	Fitter	3(1+1+1)	3(1+1+1)	Deferred	Deferred for the recommendation of Scrutiny Committee
3	Govt. ITI Talwar at Lahru, Tehsil jaisinghpur, KANGRA, H.P-176082	GR02000162	COPA Tool & Die Maker (Dies & Moulds)	2(1+1) 1(1+0+0)	2(1+1) 1(1+0+0)	NR NR	Not Recommended as per the recommendations of the Scrutiny Committee
4	Prayaas Pvt. ITI, V.P.O. MAIRA KANGRA-176023. Himachal Pradesh	PR02000228	Electrician Fitter	3(1+1+1) 1(0+0+1)	NR NR	NR NR	Not Recommended as per the recommendations of the Scrutiny Committee
5	Universal Pvt ITI. VILLAGE GAGLOO PO BANE DI HATTI. KANGRA-176029. Himachal Pradesh	PR02000231	Electrician	3(1+1+1)	3(1+1+1)	3(1+1+1)	Recommended Subject to condition the IFI produces the undertaking agreeing to upgrade to Minimum 4 trades before the session 2022-2023.

STATE: Maharashtra

Meeting Date:07/09/2021

Total - 07, (New-01, Old-06)

Sl. no.	Name of Institute with address	NCVT-MIS Code	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks by SCAA
				Instit.	Trade/Units Recommended by SCI/State	Trade/units Approved by DGT SCAA	
1	Bhairavnath Private Industrial Training Institute, A/P Kalam, Tal- Kalamb Dist. Osmanabad, Maharashtra	New	Electrician Wireman Welder COPA	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	Recommended Electrician 2(1+1) Wireman 2(1+1) Welder 2(1+1) COPA 2(1+1) The ITI needs to submit the details of CTI trained instructors within 15 days from the date of issue of orders. Session 2022-2023
2	Lokpanchayat Rural Technical Training Institutes Private ITI, At-Kurkundi Post-Ghargoan, Tal - Sangamner, Dist - Ahmednagar-422620, Maharashtra	PR27000848	Electrician	2(1+1)	2(1+1)	NR	Not Recommended as per the recommendations of the Scrutiny Committee
3	Shreeyansh Private Industrial Training Institute, Sahakar Nagar Th-Tirora Gondia-441911, Maharashtra	PR27000626	Electrician Fitter	4(1+1+2) 4(1+1+2)	2(1+1) 2(1+1)	NR NR	Not Recommended Since the ITI is due for Renewal of Affiliation. The ITI needs to apply for Renewal of Affiliation as and when the portal opens.
4	Pavanraje Nimbalkar Pvt. ITI, At. Govardhanwadi post. Dhoki. Tal- Dist. Osmanabad, Maharashtra - 413508	PR27000930	Electrician Mechanic Diesel	2(1+1) 2(1+1)	2(1+1) 2(1+1)	NR NR	Not Recommended as the Grading of the ITI is less than 1.25




STATE: Maharashtra

Meeting Date:07/09/2021

Total - 07, (New-01, Old-06)

Sl. no.	Name of Institute with address	NCVT-MIS Code	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks by SCAA
				Instit.	Trade/Units Recommended by SCI/State	Trade/units Approved by DGT SCAA	
5	A.I.E.& D F'S. Bhaskarrao Galande Patil, Private Industrial Training Institute, Ashoknagar, Tal. Shrirampur, Dist. Ahmednagar, MH-413717	PU27000192	Electrician	2(1+1)	2(1+1)	NR	Not Recommended Since the ITI is due for Renewal of Affiliation. The ITI needs to apply for Renewal of Affiliation as and when the portal opens.
6	Graimin Advance Pvt. ITI, Majalgaon, Opp. Manadhane house, near Dr. Nilekar Hospital, Maharashtra-431131	PR27000843	Electrician	6(2+2+2)	NR	NR	Not Recommended Since the ITI is due for Renewal of Affiliation. The ITI needs to apply for Renewal of Affiliation as and when the portal opens.
7	Bonde Audogik Private Prashikshan Sanstha khapari At. Khapari Post. Ghorad Ta. Kalmeshwar Distt. Nagpur Maharashtra 441501	PR27000876	Welder	2(1+1)	NR	NR	Not Recommended Since the ITI is due for Renewal of Affiliation. The ITI needs to apply for Renewal of Affiliation as and when the portal opens.

CD

sky

STATE: Telangana

Meeting Date:07/09/2021

Total - 03, (New-00, Old-03)

Sl. no.	Name of Institute with address	NCVT-MIS Code	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT SCAA	
1	Sri Balaji ITI, Budimi Gate, Pitlam Road, Post/Mandal: Banswada, Dis: Kama eddy, Telangana - 503187	PR36000255	Electrician Mechanic Diesel Radiology Technician Sewing Technology	8(2+2+4) 3(1+1+1) 6(2+2+2) 3(1+1+1)	3(1+1+1)	Deferred	Deferred for the recommendation of Scrutiny Committee
2	Sadhu Venkatreddy Pvt.ITI.On Kamareddy to Sircilla Road, Yellareddy Peta, Karimnagar, Telangana- 505303	PR36000259	Electrician Mechanic Diesel	3(1+1+1) 6(2+2+2)	3(1+1+1) 6(2+2+2)	NR NR	Not Recommended Since the ITI is due for Renewal of Affiliation. The ITI needs to apply for Renewal of Affiliation as and when the portal opens.
3	Shiva Sai Private ITI, Shanthi Nagar, Peddapally Karimnagar, 505172, Telangana	PU36000235	Electrician	4(2+2)	4(2+2)	NR	Not Recommended Since the ITI is due for Renewal of Affiliation. The ITI needs to apply for Renewal of Affiliation as and when the portal opens.






STATE: Uttar Pradesh

Meeting Date:07/09/2021

Total - 07, (New-05, Old-02)

Sl. no.	Name of Institute with address	NCVT-MIS Code	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks by SCAA
				Instit.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT SCAA	
1	Fatehabadur Singh Shivshankar Singh Pvt ITI, Sasana Bahadurpur, Akhop, Ballia - 221715, Uttar Pradesh	New	Electrician	3(1+1+1)	3(1+1+1)	2(1+1)	Recommended Electrician 2(1+1) Fitter 2(1+1) Plumber 2(1+1) COPA 2(1+1) The ITI needs to submit the details of CTI trained instructors within 15 days from the date of issue of orders. Session 2022-2023
			Fitter	3(1+1+1)	3(1+1+1)	2(1+1)	
			Plumber	3(1+1+1)	3(1+1+1)	2(1+1)	
			COPA	3(1+1+1)	3(1+1+1)	2(1+1)	
2	Babu Ramjeet Singh Sengar Pvt ITI, Jewainiya, Pradhanpur, Ballia - Uttar Pradesh	New	Electrician	3(1+1+1)	NR	NR	Not Recommended, since the ITI produced Fake Bank Guarantee. To be debarred for 3 years from applying on Online Affiliation Portal.
			Fitter	3(1+1+1)	NR	NR	
			Plumber	3(1+1+1)	NR	NR	
			COPA	3(1+1+1)	NR	NR	
3	Lalmuni Chandrabhan Pvt ITI, Govindpur Dugauli, Ballia (U.P.)	New	Electrician	3(1+1+1)	NR	NR	Not Recommended, since the ITI produced Fake Bank Guarantee. To be debarred for 3 years from applying on Online Affiliation Portal.
			Fitter	3(1+1+1)	NR	NR	
			Health & Sanitary Inspector	3(1+1+1)	NR	NR	
			Hospital Housekeeping	3(1+1+1)	NR	NR	
4	Maharshi Baba Galudas Maa Chandramuni Pvt ITI, Shahmohammadpur, Chandeawar, Rasea Ballia - 221712, Uttar Pradesh	New	Electrician	3(1+1+1)	NR	NR	Not Recommended, since the ITI produced Fake Bank Guarantee. To be debarred for 3 years from applying on Online Affiliation Portal.
			Fitter	3(1+1+1)	NR	NR	
			Plumber	3(1+1+1)	NR	NR	
			COPA	3(1+1+1)	NR	NR	



-1-





STATE: Uttar Pradesh

Meeting Date:07/09/2021

Total - 07, (New-05, Old-02)

Sl. no.	Name of Institute with address	NCVT-MIS Code	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks by SCAA
				Instit.	Trade/Units Recommended by SCI/State	Trade/units Approved by DGT SCAA	
5	Shri Raj Kumar Singh Collogee of Private ITI, Vill-Bhawanipur, Karhal, Dist-Mainpuri, U.P.-205268	New	Electrician Fitter COPA Health & Sanitary Inspector	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	NR NR NR NR	Deferred	Deferred for the recommendation of Scrutiny Committee
6	Hind Private Industrial Training Institute, Address-G.T. Road Sikandra Rao, District-HATHRAS-State-UTTAR PRADESH-204215	PU09900212	Electrician	3(1+1+1)	3(1+1+1)	NR	Not Recommended, since the ITI produced Fake Bank Guarantee. To be debarred for 3 years from applying on Online Affiliation Portal.
7	Anshika Private ITI, Salarpur, Post-Rasulgarh, Sarnath Varanasi - 221007, Uttar Pradesh	PR09000852	Electrician Fitter Cosmetology	13(4+4+5) 3(1+1+1) 3(1+1+1)	NR NR NR	NR NR NR	Not Recommended Since the ITI is due for Renewal of Affiliation. The ITI needs to apply for Renewal of Affiliation as and when the portal opens.


