

**DGT-11012/5/2021-O/o Dir (TC)**  
**Government of India**  
**Ministry of Skill Development and Entrepreneurship**  
**Directorate General of Training**

Employment Exchange Building,  
1st floor, Pusa, New Delhi,  
**Dated: 09.09.2021**

To,

**The Director**

Directorate of Technical Education & Vocational Training,  
3- Mahapalika Marg, P. Box No. 10067,  
Mumbai - 400001, Maharashtra.

**Sub: - De-Affiliation of Swami Private ITI, Dist. Nashik, Maharashtra.**

Sir/Madam,

It is to inform you that as approved by competent authority in the 3rd Meeting of Standing Committee on Accreditation and Affiliation (SCAA), held on 07<sup>th</sup> September 2021, vide agenda no. 3.7 the Trades/Units of Swami Private ITI (MIS Code - PR27000788) have been de-affiliated w.e.f. August 2021. The deficiencies / observations mentioned against the ITI is attached at Annexure - I. You may kindly inform to the concerned ITI accordingly.

The said information is also available on web site <https://ncvtmis.gov.in> In case of any discrepancy observed in the de-affiliation orders, same may be intimated to undersigned within 15 days the date from issue of the order.

Yours faithfully

Encl. at Annexure - I



**(CH. Ravi)**

Joint Director of Training  
E-mail:- [ravi.chilukoti@nic.in](mailto:ravi.chilukoti@nic.in)

Copy to: -

1. PPS to DG/AS, DGT.
2. PPS to DDG (Affiliation).
3. Concerned ITI.
4. The officer dealing with NCVT MIS Portal to update the data.



**(R. Murugarajan)**

Deputy Director of Training  
E-mail:- [murugarajan.r@dgt.gov.in](mailto:murugarajan.r@dgt.gov.in)

## Annexure - I

Sl. No.	Name & Address of ITIs / MIS Code	Observations by Standing Committee for Inspection	Deficiencies	Remarks by DGT - Recommendation Committee
1.	Swami Private ITI, Kathwala Building, Satana Naka, Malegaon Tal. Malegaon, Dist. Nashik, Maharashtra Pin-423203  MIS Code - PR27000788	<p>1. Blue Print &amp; Agreement does not reflect the actual land in possession of institute and confirmation of area.</p> <p>2. Approach road to institute from main Gate need major Repairs.</p> <p>3. Only one set up of machinery for (3+3) six units of Electrician &amp; Fitter Trade is available.</p> <p>4. Deficiency in space in Fitter &amp; Electrician Trade &amp; Other facilities as against norms is pointed out.</p> <p>5. One instructor of Welder available as admission is being made in one unit.</p> <p>6. Land of one acre but no documentary proof is shown it.</p> <p>7. Library, Engineering Drawing Hall, paly Ground is not available.</p> <p>8. 2/3 Salaries paid to staff but Not proof of receipt of payment available.</p> <p>9. Only one instructor is CTI Trained.</p> <p>10. institutes want to de-affiliate COPA Trade, hence no inspection was carried out, instead of the rooms being utilized as IT Lab.</p> <p>11. Due to covid-19 Lock down Restriction No Trainees were available for inspection.</p> <p>12. No training Record was available for inspection.</p> <p><b>Other Observations: -</b> State Directorate Maharashtra has informed in the meeting that this ITI has been taking admissions continuously since session 2018 violating the State Norms.</p>	<p>➤ Hiding of facts.</p> <p>➤ Deficiencies of basic infrastructures.</p> <p>➤ Deficiencies of Tools &amp; Machinery.</p> <p>➤ Deficiencies in infrastructures required as per norms.</p> <p>➤ Vague documents.</p> <p>➤ Infrastructure.</p> <p>➤ Lake of proper documentation &amp; possibility of fraud in Payments.</p> <p>➤ As per norms 80 % instructors should be CTI Trained.</p> <p>➤ Lake of proper documentation.</p>	<p>1. No admission from session 2021 to be allowed to this ITI.</p> <p>2. ITI is de-affiliated from session 2021.</p>

*[Signature]*  
09/09/21

*[Signature]*  
09/09/2021