

**DGT-11012/8/2021-O/o Dir (TC)**  
**Government of India**  
**Ministry of Skill Development and Entrepreneurship**  
**Directorate General of Training**

Employment Exchange Building,  
1st floor, Pusa, New Delhi,  
Dated: 09-11- 2021

To,

All the State Directors (dealing with Affiliation)

**Subject:** - Minutes of Meeting of 4<sup>th</sup> Standing Committee on Accreditation and Affiliation (SCAA).

Sir/Madam

Please find enclosed herewith the approved Minutes of Meeting along with Annexure of 4<sup>th</sup> Standing Committee on Accreditation and Affiliation (SCAA), held on 26-10-2021. However implementation orders agenda item wise will be issued in due course of time.

This issue with the approval of competent authority, DGT

Yours faithfully,

  
(Sunil Kumar Gupta)  
Director of Training

Copy to -

1. Sr. PPS to DG/AS, DGT New Delhi
2. Sr. PPS to DDG, DGT, New Delhi
3. All RDSDEs

  
(R. Murugarajan)  
Dupty Director of Training

**Draft Minutes of meeting of 4th Standing Committee on Accreditation and Affiliation (SCAA) held on 26th October 2021 at 12:45 PM through video conference**

Following committee members were present during the meeting: -

1. Smt. Neelam Shammi Rao, Chairperson, DG, DGT
2. Shri. R. Kirlosh Kumar, Secretary, Govt. of Tamil Nadu
3. Smt. Sandhya Salwan, DDG, DGT
4. Shri. Poly NC, GM, BHEL, Trichy-Member from the Apex Committee
5. Shri. Sunil Kumar Gupta, Director (Affiliation), DGT-Member
6. Dr Neetu Bhagat, Dy Director -Representative on behalf of Dr. M P Punia, Member from the Apex Committee, AICTE
7. Vinod S. Bonde, US, Govt of Maharashtra- Representative on behalf Member-State Govt., Maharashtra

At the outset, the chairperson of the committee, welcomed the members. The meeting was proceeded, and agenda points were discussed one by one. DDG (DGT) briefed the agenda points to the committee.

S.No.	Agenda	Discussion	Decision of SCAA
1.	<b>Agenda 4.1:</b> Confirmation and Approval of Minutes of Meeting (MoM) of 3rd Meeting of SCAA	The 3rd Meeting of Standing Committee on Accreditation and Affiliation was held on 7 <sup>th</sup> September 2021 and the MoM were shared on 13 <sup>th</sup> September 2021 with the Committee.	<ul style="list-style-type: none"><li>• <b>The MoM of 3<sup>rd</sup> SCAA was accepted and approved.</b></li><li>• The order of "Apex Committee" and SCAA to be re-issued after updating the name of Member-State Govt. Maharashtra</li></ul>
2.	<b>Agenda 4.2:</b> Action Taken Report (ATR) on MoM of 3d Meeting of SCAA	<b>ATR of 3<sup>rd</sup> SCAA was approved</b>	<ul style="list-style-type: none"><li>• <b>ATR of 3<sup>rd</sup> SCAA was approved by the committee</b></li></ul>
3.	<b>Agenda 4.3:</b> Norms on Accreditation and Affiliation of ITIs	It is being proposed that if ITI is inspected by 2-member quorum, i.e., DGT and SCVT representatives of	<ul style="list-style-type: none"><li>• After deliberations, Secretary TN suggested that the report of 2-member committee, i.e., DGT and State</li></ul>

*[Handwritten signature]*  
5/11/2021

*[Handwritten signature]*

①

	<p>of Inspection cum Verification Committee and its Quorum</p>	<p>considered for Grant of Accreditation/ Affiliation.</p> <p>Further, if more than 2 members of ICVC submit the report, it will also be considered for Grant of Accreditation/ Affiliation.</p>	<p>may be considered.</p> <p><b>All the committee members agreed.</b></p> <ul style="list-style-type: none"> <li>DG/AS advised that States should come forward more enthusiastically for Online Inspection to complete the task well in time. The role of RDSDEs is to support and monitor the Inspection process, speedily in order to accomplish the task. The batches for Inspection to be generated 10 days' in advance with intimation to RDSDE and 2 days prior intimation about ITI to ICVC members and ITI</li> </ul> <p><b>Committee agreed for the same.</b></p>
	<p><b>Agenda 4.3.2:</b> Proposal of Delegation of Approving Authority to RDSDEs for approvals of Dual System of Training (DST) units</p>	<p>The training under DST mode was explained to members. The delegation proposal was as:</p> <ol style="list-style-type: none"> <li>ITI seeking DST will submit the proposal to respective RDSDE of concerned State/ UT (online through mail, on the mail of RDs only)</li> <li>RDSDE will co-ordinate with Industry and ITI and verify the details of MoU</li> <li>After verification, RDSDE will approve the proposal for DST (in deemed manner) submitted by ITI and upload it on the portal (NCVT-MIS Portal)</li> <li>RDSDE will send the Consolidated approved proposals to DDG(T)/ Member-convener of SCAA (e-file) monthly</li> <li>All proposals received from RDSDEs will be ratified in SCAA meetings.</li> </ol>	<ul style="list-style-type: none"> <li>The discussion held on to delegate the powers to RDSDEs for approval of DST proposals. DG/AS suggested that the RDSDEs may be authorized for Approving DST proposals for conversion of 1<sup>st</sup> and 2<sup>nd</sup> shift units only in proposed manner as per Agenda. Dr. Neetu from AICTE welcomed the suggestion and informed that AICTE is also going for DST through blended mode. Secretary, Tamil Nadu desired to understand the existing process for DST. Director (TC) explained the whole process.</li> <li>After deliberations, <b>all the members agreed</b> that the RDSDEs may be authorized for Approving DST proposals for conversion of 1<sup>st</sup> and 2<sup>nd</sup> shift units only.</li> <li>However, for proposals of grant of DST in 3<sup>rd</sup> shift in new/existing units, it should come to DGT through State via RDSDE after verification.</li> </ul>

*Ameyam*  
9/11

*Sanjay*

2

		Currently, the process flow is being developed for Development of Online Module for DST applications. This will reduce the compliance burden on ITIs as well and increase EASE of APPLICATION	
4.	<b>Agenda 4.4:</b> Abolition of duration of additional 15 days' time given to Private ITIs for admissions in ITIs	The Current admission schedule was extended till 18.11.2021. On this agenda, Committee decided that Comments from States may first be received, especially from those States where maximum number of private ITIs are there.	<ul style="list-style-type: none"> <li>Secretary Tamil Nadu and Maharashtra State representative viewed that no additional time should be given to Private ITIs. After deliberations why private ITI are unable to fill the seats as per admission schedule issued by DGT? Committee decided that the comments from all States to be obtained on this issue and to be discussed in next SCAA</li> <li>Director TC informed that 20 % seats are filled for session 2021. <b>It was decided by the committee that the admission date to be extended till 18.11.2021.</b></li> </ul>
5.	<b>Agenda 4.5:</b> Proposals from "Scrutiny cum Recognition Committee" meetings		
	<b>Agenda 4.5.1:</b> Accreditation/ Affiliation Proposals from "Scrutiny cum Recognition Committee" meetings	4 <sup>th</sup> and 5 <sup>th</sup> SCRC MoM were shared with the Committee.  Also, on the subject matter of Norms for Deemed approvals, it was decided that a sub-committee maybe constituted with members as nominated by Maharashtra and Tamil Nadu and from RDSDEs Maharashtra and Tamil Nadu and 1 member from DGT. Sub-committee should consider areas such as Generic norms, Aspirational districts, LWEs, Hilly regions and greater	<ul style="list-style-type: none"> <li>The committee discussed all the proposals submitted by SCRC in detail.</li> <li>The decision of SCAA is Annexed at Annexure 4.5.1 and 4.5.2</li> <li><b>An order to be issued for Rejection of ITI for Inspection, if ITI denies rejection on invalid ground.</b></li> <li>It was decided that a sub-committee maybe constituted under chairmanship of Secretary, Tamil Nadu with DDG and Dr. Neetu as member, to decide on the proposals of De-affiliation pending with TC section.</li> <li>For the matter of 6<sup>th</sup> SCRC, it was decided that SCRC</li> </ul>

*Amritha*  
9/11

*Amritha*

3

		autonomy to RDSDEs may be given.	<p>may take decision before the admission session of 2021 ends, and Maharashtra Principal Secretary may also join SCRC on this subject. The decision may be circulated to SCAA.</p> <ul style="list-style-type: none"> <li>• <b>MoM of SCRC maybe shared as SCAA agenda to members after preparation of MoM of SCRC.</b></li> </ul>
6	<b>Agenda 4.6:</b> Minutes of Meeting of Sub-committee on 248 ITIs of Rajasthan proposed for De-affiliation as forwarded by State Directorate		<b>The committee accepted and approved the MoM of sub-committee meetings.</b>
7	<p><b>Miscellaneous Agenda</b></p> <p><b>Agenda 4.7.1:</b> Extension of Affiliation of ITIs for admissions by session 2022, which are due for Renewal of Affiliation</p> <p><b>Agenda 4.7.2: Details about Affiliation of PMKVY 3.0 Courses in ITIs</b></p>		<p><b>The committee approved</b> that for ITIs affiliated till 2016, For 1-year trades, admission till 2021 is allowed before ROA is implemented For 2-year trades, admission till 2022 is allowed before ROA is implemented</p> <p><b>The Affiliation under PMKVY 3.0 were approved and ratified by the committee.</b></p> <p>Committee also agreed that ITIs having 3<sup>rd</sup> shift which were deferred earlier shall also be granted when they re-apply.</p>
8	<p><b>Miscellaneous Agenda (Court cases)</b></p> <p><b>Agenda 4.8.1:</b> Recommendation on Implementation of 4-Trade criterion</p>		<ul style="list-style-type: none"> <li>• For Agenda 4.8.1, it was discussed that it is based on the causal relationship of ITI with overall quality, i.e., ITI should be like an educational institution.</li> <li>• Committee agreed that 2 years' time is sufficient to upgrade to 4 trades and needs of ITI for such upgradation, including infrastructure and space norms have been duly considered. Further, Renewal of Affiliation will also cater to ITIs' need for upgradation.</li> </ul>

*Pranay Kumar*  
-19/11

*Sunil Kumar*

4

	<b>Agenda 4.8.2:</b> Affiliation and admission of trainees in 3rd shift for academic session 2021-22		<ul style="list-style-type: none"><li>• For Agenda 4.8.2, the committee discussed that we need to seek more time from Hon'ble court on this. Also, it is pertinent that quality monitoring and implementation of quality training lacks in 3<sup>rd</sup> shift. Committee was of the view that 3<sup>rd</sup> shift should not be allowed. Also, based on segregation of time schedule, it is observed that 3<sup>rd</sup> shift is practically not possible to continue.</li></ul>
--	--	--	--

The chair appreciated the effort and work of DGT.  
The meeting ended with a vote of thanks to chair.



**Annexure 4.5.1**

Sr. No.	State	ITI Name	Affiliation (Trade/Units) Sought	Decision of SCAA
1.	Uttar Pradesh	Tapobhoomi Pvt. ITI, HIMMATPUR NAIPAI FIROZABAD- 283203  PR09000528  Existing ITI	Electrician 8(2+2+4)  (extension of existing trade)	As inspection is carried out by State only without Auto Batch creation, the report of State is not valid as per Affiliation norms.  <b>ITI to be re-inspected after batch creation.</b>
2.	Uttar Pradesh	Kiran Pvt. ITI, Kutubpur chanora Kotla road Firozabad- 283203  PU09900073  Existing ITI	Fitter 9(3+3+3)  Electrician 3(1+1+1)  (extension of existing trade)	As inspection is carried out by State only without Auto Batch creation, the report of State is not valid as per Affiliation norms.  <b>ITI to be re-inspected after Batch creation</b>
3.	Uttar Pradesh	NGI PVT. ITI PVT. ITI, MEERUT, NH-58 NEAR SVBP AGRICULTURE UNIVERSITY VILL-PAWLI KHAS TEHSIL SARDHANA MODIPURAM MEERUT, MEERUT, UTTAR PRADESH.  PU09001683 Existing ITI	New: Fitter 4(2+2)  New: Physiotherapy Technician 2(1+1) Existing: Electrician 4(2+2) New: Health Sanitary Inspector 2(1+1) New: Mechanic Motor Vehicle (MMV) 2(1+1)	<b>Not Recommended</b> as the grading of ITIs is less than 1.25

*Ameyam*

*Sunil*

6



4	Uttar Pradesh	A.S.K. INSTITUTE OF EDUCATION PVT. ITI, NH-24 Budhanpur Block Joya Distt. Amroha 244102, Amroha, Uttar Pradesh.  PR09901269 Existing ITI	New: Fitter 3 (1+1+1) New: Plumber 3 (1+1+1) New: HSI 3 (1+1+1)	<b>Deferred</b>  As ITI is not graded, its status of admission, pass %age, industry connect, women participation and placement data to be checked and to be placed again.
5	Uttar Pradesh	Shri Ram Raja Sarkar Pvt. ITI, Jhansi,village paadri,p.o.Bhojala,Block Badagaon Jhansi,U.P. 284002  TMP9153PR1580287259  New ITI	Electrician 6(2+2+2) Fitter 3 (1+1+1) Health sanitary Inspector 3 (1+1+1) Stenographer Secretarial Assistant (Hindi) 3 (1+1+1)	<b>Deferred</b>  To get comment from State Directorate why Inspection report is submitted by SCVT member only and not routed through State Directorate.  member was part of Inspection cum Verification Committee
6	Uttar Pradesh	PT. AMAN SINGH PVT ITI , GHAZIABAD 168, VILLAGE & POST PATLA DISTT. GHAZIABAD (UP) 201204 GHAZIABAD,  TMP9145PR1579939539 New ITI	Electrician 6(2+2+2) Fitter 6(2+2+2) Health Sanitary Inspector 2 (1+1) sewing Technology 2 (1+1) Plumber 2 (1+1) Mechanic Refrigeration & Air-Conditioning 2 (1+1)	<b>Recommended</b> for 1 <sup>st</sup> and 2 <sup>nd</sup> shift only subject to provide details of CITS trained staff within 15 days from the date of issue of minutes.  Electrician 4(2+2) Fitter 4(2+2) Health Sanitary Inspector 2 (1+1) sewing Technology 2 (1+1) Plumber 2 (1+1) Mechanic Refrigeration & Air-Conditioning 2 (1+1)

*Amramp*

*Sanil*

7



7	Uttar Pradesh	Shri Ram Das Pvt. Iti, Partapur, Kishni, Mainpuri  1809017964  New ITI	Electrician 3 (1+1+1) Fitter 3 (1+1+1) Copa 3 (1+1+1) Plumber 3 (1+1+1)	<b>Not Recommended</b> as Inspection denied by ITI
8	Uttar Pradesh	JEETENDRAA SINGH PVT. ITI, RASOOLPUR TAPPA, SARAI AKHIL, KAUSHAMBI-212216 1809026579  New ITI	Electrician 3(1+1+1) fitter 3(1+1+1) COPA 3(1+1+1) CHNM 2 (1+1+0)	<b>Not Recommended</b> due to non-availability of equipment and uninstalled machinery  (Fitter Lab Machines are not installed as per norms Electrical Lab connection switch are not as per load /Earthing Copa Lab, Some Equipment not available CH&NM lab some equipment not working, arc welding not functioning and not installation)
9	Uttar Pradesh	GEETA SINGH PVT ITI, Jasisinghmau, Tarun, Ayodhya, FAIZABAD.  1809026226  New ITI	Electrician-6(2+2+2)  Fitter-2(1+1+0)  COPA-2(1+1+0)  HIS-2(1+1+0)	<b>Not Recommended</b> as Inspection denied by ITI
10	Uttar Pradesh	Sumangalam pvt ITI, faridpur, sandalpur, kanpur Dehat 209301 1809020436  New ITI	Electrician-6(2+2+2) Fitter-2(1+1+0) COPA-2(1+1+0) HIS-2(1+1+0)	<b>Not Recommended</b> as the ITI was not having proper Power Connection and machinery not working and also staff not available at the time of inspection, details of appointment not

*Sumangalam*

*Sumit*

8

					available
11	Uttar Pradesh	SARMISHTA AHUJA Pvt. ITI, HATHRAS Village Parsara Hathras 204101 UTTAR PRADESH  TMP9163PR1582780708  New ITI	Electrician 3(1+1+1) Fitter 3(1+1+1) COPA 3(1+1+1) Health Sanitary Inspector 3(1+1+1)		<b>Not Recommended</b> due to shortage of Space, Infrastructure and meter sealing  (Store room not available. Land certificate such as khasra khatauni not matched with the rent deed. Shortage of area of library, HIS workshop, staffroom)
12	Uttar Pradesh	GURU NANAK PVT. ITI, BIJNOR Pvt. ITI, BIJNOR UMARPUR KHADAR SEOHARA BIJNOR-UTTAR PRADESH-246746  TMP9132PR1582190101  New ITI	COPA 3 (1+1+1) Electrician 24 (8+8+8) Fitter 12 (4+4+4) Health Sanitary Inspector 6 (2+2+2)		<b>Deferred</b> for Land lease agreement, Photograph/ video/ bills of computers.  Put up to SCAA again with above document/details.
13	Uttar Pradesh	DURGA PVT ITI PALI SAHJAWANA GORAKHPUR UP, Pali, Gorakhpur,  TMPOLD320 MSTI  MSTI	Electrician 4 (2+2+0) Copa 2 (1+1+0)		<b>Not recommended</b> due to shortage of Infrastructure  (work bench not upto mark no desktop printer available in workshop lockers and drawer no bill of items of sl no. 164-175 as per tool list, Principal Qualification and Experience Certificate not available)

*Amrampur*

*Sumit*

9

14	Uttar Pradesh	B G SHARMA ITI COLLEGE PVT. ITI, KHERI vill-deuvapur post meerpur lakhimpur kheri, 262701 UTTAR PRADESH  TMP9159PR1580015035  New ITI	Electrician 2(1+1+0) Fitter 2 (1+1+0) Draughtsman (Civil) 1 (1+0+0) Dress Making 1 (1+0+0)	<b>Not Recommended</b> due to deficiencies mentioned in the Inspection report.  (1. Electrician, Fitter, Dress Making as per norms. No shortage found. 2. In Trade Draughtsman Civil shortage is found. Computer lab for trade Draughtsman civil is not available.)
15	Uttar Pradesh	B.M. PVT. ITI AKADAGA MISHRA SOHANPUR, Banakta, Deoria, TMPOLD336 MSTI  MSTI	Electrician 2(1+1) Cutting & Sewing 2 (1+1)	<b>Not Recommended</b> due to deficiencies mentioned in the Inspection report  (total 5 computer not working in it lab and pirated software installed. as per syllabus sl. no 155, 156, 160 & 58 are m/c not installed. e. bill not provided. some m/c, tools, furniture are short)
16	Uttar Pradesh	BANVARI LAL Pvt. ITI, MATHURA Vill-Saidpur, Post-Baldeo, Tehsil- Mahavan, Distt-Mathura 281301	Electrician 6 (2+2+2) Fitter 3 (1+1+1) Health Sanitary Inspector 2 (1+1+0) Marketing Executive 1 (1+0+0)	<b>Not Recommended</b> due to deficiencies mentioned in the Inspection report (drawing hall not available, IT lab not as per norms, Improper infrastructure, Improper staff details and not as per norms)
17	Uttar Pradesh	PARMESHWARI DAYAL MEMORIAL PVT. ITI moh habibulla khan januvi,Block Bisalpur 262201	Fitter 4 (2+2+0)  Electrician 4 (2+2+0)	<b>Recommended</b> subject to ITI providing the latest electricity bill as per required load in the norms within

*Signature*

*Signature*

10

		pilibhit TMP9167PR1579942802 MSTI		15 days after issue of MoM. MSTI to submit undertaking to upgrade to 4 trades in next 2 years Fitter 4 (2+2+0) Electrician 4 (2+2+0)
18	Uttar Pradesh	S. R. K. Pvt. ITI, MATHURA VILL- FATEHPURA, POST-BARAULI, TEHSIL-MAHAVAN, DISTT-MATHURA 281301 TMP9167PR1579931165 New ITI	Electrician 6 (2+2+2) Fitter 3 (1+1+1) Health Sanitary Inspector 2 (1+1) Marketing Executive 1	<b>Deferred</b> for report from SCVT /other members of ICVC.

Annexure 4.5.2

Sr. No.	State	ITI Name	Affiliation Sough (Trade/Units)	Decision of SCAA
1	Bihar	Indrasan Pvt. ITI, Village madhu chapra belbatia piprakothi Dist.purbi champaran Bihar pin no. 845429 TMP10213PR1581856162 New ITI	COPA 4(2+2) Surveyor 4(2+2) Electrician 8(4+4) Fitter 4(2+2)	<b>Not Recommended</b> as ITI does not physically exist at location

*Amranyan* *Sanit*

2.	Bihar	JAI MAA PVT. ITI, siswan block, District- siwan bihar  TMP 402 MSTI NEW MSTI	ELECTRICIAN 4(2+2)  Fitter 4(2+2)	<b>Not recommended</b> due to non-availability of drawing hall, machineries not in working condition, Electric load is less (Should be 12.22 kW, 9 kW available as per report)
3	Bihar	JAI MAA SANTOSHI PVT. ITI, Village age KILPUR POST- KABIRPUR THANA -NAWTAN DISST SIWAN BIHAR, Siwan, Bihar.  TMP 400 MSTI NEW MSTI	Fitter (2+2+0)  Electrician (2+2+0)	<b>Not Recommended</b> due to lack of proper infrastructure, tools, equipment, and machinery
4.	Bihar	AWADHESH SINGH PVT. ITI, Balua-Turkaulia Road, Laxmipur Motihari, Purbi Champaran, Bihar.  PR10000020 Existing ITI	Elect (8+8+0)  (Addition of units)	<b>Not Recommended</b> due to lack of proper infrastructure, tools, equipment, and machinery and electricity load
5.	Bihar	BRIJ PVT. ITI, Titra, PO- Titra, PS- Mairwa, DIST- Siwan, Bihar, SIWAN BIHAR Pincode, SIWAN,	Elect (4+4+0)  (Addition of units)	<b>Not Recommended</b> due to grading less than 1.25  <b>SCN to be issued</b> to ITI for poor infrastructure, water logging in workshop

*Amrinder Singh*

*Sunil Kumar*

12

		Bihar.  PR10000912 Existing ITI		
6.	Bihar	RAM DEO SINGH PVT. ITI, Chandpura, P.O, Chandpura, P.S, Bidupur Vaishali, Bihar, VAISHALI, BIHAR.  PR10000815 Existing ITI	Elect (6+6+0)  (Addition of units)	<b>Not Recommended</b> due to Deficiencies in infrastructure, i.e., Drawing Hall and IT lab not proper, etc.

Sr. No.	State	ITI Name	Affiliation Sough (Trade/Units)	Decision of SCAA
1	Jharkhand	IMPERIAL INSTITUTE OF TECHNOLOGY Pvt. ITI, EAST SINGHBUM, PLOT NO. 1988 VILLAGE- PICHHLI, KUDADA POTKA ROAD POST OFFICE-SHANKARDA PS- POTKA. EAST SINGHBUM, JHARKHAND.  TMP20327PR1579870413  MSTI	Electrician (2+2)	<b>Not recommended</b> as Single-phase connection and Not in the name of society/ ITI, Electrical machine trainer not available
2	Jharkhand	HUNTERGANJ Pvt ITI, CHATRA AT-NAWADIH NEAR CHECK	Electrician (2+2+0)	<b>Recommended</b> subject to condition that CITS trained Instructor to be

*[Handwritten signature]*

*[Handwritten signature]*

13

		POST HUNTERGANJ, PO+PS- HUNTERGANJ CHATRA 825403  TMP20323PR1582628887 MSTI	COPA (1+1+0)  Elect. Mech. (1+1+0)	appointed within 15 days from the date of issue of MoM  Electrician (2+2+0)
3	Jharkhand	MSP PVT.ITI, PALAMU, MAIN ROAD PATAN PO PS- PATAN DISTT- PALAMU JHARKHAND, PALAMU, JHARKHAND. TMP20338PR1581580692  MSTI	Elect (2+2+2)  Fitter (2+2+2)	<b>Not recommended</b> due to non- availability of drawing hall
4	Jharkhand	MAA VAISHNAVI PVT. ITI, GIRIDIH, BUDHUADIH, KHORI MAHUA ROAD RAJ DHANWAR, GIRIDIH JHARKHAND, GIRIDIH, JHARKHAND  TMP20329PR1582375793  MSTI	Electrician (2+2+2)  Fitter (2+2+2)	<b>Recommended</b>  Electrician 4(2+2)  subject to condition to provide BCC, Internet speed to be improved, and CITs trained instructor details to be submitted within 15 days from the date of issue of MoM

Sr. No.	State	ITI Name	Affiliation Sough (Trade/Units)	Decision of SCAA
------------	-------	----------	---------------------------------	------------------

*[Handwritten signature]*

*[Handwritten signature]*



(14)



1	Chhattisgarh	SHRI RISHABH PVT. ITI, JANJGIR-CHAMPA, PO - Nariyara Tahsil Akaltara Dist- Janjgir Champa CG - 495553, JANJGIR-CHAMPA, CHHATTISGARH.  TMP22379PR1581491492  NEW	Electrician (2+2+2) Fitter (2+2+2) COPA (2+2+2) Health Sanitary Inspector (1+1+1)	<b>Recommended</b>  El 4(2+2)  Fitter 2(1+1)  COPA 2(1+1)  HIS 2(1+1)  Subject to condition to provide CITs instructor details within 15 days from the date of issue of MoM
---	--------------	---	---	---

Sr. No.	State	ITI Name	Affiliation Sough (Trade/Units)	Decision of SCAA
1	Madhya Pradesh	MATA SEETADEVI PVT. ITI, Chhatarpur, CHHATARPUR, MADHYA PRADESH.  PU23000919 Existing ITI	Stenographer Hindi 3(1+1+1) Electrician 3(1+1+1)	<b>Not Recommended</b> as grading is less (0.65)

Sr. No.	State	ITI Name	Affiliation Sough (Trade/Units)	Decision of SCAA
1	Haryana	ASHHTVINAYAK PVT. ITI, Kharkall, PO Bakali, Ladwa, Kurukshetra, Haryana.	Copa (2+2+0) fashion design & Technology (2+2+0)	<b>Not Recommended</b> as the grading is not available.  ITI to be issued SCN, De-affiliation proceedings to be initiated against the ITI

		PR06000191		
		Existing		

Ameyan  
9/11/2021

Ameyan