

Speed Post

DGT-Aff011(51)/12/2022-O/o Dir (TC)
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Employment Exchange Building,
1st floor, Pusa, New Delhi,
Dated: 19th April, 2022

To

1. The State Directors,
(Andhra Pradesh, Bihar, Chhattisgarh, Gujrat, Himachal Pradesh, Kerala, Karnataka, Madhya Pradesh, Maharashtra, Odisha, Tamil Nadu, Uttar Pradesh, West Bengal).
2. The Regional Directors, RDSDEs

Subject: Minutes of Meeting of 1st meeting of Revised Standing Committee on Accreditation and Affiliation (SCAA) - regarding.

Sir/Madam,

Please find enclosed approved Minutes of Meeting along with Annexure of 1st Meeting of Revised Standing Committee on Accreditation and Affiliation (SCAA) held on 5th & 6th April 2022. However, implementation orders agenda item wise will be issued in due course of time.

This issue with approval of competent authority, DGT.

Yours faithfully


(Sunil Kumar Gupta)
Director of Training

Copy along with enclosures for information to:

1. Sr PPS to Chairman of Recommendation Committee-DGT.
2. Sr PPS to DDG (Affiliation).
3. NCVT MIS Portal In charge, DGT Hqr. New Delhi, with request to upload these orders on NCVT MIS Portal .
4. IT Section, DGT Hqr. New Delhi.


(P M Damodharam)
Assistant Director

DGT-AFF011(51)/10/2022 O/o Dir (TC)
Directorate General of Training
Ministry of Skill Development and Entrepreneurship
Government of India
Employment Exchange Building, Pusa Campus, New Delhi-110012

Minutes of 1st meeting of Revised Standing Committee on Accreditation and Affiliation (SCAA) held on 05.04.2022 & 06.04.2022.

Following committee members were present during the meeting: -

1. Smt. Sandhya Salwan, Chairperson DDG, DGT
2. Shri. Sunil Kumar Gupta, Director (Affiliation), DGT-Member
3. Sh. Satynarayna JD - Representative Member on behalf of state directorate Andhra Pradesh
4. Sh. A V Rao, Regional Director, RDSDE AP
5. Sh. Vijay Prakash, IAS, Director DTE Bihar, State Govt-Bihar
6. Sh. Vikash kumar AD- Representative Member on behalf of state directorate Bihar
7. Sh. B Ashwaq Ahmed, Regional Director, RDSDE Bihar
8. Mhd Ansari DD- DTE Chhattisgarh Member from state Govt. Chhattisgarh
9. Sh Mahesh Kardam , Regional Director, RDSDE Chhattisgarh
10. Sh Vivek Chandel, Director DTE HP State Govt -Himachal Pradesh
11. Sh S Santhimanan, Regional Director, RDSDE J&K and HP
12. Sh K B Patel DD ,DTE Gujarat
13. Sh D Shudhakar, DD ,RDSDE Gujarat
14. Sh Nehas, AD Representative Member on behalf of state directorate Kerala
15. Smt Eshwari DD, RDSDE Kerala
16. Sh Alaph Shetty AD Representative Member on behalf of state directorate Karnataka
17. Sh T VLN Rao, Regional Director, RDSDE Karnataka
18. Sh Nitin DD , Representative Member on behalf of state directorate Maharashtra
19. Sh Raju kannam DD, RDSDE Maharashtra
20. Sh Padam Gulwani , TO Representative Member on behalf of state directorate MP
21. Smt. Anita Shrivastava Regional Director , RDSDE MP
22. Sh Reghu G, Director DTE Odisha.
23. Sh. B. K. Singha, Regional Director , RDSDE Odisha
24. Shri T Rajshekhar Additional Director, State Govt- Tamilnadu.
25. Shri B S Sheshachari Regional Director , RDSDE Tamilnadu
26. Shri Maanpal Singh , Additional Director , State Govt -UP
27. Shri Mashlamani , Regional Director , RDSDE UP
28. Shri Prasanjit Bose, AD Industrial Training State Govt-West Bengal
29. (i) Shri Suryakant Mishra, (ii) Ms Naina Nagpal, (iii) Ms Pooja Verma, (iv) Shri Shramev Sharma, (v) Shri Rajesh Kumar, (vi) Shri PM Damodharam- Assistant Director, TC section DGT HQ
30. Shri Sanjay Saggu, AD (Coordination Section), DGT HQ
31. Shri Parveen Kumar, JTA, TC section DGT HQ

At the outset, Shri Sunil Kumar Gupta, Director welcomed all the committee members and participants thereafter the DDG took agenda points for detailed discussions. The details of discussions, deliberations & agenda wise decisions taken by the chair, are placed as below:


19/4


19/4

Agenda 1: -Action Taken Report (ATR) on 4th Standing Committee on Accreditation and Affiliation (SCAA) held on 26th October 2021.

All the action taken points as per agenda no. 1 were apprised by Director TC to all the committee members, after some clarification all members are agree for the same for necessary compliance. All letter issued are attached collectively as Annexure-1 (Colly).

Agenda 2: New Accreditation/ Affiliation Proposals for Existing and New ITIs. Total 111 applications were received till 31/03/2022 from 13 States after verification done by inspection cum verification committee.

Out of 111 application received after inspection done by ICVC, 50 are for existing ITI's and 60 are for new ITI's as per summery given below:

Sl. No.	Name of state	New	Existing	Total
1.	Andhra Pradesh	4	1	5
2.	Bihar	19	18	37
3	Chhattisgarh	1	4	5
4	Gujarat	4	1	5
5	Himachal Pradesh	0	1	1
6	Karnataka	0	1	1
7	Kerala	0	2	2
8.	Madhya Pradesh	1	3	4
9	Maharashtra	6	1*	6
10	Odisha	2	7	9
11	Tamil Nadu	2	1	3
12	Uttar Pradesh	19	11	30
13	West Bengal	2	0	2
Total		60	50+1*	111

(01* case is of LWE, which is placed at agenda-3 below)

Director TC briefed the committee about how applications are scrutinised and reviewed by TC section as per the affiliation norms. Each case was discussed with the SCAA members in detail. The recommendation of SCAA for each case of application is attached at **Annexure- 2**.

New ITI's proposals: 60

Old ITI Proposals:50

Agenda 3: A Proposal is received from Govt ITI Palandur Gondia, Maharashtra under LWE Scheme. ITI was inspected by RD Maharashtra, State Representative, Industry member and Academic member on 01/03/2022.

The physical inspection of the said institute was carried out on 01/03/22 and report of the said institute received through e-file. SCAA approved the following four trades:

- i. Electrician-2(1+1),
- ii. Wireman-2(1+1),
- iii. Fitter-2(1+1),
- iv. Sewing Technology-2(1+1).

(Mech. Motor Vehicle-2(1+1) was not recommended).

 19/14

 19/14


Agenda 4: Total nine deferred cases from previous Recommendation Committee Meeting due to various deficiencies to be reconsidered.

Since the grading criteria reduced from 2 to 1.25 and condition for minimum four trades for the ITIs opened before 2018, is relaxed as per office Order no. DGT-11012/4/2021-O/o DIR(TC) dated 22.09.2021 and DGT/1/2021/12-O/o DD(TC)-Pt02 dated 05.11.2021.

All the deferred cases discussed with the committee members.

Sl. No	Deferred in Meeting No	ITI Name	Category (New/existing/spare capacity)	State	Remarks given by the earlier Committee	Remarks by 1 st Rev. SCAA
1.	20 th RCM	Chhattisgarh Pvt ITI, Dhanora, Durg	New	Chhattisgarh	20 th RCM meeting deferred dated 19.01.2021 Scrutiny Committee Remarks-NOT Recommended since new ITI need min 4 trades Recommendation committee Remarks-Reverted to State Directorate. 15 days' time to be given to ITI to upgrade to 4 trades.	The committee is of opinion that these deferred cases may be reviewed and scrutinised in detail as per above mentioned order issued and cases will be placed in the next meeting.
2.	3 rd SCAA	Galaxy Private Industrial Training Institute, College Road, Paonta Sahib SIRMAUR - 173028 Himachal Pradesh PR02000177	Existing	Himachal Pradesh	Deferred in 3 rd SCAA meeting held on 13.09.2021 due to low grading of ITI. Remarks: A committee is formed to decide the course of action for those ITIs which have applied for Addition of trades and have less than 2.0 grade points.	
3.	23 rd RCM	SAI KRUPA GRAM VIKAS TRUST, SAI PRIVATE ITI, SF SAI KRUPA GRAM VIKAS TRUST I.T.C., BALAIYA CROSSING PADALIYA, FATEPURA, DAHOD, 389190 PR24006117	Existing	Gujarat	Deferred in 23 rd RCM meeting held on 22.03.2021 "Report from Grading Committee is awaited for decisions on ITIs with less than 2.0 grades"	

 19/14

 19/14

4.	23 rd RCM	SF Jamiah Uttumal Pvt. ITI, JAMIAH UTTUMAL DARUL QURAN CAMPUS, BY PASS ROAD JAMBUSAR, DARUL QURAN CAMPUS, BY PASS ROAD, DABHA CHOKDI JAMBUSAR, Gujarat - 392150 PR24000851	Existing	Gujarat	Deferred in 23 rd RCM meeting held on 22.03.2021 "Report from Grading Committee is awaited for decisions on ITIs with less than 2.0 grades"	The committee is of opinion that these deferred cases may be reviewed and scrutinised in detail as per above mentioned order issued and cases will be placed in the next meeting.
5.	20 th RCM	Matoshri Private Industrial Training Institute, Jalgaon Savada-Burhanpur Road, Raver, Jalgaon "TMP27478PR158 2812174"	New	Maharashtra	Deferred in 20 RCM dated 19.01.2021 "Reverted back to State Directorate. 1-day time from the date of issue of minutes of meeting, to be given to ITI for submitting the principal details. The case to be taken up on file and ratified in the Recommendation Committee Meeting."	
6.	4 th SCAA	A.S.K. INSTITUTE OF EDUCATION PVT. ITI, NH-24 Budhanpur Block Joya Distt. Amroha 244102, Amroha, Uttar Pradesh. PR09901269 Existing ITI	Existing	Uttar Pradesh	Deferred in 4 th SCAA dated 26.10.2021 As ITI is not graded, its status of admission, pass %age, industry connect, women participation and placement data to be checked and to be placed again	
7.	4 th SCAA	Shri Ram Raja Sarkar Pvt. ITI, Jhansi, village paadri, p.o. Bhojala, Block Badagaon Jhansi, U.P. 284002 TMP9153PR15802 87259 New ITI	New	Uttar Pradesh	Deferred in 4 th SCAA dated 26.10.2021 to get comment from State Directorate why Inspection report is submitted by SCVT member only and not routed through State Directorate. member was part of Inspection cum Verification Committee	

[Signature]
19/14

[Signature]
19/14

8.	4 th SCAA	GURU NANAK PVT. ITI, BIJNOR Pvt. ITI, BIJNOR UMARPUR KHADAR SEOHARA BIJNOR- UTTAR PRADESH- 246746 TMP9132PR15821 90101 New ITI	New	Uttar Pradesh	Deferred in 4th SCAA dated 26.10.2021 Deferred for Land lease agreement, Photograph/ video/ bills of computers. Put up to SCAA again with above document/details.	The committee is of opinion that these deferred cases may be reviewed and scrutinised in detail as per above mentioned order issued and cases will be placed in the next meeting.
9.	4 th SCAA	S. R. K. Pvt. ITI, MATHURA VILL- FATEHPURA, POST-BARAULI, TEHSIL- MAHAVAN, DISTT- MATHURA 281301 TMP9167PR15799 31165 New ITI	New	Uttar Pradesh	Deferred in 4th SCAA dated 26.10.2021 Deferred for report from SCVT /other members of ICVC.	

Agenda 5: Reconsideration of cases pertaining to affiliation for ITI's rejected on the basis of not having 4 trades and minimum Grading as per norm.

Agenda 5(a) Total 17 Cases pertaining to proposal rejected on the basis of four trades criteria to be considered:

Since the condition for minimum four trades for the ITIs opened before 2018, is relaxed as per office Order DGT/1/2021/12-0/o DD(TC)-Pt02 dated 05.11.2021 all the following 17 cases discussed with the committee members: -

Sl. No.	State	ITI Details	Placed in RCM/SCAA Meeting Number	Remarks given by the earlier Committee
1	Chhattisgarh	Gracious Abhanpur Private Iti, Abhanpur, Raipur -493661 PR22000134	20th RCM dated 19.01.2021	Not Recommended Since ITI is more than 5 years old and has less than 4 trades in total. ITI needs to re-apply with minimum 4 trades in total
2	Chhattisgarh	Sandipani Academy Private ITI, Private Gram. Achhoti, Post. Murmunda, Taluka-Dhamdha, DURG-490036 PR22000109	20th RCM dated 19.01.2021	Not Recommended Since ITI is more than 5 years old and has less than 4 trades in total. ITI needs to re-apply with minimum 4 trades in total
3	Himachal Pradesh	Takshila Private ITI, Near M.L.S.M College Sundernagar, DISTRICT-MANDI, HP-175018	16th RCM dated 25.11.2020	Not Recommended Since ITI is more than 5 years old, should apply for minimum 4 for affiliation by session 2021.

[Signature]
17/11/21

[Signature]
19/11/21


4	Himachal Pradesh	Prayaas Pvt. Iti V.P.O. MAIRA KANGRA-176023	21st RCM dated 09.02.2021	Rejected as not recommended by State director since ITI is more than 5 years old and has less than 4 trades. ITI needs to re-apply for renewal of affiliation with minimum 4 trades in total.
5	Karnataka	Aatmananda Saraswathi Private ITI, Billadi Grama, Manya, Januvarkatte, UDUPI - 576223	21st RCM dated 09.02.2021	Rejected as not recommended by State Directors since the ITI is more than 5 years old and needs to re-apply with minimum 4 trades in total.
6	Maharashtra	Shreeyansh Private Industrial Training Institute, Sahakar Nagar Th-Tirora Gondia-441911	20th RCM dated 19.01.2021	Not Recommended, since ITI is more than 5 years old and has less than 4 trades in total. ITI needs to re-apply with minimum 4 trades in total
7	Maharashtra	New Satara Private Industrial Training Institute, New Solapur Road, Opp. Reliance Petrol Pump, Pandharpur, Dist- Solapur-413304	20th RCM dated 19.01.2021	Not Recommended, since ITI is more than 5 years old and has less than 4 trades in total. ITI needs to re-apply with minimum 4 trades in total
8	Maharashtra	A.I.E. & D F'S, Bhaskarrao Galande Patil, Private Industrial Training Institute, Ashoknagar, Tal. Shrirampur, Dist. Ahmednagar, MH-413717	20th RCM dated 19.01.2021	Not Recommended, since ITI is more than 5 years old and has less than 4 trades in total. ITI needs to re-apply with minimum 4 trades in total
9	Maharashtra	Nasik Dist Maratha Vidyaprasarak Samaj Industrial Training Center, Tahrabad, Tal Satana, Dist- Nasik-423302	20th RCM dated 19.01.2021	Not Recommended, since ITI is more than 5 years old and has less than 4 trades in total. ITI needs to re-apply with minimum 4 trades in total
10	Maharashtra	Svs Industrial Training Center Dondaicha Dist Dhu Private ITI, Dhule-425408 Maharashtra	21st RCM dated 09.02.2021	Rejected as not recommended by State Director since the ITI is more than 5 years old and needs to re-apply with minimum 4 trades in total.
11	Rajasthan	Old- Nav Bharti Private Industrial Training Institute Address 05, Bhuvneshwari Vatika, Panchayawala, JAIPUR-302034 & New address - Nav Bharti Private Industrial Training Institute-Behind goud	21st RCM dated 09.02.2021	Rejected since ITI is more than 5 years old and need to apply with minimum 4 trades in total.

[Handwritten signature]
19/14

[Handwritten signature]
19/14

		factory, Guniwala, Dhani dausa-303303		
12	Rajasthan	Old- S R Mund Private Industrial Training Institute, Mundsar, District BIKANER-334202 & New Address- S R Mund Private Industrial Training Institute, Plot No-3, ShilaVihar , Gokulpura Jaipur-302012	21st RCM dated 09.02.2021	Rejected since ITI is more than 5 years old and need to apply with minimum 4 trades in total.
13	Telangana	Shiva Sai Private ITI Shanthi Nagar, Peddapally Karimnagar 505172	21st RCM dated 09.02.2021	Rejected as not recommended by State director since the ITI is more than 5 years old and needs to re-apply with minimum 4 trades in total.
14	Telangana	Laurel Pvt ITI, Near Padmakshi Temple Hanamkonda, Telangana PU36000030	16th RCM dated 25.11.2020	<p><u>Facts of the case</u></p> <ol style="list-style-type: none"> 1. The ITI was initially affiliated by DGT (the then DGE&T) in 1986 vide letter no. DGET-6(1)/86-TC dt. 05.09.1986 2. The ITI was De-affiliated vide DGT letter dt. 07.06.2017 3. The ITI filed case in Hon'ble High court, Hyderabad, as per the court order dt.07.08.2017 disposing the matter to carryout re-inspection to decide the status. 4. ITI vide letter dt. 18.04.2019 intimated DGT that they are ready for inspection. 5. DGT vide letter dt. 06.02.2020 nominated team for inspection of ITI. 6. Inspection was carried out on 24.02.2020 and

 7/9/14


7/9/14

				recommended Electrician 8(4+4) and Fitter 4(2+2). <u>Recommendation of the Committee</u> Not Recommended as already decided in 12th RCM
15	Telangana	Wilfered Pvt ITI Permnagar, Mulugu Warangal, Telangana,PR36000200	16th RCM dated 25.11.2020	<u>Fact of the case</u> 1. The ITI was affiliated by DGT (the then DGE&T) in 2008 vide letter no. DGET-6/1/19/2008-TC dt. 30.12.2008 2. The ITI was De-affiliated vide DGT letter dt. 07.06.2017 3. The ITI filed case in Hon'ble High court, Hyderabad, as per the court order dt.07.08.2017 disposing the matter to carryout re-inspection to decide the status. 4. ITI vide letter dt. 18.04.2019 intimated DGT that they are ready for inspection. 5. DGT vide letter dt. 06.02.2020 nominated team for inspection of ITI. Inspection was carried out on 24.02.2020 and recommended Electrician 8 (4+4). <u>Recommendation of the Committee</u> Not Recommended as already decided in 12th RCM
16	Telangana	Sadhu Venkatreddy Pvt.ITI,On Kamareddy to Sircilla Road, Yellareddy Peta,Karimnagar, Telangana- 505303 PR36000259	19th RCM dated 15.01.2021	Rejected since ITI is more than 5 years old and has less than 4 trades. ITI needs to re-apply with minimum 4 trades in total

[Handwritten signature]
19/14

[Handwritten signature]
19/14

17	Uttar Pradesh	Maa Bhagawati Private ITI Khailar VILL & & & & & & ; POST KHAILAR JHANSI 284120	23rd RCM, dated 09.03.21	<p><u>RCM Decision</u> Not Recommended, as not recommended by State Director ,since ITI is more than 5 years old, it should apply for minimum 4 different trades for affiliation.</p> <p><u>Court Decision</u> Court in Case/WP No. 12128/2021 directed to review/reconsideration of earlier decision of the committee dated 09.03.2021</p>
----	---------------	--	--------------------------------	---

The committee is of opinion that these deferred cases may be reviewed and scrutinised in detail as per above mentioned order issued and cases will be placed in the next meeting.

Agenda 5(b) Cases to be reconsidered pertaining to proposals rejected in previous meetings due to grading criteria.

Total six cases which were not recommended in previous meetings due to not fulfilling minimum grades criteria are reconsidered, out of these only two cases fulfil minimum grade criteria as per order vide reference no **DGT-11012/4/2021-O/o DIR (TC)** dated 22/09/2021.

Since the grading criteria reduced from 2 to 1.25 is relaxed as per office Order no. DGT-11012/4/2021-O/o DIR(TC) dated 22.09.2021 the following 02 cases discussed with the committee members.

Sl. No.	ITI Name	Category (New/existing/spare capacity)	State	Remarks given by the earlier Committee
1	Galaxy Private Industrial Training Institute, College Road, Paonta Sahib SIRMAUR - 173028 Himachal Pradesh PR02000177	Existing	Himachal Pradesh	<ol style="list-style-type: none"> Deferred in 21st RCM dated 09.02.2021 due to low grading (1.51) of ITI. Deferred in 3rd SCAA dated 07.09.2021 for consideration in SCRC Remarks of 8th SCRC dated 18.11.2021: ITI has changed the address/Location and has not followed the laid down procedure to change the address. Firstly, ITI may be advised to apply for change of address for further consideration.

 17/4

 19/4

2	SAI KRUPA GRAM VIKAS TRUST, SAI PRIVATE ITI, SF SAI KRUPA GRAM VIKAS TRUST I.T.C., BALAIYA CROSSING PADALIYA, FATEPURA, DAHOD, 389190 PR24006117	Existing	Gujarat	19th RCM - Reverted back to State Directorate. One day time from the date of issue of MoM to be given to ITI for submitting the principal details. The case to be taken up on file and ratified in RCM. Scrutiny Committee - Recommended, Reply from State Directorate received 23rd RCM dated 09.03.2021 - Deferred "Report from Grading Committee is awaited for decisions on ITIs with less than 2.0 grades" 8 th SCRC dated 18.11.2021 - As the grading of ITI is 1.4 which is more than 1.25 (Minimum Requirement). Hence, may be considered for granting Affiliation/Accreditation.
---	---	----------	---------	---

The committee is of opinion that these deferred cases may be reviewed and scrutinised in detail as per above mentioned order issued and cases will be placed in the next meeting.

Agenda 6: SCVT to NCVT cases

Converted Trade/Units of 374 SCVT to NCVT Proposals from 374 Govt ITIs are once again placed for 1-year extension (list enclosed).

Sl. No.	Name of the state/UT	No. of SCVT ITIs given permission to run CTS courses under NCVT for 1 year for the session 2020- 2021.
1	Chhattisgarh	26
2	Goa	3
3.	Punjab	49
4	Rajasthan	13
5.	Jammu Kashmir	44
6.	Bihar	108
7.	Madhya Pradesh	23
8.	Tamil Nadu	4
9.	Gujarat	104
Total		374

The proposal pertains to conversion of SCVT to NCVT cases discussed in details. The committee is of the opinion that with reference to MSDE order no. DGT-35-/4/1/SECY(MSDE)/2020, dated 28th March 2022 decision may be taken at the end of SSDEC who in turn, will intimate the DGT about the decision taken, before 10th May 2022 for updation on the NCVT portal. The same shall be ratified in the next coming SCAA meeting.

 19/4


 19/4

Agenda 7: Court cases

- (a) Six ITIs of Bihar State, inspection reports of which were placed before SCAA in its 4th meeting held on 26.10.2021

Sl. No.	Case/WP No. and Court Decision/Directions	Petitioner ITI Name	As per court direction Action taken by DGT	Decision on reply received from ITI	Decision of SCAA
1	WP No. 4624/2020: "To conduct inspection and in the event, the DGT finds any deficiencies or discrepancies in the petitioners' case, it may issue a show cause notice to the concerned petitioner"	JAI MAA PVT. ITI, Siwan block, District- Siwan Bihar	Inspection done, ITI Not recommended, Show Cause Notice (SCN) sent to ITI by email on dated 11.03.2021	Reply received from ITI on dated 15.03.2022, and ITI informed that they have cleared the deficiencies (letter annexed as Annexure-7.1). Put up for decision of Committee	DET Bihar and RDSDE Bihar are requested to jointly verify the authenticity of the document submitted by the ITI by visiting the ITI and send the verification report within 15 days from issue of minutes.
2	WP No. 5214/2020: "To conduct inspection and in the event, the DGT finds any deficiencies or discrepancies in the petitioners' case, it may issue a show cause notice to the concerned petitioner"	AWADHESH SINGH PVT. ITI, Balua-Turkaulia Road, Laxmipur Motihari, Purbi Champaran, Bihar.	Inspection done, ITI Not recommended, Show Cause Notice (SCN) sent to ITI by email on dated 11.03.2021	Reply not received from ITI within stipulated time	Since, no reply received from the ITI, application is disposed off with decision - ' Not Recommended '.
3	WP: 5204/2020 "To conduct inspection and in the event, the DGT finds any deficiencies or discrepancies in the petitioners' case, it may issue a show cause notice to the concerned petitioner"	Indrasan Pvt. ITI, Village Madhu Chapra Belbatia Piprakothi Dist.Purbi Champaran-845429 Bihar	Inspection done, ITI Not recommended, SCN sent to ITI by email on dated 11.03.2021	Reply Not received from ITI within stipulated time.	Since, no reply received from the ITI, application is disposed off with decision - ' Not Recommended '.
4	WP 4875/2020: "To conduct inspection and in the event, the DGT finds any deficiencies or discrepancies in the petitioners' case, it may issue a show cause notice to the concerned petitioner"	BRIJ PVT. ITI, Titra, PO-Titra, PS-Mairwa, DIST-Siwan, Bihar, Siwan Bihar	Inspection done, ITI Not recommended, SCN sent to ITI by email on dated 11.03.2021	Reply received from ITI on dated 21.03.2022 (letter annexed as Annexure-7.2). Put up for decision of Committee	The final grading of ITI is 1.15 but as per DGT order no. DGT-11012/4/2021-O/o DIR(TC) dated 22.09.2021 the minimum grading should be 1.25. Hence, Not Recommended.

 19/14

 19/14

5	WP 4715/2020: "To conduct inspection and in the event, the DGT finds any deficiencies or discrepancies in the petitioners' case, it may issue a show cause notice to the concerned petitioner"	JAI MAA SANTOSHI PVT. ITI, Village Age Kilpur Post-Kabirpur Thana - Nawtan Disst Siwan Bihar	Inspection done, ITI Not recommended, SCN sent to ITI by email on dated 11.03.2021	Reply received from ITI on dated 21.03.2022 (letter annexed as Annexure-7.3). Put up for decision of Committee	DET Bihar informed that the applicant applied for MSTI that is in served block. However, State Directorate of Bihar will send information about within 05 days from issue of the minutes.
6	WP 5423/2020: "To conduct inspection and in the event, the DGT finds any deficiencies or discrepancies in the petitioners' case, it may issue a show cause notice to the concerned petitioner"	RAM DEO SINGH PVT. ITI Chandpura, P.O, Chandpura, P.S, Bidupur Vaishali, Bihar	Inspection done, ITI Not recommended, SCN sent to ITI by email on dated 11.03.2021	Reply not received from ITI within stipulated time.	Since, no reply received from the ITI, application is disposed off with decision - 'Not Recommended' .

(b) Twenty Litigant ITIs of Bihar State, inspection is done; report is placed for scrutiny in Agenda no. 2 above.

Sl. No.	Case Number	Petitioner & Address and code of ITI	Court order date	Decision of SCAA
1.	4386/2020	Balaji Private ITI, Naranpur Beduali, P.O-Garaul, Block-Garaul, Dist-Vaishali, Bihar-844118, TMP 407 MSTI	April 7, 2021	Conditionally recommended: Electrician - 4(2+2) Fitter - 2(1+1) However, ITI has to updated the computer version, and forward the compliance to DGT Hqrs. Through State Directorate along with NOC from State Government, within 15 days from the date of issue this minute. After verifying the above desired documents, the case will be ratified in the next SCAA meeting.
2.	4598/2020	B.N. RAY ITI, VILLAGE-PURSAULI ISUAPUR, P.S.ISUAPUR, BLOCK-ISUAPUR, POST-ISUAPUR, DISTRICT-SARAN, BIHAR-741411 TMP 410 MSTI New	April 7, 2021	Conditionally recommended: Electrician - 2(1+1) Fitter - 2(1+1) This is the case of MSTI in unserved block. MSTI needs to prepare separate drawing hall and remove all the short coming mentioned in (Column VI) within one month. State

[Handwritten signature]
19/4

[Handwritten signature]
19/4

				Directorate requested to submit the compliance report to DGT Hqrs. After verifying the above desired documents the case will be ratified in the next SCAA meeting.
3.	4794/2020	AAYANSH PVT. ITI, VILLAGE-BELKHURIA, POST OFFICE-DURGADIH, P.S.-BIKRAMGANJ, DISTRICT TROHTAS, BIHAR—802212 PR10000977	April 7, 2021	Not recommended.
4.	5310/2020	RN PVT ITI, RAM RAJ NAGAR, DHARAMBARI ROAD, POST-DIGHWA DUBAULI DIST-GOPALGANJ, BIHAR-841409 PR10000940	April 7, 2021	Applicant ITI need to remove all the deficiencies mentioned in column-VI within 15 days from the date of the issue of the minutes. After that Joint Inspection will be arranged.
5.	7152/2020	DPS pvt ITI, tilkapur Kasba dist Purnea, Bihar pin-854330 TMP 396 MSTI New	April 7, 2021	Not Recommended due to deficiencies mentioned below: 1. Shortage of tool and equipment with mismatch in rating as per the syllabus and items available. 2. Building completion certificate not available. 3. Power Insufficient, Available- 14KW, Required 17.02KW. 4. Some computers non-functional in IT lab. 5. Workshop doesn't have proper industrial roof/RCC..
6.	7451/2020	Urmila hitaishi PVT ITI Dist, Bhojpur Bihar PR10000012	April 7, 2021	Not recommended.
7.	5229/2021	SRI VISHNU PVT. ITI, GAYA ROAD, ISLAMPUR, DISTRICT - NALANDA - 801303, BIHAR PR10000697	May 18, 2021	Not recommended.
8.	4876/2021	Maa Shivdulari Private ITI New Bypass, Chakmahila, Sitamarhi, Bihar TMP10221 PR1582388556	May 18, 2021	Not recommended.
9.	5540/2021	Barka pandit ji PVT ITI, Dist Siwan, Bihar TMP 383 MSTI New	May 27, 2021	This is case of MSTI in unserved block - State Directorate recommended for joint re-inspection after applicant MSTI remove of the all short comings given below and forward the report to DGT

[Signature]
19/4

[Signature]
19/4

				Hqrs. through State Government along with NOC. 1. Power not sufficient. Required 12.22 kW, Available 7 kW. 2. Workshop roof is not as per norms, earthing and punching of machine is not as per norms. 3. Shortages in tools and equipment workshop not as per norms. Library, IT Lab not in proper shape as per norms
10.	5625/2021	R.K. PVT. ITI, VILLAGE - AMWARI, POST - NANDUR AMWARI, RAGHUNATHPUR, DISTRICT - SIWAN, BIHAR TMP 390 MSTI New	31-May-2021	MSTI case – recommended for joint re-inspection. However, MSTI needs to remove all the deficiencies as mentioned below within one month from the date of issue of the minute. State Directorate will forward the report to DGT Hq along with NOC. 1. Drawing Hall very small. 2. Qualification and experience documents not available. 3. power not sufficient available 8KW, required-8.22KW
11.	5400/2021	Somya Pvt. ITI Shamho Akha Kurha , Begusarai-811106(Bihar) TMP10191PR1580469588	20-May-2021	Not Recommended the ITIs needs to apply for minimum 04 trades as per DGT norms.
12.	5065/2020	Ganga Memorial College Of Polytechnic, Harnaut, At- Nh-31, Kharuara, Po+Ps- Harnaut,, Nalanda, POLYTECHNIC03	April 7, 2021	Not recommended
13.	6276/2021	SANGAM PRIVATE ITI (PR10000898) AT+PO+PS:- MADANPUR District-AURANGABAD Pin-824208 (Bihar) PR10000898	12-Jul-2021	Recommended for Joint Re-inspection.
14.	6399/2021	Siya ITC (PR10000297) Saharsa, Near Matasyagandha P.o, Dist- Saharsa- 852201(Bihar) PR10000297	12-Jul-2021	Not recommended due to Existing trade not have sufficient Machinery and T&E .Available space not matched with building layout plan.

[Handwritten signature]
19/4

[Handwritten signature]
19/4

15.	6412/2021	Mahatma Budh Pvt ITI, Nalanda, Bihar PR10000023	12-Jul-2021	Not Recommended.
16.	8183/2021	VIKRAMSHILA PRIVATE ITI At Rojapar, PO Arwal Bihar PR100000396	11-Aug-2021	Not Recommended.
17.	6818/2021	KDS Private ITI, Rajgir Road, Mangar Bigha Giriya, NALANDA-803109 PR10000980	22-Jul-2021	Conditionally recommended Electrician – 8(4+4) However, ITI has to remove the short coming mentioned in (column VI) and forward the report to DGT Hqrs. within 15 days from the date of issue of this minutes. After verifying the above desired documents the case will be ratified in the next SCAA meeting.
18.	6797/2021	Nav Bharat Private, BISHUNPUR. DIGID, HAJIPUR, VAISHALI PR10000502	22-Jul-2021	Conditionally recommended Electrician – Addl. 4(2+2). However, ITI has to remove all the deficiencies as mentioned in (column VI) and forward the report to DGT Hqrs through State Directorate with in 15 days from the date of issue of this minutes. After verifying the above desired documents the case will be ratified in the next SCAA meeting.
19.	WP No. 7704/2021	Aishwarya Max Glow Pvt ITI, near N.H 28 toll plaza Harishankar Maniyari, Muzaffarpur, Bihar 843119	04-Aug-2021	Recommended for Re-inspection (physically). The report to be submitted by State Directorate after Joint Inspection with RDSDE.
20.	WP No. 9257/2021	CHURAMAN RAI PRIVATE ITI	31-Aug-2021	Conditionally Recommended Electrician – 2(1+1) Fitter – 2(1+1) Subject to remove the deficiencies mentioned in column -VI within 15 days. State Directorate will forward the report alongwith NOC to DGT Hq within one month from the date of issue of these minutes. After verifying the above desired documents the case will be ratified in the next SCAA meeting.

[Signature]
19/4

[Signature]
19/4

a) Two ITIs of Uttar Pradesh State, inspection reports of which were placed before SCAA in its 4th meeting held on 26.10.2021

S. No.	Case/WP No. & Hon'ble Court decision	Petitioner ITI Name	As per court direction Action taken by DGT	Decision on reply received from ITI	Decision of SCAA
1	WP 13306/2021: "For reconsideration of the petitioners' applications by granting an opportunity to the petitioners to cure the deficiencies, if any, found in the inspection report"	BG Sharma ITI College Pvt ITI, Kheri Vill Deuvapur Post Meepur Lakhimpur Kheri-262701 Uttar Pradesh [TMP9159PR1580015035]	Inspection done, ITI Not recommended, SCN sent to ITI by email on dated 10.03.2021	Reply received from ITI on dated 23.03.2022 (copy annexed as Annexure 7.4). Put up for decision of Committee	State Directorate UP & RDSDE UP are requested to jointly verify the authenticity of the document submitted by the ITI by visiting the ITI and send the verification report within 15 days from issue of minutes.
2	WP 13478/2021: "For reconsideration of the petitioners' applications by granting an opportunity to the petitioners to cure the deficiencies, if any, found in the inspection report"	BM Pvt ITI, Akadaga Mishra Sohanpur, Banakta, Deoria Uttar Pradesh TMPOLD336MSTI	Inspection done, ITI Not recommended, SCN sent to ITI by email on dated 10.03.2021	Reply received from ITI on dated 30.03.2022 (copy annexed as Annexure 7.5). Put up for decision of Committee	State Directorate UP & RDSDE UP are requested to jointly verify the authenticity of the document submitted by the ITI by visiting the ITI and send the verification report within 15 days from issue of minutes.

b) Compliance orders for ratification:

In the following court matters, DGT had to issue some letters/orders in time bound manner. Same is submitted for perusal and ratification

Sl. No.	Case/W No.	Petitioner Name	As per court Direction Decision taken by DGT	Decision of SCAA
1	9018/2020	Vijay Singh Pachainya Private ITI (PR09001436), Mathura- Uttar Pradesh	In compliance to the Hon'ble Court directions (copy annexed as Annexure-7.6) & in view of the revision of policy decision regarding 03 rd shift issue, the impugned order dated 22/23.10.2020 qua the petitioner vide which 3 rd shift was disallowed by DGT, has been revoked vide DGT order dated 11.11.2021 (copy annexed as Annexure-7.7)	DGT order dated 11.11.2021 is ratified.

 19/14


 19/14

2	3055/2021	ILAHIA Pvt. ITI Pezhakkappilly P.O, Muvattupuzha Ernakulam - 686673 KERALA	In compliance to the Hon'ble High Court Kerala's judgement dated 25.10.2021 (copy annexed as Annexure-7.8), DGT has considered and passed an order on the inspection report of the petitioner on 18.02.2022 (Copy annexed herewith as Annexure-7.9)	Not recommended due to non-availability of grading.
3	6981/2021	PS Private ITI, Hasayan Post, Sikandra, Dist- Hathras, Pin-204212, Uttar Pradesh	The applications of both the litigant ITI were last placed in 10th meeting of Recommendation Committee held on 15.09.2020 which have given its remarks that - " <i>Not recommended due to No-tool list with/without deficiency not mentioned by the ITI and Principal certificate not attached. ITI has to apply on online affiliation portal next session.</i> "	Corrigendum letters dated-26.03.2022 (copy annexed as Annexure 7.9.1 & Annexure 7.9.2) are ratified.
4	6979/2021	Sudha Pradeep Private ITI, Wazidpur, Sikandra Rao, Dist- Hatras-204215 Uttar Pradesh	Same is under challenged before the Hon'ble High Court Delhi. Later on, it is observed that there is some typo error in said remarks, and; accordingly, the corrigendum letters dated—26.03.2022 have been issued with revised remarks that- " <i>Not recommended due to Non-functional tools mentioned in tool-list as per serial nos. mentioned in the report, Principal certificate not valid. ITI has to apply on online affiliation portal next session</i> "	
5	6384/2021	Ganpati Private ITI Kangra, VPO Bane De Hatti Tehsil Dehra Distt. Kangra -176029, Himachal Pradesh [PR02000092]	In compliance to the Hon'ble Court's directions (copy annexed as Annexure-7.10), DGT vide its order dated 04.02.2022 has mapped the Electrician Additional Units 2 (1+1) on NCVT MIS Portal so as the petitioner institute can make admissions, for the academic session i.e. for Aug-2021 (copy annexed herewith as Annexure-7.11)	Order of mapping of trade/units on NCVT MIS Portal, dated-04.02.2022 is ratified . Formal affiliation order is to be issued.

(c) Miscellaneous cases:

Sl. No.	Petitioner & Address and code of ITI & Court Case No.	Court order & date	Decision of SCAA
1	Ramashray PVT ITI WP.NO.8149/2021 & Cont Case 245/2022	10-Aug-2021: "the writ petition is disposed of with a direction to the DGT to communicate the status of the petitioner's application to the petitioner within two weeks from today. 3. In the event the application has been filed in terms of the Affiliation Norms, 2018 of the DGT, and remains pending with the DGT, the DGT may process the application and convey the result thereof to the petitioner within three months from today.	It is informed to the committee that- ITI was 1 st inspected on 11.03.2022 and found that the institute was locked (Copy of report annexed as Annexure-7.12) ITI was 2 nd time inspected on 26.03.2022 (copy of inspection report is annexed as Annexure-7.13). However, the ITI failed to provide any of the supporting documents for inspection. The Committee has decided that 2 times opportunities were given to the petitioner ITI but ITI could not provide any documents which are necessary for inspection and hence " Not Recommended ".

The meeting ended with a vote of thanks to the Chair.

State-wise details of recommendation of SCAA meeting held on 05.04.2022 and 06.04.2022

1. State: Andhra Pradesh. Total 05 (04 New & 01 Existing) ITIs cases submitted for new ITIs and addition of trades affiliations


S. no.	ITI's Name/ #MIS Code / *App. Number	Type of app. Existing / New	Trades/Units sought for affiliation	Recommendation of Trade / Units by inspection cum verification committee (ICVC) &	Remarks by Scrutiny Team (TC-section) at DGT Hqrs.	Remarks by Standing Committee on Accreditation and Affiliation (SCAA)
I	II	III	IV	V	VI	VII
1.	Sri Jyothi Pvt. ITI, R.S.No: 245/3, 247/1 & 2, KALAVAPAMULA (VILLAGE), VUYURU TMPP2004	New	Electrician - 4(2+2) Fitter - 4(2+2) Mechanic Refrigeration and Air Conditioner - 2(1+1) Draughtsman (Civil) - 2(1+1)	Electrician - 4(2+2) Fitter - 4(2+2) Mechanic Refrigeration and Air Conditioner - 2(1+1) Draughtsman (Civil) - 2(1+1)	May be recommended subject to submission of Following additional details: i. Detailed Building plan. ii. Details of CITS trained Instructor with respect to each trade.	Conditionally recommended following trades Electrician - 4(2+2) Fitter - 4(2+2) Mechanic Refrigeration and Air Conditioner - 2(1+1) Draughtsman (Civil) - 2(1+1) Subject to provide the following documents within 15 days from the date of issue of the minutes through state Directorate: i. Detailed Building plan. ii. Detail of CITS trained Instructor with respect to each trade within 15 days from the date of issue of MoM.


19/4


19/4

2.	<p>Sree Raja Rajeshwari Pvt ITI, Tirupati</p> <p>Block.01, Sumitra Gardens, Thatitopu, Tirupati (R), Chittoor (D), 517505</p> <p>TMPP2011</p>	New	<p>Electrician- 4(2+2)</p> <p>Fitter - 2(1+1)</p> <p>(COPA) - 2(1+1)</p> <p>Sewing Technology - 2(1+1)</p> <p>Health Sanitary Inspector - 2(1+1)</p>	<p>Electrician- 2(1+1)</p> <p>Fitter - 2(1+1)</p> <p>(COPA) - 2(1+1)</p> <p>Sewing Technology - NR</p> <p>Health Sanitary Inspector - NR</p> <p>For Sewing technology and Health sanitary inspector ITI needs instructors as per affiliation norms.</p>	<p>1.Shortage of Oxygen Cylinder in fitter trade, all machines are installed</p> <p>2.Different Number in Meter Ceiling and Meter Bill</p> <p>3.Details of building plan required</p> <p>4.PWD accessibility limited to Electrician and Fitter.</p> <p>5. Instructor are not as per NCVT Qualification in health sanitor inspector and sewing technology trades.</p>	<p>1. Applicant ITI needs to remove all the deficiencies as mentioned in (Column VI).</p> <p>2. Applicant ITI need to remove all the deficiencies and upgrade the ITI for minimum 04 trades within one month from the date of issue of Minutes and submit the information through State Directorate.</p>
3.	<p>Sri Ramu Memorial Pvt. ITI, Mangalapalem (Village), Kothavalasa (Mandal), Vizianagaram (District), 535183</p> <p>TMPP2002</p>	New	<p>Electrician - 8(4+4)</p> <p>Fitter - 8(4+4)</p> <p>Carpenter - 2(1+1)</p> <p>Mechanic Diesel - 2(1+1)</p>	<p>Electrician trade - 4(2+2) units recommended as tools and equipment's available only for 4(2+2).</p> <p>Fitter trade - 2(1+1) units recommended due to shortage of tools.</p> <p>Carpenter - 2(1+1)</p> <p>Mechanic Diesel - 2(1+1)</p>	<p>May be Recommended</p> <p>ITI needs to provide following details:</p> <p>1.Details of building plan required.</p> <p>2.Safety measures needs improvement in work shop, pathways.</p>	<p>Conditionally Recommended following trades:</p> <p>Electrician trade - 4(2+2)</p> <p>Fitter trade - 2(1+1)</p> <p>Carpenter - 2(1+1)</p> <p>Mechanic Diesel - 2(1+1)</p> <p>subject to condition the applicant ITI needs to provide following details within 15 days from the date of issue of the Minutes through state Directorate:</p> <p>1.Details of building plan required.</p> <p>2.Safety measures needs improvement in work shop, pathways.</p>

 19/14

 19/14

4.	Sri Balaji Pvt. ITI, Vinukonda Narasarapet Road Vinukonda-522647 PU28000433	Old	Electrician - 4(2+2) Fitter - 2(1+1)	Electrician - 4(2+2) Fitter - 2(1+1) Subjected to production of proof electric power enhancement and procured the minor shortages.	1. Since available power load is only 22 KW against requirement of 25.26 KW. We may recommend Electrician - 2(1+1) Fitter - 2(1+1)	Recommended Electrician - 2(1+1) Fitter - 2(1+1)
5.	Dr Samuel George Pvt. ITI, Prakasam TMP28517PR1 581490676	New	Electrician - 4(2+2) Draughtsman (Civil) - 4(2+2) Fitter - 4(2+2) Plumber - 4(2+2)	Electrician - 4(2+2) Draughtsman (Civil) - 4(2+2) Fitter - 4(2+2) Plumber - 4(2+2)	May be recommended with additional information requirement from the ITI 1. Approved layout plan Not available. 2. Instructor details not available.	Conditionally Recommended: Electrician - 4(2+2) Draughtsman (Civil) - 4(2+2) Fitter - 4(2+2) Plumber - 4(2+2) Subject to submission of subject to condition the applicant ITI needs to provide following details within 15 days from the date of issue of the Minutes through state Directorate: 1. Approved layout plan. 2. Instructor details.

2. State: Bihar. Total 37 (19 New & 18 Existing) ITIs cases submitted for new ITIs and addition of trades affiliations


S. no.	ITI's Name/ #Mis Code / *App. Number	Type of app. Existing / New	Trades/Units sought for affiliation	Recommendation of Trade / Units by inspection cum verification committee (ICVC) &	Remarks by Scrutiny Team (TC-section) at DGT Hqrs.	Remarks by Standing Committee on Accreditation and Affiliation (SCAA)
I	II	III	IV	V	VI	VII

[Handwritten Signature]
19/4

[Handwritten Signature]
19/4

1.	<p>Ganga Memorial College Of Polytechnic, Harnaut, At- Nh-31, Kharuara, Po+Ps- Harnaut,, Nalanda,</p> <p>POLYTECHNIC 3</p>	New	<p>Fitter - 2(1+1) Electrician - 6(3+3) Surveyor - 2(1+1) Computer operator and Programming Assistant - 2(1+1)</p>	<p>Fitter - NR Electrician - NR Surveyor - NR Computer operator and Programming Assistant - NR</p>	<p>Not recommended</p> <p>1. Drawing hall is shared with polytechnic college.</p> <p>2.COPA trade: Lab common with polytechnic</p> <p>3. Faculty is shared with polytechnic</p>	<p>Since this is case of spare capacity in Polytechnic to run ITI, State Directorate requested to arrange inspection at state level and submit report on following parameters:</p> <p>1.Power load is available as required</p> <p>2. Time table for running ITI.</p> <p>3. Major equipments/Machinery of all the four trades mentioned in column IV is available..</p>
A. 2.	<p>ABU BAKAR PRIVATE ITI, Tinpania, P.O Kheria, P.S Korha, Blok-Korha, Dist-Katihar, Bihar-854108, Katihar,</p> <p>TMP 406 MSTI</p>	New	<p>Electrician - 4(2+2) Fitter - 4(2+2)</p>	<p>Electrician - NR Fitter - NR</p> <p>Since online inspection carried through video/zoom app unable to assess the condition & No off of Tools, equipment & machinery. Hence physical inspection has to be carried out if all remaining documents are correct. The Nodal ITI while uploading the documents brought that frequent failures of network issues.</p>	<p>Electrician - NR Fitter - NR</p> <p>Since online inspection carried through video/zoom app unable to assess the condition & No off of Tools, equipment & machinery. Hence physical inspection has to be carried out if all remaining documents are correct. The Nodal ITI while uploading the documents brought that frequent failures of network issues.</p>	<p>Not Recommended As Informed By State Director Bihar This Applicant MSTI Falls Under Served Block.</p>
5.3	<p>Somya Private ITI, Vill-Saidpur Salha Barari, Tola-Sarahi , Ps-Shamho, Po-Salha Saidpur Barari ,Block-Shamho Akha Kurha , District-Begusarai ,Pin - 811106</p>	New	<p>Electrician - 4(2+2) Fitter - 4(2+2)</p>	<p>Electrician - 2(1+1) Fitter - NR</p>	<p>1. Power not sufficient to run both trades. Available -6KW, Required- 12.2 KW</p> <p>2. Shortage of few tools & equipment and Machinery for Electrician trade. Tools & Equipment and Machinery for Fitter trade not shown at the time of inspection.</p>	<p>Not Recommended the ITIs needs to apply for minimum 04 trades as per DGT norms.</p>


19/14


19/14

	TMP10191PR1 580469588					
6.4	SN Pvt ITI, Block Balia, Begusarai Dist, Nh-31-851211, Begusarai, TMP 386 MSTI	New	Electrician - 4(2+2) Surveyor - 2(1+1)	Electrician - NR Surveyor - NR Many key tool and equipment were not available such as various type of lamps, function generator. Dead stock register and raw material register was not being maintained as per standard format ITI Name was not engraved or punched in any of the machine as prescribed in affiliation norms IT labs was not having internet facility, UPS and antivirus. Even system configuration was very obsolete.	MSTI inspected as per ITI norms there are separate norms for infrastructure in MSTIs. Many short comings are there.	This is case of MSTI in unserved block -State Directorate recommended for re-inspection as per MSTI Norms along with NOC.
7.5	BARKA PANDIT JI PVT ITI , Village Age Usri Bujurg Post Hasanpura, District-Siwan Of Bihar , TMP 383 MSTI	New	Electrician - 4(2+2) Fitter - 4(2+2)	Electrician - NR Fitter - NR ITI infrastructure needs improvement with completing of shortage of Tool equipment and machinery.	1. Power not sufficient. Required 12.22 kW, Available 7 kW. 2. Workshop roof is not as per norms, earthing and punching of machine is not as per norms. 3. Shortages in tools and equipment workshop not as per norms. Library, IT Lab not in proper shape as per norms.	This is case of MSTI in unserved block - State Directorate recommended for joint re-inspection after applicant MSTI remove of the all short comings as per (Colum VI). And forward the report to DGT Hqrs. through State Government along with NOC.


19/4


19/4

23

8.6	B N Ray ITI, At:- Main Road Darwa, P.O.+P.S.- Isuapur Pin 841411, TMP 410 MSTI	New	Electrician - 4(2+2) Fitter - 2(1+1)	Electrician - 2(1+1) Fitter - 2(1+1) 1. Separate drawing hall should be prepared within one month. 2. Electrical wiring should be separate for each machine.	1. No drawing hall present 2. Electrical wiring should be separate for each machine. 3. Fire safety certificate not available	Conditionally recommended: Electrician - 2(1+1) Fitter - 2(1+1) This is the case of MSTI in unserved block. MSTI needs to prepare separate drawing hall and remove all the short coming mentioned in (Colum VI) within one month. State Directorate requested to submit submit the compliance report to DGT Hqrs.
8.7	Balaji Private ITI, Naranpur Beduali, P.O- Garaul, Block- Garaul, Dist- Vaishali, Bihar- 844118, TMP 407 MSTI	New	Electrician - 4(2+2) Fitter - 4(2+2)	Electrician - 4(2+2) Fitter - 2(1+1) 1. Availability of area for fitter workshop Unit 2 is used for other purpose and instructed to vacant that particular space.	1. Availability of area for fitter workshop unit 2 is used for other purposes. 2. old version computers are available in IT Lab.	Conditionally recommended: Electrician - 4(2+2) Fitter - 2(1+1) However, ITI has to updated the computer version, and forward the compliance to DGT Hqrs. Through State Directorate along with NOC from State Government, within 15 days from the date of issue this minute.
10.8	DPS PVT ITI, Tikapur Kasba Dist-Purnea- Pin-854330, TMP 396 MSTI	New	Electrician - 4(2+2) Fitter - 4(2+2) Mechanic diesel - 2(1+1)	Electrician - NR Fitter - NR Mechanic diesel - NR Building plan approved by architect, IT lab does not have required functional computer, Workshop doesn't have proper industrial roof/RCC	1. Shortage of tool and equipment with mismatch in rating as per the syllabus and items available. 2. Building completion certificate not available. 3. Power Insufficient, Available- 14KW, Required 17.02KW. 4. Some computers non- functional in IT lab. 5. Workshop doesn't have proper industrial roof/RCC.	Not Recommended. ITI need to remove the deficiencies.

19/4

19/4

11. 3.	Churaman Rai Private ITI, Chhapra State - Bihar TMP 391 MSTI	New	Electrician - 2(1+1) Fitter - 2(1+1)	Electrician - 2(1+1) Fitter - 2(1+1)	1. Plan is approved by architecture only. 3. Qualification document and experience certificate of trainers not available. 4. Insulation Rubber Matting should be provided.	Conditionally Recommended Electrician - 2(1+1) Fitter - 2(1+1) Subject to remove the deficiencies mentioned in column - VI within 15 days. State Directorate will forward the report alongwith NOC to DGT Hq within one month from the date of issue of these minutes.
12. 10.	Gopalganj Pvt. ITI, Manjha, Gopalganj, Bihar, Gopalganj, TMP 404 MSTI	New	Electrician - 4(2+2) Fitter- 4(2+2)	Electrician - NR Fitter- NR Not recommended for affiliation of trade Electrician, Fitter as ITI not fulfilling DGT norms	1. It is a new institute seeking affiliation but there is no boundary wall, main gate, approach road also no proper flooring and electric wiring also no insulation matting for safety. 2. There was no Library, reading room, no sports facility 3. No Ramp for disabled, No disaster management plan. 4. MSTI NOC not available from state DET. 5. Fire safety certificate not provided.	Not Recommended. MSTI need to remove the deficiencies.
13. 11.	R K PVT ITI , Village Age Amwari Post Nandpur Amwari, Raghunathpur, Siwan TMP 390 MSTI	New	Electrician - 4(2+2) Fitter- 4(2+2)	Electrician - NR Fitter- NR Not recommended for Affiliation of Trade electrician and ITI not fulfilling DGT Norms.	1. Drawing Hall very small. 2. Qualification and experience documents not available. 3. power not sufficient available 8KW, required- 8.22KW	MSTI case -MSTI needs to remove all the deficiencies as mentioned (column VI) within one month from the date of issue of the minute and forward the report through State Directorate along with NOC.
14. 12.	AISHWARYA MAX GLOW PRIVATE ITI,, Near Toll Plaza- 28muzzafarpur- , Muzaffarpur,	New	Electrician - 4(2+2) Fitter - 4(2+2) COPA - 2(1+1) Plumber -2(1+1)	Electrician - 4(2+2) Fitter - 4(2+2) COPA - 2(1+1) Plumber -2(1+1) NCVT comments is IT lab available. SCVT	1. IT lab not as per norms. 2. Load not clear in electricity bill uploaded. 3. Less number of computer system.	ITI need to remove the deficiencies mentioned in column VI and send report through State Directorate.

[Signature]
19/4

[Signature]
19/4

				<p>comments no IT lab available.</p> <p>NCVT comments is Drawing hall not available. SCVT comments Drawing hall not furnished.</p> <p>NCVT comments all machinery are available. SCVT comments no machinery in plumber and COPA less system.</p>	<p>4. No machinery in Plumber trade - SCVT comments</p>	
15. 13.	<p>Sangam Private ITI At+Po+Ps:- Madanpur Aurangabad- 824208 PR10000898</p>	Old	Electrician - 8(4+4)	<p>Final comments from NCVT member is not available</p>	<p>1.Original bills not provided, few machines and equipment not properly installed, electrical connection port not available for electrical equipment, machines not engraved properly,</p> <p>2.Final comments from NCVT member is not available. sign on each page is also not available</p> <p>3.Drawing Hall is not as per norms</p> <p>4.Only 2 CITS trained instructors available. Bank account and salary details not shown at the time of inspection.</p>	<p>Recommended for Joint Re-inspection through State Directorate.</p>
16. 14.	<p>Siya ITC, Saharsa Saharsa, Near Matasyagandha P.O, Dist- Saharsa- 852201 PR10000297</p>	Old		<p>NR</p> <p>1.Builndg Certificate: Provided /shown certificate at the time of inspection was not as per norms. Provided / shown Certificate was not approved by competent authority.</p> <p>2. EB Bills: Shortage of power capacity as per norms. Power capacity of 14KW mentioned in provided/shown bill of</p>	<p>1.Provided/ shown photo copy of machinery bills only. Original bills was not available at the time of inspection.</p> <p>2.In existing trade Maximum machinery is not installed properly Available in very less quantity and maximum are in damaged condition.</p> <p>3. For new units Machinery is not installed properly. Machinery not</p>	<p>Not recommended due to Existing trade not have sufficient Machinery and T&E .Available space not matched with building layout plan.</p>

[Signature] 19/4

[Signature]
19/4

				<p>July Aug 2021 at the time of inspection.</p> <p>NCVT member remarks : DisAgree , Existing trade not have sufficient Machinery and T&E .Available space not matched with building layout plan. " Not recommended for affiliation of additional trade units."</p> <p>approved fire safety certificate from competent authority was not provided/ shown at the time of inspection by ITI. 2. Fire extinguisher and fire bucket was not available</p> <p>No any furniture and bord available in Drawing Hall .2.Only available Empty space.</p>	<p>working properly as per norms.</p> <p>4. BCC, Power norms and infrastructure are not as per norms</p>	
17 15	<p>Navbharat Private ITI Bishunpur, Dighi, Hajipur, Vaishali</p> <p>PR10000502</p>	Old	<p>Electrician - 12(4+4+4)</p> <p>Fitter - 6(1+1+1)</p>	<p>Electrician - Addl. 4(2+2)</p> <p>Fitter - NR</p>	<p>1.IT lab 12 Old version computers available.</p> <p>2.NCIC instructor qualification and experiences details are not available</p> <p>3.BCC signed by architect, No statutory plans certificate by circle officer.</p>	<p>Conditionally recommended Electrician - Addl. 4(2+2).</p> <p>However, ITI has to remove all the deficiencies as mentioned in (column VI) and forward the report to DGT Hqrs through State Directorate with in 15 days from the date of issue of this minutes.</p>

[Handwritten signature]

[Handwritten signature]
L914

18. 16.	Mahatma Budh Private ITI- Imadpur, Rahui, Biharsharif, Nalanda PR1000023	Old	Electrician - 8(4+4) Fitter - 4(2+2)	Electrician - NR Fitter - NR	1. ITI don't have proper infrastructure tools and machinery, 2. All trade tools equipment missing NO, Transformers, Manual Winding Machine, Lamps, Phase sequence indicator, Function generator, etc. not available, and Generator with proper rating not available. 3. Some of the machines are not working properly, proper earthing norms not followed, shortage of Equipment in Fitter workshop and fitter equipment (Lathe machine etc.) not in working condition 4. Shortage of power capacity required	Not Recommended. ITI need to remove the deficiencies.
19. 17.	KDS Private ITI, Rajgir Road, Mangar Bigha Giriyak, NALANDA- 803109 PR10000980	Old	Electrician - 8(4+4) Surveyor - 2(1+1)	Electrician - 8(4+4) Not recommended for Surveyor trade due to less machinery and Tools & Equipment's also required space was not sufficient.	1. No biometric machine available. 2. PWD accessibility required.	Conditionally recommended Electrician - 8(4+4) However, ITI has to remove the short coming mentioned in (column VI) and forward the report to DGT Hqrs. within 15 days from the date of issue of this minutes through State Directorate..
20. 18.	Sri Vishnu Private ITI, Vansi Nagar, Gaya Road Islampur, Nalanda- PR10000697	Old	Electrician - 8(4+4)	Electrician - NR ITI doesn't have proper infrastructure, tool, equipment's & machinery as per norms.	1. Price mismatch of major machinery, all payments made in cash, S.No. 74,78,79,82-90,92,126 (c,e,h,i) 128,129 etc. missing in Bills 2. Roof of workshop not as per norms, following equipment not available rubber mat, metal rack, bench vice not fitted,	Not Recommended. ITI needs to remove the deficiencies.

[Signature]
19/4

[Signature]
19/4

					<p>punching of machine and earthing not done, battery charger rating not available</p> <p>3. ITI does not have proper infrastructure tool equipment and machinery as per norms</p> <p>4. No Instructor CITS qualified, salary paid in cash</p>	
21. 19	Vikramshila Private ITI At. Rojapar, P.O. Arwal PR10000396	Old	Electrician - 8(4+4)	Electrician - NR 1. Roof of DH and Electrician Workshop for Unit extension not available as per norms. 2. Machinery not installed properly 3. No any CITS trained Inst.*Not recommended for affiliation of additional Units*	<p>1. few machineries & equipment was not working in existing trade units at the time of inspection.</p> <p>2. Electrical Ports supply for equipment was not available.</p> <p>3. less workbench was available as per norms for additional units.</p> <p>4. Roof of Electrician workshop and Drawing hall roof not available as per norms for additional trade</p> <p>5. Less area available in IT lab as per norms.</p> <p>6. Boundary wall surrounding building structure was not available.</p>	Not Recommended. ITI needs to remove the deficiencies.
22. 20	Integrated Infotech Private ITI, Baheri, Darbhanga - 847105 PR10000607	Old	Electrician - 16(8+8)	Electrician - NR Due to shortage of T&Es, Staff, Infrastructure, safety norms, facilities IT Lab etc. Not Recommended for CTS-Electrician trade for all (8+8+0) =16 units. hence Rejected	<p>1. Major Shortage of Tools and Equipment's for New Units of Electrician Trade (8+8+0) =16 all old unit's equipment's shown. No proper electrical safety, no Emergency exit to labs.</p> <p>2. No three phase Diesel Generator at the Institute.</p> <p>3. Shortage of area.</p> <p>4. As per list provided Staff for Fitter, COPA and electrician trade -39 Nos</p>	Not Recommended. ITI needs to remove the deficiencies.

[Signature]
19/1/22

[Signature]
19/1/22


					but only 8 staff were present on the date of Affiliation.	
23. 21	Techno India Private Vill Akhtiyarpur Rajaura, P.O - Rajaura, P.S BEGUSARAI PR10001105	Old	Electrician - 8(4+4)	<p>Agree, Starters for DC motors to be provided</p> <p>However, for existing units of electrician trade Following items were not available</p> <ol style="list-style-type: none"> 1. starters not available with DC motors. 2. AC wound rotor motor starter was not available 3. Manual moor coil winding machine - Not available 4. Primary Current Injection set 200A - Not available 5. Manual moor coil winding machine - Not available 6. Wiring board - Not available 7. Pillar electric drill machine - Not available 8. Synchronous motor does not have starter, Excitation arrangement 9. Compound generator does not has Prime mover i.e squirrel cage induction motor , Rheostat 10. Domestic appliances - e. Ceiling fan f. Geysers g. Mixture grinder h. Washing Machine - Not available 11. Oil testing kit not available 12. Shaded pole motor - not available 	<ol style="list-style-type: none"> 1. For new trades Starters for DC motors to be provided 2. AC wound rotor motor starter was not available 3. Manual moor coil winding machine - Not available 4. Primary Current Injection set 200A - Not available 5. Manual moor coil winding machine - Not available 6. Wiring board - Not available, Pillar electric drill machine - Not available 7. Synchronous motor does not have starter, Excitation arrangement 8. Compound generator does not has Prime mover i.e squirrel cage induction motor, Rheostat 9. Domestic appliances - e. Ceiling fan f. Geysers g. Mixture grinder h. Washing Machine - Not available 10. Oil testing kit not available 11. Shaded pole motor - not available) 12. Fire safety certificate, fire extinguisher etc not available, 	<p>Recommended for Joint re-inspection of existing trades also.</p> <p>ITI has to remove all the short comings mentioned in (column VI) within 15 days. State Directorate to arrange Joint Inspection with RDSDE and send the report to DGT Hqrs. Within 1 month from the date of issue of this minute.</p>

[Signature] 19/4

[Signature] 19/4


24. 22	Raghunandan Sinha Private ITI, At- Godiha P.O.- Koshdihar P.S- Parasbigha Dist- Jehanabad- 804408 PR10000967	Old	Electrician - 8(4+4)	Electrician - NR	1.Machinery found in working condition but all tool required as per norms were not found on photos 2. Fire extinguisher not available, Fire safety certificate not available 3.Common Appointment orders issued for all the instructors without mentioning trades and date of joining is found from the year 2016. CITS qualification and experience certificate not available.	Not recommended. ITI needs to remove the deficiencies.
25. 23	Radiant Private ITI Sarha, Chapra- PR10000557	Old	Fitter - 2(1+1) Electrician - 10(5+5)	Fitter - 2(1+1) Electrician - 10(5+5)	1.BCC not available, No statutory plan certificate from circle officer available. Layout plan signed by architect is available.	Conditionally Recommended Fitter - 2(1+1) Electrician - 10(5+5) Subject to submission of BCC through State Directorate within one month from the date of issued of the minutes .
26. 24	Bhagalpur City Private ITI At. Jagatpur, Po. Sabour Bhagalpur- PR10000411	Old	Electrician - 20(10+10) Fitter - 8(4+4)	Agree, As per norms there are no. minimum 4 trades, only 2 trades applied to 20 units and it is fulfilled the required as per norms	Inspection is carried out by NCVT members and Nodal ITI officer and ITI Admn. The members from SCVT and industry experts are not available.	RD, RDSDE has to create a new batch for re-inspection as SCVT member not conducted the inspection.


19/4/20


19/4/20

<p>27. 25</p>	<p>Aayansh Private ITI Vill.Belkhuria, P.O. Du Rohtas- 802212 PR10000977</p>	<p>Old</p>	<p>Electrician - 12(6+6)</p>	<p>Electrician - NR SCVT member remarks : Machinery GST Invoice:- Uploaded Bills Paid receipt:- Uploaded but not for all purchases made. As per norms. NCVT member remarks: Fake bill invoices are produced. Salary paid to staff by cash. Machinery bill payment proofs not available.</p>	<p>1.Fake bill invoices are produced. Salary paid to staff by cash. Machinery bill payment proofs not available. 2. ITI has produced fake bills. Machinery installation is as per norms. Machinery working condition verified. 3. Infrastructure, staff qualification are not as per norms. 4 Access for PWD trainees are not available.</p>	<p>Not recommended. ITI need to remove deficiencies.</p>
<p>28. 26</p>	<p>RN Private ITI Ram Raj Nagar, Dharambari Road, Post- Dighwa Dubauli Dist-Gopalganj, Bihar-841409 PR10000940</p>	<p>Old</p>	<p>Electrician - 18(6+6+6) Fitter - 6(2+2+2)</p>	<p>Electrician - NR Fitter - NR</p>	<p>1.Rating mismatch Electrician S.No. 64,80,81,96,129,132,151 Fitter some machinery not installed. 2. ITI does not have sufficient CITS pass instructors 3 Earthing not per DGT Norms 4. Biometric machine is not installed</p>	<p>Applicant ITI need to remove all the deficiencies mentioned in column- VI within 15 days from the date of the issue of the minutes. After that Joint Inspection will be arranged.</p>
<p>29. 27</p>	<p>Urmila Hitaishi Private ITI- Vill+Po-Kasap (Arrah) Bhojpur- 802206 PR10000012</p>	<p>Old</p>	<p>Electrician - 8(4+4)</p>	<p>Electrician - NR</p>	<p>1.Physical report was received over mail on 20.07.2021, management failed to provide documents. 2.The ITI has given representation on 05.08.2021 being not informed about the Inspection 3.machine are old and no electrical connection. 4.Missing of permanent identification marking on tools and equipment.</p>	<p>Not recommended. ITI needs to remove the deficiencies.</p>


19/4


19/4

30. 28	Maa Shivdulari Private Industrial Training Institute, Sitamarhi, Chak mahila, Bihar TMP10221PR1 582388556	New	Electrician - 8(4+4) Fitter - 4(2+2) Computer Operator and Programming Assistant (COPA) - 2(1+1) Mechanic Diesel - 2(1+1)	Electrician - NR Fitter - NR Computer Operator and Programming Assistant (COPA) -NR Mechanic Diesel - NR	1. Most of Machinery in Mech. Diesel was not working, Less computer system available in COPA trade. Some of Computer sys. not working properly. 2. Permanent marking, insulation rubber mating for panels and Electrical port for equipment's not available, Machinery not installed properly as per norms. 3. Roof of Workshop and DH not as per norms, Plywood partitioned available in COPA Lab, Building Boundary wall not Available. Incomplete construction for Store room and admin.	Not recommended. ITI needs to remove the deficiencies.
31. 29	R N Private ITI , Shivajinagar, Dist - Samastipur, Pin -848117 (Bihar), TMP 416 MSTI	New	Electrician - 4(2+2) Fitter - 4(2+2) Short Term Course - Electrician Technician - Old Batche	Electrician - 4(2+2) Fitter - 4(2+2)	1. Machinery bills are available, payment receipt not satisfactory, cash payment given to supplier, not through bank. 2. NOC from State directorate for unserved block is not available. backup power is not available. Accessibility of PWD not available. 3. Workshop, DH, Classroom roof is made of Tin. (Visible in photos and Video) Not as per norms	This MSTI falls in served block. Applicant ITI has to apply as per affiliation norms of ITIs. i.e. minimum for 04 trades. Not Recommended.

[Signature]
19/14

[Signature]
19/14

32. 30	RS PRIVATE ITI, Block: Ramgarh, Lakhisarai District Of Bihar ,Lakhisarai, Bihar. TMP 378 MSTI	New	Electrician - 4(2+2) Fitter - 4(2+2) Surveyor - 6(3+3)	Electrician - NR Fitter -NR Surveyor-NR	RS Pvt. ITI not found at given Address. ITI is not Ready for inspection.	Not recommended.
33. 31	Sangita Pvt. ITI, Village +P.O.- Chainpur, Block-Siswan, District-Siwan, Bihar,Siwan, Bihar. TMP 403 MSTI	New	Wireman = 4(2+2) Old batch	Wireman - NR	1.Tax Invoice computerised and therefore not signed. Bench Vice not installed.. 2. Area of Drawing hall is less. 3.Less in power norms, Required Load-5 Kw, Available Load-4 Kw 4.Electrical Earthing not proper.	MSTI needs to remove the deficiencies and send report through State Directorate.
34. 32	SP PRIVATE ITI, Block Name DHORAIYA, BANKA District, BANKA, Bihar. TMP 388 MSTI	New	Electrician - 4(2+2) Fitter - 4(2+2) Surveyor - 4(2+2) old batch	Electrician - NR Fitter - NR Surveyor - NR	Disagree, Not recommended as ITI not agreed to get inspected on prescribed date. Only NCVT member was present	Not recommended.
35. 33	Bangali Baba- Private ITI Address-Vill- Basua,Tola- Mishrichack,Ne ar Sahil Mandil Post-Utlibara, Ps.-Wazirganj, Gaya, Bihar- 824232 <u>1810014198</u>	New	Electrician - 3(1+1+1) Fitter - 3(1+1+1) Welder - 3(1+1+1) Electronics Mechanic - 3(1+1+1)	Electrician - 2(1+1) Fitter - 2(1+1) Welder - 2(1+1) Electronics Mechanic - 2(1+1)	May be recommended Electrician - 2(1+1) Fitter - 2(1+1) Welder - 2(1+1) Electronics Mechanic - 2(1+1)	Recommended Electrician - 2(1+1) Fitter - 2(1+1) Welder - 2(1+1) Electronics Mechanic - 2(1+1)
36. 34	SN Singh Private ITI Address: - Shankarpur , Baikunthpur , Gopalganj, Bihar <u>1810014314</u>	New	Electrician - 4(2+2) Fitter - 4(2+2) H.R Executive - 2(1+1) House Keeping - 2(1+1)	Electrician - NR Fitter - NR H.R Executive - NR House Keeping - NR	Inspection cancelled. ITI is not ready for inspection.	Not recommended.

[Signature]
19/14

[Signature]
19/14

37. 35	Rajesh Ranjan ITI , At-Mitralok Colony, Pandey Patti, Buxar, PR10000266	Old	Electrician 3(1+1+1)	-	Electrician - NR Remarks of members : Disagree , No inspection carried out on request of ITI principal	Disagree, No inspection carried out on request of ITI principal.	Not recommended.
38. 36	Suryanath Private ITI, Khajuraha Mishra, Post-Bhore, Gopalganj, Bihar. PR10000941	Old	Electrician - 4(2+2)		Electrician - NR Remarks of members : Disagree , Only NCVT SCVT member present	No inspection is carried out.	Recommended for re-inspection. State directorate arrange the joint inspection with RDSDE and forward the report to DGT Hq, New Delhi within one month from the date of issue of the minutes.
39. 37	Nalanda Convent Pvt ITI , At-Ajnaura, Parwalpur, Bihar Sharif, Nalanda, Bihar, Nalanda, PU10000799	Old	Electrician - 16(8+8)		Electrician - NR Nalanda Convent Pvt. ITI was not ready for inspection process.	No inspection is carried out.	Not recommended.

3. State: Chhattisgarh total cases submitted 05 (01 New & 04 Existing)

S. no.	ITI's Name/ #MIS Code / *App. Number	Type of app. Exist ing / New	Trades/Units sought for affiliation	Recommendation of Trade / Units by inspection cum verification committee (ICVC) &	Remarks by Scrutiny Team (TC-section) at DGT Hqrs.	Remarks by Standing Committee on Accreditation and Affiliation (SCAA)
1.	Bharti Private ITI, Janjgir-Champa-495556 TMP22379PR1 582738290	New	(COPA) - 4(2+2) Health Sanitary Inspector - 2(1+1) Electrician - 4(2+2) Stenographer	(COPA) - 4(2+2) Health Sanitary Inspector - 2(1+1) Electrician - 4(2+2)	1. Electricity bills not uploaded. 2. The details of Trained CITS	Conditionally Recommended: (COPA) - 4(2+2) Health Sanitary Inspector - 2(1+1) Electrician - 4(2+2)

[Signature]
19/4

[Signature]
19/4

BS

			Secretarial Assistant (Hindi) - 2(1+1) Mason (Building Constructor) - 4(2+2) Fitter - 4(2+2) Hospital Housekeeping - 4(2+2)	Hospital Housekeeping - 2(1+1) only 4 trades shown during inspection, by the ITI	Instructors for each trade.	Hospital Housekeeping - 2(1+1) Subject to submission of latest electricity bill with sanction load as per DGT norms within 15 days from the date of issue of this minute to the State Directorate. State Directorate
2.	Government ITI, Berla, Distt- Bemetra Berla, Bemetara- 491332 GR22000031	Old	Mechanic Diesel - 2(1+1)	Mechanic Diesel - NR NCVT - Agree, Not recommended SCVT - Agree, recommended	1. partially available, 123 out of tools & equipment's are available, as per bill 123 out of 234 T& E shortages of tools & equipment of spec & Qty wise not submitted 2. working condition videos not available however condition of T& E to be assessed on physical inspection. SI No 179 of AC CRDI vehicle document not submitted s.No 183, 201, 205, CRDI 4S not uploaded. 3. Building plan image submitted not clear. Building plan image submitted not clear. Workshop roof are old and tin sheets as against RCC specified in application. 4. 123/234 tools and equipment's bill available. No separate list of tools available during	Since the report of SCVT and NCVT member is contradicts, matter is forwarded to SSDEC for further necessary action.

 19/14

 19/14

					inspection not uploaded. working of machinery s.No 179 of Air conditioned vehicles & ownership document not submitted & sl. No 183,205,201 & 190 not available during inspection. since it is online inspection. the physical condition can be to assessed through physical inspection.	
3.	Government ITI, Sarangarh, Distt-Raigarh Raigad-496661 GR22000040	Old	Fitter - 2(1+1) Welder - 2(1+1)	Fitter - 2(1+1) Welder - 1(1+0) From NCVT member only.	1.SCVT member report pending 2.uploaded document not adequate to ascertain who are appointed for this ITI 3.REPORT FROM SCVT MEMBER IS NOT AVAILABLE. 4.NCVT Member-Considering existing trades and sanctioned Electrical wattage of 44 KW, affiliation of Only 1 unit of welder trade and 2 units of fitter trade is recommended.	Recommended subject to condition that State Directorate will submit the report of SCVT member also.
4.	Govt. ITI Pusaur Borodipa Chowk, Pussore Raigad- 496440 GR22000126	Old	Fitter - 2(2+0) Mechanic Diesel - 1(1+0) Welder (Fabrication & Fitting) - 1(1+0)	Fitter - 2(2+0) Mechanic Diesel - 1(1+0) Welder (Fabrication & Fitting) - 1(1+0)	May be Recommended.	Recommended.





37

5.	Sonkar Pvt. ITI Raipur Road , Bundeli , Chirhula , Mungeli- 495334 PU22000178	Old	(COPA) - 4(2+2) Electrician - 4(2+2) Health Sanitary Inspector - 4(2+2) Fitter - 4(2+2) Welder - 2(1+1)	-	Inspection Pending	State Directorate informed the batch generated in the month of 12.10.2021 but inspection was not done due to availability of all the members. Now inspection is re-scheduled on 12.04.2022.
----	---	-----	--	---	-----------------------	---

4. State: Gujarat total cases submitted 05 (04 New & 01 Existing)


S. no.	ITI's Name/ #MIS Code / *App. Number	Type of app. Exist ing / New	Trades/Units sought for affiliation	Recommendation of Trade / Units by inspection cum verification committee (ICVC) &	Remarks by Scrutiny Team (TC-section) at DGT Hqrs.	Remarks by Standing Committee on Accreditation and Affiliation (SCAA)
1.	Sigma Private ITI, Vadodara TMP24461PR1 579861642	New	1 Draughtsman (Civil) - 1(0+1) Computer Operator and Programming Assistant (COPA) - 1(0+1) Welder (Fabrication & Fitting) - 1(0+1) Electrician - 1(0+1)	1 Draughtsman (Civil) - NR Computer Operator and Programming Assistant (COPA) - NR Welder (Fabrication & Fitting) - NR Electrician - NR 70% shortage of Tools and Equipment's in Electrician, Welder (F&F), Draughtsman(Civil) Trades and 35% Shortage in COPA Trade. Major shortage of Tool kit of Trainees in Electrician, Welder (F&F), Draughtsman(Civil) Trades Shortage in COPA Trade.	1. same building polytechnic institute is also running, Occupancy Certificate signed by Town planner, UDA is available 2. About 70% shortage in E, WFF DCE& 35% COPA, partially available bill and payment proof .	Not Recommended.
2.	Shreeji Bapa Trust Private ITI, Arvalli TMP24672PR1 580985310	New	Hospital Housekeeping - 2(1+1) Health Sanitary Inspector - 6(2+2+2) Computer Operator and Programming	-		Recommended in 21 st Recommendation Committee Meeting on 09.02.2021.

 21/4

 19/4

			Assistant (COPA) - 2(1+1) Old Age Care - 2(1+1)			
3.	Sigma-Bakrol Private ITI, Vadodara TMP24461PR1 582175826	New	Surveyor - 1(0+1) Additive Manufacturing Technician (3D Printing) - 1(0+1) Information & Communication Technology System Maintenance - 1(0+1) Computer Hardware & Network Maintenance- 1(0+1)	Surveyor - 1(0+1) Additive Manufacturing Technician (3D Printing) - 1(0+1) Information & Communication Technology System Maintenance - 1(0+1) Computer Hardware & Network Maintenance- 1(0+1)	1. Own land in the name of Sigma Institute of Technology and Engg. (Polytechnic) Trust 2. Building plan in the name of Sigma Instt. of Degree Engineering, signed by Tejas Patel Associates 3. Staff is available however CITS qualification details not available 4. Computer lab Available for Engineering College	Conditionally Recommended applicant ITI as Spare Capacity in Polytechnic: Surveyor - 1(0+1) Additive Manufacturing Technician (3D Printing) - 1(0+1) Information & Communication Technology System Maintenance - 1(0+1) Computer Hardware & Network Maintenance- 1(0+1). Subject to condition ITI will provide details of CITS instructor within 15 days from the issue of this minutes through State Directorate..
4.	Shree K.D.Barad Private ITI, Gir Somnath PR24007114	Old	Electrician - 2(1+1) Health Sanitary Inspector - 2(1+1) Mechanic Diesel - 2(1+1) Fitter - 2(1+1)			Not Recommended in 21 st Recommendation Committee Meeting on 09.02.2021.
5.	Dev Enterprise ITR Private ITI, Mahisagar TMP24669PR1 579854043	New	Fireman - 3(1+1+1) Surveyor - 2(1+1)			Not Recommended as applicant ITI already exist on the same address with MIS Code PR24008185. Not Recommended in 21 st Recommendation Committee Meeting on 09.02.2021 due to adequate machinery not available (Applicant ITI Code PR24008185).


19/4


19/4

5. State: Himachal Pradesh total cases submitted 01 Existing ITI

S. no.	ITI's Name/ #MIS Code / *App. Number	Type of app. Existing / New	Trades/Units sought for affiliation	Recommendation of Trade / Units by inspection verification committee (ICVC) & cum	Remarks by Scrutiny Team (TC-section) at DGT Hqrs.	Remarks by Standing Committee on Accreditation and Affiliation (SCAA)
1.	Jai Maa Saraswati Private ITI Village Baroh, Post Office Raja Ka Talab, Tehsil N, Kangra-176051 PR02000241	Old	Electrician 3(1+1+1) Surface Ornamentation Techniques (Embroidery) 2(1+1)	Electrician - NR Surface Ornamentation Techniques (Embroidery) - NR	1. Staff not appointed for trades seeking affiliation. 2. Machinery items not present as per tool list for both trades. 3. BCC not uploaded	Not Recommended. ITI needs to remove the deficiencies.

6. State: Karnataka total cases submitted 01 Existing ITI

S. no.	ITI's Name/ #MIS Code / *App. Number	Type of app. Existing / New	Trades/Units sought for affiliation	Recommendation of Trade / Units by inspection verification committee (ICVC) & cum	Remarks by Scrutiny Team (TC-section) at DGT Hqrs.	Remarks by Standing Committee on Accreditation and Affiliation (SCAA)
1.	Sri Krishna Pvt. ITI, Devanahalli B.B.Road Devanahalli PR29000343	Old	Electronic Mech.-2 (1+1) Fitter-4(2+2) Turner-2(1+1)	Electronic Mech.-2 (1+1) Fitter-2(1+1) Turner-2(1+1) Inspection committee member remarks: No Biometric attendance Pneumatic and hydraulic unit is under purchase processing except other machineries some tools kits are shortage Drawing Hall: Not sufficient	May be recommended conditionally Electronic Mech.-2 (1+1) Fitter-2(1+1) Turner-2(1+1) subject to fulfil the following condition: Inspection committee member remarks: No Biometric attendance Pneumatic and hydraulic unit is under purchase processing except other machineries	Conditionally recommended : Electronic Mech.-2 (1+1) Fitter-2(1+1) Turner-2(1+1) Subject to condition that ITI need to remove the following deficiencies within 15 days from the date of issue of the minutes and submit the details/documents through State Directorate: Inspection committee member remarks: No Biometric attendance Pneumatic and hydraulic unit is under purchase processing except other machineries some tools kits are shortage Drawing Hall: Not sufficient


19/4


19/4

					some tools kits are shortage Drawing Hall: Not sufficient	
--	--	--	--	--	---	--

7. State: Kerala total cases submitted 02 Existing ITI

S. no.	ITI's Name/ #MIS Code / *App. Number	Type of app. Existing / New	Trades/Units sought for affiliation	Recommendation of Trade / Units by inspection cum verification committee (ICVC) &	Remarks by Scrutiny Team (TC-section) at DGT Hqrs.	Remarks by Standing Committee on Accreditation and Affiliation (SCAA)
1.	ILAHIA Pvt. ITI Pezhakkappilly P.O, Muvattupuzha Ernakulam - 686673 PR32000684	Old	Mechanic Motor Vehicle (MMV) - 4(2+2) Mechanic Diesel - 2(1+1) Fashion Design and Technology - 2(1+1)	Mechanic Motor Vehicle (MMV) - 4(2+2) Mechanic Diesel - 2(1+1) Fashion Design and Technology - 2(1+1)	1. Electricity connection is in name of Ilahia science and arts college 2. Major machineries are not properly mounted 3. Heavy vehicle invoice was not found during the inspection 4. Staff available as per inspection team however, qualification and experience documents are not uploaded 5. No raw materials consumption register was found 6. DSR entries of some tools were missing	Not recommended due to non-availability of grading.
2.	Hindustan Institute of Technology And Private ITI, Palakkad, S V Building Pulassery P O Koppam Palakkad	Old	MRAC - 1(0+1)	MRAC - 1(0+1)	May not be Recommended due to 1. Power: Available - 18 KW, Required - 29.24 KW (4.8x2 for MMV + 3x2	ITI needs to remove the deficiencies mentioned in column VI and send the report through State Directorate.

[Signature]
19/14

[Signature]
19/14

PR32000317				for DC + 6.82x2 for MRAC)	2. Staff qualification, experience and CITS details not available
------------	--	--	--	------------------------------	---

8. State: Madhya Pradesh total cases submitted 05 (New - 01 & Existing - 04)

S. no.	ITI's Name/ #MIS Code / *App. Number	Type of app. Existing / New	Trades/Units sought for affiliation	Recommendation of Trade / Units by inspection cum verification committee (ICVC) &	Remarks by Scrutiny Team (TC-section) at DGT Hqrs.	Remarks by Standing Committee on Accreditation and Affiliation (SCAA)
1.	Bansal Pvt. ITI, Khategaon 138, Neemawar Road, Khategaon, Distt. Dewas PU23000473	Old	Electrician - 3(1+1+1) Fitter - 3(1+1+1) Stenographer Secretarial Assistant (Hindi) - 3(1+1+1)	Electrician - NR Fitter - NR Stenographer Secretarial Assistant (Hindi) - NR	1. Machinery partially available. 2. Space not as per norms 3. Teaching staff not adequate 4. Load not sufficient to run new trades. 5. Insufficient hand Tools are noticed in Fitter and Electrician Trades. Hydraulic and Pneumatic kits are not available in Fitter Trades. In place of "all geared Lathe" pulley type lathe is available in Fitter Trade. NOT Recommended	Not Recommended.
2.	B S M Private ITI, Near Jain Temple Lidhora Dist. Tikamgarh 472331, PR23000829	Old	Stenographer & Secretarial Assistant	-	-	This case to be dealt separately due to portal related issue. Misc. Agenda
3.	Gyanveer Pvt. ITI, Sagar Gyanveer Pvt. Iti, Raighat	Old	Stenographer Secretarial Assistant (Hindi) - 2(1+1)	Stenographer Secretarial Assistant (Hindi) - 2(1+1)	1. Machinery bill in the name of Gyanveer public	The ITI needs to give following clarification / documents within 10 days from the date


19/4


19/4.

	Road,Sagar-470002 PU23000448				school instead of gyanveer pvt ITI. 2.Qualification and Experience documents are not attached.	of issue of this minutes through State Directorate.. 1. Machinery bill in the name of Gyanveer public school instead of gyanveer pvt ITI. 2.Qualification and Experience documents are not attached.
4.	Mata Seetadevi Private ITI, Chhatarpur PU23000448	Old	Stenographer Hindi - Electrician	Only SCVT report available	ITI with same name already available on same address, report not submitted by NCVT and SCVT member	Not Recommended.
5.	Kamtanath Private ITI, Dabra PU23000567	Old	Stenographer Secretariat Assistant (Hindi) - 3(1+1+1)	Stenographer Secretariat Assistant (Hindi) - 3(1+1+1)	1. Building plan not available, Completion Certificate by Chartered Engg. is available 2. Staff qualification and experience details not available	ITI needs to submit BCC and Staff details through State Directorate to DGT Hqrs. Within 15 days from the issue of this minutes. After getting the BCC & Staff details, the case may be put up in the next meeting.

08. State: Maharashtra Total Cases Submitted 6 (New-6 & Old-0)


S. No.	ITI's Name/ #Mis Code / *App. Number	Type Of App. Existing / New	Trades/Units Sought For Affiliation	Recommendation Of Trade / Units By Inspection Cum Verification Committee (Icvc) &	Remarks By Scrutiny Team (Tc-Section) At Dgt Hqrs.	Remarks By Standing Committee On Accreditation And Affiliation (Scaa)
1.	SKD Private Industrial Training Institute, GAT NO 104 DEOLA NASHIK HIGHWAY AT POST BHAVADE TAL DEOLA DIST NASHIK-423102 TMP27487PR1 580191455	New	Electrician-2(1+1) Fitter-2(1+1) Plumber-2(1+1) Welder-2(1+1)	Electrician-2(1+1) Fitter-2(1+1) Plumber-2(1+1) Welder-2(1+1) NCVT comments: 1. lathe and grinder, drilling machine need proper foundation. Hydraulic and pneumatic trainer kit available but not installed.	1. Inspection team agreed in report, Disagreed in Annexure-III forwarded by State. 2. Land lease valid upto 11.03.2046 in the name of M/s Sanjay Karbhari Deore, a Public Trust 3. Power: available KW 26.11 Required	Recommended for joint re-inspection due to difference in inspection report and Annexure-III.

[Signature]
19/4

[Signature]
19/4

				<p>2. Internet connection modem found, but not working as on date of inspection</p>	<p>KW. 26.71 Demand letter submitted to EB for increasing KW up to 33KW 4. BCC available however Building Plan is not attached 5. Appointment letters of 6 instructors including principal is uploaded, however, qualification and experience documents are not uploaded 6. For Fitter and electrical trades bills, all tools and equipments, machinaries found. 7. Plumber and welder Trade only bills found, machinaries, tool and equipments not found in workshop 8. lathe and grinder, drilling machine need proper foundation. 9. Hydraulic and pneumatic trainer kit available but not installed 10. Internet connection modem found, but not working as on date of inspection 11. Drawing boards not as per standard</p>	
2.	SOMAYYA PRIVATE ITI, CHANDRAPUR Private Industrial Training	New	Electrician - 4(2+2) Fitter - 2(1+1)			ITI already exist at this address with MIS Code PU27000871. And case was the rejected in 17 th Recommendation Committee Meeting held on 11.12.2020.

 19/14


19/14

	Institute, CHANDRAPUR TMP27473PU1 581057336				
3.	JAGAT JYOTI Private Industrial Training Institute, HINGOLI TMP27477PR1 581231425	New	Electrician- 2(1+1+0) Fitter- 2(1+1+0) Wireman - 2(1+1+0) COPA - 2(1+1+0)		Already recommended in 17 th Recommendation Committee Meeting held on 11.12.2020.
4.	MARKANDEYA Private ITI, YAVATMAL TMP27500PR1 580055041	New	Electrician- 2(1+0+1) Fitter- 2(1+0+1) COPA - 2(1+0+1)		ITI was already rejected in 22 nd Recommendation Committee Meeting held on 23.02.2021.
5.	MAULI Private ITI, LATUR TMP27481PR1 582822272	New	Electrician- 4(2+2+0) Wireman- 2(1+1+0) Welder - 2(1+1+0) Mechanic Diesel - 2(1+1+0)		ITI was already rejected in 16 th Recommendation Committee Meeting held on 25.11.2020.
6.	KESHAVRAO SHENDE PRIVATE INDUSTRIAL TRAINING INSTITUTE, NAGPUR TMP27484PR1 581006215	New	Electrician- 2(1+1+0) Fitter- 2(1+1+0) Electronic Mechanic- 2(1+1+0) COPA - 2(1+1+0)		ITI was already recommended in 17 th Recommendation Committee Meeting held on 11.12.2020. ITI MIS Code is PR27001014.

09. State: Odisha Total Cases Submitted 9 (New-2 & Old-7)

S. No.	ITI's Name / #Mis Code / *App. Number	Type Of App. Existing / New	Trades/Units Sought For Affiliation	Recommendation Of Trade / Units By Inspection Verification Committee (Icvc) & Cum	Remarks By Scrutiny Team (Tc-Section) At Dgt Hqrs.	Remarks By Standing Committee On Accreditation And Affiliation (Scaa)
1.	GOVT. ITI BHANDARIPOK HARI Govt. ITI, AT-KAHARAPOKHARI, PO-BHANDARIPOK HARI, DIST-BHADRAK PIN-756120 TMP21348GR1 582807748	New	(COPA)-3(1+1+1) Electrician-3(1+1+1) Fitter-3(1+1+1) Mechanic Motor Vehicle (MMV)- 3(1+1+1)	(COPA)-3(1+1+1) Electrician-3(1+1+1) Fitter-3(1+1+1) Mechanic Motor Vehicle (MMV)- 3(1+1+1)	May be recommended (COPA)-2(1+1) Electrician-2(1+1) Fitter-2(1+1) Mechanic Motor Vehicle (MMV)- 2(1+1)	Recommended (COPA)-2(1+1) Electrician-2(1+1) Fitter-2(1+1) Mechanic Motor Vehicle (MMV)- 2(1+1)


19/14



19/14


2.	Govt. Industrial Training Institute, Rayagada At- Kotur, village, Near Masarshi Vidiya Mandir, RAYAG ADA-765001 GR21000497	Old	(COPA)-2(1+1) Dress Making-2(1+1)	(COPA)-2(1+1) Dress Making- Not recommended due to non-availability of machinery.	May be recommended (COPA)-2(1+1) Dress Making- NR	Recommended (COPA)-2(1+1) Dress Making- Not recommended.
3.	Govt Industrial Training Institute, Barbil At - Barbil Po:- Matkambeda KENDUJHAR-758036 GU21000498	Old	fitter -4(2+2) Electrician -4(2+2) Sewing Tecchnology-2(1+1) Mechanic Diesel-2(1+1)	Fitter -4(2+2) Electrician -4(2+2) Sewing Tecchnology-2(1+1) Mechanic Diesel-2(1+1) NCVT member remarks : number of trades and units required physical inspection is required for approval	Remarks of scrutiny team: SSDEC may conduct a meeting and take decision regarding physical inspection.	SSDEC may conduct a meeting and take decision regarding physical inspection.
4.	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, LAXMIPUR AT-LAXMIPUR, POST-LAXMIPUR KORAPUT-764055 GR21000604	Old	Sewing Technology-2(1+1)	Sewing Technology-2(1+1) Affiliation can be granted only after procurement of whole tool list and hiring of teaching staff for sewing trade.	May be recommended Sewing Technology-2(1+1) Affiliation can be granted only after procurement of whole tool list and hiring of teaching staff for sewing trade.	Recommended Sewing Technology-2(1+1) Subject to procurement of whole tool list and hiring of teaching staff for sewing trade. Relevant documents may be submitted to DGT within 15 days from the date of issue of the Minutes.
5.	Govt. Industrial Training Institute, O.T Road, Angaragadia, Balasore-756001 GU21000524	Old	Electrician-2(0+0+2) Electronics Mechanic-1(0+0+1) Information & Communication Technology System Maintenance-2(0+1+1) (COPA)- 2(1+1)	(COPA)- 2(1+1) Mechanic Refrigeration and Air Conditioner-2(1+1+0) Trades at Sl. No.1,2,3 are not considered being request for 3rd shift.	May be recommended (COPA)- 2(1+1) Mechanic Refrigeration and Air Conditioner-2(1+1)	Recommended (COPA)- 2(1+1) Mechanic Refrigeration and Air Conditioner-2(1+1)

[Signature]
19/4

[Signature]
19/4

			Mechanic Refrigeration and Air Conditioner- 3(1+1+1)			
6.	Govt Industrial Training Institute, At/Po- Madhupatna CUTTACK- 753010 GU21000527	Old	Mechanic Auto Body Painting- 2(1+1) Mechanic Auto Body Repair- 2(1+1) Technician Mechatronics- 2(1+1)	Mechanic Auto Body Painting- 2(1+1) Mechanic Auto Body Repair- 2(1+1) Technician Mechatronics- 2(1+1)	May be recommended Mechanic Auto Body Painting- 2(1+1) Mechanic Auto Body Repair- 2(1+1) Technician Mechatronics- 2(1+1)	Recommended Mechanic Auto Body Painting- 2(1+1) Mechanic Auto Body Repair- 2(1+1) Technician Mechatronics- 2(1+1)
7.	Govt. ITI Pottangi AT-PO-Pottangi KORAPUT- 764039 GR21000613	Old	(COPA)-2(1+1)	(COPA)-2(1+1)	May be recommended (COPA)-2(1+1) Subject to availability of IT lab for other existing trades.	Recommended (COPA)-2(1+1) Subject to availability of IT lab for other existing trades. ITI need to submit the details within one month from the date of issue of the minute.
8.	Govt. ITI, Kotpad At/Po ; Ko d , Dist : Korapu KORAPUT- 764058 GU21000612	Old	Sewing Technology- 2(1+1)	Sewing Technology- 2(1+1)	May be recommended Sewing Technology-2(1+1)	Recommended Sewing Technology-2(1+1)
9.	GOVT. ITI NANDAPUR Govt. Industrial Training Institute, KORAPUT TMP21363GR1 582885623	New	Fitter- 3(1+1+1) Electrician- 3(1+1+1) Welder(GMAW & GTAW)- 3(1+1+1) Computer Operator and Programming Assistant (COPA)- 3(1+1+1)	Fitter- 2(1+1) Electrician- 2(1+1) Welder(GMAW & GTAW)- NR Computer Operator and Programming Assistant (COPA)- NR Affiliation for COPA and Welder trade is NOT RECOMMENDED due to none availability of Tools, equipment and machineries.	May be recommended Fitter- 2(1+1) Electrician- 2(1+1) Welder(GMAW & GTAW)- NR Computer Operator and Programming Assistant (COPA)- NR	Being LWE ITI Recommended Fitter- 2(1+1) Electrician- 2(1+1) Tools and equipments for following two trades Welder(GMAW & GTAW) Computer Operator and Programming Assistant (COPA)

 19/4

 19/4

To be purchased within one month and submit the proof to DGT HQ so that in next meeting these two trades may be recommended.

10. State: Tamil Nadu Total Cases Submitted 3 (New-2 & Old-1)

S. No.	ITI's Name/ *Mis Code / *App. Number	Type Of App. Existing / New	Trades/Units Sought For Affiliation	Recommendation Of Trade / Units By Inspection Cum Verification Committee (Icvc) &	Remarks By Scrutiny Team (Tc-Section) At Dgt Hqrs.	Remarks By Standing Committee On Accreditation And Affiliation (Scaa)
7.1.	ANNAMALAYAR PRIVATE INDUSTRIAL TRAINING INSTITUTE, TIRUVANNAMALAI, CHETPET TO POLUR ROAD, MODAIYUR VILLAGE AND POST, POLUR TALUK, TIRUVANNAMALAI DISTRICT-606902, TIRUVANNAMALAI, TAMIL NADU. TMP33593PR1 581577280	New	1. Wiremen-2(1+1) 2. Computer Hardware & Network Maintenance-2(1+1) 3. Electrician -2(1+1) 4. Fitter-2(1+1) 5. Mechanic Motor Vehicle (MMV)-2(1+1) 6. Plumber -2(1+1) 7. Surveyor-2(1+1) 8. Welder -2(1+1) 9. Mechanic Refrigeration and Air Conditioner -2(1+1) 10. Fire Technology and Industrial Safety Management. -2(1+1)	1. Wiremen-2(1+1) 2. Computer Hardware & Network Maintenance-2(1+1) 3. Electrician -2(1+1) 4. Fitter-2(1+1) 5. Mechanic Motor Vehicle (MMV)- 2(1+1) 6. Plumber -2(1+1) 7. Surveyor-2(1+1) 8. Welder -2(1+1) 9. Mechanic Refrigeration and Air Conditioner -2(1+1) 10. Fire Technology and Industrial Safety Management. -2(1+1)	1. CITS trained instructors are not available. 2. ITI opened in Engineering college. 3. Machinery and equipment shown for only six trades. 4. NOC from AICTE required.	ITI need to remove the deficiencies mentioned in column VI and submit the report through State Directorate.
8.2.	NEW MURUGAN Private Industrial Training Institute, TIRUVANNAMALAI	New	Fitter -2(1+1) welder -2(1+1) Electrician -2(1+1) wiremen Mechanic motor vehicle-2(1+1)	Fitter -2(1+1) welder -2(1+1) Electrician -2(1+1) wiremen Mechanic motor vehicle-2(1+1)	1. CITS trained 2. ITI in spare capacity at Cheyyar Polytechnic College and NOC is required from AICTE.	ITI need to remove the deficiencies mentioned in column VI and submit the report through State Directorate.

[Signature]
19/4

[Signature]
19/4

	TMP33593PR1 581587036					
3.	HOLY SABARI SASTHA PVT ITI 76 A, Kachirayapalay am Road PR33000416	Old	MMV - 2(1+1) Electrician- 2(1+1)	MMV - 2(1+1) Electrician- 2(1+1) Agree , Not Recommended for affiliation	Not Recommended as no infrastructure available	Not recommended.

11. State: Uttar Pradesh Total Cases Submitted 30 (New-19 & Old-11)

S. No.	ITI's Name/ #Mis Code / *App. Number	Type Of App. Exist ing / New	Trades/Units Sought For Affiliation	Recommendation Of Trade / Units By Inspection Cum Verification Committee (ICVC) &	Remarks By Scrutiny Team (Tc-Section) At DGT Hqrs.	Remarks By Committee Accreditation Affiliation (SCAA)	Standing On And
10.	Kamta Nath Private ITI, Banda Vill-Parsaunda (Barethi Askaran) Post- Parsaunda Dist- Banda-210001 TMP9128PR15 81666695	New	Electrician - 6(2+2+2) Fitter - 6(2+2+2) (COPA) - 3(1+1+1) Health Sanitary Inspector - 3(1+1+1)	Electrician - 6(2+2+2) Fitter - 6(2+2+2) (COPA) - 3(1+1+1) Health Sanitary Inspector - 3(1+1+1)	1. Building plan, not available 2. CITS trained/Experien ced instructor detail not available	Conditionally Recommended Electrician - 6(2+2+2) Fitter - 6(2+2+2) (COPA) - 3(1+1+1) Health Sanitary Inspector - 3(1+1+1) Subject to submit the following document within 15 days from the date of issue of this minute through State Directorate. 1. Building plan, not available 11. CITS trained/Experienced instructor detail not available	
2.	Maharajgang Pvt ITI Brijmangang Maharajgang First Block: Details Block: Brijmangang District: Maharajgang, TMPOLD323 MSTI	New	Electrician - 4(2+2)	Electrician - 4(2+2)	1. Applicant MSTI is required to apply for minimum one long term and one short term course. 2. NOC from State Directorate for MSTI is not provided.	MSTI need to remove all the deficiencies as mentioned in column VI and send the report through State Directorate.	


1/14


1/14

					3. BCC is not provided.	
3.	Swami Vivekanand College Of Higher Education Pvt ITI, Swami Vivekanand College Of Higher Education Pvt ITI, Kataha Dal Narayanpur, Unnao-209861,		<p>Beautician-3(1+1+1)</p> <p>Fashion Design & Technology-3(1+1+1)</p> <p>COPA-3(1+1+1)</p> <p>Cutting & Sewing (VI)-3(1+1+1)</p> <p>Cad-Cam Operator-Cum Programmer-3(1+1+1)</p> <p>Retail Assistance-3(1+1+1)</p>	<p>Beautician- NR</p> <p>Fashion Design & Technology- NR</p> <p>COPA-NR</p> <p>Cutting & Sewing (VI)-NR</p> <p>Cad-Cam Operator-Cum Programmer-NR</p> <p>Retail Assistance-NR</p> <p>ITI Not fulfilling the affiliation norms as required related details given above at so.no. 1 to 21,</p>	<p>1.Beautician, Cad Cum operator and programmer, Retail assistant are ATS courses 2 Five computers are not working in stenographer Hindi lab.</p> <p>3. General shop outfit machine not working at so.no. 180,184,185,202, 205 and 206 in Diesel mechanic trade.</p> <p>1.Shortage of items at so no.3,7,10,14,17,21,22 & 38 in stenographer trade.</p> <p>4. Shortage of items at so.no.182,186,188,191,197,199,200,203 & 204 in DM trade.</p> <p>4.Shortage of items at so.no.135,145-147, etc1</p> <p>. Machinery bills are found but bank payment details are not provided by the Institute.</p> <p>5. Safety measures are not as per norms.</p> <p>6. Infrastructure (DH and IT Lab) is not as per norms</p>	Not Recommended due to deficiencies mentioned in column VI.
4.	Ideal Private ITI, Village & Post-Jasar Sultan Nagar Police Station-Sarurpur Khurd Teh-	New	<p>Electrician - 6(2+2+2)</p> <p>Fitter - 6(2+2+2)</p> <p>(COPA) - 3(1+1+1)</p> <p>Health Sanitary</p>	<p>Electrician - NR</p> <p>Fitter - NR</p> <p>(COPA) - NR</p>	<p>1.Electrician: oil cooled 3 phase transformers were not available</p> <p>2.HSI: Refrigerator bill was with person</p>	Not recommended. ITI needs to remove the deficiencies and send the report through State Directorate..

[Signature]
17/4

[Signature]
17/4

	Sardhana Distt- Meerut-250344 TMP9169PR15 80714046		Inspector - 3(1+1+1)	Health Sanitary Inspector - NR	name while other machines bill is with Trust or ITI Name 3.iteam no17 Microwave not available 4.less in power norms, required kw 19.67 available 18.87 kw 5.Machinery Bill was paid via personal account of trust member , Trust or ITI do not have its account	
5.	Uma Shankar Shukla Pvt ITI, Bhulanpur, Behjam, Lakhimpur, Kheri-261501, TMPOLD338 MSTI	New	Electrician - 4(2+2) Fitter - 2(1+1)	Electrician - NR Fitter - NR Comments from SCVT: 1-Store room and staffroom are not available. 2-In both trades bills for few items are not available in original form and their mode of payment is cash and few machinery and tools are unavailable. Comments from NCVT: In both trade bills for some items are not available in original form and their mode of payment is in cash and few Machinery / Tools are not available.	1. Some machinery are not installed properly at the time of inspection. 2. Some Items as per tool list not present as per tool list. 3.CITs trained instructors not available. 4. NOC from the State Directorate. 5. Some original bills not submitted.	Applicant MSTI needs to removed the deficiencies as mentioned in column VI and submit documents through State Directorate.
6.	Rakhi Memorial Private ITI, Asfabad Bijnor., Bijnor, 1809023990	New	Electrician - 3(1+1+1) Fitter - 3(1+1+1) COPA - 3(1+1+1) H.S.I - 3(1+1+1)	Electrician - 3(1+1+1) Fitter - 3(1+1+1) COPA - NR H.S.I - 3(1+1+1) Comments from NCVT: No BCC available for ITI. Building plan is not approved. COPA may not be considered due to	1. No BCC Available For ITI. Building Plan Is Not Approved. 2. In COPA Trade 50% Shortage Of Tools & Equipment. 3. All The Instructors Are Also Not Available Physically At The Time Of Inspection.	Not Recommended due to the short comings mentioned in column VI.

[Signature]
19/4


[Signature]
19/4

[Signature]

51

				shortage of tools & equipment.		
7.	Baba Sant Gadage Pvt ITI Block : Khadda District: Kushinagar, Khadda, Kushi Nagar, TMPOLD322 MSTI	New	Electrician- 4(2+2)	Electrician- 4(2+2)	1. No qualification and experience details of staff uploaded. 2. Drawing table not proper. 3. NOC from State Directorate for MSTI is not provided	Conditionally recommended Electrician- 4(2+2) Subject to condition that MSTI will remove the deficiencies mentioned in column VI and submit the report through state directorate within 15 days from the date of issue of the minute.
8.	Neeam Collage Of Engineering & Technology,, Agra 27 Km Stone Village Korai Kiraoli, Agra, Agra, POLYTECHNICO 4	New	Fitter - 3(1+1+1) Electrician - 6(2+2+2)	NCVT-Agree, recommended for affiliation SCVT-Agree, electrician (2+2), fitter (1+1), hsi(1+1), copa(1+1) recommend for affiliation	1. Two meters supplying electricity of 66 KVA to entire institute 2. Building occupancy certificate attached, approved layout not attached 4. CITS pass instructors details not available	The applicant ITI need to clarify whether ITI applied for two trades or four trades. Share the time table of ITI and Polytechnic and send the report through State Directorate.
9.	Swargiya Beche Lal Memorial Pvt ITI, Village- Kamipur Post Balamau Block- Kachhauna District- Hardoi- 241126 TMP9150PR15 82199453	New	Electrician - 4(2+2) Fitter - 4(2+2)	Electrician - NR Fitter - NR	1. BCC not available. 2. No drawing hall. 3. Running of machinery not shown due to non availability of power. 4. No UPS in IT Lab. 5. No power backup. 6. Total area of ITI less than required. 7. Experience certificate of staff not provided.	Not Recommended. Applicant ITI advise to upgrade to four trades.
10.	Rashtrakavi Maithilisharan Gupt Private Industrial Training	New	Electrician 12(4+4+4) Fitter - 2(1+1)	Electrician - 12(4+4+4) Fitter - 2(1+1)	1. Building Plan not available, BCC signed by Architect is uploaded	Applicant ITI needs to remove the short coming as mentioned in column VI and submit the proof/documents through State Directorate


19/14


19/14

	Institute, Behind Power House, Main Road, Chirgaon, Jhansi-284301 TMP9153PR15 80813042		Stenographer Secretarial Assistant (Hindi) - 2(1+1) Health Sanitary Inspector - 2(1+1)	Stenographer Secretarial Assistant (Hindi) - 2(1+1) Health Sanitary Inspector - 2(1+1)	2. Qualification /Experience documents not available 3. Adequate machinery not available for Health sanitary inspector 4. universal motor not available	within 20 days from the date of issue of the minutes.
11.	Shri Ram Singh Niranjan Erar, Jalaun,	New	Electrician 6(2+2+2) Fitter - 6(2+2+2) COPA - 3(1+1+1) Fashion & Technology - 3(1+1+1)	Electrician - NR Fitter - NR COPA - NR Fashion & Technology - NR Inspection is carried out by NCVT member only.	1. inspection is carried out by NCVT member only. 2. BCC not available. 3. No separate IT Lab. 4. No Drawing hall. 5. Area for labs not as per norms. 6. Building was not plastered specially labs. 7. NO water purifier, no fire safety norms like bucket, fire exit signage on first floor no boundary wall. 8. Electrical Lab was TIN shaded. 9. On few equipment's a different collage name was written.	Recommended for joint re- inspection as the inspection is carried out by NCVT member only.
12.	Maa Saraswati Pvt ITI Bhaluani Deoria, Bhaluani Deoria, TMPOLD312	New	ELECTRICAN 4(2+2) Power Distribution Early Childhood educator - 4(2+2)	ELECTRICAN - NR Power Distribution Early Childhood educator - NR	1. BCC not available 2. Building plan not approved by any government authority 3. Power not adequate for proposed trade. 4. Annexure 3 not 5. Machinery partially available 6. Hand tools	Not Recommended.

[Signature]
19/4

[Signature]
19/4

					available only for one (1+1) unit. 7. Details of teaching staff not available.		
13.	Raj Adarsh Private ITI, Sultanpur Vill-Sisouda Post-Mahmoodpur Semri TMP9185PR15 80017601	New	Electrician 6(2+2+2) Fitter - 2(1+1) (COPA) - 2(1+1) Health Sanitary Inspector - 2(1+1)	-	Electrician - 6(2+2+2) Fitter - 2(1+1) (COPA) - 2(1+1) Health Sanitary Inspector - 2(1+1)	1. No trainer available for Health sanitary Inspector. 2. Details documents of CITS trained staff not available.	Conditionally Recommended Electrician - 4(2+2) Fitter - 2(1+1) (COPA) - 2(1+1) Health Sanitary Inspector - 2(1+1) ITI needs to provide following documents as mentioned in Coolum VI within 15 days from the issue of this minutes through State Directorate.. 1. Details of trainer available for Health sanitary Inspector. 2. Details documents of CITS trained staff not available.
14.	Subhawati Sheetal Prasad Private ITI, Basti Village & Po.-Bhangura, Kalwari, 272301 TMP9131PR15 81953612	New	Electrician 3(1+1+1) Solar Technician (Electrical) 3(1+1+1) Fitter - 3(1+1+1) (COPA) - 3(1+1+1)	-	Electrician - NR Solar Technician (Electrical) - NR Fitter - NR (COPA) - NR Remarks of the Inspection committee in Annexure - III: 1. The ITI is still in the construction phase and the railings are not there for stairs which can endanger the safety of students. 2. 70% deficiency in COPA trade and 30% deficiency in all other trades.	May Not be Recommended. Remarks of the Inspection committee in Annexure - III: 1. The ITI is still in the construction phase and the railings are not there for stairs which can endanger the safety of students. 2. 70% deficiency in COPA trade and 30% deficiency in all other trades.	Not Recommended. ITI need to remove the deficiencies.

 19/4

 19/4

15.	S.R. Private Industrial Training Institute, Village Maikpur Bhuta Bareilly TMP9130PR15 80292573	New	Electrician - 2(2+0) Computer Operator and Programming Assistant (COPA) - 2(2+0) Architectural Draughtsman - 2(2+0) Mechanic Refrigeration and Air Conditioner - 2(2+0) Health Sanitary Inspector - 2(2+0) Radiology Technician - 2(2+0)	Comments from NCVT : Not Recommended RAC (1+1) Architectural Draughtsman (1+1) Comments from SCVT: Recommendation for Trade 1. Electrician (1+1)=2 2. Copa (1+1)=2 3. Radiology Technician (1+1)=2 4 Health & Sanitary Inspector (1+1)=2	1. Building plan and completion certificate is not clear. 2. Power: Electricity bill in the name of M/S SRTITI X/O RATAN PAL SINGH, Available - 10.89 KW (33 KVA*0.33), Required - 29.47 KW	Applicant ITI needs to enhance the power load and submit the details through State Directorate along with BCC and Building Plan within twenty days from the date of issue of this minute.
16.	Suresh Mishra Private ITI Singhahi Road , In Front Of Pwd Guest House, Nighasan, Lakhimpur Kheri- 262701 PR09900103	Old	Electrician - 6(2+2+2) Fitter - 3(1+1+1)	Inspection done by institutional Representative only	Inspection done by institutional Representative only	Recommended for joint Re-inspection. As inspection is done by institutional representative only and it is observed that document of another ITI (Uma Shankar Pvt. ITI) are uploaded.
17.	Mandeep Private ITI Geeta Colony (Shankar Vihar) Aligarh-202001 PU09900402	Old	Electrician - 6(2+2+2) Fitter - 3(1+1+1)	Electrician - NR Fitter - NR	May not be recommended due to following discrepancies: 1. Workshop shortage of tool equipment and machine not installed 2. Details of CITS trained instructor not available 3. Student record and Trainer Record not properly maintained 4. ITI Grade less than 1.25 i.e. 0.82 5. For existing units electricity consumption is low	Not recommended.

[Handwritten Signature]
19/14

[Handwritten Signature]
16/14

					6. Institute is running in residential premises.		
18.	Swami Somnath Private ITI , Swami Somnath Private ITI , Shahpura Manpur Baheri,Bareilly-243201 PU09002160	Old	Electrician 6(2+2+2)	-	Electrician - NR Remarks of inspection committee in Annexure-III: Bill amount is deducted from ITI account and again on next day deposited in ITI Trust account by the Biller. Only 10% payment proofs are available. ITI has produced fake bills. Salary paid to staff by cash.	May not be recommended. Remarks of inspection committee in Annexure-III: Bill amount is deducted from ITI account and again on next day deposited in ITI Trust account by the Biller. Only 10% payment proofs are available. ITI has produced fake bills. Salary paid to staff by cash.	Not recommended.
19.	Sri Bhagwat Balram Private ITI, Godhaura Ghazipur Road Azamgarh(Up)-276131 PU09900528	Old	Electrician 20(6+6+8) Fitter - 2(0+0+2)	-	Electrician - NR Fitter - NR Disagree, ITI running with 2 trades only. For additional units shortage of tools, area . So Not Recommended for additional units in both trades. ITI needs to apply for reaffiliation with mini. 4 trades	May not be recommended due to following discrepancies: 1. Workshop not as per norms 2. Drawing Hall not as per norms 3. GST Invoice with payment proof not available 4. Machinery not working properly 5. Instructor with CITS and relevant experience not available 6. Dead Stock Register not maintained properly. 7. Raw Material consumption	Not recommended.

[Signature]
19/4

[Signature]
19/4

					register not maintained properly. 8. Staff and Student attendance not maintained properly 9. Student records not maintained properly 10. Library Not as per norms 11. Details of classroom and workshop area not available	
20.	Gyanganga Private ITI Deodeep Building, Near Chandi Tiraha, Robertsganj-Sonbhadra-231216 PU09900257	Old	Electrician - 9(3+3+3) Fitter - 3(1+1+1)	Electrician - 9(3+3+3) Fitter - 3(1+1+1)	May be recommended Electrician - 6(3+3) Fitter - 2(1+1) subject to submission of following documents/details: 1. Approved Layout Plan required. 2. CITS Pass Instructor details not available	Conditionally recommended Electrician - 6(3+3) Fitter - 2(1+1) subject to condition that ITI will submit the following documents/details within 15 days from the date of issue of the minutes through State Directorate: 1. Approved Layout Plan required. 2. CITS Pass Instructor details not available
21.	Saraswati Private ITI, Turakiya(Nehar), Achhnera, Agra- 283101 PR09000316	Old	Electrician - 4(0+0+4) Fitter - 4(1+1+2)	Electrician - 4(0+0+4) Fitter - 4(1+1+2)	May be recommended Fitter - 2(1+1) Electrician & Fitter third shift not recommended. ITI need to submit details of biometric device for attendance.	Recommended Fitter - 2(1+1) Electrician & Fitter third shift not recommended. ITI need to submit details of biometric device for attendance within 15 days from the date of issue of this minutes.
22.	Shri Ram Private Itc - Ambedkar Nagar Achhti Block Ram Nagar	Old	Electrician-6(2+2+2) Fitter-1(0+0+1)	Electrician-6(2+2+2) Fitter-1(0+0+1) Agree , After Sanctioning of 14KW of Electrical Load	May be approved conditionally: Electrician-4(2+2)	Conditionally approved : Electrician-4(2+2) Electrician & Fitter third shift not recommended

[Signature]
19/14

[Signature]
19/14


	Ambedkar Nagar- 224129 PR09001452				Electrician & Fitter third shift not recommended Subject to submission of latest electricity bill with electric load as per DGT norms.	Subject to submission of latest electricity bill with electric load as per DGT norms within one month from the date of issue of the minutes through State Directorate.
23.	Computer Private ITC - Kanpur Nagar 117/509, Pandu Nagar, Kanpur 208005 PR09001522	Old	Fitter - 3(1+1+1) Electrician - 3(1+1+1)	Fitter - 3(1+1+1) Electrician - 3(1+1+1)	May be recommended for : Fitter - 2(1+1) Electrician - 2(1+1)	Recommended: Fitter - 2(1+1) Electrician - 2(1+1)
24.	D.P. Pandey Private ITC - Gonda Village: Bagdar Grantpost: Sabarpur District: Gonda- 271313 PR09000654	Old	Electrician - 4(1+1+2) Fitter - 1(0+0+1)	NCVT member remarks: DisAgree ,IT lab flooring not as per the standard, staffs not having CITS qualification, sign boards not fixed, sufficient toilets not available, IGBT based drive - speed control shows only on display.. SCVT member remarks: Agree , Recommendation for Electrician 2 unit	May be recommended for re-inspection as the recommendation of NCVT and SCVT are not matching as per their reports.	Recommended for joint re-inspection.
25.	Global Private ITI Ram Nagar Mazra Near Deer Park Rampur Road Moradabad- 244001 PR09900349	Old	Electrician - 16(8+8) Physiotherapy- 2(1+1)	Agree , Standing committee recommended affiliation for trade Electrician new units 16 (08+08) and new trade of physiotherapy 02 (01+01)	May be recommended : Electrician - 16(8+8) Physiotherapy- 2(1+1)	Recommended: Electrician - 16(8+8) Physiotherapy- 2(1+1)
26.	Major General Gurbaksh Singh Gill ITC - Rampur Vill. Sarakthal, Po.	Old	Electrician - 2(1+1)	Electrician - 2(1+1) Agree, Subject to rectification of following.	May be recommended Electrician - 2(1+1)	Conditionally recommended Electrician - 2(1+1)

[Handwritten Signature]
19/14

[Handwritten Signature]
19/14

	Peepli Nayak Teh. Tanda, Block, Rampur-244925 PR09001360			1.Engineering drawing tables need to be procured as per norms. 2.One Electrician trade instructor need to be recruited as per norms.	Subject to submission of following details/documen ts:	Subject to condition that ITI will submit the following documents/details within 15 days from the date of issue of the minutes through State Directorate :
					1.Biometric machine not available. 2.Engineering drawing tables need to be procured as per norms. 3.One Electrician trade instructor need to be recruited as per norms	1.Biometric machine not available. 2.Engineering drawing tables need to be procured as per norms. 3.One Electrician trade instructor need to be recruited as per norms
27.	Raghuveer Ram Private Industrial Training Institute, Sonbhadra, Raghuveer Ram Industrial Training Institute Village Pasahi Khurd Post Tendu, Roberts Ganj Sonbhadra Uttarpradesh, Sonbhadra, Uttar Pradesh. TMP9184PR15 80383444	New	Electrician- 3(1+1+1) Fitter - 3(1+1+1) Welder - 3(1+1+1) Mechanic Diesel - 3(1+1+1)	Electrician- 3(1+1+1) Fitter - 3(1+1+1) Welder - 3(1+1+1) Mechanic Diesel - NR Agree, Welder, Fitter and Electrician trade affiliation may be granted but for Diesel Mechanic trade heavy machinery (vehicles) are shortage.	May not be recommended due to deficiencies given below : 1. Deficiency of Heavy machinery (Vehicle) in Mechanic Diesel trade.	Applicant ITI has to upgrade the mechanical diesel trade also and inform DGT HQ within one month from the date of issue of the minutes. Joint inspection will be arranged after receiving the above details/report from the applicant ITI.
28.	New Rameshwar Singh Pvt ITI,Vill-Sarkandi, Bindki,Dist-Fatehpur, TMPOLD333 MSTI	New		Disagree, ITI physically Not present	May not be recommended: ITI not present	Not recommended.
29.	S.G.R. Private ITI Indergarh, Firozabad	New	Electrician 3(1+1+1) Fitter - 3(1+1+1)	Electrician - NR Fitter - NR	May not be recommended due to :	Not recommended.


19/14


19/14

59

			COPA -3(1+1+1) Cutting swing technology - 3(1+1+1)	COPA -NR Cutting swing technology - NR	1. No inspection carried out today as ITI has informed that they are not aware of inspection date ITI has also requested to postpone the inspection. 2.	
30.	Pr Memorial Pvt Itc, Noorpur Bheta, Kishanpath Mohanlalganj, Lucknow -Uttar Pradesh A16000616	New	Electrician - 12(4+4+4)	Electrician - 12(4+4+4)	May not be recommended due to : 1. ITI is existing with same name at same address MIS code PR09900579. 2.As inspection is done by single member so not valid.	Not recommended.

12. State: West Benagl Total Cases Submitted 2 (New-2 & Old-0)

S. No.	ITI's Name / #Mis Code / *App. Number	Type Of App. Existing / New	Trades/Units Sought For Affiliation	Recommendation Of Trade / Units By Inspection Cum Verification Committee (Icvc) &	Remarks By Scrutiny Team (Tc-Section) At Dgt Hqrs.	Remarks By Standing Committee On Accreditation And Affiliation (Scaa)
1.	VIVEKANANDA Private ITI, Foundry Park,Haulibagan.Ranihati-Amta Road. P.OJalabiswanat hpur. Dist-Howrah-711322 TMP19313PR1 580984571	New	Electrician-6(2+2+2) Fitter-6(2+2+2) Foundryman-3(1+1+1) Health Sanitary Inspector-3(1+1+1)	Electrician-6(2+2+2) Fitter-6(2+2+2) Foundryman-3(1+1+1) Health Sanitary Inspector-3(1+1+1)	May be recommended Electrician-4(2+2) Fitter-4(2+2) Foundryman-2(1+1) Health Sanitary Inspector-2(1+1) ITI need to submit details of CITS trained instructors within 15 days from the date of issue of this minute through State Directorate	Recommended Electrician-4(2+2) Fitter-4(2+2) Foundryman-2(1+1) Health Sanitary Inspector-2(1+1) ITI need to submit details of CITS trained instructors within 15 days from the date of issue of this minute through State Directorate.

[Signature]
19/4

[Signature]
19/4

2.	SADATPUR Private ITI, At - Sadatpur, PO- Rakhajungle, PS- Kharagpur Local, Dist- Medinipur West, TMP19318PR1 581403093	New	Electrician- 6(2+2+2) Fitter- 6(2+2+2) Welder-3(1+1+1) Health Sanitary Inspector-3(1+1+1)	Electrician- 6(2+2+2) Fitter- 6(2+2+2) Welder-3(1+1+1) Health Sanitary Inspector-3(1+1+1) NCVT member remark - Agree , Above recommendation only if concerned ITI is ready to fulfilled the discrepancies. SCVT member remark- Agree , May be granted affiliation if shortfall of Fitter trade is considered.	1. Fitter trade not recommended as machinery in not adequate. 2. Electrician and welder trade (1+1) unit recommended only if Institution provides the non-skid floor in the workshop with Gangway and connect machines those of not connected to the Electric Supply.	ITI need to remove the discrepancies mentioned in column -VI and submit the report through state directorate to DGT Hq within 20 days from the issue of the minute.
----	--	-----	---	--	--	--


19/4


19/4