

E-48999

**DGT- Aff011(51)/10/2022 O/o Dir (TC)**  
Government of India  
Ministry of Skill Development and Entrepreneurship  
Directorate General of Training

Employment Exchange Building,  
1st floor, Pusa, New Delhi,  
Dated: 22.04.2022

To

The State Directorate

Andhra Pradesh, Bihar, Chhattisgarh, Gujarat, Kerala, Madhya Pradesh, Odisha, Tamil Nadu,  
Uttar Pradesh, **HP**


Subject: Affiliation of Units/Trades of Govt./Pvt. ITI with NCVT -regarding.

Sir,

As decided in the 1st meeting of Revised Standing Committee on Accreditation and Affiliation (SCAA) held on 05.04.2022 & 06.04.2022., the committee recommended trades/units for session w.e.f. August 2022, for the ITIs for the trades/units mentioned in the attached list. The affiliation is granted for five years from the date of issue of this order.


2. The DGT & State officer can inspect the ITI any time for better performance & training
  - (i) Periodic verification.
  - (ii) The ITI must comply with DGT norms/guidelines issued from time to time.
  - (iii) ITI must display the newly released logo of ITI on the Display Board at the main gate.
3. The said information is also available under "News & Updates" on NCVT MIS Portal at <https://ncvtmis.gov.in>.
4. Affiliation of Trades/Units mentioned in this order valid till the validity of affiliation of ITIs and ITI should apply for "Renewal of Affiliation" as per DGT Norms.
5. Discrepancies if any in the affiliation orders, may be intimated to the undersigned within 15 days of issue of this order.

Yours faithfully

  
(Sunil Kumar Gupta) 22/4/22  
Director of Training

Copy along with enclosures for information to:

1. Sr PPS to Chairman of 1st meeting of Revised Standing Committee on Accreditation and Affiliation (SCAA)-DGT.
2. Sr PPS to DDG (Affiliation).
3. The officer dealing with NCVT MIS: - To please upload the order on NCVT MIS portal

  
(P.M. Damodharam)  
Assistant Director of Training



DGT-AFF011(51)/10/2022-0/o DIR (TC)



STATE: Andhra Pradesh

Meeting Date: 05/04/2022

Total - 01, (New-00, Old-01)

Sl. no.	Name of Institute with address / MIS Code	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
1.	Sri Balaji Pvt. ITI, Vinukonda Narasarapet Road Vinukonda-522647  MIS Code: PU28000433	Existing	Electrician  Fitter	4(2+2)  2(1+1)	4(2+2)  2(1+1)	2(1+1)  2(1+1)	Recommended

*Sunil Kumar*  
22/4/22

*[Signature]*  
22/4

**STATE: Bihar**

**Meeting Date: 05/04/2022**

06

**Total – 20, (New-10, Old-10)**

Sl. no.	Name of Institute with address / Temp. no. / MIS Code	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instt.	Trade/Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
1	ABU BAKAR PRIVATE ITI, Tinpania, P.O Kheria, P.S Korha, Blok-Korha, Dist-Katihar, Bihar-854108, Katihar,  TMP 406 MSTI	NEW	Electrician	4(2+2)	NR	NR	Not Recommended as Informed by State Director Bihar This Applicant MSTI Falls Under Served Block.
			Fitter	4(2+2)	NR	NR	
2	Somya Private ITI, Vill-Saidpur Salha Barari, Tola-Sarahi , Ps-Shamho, Po-Salha Saidpur Barari ,Block-Shamho Akha Kurha , District-Begusarai ,Pin - 811106  TMP10191PR158046 9588	NEW	Electrician	4(2+2)	2(1+1)	NR	Not Recommended the ITIs needs to apply for minimum 04 trades as per DGT norms.
			Fitter	4(2+2)	NR	NR	

*Sunil Kumar*  
28/4/22

*[Signature]*  
28/4/22

**STATE: Bihar**

**Meeting Date: 05/04/2022**

06

**Total - 20, (New-10, Old-10)**

Sl. no.	Name of Institute with address / Temp. no. / MIS Code	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instt.	Trade/Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
3	DPS PVT ITI, Tikapur Kasba Dist-Purnea- Pin-854330, TMP 396 MSTI	NEW	Electrician	4(2+2)	NR	NR	Not Recommended due to: 1. Shortage of tool and equipment with mismatch in rating as per the syllabus and items available. 2. Building completion certificate not available. 3. Power Insufficient, Available- 14KW, Required 17.02KW. 4. Some computers non-functional in IT lab. 5. Workshop doesn't have proper industrial roof/RCC.
			Fitter	4(2+2)	NR	NR	
			Mechanic diesel	2(1+1)	NR	NR	

*Sanjita*  
22/4/22

*[Signature]* 22/4

**STATE: Bihar**

**Meeting Date: 05/04/2022**

*06*

**Total - 20, (New-10, Old-10)**

Sl. no.	Name of Institute with address / Temp. no. / MIS Code	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instit.	Trade/Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
4	Gopalganj Pvt. ITI, Manjha, Gopalganj, Bihar, Gopalganj, TMP 404 MSTI	NEW	Electrician	4(2+2)	NR	NR	Not Recommended due to: 1. It is a New institute seeking affiliation but there is no boundary wall, main gate, approach road also no proper flooring and electric wiring also no insulation matting for safety. 2. There was no Library, reading room, no sports facility 3. No Ramp for disabled, No disaster management plan. 4. MSTI NOC not available from state DET. 5. Fire safety certificate not provided.
			Fitter	4(2+2)	NR	NR	
5	Siya ITC, Saharsa Saharsa, Near Matasyagandha P.O, Dist- Saharsa- 852201  MIS Code: PR10000297	Existing	-	-	NR	NR	Not recommended due to Existing trade not have sufficient Machinery and T&E. Available space not matched with building layout plan.

*Sanil Kumar*  
22/4/22

*[Signature]*  
22/4

**STATE: Bihar**

**Meeting Date: 05/04/2022**

06

**Total - 20, (New-10, Old-10)**

Sl. no.	Name of Institute with address / Temp. no. / MIS Code	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instit.	Trade/Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
6	Mahatma Budh Private ITI-Imadpur, Rahui, Biharsharif, Nalanda  MIS Code: PR10000023	Existing	Electrician  Fitter	8(4+4)  4(2+2)	NR  NR	NR  NR	Not Recommended due to:  1. ITI don't have proper infrastructure tools and machinery, 2. All trade tools equipment missing NO, Transformers, Manual Winding Machine, Lamps, Phase sequence indicator, Function generator, etc. not available, and Generator with proper rating not available. 3. Some of the machines are not working properly, proper earthing norms not followed, shortage of Equipment in Fitter workshop and fitter equipment (Lathe machine etc.) not in working condition. 4. Shortage of power capacity required.

*Junika*  
27/4/22

*Junika*  
27/4/22

**STATE: Bihar**

**Meeting Date: 05/04/2022**  
06

**Total - 20, (New-10, Old-10)**

Sl. no.	Name of Institute with address / Temp. no. / MIS Code	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instt.	Trade/Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
7	Sri Vishnu Private ITI, Vansi Nagar, Gaya Road Islampur, Nalanda-  MIS Code: PR10000697	Existing	Electrician	8(4+4)	NR	NR	Not Recommended due to  1. Price mismatch of major machinery, all payments made in cash, S. No. 74,78,79,82-90,92,126 (c,e,h,i) 128,129 etc. missing in Bills. 2. Roof of workshop not as per norms, following equipment not available rubber mat, metal rack, bench vice not fitted, punching of machine and earthing not done, battery charger rating not available. 3. ITI does not have proper infrastructure tool equipment and machinery as per norms. 4. No Instructor CITS qualified, salary paid in cash.

*[Handwritten Signature]*  
22/4/22

*[Handwritten Signature]*

**STATE: Bihar**

**Meeting Date: 05/04/2022**

06

**Total - 20, (New-10, Old-10)**

Sl. no.	Name of Institute with address / Temp. no. / MIS Code	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
8	Vikramshila Private ITI At. Rojapar, P.O. Arwal, Bihar  MIS Code: PR10000396	Existing	Electrician	8(4+4)	NR	NR	Not Recommended due to:  1. few machineries & equipment was not working in existing trade units at the time of inspection. 2. Electrical Ports supply for equipment was not available. 3. less workbench was available as per norms for additional units. 4. Roof of Electrician workshop and Drawing hall roof not available as per norms for additional trade 5. Less area available in IT lab as per norms. 6. Boundary wall surrounding building structure was not available.

*Sunil Kumar*  
02/04/22

*[Signature]*





**STATE: Bihar**

**Meeting Date: 05/04/2022**

*06*

**Total - 20, (New-10, Old-10)**

Sl. no.	Name of Institute with address / Temp. no. / MIS Code	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instit.	Trade/Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
9	Integrated Infotech Private ITI, Baheri, Darbhanga - 847105  MIS Code: PR10000607	Existing	Electrician	16(8+8)	NR	NR	Not Recommended due to  1. Major Shortage of Tools and Equipment's for New Units of Electrician Trade (8+8+0) =16 all old unit's equipment's shown. No proper electrical safety, no Emergency exit to labs. 2. No three phase Diesel Generator at the Institute. 3. Shortage of area. 4. As per list provided Staff for Fitter, COPA and electrician trade - 39 Nos but only 8 staff were present on the date of Affiliation.

*Sumit*  
*27/4/22*

*[Signature]*

**STATE: Bihar**

**Meeting Date: 05/04/2022**  
06

**Total - 20, (New-10, Old-10)**

Sl. no.	Name of Institute with address / Temp. no. / MIS Code	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instit.	Trade/Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
10	RaghuNandan Sinha Private ITI, At- Godiha P.O.- Koshdihar P.S- Parasbigha Dist- Jehanabad- 804408  MIS Code: PR10000967	Existing	Electrician	8(4+4)	NR	NR	Not Recommended due to:  1. Machinery found in working condition but all tool required as per norms were not found on photos. 2. Fire extinguisher not available, Fire safety certificate not available 3. Common Appointment orders issued for all the instructors without mentioning trades and date of joining is found from the year 2016. CITS qualification and experience certificate not available.

*Junika*  
22/4/22

*[Signature]*

**STATE: Bihar**

**Meeting Date: 05/04/2022**

06

**Total - 20, (New-10, Old-10)**

Sl. no.	Name of Institute with address / Temp. no. / MIS Code	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Innst.	Trade/Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
11	Aayansh Private ITI Vill.Belkhuria, P.O. Du Rohtas- 802212  MIS Code: PR10000977	Existing	Electrician	12(6+6)	NR	NR	Not recommended due to:  1. Fake bill invoices are produced. Salary paid to staff by cash. Machinery bill payment proofs not available. 2. ITI has produced fake bills. Machinery installation is as per norms. Machinery working condition verified. 3. Infrastructure, staff qualification are not as per norms. 4 Access for PWD trainees are not available.

*Sanjay*  
27/4/22

*[Signature]*

**STATE: Bihar**

**Meeting Date: 05/04/2022**

06

**Total - 20, (New-10, Old-10)**

Sl. no.	Name of Institute with address / Temp. no. / MIS Code	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instt.	Trade/Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
12	Urmila Hitaishi Private ITI- Vill+Po-Kasap (Arrah) Bhojpur-802206, Bihar MIS Code: PR10000012	Existing	Electrician	8(4+4)	NR	NR	Not recommended due to: 1. Physical report was received over mail on 20.07.2021, management failed to provide documents. 2. The ITI has given representation on 05.08.2021 being not informed about the Inspection 3. Machine are old and no electrical connection. 4. Missing of permanent identification marking on tools and equipment

*Sunil*  
22/4/22

*[Signature]*

**STATE: Bihar**

**Meeting Date: 05/04/2022**

06

**Total - 20, (New-10, Old-10)**

Sl. no.	Name of Institute with address / Temp. no. / MIS Code	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instt.	Trade/Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
13	Maa Shivdulari Private ITI, Sitamarhi, Chakmahila, Bihar TMP10221PR158238 8556	NEW	Electrician	8(4+4)	NR	NR	Not recommended due to:  1. Most of Machinery in Mech. Diesel was not working, Less computer system available in COPA trade. Some of Computer sys. not working properly. 2. Permanent marking, insulation rubber mating for panels and Electrical port for equipment's not available, Machinery not installed properly as per norms. 3. Roof of Workshop and DH not as per norms, Plywood partitioned available in COPA Lab, Building Boundary wall not Available. Incomplete construction for Store room and admin.
			Fitter	4(2+2)	NR	NR	
			Computer Operator and Programming Assistant	2(1+1)	NR	NR	
			Mechanic Diesel	2(1+1)	NR	NR	

*Sanjay*  
20/4/22

*[Signature]*

**STATE: Bihar**

**Meeting Date: 05/04/2022**

*06*

**Total - 20, (New-10, Old-10)**

Sl. no.	Name of Institute with address / Temp. no. / MIS Code	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instt.	Trade/Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
14	R N Private ITI, Shivajinagar, Dist - Samastipur, Pin - 848117 (Bihar), TMP 416 MSTI	NEW	Electrician Fitter	4(2+2) 4(2+2)	4(2+2) 4(2+2)	NR NR	Not Recommended due to: This MSTI falls in served block. Applicant ITI has to apply as per affiliation norms of ITIs. i.e. Minimum for 04 trades.
15	RS PRIVATE ITI, Block: Ramgarh, Lakhisarai District of Bihar, Lakhisarai, Bihar. TMP 378 MSTI	NEW	Electrician Fitter Surveyor	4(2+2) 4(2+2) 6(3+3)	NR NR NR	NR NR NR	Not recommended due to: RS Pvt. ITI not found at given Address. ITI is not Ready for inspection.
16	SP PRIVATE ITI, Block Name DHORAIYA, BANKA District, BANKA, Bihar. TMP 388 MSTI	NEW	Electrician Fitter Surveyor	4(2+2) 4(2+2) 4(2+2)	NR NR NR	NR NR NR	Not recommended due to: ITI not agreed to get inspected on prescribed date. Only NCVT member was present.
17	Bangali Baba-Private ITI Address-Vill-Basua,Tola-Mishrichack,Near Sahil Mandil Post-Utlibara, Ps.-Wazirganj, Gaya, Bihar-824232 1810014198	NEW	Electrician Fitter Welder Electronics Mechanic	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	Recommended.

*Junidar*  
27/4/22

*Handwritten signature*

**STATE: Bihar**

**Meeting Date: 05/04/2022**

06

**Total - 20, (New-10, Old-10)**

Sl. no.	Name of Institute with address / Temp. no. / MIS Code	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instt.	Trade/Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
18	SN Singh Private ITI Address: Shankarpur, Baikunthpur, Gopalganj, Bihar 1810014314	NEW	Electrician	4(2+2)	NR	NR	Not recommended due to:  Inspection cancelled. ITI is not ready for inspection.
			Fitter	4(2+2)	NR	NR	
			H.R Executive	2(1+1)	NR	NR	
			House Keeping	2(1+1)	NR	NR	
19	Rajesh Ranjan ITI, At-Mitralok Colony, Pandey Patti, Buxar,  MIS Code: PR10000266	Existing	Electrician	3(1+1+1)	NR	NR	Not recommended due to:  Disagree, no inspection carried out on request of ITI principal.
20	Nalanda Convent Pvt ITI, At-Ajnaura, Parwalpur, Bihar Sharif, Nalanda, Bihar, Nalanda,  MIS Code: PU10000799	Existing	Electrician	16(8+8)	NR	NR	Not recommended due to:  No inspection is carried out.

*Sumit*  
27/4/22

*[Signature]*



**STATE: Chhattisgarh**

**Meeting Date: 05/04/2022**

**Total - 01, (New-00, Old-01)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
1	Govt. ITI Pusaur Borodipa Chowk, Pussore Raigad- 496440  MIS Code: GR22000126	Existing	Fitter	2(2+0)	2(2+0)	2(2+0)	Recommended
			Mechanic Diesel	1(1+0)	1(1+0)	1(1+0)	
			Welder (Fabrication & Fitting)	1(1+0)	1(1+0)	1(1+0)	

*Sanil*  
22/4/22

*[Signature]*





**STATE Gujarat**

**Meeting Date: 05/04/2022**

**Total - 01, (New-01, Old-00)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instit.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
1	Sigma Private ITI, Vadodara, Gujarat  TMP24461PR15 79861642	NEW	Draughtsman (Civil)	1(0+1)	NR	NR	Not Recommended due to:  1. same building polytechnic institute is also running, Occupancy Certificate signed by Town planner, UDA is available  2. About 70% shortage in E, WFF DCE& 35% COPA, partially available bill and payment proof.
			Computer Operator and Programming Assistant (COPA)	1(0+1)	NR	NR	
			Welder (Fabrication & Fitting)	1(0+1)	NR	NR	
			Electrician	1(0+1)	NR	NR	

*Sanika*  
*22/4/22*

*[Signature]*

STATE Kerala

Meeting Date: 05/04/2022

Total - 01, (New-0, Old-01)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instit.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
1	ILAHIA Pvt. ITI Pezhakkappilly P.O, Muvattupuzha Ernakulam - 686673  MIS Code: PR32000684	Existing	Mechanic Motor Vehicle (MMV)  Mechanic Diesel  Fashion Design and Technology 2(1+1)	4(2+2)  2(1+1)  2(1+1)	4(2+2)  2(1+1)  2(1+1)	NR  NR  NR	Not recommended due to non-availability of grading.  1. Electricity connection is in name of Ilahia science and arts college 2. Major machineries are not properly mounted 3. Heavy vehicle invoice was not found during the inspection 4. Staff available as per inspection team however, qualification and experience documents are not uploaded  5. No raw materials consumption register was found 6. DSR entries of some tools were missing

*Sumitha*  
27/4/22

*[Signature]*

**STATE Himachal Pradesh**

**Meeting Date: 05/04/2022**

**Total - 01, (New-0, Old-01)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
1	Jai Maa Saraswati Private ITI Village Baroh, Post Office Raja Ka Talab, Tehsil N, Kangra-176051  MIS Code: PR02000241	Existing	Electrician	3(1+1+1)	NR	NR	Not Recommended due to:  1. Staff not appointed for trades seeking affiliation.  2. Machinery items not present as per tool list for both trades.  3. BCC not uploaded
			Surface Ornamentation Techniques (Embroidery)	2(1+1)	NR	NR	






**STATE Madhya Pradesh**

**Meeting Date: 05/04/2022**

**Total - 02, (New-00, Old-02)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instit.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
1	Bansal Pvt. ITI, Khategaon 138, Neemawar Road, Khategaon, Distt. Dewas  MIS Code: PU23000473	Existing	Electrician	3(1+1+1)	NR	NR	Not Recommended due to: 1. Machinery partially available. 2. Space not as per norms 3. Teaching staff not adequate 4. Load not sufficient to run new trades. 5. Insufficient hand Tools are noticed in Fitter and Electrician Trades. Hydraulic and Pneumatic kits are not available in Fitter Trades. In place of "all geared Lathe" pulley type lathe is available in Fitter Trade.
			Fitter	3(1+1+1)	NR	NR	
			Stenographer Secretarial Assistant (Hindi)	3(1+1+1)	NR	NR	
2.	Mata Seetadevi Private ITI, Chhatarpur  MIS Code: PU23000448	Existing	Stenographer Hindi	-	NR	NR	Not Recommended due to  ITI with same name already available on same address, report not submitted by NCVT and SCVT member.
			Electrician	-	NR	NR	

*Sumit*  
22/4/22

*[Signature]*

**STATE Odisha**

**Meeting Date: 05/04/2022**

**Total - 05, (New-01, Old-04)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instit.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
1.	GOVT. ITI Bhandaripokhari Govt. Iti, At- Kaharapokhari, Po- Bhandaripokhari , Dist- Bhadrak Pin- 756120  TMP21348GR15 82807748	New	(COPA)	3(1+1+1)	3(1+1+1)	2(1+1)	Recommended
			Electrician	3(1+1+1)	3(1+1+1)	2(1+1)	
			Fitter	3(1+1+1)	3(1+1+1)	2(1+1)	
			Mechanic Motor Vehicle (MMV)-	3(1+1+1)	3(1+1+1)	2(1+1)	
2.	Govt. Industrial Training Institute, Rayagada At- Kotur, village, Near Masarshi Vidiya Mandir ,RAYAGADA- 765001  GR21000497	Existing	(COPA)-	2(1+1)	2(1+1)	2(1+1)	Recommended  *Dress Making- Not recommended due to non-availability of machinery
			Dress Making*	2(1+1)	NR	NR	

*Sanilam*  
27/4/22

*[Signature]*



**STATE Odisha**

**Meeting Date: 05/04/2022**

**Total - 05, (New-01, Old-04)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instit.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
3.	Govt. ITI, O.T Road, Angaragadia, Balasore-756001  MIS Code: GU21000524	Existing	Electrician-	2(0+0+2)	NR	NR	Recommended  (COPA)- 2(1+1)  Mechanic Refrigeration and Air Conditioner- 2(1+1).
			Electronics Mechanic-	1(0+0+1)	NR	NR	
			Information & Communication Technology System Maintenance-	2(0+1+1)	NR	NR	
			(COPA)-	2(1+1)	2(1+1)	2(1+1)	
4.	Govt Industrial Training Institute, At/Po- Madhupatna CUTTACK- 753010  MIS Code: GU21000527	Existing	Mechanic Auto Body Painting-	2(1+1)	2(1+1)	2(1+1)	Recommended
			Mechanic Auto Body Repair-	2(1+1)	2(1+1)	2(1+1)	
			Technician Mechatronics-	2(1+1)	2(1+1)	2(1+1)	

*Sanil Kumar*  
27/4/22

*[Signature]*

**STATE Odisha**

**Meeting Date: 05/04/2022**

**Total – 05, (New-01, Old-04)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instit.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
5.	Govt. ITI, Kotpad At/Po ; Koda, Dist : Korapu KORAPUT- 764058  MIS Code: GU21000612	Existing	Sewing Technology-	2(1+1)	2(1+1)	2(1+1)	Recommended

*[Handwritten Signature]*  
22/4/22

*[Handwritten Signature]*  
22/4

**STATE Tamil Nadu**

**Meeting Date: 05/04/2022**

**Total - 01, (New-00, Old-01)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instit.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
1.	HOLY SABARI SASTHA PVT ITI 76 A, Kachirayapalaym Road  MIS Code: PR33000416	Existing	MMV	2(1+1)	2(1+1)	NR	Not recommended due to  Not Recommended as no infrastructure available.
			Electrician	2(1+1)	2(1+1)	NR	

*↓*  
*Sumilton*  
*27/4/22*

*[Signature]*  
*27/4*



**STATE: Uttar Pradesh**

**Meeting Date: 05/04/2022**

**Total - 14, (New-08, Old-06)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instt.	Trade/Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
1	Swami Vivekanand College Of Higher Education Pvt ITI, Swami Vivekanand College Of Higher Education Pvt ITI, Kataha Dal Narayanpur, Unnao-209861,	NEW	Beautician	3(1+1+1)	NR	NR	Not Recommended due to: 1. Beautician, Cad Cum operator and programmer, Retail assistant are ATS courses. 2. Five computers are not working in stenographer Hindi lab. 3. General shop outfit machine not working at so.no. 180,184,185,202,205 and 206 in Diesel mechanic trade. 1.Shortage of items at so no.3,7,10,14,17,21,22 & 38 in stenographer trade. 4. Shortage of items at so.no.182,186,188,191,197,199,200,203 & 204 in DM trade. 4.Shortage of items at so.no.135,145-147, etc1 . Machinery bills are found but bank payment details are not provided by the Institute. 5. Safety measures are not as per norms. 6. Infrastructure (DH and IT Lab) is not as per norms
			Fashion Design & Technology	3(1+1+1)	NR	NR	
			COPA	3(1+1+1)	NR	NR	
			Cutting & Sewing (VI)	3(1+1+1)	NR	NR	
			Cad-Cam Operator-Cum Programmer	3(1+1+1)	NR	NR	
			Retail Assistance	3(1+1+1)	NR	NR	

*Sumitran*  
27/4/22

*[Signature]*

**STATE: Uttar Pradesh**

**Meeting Date: 05/04/2022**

**Total - 14, (New-08, Old-06)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instt.	Trade/Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
2	Rakhi Memorial Private ITI, Asfabad Bijnor., Bijnor, 1809023990	NEW	Electrician	3(1+1+1)	3(1+1+1)	NR	Not Recommended due to: 1. No BCC Available For ITI. Building Plan Is Not Approved. 2. In COPA Trade 50% Shortage Of Tools & Equipment. 3. All The Instructors Are Also Not Available Physically At The Time Of Inspection.
			Fitter	3(1+1+1)	3(1+1+1)	NR	
			COPA	3(1+1+1)	NR	NR	
			H.S.I	3(1+1+1)	3(1+1+1)	NR	
3	Swargiya Beche Lal Memorial Pvt ITI, Village-Kamipur Post Balamau Block-Kachhauna District-Hardoi-241126 TMP9150PR1582 199453	NEW	Electrician	4(2+2)	NR	NR	Not Recommended due to: Applicant ITI advise to upgrade to four trades. 1. BCC not available. 2. No drawing hall. 3. Running of machinery not shown due to non-availability of power. 4. No UPS in IT Lab. 5. No power backup. 6. Total area of ITI less than required. 7. Experience certificate of staff not provided.
			Fitter	4(2+2)	NR	NR	

*Sunil Kumar*  
22/4/22

*[Signature]*



**STATE: Uttar Pradesh**

**Meeting Date: 05/04/2022**

**Total - 14, (New-08, Old-06)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Innst.	Trade/Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
4	Maa Saraswati Pvt ITI Bhaluani Deoria, Bhaluani Deoria, TMPOLD312	NEW	ELECTRICIAN	4(2+2)	NR	NR	Not Recommended due to: 1. BCC not available 2. Building plan not approved by any government authority 3. Power not adequate for proposed trade. 4. Annexure 3 not available 5. Machinery partially available 6. Hand tools available only for one (1+1) unit. 7. Details of teaching staff not available.
			Power Distribution Early Childhood educator	4(2+2)	NR	NR	
5	Subhawati Sheetal Prasad Private ITI, Basti Village & Po. - Bhangura, Kalwari, 272301 TMP9131PR1581 953612	NEW	Electrician	3(1+1+1)	NR	NR	Not Recommended due to 1. The ITI is still in the construction phase and the railings are not there for stairs which can endanger the safety of students. 2. 70% deficiency in COPA trade and 30% deficiency in all other trades.
			Solar Technician (Electrical)	3(1+1+1)	NR	NR	
			Fitter	3(1+1+1)	NR	NR	
			COPA	3(1+1+1)	NR	NR	

*Sanil*  
21/4/22

*[Signature]*

**STATE: Uttar Pradesh**

**Meeting Date: 05/04/2022**

**Total - 14, (New-08, Old-06)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/un its Approved by DGT SCAA	
6	Mandeep Private ITI Geeta Colony (Shankar Vihar) Aligarh-202001  MIS Code: PU09900402	Existing	Electrician	6(2+2+2)	NR	NR	Not recommended due to:  1.Workshop shortage of tool equipment and machine not installed 2. Details of CITS trained instructor not available  3. Student record and Trainer Record not properly maintained  4. ITI Grade less than 1.25 i.e. 0.82 5. For existing units electricity consumption is low 6. Institute is running in residential premises.
			Fitter	3(1+1+1)	NR	NR	
7	Swami Somnath Private ITI, Swami Somnath Private ITI , Shahpura Manpur Baheri,Bareilly-243201  MIS Code: PU09002160	Existing	Electrician	6(2+2+2)	NR	NR	Not recommended due to:  Bill amount is deducted from ITI account and again on next day deposited in ITI Trust account by the Biller.  Only 10% payment proofs are available.  ITI has produced fake bills.  Salary paid to staff by cash.

*Sanjay*  
22/4/22

*[Signature]*  
22/4

**STATE: Uttar Pradesh**

**Meeting Date: 05/04/2022**

**Total - 14, (New-08, Old-06)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instit.	Trade/Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
8	Sri Bhagwat Balram Private ITI, Godhaura Ghazipur Road Azamgarh(Up)-276131  MIS Code: PU09900528	Existing	Electrician	20(6+6+8)	NR	NR	Not recommended due to: 1. Workshop not as per norms 2. Drawing Hall not as per norms 3. GST Invoice with payment proof not available 4. Machinery not working properly 5. Instructor with CITS and relevant experience not available 6. Dead Stock Register not maintained properly. 7. Raw Material consumption register not maintained properly. 8. Staff and Student attendance not maintained properly 9. Student records not maintained properly 10. Library Not as per norms 11. Details of classroom and workshop area not available
			Fitter	2(0+0+2)	NR	NR	
9	Saraswati Private ITI, Turakiya (Nehar), Achhnera, Agra-283101  MIS Code: PR09000316	Existing	Electrician	4(0+0+4)	4(0+0+4)	NR	Recommended
			Fitter	4(1+1+2)	4(1+1+2)	2(1+1)	

*Sanil Kumar*  
22/4/22

*[Signature]*

**STATE: Uttar Pradesh**

**Meeting Date: 05/04/2022**

**Total - 14, (New-08, Old-06)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instit.	Trade/Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
10	Computer Private ITI - Kanpur Nagar 117/509, Pandu Nagar, Kanpur 208005  MIS Code: PR09001522	Existing	Fitter	3(1+1+1)	3(1+1+1)	2(1+1)	Recommended
			Electrician	3(1+1+1)	3(1+1+1)	2(1+1)	
11	Global Private ITI Ram Nagar Mazra Near Deer Park Rampur Road Moradabad-244001  MIS Code: PR09900349	Existing	Electrician	16(8+8)	16(8+8)	16(8+8)	Recommended
			Physiotherapy	2(1+1)	2(1+1)	2(1+1)	
12	New Rameshwar Singh Pvt ITI, Vill-Sarkandi, Bindki, Dist-Fatehpur,  TMPOLD333 MSTI	NEW	-	-	-	-	Not recommended.  May not be recommended: ITI physically not present.

*Sanjiv Kumar*  
27/4/22

*[Signature]*  
27/4

**STATE: Uttar Pradesh**

**Meeting Date: 05/04/2022**

**Total - 14, (New-08, Old-06)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instit.	Trade/Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
13	S.G.R. Private ITI Indergarh, Firozabad	NEW	Electrician	3(1+1+1)	NR	NR	Not recommended due to: 1. No inspection carried out today as ITI has informed that they are not aware of inspection date ITI has also requested to postpone the inspection.
			Fitter	3(1+1+1)	NR	NR	
			COPA	3(1+1+1)	NR	NR	
			Cutting swing technology	3(1+1+1)	NR	NR	
14	Pr. Memorial Pvt Itc, Noorpur Bbeta, Kishanpath Mohanlalganj, Lucknow -Uttar Pradesh A16000616	NEW	Electrician	12(4+4+4)	NR	NR	Not recommended due to: 1. ITI is existing with same name at same address MIS code PR09900579. 2. As inspection is done by single member so not valid.

*Sanil Kumar*  
22/4/22

*[Signature]*