

DGT-11012/8/2021-O/o Dir (TC)
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Employment Exchange Building,
1st floor, Pusa, New Delhi,
Dated: 29.03.2022

To


The State Director
Bihar, Chhattisgarh, Haryana, Jharkhand, Madhya Pradesh, Uttar Pradesh

Subject: Affiliation of Units/Trades of Govt./Pvt. ITI with NCVT -regarding.

Sir,

As decided in the 4th Standing Committee on Accreditation and Affiliation (SCAA) held on 26.10.2021, affiliation will be granted only for units in shift 1&2, as running 3rd shift in ITI is not feasible in light of COVID-19 Conditions such as Social Distancing and transport facilities. The committee recommended trades/units for session wef. August 2022

2. The Committee examined affiliation proposals and accorded approval for the proposals conforming to the DGT Norms as per the list enclosed herewith.
3. The affiliation of the trades/units stated above are further subjected to,
 - (i) Periodic verification.
 - (ii) The ITI must comply with DGT norms/guidelines issued from time to time.
 - (iii) ITI must display the newly released logo of ITI on the Display Board at the main gate.
4. The said information is also available under "News & Updates" on NCVT MIS Portal at <https://ncvtmis.gov.in>.
5. Affiliation of Trades/Units mentioned in this order valid till the validity of affiliation of ITIs and ITI should apply for "Renewal of Affiliation "as per DGT Norms.
6. Discrepancies if any in the affiliation orders, may be intimated to the undersigned within 15 days of issue of this order.

Yours faithfully

(Sunil Kumar Gupta)
Director of Training

Copy along with enclosures for information to:

1. Sr PPS to Chairman of Standing Committee on Accreditation and Affiliation (SCAA)-DGT.
2. Sr PPS to DDG (Affiliation).
3. The officer dealing with NCVT MIS: - To please upload the order on NCVT MIS portal


(R. Murugarajan)
Deputy Director of Training



STATE: Bihar

Meeting Date: 26/10/2021

Total - 06, (New-03, Old-03)

Sl. no.	Name of Institute with address	NCVT-MIS Code	Trade for which affiliation sought	Units for which affiliation sought/ recommended by		Remarks by SCAA
				Instt.	Trade/units Approved by DGT SCAA	
1.	Indrasan Pvt. ITI, Village madhu chapra belbatia piprakothi Dist.purbi champaran Bihar pin no. 845429 TMP10213PR1581856162 New ITI	New	COPA Surveyor Electrician Fitter	4(2+2) 4(2+2) 8(4+4) 4(2+2)	NR NR NR NR	Not Recommended as ITI does not physically exist at location
2.	JAI MAA PVT. ITI, siswan block, District-siwan bihar TMP 402 MSTI NEW MSTI	New	Electrician Fitter	4(2+2) 4(2+2)	NR NR	Not recommended due to non-availability of drawing hall, machineries not in working condition, Electric load is less (Should be 12.22 kW, 9 kW available as per report)
3.	JAI MAA SANTOSHI PVT. ITI, Village age KILPUR POST-KABIRPUR THANA -NAWTAN DISST SIWAN BIHAR, Siwan, Bihar. TMP 400 MSTI NEW MSTI	New	Fitter Electrician	4(2+2+0) 4(2+2+0)	NR NR	Not Recommended due to lack of proper infrastructure, tools, equipment, and machinery
4.	AWADHESH SINGH PVT. ITI, Balua-Turkaulia Road, Laxmipur Motihari, Purbi Champaran, Bihar.	PR10000020	Electrician	16(8+8+0)	NR	Not Recommended due to lack of proper infrastructure, tools, equipment, and machinery and electricity load
5.	BRIJ PVT. ITI, Titra, PO- Titra, PS-Mairwa, DIST- Siwan, Bihar, SIWAN BIHAR Pincode, SIWAN, Bihar.	PR10000912	Electrician	8(4+4+0)	NR	Not Recommended due to grading less than 1.25

[Handwritten Signature]

-1-

[Handwritten Signature]
28/10/21



STATE: Bihar

Meeting Date: 26/10/2021

Total - 06, (New-03, Old-03)

6.	RAM DEO SINGH PVT. ITI, Chandpura, P.O, Chandpura, P.S, Bidupur Vaishali, Bihar, VAISHALI, BIHAR.	PR10000815	Electrician	12 (6+6+0)	NR	Not Recommended due to Deficiencies in infrastructure, i.e., Drawing Hall and IT lab not proper, etc.
----	---	------------	-------------	------------	----	---

[Handwritten signature]

[Handwritten signature]
29/10/21



STATE: Chhattisgarh

Meeting Date: 26/10/2021

Total - 01, (New-01, Old-00)

Sl. no.	Name of Institute with address	NCVT-MIS Code	Trade which affiliation sought	Units for which affiliation sought/recommended by		Remarks by SCAA
				Instt.	Trade/units Approved by DGT SCAA	
1.	SHRI RISHABH PVT.ITI, JANJGIR-CHAMPA, PO - Nariyara Tahsil Akaltara Dist- Janjgir Champa CG - 495553, JANJGIR-CHAMPA, CHHATTISGARH. TMP22379PR158149 1492	New	Electrician Fitter COPA Health Sanitary Inspector	4(2+2+2) 4(2+2+2) 4(2+2+2) 3(1+1+1)	4(2+2) 2(1+1) 2(1+1) 2(1+1)	Recommended Electrician 4(2+2) Fitter 2(1+1) COPA 2(1+1) Health Sanitary 2(1+1) Inspector

[Handwritten Signature]

[Handwritten Signature]
 29/12/22



STATE: Haryana

Meeting Date: 26/10/2021

Total - 01, (New-00, Old-01)

Sl. no.	Name of Institute with address	NCVT-MIS Code	Trade for which affiliation sought	Units for which affiliation sought/recommended by		Remarks by SCAA
				Instit.	Trade/units Approved by DGT SCAA	
1.	ASHHTVINAYAK PVT. ITI, Kharkall, PO Bakali, Ladwa, Kurukshetra, Haryana.	PR06000191	Copa fashion design & Technology	4(2+2+0) 4(2+2+0)	NR NR	Not Recommended as the grading is not available.

[Handwritten Signature]

[Handwritten Signature]
 29/10/21




STATE: Jharkhand

Meeting Date: 26/10/2021

Total - 03, (New-03, Old-00)

Sl. no.	Name of Institute with address	NCVT-MIS Code	Trade for which affiliation sought	Units for which affiliation sought/recommended by		Remarks by SCAA
				Instt.	Trade/units Approved by DGT SCAA	
1.	IMPERIAL INSTITUTE OF TECHNOLOGY Pvt. ITI, EAST SINGHBUM, PLOT NO. 1988 VILLAGE- PICHHLI, KUDADA POTKA ROAD POST OFFICE-SHANKARDA PS-POTKA., EAST SINGHBUM, JHARKHAND. TMP20327PR1579870413 MSTI	New	Electrician	4(2+2)	NR	Not recommended as Single-phase connection and Not in the name of society/ ITI, Electrical machine trainer not available
2.	HUNTERGANJ Pvt ITI, CHATRA AT-NAWADIH NEAR CHECK POST HUNTERGANJ, PO+PS-HUNTERGANJ CHATRA 825403 TMP20323PR1582628887 MSTI	New	Electrician COPA Electrician Mech.	4(2+2+0) 2(1+1+0) 2(1+1+0)	4(2+2+0) NR NR	Recommended Electrician 4(2+2+0) wef. Session Aug. 2022
3.	MSP PVT. ITI, PALAMU, MAIN ROAD PATAN PO PS- PATAN DISTT- PALAMU JHARKHAND, PALAMU, JHARKHAND. TMP20338PR1581580692 MSTI	New	Electrician Fitter	6(2+2+2) 6(2+2+2)	NR NR	Not recommended due to non-availability of drawing hall

29/10/21



STATE: Madhya Pradesh

Meeting Date: 26/10/2021

Total - 01, (New-00, Old-01)

Sl. no.	Name of Institute with address	NCVT-MIS Code	Trade for which affiliation sought	Units for which affiliation sought recommended by		Remarks by SCAA
				Instit.	Trade/units Approved by DGT SCAA	
1.	MATA SEETADEVI PVT. ITI, Chhatarpur, CHHATARPUR, MADHYA PRADESH.	PU23000919	Stenographer Hindi Electrician	3(1+1+1) 3(1+1+1)	NR NR	Not Recommended as grading is less (0.65)

[Handwritten signature]

[Handwritten signature]
 28/10/21

STATE: Uttar Pradesh


Meeting Date: 26/10/2021

Total - 17, (New-13, Old-04)

Sl. no.	Name of Institute with address	NCVT-MIS Code	Trade for which affiliation sought	Units for which affiliation sought/ recommended by		Remarks by SCAA
				Instit.	Trade/units Approved by DGT SCAA	
1.	Tapobhoomi Pvt. ITI, HIMMATPUR NAIPAI FIROZABAD- 283203, Uttar Pradesh	PR09000528	Electrician	8(2+2+4)	ITI to be re-inspected after batch creation	Not Recommended As inspection is carried out by State only without Auto Batch creation, the report of State is not valid as per Affiliation norms. Hence, ITI to be re-inspected after batch creation.
2.	Kiran Pvt. ITI, Kutubpur chanora Kotla road Firozabad- 283203, Uttar Pradesh	PU09900073	Fitter Electrician	9(3+3+3) 3(1+1+1)	ITI to be re-inspected after Batch creation	Not Recommended As inspection is carried out by State only without Auto Batch creation, the report of State is not valid as per Affiliation norms. Hence, ITI to be re-inspected after Batch creation
3.	Ngi Pvt. ITI Pvt. ITI Meerut, Nh-58 Near Svb Agriculture University Vill-Pawli Khas Tehsil Sardhana Modipuram Meerut, Uttar Pradesh.	PU09001683	Fitter Physiotherapy Technician Health Sanitary Inspector Mechanic Motor Vehicle (MMV)	4(2+2) 2(1+1) 2(1+1) 2(1+1)	NR NR NR NR	Not Recommended as the grading of ITIs is less than 1.25
4.	A.S.K. INSTITUTE OF EDUCATION PVT. ITI, NH-24 Budhanpur Block Joya Distt. Amroha 244102, Amroha,	PR09901269	Fitter Plumber HSI	3 (1+1+1) 3 (1+1+1) 3 (1+1+1)	Deferred	Deferred As ITI is not graded, its status of admission, pass %age, industry connect, women participation and



-1-



29/10/21

STATE: Uttar Pradesh

Meeting Date: 26/10/2021

Total - 17, (New-13, Old-04)

Sl. no.	Name of Institute with address	NCVT-MIS Code	Trade for which affiliation sought	Units for which affiliation sought/ recommended by		Remarks by SCAA
				Instt.	Trade/units Approved by DGT SCAA	
	Uttar Pradesh,					placement data to be checked and to be placed again.
5.	Shri Ram Raja Sarkar Pvt. ITI, Jhansi,village paadri,p.o.Bhojala,Block Badagaon Jhansi,U.P. 284002 TMP9153PR1580287259	New	Electrician Fitter Health sanitary Inspector Stenographer Secretarial Assistant (Hindi)	6(2+2+2) 3 (1+1+1) 3 (1+1+1) 3 (1+1+1)	Deferred	Deferred To get comment from State Directorate why Inspection report is submitted by SCVT member only and not routed through State Directorate. member was part of Inspection cum Verification Committee
6.	Shri Ram Das Pvt. Iti, Partapur, Kishni, Mainpuri 1809017964	New	Electrician Fitter Copa Plumber	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	NR NR NR	Not Recommended as Inspection denied by ITI
7.	JEETENDRAA SINGH PVT. ITI, RASOOLPUR TAPPA, SARAI AKHIL, KAUSHAMBI-212216 1809026579	New	Electrician Fitter COPA CHNM	3(1+1+1) 3(1+1+1) 3(1+1+1) 2 (1+1+0)	NR NR NR	Not Recommended due to non-availability of equipment and uninstalled machinery (Fitter Lab Machines are not installed as per norms Electrical Lab connection switch are not as per load /Earthing Copa Lab, Some Equipment not available CH&NM lab some equipment not working, arc welding not functioning and not installation)

[Handwritten Signature]

-2-

[Handwritten Signature]
29/10/21 ✓

STATE: Uttar Pradesh

Meeting Date: 26/10/2021

Total - 17, (New-13, Old-04)

Sl. no.	Name of Institute with address	NCVT-MIS Code	Trade for which affiliation sought	Units for which affiliation sought/ recommended by		Remarks by SCAA
				Instt.	Trade/units Approved by DGT SCAA	
8.	GEETA SINGH PVT ITI, Jasisinghmau, Tarun, Ayodhya, FAIZABAD. 1809026226	New	Electrician	6(2+2+2)	NR	Not Recommended as Inspection denied by ITI
			Fitter	2(1+1+0)	NR	
			COPA	2(1+1+0)	NR	
			HIS	2(1+1+0)	NR	
9.	Sumangalam pvt ITI, faridpur, sandalpur, kanpur Dehat 209301 1809020436	New	Electrician	6(2+2+2)	NR	Not Recommended as the ITI was not having proper Power Connection and machinery not working and also staff not available at the time of inspection, details of appointment not available
			Fitter	2(1+1+0)	NR	
			COPA	2(1+1+0)	NR	
			HIS	2(1+1+0)	NR	
10.	SARMISHTA AHUJA Pvt. ITI, HATHRAS Village Parsara Hathras 204101 UTTAR PRADESH TMP9163PR1582780708	New	Electrician	3(1+1+1)	NR	Not Recommended due to shortage of Space, Infrastructure and meter sealing (Store room not available. Land certificate such as khasra khatauni not matched with the rent deed. Shortage of area of library, HIS workshop, staffroom)
			Fitter	3(1+1+1)	NR	
			COPA	3(1+1+1)	NR	
			Health Sanitary Inspector	3(1+1+1)	NR	
11.	GURU NANAK PVT. ITI, BIJNOR Pvt. ITI, BIJNOR UMARPUR KHADAR SEOHARA BIJNOR- UTTAR PRADESH- 246746 TMP9132PR1582190101	New	COPA	3(1+1+1)	Deferred	Deferred for Land lease agreement, Photograph/ video/ bills of computers. Put up to SCAA again with above document/details.
			Electrician	24(8+8+8)		
			Fitter	12(4+4+4)		
			Health Sanitary Inspector	6(2+2+2)		
12.	DURGA PVT ITI PALI SAHJAWANA GORAKHPUR UP, Pali, Gorakhpur.	New	Electrician	4(2+2+0)	NR	Not recommended due to shortage of Infrastructure
			Copa	2(1+1+0)	NR	

STATE: Uttar Pradesh

Meeting Date: 26/10/2021

Total - 17, (New-13, Old-04)

Sl. no.	Name of Institute with address	NCVT-MIS Code	Trade for which affiliation sought	Units for which affiliation sought/ recommended by		Remarks by SCAA
				Instt.	Trade/units Approved by DGT SCAA	
	TMPOLD320 MSTI MSTI					(work bench not up to mark no desktop printer available in workshop lockers and drawer no bill of items of sl. no. 164-175 as per tool list, Principal Qualification and Experience Certificate not available)
13.	B G SHARMA ITI COLLEGE PVT. ITI, KHERI vill-deuvapur post meerpur lakhimpur kheri, 262701 UTTAR PRADESH TMP9159PR1580015035	New	Electrician Fitter Draughtsman (Civil) Dress Making	2(1+1+0) 2(1+1+0) 1(1+0+0) 1(1+0+0)	NR NR NR NR	Not Recommended due to deficiencies mentioned in the Inspection report. (1. Electrician, Fitter, Dress Making as per norms. No shortage found. 2. In Trade Draughtsman Civil shortage is found. Computer lab for trade Draughtsman civil is not available.)
14.	B.M. PVT. ITI AKADAGA MISHRA SOHANPUR, Banakta, Deoria, TMPOLD336 MSTI MSTI	New	Electrician Cutting & Sewing	2(1+1) 2 (1+1)	NR NR	Not Recommended due to deficiencies mentioned in the Inspection report (total 5 computer not working in it lab and pirated software installed. as per syllabus sl. no 155, 156, 160 & 58 are m/c not installed. e. bill not provided. some m/c, tools, furniture are short)
15.	BANVARI LAL Pvt. ITI, MATHURA Vill-Saidpur, Post-Baldeo, Tehsil-Mahavan, Distt-Mathura 281301	New	Electrician Fitter Health Sanitary Inspector Marketing Executive	6 (2+2+2) 3 (1+1+1) 2(1+1+0) 1(1+0+0)	NR NR NR NR	Not Recommended due to deficiencies mentioned in the Inspection report (drawing hall not available, IT lab not as per norms, Improper infrastructure, Improper staff details and not as per norms)

STATE: Uttar Pradesh

Meeting Date: 26/10/2021

Total – 17, (New-13, Old-04)

Sl. no.	Name of Institute with address	NCVT-MIS Code	Trade for which affiliation sought	Units for which affiliation sought/ recommended by		Remarks by SCAA
				Instt.	Trade/units Approved by DGT SCAA	
16.	PARMESHWARI DAYAL MEMORIAL PVT. ITI moh habibulla khan januvi,Block Bisalpur 262201 pilibhit TMP9167PR1579942802	New	Fitter	4 (2+2+0)	Recommended	Recommended Aug. wef. Session. 2022 MSTI to submit undertaking to upgrade to 4 trades in next 2 years Fitter 4 (2+2+0) Electrician 4 (2+2+0)
			Electrician	4 (2+2+0)		
17.	S. R. K. Pvt. ITI, MATHURA VILL- FATEHPURA, POST-BARAULI, TEHSIL-MAHAVAN, DISTT-MATHURA 281301 TMP9167PR1579931165	New	Electrician	6 (2+2+2)	Deferred	Deferred for report from SCVT /other members of ICVC.
			Fitter	3 (1+1+1)		
			Health Sanitary Inspector	2 (1+1+0)		
			Marketing Executive	1(1+0+0)		

[Handwritten Signature]

[Handwritten Signature]

[Handwritten Date: 29/10/21]