

Through Mail

DGT-Aff011(51)/10/2022-O/o Dir (TC)
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Employment Exchange Building,
1st floor, Pusa, New Delhi,
Dated: 27th May, 2022

To

1. The State Directors,
(Andhra Pradesh, Assam, Bihar, Chhattisgarh, Gujrat, Haryana, Himachal Pradesh, Jharkhand, Jammu & Kashmir, Karnataka, Maharashtra, Rajasthan, Tamil Nadu, Uttara Khand, Uttar Pradesh,).
2. The Regional Directors, RDSDEs
(Andhra Pradesh, Assam, Bihar, Chhattisgarh, Gujrat, Haryana, Himachal Pradesh, Jharkhand, Jammu & Kashmir, Karnataka, Maharashtra, Rajasthan, Tamil Nadu, Uttara Khand, Uttar Pradesh,).

Subject: Minutes of Meeting of 2nd meeting of Standing Committee on Accreditation and Affiliation (SCAA) held on 29th April, 2022 - regarding.


Sir/Madam,

Please find enclosed approved Minutes of Meeting along with Annexure of 2nd Meeting of Standing Committee on Accreditation and Affiliation (SCAA) held on 29th April 2022. However, implementation orders agenda item wise will be issued in due course of time.

Further, if any query all the letters to be send to Director TC on Mail ID: section-tc2022@dgt.gov.in

This issue with approval of competent authority, DGT.

Yours faithfully


(Ujjwal Biswas)
Director of Training

Copy along with enclosures for information to:

1. Sr PPS to Chairman of Recommendation Committee-DGT.
2. Sr PPS to DDG (Affiliation).
3. NCVT MIS Portal In charge, DGT Hqr. New Delhi, with request to upload MOM on NCVT MIS sPortal.
4. IT Section, DGT Hqr. New Delhi.


(P M Damodharam)
Assistant Director

DGT-AFF011(51)/10/2022 O/o Dir (TC)
Directorate General of Training
Ministry of Skill Development and Entrepreneurship
Government of India
Employment Exchange Building, Pusa Campus, New Delhi-110012

Draft Minutes of 2nd Meeting of “Standing Committee on Accreditation and Affiliation (SCAA)” held on 29.04.2022.

Following Committee members were present during the meeting:

1. Smt. Sandhya Salwan, Chairperson DDG, DGT
2. Shri Sunil Kumar Gupta, Director (Affiliation), DGT – Member
3. Sh. A V Rao, Regional Director, RDSDE Telangana & AP
4. Sh. Satyamarauama, Joint Director, AP
5. Sh. SVK Nagesh, Joint Director, Telangana
6. Sh. S Mathivanan, Regional Director, RDSDE Assam
7. Sh. Singh, Joint Director, Manipur
8. Sh. B Ashwaq Ahmed, Regional Director, RDSDE Bihar
9. Sh. Suman Kumar, AD Representative Member on behalf of State Govt. Bihar
10. Sh Mahesh Kardam, Regional Director, RDSDE Chhattisgarh
11. Mhd. Ansari, DD- DTE Chhattisgarh Member from State Govt. Chhattisgarh
12. Sh. R D Meena, Regional Director, RDSDE Gujarat
13. Sh. K B Patel, DD, Gujarat
14. Sh. S Santhimalan, Regional Director, RDSDE J&K and HP
15. Sh. Farukh Ahmed Khan, JD, DTE J&K
16. Sh. D Prasad, DD - DTE Jharkhand Member from State Govt. Jharkhand
17. Sh. Halappa Shetty, AD Representative Member on behalf of State Directorate Karnataka.
18. Sh. Rajan, DD, State Directorate Karnataka
19. State Cell, Madhya Pradesh
20. Sh. Rohan Patil, AD RDSDE Maharashtra
21. Sh. D A Dalvi, Director, DTE Maharashtra State Govt. Maharashtra

All the Letters to be send to Director TC on Mail Id 1. Director TC: section-tc2022@dgt.gov.in


1 of 85





22. Sh. S Naik, Regional Director, RDSDE Rajasthan
23. Smt. Priyanka Somani, AD RDSDE Rajasthan
24. Shri Pawan Kumar, DD DTE Rajasthan
25. Smt. Karapagam, DD DTE Tamil Nadu State Govt. Tamil Nadu
26. Sh. Rajashekar, DD NSTI Chennai
27. Sh. Manpal Singh, Additional Director, State Govt. UP
28. Sh. Pankaj, DD DTE UP
29. Sh. Mashlamani, Regional Director, RDSDE UP
30. Sh. Pranav, RDSDE, Haryana
31. Sh. Rajendra Prasad,
32. Sh. R S Matolia
33. (i) Sh. Suryakant Mishra (ii) Ms. Naina Nagpal (iii) Ms. Pooja Verma (iv) Sh. Shramev Sharma (v) Sh. Rajesh Kumar (vi) Sh. P M Damodharam - Assistant Directors, TC Section DGT HQ, (vii) Shri Parveen Kumar, JTA, TC Section DGT HQ.

At the outset, Shri Sunil Kumar Gupta, Director welcomed all the committee members and participants thereafter the DDG took agenda points for detailed discussions. The details of discussions, deliberations and agenda wise decisions taken by the chair, are placed below:



Agenda 1: -Action Taken Report (ATR) on 1st Rev Standing Committee on Accreditation and Affiliation (SCAA) held on 05/04/2022-06/04/2022.


All the action taken points as per agenda no. 1 were appraised by Director TC to all the committee members, after some clarification all members agreed for the same for necessary compliance.

Agenda 2: Following nine deferred cases from previous Recommendation Committee Meeting are discussed in detail as per agenda. These cases were not taken up in 1st Revised SCAA meeting vide 1st Revised SCAA meeting agenda no -4 held on dated 05.04.2022 and 06.04.2022 and are reconsidered in this meeting.


Since the grading criteria reduced from 2 to 1.25 and condition for minimum four trades for the ITIs opened before 2018, is relaxed as per office Order no. DGT-11012/4/2021-O/o DIR(TC) dated 22.09.2021 and DGT/1/2021/12-O/o DD(TC)-Pt02 dated 05.11.2021 (copy attached)

Recommendation of the SCAA are given in column number VIII:-

| S No (I) | (II) State | ITI Name/Type and Existing Trades (III) | Trades sought for Affiliation and units (IV) | Meeting No and date (V) | Last meeting Decision of SCRC/SCAA/RCM (VI) | Observations (VII) | SCAA Recommendation (VIII) |
|----------|--------------|---|--|---|--|--|--|
| 1 | Chhattisgarh | Chhattisgarh Pvt ITI, Dhanora, Durg. New ITI | 1. Electrician 4(2+2) 2. COPA 4(2+2) 3. Health Sanitary Inspector 4(2+2) 4. Computer Hardware and Networking 4(2+2) | 20 th RCM meeting dated 19.01.2021 | Recommendation committee Remarks- Reverted to State Directorate. 15 days' time to be given to ITI to upgrade to 4 trades. Recommended Electrician 4(2+2) COPA 4(2+2) | State directorate has forwarded the affidavit of ITI to re inspect the ITI for remaining 02 trades (Health Sanitary Inspector 4(2+2) and Computer Hardware and Networking 4(2+2)) vide its letter No 16.11.2021. | State Directorate to arrange Joint Re-inspection along with RDSDE within 3 weeks after issuing of this MoM. The detailed report with annexure - III duly signed by SCVT, NCVT, Representatives and forwarded by State |



| | | | | | | | |
|---|------------------|--|--------------------|---|--|---|--|
| | | | | 8th SCRC was held on 18/11/2021 | Scrutiny Committee Remarks-NOT Recommended since new ITI need min 4 trades | 1. The State Directorate was requested to verify the details and submit the report to DGT within 15 days by Sh. Amit Yadav email to state on dated 22.06.2021 2. ITI sent Last mail communication on 28.12.2021 for reinspection to Dir TC with affidavit for re-inspection. | Director to be sent to Director - TC, DGT. |
| 2 | Himachal Pradesh | Galaxy Private Industrial Training Institute, College Road, Paonta Sahib SIRMAUR - 173028 Himachal Pradesh PR02000177 Existing ITI Existing Trades- • Electrician 6(2+2+2) • Computer Operator and | 1. Fitter 3(1+1+1) | <ul style="list-style-type: none"> • 21st RCM dated 09.02.2021 • 3rd SCAA dated 07.09.2021 | Deferred due to low grading (1.51) of ITI - Pg 5 S No. 6 Deferred in 3rd SCAA for consideration in SCRC - due to low grading of ITI. Remarks A committee is formed to decide the course of action for those ITIs which have applied for Addition of trades and have | The final grading is 1.52 but the complaint against ITI has not been decided yet. Case is under process on e- file for decision , De- affiliation file is under process. Grading-1.51 | There is complaint against ITI. Case to be dealt on E-file separately. |



| | | | | | | | |
|---|---------|---|---|---|---|---|---|
| | | Programming Assistant 2(1+1) <ul style="list-style-type: none"> Pump Operator-Cum-Mechanic 2(1+1) | | | less than 2.0 grade points. | | |
| | | | | <ul style="list-style-type: none"> 8th SCRC dated 18.11.2021 | Remarks of 8th SCRC: ITI has changed the address/Location and has not followed the laid down procedure to change the address. Firstly, ITI may be advised to apply for change of address for further consideration. | | |
| 3 | Gujarat | SAI KRUPA GRAM VIKAS TRUST, SAI PRIVATE ITI, SF SAI KRUPA GRAM VIKAS TRUST I.T.C., BALAIYA CROSSING PADALIYA, FATEPURA, DAHOD, 389190 PR24006117 Existing trades- | 1. Wierman 1(0+0+1) 2. Electrician 1(0+0+1) 3. Health Sanitary Inspector 6(2+2+2) | 19th RCM dated 15.01.2021 | Reverted back to State Directorate. One day time from the date of issue of MoM to be given to ITI for submitting the principal details. The case to be taken up on file and ratified in RCM. | <ul style="list-style-type: none"> Vide DGT office order no DGT-11012/4/2021-O-o DIR TC dated 22.09.2021 minimum grading reduced from 2.0 to 1.25 for existing ITI to open new trades. The units mapped on portal is not as per affiliation order. As per | RDSDE Gujrat to cross check NCVT Portal affiliated units' data from physical verification report and affiliation orders and send the report within 2 weeks to Director - TC, DGT. |

| | | | | | | | |
|---|---------|---|---|---|--|--|------------------------------------|
| | | <ul style="list-style-type: none"> Fitter 8(4+2+2) Electrician 2(1+1) Welder 2(2+0) Wireman 2(2+0) COPA 2(2+0) | | <p>23rd RCM dated 09.03.2021</p> <p>Deferred "Report from Grading Committee is awaited for decisions on ITIs with less than 2.0 grades"</p> | <p>affiliation order the affiliated units are (Affiliation order 15.06.2010,26.09.2013 and DGT-12/1/2016 TC dated 16.09.2016)-</p> <p>a) Fitter 8(3+3+2)</p> <p>b) Electrician 2(1+1)</p> <p>c) Welder 2(1+1)</p> <p>d) Wireman 2(1+1)</p> <p>e) COPA 2(1+1)</p> <ul style="list-style-type: none"> Grading-1.4 | | |
| | | | | <p>8th SCRC dated 18.11.2021</p> <p>As the grading of ITI is 1.4 which is more than 1.25 (Minimum Requirement). Hence, may be considered for granting Affiliation/Accreditation -</p> | | | |
| 4 | Gujarat | <p><u>SF Jamiah Uttumal Pvt. ITI, JAMIAH UTTUMAL DARUL QURAN CAMPUS, BY PASS ROAD JAMBUSAR, DARUL QURAN CAMPUS, BY PASS ROAD, DABHA CHOKDI</u></p> | <ol style="list-style-type: none"> Attendant (chemical Plant) 1(1+0) Mechanic Refrigeration & A.C. 1(1+0) | <p>19 RCM meeting held on 15.01.2020</p> | <p>deferred in 19 RCM - Reverted back to state directorate, 1 day time from date of MoM issuing to be given to ITI to submit principal details Scrutiny Committee Recommended the same, as the reply</p> | <ul style="list-style-type: none"> The grading of ITI is 1.13 less than 1.25 Vide DGT office order no DGT-11012/4/2021-O-o DIR TC dated 22.09.2021 minimum grading reduced from 2.0 to | Not recommended due to low grading |

| | | | | | | | |
|---|-------------|--|---|--|--|---|---|
| | | JAMBUSAR, Gujarat - 392150 PR24000851 Existing Trades- 1. Fitter 1(1+0+0) 2. Electrician 1(1+0+0) 3. Information Communication Technology System Maintenance 1(1+0+0) | | | from State Directorate received | 1.25 for existing ITI to open new trades. • ICTSM trade is not mentioned in Annexure-III under existing trades details. • Grading-1.13 | |
| | | | 23rd RCM meeting held on 22.03.2021 | Again, deferred in 23rd RCM meeting held on 22.03.2021 "Report from Grading Committee is waited for decisions on ITIs with less than 2.0 grades" | | | |
| | | | 8th SCRC dated 18.11.2021 | May not be considered as the Grading of the ITI is 1.13 which is less than minimum requirement of 1.25 | | | |
| 5 | Maharashtra | Matoshri Private Industrial Training Institute, Jalgaon Savada- Burhanpur Road, Raver, Jalgaon NEW ITI "TMP27478PR15 82812174" | 1. Electrician 2(1+1) 2. Wireman 2(1+1) 3. Welder 2(1+1) 4. Fitter 2(1+1) | 20 RCM MoM dated 19.01.2021 | Deferred in 20 RCM MoM page No 17 "Reverted back to State Directorate. 1- day time from the date of issue of minutes of meeting, to be given to ITI for submitting the principal details. The case to be taken up on file and ratified in the Recommendation Committee Meeting." | Minutes issued on 20 RCM 19.01.2021 Experience details received from state directorate vide letter dated 08.03.2021 subsequent on Email of JD TC dated 28.04.2021. State has verified the principal qualification, appointment and experience of 08 years and recommended for affiliation of all trades | 1. State Directorate has verified the principal- qualifications and committee agreed for that. 2. The electricity connection can be in the name of the Applicant Trust/ Society/ Company/ Institute. |



All the Letters to be send to Director TC on Mail Id 1. Director TC: section-tc2022@dgt.gov.in

| | | | | | | | |
|--|--|--|--|---------------------------|--|--|---|
| | | | | 8th SCRC dated 18.11.2021 | Details are received from State Directorate. May be considered for granting affiliation/accreditation. | in which affiliation is sought. Deficiencies observed in Electricity bill is in the name of Indirabai Mahila Shikashan Sansthan instead of ITI. IT lab 16 computers and internet connection is available | <p>Committee observed that this connection is in the name of the trust.</p> <p>3. Since there are four units in single shift, 16 computer in IT lab are sufficient as per Affiliation norms.</p> <p>Recommended:</p> <ol style="list-style-type: none"> 1. Electrician 2(1+1) 2. Wireman 2(1+1) 3. Welder 2(1+1) 4. Fitter 2(1+1) |
|--|--|--|--|---------------------------|--|--|---|

| | | | | | | | |
|---|---------------|--|---|----------|---|--|---|
| 6 | Uttar Pradesh | A.S.K. INSTITUTE OF EDUCATION PVT. ITI, NH-24 Budhanpur Block Joya Distt. Amroha 244102, Amroha, Uttar Pradesh. PR09901269 Existing ITI, | 1. Fitter 3 (1+1+1) 2. Plumber 3 (1+1+1) 3. HSI 3 (1+1+1) | 4th SCAA | Deferred in 4th SCAA MoM dated 09.11.2021 page No - 7 As ITI is not graded, its status of admission, pass %age, industry connect, women participation and placement data to be checked and to be placed again | <ul style="list-style-type: none"> Grading is to be done. Details of industry connect and placement data are awaited Letter received from state dated 13.12.2021, admission sheet is enclosed woman participation nil ITI was allotted only single electrician 3(1+1+1) trade in 27.08.2019. | Not recommended due to no grading of ITI |
| 7 | Uttar Pradesh | Shri Ram Raja Sarkar Pvt. ITI, Jhansi,village paadri,p.o.Bhojala ,Block Badagaon Jhansi,U.P. 284002 TMP9153PR1580 287259 New ITI | 1. Electrician 6(2+2+2) 2. Fitter 3 (1+1+1) 3. Health sanitary Inspector 3 (1+1+1) 4. Stenographer Secretarial Assistant (Hindi) 3 (1+1+1) | 4th SCAA | Deferred in 4th SCAA MoM dated 09.11.2021 page No - 7 To get comment from State Directorate why Inspection report is submitted by SCVT member only and not routed through State Directorate. member was part of Inspection cum Verification Committee | 4th SCAA MoM is updated on portal 12.11.2021 information from state is awaited. Details are not available in NIMI portal. | State Directorate to arrange Joint Re-inspection along with RDSDE within 3 weeks after issuing of this MoM. The detailed report with annexure - III duly signed by SCVT, NCVT, Representatives and forwarded by State Director to be sent to Director - TC, DGT. |

| | | | | | | | |
|---|---------------|--|--|----------|--|--|---|
| 8 | Uttar Pradesh | <p>GURU NANAK PVT. ITL, BIJNOR Pvt. ITI, BIJNOR UMARPUR KHADAR SEOHARA BIJNOR-UTTAR PRADESH- 246746</p> <p>TMP9132PR1582 190101</p> <p>New ITI</p> | <p>COPA 3 (1+1+1) Electrician 24 (8+8+8) Fitter 12 (4+4+4) Health Sanitary Inspector 6 (2+2+2)</p> | 4th SCAA | <p>Deferred in 4th SCAA MoM dated 09.11.2021 page No - 9 Deferred for Land lease agreement, Photograph/ video/ bills of computers. Put up to SCAA again with above document/details.</p> | <ol style="list-style-type: none"> 1. Land affidavit is submitted. Land is purchased in trust name and it is agricultural land. Total area-1.8 acre. 2. Land conversion certificate from agricultural land is not available. 3. payment proof of invoice not attached. 4. Principal experience details given but Instructors NCIC certificate not available. 5. State Directorate has submitted letter on 28.03.2022 for N/A with lease under taking, photos, and bills. Information received on email 28.03.2022 Dir TC, JD and AD email 6. Bill of computer is attached but payment proof is not given. Photos of computers is attached in report. | <p>State Directorate to verify the deficiencies mentioned in Column VII and submit the report within 1 month after issuing of this MoM.</p> |
|---|---------------|--|--|----------|--|--|---|




| | | | | | | | |
|---|---------------|--|--|----------|---|---|---|
| | | | | | | 7. Principal details given but NCIC details of staff not available. | |
| 9 | Uttar Pradesh | S. R. K. Pvt. ITI, MATHURA VILL-FATEHPURA, POST-BARAULI, TEHSIL-MAHAVAN, DISTT-MATHURA 281301 TMP9167PR1579 931165 New ITI | Electrician 6 (2+2+2) Fitter 3 (1+1+1) Health Sanitary Inspector 2 (1+1) Marketing Executive 1(1+0) | 4th SCAA | Deferred in 4th SCAA MoM dated 09.11.2021 page No - 11 Deferred for report from SCVT /other members of ICVC. | ONLY 1 MEMBER INSPECTED, REPORT by 1 (DGT) member only. | State Directorate to arrange Joint Re-inspection along with RDSDE within 3 weeks after issuing of this MoM. The detailed report with annexure - III duly signed by SCVT, NCVT, Representatives and forwarded by State Director to be sent to Director - TC, DGT. |

Agenda 3: Reconsideration of cases pertaining to affiliation for ITIs rejected on the basis of not having 4 trades and minimum Grading as per norm which were not considered vide 1st Revised SCAA meeting agenda no -5 held on dated 05.04.2022 and 06.04.2022

Agenda 3(a) Committee discussed Total 17 cases those were not recommended due to four trades and minimum grading criteria discussed in detail.

The Recommendation of committee given in column number VII.

| Sl. No. | State | ITI Details | Placed in RCM/SCAA Meeting Number /court case | Remarks given by the earlier Committee/court facts | Deficiencies Observed | SCAA Recommendation |
|---------|-------|-------------|---|--|-----------------------|---------------------|
|---------|-------|-------------|---|--|-----------------------|---------------------|

| | | | | | | |
|---|------------------|--|--|---|---|---|
| 1 | Chhattisgarh | Gracious Abhanpur Private Iti, Abhanpur, Raipur -493661 PR22000134 Grading-2.60 | 20th RCM dated 19.01.2021 Court case matter | Not Recommended Since ITI is more than 5 years old and has less than 4 trades in total. ITI needs to re-apply with minimum 4 trades in total | 1.Layout plan not attached, 2.Payment proof not attached 3. No of CITS Trained instructor details not available 4. UPS not installed | ITI to remove deficiencies mentioned in column no. VI and send the report to DGT HQ within 2 weeks after issuing of this MoM. |
| 2 | Chhattisgarh | Sandipani Academy Private ITI, Private Gram. Achhoti, Post. Murmunda, Taluka-Dhamdha, DURG-490036 PR22000109 Grading- 2.64 | 20th RCM dated 19.01.2021 | Not Recommended Since ITI is more than 5 years old and has less than 4 trades in total. ITI needs to re-apply with minimum 4 trades in total | 1. Layout plan not attached 2. Details of CITS Passout Instructors not available | ITI to remove deficiencies mentioned in column no. VI and send the report to DGT HQ within 2 weeks after issuing of this MoM. |
| 3 | Himachal Pradesh | Takshila Private ITI, Near M.L.S.M College Sundernagar, DISTRICT-MANDI, HP- 175018 Grading-2.26 | 16th RCM dated 25.11.2020 Court case matter | Not Recommended Since ITI is more than 5 years old, should apply for minimum 4 for affiliation by session 2021. | 1. Principal Room, Library, Drawing Hall, Staff room, not as per norms 2. Lan connection under progress, | State Directorate to arrange Joint Re-verification along with RDSDE within 3 weeks after issuing of this MoM. The detailed report duly |



All the Letters to be send to Director TC on Mail Id 1. Director TC: section-tc2022@dgt.gov.in

| | | | | | | |
|---|------------------|---|---------------------------|---|---|---|
| | | | | | Safety certificate not available 3. Instructors are not CITS Trained. | signed by SCVT, NCVT, Representatives and forwarded by State Director to be sent to Director - TC, DGT. |
| 4 | Himachal Pradesh | Prayaas Pvt. Iti V.P.O. MAIRA KANGRA-176023 Grading-1.23 | 21st RCM dated 09.02.2021 | Rejected as not recommended by State director since ITI is more than 5 years old and has less than 4 trades. ITI needs to re-apply for renewal of affiliation with minimum 4 trades in total. | 1. Layout plan not attached 2. Machinery Payment proof not attached 3. Details of CITS Pass Instructors not available 4. METER SHOWS 3 PHASE CONNECTION, BUT BILL VOLTAGE IS AMBIGUOUS. 5. Engraving of ITI name missing in few machines, installation not complete | Not Recommended due to low grading. ITI needs to remove the deficiencies to improve the grading. |




| | | | | | | |
|---|-------------|---|---------------------------|--|---|--|
| | | | | | for hydraulic system 6. Low Grade | |
| 5 | Karnataka | Aatmananda Saraswathi Private ITI, Billadi Grama, Manya, Januvarkatte, UDUPI - 576223 Grading-1.06 | 21st RCM dated 09.02.2021 | Rejected as not recommended by State Directors since the ITI is more than 5 years old and needs to re-apply with minimum 4 trades in total. | 1. Machinery Payment proof not attached. 2. Details of CITS pass instructors not attached. 3. Drawing Hall Furniture not as per norms 4. Low Grade | Not Recommended due to low grading. ITI needs to remove the deficiencies to improve the grading. |
| 6 | Maharashtra | Shreyansh Private Industrial Training Institute, Sahakar Nagar Th-Tirora Gondia-441911 Grading-1.91 | 20th RCM dated 19.01.2021 | Not Recommended, since ITI is more than 5 years old and has less than 4 trades in total. ITI needs to re-apply with minimum 4 trades in total. ITI applied for only two trades. Electrician - 4(1+1+2) Fitter - 4(1+1+2) | Load available is less than required | Recommended in Fitter -2(1+1) Not Recommended- Electrician-4(1+1+2) 3 rd Shift not allowed. |

| | | | | | | |
|---|-------------|---|---------------------------|---|---|--|
| 7 | Maharashtra | New Satara Private Industrial Training Institute, New Solapur Road, Opp. Reliance Petrol Pump, Pandharpur, Dist- Solapur-413304 Grading-.93 | 20th RCM dated 19.01.2021 | Not Recommended, since ITI is more than 5 years old and has less than 4 trades in total. ITI needs to re-apply with minimum 4 trades in total | 1.No CITS Trained Instructor 2.Foundation of Electrical Machines not proper 3. Load connected is less than required 4. Low grade | Not Recommended due to low grading |
| 8 | Maharashtra | A.I.E.& D F'S, BhaskarraoGalande Patil, Private Industrial Training Institute, Ashoknagar, Tal. Shrirampur, Dist. Ahmednagar, MH-413717 Grading-1.70 | 20th RCM dated 19.01.2021 | Not Recommended, since ITI is more than 5 years old and has less than 4 trades in total. ITI needs to re-apply with minimum 4 trades in total | 1. CITS instructor details 2. Payment proof of machineries. | ITI need to remove the deficiencies and send report to DGT HQ within 2 weeks from the issue of this MoM. |
| 9 | Maharashtra | Nasik Dist Maratha VidyaprasarakSamaj Industrial Training Center, Tahrabad, Tal Satana, Dist- Nasik-423302 Grading-.87 | 20th RCM dated 19.01.2021 | Not Recommended, since ITI is more than 5 years old and has less than 4 trades in total. ITI needs to re-apply with minimum 4 trades in total | Drawing hall furniture not as per norms, workshop area not as per norms, payment proof of the machineries not available | Not Recommended due to low grading. |

| | | | | | | |
|----|-------------|--|---------------------------|--|-------------|-------------------------------------|
| 10 | Maharashtra | Svs Industrial Training Center Dondaicha Dist Dhule-425408 Maharashtra Grading-.68 | 21st RCM dated 09.02.2021 | Rejected as not recommended by State Director since the ITI is more than 5 years old and needs to re-apply with minimum 4 trades in total. | Low grading | Not Recommended due to low grading. |
|----|-------------|--|---------------------------|--|-------------|-------------------------------------|

| Sl. No. | State | ITI Details | Placed in RCM/SCAA Meeting Number /remarks | Remarks given by the earlier Committee/court facts | SCAA Remarks |
|---------|-----------|---|---|--|--|
| 11 | Rajasthan | Old- Nav Bharti Private Industrial Training Institute Address 05, Bhuvneshwari Vatika, Panchayawala, JAIPUR-302034 & New address - Nav Bharti Private Industrial Training Institute-Behind goud factory, Guniwala, Dhani dausa-303303. Grading not available | 21st RCM dated 09.02.2021 Rejected since ITI is more than 5 years old and need to apply with minimum 4 trades in total. Court case matter | <p>Facts of the case</p> <p>➤ The ITIs proposals were first put up in 11th Recommendation Committee Meeting at Annexure <u>11(B)</u> serial no. 17 & 18. The ITIs were Not Recommended for affiliation due to Zero admission for two years. However, it was a shifting case and for shifting purpose, ITI needs to maintain zero admission.</p> <p>➤ The proposal was reconsidered by the Recommendation Committee DGT in its 21st meeting held on 09.02.2021 where the said proposals were again rejected by the committee giving remarks that 'ITI is 5 years old and need to apply with a</p> | <p>Since ITI not participated in the grading process.</p> <p>The case needs to be dealt on E-file separately. As informed by the then Director - TC, the Show Cause Notice already issued to all these ITIs who has not participated in the grading process. The case will be dealt as per shifting Norms with details of current operating location of ITI.</p> |
| 12 | Rajasthan | Old- S R Mund Private Industrial Training Institute, Mundsar, District BIKANER-334202 & | 21st RCM dated 09.02.2021 Rejected since ITI is more than 5 years old | <p>The proposal was reconsidered by the Recommendation Committee DGT in its 21st meeting held on 09.02.2021 where the said proposals were again rejected by the committee giving remarks that 'ITI is 5 years old and need to apply with a</p> | <p>Since ITI not participated in the grading process.</p> <p>The case needs to be dealt on E-file separately. As informed by the then Director - TC, the</p> |



All the Letters to be send to Director TC on Mail Id 1. Director TC: section-tc2022@dgt.gov.in

| | | | | | |
|--|--|--|---|--|--|
| | | <p>New Address- S R Mund Private Industrial Training Institute, Plot No-3, ShilaVihar , Gokulpura Jaipur-302012</p> <p>Grading not available</p> | <p>and need to apply with minimum 4 trades in total.</p> <p>Court case matter</p> | <p>minimum of 4 trades in total'.</p> <p>➤ That, the said criteria of 4 trade, was reviewed by DGT vide its <u>letter dated 05.11.2021</u> whereby it was decided that- "for the ITIs that have been established prior to Affiliation Norms 2018", the 4 trade Norms will not be imposed for the purpose of change of location, change of trade and addition of new batches or new shift."</p> <p>That, in terms of the aforesaid decision of DGT dated 05.11.2021, the Hon'ble Court vide its order dt. <u>10.11.2021</u> has disposed off the instant matter with directions to DGT to decide the petitioner's application afresh in terms of the order dated 03.06.2021 passed by this Court in WP 414/2021 and WP 507/2021.</p> | <p>Show Cause Notice already issued to all these ITIs who has not participated in the grading process. The case will be dealt as per shifting Norms with details of current operating location of ITI.</p> |
|--|--|--|---|--|--|

| Sl. No. | State | ITI Details | Placed in RCM/SCAA Meeting Number /court case | Remarks given by the earlier Committee/court facts | Deficiencies Observed | SCAA Remarks |
|---------|-----------|---|---|--|---|---|
| 13 | Telangana | Shiva Sai Private ITI Shanthi Nagar, Peddapally Karimnagar 505172 | 21st RCM dated 09.02.2021 | Rejected as not recommended by State director since the ITI is more than 5 years old and needs to re-apply with minimum 4 trades in total. | 1. BCC not available 2. Details of CITS Pass out Instructors not available | ITI need to remove the deficiencies and inform to State Directorate |

| | | | | | | |
|--|--|--------------|--|--|--|---|
| | | Grading-1.49 | | | | <p>within 2 weeks from the issue of this MoM.</p> <p>State Directorate to verify the deficiencies and submit the report within 2 weeks to Director - TC, DGT.</p> |
|--|--|--------------|--|--|--|---|

| Sl. No. | State | ITI Details | Placed in RCM/SCAA Meeting Number | Remarks given by the earlier Committee/court facts | SCAA Remarks |
|---------|-----------|---|--|---|--|
| 14 | Telangana | Laurel Pvt ITI, Near Padmakshi Temple Hanamkonda, Telangana PU36000030 Grading not available | 16th RCM dated 25.11.2020 Court case matter | <p><u>Facts of the case</u></p> <p>1. The ITI was initially affiliated by DGT (the then DGE&T) in 1986 vide letter no. DGET-6(1)/86-TC dt. 05.09.1986</p> <p>2. The ITI was De-affiliated vide DGT letter dt. 07.06.2017</p> <p>3. The ITI filed case in Hon'ble High court, Hyderabad, as per the court order dt.07.08.2017</p> | <p>State Directorate to arrange Joint Re-inspection along with RDSDE within 3 weeks after issuing of this MoM.</p> <p>The detailed report with annexure - III duly signed by SCVT, NCVT, Representatives and forwarded by State Director to be sent to Director - TC, DGT.</p> |

| | | | | | |
|----|-----------|---|--|---|--|
| | | | | <p>disposing the matter to carryout re-inspection to decide the status.</p> <p>4. ITI vide letter dt. 18.04.2019 intimated DGT that they are ready for inspection.</p> <p>5. DGT vide letter dt. 06.02.2020 nominated team for inspection of ITI.</p> <p>6. Inspection was carried out on 24.02.2020 and recommended Electrician 8(4+4) and Fitter 4(2+2).</p> <p><u>Recommendation of the Committee</u></p> <p>Not Recommended as already decided in 12th RCM</p> | |
| 15 | Telangana | Wilfered Pvt ITI Permnagar, Mulugu Warangal, Telangana, PR36000200 Grading not available | 16th RCM dated 25.11.2020 Court case matter | <p><u>Fact of the case</u></p> <p>1. The ITI was affiliated by DGT (the then DGE&T) in 2008 vide letter no. DGET-6/1/19/2008-TC dt. 30.12.2008</p> <p>2. The ITI was De-affiliated vide DGT letter dt. 07.06.2017</p> <p>3. The ITI filed case in Hon'ble High court, Hyderabad, as per the court order dt.07.08.2017 disposing the matter to carryout re-inspection to decide the status.</p> <p>4. ITI vide letter dt. 18.04.2019 intimated DGT that they are ready for inspection.</p> <p>5. DGT vide letter dt. 06.02.2020 nominated team for inspection of ITI. Inspection was carried out on</p> | <p>State Directorate to arrange joint Re-inspection along with RDSDE within 3 weeks after issuing of this MoM.</p> <p>The detailed report with annexure - III duly signed by SCVT, NCVT, Representatives and forwarded by State Director to be sent to Director - TC, DGT.</p> |

| | | | | | |
|----|-----------|--|---|--|---|
| | | | | 24.02.2020 and recommended Electrician 8 (4+4). <u>Recommendation of the Committee</u> Not Recommended as already decided in 12th RCM | |
| 16 | Telangana | Sadhu Venkatreddy Pvt.ITI,On Kamareddy to Sircilla Road, Yellareddy Peta,Karimnagar, Telangana- 505303 PR36000259 Grading-2.75 | 19th RCM dated 15.01.2021 Court case matter | <u>Fact of the case</u> - ➤ ITIs application applied for seeking affiliation of additional trade/unit(s) has been rejected by the Recommendation committee of DGT in its 19 th meeting held on 15.01.2021 [<u>vide agenda no. 19.1.1</u> , at sl. No.9] with remarks that- <i>"Rejected. since ITI is more than 5 years old and has less than 4 trades. ITI needs to re-apply with minimum 4 trades in total"</i> . ➤ The Hon'ble High Court vide its <u>interim order dated 29.10.2021</u> has inter alia directed that - <i>"There shall be interim direction to the respondents 1 and 2 to forthwith include the name of the petitioner's institute in the portal with new trade Mechanical Diesel with 6(2+2+2) units and additional</i> | State Directorate to arrange Joint Re-inspection along with RDSDE within 3 weeks after issuing of this MoM. The detailed report with annexure - III duly signed by SCVT, NCVT, Representatives and forwarded by State Director to be sent to Director - TC, DGT. |

| | | | | | |
|----|---------------|--|--|--|--|
| | | | | <p>Units 3(1+1+1) in Existing Trade i.e., Electrician for the purpose of counselling and admissions".</p> <p>That, the said criteria of 4 trade, was already reviewed by DGT vide its <u>letter dated 05.11.2021</u> whereby it was decided that- "for the ITIs that have been established prior to Affiliation Norms 2018", the 4 trade Norms will not be imposed for the purpose of change of location, change of trade and addition of new batches or new shift."</p> | |
| 17 | Uttar Pradesh | <p>Maa Bhagawati Private ITI Khailar VILL &&&&&&& POST KHAILAR JHANSI 284120</p> <p>Grading-1.62</p> | <p>23rd RCM, dated 09.03.21</p> <p>Court case matter</p> | <p>Fact of the case -</p> <p>➤ ITIs application applied for seeking affiliation of additional trade/unit(s) has been rejected by the Recommendation committee of DGT in its <u>23rd meeting held on 09.03.2021 [vide agenda 23.1.2(a) at Sl. No. 2]</u> with remarks that- "Since ITI is more than 05 years old, it needs to apply for re-affiliation with minimum 4 trades".</p> <p>➤ The Hon'ble High Court vide its judgment & order dated <u>27.10.2021</u> quashed the impugned decision of the DGT dated 09.03.2021, so far as it relates to the petitioner, and</p> | <p>State Directorate to arrange Joint Re-inspection along with RDSDE within 2 weeks after issuing of this MoM.</p> <p>The detailed report with annexure - III duly signed by SCVT, NCVT, Representatives and forwarded by State Director to be sent to Director - TC, DGT.</p> |

| | | | | | |
|--|--|--|--|--|--|
| | | | | <p>remanded the matter to the DGT for reconsideration of the petitioner's application for additional units, in accordance with law, within six weeks.</p> <p>That, the said criteria of 4 trade, was reviewed by DGT vide its <u>letter dated 05.11.2021</u> whereby it was decided that- "for the ITIs that have been established prior to Affiliation Norms 2018", the 4 trade Norms will not be imposed for the purpose of change of location, change of trade and addition of new batches or new shift."</p> | |
|--|--|--|--|--|--|

Agenda 3(b) Cases to be reconsidered pertaining to proposals rejected in previous meetings due to grading criteria. These cases were not taken up in 1st Revised SCAA meeting vide 1st Revised SCAA meeting agenda no -5(B) held on dated 05.04.2022 and 06.04.2022 and are to be reconsidered in this meeting.

Total six cases which were not recommended in previous meetings due to not fulfilling minimum grades criteria are reconsidered, out of these only two cases fulfil minimum grade criteria as per order vide reference no DGT-11012/4/2021-O/o DIR (TC) dated 22/09/2021. Since the grading criteria reduced from 2 to 1.25 is relaxed as per office Order no. DGT-11012/4/2021-O/o DIR(TC) dated 22.09.2021.

The following 02 case are already included in Agenda -02 of this meeting in deferred case category of total nine cases.

| Sl. No. | ITI Name | Category (New/existing/spare capacity) | State | Remarks given by the earlier Committee | SCAA Remarks |
|---------|---|--|------------------|--|--|
| 1 | Galaxy Private Industrial Training Institute, | Existing | Himachal Pradesh | 1. Deferred in 21st RCM dated 09.02.2021 due to low grading (1.51) of ITI. | There is complaint against ITI. Case to be dealt on E-file separately. |



All the Letters to be send to Director TC on Mail Id 1. Director TC: section-tc2022@dgt.gov.in

| | | | | | |
|---|--|----------|---------|---|--|
| | College Road, Paonta Sahib SIRMAUR - 173028 Himachal Pradesh PR02000177 Grading-1.51 | | | 2. Deferred in 3rd SCAA dated 07.09.2021 for consideration in SCRC Remarks of 8th SCRC dated 18.11.2021: ITI has changed the address/Location and has not followed the laid down procedure to change the address. Firstly, ITI may be advised to apply for change of address for further consideration. Complaint case is also under process on file. | |
| 2 | SAI KRUPA GRAM VIKAS TRUST, SAI PRIVATE ITI, SF SAI KRUPA GRAM VIKAS TRUST I.T.C., BALAIYA CROSSING PADALIYA, FATEPURA, DAHOD, 389190 PR24006117 Grading- 1.40 | Existing | Gujarat | 19th RCM - Reverted back to State Directorate. One day time from the date of issue of MoM to be given to ITI for submitting the principal details. The case to be taken up on file and ratified in RCM. 1. Scrutiny Committee - Recommended, Reply from State Directorate received 23rd RCM dated 09.03.2021 - Deferred "Report from Grading Committee is awaited for decisions on ITIs with less than 2.0 grades" 8th SCRC dated 18.11.2021 - As the grading of ITI is 1.4 | RDSDE Gujrat to cross check NCVT Portal affiliated units' data from physical verification report and affiliation orders and send the report within 2 weeks to Director -TC, DGT. |




| | | | | | |
|--|--|--|--|---|--|
| | | | | which is more than 1.25 (Minimum Requirement). Hence, may be considered for granting Affiliation/Accreditation. | |
|--|--|--|--|---|--|

Agenda 4: Reconsideration of previous cases (Apart from Agenda 2&3 of this meeting) after 10th Recommendation Committee Meeting dated 15.09.2020 pertaining to affiliation for ITIs rejected/not recommended from the previous meeting held (From 10 RCM to 4th SCAA meeting), on the basis of not having 4 trades, various representation made by ITI, minimum Grading and some other issues like power norms, any other required documents required from ITI.

These cases are again considered in the meeting based upon above reasons. The List is given below-

The Remarks of committee given in column number IX.

Abbreviation RCM (Recommendation Committee Meeting), SCAA (Standing Committee Affiliation & Accreditation), S/D(State Directorate)

| Sr No | ITI Name | Category of it is (New/Existing/MS TI) & Existing Trades /Units | Trades/Units sought for affiliation | State | ITIs placed in last Meeting No. (RCM/SCAA) | Remark of the last Recommendation Committee And SCAA COMMITTEE | Deficiencies Observed | SCAA Remarks |
|-------|--|---|--------------------------------------|---------|--|--|---|-------------------------------------|
| 1. | Gujarat Taining Center G.I.D.C Wadhwan Surendranagar-363030, Gujarat Grading -0.93 PU24000769 | Existing Health sanitary Inspector-10(4+4+2) | Health sanitary Inspector -15(5+5+5) | Gujarat | 11 RCM | N.R Due to less Electric load and ITI shall apply for 3 more trades before session 2021 as a minimum 4 | 1.Grading is .93. 2. Sanctioned load is less than required | Not Recommended due to Less grading |

All the Letters to be send to Director TC on Mail Id 1. Director TC: section-tc2022@dgt.gov.in

| | | | | | | Trades is mandatory | | |
|----|---|---|---------------------------------------|---------------|--------|--|---|---|
| 2. | Vijayalakshmi Private ITI, Door no,-10-86, Narsapur (Vil & Mandal), Medak Dist. Hyderabad, Telangana Grading-0.88 PR36000492 | Existing Electrician - 6(2+2+2) Fitter - 6(2+2+2) | Fitter -6(2+2+2) | Telanga na | 11 RCM | Not Recommended for the reasons state by inspecting team, ITI shall apply for remaining 2 trades before session 2021 as minimum 4 trades is compulsory as per norms. | 1. Raw materials are not found in the workshop for the existing trades 2. Electric Fitting like lights and fan are not provided in the classrooms 3. No faculty has CITS trained 4. Salary and other purchases were not dispersed through bank. 5. Grading is .88 | Not Recommended due to Less grading |
| 3. | Shivam private ITI, At Devgana Jambala Road, T.A Shihor Dist. Bhavanagar Gujarat | Existing Health Sanitary Inspector -2(2+0) | Health Sanitary Inspector - 2(2+0) | Gujarat | 11 RCM | Not recommended and ITI shall apply online | Sanctioned load is less than required | ITI to remove the deficiencies and submit |

| | | | | | | | | |
|----|--|---|--|-----------|----------|---|---|--|
| | Grading-1.35 PU24000780 | | | | | for Re-affiliation before session 2021 with minimum 4 trades | | the report to DGT H.Q within 4 weeks |
| 4. | Shiva Jyothi ITC Shastri Nagar, H No. 1-3, MNCL Road, Nirmal, Telangana-504106 Grading not available PR36000194 | Existing Health Sanitary Inspector (NSQF)-6(3+3) | Electrician-8(4+4) | Telangana | 13 RCM | Not Recommended No admissions allowed ,ITI to apply for re-affiliation with 4 Trades | 1. Building Construction is not complete 2. No internet facility in IT lab 3. No instructor for workshop and Drawing 4. Grading is 0 | Not Recommended due to Less grading |
| 5. | Sri Balaji ITI, Budimi Gate, Pitlam Road, Post/Mandal: Banswada, Dis:Kamareddy , Telangana - 503187 Grading-1.48 PR36000255 | Existing Fitter- 4(2+2) Electrician-4(2+2) | Electrician 8(2+2+4) Mech. Diesel 3(1+1+1) Radiology Technician 6(2+2+2) Sewing Technology 3(1+1+1) | Telangana | 3rd SCAA | Deferred for the recommendation of Scrutiny Committee | 1.No drawing board, trainer's table& chair available 2.No classroom is tiled | Not Recommended as RDSDE Telangana informed that ITI was not ready for inspection. |

| | | | | | | | | |
|----|--|---|---|-------------|----------|---|--|---|
| 6. | Bonde Audogik Private Prashikshan Sanstha khapari At. Khapari Post.Ghorad Ta.Kalmeshwar Distt.Nagpur Maharashtra - 441501 Grading-0.68 PR27000876 | Existing Electrician 3(1+1+1) Fitter -3(1+1+1) | Welder- 2(1+1) | Maharashtra | 3rd SCAA | Not Recommended Since the ITI is due for Renewal of Affiliation. The ITI needs to apply for Renewal of Affiliation as and when the portal opens. | 1.Sanctioned load is less than 2.Grading is 0.68 | Not Recommended due to Less grading |
| 7. | Trimurti Private ITI, Survey No. 227/2, Near KBCNMU, Opp.-Hotel Govind, Paldhi BK., Tal Dharangoan, Dist-Jalgaon TMP27478PR1582619 908 | New | Draughtsman (Civil) 2(1+1) Electrician 2(1+1) Fitter 2(1+1) Wireman 2(1+1) | Maharashtra | 16 RCM | Rejected as not recommended by State Director, Since ITI needs to have 4 or more trades for affiliation | 1. None of the staff possess NCIC in any of its variants. 2. Fitter:- Major Machineries not installed as per norms. 3. Fitter:- Pneumatics & Hydraulics set up was not working properly. 4. Fitter:- Allied trades (Sheet Metal Worker, Welder & Modified | ITI needs remove the deficiencies within 1 month and inform to the State Directorate. S/D will arrange Re-inspection along with RDSDE and submit the report to Director - TC, DGT. |

| | | | | | | | | |
|----|---|-----|---|-------------|--------|--|---|---|
| | | | | | | | tool list for 2nd year Fitter) tools, equipment & machinery was incomplete. | |
| 8. | Mauli Private ITI, Near Vilas 2 Sugar Industry, At Post Tondar, TQ UDGIR Dist : Latur MH-413517 TMP27481PR1582822 272 | NEW | Electrician -4(2+2) Wireman -2(1+1) Welder-2(1+1) Mechanic Diesel - 2(1+1) | Maharashtra | 16 RCM | Rejected as not recommended by State, Since ITI needs to have 4 or more trades for affiliation | Electrician and Wireman tools and equipment are available, Welder and Mechanic Diesel all tools and equipment are not fully available. Man power available as per norms for Electrician and Wireman, For Welder and Mechanic DieselInstru | ITI needs remove the deficiencies within 1 month and inform to the State Directorate. S/D will arrange Re-inspection along with RDSDE and submit the report to Director - TC, DGT. |

| | | | | | | | | |
|-----|--|---|---|-------------|--------|---|--|---|
| | | | | | | | ctors are not available | |
| 9. | Swami Vivekanand Private ITI, Masad Road Tq. Chimur, Dist : Chandrapur, Maharashtra - 442903 TMP27473PR1580745014 | NEW | Fitter -2(1+1) Electrician-2(1+1) Health Sanitary Inspector -2(1+1) Housekeeper - 2(1+1) | Maharashtra | 16 RCM | Rejected as not recommended by State Director, Since ITI needs to have 4 or more trades for affiliation | 1. Machineries bills are available for Electrician and Fitter House keeper and health Sanitary Inspector major machineries not available | ITI needs remove the deficiencies within 1 month and inform to the State Directorate. S/D will arrange Re-inspection along with RDSDE and submit the report to Director - TC, DGT. |
| 10. | Haritha Econogical Industrial Training Centre BCM Road Palvancha, KHAMMAM, TELANGANA - 507115 Grading- 0.84 PR36000085 | Existing Instrument Mechanic 1(1) Fitter 2(1+1) Electrician 8(4+4) | Electrician 4(2+2+0) | TELANGANA | 16 RCM | Not Recommended Since State Director not recommended due to deficiencies mentioned in the Inspection report. And ITI should | No IT lab is available Drawing Section is not available Roof is Tin sheet Bills of Equipment's not available | Not Recommended due to Less grading. |

| | | | | | | | | |
|-----|--|--|--|---------------|--------|---|---|---|
| | | | | | | apply for minimum 4 for affiliation by session 2021. | No appointment order & Biodata of Staff, No Library, No Drinking water, No Fire Extinguisher in workshop | |
| 11. | Shri Swami SatSanganand Awam Parmanand Seva Samiti Private ITI , Kakrdahi, Baghpur, Kanpur Dehat, Uttar Pradesh – 209307 Grading-3.22 PR09001842 | Existing Electrician -2(1+1) Fitter-2(1+1) | Electrician -2(1+1) Fitter -2(1+1) COPA-2(1+1) | Uttar Pradesh | 16 RCM | Not Recommended As recommended by State Director that since ITI is more than 5 years old, should apply for minimum 4 for affiliation by session 2021 | Found a primary school in same campus, Infrastructure is not available for additional unit (Electrician and Fitter) & Actual Map is not provided, | ITI needs remove the deficiencies within 1 month and inform to the State Directorate. S/D will arrange Re-inspection along with RDSDE and submit the report to Director – TC, DGT. |
| 12. | Somayya Private ITI, Wadgaon Ward, Akashwani Road, Chandrapur-442401 | Existing Fitter 2(1+1) Electrician 2(1+1) | Electrician-2(1+1) | Maharashtra | 17 RCM | State Director not recommended and ITI shall upgrade with two more | Low Grading | Not Recommended due to Less grading. |

| | | | | | | | | |
|-----|--|---|---|---------------|----------------------|---|--|---|
| | Grading-.63 PU27000871 | | | | | trades by next academic session, else Re-affiliation will to be granted | | |
| 13. | Anshika Private ITI Salarpur, Post-Rasulgarh Sarnath Varanasi - 221007 Grading-1.61 PR09000852 | Existing Electrician 5(2+2+1) Fitter 3(1+1+1) | Electrician 13(4+4+5) Fitter 3(1+1+1) Cosmetology 3(1+1+1) | Uttar Pradesh | 3 rd SCAA | Not Recommended Since the ITI is due for Renewal of Affiliation. The ITI needs to apply for Renewal of Affiliation as and when the portal opens. | 1.Sanctioned load is less than 2. trade and unit wise recommendation from ICVC is not available | ITI needs remove the deficiencies within 1 month and inform to the RDSDE. RDSDE Will arrange joint reinspection and submit the report to Director - TC, DGT. |
| 14. | Sanskar Pvt ITI Pipra Road Nadbai, Bharatpur, Rajasthan APP003133 | Court matter - New | Electrician- 4(2+2+0) | Rajasthan | 17 RCM | Not Recommended Since, it is based on Inspection carried out in 2020. ITI should apply with minimum 4 trades for affiliation. | Existing ITI with MIS code PU0800176 1 already exist at the same address. | Joint Re-inspection to be carried out within 15 days after issuing of this MoM. Action to be initiated by State Directorate along RDSDE. |

| | | | | | | | | |
|-----|---|--|---|---------------|--------|--|--|--|
| 15. | Vinayak pvt. ITI and varda ITC and (PR29000711 and PU29000001) Merger of ITIs Vinayak Grading- 0.30 Vardha Grading-0.45 | Existing PR29000711 Trades Electronics Mechanic (NSQF) - 1(1+0) Fitter (NSQF)- 2(1+1) PU29000001 Trades Electrician (NSQF)- 2(1+1) Electronics Mechanic (NSQF)- 2(1+1) | Fitter 3(1+1+1) Electrician 3(1+1+1) Electronic Mechanic 3(2+1) | KARNA TAKA | 17 RCM | Not Recommended by State Director since less than 4 trades in total. These ITIs need to upgrade to 4 trades. | 1. CITS Pass Instructors details not available 2. It is merger case, which implies surrender of the unit in one ITI and addition of Unit in other ITI 3. For addition of Unit, invoice shouldn't be more than 6 months but since it is merger case it means old machinery of one ITI being used in other ITI | Case to be dealt separately on E-file. |
| 16. | R.A. Patil ITI Pvt. Post Borgaon, BELGAUM, 591216 Karnataka PR29001062 Grading-2.74 PR29001062 | Existing Electrician (NSQF)- 4(2+2) Fitter (NSQF)-4(2+2) | Electrician 4(1+1+2) Fitter-2(0+0+2) | KARNAT AKA | 19 RCM | Rejected since ITI is more than 5 years old and has less than 4 trades. ITI needs to re-apply with | 1. Layout plan not attached 2. Details of CITS Trained Instructors details not attached | ITI needs remove the deficiencies within 1 month and inform to the RDSDE |

| | | | | | | | | |
|-----|--|--------------------------------|---|---------------|--------|---|--|---|
| | | | | | | minimum 4 trades in total | 3. Drawing Hall Furniture and area not as per norms 4. Load Available is less than required | RDSDE will arrange Re-inspection along with S/D and submit the report to Director - TC, DGT |
| 17. | Mvm Takshashila IT cold Add. Mvm Takshashila ITC varanasai TC, palya, bangalore New Add. Mvt Pvt. ITI, Vaddahalli, alangur road, Padamghanta, Mulbagaltq, Kolar District PU29000586 | Existing Fitter (NSQF)- 2(1+1) | Fitter-6(2+2+2) Electrician 6(2+2+2) | KARNAT AKA | 17 RCM | Not Recommended by state Directore since less than 4 trades is dn total the ITI need to upgrade to 4 trades. Grading-0.89 | Inter district shifting of ITI | Case to be dealt separately on E-file. |
| 18. | Maa Ananadmai Private ITI , Jajmau Railway Station, Saiya, Agra - 283124 Grading- 0.78 PR09001764 | Existing Electrician- 3(1+1+1) | Electrician 3(1+1+1) Fitter 3(1+1+1) Food Production 3(1+1+1) | Uttar Pradesh | 18 RCM | Rejected as not recommended by State Director due to Class rooms not available for Additional Electrician Food production | 1. Trainer and Student records not maintained properly. 2. Shortage of space for extension of | Not recommend ed due to low grading |

| | | | | | | | | |
|--|--|--|--|--|--|---|--|--|
| | | | <p>Sewing Technology 3(1+1+1)</p> <p>House Kepper 3(1+1+1)</p> <p>Tourist Guide 3(1+1+1)</p> | | | <p>Sewing Tech. Housekeeping & Tourist Guide and ITI has old equipment. ITI is more than 5 years and no trade are recommended , ITI should apply with minimum 4 Trades by 2021.</p> | <p>units for all trades</p> <p>3. Shortage of Toll and Equipment's</p> <p>4. Low Grading</p> <p>5. Drawing Hall not as per norms</p> <p>6. IT Lab not furnished properly</p> <p>7. Staff Room not maintained</p> <p>8. Office not available</p> <p>9. Dispensary not available</p> <p>10. Class room not available for Food Production, Sewing Technology, House Keeper, Tourist Guide, Class room available for</p> | |
|--|--|--|--|--|--|---|--|--|





| | | | | | | | | |
|-----|---|---|----------------------|--------------|--------|--|--|---|
| | | | | | | | single unit of Electrician | |
| 19. | Shri Sai Pvt. ITI, Deurjhal, Nandini, Durg, Chhattisgarh DURG- 490036 Grading-1.71 PR22000177 | Existing Health Sanitary Inspector -2(1+1) COPA -4(2+2) | Electrician-4(2+2+0) | Chhattisgarh | 21 RCM | Not Recommended by the State Directorsince ITI is more than five years old and need to apply for re-affiliation with minimum 4 trades map/layout to be revised as per construction and also separate electricity meter to be installed | 1. Bank statement showing salary transfer of staff not available. 2. None of the instructor posses NITC (CITS). 3. The society also managing Polytechnic and B.Ed. college on the same location, NOC from AICTE 4. Location of Electrical Lab did not match to the drawing. | RDSDE. Submitted the report to DGT regarding deficiency |


| | | | | | | | | |
|-----|---|---|--------------------------------------|---------|--------|---|--|------------------------------------|
| | | | | | | | 5. Electricity connection is common and in the name of society managing the institutes. 6. Approved building plan not available 7. Details of CITS instructors not available | |
| 20. | Shree N.G. Patel Private ItiUmta Shree V.D.Patel Education Campus,Umta,Ta-Visnagar, Mahesana-384320 Gujarat Grading- 0.94 PR24005124 | Existing Electrician (NSQF) 3(2+1) Fitter (NSQF) 3(1+2) Welder (NSQF) 2(1+1) Computer Operator and Programming Assistant (NSQF) 2(2+0) | Health Sanitary Inspector - 3(1+1+1) | Gujarat | 21 RCM | Not Recommended by the State Director since available electricity load is 29 kW and required 34 kW. | 1. Details of CITS Pass Instructors not available 2. Biometric Machine not available 3. Fire safety certificate not attached 4. Low Grading | Not recommended due to low grading |

| | | | | | | | | |
|-----|--|---|---|------------------|----------|--|---|---|
| 21. | Govt. ITI Talwar at Lahru, Tehsil jaisinghpur, KANGRA H.P-176082 Grading- 0.95 GR02000162 | Existing Plastic Processing Operator (NSQF) 1(1+0) Tool & Die Maker (Dies & Moulds) (NSQF) 1(1+0) | Computer Operator and Programming Assistant (COPA) 2(1+1) Tool & Die Maker (Dies & Moulds) (NSQF) 1(0+1+0) | Himachal Pradesh | 3rd SCAA | Not Recommended as per the recommendations of the Scrutiny Committee | Low Grading | RDSDE will send approved Minutes of Meeting of SSDEC Recommendation. |
| 22. | Sethu Bhaskara ITI Ponnangudi road Kandramanickm Thiruppathur TK Sivangai District PR33000365 Grading-1.38 | Existing Electrician 2(1+1) Fitter 2(1+1) Wireman 2(1+1) | Draughtsman (Civil) 2(1+1) Solar Technician (Electrical) 1(1+0) | Tamilnadu | 22 RCM | Rejected as not recommended by the State Director due to deficiencies Instructor and tools. Also, since ITI is more than 5 years old, it needs to Apply for Re-affiliation with minimum 4 trades. | Deficiency of Tools in solar technician trade Instructor not appointed in Draughtsman (Civil) | ITI needs remove the deficiencies within 1 month and inform to the RDSDE RDSDE will arrange Re-inspection along with S/D and submit the report to Director - TC, DGT |
| 23. | GAUTAM BUDHA PRIVATE ITI, Basai, Arela Pina ghat Agra, 1809014590 | New | Electrician 3 (1+1+1) Fitter 3 (1+1+1) | Uttar Pradesh | 23 RCM | • Inspection team quorum is not complete, so report cannot be considered | 1.No separate IT lab available for COPA trade only. | ITI needs remove the deficiencies within 1 month and |

| | | | | | | | | |
|-----|---|---|---|------------------|--------|--|--|--|
| | | | COPA 3 (1+1+1) H.S.I 3 (1+1+1) | | | and hence, Rejected. • Inspection will be re- scheduled. | 2. Sanctioned load is less than required 3.Fire safety not available. | inform to the RDSDE. RDSDE will arrange Re- inspection along with S/D and submit the report to Director - TC, DGT |
| 24. | PR Memorial Private ITI, Noorpur Behata,Lucknow 226501 Grading-0.93 PR09900579 | Existing Electrician (NSQF)- 6(2+2+2) Fitter (NSQF)- 6(2+2+2) | Electrician addl. 12(4+4+4) | Uttar Pradesh | 23 RCM | Not Recommended , as not recommended by State Director | Low grading | Not Recommend ed due to low grading |
| 25. | SHRI MOTILAL RICHHARIYA PRIVATE ITI VILL- KUA GAON, POST- KURENCHA, TAHSIL- MAURANIPUR JHANSI 284204 Grading-0.65 PU09900625 | Existing Electrician- 6(2+2+2) Fitter-3(1+1+1) | Electrician- 6(2+2+2) | Uttar Pradesh | 23 RCM | Not Recommended as Not recommended by State Director due to shortage in Electricity load. | 1.Sanctioned Load not sufficient to run addition units in electrician trade. 2.Complete details of CTI Trained instructors | Not Recommend ed due to low grading |



| | | | | | | | | |
|-----|--|---|--|------------------|----------|---|---|--|
| | | | | | | | are not available. 3. Low grade | |
| 26. | MISSON PVT. ITI, A-32SOUTH CITY RAIBARELI ROAD LKO. LUCKNOW- 226025 Grading-1.13 PU09900696 | Existing Electrician- 3(1+1+1) Fitter-3(1+1+1) | Electrician- 3(1+1+1) | Uttar Pradesh | 24 RCM | Deferred. The details about the ITI in the existing format to be placed before the committee in the next meeting. | Low Grading | Not Recommended due to low grading |
| 27. | Shri Raj Kumar Singh College of Private ITI, Vill- Bhawanipur, Karhal, Dist- Mainpuri, U.P.-205268 | New | Electrician 6(2+2+2) Fitter 6(2+2+2) COPA 3(1+1+1) H.S.I 3(1+1+1) | Uttar Pradesh | 3rd SCAA | Deferred for the recommendation of Scrutiny Committee | State Directorate to check all records, Electricity bill and also to verify whether any other educational institute runs at the site. | ITI needs remove the deficiencies within 1 month and inform to the RDSDE. RDSDE will arrange Re-inspection along with S/D and submit the report to Director - TC, DGT |



| | | | | | | | | |
|-----|---|-----|--|---------------|--------|--|---|--|
| 28. | Shivaji Shikshan Prasarak Mandal Sanchlit Bhaskara Charya Private ITI, A/P-AT Post Tarwade Tal-Chalisgoan, Dist, Jalgaon, Maharashtra | New | Electrician 3(1+1+1) Fitter 3(1+1+1) Welder 3(1+1+1) Draughtsman Mechanical 3(1+1+1) | Maharashtra | 10 RCM | Not recommended as per as p MoM 9.5.7 dt.09.10.2019 i.e New ITI should start with minimum 4 trades. ITI has to apply on online affiliation portal next session. | Draughtsman Mechanical - Major Machinery not available Details of CITS Pass out Instructors not available | ITI needs remove the deficiencies within 1 month and inform to the RDSDE. RDSDE will arrange Re-inspection along with S/D and submit the report to Director - TC, DGT |
| 29. | P.S Private Industrial Training Institute, Hasayan Post, Sikandrao, Dist-Hathras, Uttar Pradesh-204212 | New | Electrician 3(1+1+1) Fitter 3(1+1+1) COPA 3(1+1+1) HIS 3(1+1+1) | Uttar Pradesh | 10 RCM | Not recommended due to 1. No-tool list with/without deficiency not mentioned by the 2. ITI and Principal certificate not attached. ITI has to apply on online affiliation portal next session. | 1. Generator Not Functional, electrical machine not properly installed and functional 2. Hydraulic Pneumatic Kit not functional, Arc and Gas Welding set not functional, | ITI needs remove the deficiencies within 1 month and inform to the RDSDE. State Directorate will submit the report to Director - TC, DGT. |



All the Letters to be send to Director TC on Mail Id 1. Director TC: section-tc2022@dgt.gov.in

| | | | | | | | | |
|-----|--|-----|---|---------------|--------|--|---|---|
| | | | | | | | Surface plate not as per standard tool list 3.Computer not as per configuration of COPA Trade list 4.LCD Projector not available, Instructor Table Chair and Computer not available 5. Only 1 KW Electrical Connection | |
| 30. | Sudha Pradeep Private Industrial Training Institute, Wazidpur, Sikandra Rao, Dist-Hatras, Uttar Pradesh-204215 | New | Electrician 6(2+2+2) Fitter 3(1+1+1) HSI 3(1+1+1) Cosmetology 3(1+1+1) | Uttar Pradesh | 10 RCM | Not recommended due to No-tool list with/without deficiency not mentioned by the ITI and Principal certificate not attached. ITI has to apply on online affiliation portal next session. | 1. 3 KW Electrical Connection 2. Electrician - S.No. 148 & 149 not functional, S.No. 135 & 136 not available 3. Fitter-Hydraulic and Pnuematic Set, Arc and | ITI needs remove the deficiencies within 1 month and inform to the RDSDE. State Directorate will verify and submit the report to Director - TC, DGT. |

| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|
| | | | | | | | gas Welding set, coolant pump of lathe machine not functional, cast iron and granite surface plate not as per norms 4.HSI- Instructor table chair not available, some tool equipment not available 5.Cosmetology- area of workshop and classroom not as per norms. | |
|--|--|--|--|--|--|--|--|--|




| | | | | | | | | |
|-----|--|---------------------------------------|---|-----------------|--------|---|--|---|
| 31. | Gargi Private ITI, H. no. 4-116/10, Warangal Road, Huzurabad, Dist. Karimnagar, Telangana, Pin-505468 Mis code: PU28000478 Grading- 3.11 | Existing Electrician 12(4+4+4) | Mechanic 6(2+2+2) Diesel Welder 6(2+2+2) Dress 6(2+2+2) Making | Telanga na | 11 RCM | Not Recommended as per the deficiancies reported by Inspecting team, ITI Shall apply for remaning 3 trades as 4trades is compulsory as per norms and ITI will be due to for Re-aaffiliation, hence shall apply online affiliation portal before session 2021. | No class room, no CITS Qualified Staff, Tool Kit shortage | ITI needs remove the deficiencies within 1 month and inform to the RDSDE.. RDSDE will Physically verify and submit the report to Director - TC, DGT. |
| 32. | A one Private ITI, Babhalgoan, Latur, Maharashtra - | New | Welder-2(1+1) Electrician-2(1+1) Front Office Assistant-2(1+1) EM-2(1+1) | Maharas htra | 12 RCM | Not Recommended due to Shortage of tools equipment's machinery & furniture items. | 1.Shortage of Tool Equipment and Machinery 2. Available Machinery is less than Purchase Bills 3. Dead Stock Register not mainatined, ITI Logo & Skill India logo not | ITI needs remove the deficiencies within 1 month and inform to the RDSDE. RDSDE will Physically verify and submit the report to Director - TC, DGT |

| | | | | | | | | |
|-----|---|-----|---|-----------------|--------|--|--|---|
| | | | | | | | found in main Entrance | |
| 33. | Maitree Private ITI, Gate No. 237, Bhtangali, Tal/Dist. Latur, Maharashtra - 413512 | New | Secretarial Practice -2(1+1) Front Office Assistant 2(1+1) Marketing Executive 2(1+1) Physiotherapy Technician 2(1+1) | Maharas htra | 12 RCM | Not Recommended due to Shortage of major tools and equipment's | Major Tools and Equipment Shortage, Most of the equipments not electrically installed,tea ching staff not appointed, for electrical connection demand note sanction but not connected | ITI needs remove the deficiencies within 1 month and inform to the RDSDE. RDSDE will arrange Re- inspection along with S/D and submit the report to Director - TC, DGT. |

| | | | | | | | | |
|-----|---|---|--|-------------|----------|---|--|------------------------------------|
| 34. | Graimin Advance Private Industrial Training Institute Majalgaon, Opp. Manadhane house, near Dr. Nilekar Hospital, Maharashtra-431131 MIS CODE: PR27000843 Grading- 0.57 | Existing Electrician- 6(2+2+2) | Electrician- 6(2+2+2) | Maharashtra | 3rd SCAA | Not Recommended Since the ITI is due for Renewal of Affiliation. The ITI needs to apply for Renewal of Affiliation as and when the portal opens. | Only Two CPU, 10 Monitor available. LCD Projector, Printer, Scanner not available Low Grading | Not Recommended due to low grading |
| 35. | T E L C Private Industrial Training Institute Nagal Nagar, Dindigul TAMIL NADU -624003 MIS CODE PR33000065 Grading - 0.20 | Existing Computer Operator and Programming Assistant -2(1+1) Fitter-2(1+1) Turner -2(1+1) Welder-1(1+0) | Fitter- 2(1+1) Turner -2(1+1) Welder- 1(0+1) | Tamil Nadu | 24 RCM | The case was already rejected in 16th RCM, no 2nd Inspection and chance to be given to ITI. | Low Grading | Not Recommended due to low grading |




| | | | | | | | | |
|-----|---|---|--|-------------|----------|--|---|--|
| 36. | SKY Private Industrial Training Institute, LUDHARIA, POST OFFICE- LUDHARIA, THANA-TUNDI, DHANBAD 828109 TMP20325PR1582042030 | MSTI | Electrician 4(2+2) Fitter 4(2+2) | Jharkhand | 24 RCM | Rejected as Not Recommended by State Director since load sanction and staff details not available. | 1. Details of CITS Pass out Instructors not available 2. MSTI NOC from State Directorate not uploaded 3. Staff Educational and Experience details not uploaded 4. Electricity Bill not available | MSTI needs to remove the deficiencies and inform the State Directorate. S/D to verify that the deficiencies removed and forward the report to Director - TC, DGT within 01 month after issuing of this MoM. |
| 37. | Lokpanchayat Rural Technical Training Institutes Private Iti At- Kurkundi Post-Ghargoan, Tal - Sangamner, Dist - Ahmednagar- 422620 MIS CODE: PR27000848 Grading 2.34 | Existing Electrician 2(1+1) Fitter 2(1+1) Mechanic Motor Vehicle 2(1+1) Welder 2(1+1) | Electrician 1(0+0+1) Fitter 1(0+0+1) COPA 3(1+1+1) | Maharashtra | 3rd SCAA | Not Recommended as per the recommendations of the Scrutiny Committee | FOR COPA NO INFRASTRUCTURE, TOOLS & equipment. | ITI needs remove the deficiencies within 1 month and inform to the RDSDE.. RDSDE will arrange Re-inspection along with S/D and |




| | | | | | | | | |
|-----|---|---|---|---------------|----------|---|--|---|
| | | | | | | | | submit the report to Director - TC, DGT. |
| 38. | Tapobhoomi Pvt. ITI, HIMMATPUR NAIPAI FIROZABAD- 283203 PR09000528 Grading - 1.53 | Existing Electrician 4(2+2) | Electrician 8(2+2+4) | Uttar Pradesh | 4th SCAA | As inspection is carried out by State only without Auto Batch creation, the report of State is not valid as per Affiliation norms. ITI to be re-inspected after batch creation. *Inspection rescheduled for 06.05.2022* | Inspection rescheduled for 06.05.2022 now, again rescheduled 06-06-2022 | Joint Re-inspection by RDSDE along State Directorate. |
| 39. | Kiran Pvt. ITI, Kutubpur chanora Kotla road Firozabad- 283203 PU09900073 Grading 2.19 | Existing Electrician 3(1+1+1) Fitter 3(1+1+1) | Fitter 9(3+3+3) Electrician 3(1+1+1) | Uttar Pradesh | 4th SCAA | As inspection is carried out by State only without Auto Batch creation, the report of State is not valid as per Affiliation norms. ITI to be re-inspected after Batch creation | Inspection rescheduled for 05.05.2022 but inspection not starred | Joint Re-inspection by RDSDE along State Directorate. |

| | | | | | | | | |
|-----|---|-----|--|---------------|----------|---|--|---|
| | | | | | | *Inspection rescheduled for 05.05.2022* | | |
| 40. | SARMISHTA AHUJA Pvt. ITI, HATHRAS Village Parsara Hathras 204101 UTTAR PRADESH TMP9163PR15827807 08 New ITI | New | Electrician 3(1+1+1) Fitter 3(1+1+1) COPA 3(1+1+1) Health Sanitary Inspector 3(1+1+1) | Uttar Pradesh | 4th SCAA | Not Recommended due to shortage of Space, Infrastructure and meter sealing (Store room not available. Land certificate such as khasra khatauni not matched with the rent deed. Shortage of area of library, HIS workshop, staffroom) | Qualification and experience documents of trainers not available. Land certificate such as khasra khatauni are not matching as per rent deed. No meter sealing certificate. furniture is not available as per norms. NOC from state for ITI to be considered | ITI needs remove the deficiencies within 1 month and inform to the RDSDE. State Directorate will verify and submit the report to Director - TC, DGT. |




| | | | | | | | | |
|-----|---|----------|---|---------------|----------|--|---|--|
| | | | | | | | as MSTI not available. Health sanitary inspector workshop not as per norms | |
| 41. | DURGA PVT ITI PALI SAHJAWANA GORAKHPUR UP, Pali, Gorakhpur, TMPOLD320 MSTI MSTI | New MSTI | Electrician 4 (2+2+0) COPA 2 (1+1+0) | Uttar Pradesh | 4th SCAA | Not recommended due to shortage of Infrastructure (work bench not upto mark no desktop printer available in workshop lockers and drawer no bill of items of sl no. 164-175 as per tool list, Principal Qualification and Experience Certificate not available) | Drawing table not proper. non-conformity lease paper. ups not working and discrepancy in bill. work bench not up to mark, desktop and printer not available in workshop, as per tools list sr no 164 to 173 item bill | MSTI needs to remove the deficiencies and send the report along with NOC to DGT, HQ. With in one month after issuing of this MOM. |

| | | | | | | | | |
|-----|---|-----|---|---------------|----------|--|--|--|
| | | | | | | | not available. Trainers are not CITS trained only principal is CITS trained | |
| 42. | BANVARI LAL Pvt. ITI, MATHURA Vill-Saidpur, Post-Baldeo, Tehsil-Mahavan, Distt-Mathura 281301 TMP9167PR15799428 02 | New | Electrician 6(2+2+2) Fitter 3(1+1+1) Health Sanitary Inspector 2(1+1) Marketing Executive 1(1+0) | Uttar Pradesh | 4th SCAA | Not Recommended due to deficiencies mentioned in the Inspection report (drawing hall not available, IT lab not as per norms, Improper infrastructure, Improper staff details and not as per norms) | 1. Principal is not fulfilling eligibility criteria and experience certificate is not as per norms 2. CTI certificate required. 3. Experience certificate of some of staff are suspicious & not trade. | ITI needs remove all the deficiencies within 1 month and inform and intimate to RDSDE. RDSDE will send the verified report to Director - TC, DGT. |



| | | | | | | | | |
|-----|---|----------|---|-----------|----------|--|---|--|
| 43. | IMPERIAL INSTITUTE OF TECHNOLOGY Pvt. ITI, EAST SINGHBUM, PLOT NO. 1988 VILLAGE- PICHHLI, KUDADA POTKA ROAD POST OFFICE-SHANKARDA PS-POTKA. EAST SINGHBUM, JHARKHAND. TMP20327PR1579870 413 MSTI | New MSTI | Electrician 4(2+2) | Jharkhand | 4th SCAA | Not recommended as Single-phase connection and Not in the name of society/ ITI, Electrical machine trainer not available | 1. Electrical machine trainer not available 2. CITS Trained Instructor not available 3. Building, IT Lab, Drawing Hall not as per norms | MSTI needs to remove the deficiencies and inform the State Directorate within 01 month after issuing of this MoM. State Directorate will verify and submit the report to Director - TC, DGT |
| 44. | MSP PVT. ITI, PALAMU, MAIN ROAD PATAN PO PS- PATAN DISTT- PALAMU JHARKHAND, PALAMU, JHARKHAND. TMP20338PR1581580 692 MSTI | New MSTI | Electrician 6(2+2+2) Fitter 6(2+2+2) | Jharkhand | 4th SCAA | Not recommended due to non-availability of drawing hall | 1. Drawing hall not available. 2. BCC not submitted. 3. NOC for MSTI required. | MSTI needs to remove the deficiencies and inform the State Directorate within 01 month after issuing of this MoM. State Directorate will verify |



| | | | | | | | | |
|-----|---|--|--|-------------|--------|--|-------------|---|
| | | | | | | | | and submit the report to Director - TC, DGT |
| 45. | Pavanraje Nimbalkar Pvt. ITI At. Govardhan wadi post. Dhoki, Tq- Dist. Osmanbad Maharashtra-413508 PR27000930 Grading- 0.25 | Existing Electrician 2(1+1) Wireman 2(1+1) | Electrician 2(1+1) Mechanic Diesel 2(1+1) | Maharashtra | 17 RCM | Rejected due to non-availability of IT lab show cause Notice to be given for not having IT lab | Low grading | Not recommended due to low grading |

Agenda-5 Consideration of various representation received from ITI and state directorate till dated 31.03.2022. State wise details are given below-

Total 11 states and 28 cases.

1. Maharashtra:

| Si. No. | ITI Name and Code | Trades for which Affiliation is sought | Units for which Affiliation is sought | Representation letters received | Remarks by TC Section | SCAA Remarks |
|---------|--|--|---|---|--|--|
| 1 | Govt. ITI Jimalgatta, Gadchiroli Dist, Maharashtra TMPSP109 | Fitter Electrician Wireman Mechanic Motor Vehicle Swing Technology | 2 (1+1) 2 (1+1) 2 (1+1) 2(1+1) 2(1+1) | A letter received for State Directorate Di.08-03-2022 through Diary No. 5666 dt. 22.03.2022 requesting to issue necessary orders for the physical inspection of Govt. ITI Jimmalgatta, Gadchiroli Dist. under LWE J39:J42 Scheme. | Physical inspection done Fitter - 2(1+1) Electrician - 2(1+1) Wireman - 2(1+1) Mechanic Motor Vehicle - 2(1+1) Swing Technology - 2(1+1) May be recommended | Recommended below Trades: Fitter - 2(1+1) Electrician - 2(1+1) Wireman - 2(1+1) Mechanic Motor Vehicle - 2(1+1) Swing Technology - 2(1+1) |
| 2 | Gramin ITI At. post Gharni Tq Chakur, dist latur, LATUR Mahahrashtra - 413513 PR27000992 | Electrician Wireman Welder Fitter COPA Surveyor Mech. Diesel | 16(4+4+8) 8(2+2+4) 1(0+0+1) 1(0+0+1) 3(1+1+1) 3(1+1+1) 3(1+1+1) | ITI had made a representation vide letter No.O/No./GSPM/Neh/2022/07 dated 14.02.2022. ITI claims that due to delay in award of affiliation it could not fill the seats 2019. It had applied for extension of units due to less admission it was not given affiliation due to less admissions. | 16 th RCM - Recommended Mechanic Diesel- 2(1+1) (EL and WM trades not considered due to poor admission and agreed by State Director) | ITI needs remove the deficiencies within 1 month and inform to the State Directorate. S/D will arrange Re-inspection along with RDSDE and submit the report to DGT. |

2. Telangana:

| Si. No. | ITI Name and Code | Trades for which Affiliation is sought | Units for which Affiliation is sought | Representation letters received | Remarks by TC Section | SCAA Remarks |
|---------|-------------------|--|---------------------------------------|---------------------------------|-----------------------|--------------|
|---------|-------------------|--|---------------------------------------|---------------------------------|-----------------------|--------------|



| | | | | | | |
|---|--|-------------|----------|---|--|--|
| 1 | Gawtham Pvt. ITL Industrial Estate Warangal, Telangana - 506007 PU36000189 | Electrician | 8(4+4+0) | <p>Letters received form Gawtham Pvt. ITI, dt. 05-03-2022 and 28.03.2022 through dairy No. 5663, dt.22-03-2022 and 5674 dt. 28.03.2022 respectively.</p> <p>1. The ITI was affiliated before 2018 for one Trade.</p> <p>2. The ITI has shifted location during 2018.</p> <p>3. The ITI has applied online and paid fee two times scheduled for Inspection but not happened due to NOC not got from state.</p> <p>4. Now NOC issued by State Directorate however due to 4 Trade norms ITI unable to apply online. Now, ITI requesting that the ITI comes under the old norms hence 4 trade and Grading will not be applicable hence may conduct Online or Physical Inspection for affiliation in the new location.</p> | Joint Re inspection to be carried by RDSDE and State | <p>Joint Re inspection to be carried by RDSDE and State Directorate within 01 month from the date of issue of this MoM.</p> <p>State Directorate to initiate the action.</p> |
|---|--|-------------|----------|---|--|--|

3. Karnataka



| Si. No. | ITI Name and Code | | Units for which Affiliation is sought | Representation letters received | Remarks by TC Section | SCAA Remarks |
|---------|---|-------------------------------|---------------------------------------|--|---|---|
| 1 | <u>Kengal Hanumantaiah Pvt ITI, Kolar</u> PR29000118 | Fitter | 1(0+0+1) | A Letter from Commissionerate office, ITE, Karnataka, dt. 22-02-2022 through Diary No. 5634 dt. 15.03.2022 stating that these ITIs submitted letters to issue the affiliation order as they have rectified the discrepancies and recommending to release affiliation orders and requesting for needful action. | 23 rd RCM - Rejected as Not recommended by the State Director due to poor admission in 2019 and non-availability of drawing tables in Drawing hall & no LAN and Internet connection in IT lab. Also, it is an old ITI and need 4 trades for Affiliation. | Joint Re inspection to be carried by RDSDE and State Directorate within 01 month from the date of issue of this MoM. State Directorate to initiate the action. |
| 2 | <u>Sri Guru Kottureshwara Pvt ITI Hosakote taluk, Bangalore Rural</u> PR29000797 | Fitter Electrician | 2(1+1) 2(1+1) | Annexures: 1. Inspection Report of Joint Director Divisional office Bangalore 2. Requisition from ITIs 3. IT lab, Drawing Hall and Building plan of Kengal Hanumanthaiya Pvt ITI 4. Electricity Bill and Drawing hall picture of Sri Guru Kottureshwara Pvt IT | 23 rd RCM - Rejected as Not Recommended for shifting due to non-availability of drawing hall and power norms | Case need to be dealt on E-file separately as ITI not participated in the grading process. |
| 3 | Old address: Visweswaraiah Pvt ITI, | Electronic Mechanic Fitter | 4(2+2) 4(2+2) | A Letter from Commissionerate office, ITE, Karnataka, dt. 05-03-2022 and ITI dt. 28.03.2022 | Inspection batch created, rejected due to less grading is showing in NIMI portal | Shifting Case - This case needs to be dealt separately on E-file as |

| | | | | | |
|---|--|--|--|--|--|
| <p>No. 1535, C & D Block Anikethan Road Kuvempur Kuvempur Nagar, Dist. - CHAMARAJANAGAR, Karnataka</p> <p>New address: Visweswaraiah Pvt ITI, 2nd Stage, Bogadi, Mysuru, Karnataka.</p> <p>PU29000224</p> <p>Grading (1.18)</p> | | | <p>through Diary No. 5744 dt. 18.04.2022 recommending to conduct the Joint Inspection for affiliation at the new shifted place as early as possible.</p> | | <p>ITI shifted from one district to other.</p> |
|---|--|--|--|--|--|

4. Assam:

| Si. No. | ITI Name and Code | Trades for which Affiliation is sought | Units for which Affiliation is sought | Representation letters received | Remarks by TC Section | SCAA Remarks |
|---------|-------------------|--|---------------------------------------|---------------------------------|-----------------------|--------------|
|---------|-------------------|--|---------------------------------------|---------------------------------|-----------------------|--------------|



| | | | | | | |
|----|-------------------|---|--|---|--|--|
| 1. | ITI Guwahati | Multimedia& Animation Stenography& Secretarial Assistant Fitter Wireman Electrician Plumber Turner Mech. Electronics Welder MMV Mech. Diesel Machinist R&A/C ICT&SM COPA | 01 02 02 01 02 01 01 01 01 01 01 01 01 01 01 | Letters received from State Directorate dt. 02-11-2021 through Diary No. 2976 dt. 23.11.2021, 24.03.2021 and 15.03.2021 requesting to issue the affiliation orders for conversion of SCVT to NCVT trades. | Unit sought for affiliation. Shift wise details are not available. SSDEC is empowered for conversion of SCVT to NCVT trades vide DGT-35/4/1 Secy MSDE/2022 order dated 28.03.2022 | SSDEC may hold meeting and send its recommendation. RDSDE to coordinate for the same. |
| 2. | ITI Jorhat | MMV COPA Soil Testing & Crop Technician | 02 01 01 | | | |
| 3. | ITI Titabar | Fitter Electrician Mechanic Diesel COPA Surveyor. R&A/C Cosmetology | 02 02 02 01 01 01 01 | | | |
| 4. | ITI(W) Guwahat | Electronic Mechanic Secretarial Practice Cosmetology | 01 01 01 | | | |

| | | | | | | |
|----|-----------------|--|----------------|--|--|--|
| 5. | ITI Morigaon | Welder Mechanic Diesel Engine Mechanic Electronics | 02 01 01 | | | |
|----|-----------------|--|----------------|--|--|--|

5. Jharkhand:

| Si. No. | ITI Name and Code | Trades for which Affiliation is sought | Units for which Affiliation is sought | Representation letters received | Remarks by TC Section | SCAA Remarks |
|---------|--|--|---------------------------------------|--|--|--|
| 1 | J.P.S. Memorial Pvt. ITI, Balidih, Industrial Area Phase-11/D-61, Dist. Bokaro, Pin-827014 Grading - (2.57) | Fitter Electrician | 10(5+5) 16(8+8) | A letter received from ITI dt. 27-3-2022, through dairy no. 5686 dt. 04-04-22. Requesting reconsidered for Seat enhancement as they rectified the discrepancies. | 10 th RCM - As this is existing ITI, due to oversight listed under new ITI category, this will be placed with details in next meeting. 11 th RCM - Not Recommended due to deficiency in tools, poor admission in affiliated trades, Drawing Hall ITI shall apply for Re-affiliation before Session 2021. | ITI needs to remove the deficiencies within 1 month and inform to the RDSDE and RDSDE will send the verified report along with recommendation to Director - TC, DGT. |

6. Uttarakhand:

All the Letters to be send to Director TC on Mail Id 1. Director TC: section-tc2022@dgt.gov.in

| Si. No. | ITI Name and Code | Trades for which Affiliation is sought | Units for which Affiliation is sought | Representation letters received | Remarks by TC Section | SCAA Remarks |
|---------|---|--|---------------------------------------|---|-----------------------|---|
| 1 | C B S Pvt ITI H. No-16 Prakash City, Bazpur Road Dist. Udam Singh Nagar, Uttarakhand PU05000153 | NA | NA | A letter received from State Directorate dt. 31-01-2022 through Diary No. 5565 dt. 17.02.2022 requesting to change the permanent address in the order and NCVT portal as they have entered Communication address by mistake. The inspection report of Nodal Principal with documents is attached. | | As per DGT records, the postal address of the concerned ITI is H.No. 16, Prakash City, Bazpur Road, Udam Singh Nagar, Uttarakhand. Request to change the address can not be considered. This case needs to be dealt separately on E-file as this is the address change case of ITI |

7. Tamil Nadu-



| S.No | ITI Name and MIS Code | Trade Sought for Affiliation | Unit sought for Affiliation | Representation from ITI | TC Section remarks | SCAA Remarks |
|------|--|------------------------------|-----------------------------|--|---|---|
| 1 | <p>P.A.C. Ramasamy Raja Private Industrial Training Institute</p> <p>Govindapuram ARIYALUR- Tamil Nadu 621713</p> <p><u>PR33000597</u></p> | NA | NA | <p>Request of ITI forwarded from DET, Tamil Nadu vide Letter R.C.NO.22140/CT4/2021 dated 20.12.2021 on change of Management.</p> | <p>1 P.A.C Ramasamy Raja Pvt. ITI was established in 2010.</p> <p>2. The Name of the Trust "Madras Cements Limited Educational and Charitable Trust" is changed to "The Ramco Cements Educational and Charitable Trust"</p> <p>3. ITI has requested to change the name of management from "Madras Cements Limited Educational and Charitable Trust" to "The Ramco Cements Educational and Charitable Trust"</p> | <p>As per NCVT Affiliation Norms - 2018 at Point 3.8 (page no. 40) Which States:</p> <p>The change in ownership of the ITI such as change in Trust/ Society/ Private/ Public Limited companies/ Companies like Sole Proprietary/ Private Institutions/ Individuals shall not be allowed. Such institutions shall be de-affiliated as per NCVT norms. Follow the procedure for affiliation of the new ITIs.</p> <p>ITI needs to follow the above instructions.</p> |

| | | | | | | |
|---|--|---|---|--|--|---|
| | | | | | | This case is to dealt on E-file for change of trust/ name of trust |
| 2 | Govt ITI, North Chennai <u>GR33000069</u> | Remotely piloted Aircraft(Drone Pilot) | | Request from State Directorate, Tamil Nadu vide Letter Rc. No. : 3310/CT4/2020 dated 19.03.2021 for affiliation under Dual System of Training in Remotely piloted Aircraft (Drone Pilot) | RDSDE has been delegated the power of DST for Shift 1 and Shift 2. | RDSDE to see the feasibility under DST and send the recommendation to DGT. within 2 weeks from issue of this MoM. |
| 3 | Govt. ITI Hosur <u>GR33000054</u> | Turner | DST of 1 Unit in 3 rd Shift | State Directorate, Tamil Nadu vide Letter Rc.No. 3310/CT4/2017 dated 04.03.2022 had requested to convert Turner 1 Unit in 3 rd Shift to DST. | Copy of MoU signed between Govt ITI, Hosur and M/s Ashok Leyland Ltd. has been forwarded by State Directorate | SSDEC is empowered for DST. RDSDE to coordinate with SSDEC to send recommendation to DGT. |
| 4 | Govt ITI Cuddalore <u>GU33000037</u> | Plastic Processing Operator | DST of 2 Units in 3 rd Shift | State Directorate, Tamil Nadu vide Letter Rc.No. 3310/CT4/2017 dated 17.03.2022 had requested to convert Plastic Processing Operator 2 Unit in 3 rd Shift to DST. | Copy of MoU signed between Govt ITI, Cuddalore and M/s Servo Packaging Limited has been forwarded by State Directorate | SSDEC is empowered for DST. RDSDE to coordinate with SSDEC to send recommendation to DGT. |

8. **Rajasthan-**

| S.No | ITI Name and MIS Code | Trade Sought for Affiliation | Unit sought for Affiliation | Representation from ITI | TC Section remarks | SCAA Remarks |
|------|-----------------------|------------------------------|-----------------------------|---|--|--|
| 1 | S.R. Mahana Pvt ITI | Electrician | 6(2+2+2) | ITI had made a representation vide letter dated 14.03.2022. | 10th RCM Recommendation It was informed that S R | Not Recommended due to low grading. |




All the Letters to be send to Director TC on Mail Id 1. Director TC: section-tc2022@dgt.gov.in

| | | | | | | |
|--|------------------------------|--|--|---|--|--|
| | PR08001665 Grading (0.47) | | | ITI claims that it had applied for affiliation but physical verification was done on 29.09.2019 and it's report was forwarded to DGT on 10.08.2020. Since the report was delayed a lot and was rejected in meeting on 15.09.2020. | Mahana Pvt ITI was inspected on 30.09.2019 and Standing committee had recommended for Electrician 6(2+2+2), whereas report received on 28.07.2020 through ITI only. Since the report was outdated the same was rejected by the committee with an advice for ITI to apply afresh on NIMI Portal. As a special case NIMI portal will be opened for this ITI only to apply and complete the process within 15 days. Accordingly, inspection shall be carried out. | |
|--|------------------------------|--|--|---|--|--|

10. Haryana-


| S.No | ITI Name and MIS Code | Trade Sought for Affiliation | Unit sought for Affiliation | Representation from ITI | TC Section Remarks | SCAA Remarks |
|------|---|------------------------------|-----------------------------|--|--|--|
| 1 | SCVT to NCVT Conversion for all Govt. ITIs running SCVT trades in Haryana State | | | A letter received from state Directorate of Haryana dt.10-3-2021, through dairy no. 4159, dt.16-03-2021. Requesting ITI should not be asked for old purchase invoices. | SSDEC has been empowered for SCVT to NCVT Conversion | SSDEC has been empowered for SCVT to NCVT Conversion |



All the Letters to be send to Director TC on Mail Id 1. Director TC: section-tc2022@dgt.gov.in

11. Uttar Pradesh

| S.No. | Name and MIS code of ITI | Affiliation sought for Trades/units | Representation from ITI | TC section Remarks | SCAA Remarks |
|-------|--|--|---|--|--|
| 1. | <u>Shri Banke Bihari Shiksha Samiti</u> , village sachauli, teliyawar, district kanpur nagar 1809022479 | Electrician 4(2+2) Fitter 4(2+2) Electronic Mechanic 2(1+1) COPA 2(1+1) | ITI has submitted hard copy of NIMI application with request to include this case in the next meeting received on 18/04/2022. Earlier a mail was sent on 09.06.2021 from ITI to Shri Ravi chilukoti requesting for inspection. | Inspection carried on by SCVT and institution member on date 2021-06-18 but submitted report on 2022-03-16. NCVT member has not participated in the inspection. | Joint Re inspection to be carried by RDSDE and State Directorate within 01 month from the date of issue of this MoM. State Directorate to initiate the action. |
| 2. | <u>Banwarilal kaila Devi Siksha Samiti</u> , Saidpur Baldev Mathura | Electrician 6(2+2+2) Fitter 3(1+1+1) HSI 2(1+1+0) Marketing Executive1(1+0+0) | Letter received from the ITI on date 22/11/2021, 22/12/2021 from ITI stating that ITI has drawing lab and necessary infrastructure supporting infrastructure photograph is attached with letters. | Proposal of this ITI was put up in 4th SCAA held on 26/10/2021. 1) Final comment of committee: “Not Recommended due to deficiencies mentioned in the Inspection report (drawing hall not available, IT lab not as per norms, Improper infrastructure, Improper staff details and not as per norms)”. 1) This proposal was put up in 4 th SCAA held on 26/10/2021 and minutes | ITI needs remove the deficiencies within 1 month and inform to the State Directorate. Joint Re inspection to be carried by RDSDE and State Directorate within 01 month from the date of issue of this MoM. State Directorate to initiate the action. |
| 3. | <u>Parmeshwari Dayal Memorial private ITI</u> pilibhit UP | Fitter -4(2+2) Electrician- 4(2+2) | Letter received from UP DET dated 29/11/2021 stating said ITI has | 1) This proposal was put up in 4 th SCAA held on 26/10/2021 and minutes | Recommended |



All the Letters to be send to Director TC on Mail Id 1. Director TC: section-tc2022@dgt.gov.in

| | | | | | |
|----|--|--|---|--|---|
| | MSTI | | forwarded required documents | were issued on date 09/11/2021. 2) Comment of committee " Recommended subject to ITI providing the latest electricity bill as per required load in the norms within 15 days after issue of MoM. MSTI to submit undertaking to upgrade to 4 trades in next 2 years Fitter 4 (2+2+0) Electrician 4 (2+2+0)" 3) ITI has submitted required documents on date 17/11/2021 vide reference letter PDMITI/21/09. | Fitter 4 (2+2) Electrician 4 (2+2) |
| 4. | <u>S R K Pvt ITI Fatehpura Baldeo Mathura UP</u> | Electrician 6(2+2+2) Fitter 3(1+1+1) HSI 2(1+1+0) Marketing Executive1(1+0+0) | Letter received from Haldhar Shiksha Prachar Prasar Samiti Mathura UP on date 27/01/2022 stating that if SCVT member has not submitted the report why ITI has to bear the cost also ITI is stating that SCVT member report is available with applicant ITI. | 1) Inspection was started on 2021-07-16. Report not submitted by SCVT member. 2) This proposal was put up in 3 rd SCAA held on 07/09/2021 and was deferred due to non-availability of SCVT member report. | Joint Re inspection to be carried by RDSDE and State Directorate within 01 month from the date of issue of this MoM. State Directorate to initiate the action. |
| 5. | <u>S J Pvt ITI Kanpur UP</u> | ITI needs to apply on NIMI portal | A letter received dt. 19-10-2021. Sub: Inclusion of name of the ITI | ITI has filled a court cases (WRIT C NO -27076 of 2021) regarding inspection not done. | ITI needs to apply on NIMI portal. |

All the Letters to be send to Director TC on Mail Id 1. Director TC: section-tc2022@dgt.gov.in

| | | | | | |
|--|--|--|---|---|------------------------|
| | | | upcoming Inspection. Application not found in the NIMI portal as per NIMI confirmation through email dt.1-4-22 (Court Case) | Case was disposed of on date 08/12/2021 by the court with direction -Institute will apply for affiliation and inspection will be carried by authority within 6 weeks. | To be dealt on E file. |
|--|--|--|---|---|------------------------|

12. Himachal Pradesh-

| SL. NO | ITI NAME AND MIS CODE | Trades for which Affiliation is sought | Units for which Affiliation is sought | Representation letter received | TC section Remarks | SCAA Remarks |
|--------|--|--|---------------------------------------|---|--|---|
| 1 | Govt. ITI Balakrupi (Old Name Govt. ITI Talwar at Lahru) GR02000162 Grading (0.95) | COPA | 2(2+0+0) | Letter received from State Directorate dt. 24-02-2022 informing that 1.Trade Plastic Processing Operator has been shifted to Govt ITI Shahpur 2.ITI has one unit of Tool & Die Maker (Dies & Moulds) additional unit of the said trade could be given. 3.COPA trade 2 (1+1) units could be given | ITI has a grade of 0.95 the case being already put up in 4 trade case | Not Recommended due to low grading. |
| 2 | N R Memorial Private ITI (PR02000045) | Electrician Fitter MMV | 6(2+2+2) 3(1+1+1) 3(1+1+1) | State Directorate of HP has requested vide Letter No. STV(TE)H-F(7)-12/Affi.DGT/2019 | DGT has permitted 3 rd Shift admission based on the recommendation of | This case to be dealt separately on E-file. |

| | | | | | | |
|---|--|-------------|----------|---|--|---|
| | | | | dated 07.01.2022 to allow the 3 rd Shift for N R Memorial Pvt ITI | State for the session 2021-22 vide letter dated 05.11.2021 | |
| 3 | Universal Pvt ITI, Gaglan, Kangra, HP PR02000231 | Electrician | 3(1+1+1) | A letter received from ITI dt. 04-03-2022. Sub: Affiliation for additional unit of Electrician Trade. ITI has requested to revise the affiliation order condition on recommended trade electrician. | ITI was provided subject to the condition that it will upgrade to 4 trades before session 2022-23. ITI representation requests to revise the affiliation order copy | This case to be dealt separately on E-file. |
| 4 | Bhuvanewari ITC, Mandi, Himachal Pradesh | NA | NA | A letter received from State Directorate of Himachal Pradesh dt. 26-02-2021 through dairy no. 4145, dt. 15-03-2021. Requesting correction of trades / units / shift in the NCVT portal. | 1.State Directorate has forwarded the case of surrender of the Trades/ Units in a. Surrender of all units in Trades Dental Laboratory Equipment Technician (NSQF), Hair and Skin Care (trade not mapped in portal), Consumer Electronics (trade not mapped in portal) b. Surrender of 2 Units in Electronic Mechanic and 1 Unit in COPA | This case to be dealt separately on E-file. |

Agenda No-6: Total 150 cases Government ITI of Karnataka State affiliation under Udyog Programme

A letter received from Commissionerate of Industrial Training and Employment to affiliate 150 Govt. SCVT ITI to NCVT ITI which they have started in collaboration with M/S TATA. Also, they have requested to consider these SCVT ITIs for affiliation session 2021 in which trainees are admitted and session started.

Director TC informed that in-principal approval is already given for following vide Letter No. DGT-Aff011(20)/3/2022- O/o Dir(TC), 26.04.2022

1. Affiliation of 150 SCVT ITI to NCVT ITIs.
2. Retrospective affiliation to SCVT ITIs for session 2021 in which trainees are admitted and session started.
3. Session 2021 trainees in these ITIs to be uploaded on NCVT MIS portal.

After deliberations, the committee recommended as above.

Agenda No-7: Permission to Start Drone courses in ITIs

In a budget 2022 speech by Hon'ble Finance Minister it was stated that "Start-ups will be promoted to facilitate 'Drone Shakti' through varied applications and for Drone-As-A-Service (DrAAS). In select 500 ITIs, in all states, the required courses for skilling will be started,"


As on date, DGT has received proposals from 100 ITIs from 12 different States to start short-term courses and from 39 ITIs of 6 States to start Long-term drone courses. (List Attached in Annexure 7a and 7b)

In-Principal approval is granted to these ITIs to start drone courses vide **Letter No. DGT-Aff011(51)/1/2022-O/o DIR (TC) dated 26-04-2022.**

After deliberation the committee recommended the affiliation of 100 ITIs for short-term drone course and 39 ITIs for long-term drone courses (as per list attached in annexure 7a and 7b).

Agenda No-8: Opening of school ITI in Govt Secondary/Sr Secondary or local body school in unserved block

DGT has issued the letter to all States/UTs Principal Secretaries/ Commissioners dealing Skill Development vide **Letter No. DGT-Aff0 misc/5/2022-O/0 DIR (TC) dated 22-04-2022 (Copy attached as Annexure VIII).**



All the Letters to be send to Director TC on Mail Id 1. Director TC: section-tc2022@dgt.gov.in

The detailed letter discussed for information to the committee members.

Agenda No-9: Grant of affiliation for ITI trades from SCVT to NCVT in ESDI, LWE and Model ITI scheme

To give NCVT affiliation to all trades under SCVT ITIs receiving funds from Central Government (MSDE). In the extant proposal the list of ITIs newly established under the scheme LWE, ESDI, Upgradation of existing Government ITI into Model ITI and has been prepared based on the information received from State Govt. State has reported that these ITIs are constructed and T/E is procured/partially procured/under process of procurement.

- The summary list for Affiliation of conversion of SCVT trade to NCVT trade under the scheme "Skill Development in 47 Districts Affected by LWE"

| Sr No | State Name | Total No of ITIs | Remarks |
|-------|--------------|------------------|---|
| 1. | Chhattisgarh | 02 | Trade wise list Attached in Annexure (9A) |
| 2. | Jharkhand | 07 | |
| 3. | Maharashtra | 01 | |
| | TOTAL | 10 | |

- The summary list for Affiliation of conversion of SCVT trade to NCVT trade under the scheme "Upgradation of existing Govt. ITIs into Model ITIs"



| Sr No | State Name | Total no of ITIs | Remarks |
|-------|--------------|------------------|---|
| 1. | Gujarat | 01 | Trade wise list Attached in Annexure (9B) |
| 2. | Haryana | 01 | |
| 3. | Kerala | 01 | |
| 4. | Ladakh | 01 | |
| 5. | UP | 02 | |
| | TOTAL | 06 | |

- The summary list for Affiliation of conversion SCVT trades to NCVT trades under the scheme "Enhancing Skill Development Infrastructure in NE States (ESDI)"

| Sr No | State Name | Total no of ITIs | Remarks |
|-------|-------------------|------------------|---|
| 1. | Assam | 06 | Trade wise list Attached in Annexure (9C) |
| 2. | Arunachal Pradesh | 03 | |
| 3. | Manipur | 12 | |
| 4. | Meghalaya | 02 | |
| 5. | Nagaland | 03 | |
| 6. | Sikkim | 01 | |
| | TOTAL | 27 | |


Recommendation of Committee-

SSDEC of concerned State will send the recommendation of above ITIs to DGT on priority basis. RDSDE and Director (Project) of DGT needs to follow up for the same.

Agenda No-10: Proposal for affiliation of new trades/units and de-affiliation case of Institute for Training of Trainers (IToTs)

Agenda10.1 Proposal of Bagar IToT

Subject: Proposal for affiliation of new trades/units and de-affiliation of 2 units of existing Fitter trade in Bagar Institute for Training of Trainers, Rajasthan -regarding



All the Letters to be send to Director TC on Mail Id 1. Director TC: section-tc2022@dgt.gov.in

The matter pertains to the above-mentioned subject. Final Inspection Report of the Institute for affiliation of Private IToT, Bagar, Rajasthan has been submitted by the Joint Director/Principal, NSTI (W), Noida vide letter No.NSTI/Z-20025/1/2021-Admn/1087 dated 12.10.2021.

The details are as given below:

| Proposal for affiliation of new trades/units and de-affiliation of Fitter trade in Bagar Institute for Training of Trainers, Rajasthan | | | | |
|---|-------------------------------|---------------------------|--|--|
| 1. Proposal for affiliation of new additional trades and units | | | | |
| Name and Address | Trade | Unit | Standing Committee Recommendation | SCAA Recommendation |
| Bagar Institute for Training of Trainers, SMTI Campus, Jhunjhunu Road, Bagar (Rajasthan)-333023 | Mechanic Diesel | 1+1=2 | The Standing Committee Members inspected on 4 th October 2021, verified as per the prescribed norms and standards and recommended for approval of affiliation for these trades and units from session August 2021. | Recommended: Mechanic Diesel-2(1+1) Computer Software Application - 2(1+1) |
| | Computer Software Application | 1+1=2 | | |
| 2. Proposal for De-affiliation of Fitter Trade 2 units from August 2021 | | | | |
| Name and Address | Trade | Unit | Standing Committee Recommendation | Case to be dealt separately on E-file. |
| Bagar Institute for Training of Trainers, SMTI Campus, Jhunjhunu Road, Bagar (Rajasthan)-333023 | Fitter | 1+1=2 | Under the consideration of De-affiliation of Fitter trade 2 units from August 2021. Request already sent to DGT vide email dt 21.11.2019. | |
| 3. Existing Trades | Admissions in 2018 | Admissions in 2019 | Admissions in 2020 | |
| Electrician | Not affiliated | 76/80 | 78/80 | |
| Fitter | 38/80 | 33/80 | 62/80 | |

Agenda 10.2 Proposal of Govt IToT lalru



All the Letters to be send to Director TC on Mail Id 1. Director TC: section-tc2022@dgt.gov.in

Proposal has been received from Director, Directorate of Technical Education & Industrial Training (DTE&IT), Punjab regarding affiliation of 06 courses of Government ITOT, Lalru under CITS.

Director, DTE&IT, Punjab has requested to grant affiliation of six courses of Govt. ITOT Lalru under the CITS as mentioned below:

- | | |
|---|------------|
| (1) Refrigeration and Air Conditioning Mechanic | - 02 units |
| (2) Diesel Mechanic | - 02 units |
| (3) Surveyor/Draughtsman Civil | - 02 units |
| (4) Carpenter | - 02 units |
| (5) Computer Software Application | - 02 units |
| (6) Reading of Drawing and Arithmetic | - 02 units |

Recommendation of Committee-

After Deliberations Committee Conditionally Recommended the proposal for above six trades subject to procurement of all Machines and equipment before August 2022. RDSDE – Punjab and State Directorate to ensure that all machines and equipments are purchased as per DGT Norms and send the report to DGT before the commencement of admission of CITS students for next session i.e. August 2022.

Agenda 10.2 Conversion of Model ITI/Nodal ITI to IToTs.

Aspiring candidates who wish to pursue CITS course are taking admission in NSTIs/IToTs located in other State//UTs, this creating family disturbance as well as financial burden. DGT has taken decision to open

Proposals received from the following States details are placed before the committee for granting affiliation for setting up of IToTs:

1. Himachal Pradesh – 7 IToTs
2. Jammu and Kashmir – 4 IToTs
3. Telangana-6 IToTs
4. Madhya Pradesh- 3 IToTs
5. Andhra Pradesh- 1 IToT

Details of CTS trade surrender and proposed Trades in IToT given bellow:

Name of the State/UT: Himachal Pradesh



| Sl. No. | Name of the Govt. ITI | MIS Code | Name of trade (s) to be surrendered | No. of Units | Name of the trade(s) proposed for ITOT | No. of units proposed for ITOT | Decision of SCAA |
|---------|-----------------------------------|------------|---|-------------------|---|--------------------------------|------------------|
| (1) | (2) | (3) | (4) | (6) | (7) | (8) | (9) |
| 1. | ITI Shahpur, Distt.Kangra | GR02000131 | Draughtsman (Civil) | One in 2 nd shift | Draughtsman (Civil) | One in 2 nd shift | Recommended |
| 2. | ITI Paplog, Distt.Mandi | GR02000215 | Mechanic Motor Vehicle | One in 3 rd shift | Mechanic Motor Vehicle | One in 3 rd shift | Recommended |
| 3. | Model ITI, Nalagarh, Distt. Solan | GR02000034 | Turner | One in 3 rd shift | Turner | One in 3 rd shift | Recommended |
| 4 | ITI Mandi, Distt. Mandi | GR02000025 | Electrician | One in 3 rd shift | Electrician | One in 3 rd shift | Recommended |
| | | | Reading of Drawing And Arithmetic (RODA) | -- | Reading of Drawing And Arithmetic (RODA) | | Recommended |
| 5. | ITI Shamshi, Distt. Kullu | GR02000087 | Fitter | One in 3 rd shift | Fitter | One in 3 rd shift | Recommended |
| 6. | ITI Dadasiba, Distt. Kangra | GR02000180 | Welder | One in 2 nd shift | Welder | One in 2 nd shift | Recommended |
| 7. | ITI Bilaspur, Distt. Bilaspur | GR02000028 | Computer Operator & Programming Assistant | One in 2 nd shift | Computer Software Application (No CITS in | One in 2 nd shift | Recommended |

| | | | | | | | |
|---|--------------------------------|----------------|------------------------------|---------------------|---|------------------------|-------------|
| | | | | | COPA) | | |
| Name of the State/UT: Jammu and Kashmir | | | | | | | |
| 1. | ITI Jammu | GR010000 02 | COPA | One | Computer Software Application (No CITS in COPA) | One | Recommended |
| 2. | ITI Srinagar | GR010000 01 | Motor Mechanic Vehicle | One | Mechanic Motor Vehicle | One | Recommended |
| | | | Sewing Technology | One | Sewing Technology | One | Recommended |
| 3. | ITI Anantnag | GR010000 03 | Electrician | One | Electrician | One | Recommended |
| 4. | ITI Udhampur | GU010000 11 | Sewing Technology | One | Sewing Technology | One | Recommended |
| Name of the State/UT: Telangana | | | | | | | |
| 1. | ITI Shantinagar, Mallepally | GU360000 23 | Electronic Mechanic | One in 2nd shift | Electronic Mechanic | One in 2nd shift | Recommended |
| 2. | ITI Mallepally, Mallepally | GU360000 18 | COPA | One in 2nd shift | Computer Software Application (No CITS in COPA) | One in 2nd shift | Recommended |
| 3. | ITI Old City, Hyderabad | GU360000 21 | Fitter | One in 2nd shift | Fitter | One in 2nd shift | Recommended |

| | | | | | | | |
|--------------------------------------|---|----------------|---------------------------------|----------------------|-------------------------------------|-------------------------|--|
| 4. | ITI (Boys), Warangal, Mulugu Road, Warangal | GU360000 08 | Electrician | One in 2 nd shift | Electrician | One in 2 nd shift | Recommended |
| 5. | ITI Nizamabad | GU360000 70 | Dress Making | One in 2 nd shift | Dress Making | One in 2 nd shift | Recommended |
| 6. | ITI Mancherial, Bellampalli Road, Mancherial | GR360000 19 | Fitter | One in 2 nd shift | Fitter | One in 2 nd shift | Recommended |
| Name of the State/UT: Madhya Pradesh | | | | | | | |
| 1. | ITI Shivpuri | GR230002 42 | Surveyor | Two | RODA | Two | Not Recommended, as affiliation of IToT can be granted in trades which are surrendered by ITIs. |
| 2. | Divisional ITI Ujjain | GR230002 56 | Dress Making | Two | Computer Software Application | Two | |
| 3. | Divisional ITI Jabalpur | GR230000 11 | Mason | Two | Draughts man (Civil) | Two | |
| Name of the State/UT: Andhra Pradesh | | | | | | | |
| 1 | Govt. ITI, New Gaju waka, Vishakhapat nam, Andhra Prad esh | GU280001 98 | Electrician Fitter Welder | One One One | Electrician Fitter Welder | One One One | Recommended |

SCAA Remarks: Committee also discussed, if state require any guidance regarding Training Methodology, they can take help of nearest NSTI. If required, NSTI will provide specific training of trainers from State Directorate.

Agenda 11: Court Cases

Reviewing Court cases from 10th RCM to 4th SACC

11.1 SUNRISE PVT ITI, RAJASTHAN (PU08001497) (WP 1140/2020)

The case of Sunrise Pvt ITI was last placed before 'Recommendation Committee DGT' in its **10th meeting** held on 15.09.2020. As per court order dt 31.01.2020 shifting application was to be decided and accordingly joint inspection was carried out and Standing committee had not recommended due to various deficiencies and they have recommended for De-affiliation. The Recommendation Committee DGT approved the same and further recommended not to allow their admissions and to initiate de-affiliation process against the concerned ITI.

As per court order dt 25.02.2021 passed in WP No. 2516/2021, trainees were to be allowed for examination, and accordingly trades & units are still active on NCVT MIS Portal.

In pursuance to the committee's decision, de-affiliation proceedings are yet to be initiated by DGT.

Remark of SACC : Committee has directed TC section to expedite this matter on e-file .

11.2 Ramkishor Private ITI (WP No. 1058/2021)

The proposal of the ITI was last considered by the 'Recommendation Committee DGT' in its **14th meeting** held on 10.11.2020, as per details given below:

| Sl. No. | ITI's Name MIS Code / Application No. | Trades/Units sought for affiliation | ITI Proposed Units | Units recommended by SCI | Remarks by the then Recommendation Committee-DGT |
|---------|--|--|--|--|--|
| 1. | Ramkishor Private ITI Imamgarh, Mahul, Azamgarh U.P.- 223225 1809017918 | Electrician Fitter COPA Swing Technology | 3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1) | 3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1) | Rejected, as no response received to the clarifications raised by DGT. Comments from inspection from inspection committee as power connection details and Tools & Equip list not attached in the report. |

The ITI has challenged the aforesaid decision of the committee before the Hon'ble Court Delhi by filing a writ bearing no. 1058/2021. Counter reply in the matter has already been filed by DGT. The case is pending for judgement. NDoH:17.05.2022.

SCAA Remarks: This is Fake Bank guarantee case so can't be considered.

11.3 Kanha Pvt ITI (WP No. 297/2021)

The proposal of the ITI was last considered by the 'Recommendation Committee DGT' in its 14th meeting held on 10.11.2020, as per details given below:


| Sl. No. | ITI's Name | Trades / Units sought for affiliation | ITI Proposed Units | Remarks by Standing Committee | Final remarks by the then Recommendation Committee-DGT |
|---------|---|---|--|---------------------------------------|--|
| 1 | Kanha Pvt ITI Village & Po- Kosi Khurd, Goverdhan, Dist- Mathura, U.P.- 281005 | Electrician 3(1+1+1) Fitter 3(1+1+1) Health Sanitary- NR Inspector Housekeeper - NR | 3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1) | Recommended Electrician & Fitter only | Rejected as minimum 4 trades are not getting affiliated as per norms. |

The ITI has challenged the aforesaid decision of the committee before the Hon'ble Court Delhi by filing a writ bearing no. 297/2021. It is learnt from the official website of the Hon'ble Court that the Hon'ble Court vide its order dated 23.04.2021 has already disposed off the matter by setting aside the impugned decision dated 10.11.2020 and with further directions for DGT to conduct a fresh inspection of the petitioner ITI and to pass a fresh order upon the petitioner's application. The petitioner's application was required to be decided by 11.06.2021.

SCAA Remarks: This is Fake Bank guarantee case so can't be considered

11.4 Shambhu Narayan Private ITI (WP 1094/2021)

The proposal of the ITI was last considered by the 'Recommendation Committee DGT' in its 17th meeting held on 10.11.2020, as per details given below:



| Sl. No. | ITI's Name/MIS Code/ Application Number | Trades/Units sought for affiliation | ITI Proposed Units | Units recommended by SCI | Remarks by Scrutiny Committee | Remarks by Recommendation Committee |
|---------|--|--|--|--|---|-------------------------------------|
| 1 | Shambhu Narayan Private ITI, Vill & Post : Harahari, Dist : Ghazipur Uttar Pradesh - 233226. 1809017048. | Electrician Fitter Sewing Technology COPA | 3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1) | 3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1) | Not Recommended Due To Non availability of drawing hall | Not Recommended |

The ITI has challenged the aforesaid decision of the committee before the Hon'ble Court Delhi by filing a writ bearing no. 1094/2021. Counter reply in the matter has already been filed by DGT. The case is pending for judgement. Next Date of Hearing : 17.05.2022.

SCAA Remarks: ITI needs to remove the deficiencies within 1 week and inform to RDSDE, RDSDE will send the verified report with recommendation to Director TC DGT.

11.5 Court cases of 03 ITIs of Bihar State:

In compliance to directions passed by Hon'ble Court dt. 17.02.2020 (*Annexure-I*) the following cases were last considered in 23rd RCM dated 24.06.2021 (*Annexure-II*). The details of recommendations of the then committee is as hereunder: -

| Sl. No. | ITI's Name/ MIS Code / Application Number | Trades/Units sought for affiliation | ITI Proposed Units | Units recommended by the then SCI | Remarks by the then Scrutiny Committee | Remarks by the then Recommendation Committee DGT |
|---------|---|-------------------------------------|--------------------|-----------------------------------|---|--|
| 1. | Maa sharda Pvt. ITI, Pratapur, Muktapur, Samastipur, Bihar-848102 | Electrician | Addl. 24(12+12+0) | Addl. 24(12+12+0) | Not Recommended, since ITI is more than 5 years old and need minimum 4 trades for affiliation | <i>"Recommended for 1 year and ITI shall submit the 100% CTI trained instructor details within 15 days of issue of Minutes."</i> |
| 2. | Kumar ITC, NH-31, Kenamore, | Electrician | Addl. 8(4+4+0) | Addl. 8(4+4+0) | Not Recommended, since ITI is more than 5 years old and | |

| | | | | | | |
|----|--|-------------|--------------------|--------------------|--|--|
| | Madhobigha, Nawada, Bihar – 805123 | | | | need minimum 4 trades for affiliation | |
| 3. | Rajdeo Yadav Private ITI, Fatehpur Chandhosh Road, PO- Mukhmilpur, PS- Paliganj, Dist.- Patna, Bihar – 801110 | Electrician | Addl. 16(8+8+0) | Addl. 16(8+8+0) | Not Recommended, since ITI is more than 5 years old and need minimum 4 trades for affiliation | |

As per the record available, 100% CTI trained details have been provided by the aforesaid ITIs hence this case is put up in this meeting for further decision of Committee.

SCAA Remarks: Committee has decided that State Director & Regional Director will conduct joint -inspection within 15 days after issuing of this MoM and will submit report to Director TC DGT.

11.6 Sadhu Venkatreddy Pvt. ITI, Telangana (WP 26497/2021):

The proposal of the ITI was last considered by the SCAA in its 03rd meeting held on 07.09.2021, as per details given below:

| Sl. N | ITI's Name/ #MIS Code / *Application Number | Trades/Units sought for affiliation | ITI Proposed Units | Units recommended by SCI | Remarks by Recommendation Committee | Remarks by Scrutiny cum Recognition Committee | Remarks by the then SCAA |
|-------|---|-------------------------------------|----------------------|--------------------------|--|---|---|
| 1. | Sadhu Venkatreddy Pvt. ITI, On Kamareddy to Sircilla Road, Yellareddy Peta, Karimnagar, Telangana- 505303 | Electrician Mechanic Diesel | 3(1+1+1) 6(2+2+2) | 3(1+1+1) 6(2+2+2) | Meeting 19 Agenda No. 19.1 Rejected since ITI is more than 5 years old and has less than 4 | ITI should 1. Apply for Renewal as per norms 2. Upgrade to 4 trades by 2023 | Not Recommended Since the ITI is due for Renewal of Affiliation. The ITI needs to apply for Renewal of |

| | | | | | | |
|------------|--|--|--|--|--|---|
| PR36000259 | | | | trades. ITI needs to re-apply with minimum 4 trades in total | 3. Principal experience certificates to be submitted after verification from RDSDE and State 4. Details of CTI trained Instructors to be submitted after verification from RDSDE and State 5. Mechanic Diesel recommended 4(2+2) | Affiliation as and when the portal opens. |
|------------|--|--|--|--|--|---|


The Hon'ble High Court vide its interim order dated 29.10.2021 has inter alia directed that – *“There shall be interim direction to the respondents 1 and 2 to forthwith include the name of the petitioner's institute in the portal with new trade Mechanical Diesel with 6(2+2+2) units and additional Units 3(1+1+1) in Existing Trade i.e., Electrician for the purpose of counselling and admissions.”*

SCAA Remarks: State Directorate to arrange Joint Re-inspection along with RDSDE within 01 month after issuing of this MoM. The detailed report with annexure – III duly signed by SCVT, NCVT, Representatives and forwarded by State Director to be sent to Director – TC, DGT.

| Sr No | Case No & Petitioner ITI Name | Case matter | Court Directions | SCAA Recommendation |
|-------|---|---|---|---|
| 11.7 | Maa Bhagawati Private ITI Khailar VILL & POST KHAILAR JHANSI 284120 Uttar Pradesh | ITI's application applied for seeking affiliation of additional trade/unit(s) has been rejected by the Recommendation | The Hon'ble High Court vide its judgment & order dated 27.10.2021 quashed the impugned decision of the DGT dated 09.03.2021, so far as it relates to the petitioner, and remanded the matter to the | Joint Reinspection State Directorate to arrange Joint Re-inspection along with RDSDE within 01 month after issuing of this MoM. |

| | | | | |
|------|---|---|--|---|
| | PR0900072612128/2021 | committee of DGT in its 23rd meeting held on 09.03.2021 [vide agenda 23.1.2(a) at Sl. No. 2] with remarks that- "Since ITI is more than 05 years old, it needs to apply for re-affiliation with minimum 4 trades" . | DGT for reconsideration of the petitioner's application for additional units, in accordance with law, within six weeks. That, the said criteria of 4 trade, was reviewed by DGT vide its letter dated 05.11.2021 whereby it was decided that- "for the ITIs that have been established prior to Affiliation Norms 2018", the 4 trade Norms will not be imposed for the purpose of change of location, change of trade and addition of new batches or new shift." | |
| 11.8 | 414/2021 & 12254/2021 Nav Bharti Pvt. ITI, Address 05, Bhuvneshwari Vatika, Panchayawala, DistrictJAIPUR-302034 RAJASTHAN | The ITIs proposals were first put up in 11th Recommendation Committee Meeting at Annexure 11(B) serial no. 17 & 18. The ITIs were Not Recommended for affiliation due to Zero admission for two years. However, it was a shifting case and for shifting purpose, ITI needs to maintain zero admission. The proposal was reconsidered by the Recommendation | Hon'ble Court vide its order dt. 10.11.2021 has disposed off the instant matter with directions to DGT to decide the petitioner's application afresh in terms of the order dated 03.06.2021 passed by this Court in WP 414/2021 and WP 507/2021. | Case to be dealt separately on E- file. |


| | | | | |
|------|---|---|--|---|
| | | Committee DGT in its 21st meeting held on 09.02.2021 where the said proposals were again rejected by the committee giving remarks that 'ITI is 5 years old and need to apply with a minimum of 4 trades in total' . | | |
| 11.9 | SR Mund Pvt. ITI Mundsar, Bikaner- 334202, RAJASTHAN SR Mund Pvt. ITI Mundsar, Bikaner- 334202, RAJASTHAN 507/2021 & 12271/2021 | The ITIs proposals were first put up in 11th Recommendation Committee Meeting at Annexure 11(B) serial no. 17 & 18. The ITIs were Not Recommended for affiliation due to Zero admission for two years. However, it was a shifting case and for shifting purpose, ITI needs to maintain zero admission. The proposal was reconsidered by the Recommendation | Hon'ble Court vide its order dt. 10.11.2021 has disposed off the instant matter with directions to DGT to decide the petitioner's application afresh in terms of the order dated 03.06.2021 passed by this Court in WP 414/2021 and WP 507/2021. | Case to be dealt separately on E- file. |



| | | | | |
|--|--|---|--|--|
| | | Committee DGT in its 21st meeting held on 09.02.2021 where the said proposals were again rejected by the committee giving remarks that ' ITI is 5 years old and need to apply with a minimum of 4 trades in total '. | | |
|--|--|---|--|--|

Agenda 11.10 Inspection report of 2 litigant ITIs are received and scrutinized. Placed for decision of the Committee: -

| S. No | Case No & Petitioner ITI Name | Case matter | Court Directions | DGT Action | SCAA Recommendation |
|-------|---|---|--|---|--|
| 1. | Meera Usha Pvt. ITI Sanbarsa Darp, P.O.Baghkol, Saran (Bihar), WP No. 5778/2021 (copy of court order dt 3.6.2021 is attached TMP10218PR1582908017 | for seeking direction for the respondents to process and finally decide the application submitted by them and conduct inspection of their institution for grant of affiliation for 4 units (2+2) of Electrician trade and 4 units (2+2) of Fitter trade from the present academic session 2021-22 in a time bound manner. | To conduct inspection and In the event the DGT finds any deficiencies or discrepancies in the petitioner-institution's case, it may issue notice to the institution by 31.07.2021, and will dispose of the application after following the established procedure, preferably by 31.08.2021 Court order copy | Joint Inspection was carried out on 04/08/2021. report is scrutinized and put up for final decision of committee. As per Inspection report - ITI is physically not present at this location. | Rejected as ITI physically not exists at this location |




| | | | | | |
|----|--|--|--|---|--|
| 2. | <p>WP No. 15848/2021</p> <p>Old Address: Priya Pvt ITI Banvaripur Mod, Shri Mahaveerji, Dist- Karauli-322220</p> <p>New Address: Priya Pvt ITI GAVDI Road, Shri Mahaveerji, Dist- Karauli-322220</p> | <p>The writ Petition was filed by the petitioner ITI, with the grievance that the respondent 2 and 3 are not inspecting the site where the Petitioner institute is proposed to be shifted from old site.</p> | <p>Writ petition is disposed of vide order dated 16.9.2021 with directions to respondent 2 and 3 to carry out the inspection of new site of petitioner institute and shall take a decision in the matter expeditiously within 4 weeks from date of production of the certified copy of the order instant and shall grant access to NCVT MIS Portal within 1 week</p> | <p>Inspection is carried out and report is scrutinized and put up for final decision of committee</p> | <p>Committee has directed TC section to expedite this matter on e file with all facts and information.</p> |
|----|--|--|--|---|--|

Agenda 11.11 -Misc. Agenda

1. PATILIPUTRA ITC, Bihar (PR10000152):

The Hon'ble Court Delhi vide its order/judgement dated 06.04.2022 passed in WP No. 5693/2022, has given following directions: -
"...5. From the submissions of the parties, what emerges is that the respondent no. 1 despite being aware that petitioner institute continues to be duly affiliated, which affiliation has neither been revoked nor suspended till date, has de-activated it's access to NCVT MIS portal. In my considered view, unless the guidelines permit any such penal action, the respondent no.1 cannot deny access to the NCVT MIS portal. Once, it is an admitted position that till date, no notice even proposing to de-affiliate the petitioner institute has been issued by any of the two respondents, the petitioner cannot be penalized by denying benefits which are available to an affiliated institute. For the aforesaid reasons, the action of respondent no. 1 is unsustainable. The writ petition, therefore, deserves to be and is accordingly allowed by directing the respondent no. 1 to correctly reflect the status of the petitioner as a duly affiliated institute for the trades for which it has been granted affiliation. The respondent no. 1 is directed also to forthwith activate the petitioner's access to its NCVT MIS Portal so as to enable the petitioner to upload the data of the 90 trainees who have been admitted during the academic session of August 2021.



It is however made clear that this order will not preclude the respondents from initiating any action against the petitioner in case it is found that the petitioner is not running as per the applicable guidelines..."


SCAA Remarks: As per court direction the data of the 90 trainees who have been admitted during the academic session of August 2021 is enabled .Further Committee has directed TC section to expedite the matter on e-file.


27/5/22


27/5/2022

List of ITIs Applied to Start Drone Long Term courses

| S.No | ITI Name | Government /Private | State Name | PR Code | Name Of Drone Course | Grading | Long Term | Remarks |
|------|----------------------------------|---------------------|----------------|------------|---|---------|-----------|---|
| 1 | Abssk Samaj Khoday C Venkusa ITI | Private | Karnataka | PU29000240 | Drone Technician | 2.29 | YES | |
| 2 | GITI Indore | Government | Madhya Pradesh | GR23000082 | Remoteely Piloted Aircraft (RPA)/ Drone Pilot | 3.16 | YES | Tool & Equipment, Lab and Training officer requierd |
| 3 | GITI Jabalpur | Government | Madhya Pradesh | GR23000011 | | 2.5 | YES | |
| 4 | GITI Govindpura | Government | Madhya Pradesh | GR23000005 | Remoteely Piloted Aircraft (RPA)/ Drone Pilot | 3.1 | YES | Duration 06 Months (02 Units/40Seats) |
| 5 | GITI Shivpuri | Government | Madhya Pradesh | GR23000242 | Remoteely Piloted Aircraft (RPA)/ Drone Pilot | 2.29 | YES | |
| 6 | GITI Hirakund | Government | Odisha | GU21000528 | Remoteely Piloted Aircraft (RPA)/ Drone Pilot | 2.26 | YES | |
| 7 | GITI Hinjilicut | Government | Odisha | GU21000519 | Remoteely Piloted Aircraft (RPA)/ Drone Pilot | 4.47 | YES | |
| 8 | GITI Bargarh | Government | Odisha | GU21000506 | Drone Technician | 2.11 | YES | AS Nodal ITI of Bargarh District,Odisha |
| 9 | GITI Dhenkanal | Government | Odisha | GR21000504 | Remoteely Piloted Aircraft (RPA)/ Drone Pilot | 2.69 | YES | Can be start in the Instituté as new generation Course. |



 29/5

| | | | | | | | | |
|----|-------------------------------|------------|-----------|------------|---|------|-----|--|
| 19 | GITI Shanthinagar | Government | Telangana | GU36000023 | A.Drone Technician B.Remoteely Piloted Aircraft (RPA)/ Drone Pilot | 2.19 | YES | |
| 20 | GITI Sanathnagar | Government | Telangana | GU36000037 | A.Drone Technician B.Remoteely Piloted Aircraft (RPA)/ Drone Pilot | 2.6 | YES | |
| 21 | GITI Karimnagar | Government | Telangana | GR36000137 | A.Drone Technician B.Remoteely Piloted Aircraft (RPA)/ Drone Pilot | 2.11 | YES | |
| 22 | GITI Khammam | Government | Telangana | GR36000136 | A.Drone Technician B.Remoteely Piloted Aircraft (RPA)/ Drone Pilot | 2.31 | YES | |
| 23 | GITI Kothagudem | Government | Telangana | GR36000010 | A.Drone Technician B.Remoteely Piloted Aircraft (RPA)/ Drone Pilot | 2.21 | YES | |
| 24 | GITI Krishnasagar | Government | Telangana | GR36000055 | A.Drone Technician B.Remoteely Piloted Aircraft (RPA)/ Drone Pilot | 2.15 | YES | |
| 25 | GITI (Girls) Mahaboobnagar | Government | Telangana | GR36000051 | A.Drone Technician B.Remoteely Piloted Aircraft (RPA)/ Drone Pilot | 2.5 | YES | |
| 26 | GITI Medchal | Government | Telangana | GU36000024 | A.Drone Technician B.Remoteely Piloted Aircraft (RPA)/ Drone Pilot | 2.09 | YES | |

| | | | | | | | | |
|----|------------------|------------|---------------|---------------------|---|------|-----|--------------------------|
| 27 | GITI Kalwakurthy | Government | Telangana | GR36000069 | A.Drone Technician B.Remoteely Piloted Aircraft (RPA)/ Drone Pilot | 2.52 | YES | |
| 28 | GITI Nizamabad | Government | Telangana | GU36000070 | A.Drone Technician B.Remoteely Piloted Aircraft (RPA)/ Drone Pilot | 2.67 | YES | |
| 29 | GITI Hanumakonda | Government | Telangana | GU36000004 | A.Drone Technician B.Remoteely Piloted Aircraft (RPA)/ Drone Pilot | 2.36 | YES | |
| 30 | GITI Alwal | Government | Telangana | GU36000122 | A.Drone Technician B.Remoteely Piloted Aircraft (RPA)/ Drone Pilot | 2.17 | YES | |
| 31 | GITI Gorakhpur | Government | Uttar pradesh | Code not mension | Drone Technician | | YES | Performa not attached |
| 32 | GITI Meerut | Government | Uttar pradesh | Code not mension | Drone Technician | | YES | Performa not attached |
| 33 | GITI Basti | Government | Uttar pradesh | Code not mension | Drone Technician | | YES | Performa not attached |
| 34 | GITI Bulandshahr | Government | Uttar pradesh | Code not mension | Drone Technician | | YES | Performa not attached |
| 35 | GITI Meerut | Government | Uttar pradesh | Code not mension | Remoteely Piloted Aircraft (RPA)/ Drone Pilot | | YES | Performa not attached |
| 36 | GITI Ayodhya | Government | Uttar pradesh | Code not mension | Remoteely Piloted Aircraft (RPA)/ Drone Pilot | | YES | Performa not attached |
| 37 | GITI Banda | Government | Uttar pradesh | Code not mension | Remoteely Piloted Aircraft (RPA)/ Drone Pilot | | YES | Performa not attached |

23/5

Annexure-7a



| | | | | | | | | |
|----|------------------|------------|---------------|------------------|---|------|-----|---|
| 38 | GITI Bulandshahr | Government | Uttar pradesh | Code not mention | Remoteely Piloted Aircraft (RPA)/ Drone Pilot | | YES | Performa not attached |
| 39 | GITI Etah | Government | Uttar pradesh | GR09000555 | Drone Technician | 1.42 | YES | Tools equipment and machinery and building are less as per the norms in the institute for the above course. |

Answer - 7b

List of ITIs Applied to Start Drone Short Term courses

| S.No | ITI Name | Government /Private | State Name | Code | Name Of Drone Course | Grading | Short Term | Remarks |
|------|---------------------|---------------------|------------|------------|---|---------|------------|--|
| 1 | GITI Kubernagar | Government | Gujarat | GU24000101 | Drone Service Technician | 3.22 | YES | |
| 2 | GITI Ankleshwar | Government | Gujarat | GU24000403 | Drone Service Technician | 2.4 | YES | |
| 3 | GITI Ahwa | Government | Gujarat | GR24000412 | 1.Drone Service Technician 2.Drone Manufactureing and Assembly | 2.5 | YES | |
| 4 | GITI Pardi | Government | Gujarat | GR24000405 | Drone Service Technician | 2.58 | YES | |
| 5 | Shri M.B.ITI Gondal | Government | Gujarat | GU24000308 | Drone Service Technician | 2.02 | YES | 66kv Power Sub - stations is very near ITI |
| 6 | GITI Morbi | Government | Gujarat | GU24008067 | Drone Service Technician | 2.32 | YES | |
| 7 | GITI Bhilad | Government | Gujarat | GR24000455 | Drone Service Technician | 2.21 | YES | No Affiliated Trade in ITI |
| 8 | GITI Mandvi | Government | Gujarat | GU24000406 | Drone Service Technician | 3.26 | YES | |
| 9 | GITI OLPAD | Government | Gujarat | GR24000423 | Drone Service Technician | 2.68 | YES | |
| 10 | GITI Rajpipla | Government | Gujarat | GU24000414 | Drone Service Technician | 2.16 | YES | No Affiliated Trade in ITI |
| 11 | GITI Ukai | Government | Gujarat | GR24000407 | Drone Service Technician | 2.01 | YES | |
| 12 | GITI Surat | Government | Gujarat | GU24000401 | Drone Service Technician | 3.18 | YES | |
| 13 | GITI Vyara | Government | Gujarat | GR24000422 | Drone Service Technician | 2.17 | YES | |

 24/15
 



| | | | | | | | |
|----|--------------------|------------|-------------|------------|------|-----|--|
| 14 | GITI Gandeve | Government | Gujarat | GR24000410 | 2.56 | YES | 1.Drone Service Technician 2.Drone Manufacturing and Assembly |
| 15 | GITI Vansada | Government | Gujarat | GR24000421 | 2.05 | YES | Drone Service Technician |
| 16 | GITI Himatnagar | Government | Gujarat | GU24000114 | 2.97 | YES | Drone Service Technician |
| 17 | GITI Patan | Government | Gujarat | GU24000121 | 3.24 | YES | Drone Service Technician |
| 18 | GITI Vadnagar | Government | Gujarat | GR24000132 | 3.32 | YES | Drone Service Technician |
| 19 | GITI Visnagar | Government | Gujarat | GR24000107 | 2.82 | YES | Drone Service Technician |
| 20 | GITI Palanpur | Government | Gujarat | GU24000106 | 2.02 | YES | Drone Service Technician |
| 21 | GITI Haridwar | Government | Uttarakhand | GU05000082 | 2.05 | YES | Course name not Intimidated |
| 22 | GITI Chamba | Government | Uttarakhand | GU05000098 | 2.64 | YES | Course name not Intimidated |
| 23 | GITI Barkot | Government | Uttarakhand | GU05000076 | 2.39 | YES | Course name not Intimidated |
| 24 | GITI Almora | Government | Uttarakhand | GU05000062 | 2.39 | YES | Course name not Intimidated |
| 25 | GITI (W) Dehradun | Government | Uttarakhand | GU05000065 | 2.2 | YES | Course name not Intimidated |
| 26 | GITI Haldwani | Government | Uttarakhand | GU05000070 | 2 | YES | Course name not Intimidated |
| 27 | GITI Digha Ghat | Government | Bihar | GR10000041 | | YES | Course name not Intimidated |
| 28 | GITI (W)Digha Ghat | Government | Bihar | GR10000035 | | YES | Course name not Intimidated |

[Handwritten signature]

[Handwritten signature]

| | | | | | | | | |
|----|------------------------|------------|--------|------------|---|--|-----|---|
| 29 | GITI Munger | Government | Bihar | GR10001295 | Course name not intimidated | | YES | Performa not attached |
| 30 | GITI Darbhanga | Government | Bihar | GR10001384 | Course name not intimidated | | YES | Performa not attached |
| 31 | GITI Sitamarhi | Government | Bihar | GR10000046 | Course name not intimidated | | YES | Performa not attached |
| 32 | GITI Gaya | Government | Bihar | GR10000032 | Course name not intimidated | | YES | Performa not attached |
| 33 | GITI Saran | Government | Bihar | GR10000039 | Course name not intimidated | | YES | Performa not attached |
| 34 | GITI Begusarai | Government | Bihar | GR10001366 | Course name not intimidated | | YES | Performa not attached |
| 35 | GITI Supaul | Government | Bihar | GR10000043 | Course name not intimidated | | YES | Performa not attached |
| 36 | GITI Buxar | Government | Bihar | GR10000044 | Course name not intimidated | | YES | Performa not attached |
| 37 | Deol Pvt. ITI | Private | Punjab | PR03000347 | 1.Drone Service Technician 2.Drone Manufactureing and Assembly | First Phase -2.34 Second Phase - 1.96 | YES | |
| 38 | Dolphin ITC Bishanpura | Private | Punjab | PR03000234 | Course name not intimidated | 2.13 | YES | |
| 39 | GITI Mohali | Government | Punjab | GU03000094 | Drone Service Technician | 2.99 | YES | 1.Kindly let us know under wich scheme these courses are to run. 2.Kindly provide us the complete guidelines. |
| 40 | GITI Lalru | Government | Punjab | GR03000087 | Drone Service Technician | 2.64 | YES | |



| | | | | | | | | | |
|----|-------------------|------------|-----------|------------------|-----------------------------|------|-----|--|-----------------------|
| 41 | GITI Pathankot | Government | Punjab | GR03000039 | Drone Service Technician | 2.63 | YES | | Performa not attached |
| 42 | GITI Patiala | Government | Punjab | GU03000013 | Drone Service Technician | 2.76 | YES | | Performa not attached |
| 43 | GITI Ambala | Government | Harayana | Code not mension | Course name not intimidated | | YES | | Performa not attached |
| 44 | GITI Jhajjar | Government | Harayana | Code not mension | Course name not intimidated | | YES | | Performa not attached |
| 45 | GITI Kaithal | Government | Harayana | Code not mension | Course name not intimidated | | YES | | Performa not attached |
| 46 | GITI Sonapat | Government | Harayana | Code not mension | Course name not intimidated | | YES | | Performa not attached |
| 47 | GITI Gurugram | Government | Harayana | Code not mension | Course name not intimidated | | YES | | Performa not attached |
| 48 | GITI Karnal | Government | Harayana | Code not mension | Course name not intimidated | | YES | | Performa not attached |
| 49 | GITI Panipat | Government | Harayana | Code not mension | Course name not intimidated | | YES | | Performa not attached |
| 50 | GITI Kurukshetra | Government | Harayana | Code not mension | Course name not intimidated | | YES | | Performa not attached |
| 51 | GITI Mahendragarh | Government | Harayana | Code not mension | Course name not intimidated | | YES | | Performa not attached |
| 52 | GITI Rewari | Government | Harayana | Code not mension | Course name not intimidated | | YES | | Performa not attached |
| 53 | GITI Dhanbad | Government | Jharkhand | GR20000007 | Course name not intimidated | | YES | | Performa not attached |
| 54 | GITI Dumka | Government | Jharkhand | GR20000013 | Course name not intimidated | | YES | | Performa not attached |
| 55 | GITI Koderma | Government | Jharkhand | GR20000284 | Course name not intimidated | | YES | | Performa not attached |
| 56 | GITI Pakur | Government | Jharkhand | GU20000293 | Course name not intimidated | | YES | | Performa not attached |
| 57 | GITI Simdega | Government | Jharkhand | GR20000307 | Course name not intimidated | | YES | | Performa not attached |

| | | | | | | | | |
|----|---------------------|------------|-------------------|------------|-----------------------------|--|-----|-----------------------|
| 58 | GITI Hazaribagh | Government | Jharkhand | GR20000005 | Course name not intimidated | | YES | Performa not attached |
| 59 | GITI Ranchi | Government | Jharkhand | GR20000004 | Course name not intimidated | | YES | Performa not attached |
| 60 | GITI Jamshedpur | Government | Jharkhand | GR20000039 | Course name not intimidated | | YES | Performa not attached |
| 61 | GITI Deoghar | Government | Jharkhand | GU20000291 | Course name not intimidated | | YES | Performa not attached |
| 62 | GITI Bokaro | Government | Jharkhand | GR20000008 | Course name not intimidated | | YES | Performa not attached |
| 63 | GITI Gajuwaka | Government | Andhra Pradesh | GU28000198 | Course name not intimidated | | YES | Performa not attached |
| 64 | GITI Bobbili | Government | Andhra Pradesh | GR28000154 | Course name not intimidated | | YES | Performa not attached |
| 65 | GITI Etcherla | Government | Andhra Pradesh | GR28000271 | Course name not intimidated | | YES | Performa not attached |
| 66 | GITI Bhimavaram | Government | Andhra Pradesh | GR28000123 | Course name not intimidated | | YES | Performa not attached |
| 67 | GITI Kakinada | Government | Andhra Pradesh | GR28000238 | Course name not intimidated | | YES | Performa not attached |
| 68 | GITI Vijayawada | Government | Andhra Pradesh | GR28000151 | Course name not intimidated | | YES | Performa not attached |
| 69 | GITI (Girls) Ongole | Government | Andhra Pradesh | GR28000090 | Course name not intimidated | | YES | Performa not attached |
| 70 | GITI Boys Nellore | Government | Andhra Pradesh | GR28000145 | Course name not intimidated | | YES | Performa not attached |
| 71 | GITI Girls Kurnool | Government | Andhra Pradesh | GU28000007 | Course name not intimidated | | YES | Performa not attached |
| 72 | GITI Araku | Government | Andhra Pradesh | GR28000244 | Course name not intimidated | | YES | Performa not attached |
| 73 | GITI Tenali | Government | Andhra Pradesh | GR28000206 | Course name not intimidated | | YES | Performa not attached |
| 74 | GITI Tabarijo | Government | Arunachal Pradesh | GR12000002 | Course name not intimidated | | YES | Performa not attached |

57/5

Handwritten signature and initials in blue ink.

| | | | | | | | |
|----|-----------------------|------------|-------------|------------|--|----------|-----------------------|
| 75 | GITI Roing | Government | Assam | GU12000001 | Course name not intimidated | YES | Performa not attached |
| 76 | GITI Yupia | Government | Assam | GR12000003 | Course name not intimidated | YES | Performa not attached |
| 77 | GITI Balliong | Government | Assam | GR12000005 | Course name not intimidated | YES | Performa not attached |
| 78 | GITI Dirang | Government | Assam | GR12000004 | Course name not intimidated | YES | Performa not attached |
| 79 | GITI Kokrajhar | Government | Assam | GR18000017 | Course name not intimidated | YES | Performa not attached |
| 80 | GITI Barpeta | Government | Assam | GR18000010 | Course name not intimidated | YES | Performa not attached |
| 81 | GITI Bongaigaon | Government | Assam | GU18000008 | Course name not intimidated | YES | Performa not attached |
| 82 | GITI Nagaon | Government | Assam | GU18000007 | Course name not intimidated | YES | Performa not attached |
| 83 | GITI Imphal (Taklei) | Government | Manipur | GR14000001 | Course name not intimidated | YES | Performa not attached |
| 84 | GITI (West Garo Hill) | Government | Meghalaya | GR17000005 | Course name not intimidated | YES | Performa not attached |
| 85 | GITI Shillong | Government | Meghalaya | GR17000007 | Course name not intimidated | YES | Performa not attached |
| 86 | GITI Aizawl | Government | Mizoram | GU15000001 | Course name not intimidated | YES | Performa not attached |
| 87 | GITI Lunglei | Government | Mizoram | GU15000002 | Course name not intimidated | YES | Performa not attached |
| 88 | GITI Saiha | Government | Mizoram | GU15000003 | Course name not intimidated | YES | Performa not attached |
| 89 | GITI Akola | Government | Maharashtra | GU27000225 | A. Drone Technician B. Remotely Piloted Aircraft (RPA)/ Drone Pilot | 2.32 YES | Performa not attached |

| | | | | | | | | |
|----|------------------|------------|-------------|------------|---|------|-----|--|
| 90 | GITI Dhule | Government | Maharashtra | GR27000022 | A.Drone Technician B.Remoteely Piloted Aircraft (RPA)/ Drone Pilot | 1.98 | YES | |
| 91 | GITI Pune | Government | Maharashtra | GU27000226 | A.Drone Technician B.Remoteely Piloted Aircraft (RPA)/ Drone Pilot | 2.3 | YES | |
| 92 | GITI Sangli | Government | Maharashtra | GU27000029 | A.Drone Technician B.Remoteely Piloted Aircraft (RPA)/ Drone Pilot | 1.7 | YES | |
| 93 | GITI Nashik | Government | Maharashtra | GR27000024 | A.Drone Technician B.Remoteely Piloted Aircraft (RPA)/ Drone Pilot | 0.98 | YES | |
| 94 | GITI Jalna | Government | Maharashtra | GR27000062 | A.Drone Technician B.Remoteely Piloted Aircraft (RPA)/ Drone Pilot | 1.97 | YES | |
| 95 | GITI Ghansavangi | Government | Maharashtra | | A.Drone Technician B.Remoteely Piloted Aircraft (RPA)/ Drone Pilot | 2.12 | YES | |
| 96 | GITI Amravati | Government | Maharashtra | GR27000013 | A.Drone Technician B.Remoteely Piloted Aircraft (RPA)/ Drone Pilot | 1.69 | YES | |
| 97 | GITI Nagpur | Government | Maharashtra | GR27000011 | A.Drone Technician B.Remoteely Piloted Aircraft (RPA)/ Drone Pilot | 1.99 | YES | |

Handwritten signatures and initials in blue ink.

| | | | | | | | |
|-----|-----------------|------------|-------------|------------|---|----------|--|
| 100 | GITI Gadchiroli | Government | Maharashtra | GR27000084 | A.Drone Service Technician B.Remotely Piloted Aircraft (RPA)/ Drone Pilot | 1.65 YES | |
| 99 | GITI Ambernath | Government | Maharashtra | GU27000050 | A.Drone Service Technician B.Remotely Piloted Aircraft (RPA)/ Drone Pilot | 2.1 YES | |
| 98 | GITI Mulund | Government | Maharashtra | GU27000050 | A.Drone Service Technician B.Remotely Piloted Aircraft (RPA)/ Drone Pilot | 0.95 YES | |

eFile No.- 49356

DGT-AffOmisc/5/2022-O/o DIR (TC)
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Employment Exchange Building,
Pusa, New Delhi,
Dated: 21.04.2022

To

- All States/UTs Principal Secretaries/ Commissioners dealing Skill Development/ Vocational Education and Training

Subject: - Opening of School Industrial Training Institutes (ITIs) for running one or two Craftsman Training Scheme (CTS) Courses in Government Secondary and Senior Secondary or Local body Schools in unserved block – regarding.

Sir,

As you are aware that Directorate General of Training under Ministry of Skill Development & Entrepreneurship offers vocational training through a network of 14,746 ITIs (Govt. 3,180+ Private 11,566) located all over the country with total seating capacity 25.18 lakhs session 2021 (in the trades of 6 month, 1 year and 2 years durations) on NCVT MIS Portal with an objective to provide skilled work force to the industries in 149 NSQF compliant trades under Craftsmen Training Scheme (CTS).

It is to bring to your kind notice that there are total 3048 unserved blocks in the country without any Industrial Training Institute (ITI). In order to increase awareness and importance of Skill Education among school students for their better future prospect, it is decided to allow Government Secondary and Senior Secondary or Local body Schools in unserved block to open ITI and run CTS courses in their premises. ITIs named as "**School ITIs**" are allowed to open with one or two trade with following Affiliation norms in Government Secondary and Senior Secondary or Local body Schools in unserved block.

Schools can choose any of the listed Craftsman Training Scheme (CTS) Courses of DGT (List attached) and schools should fulfill the following conditions: -

1. Workshop with separate specified area for ITI workshop is to be used. In case of Engineering Trade where heavy machineries are required, workshop will be at ground floor only;
2. Availability of sufficient Electricity load for the concerned trade with proper earthing (no separate electrical connection required in the name of School ITI);
3. Machinery and Equipment's required for the concerned trade;
4. Instructor for the proposed trade;
5. Theory room of the school can be used for the purpose of theory classes;
6. Common library, staff room, store room, Administrative staff/space of the school can be used;

Contd./2




-2-

7. Fire Safety and other safety measures must be provided and ITI workshop should have restricted entry to the course trainees only.


A single page proforma (**Annexure 1**) should be used by the school authorities for requesting to start the CTS Course in their school without following the process of NIMI portal. The concerned school Principal needs to submit the information in prescribed proforma to the Regional Director (RD), RDSDE of the concerned State (List of the RDSDEs attached). RDSDEs will act as mentor for the schools to open School ITIs.

The Regional Director will depute officer's along with officer from Government Nodal ITI or nearest Government ITI for physical verification of the application for infrastructural / equipment's / Trainers availability and safety norms. After verification, all these proposals will be submitted to State Skill Development & Entrepreneurship Committee (SSDEC) by concerned State RD, RDSDE for their recommendations.

The recommendations of the SSDEC may be forwarded by the respective Regional Director, RDSDE to DGT through e- file. The proposals will be put up to the Standing Committee on Accreditation & Affiliation (SCAA) for ratification and affiliation order will be issued by DGT.

This issues with the approval of the DG/AS.

Yours Faithfully


(Sandhya Salwan)
DDG (DGT)

Encls : As above

Copy to-

1. PS to Secretary, MSDE, for information please
2. Sr.PPS to DG/AS, DGT(MSDE), for information please
3. Sh. Santosh Kumar Yadav, Additional Secretary (SS-I), 215-C, Shastri Bhawan, New Delhi
4. All State Directors (Skill Development/ Vocational Education and Training) and RDSDEs – for information, compliance and circulation.
5. Sh. Prem Prakash Gupta, Director (RMSA-IV), 211 – C, Shashtri Bhawan, New Delhi – for onward communications and dissemination to all States Schools.





Centrally funded Industrial Training Institutes for which NCVT affiliation is sought

Currently Directorate General of Training is providing financial assistance to State Government in regard to upgradation/new construction of ITIs under three schemes namely "Skill Development in 47 Districts affected by LWE", "Upgradation of existing Govt. ITIs into Model ITIs" and "Enhancing Skill Development Infrastructure in NE States".

Following are State wise list of ITIs for which NCVT affiliation is sought under various schemes.

Name of Scheme: - Skill Development in 47 Districts affected by LWE (Annexure 9-A)

List is as below:

Jharkhand


| S.N | Name of LWE ITI | Trades & Units under SCVT |
|-----|--------------------------|--|
| 01 | Govt ITI, Chatra | Fitter 02(1+1) Electrician 02(1+1) |
| 02 | Govt ITI, Garhwa | Fitter 02(1+1) Wireman 02(1+1) |
| 03 | Govt ITI, Gumla | Fitter 02(1+1) Electrician 02(1+1) Mech Diesel 02(1+1) COPA 02(1+1) Electronics Mech 02(1+1) |
| 04 | Govt ITI, Latehar | Fitter 02(1+1) Electrician 02(1+1) |
| 05 | Govt ITI, Lohardagga | Fitter 02(1+1) Mech Diesel 02(1+1) |
| 06 | Govt ITI, Palamu | Fitter 02(1+1) Electrician 02(1+1) MMV 02(1+1) Plumber 02(1+1) |
| 07 | Govt ITI, West Singhbhum | Fitter 02(1+1) Welder 02(1+1) Mech Consumer Electronics 02(1+1) |

Chhattisgarh

| S.N | Name of LWE ITI | Trades & Units under SCVT |
|-----|----------------------|--|
| 01 | Govt ITI, Kanker | Fitter 02(1+1) Electrician 02(1+1) Welder 02(1+1) COPA 02(1+1) Mech Diesel 02(1+1) |
| 02 | Govt ITI, Narayanpur | Fitter 02(1+1) Electrician 02(1+1) COPA 02(1+1) Mech Diesel 02(1+1) |

Maharashtra

| S.N | Name of LWE ITI | Trades & Units under SCVT |
|-----|--------------------------------|---|
| 01 | Govt ITI, Palundar, Gadchiroli | Fitter 02(1+1) Electrician 02(1+1) Mechanic Motor Vehicle 02(1+1) Wireman 02(1+1) Sewing Technology 02(1+1) |



Name of Scheme: - Upgradation of existing Govt. ITIs into Model ITIs (Annexure-9B)

List is as below:

Gujarat

| S.N | Name of LWE ITI | Trades & Units under SCVT |
|-----|---------------------|---|
| 01 | Govt. ITI, Dashrath | Refrigeration and air conditioning technician 02 Mechanic (MV) 02 Maintenance Mechanic (Chemical Plant) 03 Laboratory Assistant (Chemical Plant) 03 Attendant Operator (Chemical Plant) 04 Instrument Mechanic (Chemical Plant) 02 |

Haryana

| S.N | Name of LWE ITI | Trades & Units under SCVT |
|-----|---------------------|---------------------------|
| 01 | Govt. ITI, Gurugram | COPA 01 Fiber Home 01 |

Kerala

| S.N | Name of LWE ITI | Trades & Units under SCVT |
|-----|------------------------|---------------------------|
| 01 | Govt. ITI, Kalamassery | Electroplater 02 (1+1) |

Ladakh

| S.N | Name of LWE ITI | Trades & Units under SCVT |
|-----|-------------------|---|
| 01 | Govt. ITI, Kargil | Electrician 01 Motor Mechanic Vehicle 01 IT&ESM 01 Carpentry 01 Welder 01 Data Entry Operator 01 |

Uttar Pradesh

| S.N | Name of LWE ITI | Trades & Units under SCVT |
|-----|-------------------------------|---|
| 01 | Govt. ITI, Karaundi, Varanasi | Fashion Design Technology 02(1+1) Electronics Mechanic 02(1+1) Plastic Processing Operator 02(1+1) Electrician (Power Distribution) 02(1+1) COPA 02(1+1) Painter (General) 02(1+1) |
| 02 | Govt. ITI, Saket, Meerut | Plastic Processing Operator 02(1+1) Mechanic Agriculture Machinery 02(1+1) Radiology Technician 02(1+1) Welder Gas & Electric 01 Fitter 01 |

Name of Scheme: - Enhancing Skill Development Infrastructure in NE States (Annexure 9-C)

List is as below:

Detail of new ITI under ESDI for grant of Affiliation

| State | | Name of ITI | Trades | Units |
|---------------------------------------|---------------------------------------|--|---|-------|
| Nagaland | 1 | Govt ITI, Kiphire | Carpentry | 1+1 |
| | | | Sewing Technology | 1+1 |
| | 2 | Govt. ITI Peren | Sewing Technology | 1+1 |
| | | | COPA | 1+1 |
| | 3 | Govt. ITI Dimapur | Carpentry | 1+1 |
| Welder | | | 1+1 | |
| Sikkim | 4 | Govt. ITI ,Kewzing | Front Office Assistant | 1+1 |
| | | | Computer Hardware & Network Maintenance | 1+1 |
| | | | Machinist | 1+1 |
| | | | Human Resource Executive | 1+1 |
| | | | Welder | 1+1 |
| | | | Civil Engineering Assistant | 1+1 |
| Manipur | 5 | Govt. ITI ,Sekmai | Basic Cosmetology(Hair & Skin care) | 1+1 |
| | | | Tourist Guide | 1+1 |
| | | | Hospital Housekeeping | 1+1 |
| | | | Catering & Hospitality Assistant | 1+1 |
| | | | Solar Technician(Electrical) | 1+1 |
| | | | Plumber | 1+1 |
| | | | Refrigerator & Air Conditioning | 1+1 |
| | Computer Aided Embroidery & Designing | 1+1 | | |
| | 6 | Govt ITI, Kangpoki | Basic Cosmetology(Hair & Skin care) | 1+1 |
| | | | Tourist Guide | 1+1 |
| | | | Hospital Housekeeping | 1+1 |
| | | | Catering & Hospitality Assistant | 1+1 |
| | | | Solar Technician(Electrical) | 1+1 |
| | | | Plumber | 1+1 |
| Refrigerator & Air Conditioning | | | 1+1 | |
| Computer Aided Embroidery & Designing | 1+1 | | | |
| Arunachal Pradesh | 7 | ITI Manipolyang, Dist. Lower Subansiri | MMV | 1+1 |
| | | | Electrician | 1+1 |
| | | | Wiremen | 1+1 |
| | | | Surveyor | 1+1 |
| | | | Basic Cosmetology | 1+1 |
| | 8 | ITI Pangin, Dist. Siang | Stenographer and Secretarial Asstt. | 1+1 |
| | | | Electrician | 1+1 |
| | | | Data Based System Assistant | 1+1 |
| | | | Plumber | 1+1 |
| | 9 | ITI Kanubari, Dist. Longding | Basic Cosmetology | 1+1 |
| | | | Plumber | 1+1 |
| | | | Wiremen | 1+1 |
| | | | Welder (Gas & Electric) | 1+1 |
| | | | Electrician | 1+1 |
| | | | Basic Cosmetology | 1+1 |

Detail of Existing ITI under ESDI for grant of Affiliation (Annexure -9C)

| State | | Name of ITI | Trades | Units |
|---------------------|--|--|--|-------|
| Manipur | 1 | Women ITI, Takyel | Computer (COPA) | 1+1 |
| | | | Basic Cosmetology (Hair & Skin Care) | 1+1 |
| | | | Preservation of Fruits & Vegetables | 1+1 |
| | | | Craftsman Food Production (General) | 1+1 |
| | | | Plastic Processing | 1+1 |
| | | | Diesel Mechanic | 1+1 |
| | | | General Electronics | 1+1 |
| | | | IT&ESM | 1+1 |
| | | | Refrigeration & Air Conditioning (RAC) | 1+1 |
| | 2 | ITI, Saikot | Stenography | 1+1 |
| | | | Computer (COPA) | 1+1 |
| | | | Dress Making | 1+1 |
| | | | Basic Cosmetology (Hair & Skin) | 1+1 |
| | | | Preservation of Fruits & Vegetables | 1+1 |
| | | | Carpenter | 1+1 |
| | | | Welder | 1+1 |
| | | | Wireman | 1+1 |
| | | | Draughtsman Civil | 1+1 |
| | 3 | ITI Kakching | Computer(COPA) | 1+1 |
| | | | Secretarial Practice | 1+1 |
| | | | Dress Making | 1+1 |
| | | | Basic Cosmetology (Hair & Skin) | 1+1 |
| | | | Carpenter | 1+1 |
| | | | Welder | 1+1 |
| | | | Electrician | 1+1 |
| | | | Motor Mechanic | 1+1 |
| | | | Draughtsman Civil | 1+1 |
| General Electronics | | | 1+1 | |
| 4 | Govt. Ukhrol, Ukhrol District. | IT & ESM | 1+1 | |
| | | Stenography | 1+1 | |
| | | Basic Cosmetology (Hair & Skin) | 1+1 | |
| | | Preservation of Fruits & Vegetables | 1+1 | |
| | | Carpenter | 1+1 | |
| | | Welder | 1+1 | |
| | | Wireman | 1+1 | |
| | | Fitter | 1+1 | |
| | | Motor Mechanic | 1+1 | |
| | | General Electronics | 1+1 | |
| 5 | Govt. Senapati, Senapati District. | IT & ESM | 1+1 | |
| | | Stenography | 1+1 | |
| | | Carpenter | 1+1 | |
| | | Welder | 1+1 | |
| 6 | Govt. ITI, Phaknung, Imphal East District. | Wireman | 1+1 | |
| | | Computer(COPA) | 1+1 | |
| | | Secretarial Practice | 1+1 | |
| | | Surface Ornamentation Technique (Embroidery) | 1+1 | |
| | | Dress Making | 1+1 | |
| | | Basic Cosmetology (Hair & Skin) | 1+1 | |
| | | Preservation of Fruits & Vegetables | 1+1 | |
| | | Craftsman Food Production (General) | 1+1 | |
| | | Electrician | 1+1 | |
| | | Motor Mechanic | 1+1 | |
| | | Surveyor | 1+1 | |
| | | Draughtsman Civil | 1+1 | |
| | | General Electronics | 1+1 | |
| IT & ESM | 1+1 | | | |

| | | | | |
|-------|-----------|---|--|------------------------------|
| | 7 | Govt. ITI, Kakching, Kakching District. | Refrigeration & Air Conditioning (RAC) | 1+1 |
| | | | Computer(COPA) | 1+1 |
| | | | Secretarial Practice | 1+1 |
| | | | Dress Making | 1+1 |
| | | | Basic Cosmetology (Hair & Skin) | 1+1 |
| | | | Carpenter | 1+1 |
| | | | Welder | 1+1 |
| | | | Electrician | 1+1 |
| | | | Motor Mechanic | 1+1 |
| | | | Draughtsman Civil | 1+1 |
| | | | General Electronics | 1+1 |
| | IT & ESM | 1+1 | | |
| | 8 | Govt. ITI, Ningthoukhong, Bishnupur District. | Computer(COPA) | 1+1 |
| | | | Secretarial Practice | 1+1 |
| | | | Surface Ornamentation Technique (Embroidery) | 1+1 |
| | | | Carpenter | 1+1 |
| | | | Welder | 1+1 |
| | | | Surveyor | 1+1 |
| | | | Draughtsman Civil | 1+1 |
| | | | General Electronics | 1+1 |
| | 9 | Govt. ITI, Komlathabi, Chandel District. | Computer(COPA) | 1+1 |
| | | | Secretarial Practice | 1+1 |
| | | | Surface Ornamentation Technique (Embroidery) | 1+1 |
| | | | Dress Making | 1+1 |
| | | | Carpenter | 1+1 |
| | | | Welder | 1+1 |
| | | | Wireman | 1+1 |
| | | | Surveyor | 1+1 |
| | 10 | Govt. ITI, Tamenglong, Tamenglong District. | Stenography | 1+1 |
| | | | Computer(COPA) | 1+1 |
| | | | Secretarial Practice | 1+1 |
| | | | Dress Making | 1+1 |
| | | | Carpenter | 1+1 |
| | | | Welder | 1+1 |
| | | | Wireman | 1+1 |
| | | | Surveyor | 1+1 |
| | | | Draughtsman Civil | 1+1 |
| | | | General Electronics | 1+1 |
| | | | | |
| | Meghalaya | 11 | ITI RESUBELPARA | Mason (Building Constructor) |
| | | | Floriculture & Landscaping | 1+1 |
| | 12 | ITI SOHRA | Wireman | 1+1 |
| | | | Painter General | 1+1 |
| Assam | 13 | ITI Jorhat | Plumber | 1+1 |
| | | | Mason (Building Constructor) | 1+1 |
| | 14 | ITI Srikona | Office Assistant cum Computer Operator | 1+1 |
| | | | Plumber | 1+1 |
| | 15 | ITI Majuli | Wireman | 1+1 |
| | 16 | ITI Guwahati | Painter General | 1+1 |
| | 17 | ITI Nagaon | Catering & Hospitality | 1+1 |
| | | | Mech. Diesel | 1+1 |
| | 18 | ITI Silchar (W) | Mech. Computer Hardware | 1+1 |
| | | | Auto Electrical & Electronics | 1+1 |
| | | | Electrician | 1+1 |
| | | Multimedia Animation & Spl Effect | 1+1 | |
| | | Hair & Skin Care | 1+1 | |
| | | Digital Photography | 1+1 | |
| | | Office Assistant cum Operator | 1+1 | |
| | | Data Entry Operator | 1+1 | |