

**DGT- Aff011(51)/14/2022 O/o Dir (TC)**  
Government of India  
Ministry of Skill Development and Entrepreneurship  
Directorate General of Training

Employment Exchange Building,  
1st floor, Pusa, New Delhi,  
Dated: 07.06.2022

To

The State Directorate  
Gujarat, Himachal Pradesh, Karnataka, Maharashtra, Rajasthan, Telangana, Tamil Nadu, Uttar Pradesh

Subject: Affiliation of Units/Trades of Govt./Pvt. ITI with NCVT -regarding.

Sir,

As decided in the 2<sup>nd</sup> meeting of Standing Committee on Accreditation and Affiliation (SCAA) held on 29.04.2022., the committee recommended trades/units for session w.e.f. August 2022, for the ITIs for the trades/units mentioned in the attached list. The affiliation is granted for five years from the date of issue of this order.

2. The DGT & State officer can inspect the ITI any time for better performance & training
  - (i) Periodic verification.
  - (ii) The ITI must comply with DGT norms/guidelines issued from time to time.
  - (iii) ITI must display the newly released logo of ITI on the Display Board at the main gate.
3. The said information is also available under "News & Updates" on NCVT MIS Portal at <https://ncvtmis.gov.in>.
4. Affiliation of Trades/Units mentioned in this order valid till the validity of affiliation of ITIs and ITI should apply for "Renewal of Affiliation" as per DGT Norms.
5. Discrepancies if any in the affiliation orders, may be intimated to the undersigned within 15 days of issue of this order.

Yours faithfully

  
(Ujjwal Biswas)  
Director of TC

Copy along with enclosures for information to:

1. Sr PPS to Chairman of 1st meeting of Revised Standing Committee on Accreditation and Affiliation (SCAA)-DGT.
2. Sr PPS to DDG (Affiliation).
3. The officer dealing with NCVT MIS: - To please upload the order on NCVT MIS portal

  
(P.M. Damodharam)  
Assistant Director of Training

07/6/22



**STATE Gujarat**

**Meeting Date: 29/04/2022**

**Total - 03, (New-00, Old-03)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
1	Sf Jamiah Uttumal Pvt. ITI, Jamiah Uttumal Darul Quran Campus, By Pass Road Jambusar. Darul Quran Campus, By Pass Road, Dabha Chokdi  Jambusar, Gujarat - 392150  Mis Code: PR24000851	Existing	Attendant (Chemical Plant	1(1+0)	NR	NR	Not recommended due to low grading
			Mechanic Refrigeration & A.C	1(1+0)	NR	NR	
2.	Gujarat Taining Center G.I.D.C Wadhwan Surendranagar-363030, Gujarat Grading -0.93  MIS Code: PU24000769	Existing	Health sanitary Inspector	15(5+5+5)	NR	NR	Not Recommended due to Less grading

  
07/16/22





**STATE Gujarat**

**Meeting Date: 29/04/2022**

**Total - 03, (New-00, Old-03)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
3.	Shree N.G. Patel Private ItiUmta Shree V.D.Patel Education Campus,Umta,Ta-Visnagar, Mahesana-384320 Gujarat  Grading- 0.94  MIS Code PR24005124	Existing	Health Sanitary Inspector	3(1+1+1)	NR	NR	Not recommended due to low grading

*[Handwritten Signature]*  
02/6/22



**STATE Himachal Pradesh**

**Meeting Date: 29/04/2022**

**Total – 02, (New-00, Old-02)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
1.	Prayaas Pvt. ITI, V.P.O. MAIRA KANGRA-176023, Himachal Pradesh  MIS Code: PR02000228	Existing	Electrician  Fitter	3(1+1+1)  1(0+0+1)	NR  NR	NR  NR	Not Recommended due to low grading.  ITI needs to remove the deficiencies to improve the grading.
2.	Govt. ITI Balakrupi (Old Name Govt. ITI Talwar at Lahru)  MIS Code GR02000162  Grading (0.95)	Existing	Copa	2(2+0+0)	NR	NR	Not Recommended due to low grading.

*[Signature]*  
27/6/22

*[Signature]*

**STATE Karnataka**

**Meeting Date: 29/04/2022**

**Total - 01, (New-00, Old-01)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
1.	Aatmananda Saraswathi Private ITI, BilladiGrama, Manya, Januvarkatte, UDUPI - 576223  MIS Code: PR29001371	Existing	Mechanic Refrigeration and Air Conditioner	2(1+1)	NR	NR	Not Recommended  due to low grading.  ITI needs to remove the deficiencies to improve the grading.

*[Handwritten signatures and dates]*  
29/6/22





**STATE Maharashtra**

**Meeting Date: 29/04/2022**

**Total - 10, (New-02, Old-08)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
1.	Matoshri Private Industrial Training Institute, Jalgaon Savada-Burhanpur Road, Raver. Jalgaon  NEW ITI "TMP27478PR15 82812174"	NEW	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended:  1. Electrician 2(1+1) 2. Wireman 2(1+1) 3. Welder 2(1+1) 4. Fitter 2(1+1)
			Wireman	2(1+1)	2(1+1)	2(1+1)	
			Welder	2(1+1)	2(1+1)	2(1+1)	
			Fitter	2(1+1)	2(1+1)	2(1+1)	
2.	Shreeyansh Private Industrial Training Institute, Sahakar Nagar Th-Tirora Gondia-441911 Grading-1.91  MIS Code: PR27000626	Existing	Electrician	4(1+1+2)	NR	NR	Recommended in Fitter -2(1+1)  Not Recommended-Electrician-4(1+1+2)  3 <sup>rd</sup> Shift not allowed.
			Fitter	4(1+1+2)	2(1+1)	2(1+1)	

 27/6/22 



**STATE Maharashtra**

**Meeting Date: 29/04/2022**

**Total - 10, (New-02, Old-08)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
3.	New Satara Private Industrial Training Institute, New Solapur Road, Opp. Reliance Petrol Pump, Pandharpur, Dist-Solapur-413304 Grading-.93  MIS Code : PR27000737	Existing	Electrician	1(0+1)	NR	NR	Not Recommended due to low grading
4.	Nasik Dist Maratha VidyaprasarakSamaj Industrial Training Center, Tahrabad, Tal Satana, Dist-Nasik-423302 Grading-.87  MIS Code : PR27000490	Existing	Electrician	2(1+1)	NR	NR	Not Recommended due to low grading.
			Fitter	2(1+1)	NR	NR	
5.	Svs Industrial Training Center Dondaicha Dist Dhule Private ITI, Dhule-425408 Maharashtra Grading-.68  MIS Code: PR27000248	Existing	Electrician	1(0+1+0)	NR	NR	Not Recommended due to low grading.
			Fitter	1(0+1+0)	NR	NR	
			Wireman	1(0+1+0)	NR	NR	



**STATE Maharashtra**

**Meeting Date: 29/04/2022**

**Total - 10, (New-02, Old-08)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
6.	Bonde Audogik Private Prashikshan Sanstha khapari At. Khapari Post.Ghorad Ta.Kalmeshwar Distt.Nagpur Maharashtra - 441501 Grading-0.68  MIS Code : PR27000876	Existing	Welder	2(1+1)	NR	NR	Not Recommended due to Less grading
7.	Somayya Private ITI, Wadgaon Ward, Akashwani Road, Chandrapur-442401  Grading-.63  MIS Code: PU27000871	Existing	Electrician	2(1+1)	NR	NR	Not Recommended due to Less grading.

 29/6/22 







**STATE Maharashtra**

**Meeting Date: 29/04/2022**

**Total - 10, (New-02, Old-08)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
10.	Govt. ITI Jimalgatta, Gadchiroli Dist, Maharashtra.  TMP. No. TMPSP109	NEW	Fitter	2(1+1)	2(1+1)	2(1+1)	<b>Recommended below Trades:</b> Fitter - 2(1+1) Electrician -2(1+1) Wireman - 2(1+1) Mechanic Motor Vehicle - 2(1+1) Swing Technology - 2(1+1)
			Electrician	2(1+1)	2(1+1)	2(1+1)	
			Wireman	2(1+1)	2(1+1)	2(1+1)	
			Mechanic Motor Vehicle	2(1+1)	2(1+1)	2(1+1)	
			Swing Technology	2(1+1)	2(1+1)	2(1+1)	

 29/04/22 



**STATE Rajasthan**

**Meeting Date: 29/04/2022**

**Total - 01, (New-00, Old-01)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
1.	S.R. Mahana Pvt ITI VPO-Lotwara, Teh-Baswa DAUSA- 303509  MIS Code: PR08001665  Grading (0.47)	Existing	Electrician	6(2+2+2)	NR	NR	Not Recommended due to low grading.

*[Handwritten Signature]*  
07/05/22

*[Handwritten Signature]*

**STATE Telangana**

**Meeting Date: 29/04/2022**

**Total – 04, (New-00, Old-04)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
1.	Vijayalakshmi Private ITI, Door No, -10-86, Narsapur (Vil & Mandal), Medak Dist. Hyderabad, Telangana  Grading-0.88  MIS CODE: PR36000492	Existing	Fitter	6(2+2+2)	NR	NR	Not Recommended due to Less grading
2.	Shiva Jyothi ITC  Shastri Nagar, H No. 1-3, MNCL Road, Nirmal, Telangana-504106 Grading not available  MIS Code : PR36000194	Existing	Electrician-	8(4+4)	NR	NR	Not Recommended due to Less grading

  
07/16





**STATE Telangana**

**Meeting Date: 29/04/2022**

**Total - 04, (New-00, Old-04)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
3.	Sri Balaji ITI, Budimi Gate, Pitlam Road, Post/Mandal: Banswada, Dis:Kamareddy, Telangana - 503187  Grading-1.48  MIS Code : PR36000255	Existing	Electrician	8(2+2+4)	NR	NR	Not Recommended as RDSDE Telangana informed that ITI was not ready for inspection.
			Mech. Diesel	3(1+1+1)			
			Radiology Technician	6(2+2+2)	NR	NR	
			Sewing Technology	3(1+1+1)	NR	NR	
4.	Haritha Econogical Industrial Training Centre BCM Road Palvancha, KHAMMAM, TELANGANA - 507115  Grading- 0.84  MIS Code: PR36000085	Existing	Electrician	4(2+2+0)	NR	NR	Not Recommended due to Less grading.



**STATE Tamil Nadu**

**Meeting Date: 29/04/2022**

**Total - 01, (New-00, Old-01)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
1.	T E L C Private Industrial Training Institute Nagal Nagar, Dindigul TAMIL NADU - 624003  Grading - 0.20  MIS CODE PR33000065	Existing	Fitter	2(1+1)	NR	NR	Not Recommended due to low grading
			Turner	2(1+1)	NR	NR	
			Welder	1(0+1)	NR	NR	

*[Handwritten signatures and date 29/6/22]*



**STATE Uttar Pradesh**

**Meeting Date: 29/04/2022**

**Total - 09, (New-03, Old-06)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
1.	A.S.K. Institute of Education Pvt. ITI, Nh-24 Budhanpur Block Joya Distl. Amroha 244102, Amroha, Uttar Pradesh.  MIS Code: PR09901269	Existing	Fitter	3(1+1+1)	NR	NR	Not recommended due to no grading of ITI
			Plumber	3(1+1+1)	NR	NR	
			HIS	3(1+1+1)	NR	NR	
2.	Maa Ananadmai Private ITI, Jajmau Railway Station, Saiya, Agra - 283124  Grading- 0.78  MIS Code: PR09001764	Existing	Electrician	3(1+1+1)	NR	NR	Not recommended due to low grading
			Fitter	3(1+1+1)	NR	NR	
			Food Production	3(1+1+1)	NR	NR	
			Sewing Technology	3(1+1+1)	NR	NR	
			House Kepper	3(1+1+1)	NR	NR	
			Tourist Guide	3(1+1+1)	NR	NR	

*[Handwritten Signature]*  
29/04/22

*[Handwritten Signature]*



**STATE Uttar Pradesh**

**Meeting Date: 29/04/2022**

**Total - 09, (New-03, Old-06)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
3.	PR Memorial Private ITI, Noorpur Behala, Lucknow 226501 Grading-0.93  MIS Code: PR09900579	Existing	Electrician addl.	12(4+4+4)	NR	NR	Not Recommended due to low grading
4.	SHRI MOTILAL RICHHARIYA PRIVATE ITI VILL- KUA GAON, POST- KURENCHA, TAHSIL- MAURANIPUR JHANSI 284204 Grading-0.65  MIS Code: PU09900625	Existing	Electrician-	6(2+2+2)	NR	NR	Not Recommended due to low grading

*[Handwritten Signature]*  
29/6/22

*[Handwritten Signature]*







**STATE Uttar Pradesh**

**Meeting Date: 29/04/2022**

**Total – 09, (New-03, Old-06)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
5.	MISSION PVT. ITI. A-32SOUTH CITY RAIBARELI ROAD LKO. Lucknow- 226025 Grading-1.13 MIS Code: PU09900696	Existing	Electrician-	3(1+1+1)	NR	NR	Not Recommended due to low grading
6.	Parmeshwari Dayal Memorial private ITI pilibhit UP MSTI TMP. No. TMP9167PR1579 942802	NEW	Fitter – Electrician-	4(2+2) 4(2+2)	4(2+2) 4(2+2)	4(2+2) 4(2+2)	<b>Recommended</b>  Fitter 4 (2+2) Electrician 4 (2+2)  *This order supersedes the previous affiliation order No. DGT-11012/8/2021-O/O Dir dt. 29-03-2022
7	Ramkishor Private ITI Imamgarh, Mahul, Azamgarh U.P.- 223225 TMP. CODE 1809017918	NEW	Electrician Fitter COPA Swing Technology	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	Rejected Rejected Rejected Rejected	Rejected, as no response received to the clarifications raised by DGT. Comments from inspection from inspection committee as power connection details and Tools & Equip list not attached in the report.

 07/06/22 



**STATE Uttar Pradesh**

**Meeting Date: 29/04/2022**

**Total - 09, (New-03, Old-06)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instt.	Trade/Units Recommended by (ICVC)	Trade/units Approved by DGT SCAA	
8.	Kanha Pvt ITI Village & Po-Kosi Khurd, Goverdhan, Dist-Mathura, U.P.- 281005  TMP. No. 1809016800	NEW	Electrician	3(1+1+1)	Rejected	Rejected	<b>Rejected</b> as minimum 4 trades are not getting affiliated as per norms.
			Fitter	3(1+1+1)	Rejected	Rejected	
			Health Sanitary-Inspector	3(1+1+1)	Rejected	Rejected	
			Housekeeper	3(1+1+1)	Rejected	Rejected	
9.	Shambhu Narayan Private ITI, Vill& Post : Harahari, Dist : Ghazipur Uttar Pradesh – 233226. MIS Code: 1809017048.	Existing	Electrician	3(1+1+1)	3(1+1+1)	NR	Not Recommended
			Fitter	3(1+1+1)	3(1+1+1)	NR	
			Sewing Technology	3(1+1+1)	3(1+1+1)	NR	
			COPA	3(1+1+1)	3(1+1+1)	NR	

*[Handwritten signatures and dates]*  
 29/6/22  
 29/6/2022