

Through Mail

E-file No.: 51211

**DGT-Aff011(51)/17/2022 O/o Dir (TC)**  
Government of India  
Ministry of Skill Development and Entrepreneurship  
Directorate General of Training

Employment Exchange Building,  
1st floor, Pusa, New Delhi,  
Dated: 06<sup>th</sup> July, 2022

To

1. The State/UT Directors,

(Andhra Pradesh, Arunachal Pradesh, Assam, Bihar, Chandigarh, Chhattisgarh, Dadra & Nagar Haveli, Daman & Diu, Goa, Gujarat, Haryana, Himachal Pradesh, Jharkhand, Jammu & Kashmir, Karnataka, Kerala, Ladakh, Madhya Pradesh, Maharashtra, Meghalaya, Odisha, Punjab, Rajasthan, Tamil Nadu, Telangana, Uttarakhand, Uttar Pradesh, West Bengal)

2. The Regional Directors, RDSDEs

(Andhra Pradesh, Assam, Bihar, Chhattisgarh, Gujarat, Haryana, Himachal Pradesh, Jharkhand, Jammu & Kashmir, Karnataka, Kerala, Madhya Pradesh, Maharashtra, Odisha, Punjab, Rajasthan, Tamil Nadu, Telangana, Uttarakhand, Uttar Pradesh, West Bengal)

**Subject:** Minutes of Meeting of 3<sup>rd</sup> meeting of Standing Committee on Accreditation and Affiliation (SCAA) held on 24<sup>th</sup> June, 2022 - regarding.

Sir/Madam,

Please find enclosed approved Minutes of Meeting along with Annexure of 3<sup>rd</sup> Meeting of Standing Committee on Accreditation and Affiliation (SCAA) held on 24<sup>th</sup> June, 2022. However, implementation orders agenda item wise will be issued in due course of time.

Further, all the compliance reports to be sent to Director, TC only on Mail ID:  
[tc-affiliation@dgt.gov.in](mailto:tc-affiliation@dgt.gov.in)

This issue with approval of competent authority, DGT.

Yours faithfully

(Ujjwal Biswas)  
Director, TC

Copy along with enclosures for information to:

1. Sr PPS to Chairman of SCAA-DGT.
2. Sr PPS to DDG (Affiliation).
3. NCVT MIS Portal In charge, DGT Hqr. New Delhi, with request to upload MOM on NCVT MIS Portal.
4. IT Section, DGT Hqr. New Delhi.

(P.M. Damodharam)  
Assistant Director, TC

**DGT-AFF011(51)/17/2022 O/o Dir (TC)**  
**Directorate General of Training**  
**Ministry of Skill Development and Entrepreneurship**  
**Government of India**  
**Employment Exchange Building, Pusa Campus, New Delhi-110012**

Computer No- 51211

\*\*\*

**Minutes of 3rd meeting of Standing Committee on Accreditation and Affiliation (SCAA) held on 24.06.2022**

---

Following Committee members were present during the meeting: -

1. Smt. Sandhya Salwan, DDG, DGT, Chairperson of SCAA
2. Sh. Subbu Tabin, Director, State DTE Arunachal Pradesh
3. Sh. Rajeev Ranjan, Director, State DTE Bihar
4. Sh. Vivek Chandel, Director, State DTE Himachal Pradesh
5. Sh. Harikesh Chourasia, Director, State DTE Uttar Pradesh
6. Sh. Ujjwal Biswas, Director, TC, DGT - Member
7. Sh. S Mathivanan, Regional Director, RDSDE Assam
8. Sh. B Ashfaq Ahmed, Regional Director, RDSDE Bihar
9. Sh. Mahesh Kardam, Regional Director, RDSDE Chhattisgarh
10. Sh. J P Meena, Regional Director, RDSDE Gujarat
11. Smt. Swati Sethi, Regional Director, RDSDE Haryana
12. Smt. Anita Srivastava, Regional Director, RDSDE Madhya Pradesh
13. Sh. C S Murthy, Regional Director, RDSDE Maharashtra
14. Sh. S Naik, Regional, Director, RDSDE Rajasthan
15. Sh. Seshachari, Regional Director, RDSDE Tamil Nadu
16. Sh. A V Rao, Regional Director, RDSDE Telangana & Andhra Pradesh
17. Sh. Mashlamani, Regional Director, RDSDE Uttar Pradesh
18. Sh. Rajkumar, Additional Director State DTE Haryana
19. Sh. Manpal Singh, Additional Director, State DTE Uttar Pradesh
20. Sh. G Balasubramaniam, Joint Director, State DTE Andhra Pradesh
21. Sh. S V K Nagesh, Joint Director, State DTE Telangana
22. Sh. MF Ansari, Deputy Director, State DTE Chhattisgarh
23. Sh. K B Patel, Deputy Director, State DTE Gujarat



24. Sh. D Prasad, Deputy Director, State DTE Jharkhand
25. Sh. Raja Naik, Deputy Director, State DTE Karnataka
26. Sh. Rajendra Austin, Deputy Director, State DTE Madhya Pradesh
27. Sh. Nitin Nikam, Deputy Director, State DTE Maharashtra
28. Sh. A K Panda, Deputy Director, State DTE Odisha
29. Shri Pawan Kumar, Deputy Director, State DTE Rajasthan
30. Smt. Karapakkam, Deputy Director, State DTE Tamil Nadu
31. Sh. Mayank Gangwar, Deputy Director, State DTE Uttar Pradesh
32. Sh. Suman Kumar, Assistant Director, State DTE Bihar
33. Sh. Vinod Assistant Director, State DTE Kerala
34. Sh. Balbir Sandhu Assistant Director, State DTE Punjab
35. Sh. Nizamamuddin Barbhuiya, Assistant Director, RDSDE Assam
36. Sh. Mohinder Lal, Assistant Director, RDSDE Himachal Pradesh
37. Sh. Rohan Patil, Assistant Director, RDSDE Maharashtra
38. (i) Ms. Naina Nagpal (ii) Ms. Pooja Verma (iii) Sh. Rajesh Kumar (iv) Sh. Shramev Sharma (v) Sh. Suryakant Mishra (vi) Sh. P M Damodharam - Assistant Directors, TC Section, DGT (vii) Shri Parveen Kumar, JTA, TC Section, DGT

At the outset, Smt. Sandhya Salwan, DDG, DGT and Chairperson of SCAA, welcomed all the committee members and participants thereafter Shri Ujjwal Biswas, Director, TC took agenda points for detailed discussions. The details of discussions, deliberations and agenda wise decisions taken by the Chair, are placed below:



**Agenda No. 1: Action Taken Report (ATR) on 2<sup>nd</sup> Standing Committee on Accreditation and Affiliation (SCAA) held on 29.04.2022**

The action taken points as per agenda no. 1 were apprised by Director, TC to all the members of committee, after some clarification all the members complied.

**Agenda No. 2: Compliance of 1<sup>st</sup> and 2<sup>nd</sup> SCAA meeting held on 05.04.2022 & 06.04.2022 and 29.04.2022 respectively**

- 1) Compliance of SCAA remarks of minutes of 1<sup>st</sup> SCAA meeting held on 05.04.2022 & 06.04.2022: A total of 24 compliance reports received from ITIs through concerned State Directorates, same were put up in the meeting. The SCAA remarks are attached as: **Annexure 2a.**
- 2) Compliance of SCAA remarks of 2<sup>nd</sup> SCAA held on 29.04.2022: A total of 11 compliance reports were received from ITIs / State Directorates, same were put up in the meeting. The SCAA remarks are attached as: **Annexure 2b.**

**Agenda No. 3: New Accreditation/ Affiliation proposals for existing and new ITIs from 12 states**

A total of 96 new Accreditation/ Affiliation proposals for existing and new ITIs from 12 States were received, out of which 44 were existing ITI proposals (16 Govt. ITIs and 28 Pvt. ITIs) for addition of trades/units and 52 were new ITI proposals (01 Govt. ITI and 51 Pvt. ITIs).

Table 1: New Accreditation/ Affiliation Proposals

Sl. No.	Name of the state	Existing ITI proposals		New ITI proposals		Total
		Govt.	Pvt.	Govt.	Pvt.	
1	Assam	0	1	0	3	4
2	Bihar	0	12	0	15	27
3	Chhattisgarh	2	2	0	1	5
4	Gujarat	0	3	0	4	7
5	Haryana	1	0	1	1	3
6	Himachal Pradesh	0	2	0	0	2
7	Karnataka	0	1	0	0	1
8	Madhya Pradesh	0	1	0	1	2

 6/7



9	Maharashtra	12	1	0	3	16
10	Rajasthan	0	0	0	2	2
11	Tamil Nadu	1	2	0	0	3
12	Uttar Pradesh	0	3	0	21	24
<b>Total</b>		<b>16</b>	<b>28</b>	<b>01</b>	<b>51</b>	<b>96</b>

**SCAA Remarks:**

The committee was of a view that the proposals of Govt. ITIs may come through State Skill Development and Entrepreneurship Committee (SSDEC) of concerned States from the next meeting of SCAA onwards. The remarks by SCAA for each case is attached as: **Annexure 3**.

**Agenda No. 4: Proposals received from SSDECs**

The following proposals were received from SSDECs of UTs of Daman & Diu and Dadra & Nagar Haveli and Odisha State:

Table 2: Proposals from SSDECs

Sl. No.	State/UT	SSDEC Meeting held on	Category	No. of Govt. ITIs
1	Daman & Diu and Dadra & Nagar Haveli	2 <sup>nd</sup> Meeting - 27.05.2022	Conversion of SCVT trades to NCVT	02
2	Odisha	1 <sup>st</sup> Meeting - 06.06.2022	Affiliation proposals of New Government ITIs	09
			Affiliation proposal of new age trades in Government ITIs	09
			Affiliation proposal of Government ITIs for additional trades/units	03
			Conversion of COE to CTS trades in Government ITIs	02
			Conversion of courses from CTS to CITS in Govt. ITIs	15

**SCAA Remarks:**

The above proposals were placed. Each case was discussed and the Committee remarks are annexed as: **Annexure 4a** and **Annexure 4b**.

**Agenda No. 5: Grant of Affiliation for conversion of SCVT to NCVT trades in Govt. ITIs under Public Private Partnership (PPP), Model ITI and Enhancing Skill Development Infrastructure in NE States (ESDI) Scheme**

The proposals received from UT Ladakh and State Arunachal Pradesh were placed. The SCAA remarks are as given below:

Table 3: Proposals for conversion of SCVT to NCVT trades

SI. N	State/UT	ITI Name/ MIS code/Grading/ Scheme	Trades and units for conversion from SCVT to NCVT	Introduction of new Trades with units	Representation received from States/ UTs	Remarks by 3 <sup>rd</sup> SCAA meeting held on dated 24.06.2022
1	Ladakh	Govt. ITI, Leh GR01000020 Grading -1.63 Scheme - PPP	1. Computer Hardware & Network Maintenance - 1 (1+0) 2. Electrician - 1 (1+0) 3. Electronic Mechanic - 1 (1+0) 4. Plumber - 1 (1+0) 5. Welder - 1 (1+0)	1. Floriculture & Landscaping - 1 (1+0)	A letter dated 20.05.2022 has been received from Commissioner, Technical Education and Skill Development, UT of Ladakh. 1. It is requested for conversion of existing SCVT Trades to NCVT and introduction of new trades in Govt. ITI, Leh and Govt. ITI Kargil.	Recommended: 1. Computer Hardware & Network Maintenance - 1 (1+0) 2. Electrician - 1 (1+0) 3. Electronic Mechanic - 1(1+0) 4. Floriculture & Landscaping - 1 (1+0) 5. Plumber - 1 (1+0) 6. Welder - 1 (1+0)
		Govt. ITI, Kargil GR01000025 Grading -1.34 Scheme -Model ITI	1. Carpenter - 1 (1+0) 2. Data Entry Operator - 1 (1+0) 3. Electrician - 1 (1+0) 4. ICTSM - 1 (1+0) 5. MMV - 1 (1+0) 6. Welder - 1 (1+0)	1. Horticulture - 1 (1+0)	2. The Constitution of SSDEC in the UT is under process and the same will take time. 3. Meanwhile, the State has constituted the Standing Committee for inspection of the ITIs.	Recommended: 1. Carpenter -1 (1+0) 2. Data Entry Operator - 1 (1+0) 3. Electrician - 1 (1+0) 4. Horticulture - 1 (1+0) 5. ICTSM - 1 (1+0) 6. MMV - 1 (1+0) 7. Welder - 1 (1+0)
2	Arunachal Pradesh	Govt. ITI, Manipolyang, Lower	1. Basic Cosmetology - 2(1+1)	-	A letter dated 30.05.2022 has been received from	Recommended: 1. Basic Cosmetology - 2

	SubansirTMPSP101 Scheme - ESDI	2. Electrician - 2(1+1) 3. MMV - 2(1+1) 4. Surveyor - 2(1+1) 5. Wireman - 2(1+1)		State Directorate of Arunachal Pradesh. 1. In this letter, it is requested to grant NCVT affiliation to Govt. ITI Manipolyang. 2. The inspection was carried out by ICVC on 29.04.2022. 3. SSDEC recommended the trades for affiliation and advised the institute to enroll the trainees for the academic session from 2022.	(1+1) 2. Electrician - 2 (1+1) 3. MMV - 2 (1+1) 4. Surveyor - 2 (1+1) 5. Wireman - 2 (1+1)
--	-----------------------------------	---	--	---	--

#### Agenda No. 6: Proposals to Start Drone courses in Govt. ITIs

DGT has written a letter to invite the proposals for starting long-term and short-term Drone courses in Govt. ITIs. In response of that, the following proposals were received from the States as given below:

Table 4: Proposals to Start Drone courses in Govt. ITIs

Sl. No.	State/UT	Govt. ITIs for long-term Drone courses	Govt. ITIs for short-term Drone courses
1	Assam	00	10
2	Chandigarh	00	01
3	Meghalaya	01	00
4	Odisha	16	00
5	Uttar Pradesh	14	15
<b>Total</b>		<b>31</b>	<b>26</b>



**SCAA Remarks:**

The Committee discussed these proposals and decided to hold long-term Drone proposals as DGT is proposing some changes in the curriculum. However, the Committee recommended the ITIs to start Short-term Drone courses.

Accordingly, State Directorate of Assam is requested to forward the filled proforma by the ITIs for Short-term Drone courses within 1 week from the date of issue of MoM.

The list of ITIs recommended for affiliation to start Short-term Drone courses are attached as: **Annexure 6.**

**Agenda No. 7: Proposals for conversion of Govt. ITIs to IToTs**

DGT has invited the proposals for conversion of Govt. ITIs to IToTs. In response to that, the following proposals were received from the State Directorates of Rajasthan and West Bengal as given below:

Table 5: Proposals for conversion of Govt. ITIs to IToTs

Sl. No.	State	No. of ITIs
1	Rajasthan	33
2	West Bengal	05
<b>Total</b>		<b>38</b>

**SCAA Remarks:**

The Committee examined the proposals and decided to recommend the conversion of Govt. ITIs to IToTs by surrendering CTS trades which are mapped with equivalent CITS trades.

The SCAA remarks of Govt. ITIs of States Rajasthan and West Bengal (Trade and Unit wise) are attached as: **Annexure 7.**

**Agenda No. 8: Self-surrender of Trades/Units of B.S. Private ITI, Dist. Baghpat, Uttar Pradesh**

B.S. Private ITI, Dist. Baghpat, Uttar Pradesh – 250623 (MIS Code - PR09000069) is managed by Adarsh Siksha Parsarini Sabha, Society.

A letter from Adarsh Siksha Parsarini Sabha is received on 03.09.2021 regarding Self Surrendered of trades/units of B.S. Pvt. ITI.

This ITI was affiliated in Electrician Trade with 2 (1+1) units since 20.03.2007. However, no trainees were admitted for Sessions 2020 and 2021.



ITI requested to State Directorate of Uttar Pradesh on 05 May 2020 & on 15 Jul 2021 to remove name of the ITI from Admission portal. Accordingly, the ITI requested to issue a De-affiliation order to the Institution as early as possible. The Affidavit of Resolution regarding self-surrendering of ITI and Trades was submitted along with the said letter.

E-mails have been sent to State Directorate of UP several times to submit their comments, which is awaited from State Directorate till now.

**SCAA Remarks:** The committee decided to de-affiliate the ITI as requested by the ITI.

**Agenda No. 9: Miscellaneous cases**

**1) Swami Vivekanand College of Higher Education Pvt. ITI, Kataha Dal Narayanpur, Unnao, UP:**


This case was put up in 1st SCAA meeting held on 05.04.2022 & 06.04.2022 and not recommended due to various deficiencies mentioned in MoM. After issuing of MoM, UP state Directorate has forwarded the representation letter of ITI on 06.05.2022 in which ITI has raised objection that the trades/units sought for affiliation is not as per ITI application.

ITI has sought affiliation in four trades Electrician - 3 (1+1+1), Fitter - 3 (1+1+1), Mechanic diesel - 3 (1+1+1) and Stenographer Secretarial assistant (Hindi) - 3 (1+1+1) whereas in 1<sup>st</sup> SCAA MoM different trades/units were mentioned.

Table 6: Swami Vivekanand College of Higher Education Pvt. ITI

Sl.No.	ITI Name/ MIS Code	Existing /New	Trades/Units Sought for Affiliation	Recommendation of Trade/Units by Inspection Cum Verification Committee (ICVC)	Observation of TC Section	Remarks by 1 <sup>st</sup> SCAA meeting held on dated 05.04.2022 & 06.04.2022
1	Swami Vivekanand College of Higher Education Pvt ITI, Kataha Dal	New	1. Beautician - 3 (1+1+1) 2. Fashion Design & Technology - 3 (1+1+1)	1. Beautician - NR 2. Fashion Design & Technology - NR 3. COPA - NR 4. Cutting & Sewing (VI) - NR 5. Cad-Cam	1. Beautician, Cad-Cam Operator-Cum Programmer Retail Assistant are ATS courses. 2. Five Computers are not working in Stenographer Hindi Lab. 3. General shop outfit machine not working at so.no. 180,184,185,202,205	Not Recommended due to deficiencies mentioned in column VI.





	Narayanpur, Unnao- 209861  1809018287		3. COPA - 3 (1+1+1) 4. Cutting & Sewing (VI) - 3 (1+1+1) 5. Cad-Cam Operator- Cum Programm er - 3 (1+1+1) 6. Retail Assistanc e - 3 (1+1+1)	Operator-Cum Programmer - NR 6. Retail Assistance - NR  ITI not fulfilling the affiliation norms as required related details given above at so.no. 1 to 21.	and 206 in Diesel mechanic trade. 4.Shortage of items at so no.3,7,10,14,17,21,22 & 38 in stenographer trade. 5. Shortage of items at so.no.182,186,188,191,197,199,200,203 & 204 in DM trade.  6.Shortage of items at so.no.135,145-147, etc  Machinery bills are found but bank payment details are not provided by the Institute. 7. Safety measures are not as per norms. 8. Infrastructure (DH and IT Lab) is not as per norms	
--	---	--	--	---	---	--

### SCAA Remarks:

This case was examined in meeting, it was decided that State Directorate of UP will conduct joint re-inspection along with RDSDE Uttar Pradesh and send the inspection report along with their recommendations within 10 days from the date of issue of MoM.

### 2) Radiant Private ITI Sarha, Chapra, Bihar- MIS Code: PR10000557:

This case was put up in 1<sup>st</sup> SCAA meeting held on 05.04.2022 & 06.04.2022 and was conditionally recommended in two trades Fitter - 2 (1+1) and Electrician - 10 (5+5) subject to submission of Building Completion Certificate through concerned State Directorate within one month from the date of issue of MoM.

ITI has submitted a mail and a letter to Director, TC on 28.04.2022 saying that ITI has applied for shifting seeking affiliation at new location for the trades Fitter- 2 (1+1) and Electrician -10 (5+5).




Table 7: Radiant Private ITI

Sl. No.	ITI Name/MIS Code/Grading	Existing/ New	Trades/Units sought for affiliation	Recommendation of Trade/Units by Inspection Cum Verification Committee (ICVC)	Observation of TC Section	Remarks by 1 <sup>st</sup> SCAA meeting held on 05.04.2022 & 06.04.2022
1	Radiant Private ITI Sarha, District-Chapra Bihar PR10000557 Grading: 2.74	Existing	1. Electrician – 10 (5+5) 2. Fitter – 2 (1+1)	1. Electrician – 10 (5+5) 2. Fitter – 2 (1+1)	1. BCC not available 2. No statutory plan certificate from circle officer available. 3. Layout plan signed by architect is available.	Conditionally Recommended: 1. Electrician – 10 (5+5) 2. Fitter – 2 (1+1)  Subject to submission of BCC through State Directorate within one month from the date of issue of the minutes.

**SCAA Remarks:**

This case was examined in meeting and it was decided that State Directorate of Bihar will send the clarification report to DGT, HQ within 10 days from the date of issue of MoM.

**3) Compliance of Pt. Aman Singh Pvt ITI, Ghaziabad, UP:**

This case was put up in 4<sup>th</sup> SCAA meeting held on dated 26.10.2021 and was recommended for affiliation in six trades for 1st and 2nd shift only subject to provide details of CITS trained instructors within 15 days from the date of issue of MoM.

The six conditionally recommended trades/units in 4<sup>th</sup> SCAA were -

- i. Electrician - 4 (2+2+0)
- ii. Fitter - 4 (2+2+0)
- iii. Health Sanitary Inspector - 2 (1+1)

- iv. Mechanic Refrigeration & Air-Conditioning - 2 (1+1)
- v. Plumber - 2 (1+1)
- vi. sewing Technology - 2 (1+1)

State Directorate of UP has submitted the CITS trained instructors' details of above ITI vide letter dated 06.06.2022. As per the report received, there is a shortage of one CITS instructor in each trade of Sewing Technology, Plumber, Mechanic Refrigeration & Air-Conditioning and Health Sanitary Inspector.

Table 8: Pt. Aman Singh Pvt ITI

Sl. No.	State	ITI Name/MIS Code	Existing /New	Trade/Units Sought for Affiliation	Remarks by 4 <sup>th</sup> SCAA meeting held on dated 26.10.2021	Observation of TC Section
1	Uttar Pradesh	Pt. Aman Singh Pvt ITI, Ghaziabad 168, Village & Post Patla  Distt. - Ghaziabad 201204  TMP9145PR1579 939539	New	Electrician - 6(2+2+2) Fitter - 6(2+2+2) Health Sanitary Inspector - 2 (1+1) sewing Technology - 2 (1+1) Plumber - 2 (1+1) Mechanic Refrigeration & Air-Conditioning - 2 (1+1)	Recommended for 1st and 2nd shift only subject to provide details of CITS trained staff within 15 days from the date of issue of minutes  Electrician -4(2+2+0) Fitter -4(2+2+0) Health Sanitary Inspector -2 (1+1) sewing Technology -2 (1+1) Plumber -2(1+1) Mechanic Refrigeration & Air-Conditioning -2 (1+1)	As per the report received, there is shortage of CITS instructor as given below-  Sewing Technology-01 No,  Plumber-01 No  Mechanic Refrigeration & Air-Conditioning-01 No.  Health Sanitary Inspector-01 No.

**SCAA Remarks:** The Committee has recommended the following six trades/units:

- i. Electrician - 4 (2+2)
- ii. Fitter - 4 (2+2)
- iii. Health Sanitary Inspector - 2 (1+1)
- iv. sewing Technology - 2 (1+1)
- v. Plumber - 2 (1+1)




vi. Mechanic Refrigeration & Air-Conditioning - 2 (1+1)

However, these recommendations are subject to following condition:

ITI will give undertaking within 7 days from the date of issue of MoM that CITS qualified instructors will be appointed before the start of session 2022 to RDSDE and State Directorate UP.

State Directorate and RDSDE of UP to ensure that CITS qualified instructors are appointed.

#### 4) Conversion of SCVT to NCVT trades:

The proposal pertains to 374 Govt. ITIs for conversion of SCVT to NCVT trades.

The SCVT trades in these ITIs were granted NCVT affiliation for 1 year for the session 2020- 21 and thereafter 1 year extension for the session 2021-22 in 2<sup>nd</sup> SCAA meeting held on 13.07.2021.

The case was put up in 1<sup>st</sup> SCAA meeting held on 05.04.2022 & 06.04.2022 for granting NCVT affiliation for upcoming session.

The Committee decided that as these are Govt. ITIs, SSDECs of the concerned States to send their recommendation to TC Section DGT by 10.05.2022.

Table 8: Proposals for conversion of SCVT to NCVT trades

Sl. No.	State/UT	No. of SCVT ITIs given permission to run CTS courses under NCVT for 1 year for session 2020- 2021 and 1 year extension for session 2021-22
1	Bihar	108
2	Chhattisgarh	26
3.	Goa	3
4	Gujarat	104



Handwritten signatures and dates in blue ink, including a date '6/7' and a signature.

5.	Jammu & Kashmir	44
6.	Madhya Pradesh	23
7.	Punjab	49
8.	Rajasthan	13
9.	Tamil Nadu	4
<b>Total</b>		<b>374</b>

However, the recommendations from concerned SSDECs are not yet received.

**SCAA Remarks:** The case to be dealt on separate E-file to fast track the decision as the session 2022 is going to start soon.

**5) Nasik Dist Maratha Vidyaprasarak Samaj Industrial Training Center, Tahrabad, Tal Satana, District, Nasik-Maharashtra, PR27000490:**

This case was put up in 20<sup>th</sup> Recommendation Committee Meeting (RCM) held on dated 19.01.2021 and was not recommended due to the reason that ITI was not fulfilling the four trades norms.

Then the same case was reconsidered in 2<sup>nd</sup> SCAA meeting held on dated 29.04.2022 due to relaxation in the four trades norms and was not recommended due to low grading.

A representation from ITI was received on 20.06.2022 stating that the ITI has applied for shifting from the old address: New School campus, Taharabad Tal-Satana, District Nashik-423302 to the new address: G. No-134/2, Satana Road, Taharabd, Tal - Satana, District Nashik-423302.

Table 9: Nasik Dist Maratha Vidyaprasarak Samaj Industrial Training Center

SI. No.	State	ITI Name/MIS Code and Grading/Existing trades	Trades/Units sought for affiliation	Remarks given by previous Committee	Observation of TC	Remarks by 2 <sup>nd</sup> SCAA meeting held on dated 29.04.2022
1	Maharashtra	Nasik Dist Maratha Vidyaprasarak Samaj Industrial Training Center, Tahrabad,	1. Electrician - 2 (1+1) 2. Fitter - 2	20 RCM dated- 19.01.2021- Recommended, since	Drawing hall furniture not as per norms, workshop area not as	Not Recommended due to low

		Tal Satana, District - Nasik- 423302  PR27000490 Grading: 0.87  Existing trades- 1. Electrician-2(1+1) 2. Fitter-2(1+1)	(1+1)	ITI is more than 5 years old and has less than 4 trades in total. ITI needs to re-apply with minimum 4 trades in total	per norms, payment proof of the machineries not available	grading
--	--	---	-------	--	---	---------

**SCAA Remarks:**

This case was examined in the meeting and it was decided that-

RDSDE Maharashtra will verify trades/units at shifted location and confirm whether the shifting is within same block or not as per DGT order dated 18.09.2019.

RDSDE Maharashtra will submit the report with recommendation of trades/units within 1 week from the date of issue of this MoM.

\*\*\*The meeting ended with a vote of thanks to the Chair\*\*\*






**Annexure 2a for Agenda 2:** Compliance of 1<sup>st</sup> and 2<sup>nd</sup> SCAA meeting held on 05.04.2022 & 06.04.2022 and 29.04.2022 respectively

The Compliances of SCAA remarks of Minutes of 1<sup>st</sup> SCAA meeting held on 05.04.2022 and 06.04.2022-

- Proposals of new and existing ITIs seeking Affiliation were discussed in the meeting.
- Some deficiencies were found in the applications of ITI during the discussion held in the meeting.
- These deficiencies were mentioned in the SCAA remarks column of Minutes of meeting.
- ITIs were asked to comply with the SCAA remarks. In response of which, reports/documents were received from the ITIs through concerned State Directorate, same were placed in the meeting.
- Committee members discussed on the same and came to decision as mentioned in 3rd SCAA remark column (column VII) in the table placed below.

**1. State: Andhra Pradesh**

SI.No.	ITI Name/MIS Code/ Grading	Existing/ New	Trades/Units sought for affiliation	Recommendation of Trade/Units by Inspection Cum Verification Committee (ICVC)	Observations of TC section in 1st SCAA meeting	Remarks by 1st SCAA meeting held on dated 05.04.2022 & 06.04.2022	Remarks by 3rd SCAA meeting held on dated 24.06.2022
I	II	III	IV	V	VI	VII	VII
1.	Sri Jyothi Pvt. ITI, R.S.No: 245/3, 247/1 & 2, Kalavapamula (Village), Vuyyuru  TMPP2004	New	Electrician- 4 (2+2) Fitter- 4 (2+2) Mechanic Refrigeration and Air Conditioner - 2 (1+1) Draughtsman (Civil) -2	Electrician - 4 (2+2) Fitter - 4 (2+2) Mechanic Refrigeration and Air Conditioner - 2 (1+1) Draughtsman (Civil) - 2 (1+1)	May be Recommended subject to submission of Following additional details: i. Detailed Building plan. ii. Details of CITS trained Instructor with respect to each	Conditionally Recommended: following trades Electrician - 4 (2+2) Fitter - 4 (2+2) Mechanic Refrigeration and Air Conditioner -2 (1+1) Draughtsman (Civil) - 2 (1+1)	Recommended: Electrician - 4 (2+2) Fitter - 4 (2+2) Mechanic Refrigeration and Air Conditioner -2 (1+1) Draughtsman (Civil) - 2 (1+1) ITI to give undertaking within

			(1+1)		trade.	Subject to provide the following documents within 15 days from the date of issue of the minutes:  Detailed Building plan. and detail of CITS trained Instructor with respect to each trade within 15 days from the date of issue of MoM.	7 days from the date of issue of MoM to RDSDE and State Directorate that CITS qualified instructors will be appointed before the start of session 2022.  State Directorate and RDSDE to ensure CITS qualified instructors are appointed.
2.	Sree Raja Rajeshwari Pvt. ITI, Tirupati  Block.01, Sumitra Gardens, Thatitopu, Tirupati (R), Chittoor (D), 517505  TMPP2011	New	Electrician- 4 (2+2)  Fitter – 2 (1+1)  (COPA) – 2 (1+1)  Sewing Technology – 2 (1+1)  Health Sanitary Inspector – 2 (1+1)	Electrician- 2 (1+1)  Fitter – 2 (1+1)  (COPA) – 2 (1+1)  Sewing Technology – NR  Health Sanitary Inspector – NR  For Sewing technology and Health sanitary inspector ITI needs instructors as per affiliation norms.	1.Shortage of Oxygen Cylinder in fitter trade, all machines are installed  2.Different Number in Meter Ceiling and Meter Bill  3.Details of building plan required  4.PWD accessibility limited to Electrician and	1. Applicant ITI needs to remove all the deficiencies as mentioned in (Column VI).  2. Applicant ITI need to remove all the deficiencies and upgrade the ITI for minimum 04 trades within one month from the date of issue of Minutes and submit the information to TC-section, DGT Hqrs., New Delhi. After that TC-section will	Recommended:  Electrician- 2 (1+1)  Fitter – 2 (1+1)  COPA – 2 (1+1)  Sewing Technology –2 (1+1)  Health Sanitary Inspector – 2 (1+1)  ITI to give undertaking within 7 days from the date of issue of MoM to RDSDE and State

					Fitter. 5. Instructor are not as per NCVT Qualification in health sanitary inspector and sewing technology trades.	arrange Joint Inspection of this ITI.	Directorate that CITS qualified instructors will be appointed before the start of session 2022.  State Directorate and RDSDE to ensure CITS qualified instructors are appointed.
3.	Sri Ramu Memorial Pvt. ITI,  Mangalapalem (Village), Kothavalasa (Mandal), District - Vizianagaram 535183  TMPP2002	New	Electrician – 8(4+4) Fitter – 8(4+4) Carpenter - 2 (1+1) Mechanic Diesel - 2 (1+1)	Electrician trade – 4 (2+2) units recommended as tools and equipment's available only for 4 (2+2).  Fitter trade – 2 (1+1) units Recommended due to shortage of tools.  Carpenter – 2 (1+1) Mechanic Diesel – 2 (1+1)	May be Recommended  ITI needs to provide following details: 1.Details of building plan required. 2.Safety measures needs improvement in work shop, pathways.	Conditionally Recommended: following trades: Electrician trade – 4 (2+2) Fitter trade – 2 (1+1) Carpenter – 2 (1+1) Mechanic Diesel – 2 (1+1)  subject to condition the applicant ITI needs to provide following details within 15 days from the date of issue of the Minutes.  1.Details of building	Recommended: Electrician – 4 (2+2) Fitter – 2 (1+1) Carpenter - 2 (1+1) Mechanic Diesel - 2 (1+1)




						plan required. 2.Safety measures needs improvement in work shop, pathways.	
4.	Dr. Samuel George Pvt. ITI, Prakasam  TMP28517PR1581490676	New	Electrician – 4 (2+2)  Draughtsman (Civil) – 4 (2+2)  Fitter – 4 (2+2)  Plumber – 4 (2+2)	Electrician – 4 (2+2)  Draughtsman (Civil) – 4 (2+2)  Fitter – 4 (2+2)  Plumber – 4 (2+2)	May be Recommended with additional information requirement from the ITI  1. Approved layout plan Not available.  2. Instructor details not available.	Conditionally Recommended:  Electrician – 4 (2+2)  Draughtsman (Civil) – 4 (2+2)  Fitter – 4 (2+2)  Plumber – 4 (2+2)  Subject to submission of subject to condition the applicant ITI needs to provide following details within 15 days from the date of issue of the Minutes.  1. Approved layout plan.  2. Instructor details.  After verifying the above desired documents, the case will be ratified	Recommended: Electrician – 4 (2+2)  Draughtsman (Civil) – 4 (2+2)  Fitter – 4 (2+2)  Plumber – 4 (2+2)  ITI to give undertaking within 7 days from the date of issue of MoM to RDSDE and State Directorate that CITS qualified instructors will be appointed before the start of session 2022.  State Directorate and RDSDE to ensure CITS qualified instructors are appointed.

						in the next SCAA meeting.	
--	--	--	--	--	--	---------------------------	--

## 2. State: Chhattisgarh:

SI.No.	ITI Name/MIS Code/ Grading	Existin g/New	Trades/Units sought for affiliation	Recommendatio n of Trade/Units by Inspection Cum Verification Committee (ICVC)	Observations of TC section in 1st SCAA meeting	Remarks by 1st SCAA meeting held on dated 05.04.2022 & 06.04.2022	Remarks by 3rd SCAA meeting held on dated 24.06.2022
I	II	III	IV	V	VI	VII	VIII
1.	Bharti Private ITI, Janjgir-Champa- 495556  TMP22379PR1582738 290	New	(COPA) – 4 (2+2)  Health Sanitary Inspector – 2 (1+1)  Electrician – 4 (2+2)  Stenographer Secretarial Assistant (Hindi) – 2 (1+1)  Mason (Building Constructor) – 4 (2+2)	(COPA) – 4 (2+2)  Health Sanitary Inspector – 2 (1+1)  Electrician – 4 (2+2)  Hospital Housekeeping – 2 (1+1)  only 4 trades shown during inspection, by the ITI	1. Electricity bills not uploaded.  2. The details of Trained CITS Instructors for each trade.	Conditionally Recommended:  (COPA) – 4 (2+2)  Health Sanitary Inspector – 2 (1+1)  Electrician – 4 (2+2)  Hospital Housekeeping – 2 (1+1)  Subject to submission of latest electricity bill with sanction load as per DGT norms within 15 days from the date of issue of this	Recommended:  COPA – 4 (2+2)  Health Sanitary Inspector – 2 (1+1)  Electrician – 4 (2+2)  Hospital Housekeeping – 2 (1+1)




			Fitter – 4 (2+2)  Hospital Housekeeping – 4 (2+2)			minute to the State Directorate.  State Directorate will forward the same to DGT Hqrs. Within 1 week.	
2.	Government ITI, Sarangarh, Distt- Raigarh Raigad-496661  GR22000040  Grading -2.52	Existing	Fitter – 2 (1+1)  Welder – 2 (1+1)	Fitter – 2 (1+1)  Welder – 1(1+0)  From NCVT member only.	1.SCVT member report pending  2.uploaded document not adequate to ascertain who are appointed for this ITI  3.REPORT FROM SCVT MEMBER IS NOT AVAILABLE.  4.NCVT Member- Considering existing trades and sanctioned Electrical wattage of 44 KW, affiliation of Only 1 unit of welder trade and 2 units of fitter trade is recommended	Recommended: subject to condition that State Directorate will submit the report of SCVT member also.	Recommended: Fitter – 2 (1+1)  Welder – 1(1+0)




## 3. State: Himachal Pradesh

SI.No.	ITI Name/MIS Code/ Grading	Existing /New	Trades/Units sought for affiliation	Recommendation of Trade/Units by Inspection Cum Verification Committee (ICVC)	Observations of TC section in 1st SCAA meeting	Remarks by 1st SCAA meeting held on dated 05.04.2022 & 06.04.2022	Remarks by 3rd SCAA meeting held on dated 24.06.2022
I	II	III	IV	V	VI	VII	VII
1.	Jai Maa Saraswati Private ITI Village Baroh, Post Office Raja Ka Talab, Tehsil N, Kangra- 176051  PR02000241  Grading - 1.73	Existing	Electrician – 3(1+1+1)  Surface Ornamentatio n Techniques (Embroidery) – 2 (1+1)	Electrician – NR  Surface Ornamentation Techniques (Embroidery) – NR	1. Staff not appointed for trades seeking affiliation.  2. Machinery items not present as per tool list for both trades.  3. BCC not uploaded	Not Recommended: ITI need to remove deficiencies.	As Re-inspection was done by State representatives only, RDSDE will conduct a re-inspection and submit report to DGT TC section within 7 days from the date of issue of this MoM. .

## 4. State: Karnataka

SI.No.	ITI Name/ MIS Code/ Grading	Existing /New	Trades/Units sought for affiliation	Recommendation of Trade/Units by Inspection Cum Verification Committee (ICVC)	Observations of TC section in 1st SCAA meeting	Remarks by 1st SCAA meeting held on dated 05.04.2022 & 06.04.2022	Remarks by 3rd SCAA meeting held on dated 24.06.2022
I	II	III	IV	V	VI	VII	VII






1.	Sri Krishna Pvt. ITI, Devanahalli B.B.Road Devanahalli  PR29000343  Grading 1.28	Existing	Electronic Mechanic -2 (1+1) Fitter- 4 (2+2) Turner - 2 (1+1)	Electronic Mechanic - 2 (1+1) Fitter - 2 (1+1) Turner - 2 (1+1)  Inspection committee member remarks: No Biometric attendance  Pneumatic and hydraulic unit is under purchase processing except other machineries  some tools kits are shortage  Drawing Hall: Not sufficient	May be Recommended conditionally  Electronic Mechanic - 2 (1+1) Fitter - 2 (1+1) Turner - 2 (1+1)  subject to fulfil the following condition:  Inspection committee member remarks: No Biometric attendance  Pneumatic and hydraulic unit is under purchase processing except other machineries  some tools kits are shortage  Drawing Hall: Not sufficient	Conditionally Recommended:  Electronic Mech.-2 (1+1) Fitter - 2 (1+1) Turner - 2 (1+1)  Subject to condition that ITI need to remove the following deficiencies within 15 days from the date of issue of the minutes and submit the details/documents through State Directorate to DGT HQ:  Inspection committee member remarks: No Biometric attendance  Pneumatic and hydraulic unit is under purchase processing except other machineries  some tools kits are shortage  Drawing Hall: Not	Recommended:  Electronic Mechanic -2 (1+1)  Fitter - 2 (1+1)  Turner - 2 (1+1)
----	---	----------	---	--	--	--	--

						sufficient  After verifying the above desired documents, the case will be ratified in the next SCAA meeting.	
--	--	--	--	--	--	--	--

## 5. State: Kerala

S.No.	ITI Name/MIS Code/ Grading	Existing /New	Trades/Units sought for affiliation	Recommendation of Trade/Units by Inspection Cum Verification Committee (ICVC)	Observations of TC section in 1st SCAA meeting	Remarks by 1st SCAA meeting held on dated 05.04.2022 & 06.04.2022	Remarks by 3rd SCAA meeting held on dated 24.06.2022
I	II	III	IV	V	VI	VII	VIII
1.	Ilahia Pvt. ITI Pezhakkappilly P.O Muvattupuzha Ernakulam - 686673  PR32000684  Grading - 0	Existing	Mechanic Motor Vehicle (MMV) – 4 (2+2)  Mechanic Diesel – 2 (1+1)  Fashion Design and Technology – 2 (1+1)	Mechanic Motor Vehicle (MMV) – 4 (2+2)  Mechanic Diesel – 2 (1+1)  Fashion Design and Technology – 2 (1+1)	1. Electricity connection is in name of Ilahia science and arts college 2. Major machineries are not properly mounted 3. Heavy vehicle invoice was not found during the inspection 4. Staff available as per inspection team however, qualification and experience documents are not uploaded 5. No raw materials consumption register was found 6. DSR entries of some tools were missing	Not Recommended due to non-availability of grading.	Case to dealt on E-file




2.	Hindustan Institute of Technology and Private ITI, Palakkad, S V Building Pulassery P O Koppam Palakkad  PR32000317 Grading - 1.48	Existing	MRAC – 1 (0+1)	MRAC – 1 (0+1)	May not be Recommended:  1. Power: Available - 18 KW, Required - 29.24 KW (4.8x2 for MMV + 3x2 for DC + 6.82x2 for MRAC)  2. Staff qualification, experience and CITS details not available	ITI need to remove deficiencies mentioned in column VI and send the report through State Directorate.	Case to dealt on E-file
----	---	----------	----------------	----------------	---	---	-------------------------




## 7. State: Madhya Pradesh

S. no.	ITI Name/MIS Code/Grading	Existing/New	Trades/Units sought for affiliation	Recommendation of Trade/Units by Inspection Cum Verification Committee (ICVC)	Observations of TC section in 1st SCAA meeting	Remarks by 1st SCAA meeting held on dated 05.04.2022 & 06.04.2022	Remarks by 3rd SCAA meeting held on dated 24.06.2022
I	II	III	IV	V	VI	VII	VII
1.	Gyanveer Pvt. ITI, Sagar Rajghat Road, Sagar- 470002 PU23000448 Grading - 1.65	Existing	Stenographer Secretarial Assistant (Hindi) - 2 (1+1)	Stenographer Secretarial Assistant (Hindi) - 2 (1+1)	1. Machinery bill in the name of Gyanveer public school instead of gyanveer pvt ITI.  2. Qualification and Experience documents are not attached.	1. The ITI needs to give following clarification / documents within 10 days from the date of issue of this minute.  2. Machinery bill in the name of Gyanveer public school instead of gyanveer pvt ITI.  3. Qualification and Experience documents are not attached.  4. After getting clarification the case may be put up in the next SCAA meeting.	Recommended:  Stenographer Secretarial Assistant (Hindi) - 2 (1+1)  ITI to give undertaking within 7 days from the date of issue of MoM to RDSDE and State Directorate that CITS qualified instructors will be appointed before the start of session 2022.  State Directorate and RDSDE to ensure CITS qualified instructors are appointed.
5.	Kamtanath Private ITI, Dabra	Existing	Stenographer Secretariat Assistant (Hindi) -	Stenographer Secretariat Assistant (Hindi) - 3(1+1+1)	1. Building plan not available, Completion Certificate by	ITI needs to submit BCC and Staff details through State Directorate to DGT	Recommended:  Stenographer Secretariat Assistant






	PU23000567 Grading - 1.53		3(1+1+1)		Chartered Engg. is available  2. Staff qualification and experience details not available	Hqrs. Within 15 days from the issue of this minutes.  After getting the BCC & Staff details, the case may be put up in the next meeting.	(Hindi) – 2 (1+1)
6.	Mata Seetadevi Private ITI, Chhatarpur  PU23000919 Grading - 0.65	Existing	Stenographer Hindi -  Electrician	Only SCVT report available	ITI with same name already available on same address, report not submitted by NCVT and SCVT member	Not Recommended	Not Recommended due to less Grading  Grading 0.65

## 8. State: Odisha

Sl. No.	ITI Name/ MIS Code / Grading	Existing / New	Trades/Units Sought for Affiliation	Recommendation of Trade / Units by Inspection Cum Verification Committee (ICVC)	Observations of TC section in 1st SCAA meeting.	Remarks by 1st SCAA meeting held on dated 05.04.2022 & 06.04.2022	Remarks by 3rd SCAA meeting held on dated 24.06.2022
I	II	III	IV	V	VI	VII	VII
1.	Govt Industrial Training Institute, Barbil At - Barbil Po:- Matkambada KENDUJHAR-758036  GU21000498 Grading-2.54	Existing	fitter - 4 (2+2)  Electrician - 4 (2+2)  Sewing Technology - 2 (1+1)  Mechanic Diesel - 2	Fitter - 4 (2+2)  Electrician - 4 (2+2)  Sewing Technology - 2 (1+1) Mechanic Diesel - 2 (1+1)	Remarks of scrutiny team:  SSDEC may conduct a meeting and take decision regarding physical inspection.	SSDEC may conduct a meeting and take decision regarding physical inspection.	Recommended: Fitter - 4 (2+2) Electrician - 4 (2+2) Sewing Technology - 2 (1+1) Mechanic Diesel - 2 (1+1)

			(1+1)	NCVT member remarks: number of trades and units required physical inspection is required for approval			
2.	Government Industrial Training Institute, Laxmipur Post - Laxmipur Koraput-764055  GR21000604  Grading -2.03	Existing	Sewing Technology - 2 (1+1)	Sewing Technology - 2 (1+1)  Affiliation can be granted only after procurement of whole tool list and hiring of teaching staff for sewing trade.	May be Recommended:  Sewing Technology-2 (1+1)  Affiliation can be granted only after procurement of whole tool list and hiring of teaching staff for sewing trade.	Recommended:  Sewing Technology - 2 (1+1)  Subject to procurement of whole tool list and hiring of teaching staff for sewing trade. Relevant documents may be submitted to DGT within 15 days from the date of issue of the Minutes.	Recommended:  Sewing Technology - 2 (1+1)  ITI to give undertaking within 7 days from the date of issue of MoM to RDSDE and State Directorate that CITS qualified instructors will be appointed before the start of session 2022.  State Directorate and RDSDE to ensure CITS qualified instructors are appointed.
3.	Govt. ITI Pottangi At-Po - Pottangi Koraput-764039  GR21000613  Grading - 1.28	Existing	(COPA) - 2 (1+1)	(COPA) - 2 (1+1)	May be Recommended:  COPA - 2 (1+1)  Subject to availability of IT lab for other existing trades.	Recommended:  COPA - 2 (1+1)  Subject to availability of IT lab for other existing trades. ITI need to submit the	Recommended:  COPA - 2 (1+1)

						details within one month from the date of issue of the minute.	
4.	Govt. Industrial Training Institute, Nandapur, Koraput  TMP21363GR1582885623	New	Fitter - 3 (1+1+1)  Electrician - 3 (1+1+1)  Welder (GMAW & GTAW) - 3 (1+1+1)  Computer Operator and Programming Assistant (COPA) - 3 (1+1+1)	Fitter- 2 (1+1)  Electrician- 2 (1+1)  Welder (GMAW & GTAW)- NR  Computer Operator and Programming Assistant (COPA)- NR  Affiliation for COPA and Welder trade is NOT Recommended: due to non-availability of Tools, equipment and machineries.	May be Recommended:  Fitter - 2 (1+1)  Electrician - 2 (1+1)  Welder (GMAW & GTAW)- NR  Computer Operator and Programming Assistant (COPA)- NR	Being LWE ITI Recommended:  Fitter- 2 (1+1)  Electrician- 2 (1+1)  Tools and equipment for following two trades  Welder (GMAW & GTAW)  Computer Operator and Programming Assistant (COPA)  To be purchased within one month and submit the proof to DGT HQ so that in next meeting these two trades may be Recommended.	Recommended:  Fitter - 2 (1+1)  Electrician - 2 (1+1) Welder (GMAW & GTAW) - 2 (1+1)  Computer Operator and Programming Assistant (COPA) - 2 (1+1)






## 10. State: Uttar Pradesh

Sl. No.	ITI Name/MIS Code/ Grading	Existing /New	Trades/Units Sought For Affiliation	Recommendation Of Trade/Units By Inspection Cum Verification Committee (ICVC)	Observations of TC section in 1st SCAA meeting	Remarks by 1st SCAA meeting held on dated 05.04.2022 & 06.04.2022	Remarks by 3rd SCAA meeting held on dated 24.06.2022
I	II	III	IV	V	VI	VII	VII
1.	Kamta Nath Private ITI, Village - Parsaunda (Barethi Askaran) Post-Parsaunda Dist- Banda-210001  TMP9128PR1581666695	New	Electrician – 6 (2+2+2)  Fitter – 6 (2+2+2)  (COPA) – 3 (1+1+1)  Health Sanitary Inspector – 3 (1+1+1)	Electrician - 6 (2+2+2)  Fitter – 6 (2+2+2)  (COPA) – 3 (1+1+1)  Health Sanitary Inspector – 3 (1+1+1)	1. Building plan, not available 2. CITS trained/Experienced instructor detail not available	Conditionally Recommended: Electrician – 6(2+2+2)  Fitter – 6 (2+2+2) (COPA) – 3 (1+1+1)  Health Sanitary Inspector – 3 (1+1+1)  Subject to submit the following document within 15 days from the date of issue of this minute.  Building plan, not available CITS trained/Experienced instructor detail not available	Recommended: Electrician – 4 (2+2)  Fitter – 4 (2+2)  COPA – 2 (1+1)  Health Sanitary Inspector – 2 (1+1)




2.	Swargiya Beche Lal Memorial Pvt ITI, Village-Kamipur Post Balamau Block- Kachhauna District- Hardoi-241126  TMP9150PR1582199453	New	Electrician – 4 (2+2)  Fitter – 4 (2+2)	Electrician – NR  Fitter – NR	1. BCC not available. 2. No drawing hall. 3. Running of machinery not shown due to non-availability of power. 4. No UPS in IT Lab. 5. No power backup. 6. Total area of ITI less than required. 7. Experience certificate of staff not provided.	Not Recommended: Applicant ITI advise to upgrade to four trades.	State directorate to submit a report whether this ITI lies in unserved block or not within 1 week from the date of issue of this MoM.
3.	S.R. Private Industrial Training Institute, Village-Maikpur Bhuta Bareilly  TMP9130PR1580292573	New	Electrician – 2(2+0)  Computer Operator and Programming Assistant (COPA) - 2(2+0)  Architectural Draughtsman - 2(2+0)  Mechanic Refrigeration and Air Conditioner - 2(2+0)	Comments from NCVT: Not Recommended: RAC (1+1) Architectural Draughtsman (1+1)  Comments from SCVT: Recommendation for Trade 1. Electrician 2 (1+1) 2. COPA 2 (1+1) 3. Radiology Technician 2 (1+1) 4 Health & Sanitary Inspector 2 (1+1)	1. Building plan and completion certificate is not clear.  2. Power: Electricity bill in the name of M/S SRTITI X/O RATAN PAL SINGH, Available - 10.89 KW (33 KVA*0.33), Required - 29.47 KW	Applicant ITI needs to enhance the power load and submit the details through State Directorate along with BCC and Building Plan within one month from the date of issue of this minute.	Recommended:  Electrician - 2 (1+1)  COPA - 2 (1+1)  Radiology Technician - 2 (1+1)  Health & Sanitary Inspector - 2 (1+1)

			Health Sanitary Inspector - 2 (2+0)				
			Radiology Technician - 2 (2+0)				
4.	Gyanganga Private ITI Deodeep Building, Near Chandi Tiraha, Robertsganj-Sonbhadra- 231216  PU09900257  Grading - 2.74	Existing	Electrician – 9 (3+3+3)  Fitter - 3 (1+1+1)	Electrician – 9(3+3+3)  Fitter – 3(1+1+1)	May be Recommended:  Electrician – 6 (3+3)  Fitter – 2 (1+1)  subject to submission of following documents/details: 1. Approved Layout Plan required. 2. CITS Pass Instructor details not available	Conditionally Recommended:  Electrician – 6 (3+3)  Fitter – 2 (1+1)  subject to condition that ITI will submit the following documents/details within 15 days from the date of issue of the minutes through State Directorate:  1. Approved Layout Plan required. 2. CITS Pass Instructor details not available	Recommended:  Electrician – 6 (3+3)  Fitter – 2 (1+1)  ITI to give undertaking within 7 days from the date of issue of MoM to RDSDE and State Directorate that CITS qualified instructors will be appointed before the start of session 2022.  State Directorate and RDSDE to ensure CITS qualified instructors are appointed.

5.	<p>Shri Ram Private ITC - Ambedkar Nagar Achhti Block Ram Nagar Ambedkar Nagar- 224129</p> <p>PR09001452</p> <p>Grading - 2.13</p>	Existing	<p>Electrician- 6(2+2+2) Fitter- 1(0+0+1)</p>	<p>Electrician-6(2+2+2) Fitter-1(0+0+1)</p> <p>Agree, After Sanctioning of 14KW of Electrical Load</p>	<p>May be approved conditionally:</p> <p>Electrician-4 (2+2)</p> <p>Electrician &amp; Fitter third shift not Recommended:</p> <p>Subject to submission of latest electricity bill with electric load as per DGT norms.</p>	<p>Conditionally approved:</p> <p>Electrician-4 (2+2)</p> <p>Electrician &amp; Fitter third shift not Recommended:</p> <p>Subject to submission of latest electricity bill with electric load as per DGT norms within one month from the date of issue of the minutes through State Directorate.</p>	<p>ITI to submit Electricity bill with sufficient load to run trades sought by ITI within 1 week from the date of issue of this MoM through RDSDE.</p>
6.	<p>D.P. Pandey Private ITC - Gonda Village-Bagdar Grantpost:Sabarpur District: Gonda- 271313</p> <p>PR09000654</p> <p>Grading - 2.10</p>	Existing	<p>Electrician – 4 (1+1+2)</p> <p>Fitter – 1 (0+0+1)</p>	<p>NCVT member remarks: DisAgree, IT lab flooring not as per the standard, staffs not having CITS qualification, sign boards not fixed, sufficient toilets not available, IGBT based drive - speed control shows only on display.</p> <p>SCVT member remarks: Agree, Recommendation for Electrician 2 unit</p>	<p>May be recommended for re-inspection as the recommendation of NCVT and SCVT are not matching as per their reports.</p>	<p>Recommended for joint re-inspection.</p>	<p>Joint Re- inspection to be conducted by RDSDE and State Directorate within 7 days from the date of issue of this MoM.</p>




7.	Raghuveer Ram Private Industrial Training Institute, Sonbhadra,  Village-Pasahi Khurd Post Tendu, Roberts Ganj Sonbhadra  TMP9184PR1580383444	New	Electrician- 3 (1+1+1)  Fitter – 3 (1+1+1)  Welder - 3 (1+1+1)  Mechanic Diesel – 3 (1+1+1)	Electrician- 3 (1+1+1)  Fitter – 3 (1+1+1)  Welder - 3 (1+1+1)  Mechanic Diesel – NR Agree, Welder, Fitter and Electrician trade affiliation may be granted but for Diesel Mechanic trade heavy machinery (vehicles) are shortage.	May not be Recommended: due to deficiencies given below :  1. Deficiency of Heavy machinery (Vehicle) in Mechanic Diesel trade.	Applicant ITI has to upgrade the mechanical diesel trade also and inform DGT HQ within one month from the date of issue of the minutes.  Joint inspection will be arranged after receiving the above details/report from the applicant ITI.	RDSDE to physically verify, ITI has removed the deficiency mentioned in column VI and submit their report to TC section DGT within 1 week from the date of issue of MoM.
8.	PR Memorial Pvt ITC, Noorpur Bheta, Kishanpath Mohanlalganj, Lucknow  A16000616 and PR09900579  Grading -0.93	New	Electrician – 12(4+4+4)	Electrician – 12(4+4+4)	May not be Recommended due to:  1. ITI is existing with same name at same address MIS code PR09900579. 2.As inspection is done by single member so not valid.	Not Recommended	Not Recommended due to Less grading




## 11. State: West Bengal

Sl. No.	ITI Name/MIS Code/ Grading	Existing /New	Trades/Units Sought For Affiliation	Recommendation Of Trade/Units By Inspection Cum Verification Committee (ICVC)	Observations of TC section in 1st SCAA meeting	Remarks by 1st SCAA meeting held on dated 05.04.2022 & 06.04.2022	Remarks by 3rd SCAA meeting held on dated 24.06.2022
I	II	III	IV	V	VI	VII	VII
1.	Vivekananda Private ITI, Foundry Park, Haulibagan.Ranihati-Amta Road. P.O- Jalabiswanathpur. District - Howrah-711322  TMP19313PR1580984571	New	Electrician- 6(2+2+2)  Fitter-6(2+2+2)  Foundryman- 3(1+1+1) Health Sanitary Inspector - 3 (1+1+1)	Electrician - 6(2+2+2)  Fitter-6(2+2+2)  Foundryman- 3(1+1+1)  Health Sanitary Inspector-3(1+1+1)	May be Recommended:  Electrician - 4 (2+2)  Fitter - 4 (2+2) Foundryman - 2 (1+1) Health Sanitary Inspector - 2 (1+1)	Recommended:  Electrician - 4 (2+2)  Fitter - 4 (2+2)  Foundryman - 2 (1+1)  Health Sanitary Inspector - 2 (1+1)  ITI need to submit details of CITS trained instructors within 15 days from the date of issue of this minute through State Directorate.	Recommended:  Electrician - 4 (2+2)  Fitter - 4 (2+2)  Foundryman - 2 (1+1)  Health Sanitary Inspector - 2 (1+1)  ITI to give undertaking within 7 days from the date of issue of MoM to RDSDE and State Directorate that CITS qualified instructors will be appointed before the start of session 2022.  State Directorate and RDSDE to




							ensure CITS qualified instructors are appointed.
2.	Sadatpur Private ITI, At - Sadatpur, PO- Rakhajungle, PS- Kharagpur Local, Dist- Medinipur West TMP19318PR1581403093	New	Electrician- 6 (2+2+2)  Fitter- 6 (2+2+2)  Welder - 3 (1+1+1)  Health Sanitary Inspector - 3 (1+1+1)	Electrician- 6 (2+2+2)  Fitter- 6 (2+2+2)  Welder-3 (1+1+1)  Health Sanitary Inspector-3 (1+1+1)  NCVT member remark - Agree, Above recommendation only if concerned ITI is ready to fulfilled the discrepancies.  SCVT member remark- Agree , May be granted affiliation if shortfall of Fitter trade is considered.	1. Fitter trade Not Recommended as machinery not adequate.  2. Electrician and welder trade (1+1) unit Recommended: only if Institution provides the non-skid floor in the workshop with Gangway and connect machines those of not connected to the Electric Supply.	ITI need to remove the discrepancies mentioned in column VI and submit the report through state directorate to DGT Hq within 15 day from the issue of the minute.  After receiving the above desired details, the case will be put up in the next SCAA meeting.	Recommended:  Electrician- 2 (1+1)  Fitter- 2 (1+1)  Welder - 2 (1+1)  Health Sanitary Inspector - 2 (1+1)  ITI to give undertaking within 7 days from the date of issue of MoM to RDSDE and State Directorate that CITS qualified instructors will be appointed before the start of session 2022.  State Directorate and RDSDE to ensure CITS qualified instructors are appointed.






**Annexure 2b for Agenda 2:** Compliance of 1<sup>st</sup> and 2<sup>nd</sup> SCAA meeting held on 05.04.2022 & 06.04.2022 and 29.04.2022 respectivelyCompliances of SCAA remarks of Minutes of 2<sup>nd</sup> SCAA meeting held on 29.04.2022:

- In 2<sup>nd</sup> SCAA meeting held on 29.04.2022, the old cases of previous meeting which were either differed or Not Recommended due to four trade norms and grading were considered. The letters and emails were received from the state directorate and ITIs in compliance to 2<sup>nd</sup> SCAA MoM dated 27.05.2022
- These compliances were discussed in meeting of 3<sup>rd</sup> SCAA held on 24.06.2022 and the remarks of 3<sup>rd</sup> SCAA meeting is given in column VII.

Sl. No.	State	ITI Name/MIS Code and Grading/Existing Trades	Trades/Units sought for Affiliation	History of case and Last meeting Decision of RCM/SCRC/SCAA	Observations of TC section	Remarks by 3 <sup>rd</sup> SCAA meeting held on dated 24.06.2022
I	II	III	IV	V	VI	VII
1.	Gujarat	Sai Krupa Gram Vikas Trust, Sai Private ITI, Balaiya Crossing Padaliya, Fatepura, Dahod-389190  PR24006117  Grading-1.4  Existing trades-  1. Fitter - 8 (4+2+2)	1. Wireman-1(0+0+1) 2. Electrician-1(0+0+1) 3. Health Sanitary Inspector-6(2+2+2)	1. In 19th RCM dated 15.01.2021-It was decided that-Reverted back to State Directorate. One day time from the date of issue of MoM to be given to ITI for submitting the principal details. 2. In 23rd RCM dated 09.03.2021-Deferred "Report from Grading	The units mapped on portal is not as per affiliation order.  As per affiliation order the affiliated units are (Affiliation order dated 15.06.2010,26.09.2013 andDGT-12/1/2016 TC dated 16.09.2016)-  1. Fitter - 8 (3+3+2) 2. Electrician - 2 (1+1)	RDSDE Gujarat needs to send the report with recommendation to DGT HQ after getting clarification from ITI for already admitted trainees in portal within 1 week from the date of issue of MoM.

		<p>2. Electrician - 2 (1+1)  3. Welder - 2 (2+0)  4. Wireman - 2 (2+0)  5. COPA - 2 (2+0)</p>		<p>Committee is waited for decisions on ITIs with less than 2.0 grades”</p> <p>3. In 8th SCRC dated 18.11.2021-As the grading of ITI is 1.4 which is more than 1.25 (Minimum Requirement). Hence, may be considered for granting Affiliation/Accreditation</p> <p>4. In 2nd SCAA meeting held on 29.04.2022- RDSDE Gujrat to cross check NCVT Portal affiliated units' data from physical verification report and affiliation orders and send the report within 2 weeks to Director -TC, DGT.</p>	<p>3. Welder - 2 (1+1)  4. Wireman - 2 (1+1)  5. COPA - 2 (1+1)</p> <p>In compliance of 2<sup>nd</sup> SCAA RDSDE has confirmed the mismatch in trades/units as per affiliation order and NCVT MIS portal, and confirmed that the trades are as per affiliation order.</p>	
--	--	---	--	---	--	--




2.	Uttar Pradesh	<p>Shri Ram Raja Sarkar Pvt. ITI, Jhansi</p> <p>Village paadri, PO- .Bhojala, Block Badagaon Jhansi, U.P. 284002</p> <p>TMP9153PR1580287259 New ITI</p>	<p>1. Electrician - 6 (2+2+2)</p> <p>2. Fitter - 3 (1+1+1)</p> <p>3. Health sanitary Inspector - 3 (1+1+1)</p> <p>4. Stenographer Secretarial Assistant (Hindi) - 3 (1+1+1)</p>	<p>1. Deferred in 4th SCAA MoM dated 09.11.2021- To get comment from State Directorate why Inspection report is submitted by SCVT member only and not routed through State Directorate. member was part of Inspection cum Verification Committee</p> <p>2. 2nd SCAA meeting held on 29.04.2022- State Directorate to arrange Joint Re-inspection along with RDSDE within 3 weeks after issuing of this MoM.</p>	<p>ITI has given representation dated 08.06.2022 and email to consider its report based upon previous report</p>	<p>RDSDE and State directorate will carry out joint inspection within 01 week from the date of issue of MoM.</p>
3.	Chhattisgarh	<p>Sandipani Academy Private ITI Gram. Achhoti, Post. Murmunda, Taluka-Dhamdha, Durg-490036</p> <p>PR22000109</p> <p>Grading- 2.64</p> <p>Existing trades- COPA - 2 (1+1)</p>	<p>Stenographer and Secretarial Assistant (Hindi) - 2 (1+1)</p>	<p>1. In 20th RCM dated 19.01.2021-Not Recommended, Since ITI is more than 5 years old and has less than 4 trades in total. ITI needs to re-apply with minimum 4 trades in total</p> <p>2. In 2<sup>nd</sup> SCAA meeting held on 29.04.2022- Details of layout plan and CITS instructors were sought directly in</p>	<p>ITI has submitted the CITS details and Layout plan.</p>	<p>Recommended: Stenographer and Secretarial Assistant (Hindi) - 2 (1+1)</p>




				DGT.		
4.	Himachal Pradesh	Takshila Private ITI, Near M.L.S.M College Sundernagar, DISTRICT-MANDI, HP- 175018  PR02000211  Grading-2.26  Existing trades- Electrician -12 (4+4+4)	*Electrician - 3 (1+1+1)  *This trade is already granted affiliation for one year in 2 <sup>nd</sup> SCAA held on 13.07.2021 for session august 2021 for one year only.	1. In 16th RCM dated 25.11.2020-Not Recommended Since ITI is more than 5 years old, should apply for minimum 4 for affiliation by session 2021. 2. This trade is already granted affiliation for one year in 2 <sup>nd</sup> SCAA held on 13.07.2021 for one year only but third shift was not granted. Recommended Total Electrician-8(4+4) units 3. In 2 <sup>nd</sup> SCAA meeting held on 29.04.2022- State Directorate to arrange Joint Re- verification along with RDSDE within 3weeks after issuing of this MoM.	State directorate of HP has submitted ITI reply on the date 20.06.2022.  ITI has also given mail that no affiliation was pending for this ITI because this case was already affiliated for electrician 2(1+1) and same is reflecting in portal also.  But the above affiliation order was granted for only One year. Further ITI requested to provide 3rd Shift as per court order	To be dealt on e- file
5.	Maharashtra	Shreeyansh Private Industrial Training Institute, Sahakar Nagar Th-Tirora Gondia-441911  PR27000626  Grading-1.91  Existing Trades-	1. Electrician- 4 (1+1+2) 2. *Fitter - 4 (1+1+2)  *Fitter trade - 2 (1+1) is recommended in 2 <sup>nd</sup> SCAA meeting	1. In 20th RCM dated 19.01.2021-Not Recommended, since ITI is more than 5 years old and has less than 4 trades in total. ITI needs to re-apply with minimum 4 trades in total. ITI applied for only two trades.	RDSDE submitted ITI representation vide letter dated 06.06.2022 that power load is 28 KW and sufficient as per affiliated trades. The mapped units on portal is wrong due to which the power calculation shows less	RDSDE Mumbai needs to send the report with recommendation to DGT HQ after getting clarification from ITI for already admitted trainees in portal within 1 week from




		<p>1. COPA-4 (2+2) 2. Electrician-4 (2+2) 3. Fitter- 6 (3+3)</p>		<p>2. In 2<sup>nd</sup> SCAA meeting held on 29.04.2022-Recommended in Fitter -2(1+1), Not Recommended in-Electrician-4(1+1+2) due to less power load</p>	<p>load. As per affiliation order Fitter -2(1+1), Electrician -2(1+1) and COPA- 1(1+0) are affiliated.  So ITI is asking to affiliation of Electrician-2(1+1) along with already affiliated Fitter-2(1+1) of 2<sup>nd</sup> SCAA MoM.</p>	<p>the date of issue of MoM.</p>
6.	Maharashtra	<p>A.I.E.&amp; D F'S, Bhaskarrao Galande Patil, Private Industrial Training Institute, Ashoknagar, Tal. Shirampur, Dist. Ahmednagar, MH-413717  PU27000192  Grading-1.70  Existing Trades- 1. Electrician-2 (1+1) 2. Welder-2 (1+1) 3. Fitter-2 (1+1)</p>	<p>1. Electrician - 2 (1+1)</p>	<p>1. In 20th RCM dated 19.01.2021-Not Recommended, since ITI is more than 5 years old and has less than 4 trades in total. ITI needs to re-apply with minimum 4 trades in total 2. In 2<sup>nd</sup> SCAA meeting held on 29.04.2022 - CITS pass instructors and payment proof details were sought from ITI and send report to DGT HQ within 2 weeks from the issue of this MoM.</p>	<p>ITI has given mail dated 09.06.2022 and submitted 01 CITS instructor details and Shop keeper payment receipt.</p>	<p>Recommended: 1. Electrician - 2 (1+1)</p>
7.	Maharashtra	<p>Mauli Private ITI, Near Vilas 2 Sugar Industry, At Post Tondar, TQ Udgir District-Latur MH-413517</p>	<p>1. Electrician - 4 (2+2) 2. Wireman -2</p>	<p>1. In 16<sup>th</sup> RCM -Rejected as not recommended by State, Since ITI needs to have 4 or</p>	<p>ITI has given the mail to carry out inspection.</p>	<p>RDSDE and State directorate will carry out joint inspection within</p>

		TMP27481PR1582822272 NEW ITI	(1+1) 3. Welder - 2 (1+1) 4. Mechanic Diesel - 2 (1+1)	more trades for affiliation 2. In 2 <sup>nd</sup> SCAA meeting held on 29.04.2022- ITI needs remove the deficiencies mentioned in MoM within 1 month and inform to the State Directorate S/D will arrange Re-inspection along with RDSDE and submit the report to Director – TC, DGT.		01 week from the date of issue of MoM.
8.	Uttar Pradesh	Tapobhoomi Pvt. ITI, Himmatpur Naipai Firozabad- 283203  PR09000528 Grading - 1.53  Existing Trades- 1.Electrician - 4 (2+2)	1. Electrician - 8 (2+2+4)	1. In 4th SCAA-As inspection is carried out by State only without Auto Batch creation, the report of State is not valid as per Affiliation norms. ITI to be re-inspected after batch creation. 2. In 2 <sup>nd</sup> SCAA meeting held on 29.04.2022- Joint Re-inspection by RDSDE along State Directorate.	ITI has given representation to consider previous report and Annexure-III for grant of affiliation.	RDSDE and State directorate will carry out joint inspection within 01 week from the date of issue of MoM.  Representation may not be considered.
9.	Uttar Pradesh	Sarmishta Ahuja Pvt. ITI, HATHRAS Village- Parsara Hathras 204101-Uttar Pradesh  TMP9163PR1582780708  New ITI	1. Electrician 3(1+1+1) 2. Fitter 3(1+1+1) 3. COPA 3(1+1+1) 4. Health Sanitary	1. In 4th SCAA -Not Recommended due to shortage of Space, Infrastructure and meter sealing 2. In 2 <sup>nd</sup> SCAA meeting held on 29.04.2022- ITI needs remove the deficiencies mentioned	ITI has given the mail to carry out inspection.	RDSDE and State directorate will carry out joint inspection within 01 week from the date of issue of MoM.



			Inspector-3(1+1+1)	in MoM within 1 month and inform to the RDSDE.		
10.	Uttar Pradesh	Durga Pvt ITI Pali Sahjawana Gorakhpur UP, Pali, Gorakhpur,  TMPOLD320 MSTI  MSTI New	1. Electrician-4 (2+2+0) 2. COPA-2 (1+1+0)	1. In 4th SCAA meeting - Not recommended due to shortage of Infrastructure 2. In 2 <sup>nd</sup> SCAA meeting held on 29.04.2022- MSTI needs to remove the deficiencies and send the report along with NOC to DGT, HQ. 3. Deficiencies observed in 2 <sup>nd</sup> SCAA were- (Drawing table not proper. non-conformity lease paper. UPS not working and discrepancy in bill. Work bench not up to mark, desktop and printer not available in workshop, as per tools list sr no 164 to 173 item bill not available. Trainers are not CITS trained only principal is CITS trained .)	Details submitted by ITI for deficiencies mentioned in 2 <sup>nd</sup> SCAA MoM but NOC is not authentic	State Directorate will examine the NOC and ITI report. State Directorate will submit the report to DGT HQ with recommendation within 1 week of issuing of this MoM.
11.	Uttar Pradesh	Shri Raj Kumar Singh College of Private ITI, Vill- Bhawanipur, Karhal, Dist- Mainpuri, U.P.-205268  1809015865	1. Electrician-6(2+2+2) 2. Fitter-6(2+2+2) 3. COPA-3(1+1+1) 4. Health	1. In 3 <sup>rd</sup> SCAA -Deferred for the recommendation of Scrutiny Committee 2. In 2 <sup>nd</sup> SCAA meeting held on 29.04.2022- ITI needs remove the	Report received by UP state directorate for clarification of deficiencies mentioned in MoM  Inspection was carried	Recommended: 1. Electrician -4(2+2) 2. Fitter -4(2+2) 3. COPA-2(1+1) 4. Health sanitary



		New ITI	sanitary Inspector- 3(1+1+1)	deficiencies within 1 month and inform to the RDSDE.RDSDE will arrange re- inspection along with S/D and submit the report to Director – TC, DGT	out on 02.06.2022.	Inspector - 2(1+1)
--	--	---------	------------------------------------	---	--------------------	-----------------------

Note: Abbreviation RCM (Recommendation Committee Meeting), SCAA (Standing Committee on Affiliation & Accreditation), SCRC (Standing Cum Recommendation Committee)



**Annexure 3 for Agenda No 3:** New Accreditation/ Affiliation proposals for existing and new ITIs from 12 States

Total 96 proposals were discussed in the meeting and state-wise recommendation of 3<sup>rd</sup> Standing Committee on Accreditation and Affiliation (SCAA) meeting held on 24.06.2022 is given in column VII-

1. State: Assam, Total 04 (03 New & 01 Existing) ITIs cases for new ITIs and addition of trades/units in Existing ITI for affiliation

SI No	ITIs Name/ MIS Code / /Grading	Existing / New/MSTI	Trades/units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 3rd SCAA meeting held on dated 24.06.2022
I	II	III	IV	V	VI	VII
1	Ham-Ak Private Industrial Training Institute, Nagaon Shillongoni Dhing Road Nagaon (Assam) Nagaon-782122  TMP18297PR1579941922	New	1. Draughtsman (Civil)- 3(2+1) 2. Electrician- 3(2+1) 3. Fitter-3(2+1) 4. Mechanic Diesel-3(2+1) 5. Mechanic Motor Vehicle (MMV)- 3(2+1) 6. Surveyor-3(2+1) 7. Wireman-3(2+1)	Recommended: 1. Draughtsman (Civil)-3 (1+1+1) 2. Electrician-3 (1+1+1) 3. Fitter-3 (1+1+1) 4. Mechanic Motor Vehicle -2 (1+1) 5. Mechanical diesel engine-2 (1+1) 6. Surveyor-3 (1+1+1) 7. Wireman-3 (1+1+1)	CITS Pass out Instructor details not available	Recommended: 1. Draughtsman (Civil)-2 (1+1) 2. Electrician-2 (1+1) 3. Fitter-2 (1+1) 4. Mechanic Motor Vehicle -2 (1+1) 5. Mechanical diesel engine-2 (1+1) 6. Surveyor-2 (1+1) 7. Wireman-2 (1+1)  ITI to give undertaking within 7 days from the date of issue of MoM to RDSDE and State Directorate that CITS qualified instructors will be appointed (through RPL/Regular CITS) before the start of session 2022  State Directorate and RDSDE to ensure CITS

						qualified instructors are appointed
2	Nemcare Model Private Industrial Training Institute, Kamrup, C/O Nemcare Group of Institutions, Santipur, Mirza, Kamrup, Assam-781125  TMP18291PR1582645757 (MSTI)	New	1. Computer Operator and Programming Assistant (COPA) -2 (2+0+0) 2. Electrician-2 (2+0+0) 3. Fitter-2 (2+0+0) 4. Mechanic Diesel-2 (2+0+0)	Recommended: 1. COPA-2 (1+1) 2. Electrician-2 (1+1) 3. Fitter-2 (1+1) and Most of the available machineries are old and transferred from the earlier engineering College	1. CITS Pass out Instructor details not available 2. Engineering College being converted to ITI	Conditionally Recommended 1. COPA-2 (1+1) 2. Electrician-2 (1+1) 3. Fitter-2 (1+1)  RDSDE to get following documents from ITI and submit the report with recommendation within 7 days from date of issue of MoM - a) Engineering college closure affidavit for running ITI b) an undertaking from ITI that CITS Instructor will be appointed (through RPL/Regular CITS) before the start of session 2022 RDSDE and State to ensure that instructors are appointed
3	Kaziranga Pvt ITI At Road, Rudrasagar Po Joysagar Dist Sivasagar 785665, Assam  PR18000038  Grading- 0	Existing	1. Fire Technology and Industrial Safety Management-6 (2+2+2) 2. Solar Technician (Electrical)- 3	Recommended: 1. Fire Technology and Industrial Safety Management-2 (1+1) 2. Solar Technician	1. CITS Pass out Instructor details not available 2. Machinery Installation Photo and Videos not uploaded	NOT Recommended due to less Grading

			(1+1+1)	(Electrical)- 2 (1+1)	3. Power connection is not as per norms	
4	Suprabhat Private Industrial Training Institute, Inglijan Village, Nh37 Highway, Mouza-Tingrai, Borhapjan Tinsukia-786151  TMP18302PR1580714806	New	1. Computer Operator and Programming Assistant (COPA)- 2 (1+1) 2. Electrician-2 (1+1) 3. Fitter-2 (1+1) 4. Welder-2 (1+1)	Recommended: 1. Computer Operator and Programming Assistant (COPA)- 2 (1+1) 2. Electrician-2 (1+1) 3. Fitter-2 (1+1) 4. Welder-2 (1+1)	May be Recommended: 1. Computer Operator and Programming Assistant (COPA)- 2 (1+1) 2. Electrician-2 (1+1) 3. Fitter-2 (1+1) 4. Welder-2 (1+1)	Recommended: 1. Computer Operator and Programming Assistant (COPA)- 2 (1+1) 2. Electrician-2 (1+1) 3. Fitter-2 (1+1) 4. Welder-2 (1+1)

2. State: Bihar, Total-27(15 New & 12 Existing) ITIs cases for new ITIs and addition of trades/units in Existing ITI for affiliation

SI No	ITIs Name/ MIS Code / Application Number /Grading	Type of application Existing / New/MSTI	Trades/units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 3rd SCAA meeting held on dated 24.06.2022
I	II	III	IV	V	VI	VII
1	Shiv Shakti Private ITI Shakambhari Complex Kabirpur Road, Nathnagar,	Existing	1. Electrician-6 (3+3+0)	Recommended: 1. Electrician-2 (1+1) additional trade/units	1. BCC is not available 2. Sanctioned	ITI needs to remove the deficiencies

	Distt Bhagalpur – 812006 PR10000608 Grading- 1.27				electric load is less	mentioned in column VI and submit a report to the state within 1 week of issuing this MoM  The State Directorate will verify and send a report with recommendation to DGT within 1 week of issuing this MoM
2	Talent Hut Private ITI, Talent Hut Pvt ITI Parari Parari, Nalanda- 803108  PR10000904 Grading-2.09	Existing	1. COPA-2 (1+1+0) 2. Electrician- 8(4+4+0) 3. Sewing Technology-2 (1+1+0)	Recommended: 1. Electrician-8(4+4) additional trade/units	Sanctioned load is less for trades/units sought for affiliation but sufficient as per ICVC recommended trades/units	Recommended: 1. Electrician - 8 (4+4)
3	Bhabha Private ITI, Ghosawari, Block Distt Patna  TMP 415 MSTI	New- MSTI	1. Electrician- 4(2+2+0)  2. Fitter-2 (1+1+0)	Recommended for – 1. Electrician -4 (2+2) 2. Fitter -4 (2+2)  Biometric machine purchased but not installed	1. NOC from State stating unserved is not available 2. BCC is not available 3. Qualification, Experience and CITS details of trainers not available 4. Payment proof of Machineries not available	ITI needs to remove the deficiencies mentioned in column VI and submit report to state within 1 week of issuing this MoM  State Directorate will verify and send report with recommendation




						to DGT within 1 week of issuing this MoM.
4	Rishav Private Industrial Training Institute, Siwan Vill+Po-Jagatpur Mahuari, Block-Lacri Nabiganj, Dist-Siwan Pincode - 841406  TMP10222PR1581410003	New- MSTI	1. Electrician-4 (2+2) 2. Fitter-4 (2+2)	Recommended: 1. Electrician- 4 (2+2) 2. Fitter- 2 (1+1)  The institute is in the unserved area as certified by the State nodal officer and the certificate submitted on app	1. Land Lease made in person name instead of ITI Name Trust deed is also not available 2. NOC for MSTI lying in unserved area is not available 3. BCC is not as per Norms	ITI needs to remove the deficiencies mentioned in column VI and submit a report to the state within 1 week of issuing this MoM  The State Directorate will verify and send a report with recommendation to DGT within 1 week of issuing this MoM
5	RC Group of Private Industrial Training Institute, Siwan Vill-Lakri Dargah Post-Lakri Dargah Thana-Barhariya Dist-Siwan  TMP10222PR1581652271	New	1. COPA-2 (1+1) 2. Electrician-4 (2+2) 3. Fitter-4 (2+2) 4. Mechanic Diesel-2 (1+1)	Recommended: 1. COPA-2 (1+1) 2. Electrician-4 (2+2) 3. Fitter-4 (2+2) 4. Mechanic Diesel-2 (1+1)	1. Electricity bill not uploaded 2. Machinery Bill Payments Not Available	ITI needs to submit the details mentioned in column VI to RDSDE within 01 week of issuing this MoM  RDSDE to send a verified report with recommendation within 1 week of issuing this MoM
6	Ramchandra Prasad Ji Private Industrial Training Institute, Gopalganj Vill-Harkhauli Uttar	New	1. Computer Operator and Programming	Recommended: 1. COPA 2 (1+1) 2. Electrician 4 (2+2)	1. The Old age care CTS trade is filled	Not Recommended





	Tola Post-Mirganj Thana-Mirganj Dist-Gopalganj  TMP10197PU1581681631		Assistant (COPA)-2 (1+1)  2. Fitter-2 (1+1) 3. Electrician-4 (2+2)  4. Old Age Care- 2 (1+1)	3. Fitter- 2 (1+1) 4. Housekeeping 2 (1+1)	in Application and Annexure -III but inspection was done in Housekeeping trade which was not sought for affiliation by ITI 2. NCIC qualification of instructor is not available 3. Machinery Bill Payments Not Available	Difference of trade in Annexure-III and inspection carried out
7	Palak Buddha Private Industrial Training Institute, Siwan, Vill+Po- Papaur-Bihar  PR10000922  Grading- 1.60	Existing	1. Electrician-8 (4+4)	Recommended: 1. Electrician- 8 (4+4)	1. Machinery Bill Invoice given but Payment details Not Available 2. BCC certificate is not as per norms	ITI to give machinery bill payment proof and BCC to state within 01 week after issuing of this MoM  State Directorate will verify and send report with recommendation to DGT within 1 week of issuing this MoM






8	<p>Sri Mahavir Private Industrial Training Institute, Nalanda At Kako, Po Maghara, Ps Deep Nagar</p> <p>PR10000461</p> <p>Grading-1.69</p>	Existing	1. Electrician-4 (2+2)	<p>Recommended:</p> <p>1. Electrician-4 (2+2) additional units</p>	<p>1. Machinery Bill Payments Not Available</p> <p>2. Instructor NCIC and experience details are not available</p> <p>3. BCC certificate is not as per norms</p> <p>4. Fire safety certificate is not available</p>	<p>ITI needs to remove the deficiencies mentioned in column VI and submit report to state within 1 week of issuing this MoM</p> <p>State Directorate will verify and send report with recommendation to DGT within 01 week of issuing this MoM</p>
9	<p>K D Private ITI Vill Phulwaria Dhanauti Dist Siwan, Vill: Phulwaria, PO: Dhanauti</p> <p>PR10001175</p> <p>Grading- 2.20</p>	Existing	1. Electrician-12 (6+6)	<p>Recommended</p> <p>1. Electrician-12 (6+6) additional units</p>	<p>1. The IT lab area is less in layout plan Available-26.05 Sqm, Required-37.5 sqm (25+5*2.5)</p> <p>2. Instructor NCIC qualification and experience details are not available</p> <p>3. Fire safety certificate is not available</p>	<p>ITI needs to remove the deficiencies mentioned in column VI and submit a report to the state within 1 week of issuing this MoM</p> <p>State Directorate will physically verify and send report with recommendation to DGT within 01 week of issuing this MoM</p>

10	Maa Santoshi Pvt ITI, Hussainganj Block, Hussainganj  TMP 408 MSTI	New, MSTI	1. COPA- 4(2+2+0) 2. Electrician-4 (2+2+0)	Recommended- 1. Electrician -4 (2+2) Units	1. Less in electric load but sufficient for recommended trade electrician 4 (2+2) units (Required-5.2 KW) 2. BCC Not available as per norms, no approved plan certificate given by Circle officer 3. NOC for MSTI lying in unserved area is not provided 4. NCIC qualification of some instructors is not available 5. MSTI need to start at least one short term course	ITI needs to remove the deficiencies mentioned in column VI and submit a report to the state within 1 week of issuing this MoM  The State Directorate will verify and send a report with recommendation to DGT within 01 week of issuing this MoM
11	Maa Brahmani Private ITI, Village Age Po Ps - Saksohara, Block - Belchhi, Dist - Patna, Pin -803213, Patna TMP 417 MSTI NEW	New, MSTI	1. Electrician-4 (2+2+0) 2. Fitter-4 (2+2+0)	Recommended: 1. Electrician- 04 (2+2) units 2. Fitter- 04 (2+2) units	1. BCC is not available 2. Machinery Bill Payments Not Available 3. NOC for MSTI lying in an unserved block not available 4. Instructor NCIC qualification and	ITI needs to remove the deficiencies mentioned in column VI and submit a report to the state within 1 week of issuing this MoM  The State




					experience details are not available 5 MSTI need to start at least one short term course	Directorate will verify and send a report with recommendation to DGT within 01 week of issuing this MoM
12	Satyabhama Private ITI, Mirzanhat The, Kutubganj Bhagalpur  PR10000708  Grading-1.86	Existing	1. Electrician-8 (4+4+0) 2. Fitter-4 (2+2+0)	Recommended: Electrician trade-4 (2+2) additional units  1Tools equipment and machinery installed and in working condition the institute applied for 4+4 additional units in Electrician but as per the availability of equipment it is sufficient for only 4 (2+2) additional units	1. Machinery Bill Payments Not Available 2. BCC is not as per norms	ITI needs to remove the deficiencies mentioned in column VI and submit report to state within 1 week of issuing this MoM  State Directorate will verify and send report with recommendation to DGT within 01 week of issuing this MoM
13	Maa Shitla Private ITI, Vill-Kakobigha Po-Maghra, Ps- Deepnagar, Dist-Nalanda, 803216-Nalanda  PU10001055  Grading-1.59	Existing	1. Electrician-4 (2+2)	Recommended: Electrician trade-4 (2+2) additional units	1. This ITI is existing Pvt ITI running from 2016 but applied under MSTI category in NIMI portal 2. BCC is not as per norms 3. Machinery Bill Payments Not Available	ITI needs to remove the deficiencies mentioned in column VI and submit report to state within 1 week of issuing this MoM  State Directorate will verify and send

					4. NCIC qualification details of some instructor is not available	report with recommendation to DGT within 01 week of issuing this MoM
14	Raj Deo Yadav Private Industrial Training Institute, Patna, Dulhin Bajar Ps-Dulhin Bajar Dist-Patna  TMP10212PR1582618381 (MSTI)	New- MSTI	1. Electrician-4 (2+2) 2. Fitter-4 (2+2)	Recommended: 1. Electrician-4 (2+2) 2. Fitter-4 (2+2)  conditionally NOC from State is obtained	1. BCC is not as per Norms 2. NOC for MSTI lying in unserved area is not available 3. Invoice is available but payment proof is not provided 4. Instructor NCIC qualification details not available 5. MSTI need to start at least one short term course	ITI needs to remove the deficiencies mentioned in column VI and submit a report to state within 1 week of issuing this MoM  State Directorate will verify and send report with recommendation to DGT within 01 week of issuing this MoM
15	Adarsh Private Industrial Training Institute, Bhojpur Nayka Tola, Bihiya Road Po+ Ps- Jagdishpur Dist-Bhojpur 802158  TMP10193PR1580196415	New	1. Computer Operator and Programming Assistant (COPA)-2 (1+1) 2. Electrician-4 (2+2) 3. Fitter-4 (2+2) 4. Mechanic Diesel-2 (1+1)	Recommended: 1. COPA-2 (1+1) 2. Electrician-4 (2+2) 3. Fitter-4 (2+2) 4. Mechanic Diesel-2 (1+1)	1. BCC is not provided Total Land area is not found in lease documents 2. Instructor NCIC qualification details not available 3. Machinery bill invoice is available but payment proof not uploaded	ITI needs to remove the deficiencies mentioned in column VI and submit report to state within 1 week of issuing this MoM  State Directorate will verify and send report with recommendation

					4. Fire buckets and inspection reports are available but Fire safety certificate is not uploaded	to DGT within 01 week of issuing this MoM
16	New Vikash Private Industrial Training Institute, At - Harkhauli Uttar Tola Po + Ps Mirganj, Gopalganj-841438  TMP10197PU1582438253	New	1. Electrician-4 (2+2) 2. Fitter-4 (2+2) 3. Housekeeper-2 (1+1) 4. Surveyor-2 (1+1)	Recommended: 1. Electrician-4 (2+2) 2. Fitter -2 (1+1) 3. House Keeping- 2 (1+1) 4. Surveyor -2 (1+1)	1. Electricity bill not uploaded 2. Fire safety not uploaded 3. Qualification and experience document of trainers not available 4. Payment proof of machinery and equipment not available	ITI needs to remove the deficiencies mentioned in column VI and submit report to state within 1 week of issuing this MoM  State Directorate will verify and send report with recommendation to DGT within 01 week of issuing this MoM
17	Anand Private ITI Private Industrial Training Institute, Patna, Anand Pvt Iti College, Amhara Kanchanpur Road, Patna-801103  PR10000905  Grading-0.94	Existing	1. Electrician-8 (4+4+0)	Recommended: 1. Electrician -8 (4+4) additional Units	Grading less than 1.25	Not recommended due to less Grading
18	Urmila Devi Pvt ITI, Village + Post- Badar Jamin, Block- Bhagwanpur Hat District- Siwan, Pin-841224	New- MSTI	1. COPA-2 (1+1) 2. Wireman-4 (2+2)	NOT Recommended: 1. COPA-2 (1+1) 2. Wireman-4 (2+2)  1. The bills were	1. Major deficiencies are mentioned in report of ICVC recommendation	Not recommended due to deficiencies mentioned in column V and

	TMP 411 MSTI NEW			<p>uploaded but no proof of payments</p> <p>2. The appointment letters without dispatch number seems doubtful</p> <p>3. Machines are partially installed and not available fully as per tools equipment list s.no. 99,107,110,112,113, 116 117,118,119,130,133 to 136,140etc not available</p> <p>4. Not available fully as per tools, equipment list many important items not available</p> <p>5. Only 1 fire extinguisher and no boundary wall</p> <p>6. COPA trade infrastructure was not developed and shortage in Wireman trade have been uploaded on the app</p> <p>7. Less space as per norms also no proper internet connectivity to computers</p>	<p>Column V</p> <p>2. NOC that ITI is lying in an unserved area from the state directorate is required</p> <p>3. BCC completion certificate produced issuing authority stamp is not visible</p> <p>4. Drawing room available but drawing boards/tables not present in it</p>	<p>Column VI</p>
19	Navneet Private Industrial Training Institute, Sheohar, At & Po- Dumri Katsari	New, MSTI	<p>1. Electrician-4 (2+2)</p> <p>2. Housekeeper-</p>	<p>Recommended:</p> <p>1. Electrician-4 (2+2)</p>	<p>1. NOC for MSTI lying in unserved area is not</p>	<p>ITI needs to remove the deficiencies</p>




	Sheohar-843329 TMP10220PR1581839868		2 (1+1)	2. Housekeeper-2 (1+1)	<p>available Given BCC documents are not as per norms</p> <p>2. Instructor NCIC qualification details not available</p> <p>3. Machinery bill invoice is available but payment proof not uploaded</p> <p>4. Fire buckets and inspection reports are available but Fire safety certificates are not uploaded</p>	<p>mentioned in column VI and submit a report to the state within 1 week of issuing this MoM</p> <p>The State Directorate will verify and send a report with recommendation to DGT within 01 week of issuing this MoM</p>
20	Laxmi Private Industrial Training Institute, Khagaria, At - Maraiya, Po - Pipra Latif, Dist - Khagaria - 851212 TMP10202PR1582803416	New	<p>1. Electrician-12 (4+4+4)</p> <p>2. Fitter-6 (2+2+2)</p> <p>3. Mechanic Diesel-3 (1+1+1)</p> <p>4. Welder-3 (1+1+1)</p>	<p>Recommended:</p> <p>1. Electrician-8 (4+4),</p> <p>2. Fitter -4 (2+2),</p> <p>3. Mechanic Diesel - 2 (1+1)</p> <p>4. Welder-2 (1+1)</p> <p>1. Boundary wall and roof is incomplete, Industrial roof sheet should be used</p> <p>2. Work Shop height: Min 10ft and Max 12ft, Fall ceiling of workshop damaged</p>	<p>1. Workshop roof is incomplete, damaged and not as per Norms</p> <p>2. BCC is also not provided Given BCC documents is not as per norms</p> <p>3. Instructor NCIC qualification details not available</p> <p>4. Fire buckets and inspection reports are available but Fire</p>	<p>ITI needs to remove the deficiencies mentioned in column V&amp; VI and submit report to state within 1 week of issuing this MoM</p> <p>State Directorate will verify and send report with recommendation to DGT within 01 week of issuing this MoM</p>



				due to high speed wind/Cyclone (letter attached) Industrial sheet should be used Incomplete Boundary wall and 1st floor roof	safety certificate not uploaded	
21	Pragati Private ITI, Bhogipur, Bhelwara, Post- Mittanchak Ps -Gaurichak 804453-Patna  PR10001065  Grading-1.54	Existing	1. Electrician-2 (1+1) 2. Surveyor-2 (1+1)	Not Recommended:  1. Electrician -04 (2+2) 2. Fitter -04 (2+2)  Total defaulter management ITI has submitted the letter for giving 15 days more time to inspection regarding extension of units	No documents are available in the report Inspection was not carried out	Not Recommended
22	Sudist Narayan Thakur Private Industrial Training Institute Private, Shahjadapur, PO Ramchandra Pur, Sarairanjan Dist - Samastipur ,848127  PR10001260  Grading-0	Existing	1. Electrician-8 (4+4) 2. Surveyor-2 (1+1)	Recommended:  1. Electrician - 4 (2+2) 2. Surveyor- 2 (1+1)	1. Grading of the institute is ZERO 2. BCC is not available 3. Instructor NCIC qualification details not available 4. Machinery bill payment proof not uploaded	Not Recommended due to less Grading
23	Ramashish Prasad Pvt Iti, Nalanda, Nimacol, Chandi Road, Harnout, Nalanda 803110  PR10001075	Existing	1. Electrician-8 (4+4)	Recommended:  1. Electrician additional units 8 (4+4)	1. Grading of the institute is less than 1.25 2. BCC is not as per Norms 3. All Instructor NCIC	Not Recommended due to less Grading and other deficiencies as per column VI




	GRADING-1.20				<p>qualification details not available</p> <p>4. Machinery bill invoice is available but payment proof not uploaded</p> <p>5. Fire buckets and inspection reports are available but Fire safety certificate not uploaded</p>	
24	<p>Dr Kumar Private Industrial Training Institute, Araria, Raniganj, Araria-854334</p> <p>TMP10188PR1582893356</p>	New- MSTI	1. Electrician- 6 (2+2+2)	<p>Recommended:</p> <p>1. Electrician- 4 (2+2)</p>	<p>1. NOC for MSTI lying in unserved area is not available</p> <p>2. Given BCC documents is not as per norms</p> <p>3. High tension power line is passing by MSTI and DGT logo is not available at entrance (Visible in App Video)</p> <p>4. Third shift is not allowed and MSTI need to start at least one short term course</p>	<p>ITI needs to remove the deficiencies mentioned in column VI and submit report to state and RDSDE within 1 week of issuing this MoM</p> <p>RDSDE will verify HT power line, BCC and NOC from state and send report with recommendation to DGT within 01 week of issuing this MoM</p>

25	<p>Maya Devi Private Industrial Training Institute, Patna Baghatilha, Po- Jodhanbigha, Ps- Belchhi, District- Patna 803110</p> <p>TMP10212PR1581925335</p>	New	<ol style="list-style-type: none"> <li>1. Electrician- 8 (4+4)</li> <li>2. Fitter-4 (2+2)</li> <li>3. Mechanic Diesel-2 (1+1)</li> <li>4. Surveyor-2 (1+1)</li> </ol>	<p>Recommended:</p> <ol style="list-style-type: none"> <li>1. Electrician -8 (4+4),</li> <li>2. Fitter -4 (2+2),</li> <li>3. Mechanic Diesel-2 (1+1)</li> <li>4. Surveyor- 2 (1+1)</li> </ol>	<ol style="list-style-type: none"> <li>1. BCC documents are not as per norms</li> <li>2. Instructor NCIC qualification details not available</li> <li>3. Machinery bill invoice is available but payment proof not uploaded</li> </ol>	<p>ITI needs to remove the deficiencies mentioned in column VI and submit report to state within 1 week of issuing this MoM</p> <p>State Directorate will verify and send report with recommendation to DGT within 01 week of issuing this MoM</p>
26	<p>Silicon Private ITI, Naugachia, Bhagalpur, Bhagalpur,</p> <p>TMP 385 MSTI NEW</p>	New- MSTI	<ol style="list-style-type: none"> <li>1. Electrician- 4 (2+2)</li> <li>2. Fitter-4 (2+2)</li> </ol>	<p>Recommended:</p> <ol style="list-style-type: none"> <li>1. Electrician-2 (1+1)</li> <li>2. Fitter-2 (1+1)</li> </ol> <ol style="list-style-type: none"> <li>1. Some machines were not functional however tools and equipment are available also shortage of drawing tables</li> <li>2. Machines available but many machines are not functional properly</li> <li>3. Digital payment proof not provided</li> </ol>	<ol style="list-style-type: none"> <li>1. NOC for MSTI lying in unserved area is not available</li> <li>2. BCC documents are not available</li> <li>3. Machinery bill invoices is given but payment proof is not available</li> <li>4. All the instructors' NCIC qualification documents are not available</li> <li>5. Many machines are not functional properly Configuration of</li> </ol>	<p>ITI needs to remove the deficiencies mentioned in column V&amp; VI and submit report to state within 1 week of issuing this MoM</p> <p>The State Directorate will verify and send a report with their recommendations to DGT within 01 week of issuing this MoM</p>




					computers is not as per norms Drawing furniture is not sufficient	
27	Bhagalpur City Private ITI, At Jagatpur, Po Sabour, District-, Bihar  PR10000411  Grading-2.66	Existing	1. Electrician-20 (10+10) 2. Fitter-8 (4+4)	Recommended: 1. Electrician -20 (10+10) 2. Fitter-8 (4+4)	1. BCC document is not as per norms Layout plan is not clear 2. Instructors NCIC qualification details not available 3. SMachinery bill invoice is available but payment proof not uploaded	ITI needs to remove the deficiencies mentioned in column VI and submit a report to the state within 1 week of issuing this MoM  The State Directorate will verify and send a report with recommendation to DGT within 01 week of issuing this MoM

 6/2



## 3. State: Chhattisgarh, Total 05(01 New &amp; 04 Existing) ITIs cases for new ITIs and addition of trades/units in Existing ITI for affiliation

SI No	ITIs Name/ MIS Code / Application Number /Grading	Type of application Existing / New/MSTI	Trades/units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 3rd SCAA meeting held on dated 24.06.2022
I	II	III	IV	V	VI	VII
1	Govt Women Industrial Training Institute Raigarh Chakradhar Nagar Behind Sindhi Colony – 496001  GR22000014  Grading-2.09	Existing	1. Basic Cosmetology-2 (1+1) 2. Information & Communication Technology System Maintenance-2 (1+1) 3. Surface Ornamentation Techniques (Embroidery)- 2 (1+1)	Recommended:  1. Basic Cosmetology-2 (1+1) 2. Information & Communication Technology System Maintenance- 2 (1+1) 3. Surface Ornamentation Techniques (Embroidery)- 2 (1+1)	May be Recommended:  1. Basic Cosmetology-2 (1+1) 2. Information & Communication Technology System Maintenance-2 (1+1) 3. Surface Ornamentation Techniques (Embroidery)- 2 (1+1)	Recommended:  1. Basic Cosmetology-2 (1+1) 2. Information & Communication Technology System Maintenance-2 (1+1) 3. Surface Ornamentation Techniques (Embroidery)- 2 (1+1)
2	Shaildevi Private ITI, Janjgiri Road, Anda, Durg, Chhattisgarh-491221  PR22000191  Grading-1.53	Existing	1. Computer Operator and Programming Assistant (COPA)-2 (1+1) 2. Driver cum Mechanic-2 (1+1) 3. Fitter-4 (2+2)	Recommended:  1. Computer Operator and Programming Assistant (COPA)-2 (1+1) 2. Driver cum Mechanic-2 (1+1) 3. Fitter-4 (2+2)	1. Machinery Bill Payments Partially Available 2. Details of CITS Passout Instructors not available 3. Electricity connection,	ITI needs to remove the deficiencies mentioned in column V& VI and submit report to state within 1 week of issuing this MoM  The State Directorate will verify and send a report with recommendation to DGT within 01 week of issuing this MoM





			<p>4. Solar Technician (Electrical)-2 (1+1)</p> <p>5. Stenographer Secretarial Assistant (Hindi)-2 (1+1)</p>	<p>4. Solar Technician (Electrical)-2 (1+1)</p> <p>5. Stenographer Secretarial Assistant (Hindi)-2 (1+1)</p> <p>Shortage of tool equipment and machinery, Power connection shared with Arts College</p>	<p>classes &amp; other labs shared with shail devi Mahavidyalaya</p> <p>4. Machinery tool equipment not as per norms</p> <p>5. Fire Safety Certificate not available</p>	
3	<p>Rungta Private ITI, Rungta Knowledge City, Kohka-Kurud Road, Bhilai Durg-490024, Chhattisgarh</p> <p>TMP22378PU1580299192 (SPECIAL CASE)</p>	New	<p>1. COPA-14 (7+7)</p> <p>2. Electrician-8 (4+4)</p> <p>3. Fitter- 4 (2+2)</p> <p>4. Smartphone Technician Cum App Tester-2 (1+1)</p> <p>5. Welder-2 (1+1)</p>	<p>Recommended:</p> <p>1. COPA-14 (7+7)</p> <p>2. Electrician-8 (4+4)</p> <p>3. Fitter-4 (2+2)</p> <p>4. Smartphone Technician Cum App Tester-2 (1+1)</p> <p>5. Welder-2 (1+1)</p> <p>Partially teaching / training and Adm staff identified and shall be engaged on getting affiliation</p>	<p>1. BCC Provided by Nagar Palika but Layout Plan approved by Architect</p> <p>2. Details of CITS qualified instructor not available</p>	<p>Recommended:</p> <p>1. COPA - 14 (7+7)</p> <p>2. Electrician - 8 (4+4)</p> <p>3. Fitter-4 (2+2)</p> <p>4. Smartphone Technician Cum App Tester-2 (1+1)</p> <p>5. Welder-2 (1+1)</p> <p>ITI to give undertaking within 7 days from the date of issue of MoM to RDSDE and State Directorate that CITS qualified instructors will be appointed before the start of session 2022 State Directorate and</p>

 6/A



						RDSDE to ensure CITS qualified instructors are appointed
4	Government Industrial Training Institute, Kharsia, Distt- Raigarh, Kharsia, Raigad- 496661- Chhatisgarh  GR22000041  Grading-2.06	Existing	1. Welder-2 (1+1)  2. Mechanic Diesel-2 (1+1)  3. Stenographer Secretarial Assistant (Hindi)- 2 (1+1)	Recommended:  1. Welder-2 (1+1)	1. Details of CITS Pass out Instructor details not available  2. Machinery Partly not installed and working	Recommended:  1. Welder - 2 (1+1)  State directorate to ensure Instructors are CITS pass made through RPL
5	Sonkar Pvt ITI, Raipur Road, Bundeli, Chirhula, Mungeli, Chhattisgarh, Mungeli- 495334 Chhattisgarh  PU22000178  GRADING-1.36	Existing	1. Computer Operator and Programming Assistant- 4 (2+2)  2. Electrician- 4 (2+2)  3. Fitter-4 (2+2)  4. Welder-2 (1+1)  5. Health Sanitary Inspector-4 (2+2)	ITI withdrew the application on arrival of the inspection team and hence inspection could not be done	ITI withdrew the application	Rejected






## 4. State: Gujarat, Total 07 (04 New &amp; 03 Existing) ITIs cases for new ITIs and addition of trades/units in Existing ITI for affiliation

SI No	ITIs Name/ MIS Code / Application Number /Grading	Type of application Existing / New/MSTI	Trades/units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 3rd SCAA meeting held on dated 24.06.2022
	II	III	IV	V	VI	VII
1	Narnarayan Shastri Private Industrial Training Institute, Distt Ahmadabad – 382427  TMP24438PR1582872262	New	1. Health Sanitary Inspector-8 (3+3+2) 2. Hospital Housekeeping-3 (1+1+1) 3. Old Age Care-3 (1+1+1) 4. Physiotherapy Technician-3 (1+1+1)	Not Recommended for affiliation  ITI requested to cancel the inspection due to the fact that they don't want to start the courses	No inspection carried out	Rejected
2	Bharatiya Vidya Bhavan Inst of Skill Develop Private Industrial Training Institute, Distt Kheda – 387345  TMP24450PR1582535624	New	1. Carpenter-3 (1+1+1) 2. Catering & Hospitality Assistant-3 (1+1+1) 3. Digital Photographer-3 (1+1+1) 4. Electrician-3 (1+1+1)	Not Recommended for affiliation  ITI not interested for inspection	No inspection carried out	Rejected




3	Experimental Industrial Training Institute Private Industrial Training Institute Distt Sabar Kantha – 383205  TMP24458PR1582198674	New	<ol style="list-style-type: none"> <li>1. Computer Operator and Programming Assistant (COPA)- 2 (1+1)</li> <li>2. Draughtsman Mechanical-2 (1+1)</li> <li>3. Health Sanitary Inspector-2 (1+1)</li> <li>4. Surveyor-2 (1+1)</li> <li>5. Wireman-2 (1+1)</li> </ol>	Not Recommended for affiliation  Institute is Not Ready for Inspection	No inspection carried out	Rejected
4	Devnandan ITC Private Industrial Training Institute Distt Arvalli - 383310  TMP24672PR1580024102	New	<ol style="list-style-type: none"> <li>1. Basic Cosmetology-2 (1+1)</li> <li>2. Fireman-3 (1+1+1)</li> <li>3. Health Sanitary Inspector-3 (1+1+1)</li> <li>4. Surveyor-2 (1+1)</li> </ol>	Not Recommended for affiliation  Institute is Not Ready for Inspection	No inspection carried out	Rejected

5	Shri Saraswati Kelavani Mandal Ujada-Vadi Private ITI, Sampa , Panchmahal  PU24006115(SPECIAL CASE)  Grading-0.63	Existing	1. Health Sanitary Inspector-2 (1+1)  2. In Plant Logistics Assistant-2 (1+1)	Recommended:  1. Health Sanitary Inspector-1(1+0)  2. In Plant Logistics Assistant-2 (1+1)  1. Machinery Bill for HSI item 4-8 under Demo Modal  2. Dead Stock Register and Raw Material Consumption Register not as per norms	1. Details of CITS Pass out Instructors not available  2. Amenities and Drawing Hall are under construction  3. No Statutory Plan Certificate not available  4. Grading is Low	NOT Recommended Due to less Grading and deficiencies mentioned in Column V&VI
6	Shri KD Barad Trust Sanchalit, Kodinar Private ITI, Sf Kodinar (Self Finance) Sf Kodinar Professor Society, Veraval Road, Near Bypass, Kodinar, Kadavasan, Kodinar, Junagadh, Gujarat 362720  PR24007114(SPECIAL CASE)  Grading-1.35	Existing	1. Electrician-2 (1+1)  2. Fitter-2 (1+1)  3. Health Sanitary Inspector-2 (1+1)  4. Mechanic Diesel- 2 (1+1)	Recommended:  1. Electrician-2 (1+1)  2. Fitter-2 (1+1)  3. Mechanic Diesel- 2 (1+1)  Not Recommended: Health Sanitary Inspector-2 (1+1)  Remarks: 1. Raw Material Consumption Register, Student	1. Details of CITS Pass out Instructors not available  2. Bed and ptc college continued in same building and same management  3. No Statutory Plan Certificate not available	ITI needs to remove the deficiencies  RDSDE and State Directorate will submit a joint inspection report within 7 days of issuing this MoM

				<p>Records not maintained</p> <p>2. Machinery not properly installed, Shortage of Tool and Equipment, Machinery not in working condition</p> <p>3. HSI is not recommended due to non-availability of Models as per syllabus</p>		
7	<p>Charotar Gas Private ITI Bakrol, Bakrol-Vadtal Road, Near Knowledge Campu Anand-388121, Gujarat</p> <p>PU24008073(SPECIAL CASE)</p> <p>Grading-0.70</p>	Existing	<p>1. Solar Technician (Electrical)-2 (1+1)</p> <p>2. Basic Cosmetology-1(1+0)</p>	<p>Recommended:</p> <p>1. Solar Technician (Electrical)-2 (1+1)</p> <p>2. Basic Cosmetology-1(1+0)</p>	<p>Details of CITS Pass out not available</p>	<p>NOT Recommended Due to less Grading and deficiencies mentioned in Column VI</p>




## 5. State: Haryana, Total 03 (02 New &amp; 01 Existing) ITIs cases for new ITIs and addition of trades/units in Existing ITI for affiliation

SI No	ITIs Name/ MIS Code / Application Number /Grading	Type of application Existing / New/MSTI	Trades/units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 3rd SCAA meeting held on dated 24.06.2022
I	II	III	IV	V	VI	VII
1	Govt Industrial Training Institute, Barwala,12512-Hisar  GU06000072 Grading-3.66	Existing	1. Machinist-2 (1+1)	Recommended 1. Machinist-2 (1+1)	Staff list available, Joining Letters, qualification, Experience documents not available	Recommended for – 1. Machinist-2 (1+1)  State directorate to ensure CITS instructors through RPL/regular CITS
2	Government Industrial Training Institute Surewala Govt Industrial Training Institute, Hisar Nh-52 Near Surewala Chowk Tehsil Uklana District Hisar  TMP663GR1582796794	NEW	1. Computer Operator and Programming Assistant (COPA)-2 (1+1) 2. Electrician-2 (1+1) 3. Machinist-2 (1+1) 4. Mechanic Refrigeration and Air Conditioner-2 (1+1)	Recommended for – 1. Machinist-2 (1+1)  Tools, machinery & equipment are available only for machinist	Shortage of tools and Machinery in electrician, COPA, MRAC trades	Recommended for – 1. Machinist-2 (1+1)  ITI needs to remove deficiencies Letter from state directorate to purchase machinery within 21 days of issuing this MoM




3	Shri Krishna Pvt ITI, Budani Rewari Haryana), Rewari, Haryana  1906031565	NEW	<ol style="list-style-type: none"> <li>1. COPA-2 (1+1)</li> <li>2. Electrician-2 (1+1)</li> <li>3. Fitter-2 (1+1)</li> <li>4. Health sanitary Inspector-2 (1+1)</li> </ol>	<p>Recommended for –</p> <ol style="list-style-type: none"> <li>1. COPA-2 (1+1)</li> <li>2. Electrician-2 (1+1)</li> <li>3. Health sanitary Inspector-2 (1+1)</li> </ol> <p>Not Recommended:</p> <ol style="list-style-type: none"> <li>1. Fitter-2 (1+1)</li> </ol> <p>Remarks:</p> <ol style="list-style-type: none"> <li>1. Basic Amenities are not sufficient and no provision for special disabled persons</li> <li>2. Apprx 5% Machines not available, HSI model not working</li> <li>3. Fitter Lab located in First Floor</li> </ol>	<ol style="list-style-type: none"> <li>1. Details of CITS Qualified Instructor not available</li> <li>2. Biometric Machine not available</li> <li>3. IT Lab not tiled</li> <li>4. No Statutory Plan Certificate not available</li> <li>5. Other Deficiencies are mentioned in ICVC remarks</li> </ol>	<p>NOT Recommended</p> <p>Minimum Four trades are required ITI needs to remove the deficiencies</p>
---	---	-----	--	---	---	---




## 6. State: Himachal Pradesh, Total 02 (02 Existing) ITIs, addition of trades/units in Existing ITI for affiliation

SI No	ITIs Name/ MIS Code / Application Number /Grading	Type of application Existing / New/MSTI	Trades/units sought affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 3rd SCAA meeting held on dated 24.06.2022
I	II	III	IV	V	VI	VII
1	Jaypee Private Industrial Training Institute Private Industrial Training Institute, Hamirpur, Samirpur, Hamirpur-177601  PR02000141  Grading-2.85	Existing	1 Electrician-3 (1+1+1)	Recommended for – 1. Electrician-3 (1+1+1)	1. Details of CITS Pass out Instructors not available 2. No Statutory Plan Certificate not attached	Conditionally Recommended  1. Electrician -2 (1+1)  State Directorate to get the No Statutory Plan Certificate and an undertaking from ITI that CITS Instructor will be appointed before the start of session 2022 and forward with recommendations to DGT within 7 days from the date of issue of MoM
2	Happy Young Private Industrial Training Institute, Mandi Naya Bazar Bbmb Colony Sunder Nagar, Mandi-175019 Himachal Pradesh  PU02000147  Grading-1.18	Existing	1 Electrician-3 (1+1+1)	Recommended 1. Electrician-3 (1+1+1)	1. Details of CITS Pass out Instructors not available 2. Payment Proof not available 3. Biometric machine, Student records not available 4. Fire Safety certificate not available	NOT Recommended Due to less Grading and deficiencies mentioned in Column VI






					5. BCC, Power connection not as per norms	
--	--	--	--	--	---	--

## 7. State: Karnataka, Total 01 (01 Existing) ITIs, addition of trades/units in Existing ITI for affiliation

SI No	ITIs Name/ MIS Code / Application Number /Grading	Type of application Existing / New/MSTI	Trades/units sought affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 3rd SCAA meeting held on dated 24.06.2022
	II	III	IV	V	VI	VII
1	Deshpande Private Industrial Training Institute, Haliyal Udyog Vidya Nagar, Dandeli Road Haliyal, Uttar Kannad-581329  PU29000030(SPECIAL CASE)  Grading-2.96	Existing	1. Mechanic Auto Body Painting-1 (1+0) 2. Mechanic Auto Body Repair-1 (1+0) 3. Solar Technician (Electrical)-2 (1+1)	Recommended:  1. Mechanic Auto Body Painting-1(1+0) 2. Mechanic Auto Body Repair-1(1+0) 3. Solar Technician (Electrical)-2 (1+1)	1. CITS qualified Instructor details not available	Recommended  1 Solar Technician (Electrical)-2 (1+1) 2 Mechanic Auto Body Repair-1(1+0) 3 Mechanic Auto Body Painting-1(1+0)  ITI to give undertaking within 7 days from the date of issue of MoM to RDSDE and State Directorate that CITS qualified instructors will be appointed before the start of session 2022State Directorate and RDSDE to ensure CITS qualified instructors are appointed





## 8. State: Madhya Pradesh, Total-02 (01 New &amp; 01 Existing) ITIs cases for new ITIs and addition of trades/units in Existing ITI for affiliation

SI No	ITIs Name/ MIS Code / Application Number /Grading	Type of application Existing / New/MSTI	Trades/units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 3rd SCAA meeting held on dated 24.06.2022
I	II	III	IV	V	VI	VII
1	Biore Private Industrial Training Institute, Ojhara Private Industrial Training Institute, Khargone, Gram-Ojhara, Tehsil- Kasrawad, Dist -Khargone Madhya Pradesh, 451228  TMP23414PR1580454021	New	1. Computer Operator and Programming Assistant (COPA)- 3 (1+1+1) 2. Electrician-6 (2+2+2) 3. Sewing Technology-3 (1+1+1) 4. Wireman-3 (1+1+1)	Recommended: 1. Computer Operator and Programming Assistant (COPA)- 3 (1+1+1) 2. Electrician-6 (2+2+2) 3. Sewing Technology- 3 (1+1+1) 4. Wireman-3 (1+1+1)	CITS Pass out Instructor details not available	Recommended: 1. Electrician-4 (2+2) 2. Sewing Technology- 2 (1+1) 3. Computer Operator and Programming Assistant (COPA)- 2 (1+1) 4. Wireman-2(1+1)  ITI to give undertaking within 7 days from the date of issue of MoM to RDSDE and State Directorate that CITS qualified instructors will be appointed before the start of session 2022State Directorate and RDSDE to ensure CITS qualified instructors are appointed




2	<p>Laxman Seth Private ITI College Private Industrial Training Institute, Shivpuri, Laxman Seth Private ITI College, Dinara, Karera</p> <p>PR23000570</p> <p>Grading-1.33</p>	Existing	<ol style="list-style-type: none"> <li>1. Electrician-6 (2+2+2)</li> <li>2. Stenographer Secretarial Assistant (Hindi)- 6 (2+2+2)</li> </ol>	<p>NOT Recommended:</p> <ol style="list-style-type: none"> <li>1. Electrician-6 (2+2+2)</li> <li>2. Stenographer Secretarial Assistant (Hindi)- 6 (2+2+2)</li> </ol> <p>due to following reasons</p> <ol style="list-style-type: none"> <li>1. Machinery partially available for both trades</li> <li>2. Load not sufficient to run new trades</li> <li>3. Machinery Bill in the name of Laxman Seth educational foundation</li> <li>4. Bill invoice and resolution attached, only bill invoice available but physically item not available, Bills not look authentic</li> <li>5. Drinking water facilities not available, playground not maintained, fire extinguisher not available, first aid box not available, toilet not available for</li> </ol>	<ol style="list-style-type: none"> <li>1. CITS Pass out instructor details not available</li> <li>2. Machinery partially available not installed in the workshop insufficient hand tools are noticed in the electrician workshop and Stenography Hindi lab bill not in the favor of Laxman Seth Pvt ITI</li> <li>3. Original BCC not available, Drawing hall not systematic</li> <li>4. Power Connection not as per norms</li> <li>5. Other Deficiencies are mentioned in ICVC remarks</li> </ol>	<p>NOT Recommended</p> <p>Due to deficiency mentioned in column V &amp; VI</p>
---	---	----------	--	---	---	--

				handicapped		
--	--	--	--	-------------	--	--

## 9. State: Rajasthan, Total- 02 (02 New) ITIs cases for affiliation

SI No	ITIs Name/ MIS Code / Application Number /Grading	Type of application Existing / New/MSTI	Trades/units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 3rd SCAA meeting held on dated 24.06.2022
I	II	III	IV	V	VI	VII
1	Yadupati Singhania Institute of Technology Pvt ITI, Yadupati Singhania Institute Of Technology Pvt ITI, Jk Road, Post-Gotan, Tehsil- Merta, District- Nagaur (Raj) Nagaur-342902, Rajasthan  TMPSP028(SPECIAL CASE)	New	1. Electrician Power Distribution -2 (1+1) 2. Electronics Mechanic- 2 (1+1) 3. Fitter -2 (1+1) 4. Marketing Executive- 2 (1+1) 5. Mechanic Motor Vehicle (MMV)- 2 (1+1) 6. Solar Technician (Electrical)- 2 (1+1)	Recommended: 1. Electrician Power Distribution -2 (1+1) 2. Electronics Mechanic- 2 (1+1) 3. Fitter -2 (1+1) 4. Marketing Executive- 2 (1+1) 5. Mechanic Motor Vehicle (MMV)- 2 (1+1) 6. Solar Technician (Electrical)- 2 (1+1)	May be recommended: 1. Electrician Power Distribution -2 (1+1) 2. Electronics Mechanic- 2 (1+1) 3. Fitter -2 (1+1) 4. Marketing Executive- 2 (1+1) 5. Mechanic Motor Vehicle (MMV)- 2 (1+1) 6. Solar	Recommended: 1. Electrician Power Distribution -2 (1+1) 2. Electronics Mechanic- 2 (1+1) 3. Fitter -2 (1+1) 4. Marketing Executive- 2 (1+1) 5. Mechanic Motor Vehicle (MMV)- 2 (1+1) 6. Solar Technician (Electrical)- 2 (1+1)

					Technician (Electrical)- 2 (1+1)	
2	Amrit Private ITI, Amrit Pvt Iti, Sjirota Kalan Jaipur Road Dausa, Rajasthan  TMPNEW430	New	1. Computer Operator and programming assistant-3 (1+1+1) 2. Electrician-12 (4+4+4) 3. Health sanitary Inspector-3 (1+1+1) 4. Information communication technology system maintenance-3 (1+1+1)	Recommended: 1. Computer Operator and programming assistant-3 (1+1+1) 2. Electrician-12 (4+4+4) 3. Health sanitary Inspector-3 (1+1+1) 4. Information communication technology system maintenance-3 (1+1+1)	1. Layout Plan only contains the Signature of AE, but do not contain entry/ document number 2. CITS Qualified instructor details not available	ITI will submit the layout and will give undertaking within 7 days from the date of issue of MoM to the State Directorate that CITS qualified instructors will be appointed before the start of session 2022  State directorate will submit the verified report with recommendation to DGT within 07 days from issuing of this MoM

10. State: Maharashtra, Total 16 (03 New & 13 Existing) ITIs cases for new ITIs and addition of trades/units in Existing ITI for affiliation

SI No	ITIs Name/ MIS Code / Application Number /Grading	Type of application Existing / New/MSTI	Trades/units sought affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 3rd SCAA meeting held on dated 24.06.2022
I	II	III	IV	V	VI	VII


1	<p>Government Industrial Training Institute Survey No313, Kavlpada Road, Village Mokhada, Tal Mokhada Distt Palghar – 401604</p> <p>GR27000355 Grading-3.18</p>	Existing	<ol style="list-style-type: none"> <li>1. Electrician-2 (1+1+0)</li> <li>2. Fitter-2 (1+1+0)</li> <li>3. Mechanic Motor Vehicle - 2 (1+1+0)</li> <li>4. Welder-1 (0+1+0)</li> <li>5. Wireman-1 (0+1+0)</li> </ol>	<p>Recommended:</p> <ol style="list-style-type: none"> <li>1. Electrician-2 (1+1+0)</li> <li>2. Fitter-2 (1+1+0)</li> <li>3. Mechanic Motor Vehicle -2 (1+1+0)</li> <li>4. Welder-1 (0+1+0)</li> <li>5. Wireman-1 (0+1+0)</li> </ol> <p>Some machines are mobilized from other institutes having no bills</p>	<p>Qualification, Experience and CITS details of trainers not available</p>	<p>Recommended:</p> <ol style="list-style-type: none"> <li>1. Electrician-2 (1+1+0)</li> <li>2. Fitter-2 (1+1+0)</li> <li>3. Mechanic Motor Vehicle - 2 (1+1+0)</li> <li>4. Welder-1(0+1+0)</li> <li>5. Wireman-1(0+1+0)</li> </ol> <p>ITI to give undertaking within 7 days from the date of issue of MoM to RDSDE and State Directorate that CITS qualified instructors will be appointed (RPL/Regular CITS) before the start of session 2022 State Directorate and RDSDE to ensure CITS qualified instructors are appointed</p>
2	<p>Rajendrarao Moghe Private Industrial Training Institute, Amravati Malkapur Dhanodi Road, Shendurjana Ghat, Th-Warud, Dist-Amravati 444907</p> <p>TMP27468PR1582866464</p>	New	<ol style="list-style-type: none"> <li>1. Electrician-6 (2+2+2)</li> <li>2. Fitter-3 (1+1+1)</li> <li>3. Welder-3 (1+1+1)</li> <li>4. Wireman-3 (1+1+1)</li> </ol>	<p>Recommended:</p> <ol style="list-style-type: none"> <li>1. Electrician- 2 (1+1)</li> <li>2. Fitter - 2 (1+1)</li> <li>3. Welder - 2 (1+1)</li> <li>4. Wireman - 2 (1+1)</li> </ol>	<ol style="list-style-type: none"> <li>1. BCC Issued by Architect</li> <li>2. CITS Pass out Instructor details not available</li> </ol>	<p>Conditionally Recommended-</p> <ol style="list-style-type: none"> <li>1. Electrician- 2 (1+1)</li> <li>2. Fitter – 2 (1+1)</li> <li>3. Welder – 2 (1+1)</li> <li>4. Wireman – 2 (1+1)</li> </ol> <p>Subject to provide BCC, CITS and classroom details by ITI through the State directorate within 01 week from this MoM State will verify and submit a report</p>




						with recommendation to DGT within 01 week from this MoM
3	DON Bosco Private ITI, Premier Automobiles Road, Kurla (West), Mumbai Suburban- 400070, Maharashtra  PR27000039(SPECIAL CASE) GRADING-3.39	Existing	1. Technician Mechatronics -2 (1+1)	Recommended: 1. Technician Mechatronics-2 (1+1)	May be recommended	Recommended:  1. Technician Mechatronics-2 (1+1)
4	Government Industrial Training Institute, Biloli, Dist: Nanded Burd Galli, Kundalwadi Road, Biloli Nanded-431710 Maharashtra GR27000599 (SPECIAL CASE)  Grading-0.94	Existing	1. Machinist-2 (1+1)  2. Mechanic Refrigeration and Air Conditioner-2 (1+1)	Recommended:  1. Machinist-2 (1+1)  2. Mechanic Refrigeration and Air Conditioner-2 (1+1)	CITS pass out Instructor details not available	Not Recommended Due to low Grading
5	Government Industrial Training Institute, Govandi, Dist: Mumbai Sahar Kirol Road Near St Workshop Vidyavihar (West) Mumbai Suburban-400086 Maharashtra  GU27000168 (SPECIAL CASE) Grading-1.71	Existing	1. Mechanic Auto Body Painting-1 (1+0)  2. Mechanic Auto Body Repair-1 (1+0)	ITI was not ready for inspection in reference to ITI e mail	1. SCVT to NCVT conversion of trade Mechanic Auto Body Painting and Mechanic Auto Body Repair  2. Only NCVT member started Inspection rest 3 member didn't	ITI not ready for inspection  SSDEC may send the report with recommendation



					3. 3rd Stage was not completed Hence inspection was not conducted as ITI was not ready for inspection same information conveys	
6	Government Industrial Training Institute (Adivasi), Ralegaon, Dist: Yavatmal Kalamb Road, Yavatmal, 445402 Maharashtra  GR27000415(SPECIAL CASE)  Grading-2.22	Existing	1. Wireman-1 (0+1+0)	Recommended:  1. Wireman-1(0+1+0)	Power /load is not sufficient for even existing trades	RDSDE will submit the report for power load with recommendation to DGT within 1 week of issuing this MoM
7	Government industrial training institute (woman), nashik, dist: nashik Old mumbai agra road Nashik- 422002 Maharashtra  GU27000155(SPECIAL CASE)  Grading-2.03	Existing	1. Computer Operator and Programming Assistant (COPA)- 1 (0+1+0) 2. Fashion Design and Technology-1 (0+1+0)	Recommended:  1. COPA- 1(0+1+0) 2. Fashion Design and Technology- 1(0+1+0)	Load is not sufficient even for existing trades	RDSDE will submit the report for power load with recommendation to DGT within 1 week of issuing this MoM





8	Government Industrial Training Institute, Ner, Dist: Yavatmal Manikwada Road Yavatmal-445303 Maharashtra  GR27000465 (SPECIAL CASE)  Grading-2.38	Existing	1. Electrician-2 (1+1+0) 2. Wireman-1(0+1+0)	Recommended: 1. Wireman-1(0+1+0)  NOT Recommended: Electrician-2 (1+1+0)  As Infrastructure of Electricians trade 2 units (1+1+0) not shown by GITI	1. Available power not sufficient to run Electrician trade and units 2. Fire safety certificate not available	Recommended: 1. Wireman-1(0+1)  Not Recommended: Electrician-2 (1+1+0)  State directorate will ensure fire safety
9	Government Industrial Training Institute (Scp), Kilearc, Dist: Aurangabad - 431005 Maharashtra  GU27000542(SPECIAL CASE)  Grading- 2.04	Existing	1. Electrician-2 (1+1) 2. Mechanic Electrician -2 (1+1)	Recommended: 1. Electronics-2 (1+1) 2. Mechanic Electrician-2 (1+1)	Fire safety certificate not uploaded	Recommended: 1. Electronics-2 (1+1) 2. Mechanic 3. Electrician-2 (1+1)  State directorate will ensure fire safety
10	Government Industrial Training Institute Majalgaon Dist Beed  GR27000387(SPECIAL CASE) Grading- 1.6	Existing	1. Electrician-1 (0+1+0) 2. Welder-1 (0+1+0)	Recommended: 1. Electrician-1 (0+1+0) 2. Welder-1 (0+1+0)	1. Fire safety certificate not available 2. The Drawing Hall is available but the drawing table is not proper	Recommended: 1. Electrician - 1 (0+1+0) 2. Welder - 1 (0+1+0)  State directorate will ensure fire safety and proper drawing tables

11	Govt ITI, Digras, Bhavani Mandir Road, Digras  GR27000413(SPECIAL CASE) Grading- 2.42	Existing	<ol style="list-style-type: none"> <li>1. Computer Operator and Programming Assistant (COPA)-1(0+1+0)</li> <li>2. Fitter-1(0+1+0)</li> <li>3. Pump Operator Cum Mechanic-1(0+1+0)</li> </ol>	<p>Recommended: Fitter-1(0+1+0)</p> <p>NOT Recommended: Pump Operator Cum Mechanic-1(0+1+0)</p> <p>COPA- 1(0+1+0)</p> <p>As Infrastructure of COPA and POCM trades are not shown by the Institute</p>	<ol style="list-style-type: none"> <li>1. Fire safety certificate not uploaded</li> </ol>	<p>Recommended: 1. Fitter-1(0+1+0)</p> <p>NOT Recommended: 1 Pump Operator Cum Mechanic - 1 (0+1+0) 2 COPA - 1 (0+1+0)</p> <p>State directorate will ensure fire safety</p>
12	Dnyanganga Private Industrial Training Institute  TMPSP062(SPECIAL CASE)	New	<ol style="list-style-type: none"> <li>1. Electrician-2 (1+1)</li> <li>2. Fashion Design and Technology-2 (1+1)</li> <li>3. Fire Technology and Industrial Safety Management -2 (1+1)</li> <li>4. Wireman-2 (1+1)</li> </ol>	<p>Recommended:</p> <ol style="list-style-type: none"> <li>1. Electrician-2 (1+1)</li> <li>2. Fashion Design and Technology-2 (1+1)</li> <li>3. Fire Technology and Industrial Safety Management-2 (1+1)</li> <li>4. Wireman-2 (1+1)</li> </ol>	<ol style="list-style-type: none"> <li>1. Power available -16KW Required-17.2KW</li> <li>2. CITS certificate for trainers not uploaded</li> <li>3. Some machinery bills are from the year 2019</li> </ol>	<p>ITI needs to remove the deficiencies mentioned in column VI and submit a report to RDSDE within 1 week of issuing this MoM</p> <p>RDSDE will verify and send a report with their recommendation to DGT within 1 week of issuing this MoM</p>




13	Dr Devendra Joshi Private Industrial Training Institute, Nanded, Laxmi Nagar Wadi (Bk) Tal- Nanded Dist-Nanded-431605  TMP27485PR1581085667	New	1. Electrician-2 (1+1) 2. Fitter-2 (1+1) 3. Welder-2 (1+1) 4. Wireman-2 (1+1)	Recommended: 1. Electrician-2 (1+1) 2. Fitter-2 (1+1) 3. Welder-2 (1+1) 4. Wireman-2 (1+1)	1. BCC given by the Architect and Experience certificate for trainers not available	ITI needs to remove the deficiencies mentioned in column VI and submit a report to the State within 1 week of issuing this MoM  The State Directorate will verify and send a report with recommendation to DGT within 1 week of issuing this MoM
14	Government Industrial Training Institute, Karanja Lad, Dist: Washim, Darwha Road Washim-444105 Maharashtra  GR27000306(SPECIAL CASE) Grading- 1.61	Existing	1. Basic Cosmetology -1 (0+1+0) 2. Electrician-1 (0+1+0) 3. Fitter-2 (1+1) 4. Welder-1 (0+1+0)	Recommended: 1. Basic Cosmetology-1 (0+1+0) 2. Electrician-1 (0+1+0) 3. Fitter-2 (1+1) 4. Welder-1 (0+1+0)	1. Fire safety not available 2. CITS certificate of trainers required	Recommended: 1. Basic Cosmetology - 1 (0+1) 2. Electrician - 1 (0+1) 3. Fitter - 2 (1+1) 4. Welder - 1 (0+1)  State directorate to ensure CITS instructors through RPL/regular CITS
15	Government Industrial Training Institute, Naigoan, Lalwandi Road, Nanded-431709 Maharashtra  GR27000600 (SPECIAL CASE) Grading- 0.56	Existing	1. Electrician-1 (0+1+0) 2. Fitter-1 (0+1+0) 3. Mechanic Motor Vehicle (MMV)- 2 (1+1) 4. Sewing Technology-1 (1+0+0) 5. Wireman-1 (1+0+0)	Recommended: 1. Electrician-1(0+1+0) 2. Fitter-1(0+1+0) 3. Mechanic Motor Vehicle (MMV)- 2 (1+1) 4. Sewing Technology- 1(1+0+0) 5. Wireman- 1(1+0+0)	1. Building plan not uploaded 2. Low Grading – 0.56	Not Recommended due to less Grading

16	Government Industrial Training Institute, Kalmeshwar, Dist: Nagpur 441501  GR27000265(SPECIAL CASE) GRADING- 1.86	Existing	1. Electrician-1(0+1+0) 2. Fitter-1(0+1+0)	Recommended: 1. Electrician-1 (0+1+0) 2. Fitter-1 (0+1+0)	1. Fire safety certificate not available	Recommended: 1. Electrician-1 (0+1) 2. Fitter-1 (0+1)  State directorate will ensure fire safety
----	---	----------	---	---	--	--

## 11. State: Tamil Nadu, Total 03 (03 Existing) ITIs cases for addition of trades/units in Existing ITI for affiliation

SI No	ITIs Name/ MIS Code / Application Number /Grading	Type of application Existing / New/MSTI	Trades/units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 3rd SCAA meeting held on dated 24.06.2022
I	II	III	IV	V	VI	VII
1	Padma Narasimhan Private Industrial Training Institute, Thiruvarur Keezha Palaiyur Salai, Manjakkudi Post, Kodavasal Taluk, Thiruvarur District 612610, Thiruvarur, Tn  PR33000551 GRADING- 2.67	Existing	1. Technician Power Electronics Systems-2 (1+1)	Recommended: 1. Technician Power Electronics Systems-2 (1+1)	1. Dead stock register is partially maintained 2. PWD ramp is under construction 3. Drawing Hall Furniture not as per norms	ITI needs to remove the deficiencies mentioned in column VI and submit report to RDSDE within 1 week of issuing this MoM  RDSDE will verify and send report with recommendation to DGT within 01 week of issuing this MoM
2	Govt ITI Tiruvannamalai Govt Industrial Training Institute, Distt Tiruvannamalai – 606604  GR33000071	Existing	1. Draughtsman (Civil)- 2 (1+1+0) 2. Wireman -2 (1+1+0)	Recommended for new trades- 1. Draughtsman (Civil)- 2 (1+1+0) 2. Wireman -2 (1+1+0)	Qualification, Experience and CITS details of trainers not available	Recommended: 1. Draughtsman (Civil)- 2 (1+1+0) 2. Wireman -2 (1+1+0)  State directorate to ensure CITS instructors through

	Grading- 3.22					RPL/regular CITS
3	C S I Technical and Voc Training Centre for Women C S I Compound, Avinashi Road Coimbatore-641018  PR33000284 Grading- 0	Existing	<ol style="list-style-type: none"> <li>1. COPA - 2 (1+1+0)</li> <li>2. Draughtsman Civil - 2 (1+1+0)</li> <li>3. Electronic Mechanic - 2 (1+1+0)</li> <li>4. Stenographer &amp; Secretarial Assistant - 1 (1+0+0)</li> <li>5. Sewing Technology - 1 (1+0+0)</li> </ol>	Not recommended, ITI was not ready for inspection	No inspection carried out	Rejected




## 12. State: Uttar Pradesh, Total 24 (21 New &amp; 03 Existing) ITIs cases for new ITIs and addition of trades/units in Existing ITI for affiliation

SI No	ITIs Name/ MIS Code / Application Number /Grading	Type of application Existing / New/MSTI	Trades/units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 3rd SCAA meeting held on dated 24.06.2022
I	II	III	IV	V	VI	VII
1	Maa Omavati Memorial Pvt ITI, Jarauli, Firozabad 283203  1809014960	New	1. Electrician-6 (2+2+2) 2. Fitter-6 (2+2+2) 3. HSI -3 (1+1+1) 4. Wireman-3 (1+1+1)	NOT Recommended ITI not ready for inspection	ITI not ready for inspection	Rejected
2	Rannvir Singh Shyam Singh Pvt ITI, Madanpur, Firozabad  1809014991	New	1. COPA- 3 (1+1+1) 2. Cutting & sewing- 3 (1+1+1) 3. Electrician -6 (2+2+2) 4. Fitter - 6 (2+2+2)	ITI not ready for inspection, Needs more Time	ITI not ready for inspection	Rejected
3	Heisenberg Career Private Industrial Training Institute, Samratnagar Mariahu Jaunpur-222161  TMP9152PU1582732251	New	1. Computer Operator and Programming Assistant (COPA)- 1 (1+0+0) 2. Dress Making- 2 (1+1) 3. Electrician -6 (2+2+2)	Recommended:  1. Computer Operator and Programming Assistant (COPA) - 1 (1+0+0) 2. Dress Making - 2 (1+1) 3. Electrician - 6 (2+2+2) 4. Fashion Design and Technology - 3 (1+1+1)	1. Experience certificate not available 2. Trainers are not CITS trained	Recommended:  1 Computer Operator and Programming Assistant (COPA)- 1 (1+0) 2 Dress Making-2 (1+1)



			4. Fashion Design and Technology-3 (1+1+1)			<p>3 Electrician -4 (2+2)</p> <p>4 Fashion Design and Technology-2 (1+1)</p> <p>ITI to give undertaking within 7 days from the date of issue of MoM to RDSDE and State Directorate that CITS qualified instructors will be appointed before the start of session 2022</p> <p>State Directorate and RDSDE to ensure CITS qualified instructors are appointed</p>
4	Sri Nathilal Pvt ITI, Syarmau Tehra Agra  1809016789	New	<p>1 COPA 3 (1+1+1)</p> <p>2 Electrician 3 (1+1+1)</p> <p>3 Fitter 3 (1+1+1)</p> <p>4 Health Sanitary Inspector- 3 (1+1+1)</p>	<p>Recommended:</p> <p>1 COPA -3 (1+1+1)</p> <p>2 Electrician-3 (1+1+1)</p> <p>3 Fitter -3 (1+1+1)</p> <p>4 Health Sanitary Inspector-3 (1+1+1)</p> <p>In COPA trade some computers are not working, software/ LICENSE physically not available, and trade Health sanitary inspector tools &amp; equipment are not available</p>	<p>1. Land lease document not uploaded</p> <p>2. In Health sanitary trade Tools and equipment not available</p> <p>3. BCC is given by the architect, not as per Norms</p>	<p>ITI needs to remove the deficiencies</p> <p>RDSDE and State directorate will conduct joint reinspection and send the report within 1 week of issuing this MoM</p>




5	<p>Krishana Tiwari Pvt Industrial Training Institute, Faizabad 224207</p> <p>1809021998</p>	New	<p>1 Electrician- 3 (1+1+1)</p> <p>2 Fitter 3 (1+1+1)</p> <p>3 Mason (building constructor)- 3 (1+1+1)</p> <p>4 sewing technology- 3 (1+1+1)</p>	<p>Recommended:</p> <p>1 Electrician- 3 (1+1+1)</p> <p>2 Fitter-3 (1+1+1)</p> <p>3 Mason (building constructor)- 3 (1+1+1)</p> <p>4 sewing technology- 3 (1+1+1)</p> <p>Recommended subject to condition that Online transaction for Machinery bill was not done (Bills paid in cash)</p>	<p>1. The CITS certificate for instructors is not available</p> <p>2. Tools and machineries for Mason trade were not available as per the norms</p> <p>3. Insulation mat not installed in electrician Workshop</p> <p>4. For 02 bills from ITI Power Tech, GST number and authorized signature not available Also, all the payment is done in offline mode (a certificate by ITI is also submitted)</p> <p>5. Electricity bill not uploaded</p>	<p>ITI needs to remove the deficiencies mentioned in column VI and submit a report to the state within 1 week of issuing this MoM</p> <p>The State Directorate will verify and send a report with recommendation to DGT within 1 week of issuing this MoM</p>





6	A S M, Private ITI, Aligarh, Uttar Pradesh  1809016735	New	<ol style="list-style-type: none"> <li>1 Diesel Mechanic - 3 (1+1+1)</li> <li>2 Electrician - 6 (2+2+2)</li> <li>3 Fitter - 3 (1+1+1)</li> <li>4 Plumber - 3 (1+1+1)</li> </ol>	<p>NOT Recommended:  <ol style="list-style-type: none"> <li>1 Diesel Mechanic -3 (1+1+1)</li> <li>2 Electrician - 6 (2+2+2)</li> <li>3 Fitter - 3 (1+1+1)</li> <li>4 Plumber - 3 (1+1+1)</li> </ol> </p> <p>Not recommended due to the reasons mentioned in checklist 1 to 21 along with land use and existence of ASM Degree college in the same premises as per lease agreement area not sufficient</p>	<ol style="list-style-type: none"> <li>1. At institute location existence of ASM degree college as per Google and institute has no separate boundary &amp; gate As per lease there are 4 w/s ,3 hall,4rooms &amp; 1office which is less than requirement</li> <li>2. Staircase is without railing and no door at the exit No firefighting alarm, Equipment's, devices are available other than the trade tool list</li> <li>3. Actual dimensions of workshop area E,F,DM, are not matching with map &amp; layout of the Store, First-aid, staffroom ,Library, toilets physically not matching with</li> </ol>	Not Recommended due to deficiencies mentioned in column V & VI
---	---	-----	---	---	---	--




					<p>map Total building old constructed other than 4 w/s</p> <p>4. At the time of insp PPL&amp; only 3 instructors were present Only 5 CITS qualified out of 37 inst qualifications of most institutes not matching with trade the date of most of the experience certificates is overlapping</p> <p>5. BCC must be verified from issuing authority As per SDM Gabhana order dated 26122012 land use is residential</p> <p>6. No proper drinking water arrangement &amp; also ramp is not available Toilets are not maintained &amp; in very dirty</p>	
--	--	--	--	--	--	--

*[Handwritten signatures and marks]*

					conditions Insufficient light & ventilation in the Library Only Tent house chairs found in the Library	
7	Veerendra Singh Private Industrial Training Institute, Hardoi Kursath-241126  TMP9150PR1580379276	New	1. Computer Operator and Programming Assistant (COPA)- 3 (1+1+1) 2. Electrician-6 (2+2+2) 3. Fitter-6 (2+2+2) 4. Plumber-3 (1+1+1)	Recommended: 1. Computer Operator and Programming Assistant (COPA)- 3 (1+1+1) 2. Electrician-6 (2+2+2) 3. Fitter-6 (2+2+2) 4. Plumber-3 (1+1+1)	1. Payment proof not available for Machinery 2. Fire safety certificate not available 3. Drawing Hall available but stool not proper	ITI needs to remove the deficiencies mentioned in column VI and submit a report to the state within 1 week of issuing this MoM  The State Directorate will verify and send a report with recommendation to DGT within 01 week of issuing this MoM
8	Bharat Private ITI, Village-Tayyatpur, Post-Balipur, Bareilly-243123  PR09900061 GRADING- 1.63	Existing	1. Electrician-12 (4+4+4)	Recommended: 1. Electrician-12 (4+4+4)  In additional units	1. Payment proof of Machinery equipment not available 2. Drawing Hall available but stool not proper	ITI needs to remove the deficiencies mentioned in column VI and submit a report to RDSDE within 1 week of issuing this MoM  RDSDE will verify and send a report




						with recommendation to DGT within 1 week of issuing this MoM
9	New Bright Future Private Industrial Training Institute, Shamli Razzaknagar Jhinjhana Meerut Karnal Road Shamli-247773  TMP9660PR1579925991	New	<ol style="list-style-type: none"> <li>1. Electrician - 18 (6+6+6)</li> <li>2. Fitter - 3 (1+1+1)</li> <li>3. Health Sanitary Inspector -3 (1+1+1)</li> <li>4. Hospital Housekeeping - 3 (1+1+1)</li> <li>5. Physiotherapy Technician - 3 (1+1+1)</li> </ol>	<p>Recommended:</p> <ol style="list-style-type: none"> <li>1. Electrician – 18 (6+6+6)</li> <li>2. Fitter - 3 (1+1+1)</li> <li>3. Hospital Housekeeping -3 (1+1+1)</li> <li>4. Physiotherapy Technician - 3 (1+1+1)</li> </ol> <p>Surrendered trade- Health Sanitary Inspector - 3 (1+1+1)</p>	<ol style="list-style-type: none"> <li>1. Inspection done by NCVT members only</li> <li>2. Power not sufficient to run recommended trades (Available-18.75KW, Required-27.11KW)</li> </ol>	<p>ITI needs to remove the deficiencies and intimate to State and RDSDE</p> <p>RDSDE and State directorate will conduct joint reinspection within 1 week of issuing this MoM</p>
10	Shanti Devi Private Industrial Training Institute, Village -Diwadhar Post-Pipramishr Distt-Deoria-274505  TMP9137PR1581765646	New	<ol style="list-style-type: none"> <li>1. Computer Operator and Programming Assistant (COPA)- 2 (1+1)</li> <li>2. Electrician-9 (3+3+3)</li> <li>3. Fashion Design and Technology-2 (1+1)</li> <li>4. Fitter-6 (2+2+2)</li> </ol>	<p>Recommended:</p> <ol style="list-style-type: none"> <li>1. COPA -2 (1+1)</li> <li>2. Electrician -9 (3+3+3)</li> <li>3. Fashion Technology -2 (1+1)</li> <li>4. Fitter -3 (1+1+1)</li> </ol>	<ol style="list-style-type: none"> <li>1. Building plan is not attached</li> <li>2. Fire safety certificate is not uploaded</li> <li>3. BCC is given by an architect, Not as per Norms</li> </ol>	<p>ITI needs to remove the deficiencies mentioned in column VI and submit a report to the state within 1 week of issuing this MoM</p> <p>State Directorate will verify and send a report with recommendation to DGT within 1 week</p>

						of issuing this MoM
11	Shri Fuleshwar Mishra Jagdish Pandey Private Industrial Training Institute, Ballia Village Babhnauli Post Bansdih Road, Ballia-277203  TMP9126PR1581352247	New	<ol style="list-style-type: none"> <li>1. Computer Operator and Programming Assistant (COPA)- 3 (1+1+1)</li> <li>2. Electrician-3 (1+1+1)</li> <li>3. Fitter -3 (1+1+1)</li> <li>4. Sewing Technology -3 (1+1+1)</li> </ol>	Recommended: <ol style="list-style-type: none"> <li>1. COPA)-1 (1+0)</li> <li>2. Electrician -2 (1+1)</li> <li>3. Fitter -2 (1+1)</li> <li>4. Sewing Technology -1 (1+0)</li> </ol>	<ol style="list-style-type: none"> <li>1. Only one COPA trainer is CITS trained</li> <li>2. Machinery payment proof is not available</li> </ol>	<p>ITI needs to remove the deficiencies mentioned in column VI and submit a report to the state within 1 week of issuing this MoM</p> <p>The State Directorate will verify and send a report with recommendation to DGT within 1 week of issuing this MoM</p>
12	Sardar Patel Private Industrial Training Institute, Moradabad, Post- Ladawali, Tehseel-Kanth, Moradabd, 244504  TMP9171PR1582445887	New	<ol style="list-style-type: none"> <li>1 Electrician- 12 (4+4+4)</li> <li>2 Fitter 6 (2+2+2)</li> <li>3 Health Sanitary Inspector-3</li> </ol>	Recommended: <ol style="list-style-type: none"> <li>1. Electrician- 12 (4+4+4)</li> <li>2. Fitter 6 (2+2+2)</li> <li>3. Health Sanitary Inspector-3 (1+1+1)</li> <li>4. Physiotherapy Technician-</li> </ol>	<ol style="list-style-type: none"> <li>1. Only one Electrician and one fitter trainer is CITS trained</li> <li>2. Machinery payment proof is not available</li> </ol>	<p>ITI needs to remove the deficiencies mentioned in column VI and submit a report to the state within 1 week of issuing this MoM</p>



			(1+1+1) 4 Physiotherapy Technician-3 (1+1+1)	3 (1+1+1)		State Directorate will verify and send a report with recommendation to DGT within 01 week of issuing this MoM
13	KDM Pvt ITI, Mau, Muradabad, PR09000990 Grading- 1.43	Existing	1. Electrician -12 (4+4+4) 2. Fitter-3 (1+1+1)	Recommended: 1. Electrician -12 (4+4+4) 2. Fitter-3 (1+1+1)	Recommended: 1. Electrician -8 (4+4) 2. Fitter-2 (1+1)	Recommended: 1. Electrician -8 (4+4) 2. Fitter-2 (1+1)
14	Bhardwaj Industrial Training Institute, Distt-Kushinagar 1809015589	New- MSTI	1. COPA -3 (1+1+1) 2. Electrician-3 (1+1+1) 3. Fitter-3 (1+1+1) 4. Health Sanitary Inspector-3 (1+1+1)	Recommended: 1. COPA -3 (1+1+1) 2. Electrician-3 (1+1+1) 3. Fitter-3 (1+1+1) 4. Health Sanitary Inspector-3 (1+1+1)  Original bills for HSI, COPA trade and IT lab are not provided Bills of the lathe machine are not provided payment mode details not provided	1. The architect has not mentioned the dimensions of the total plot Area 2. IT Lab is not tiled 3. CITS Qualified Instructor details not available 4. NOC from State Directorate for MSTI not available	ITI needs to remove the deficiencies mentioned in column VI and submit report to RDSDE within 1 week of issuing this MoM  RDSDE will verify and send report with recommendation to DGT within 1 week of issuing this MoM

15	C B S College of Polytechnic, Poiya, Pili-Pokhar, Agra  TMPOLD310 MSTI	New- MSTI	<ol style="list-style-type: none"> <li>1. Computer Operator and Programming Assistant (COPA)-2 (1+1)</li> <li>2. Electrician -2 (1+1)</li> <li>3. Fitter-2 (1+1)</li> <li>4. Welder-2 (1+1)</li> </ol>	<p>Recommended:</p> <ol style="list-style-type: none"> <li>1. Electrician -2 (1+1)</li> <li>2. Fitter-2 (1+1)</li> <li>3. Welder-2 (1+1)</li> </ol> <p>NOT Recommended: COPA-2 (1+1) due to less power load</p>	<ol style="list-style-type: none"> <li>1. Institute has 25 KW, 3-Ph connection from UPPCL and 25 KW grid connected Solar power Institute submitted an undertaking that 25 KW, 3-Ph connection will be used for ITI only Required load = 28.16 KW</li> <li>2. All Instructors are not CITS Qualified</li> </ol>	<p>ITI needs to remove the deficiencies mentioned in column VI and submit report to RDSDE within 1 week of issuing this MoM</p> <p>State Directorate will verify deficiencies and send report with recommendation to DGT within 1 week of issuing this MoM</p>
16	New Sant Bihari Private Industrial Training Institute, Kanpur Dehat, Vill - Indira Nagar, Post- Bari Sawai, Block- Maitha, Kanpur Dehat 209301 TMP9156PR1581501481	New	<ol style="list-style-type: none"> <li>1. Computer Operator and Programming Assistant (COPA)- 3 (1+1+1)</li> <li>2. Electrician-6 (2+2+2)</li> <li>3. Fitter -6 (2+2+2)</li> <li>4. Electronics Mechanic- 3 (1+1+1)</li> </ol>	<p>Recommended:</p> <ol style="list-style-type: none"> <li>1. Computer Operator and Programming Assistant (COPA)- 2 (1+1)</li> <li>2. Electrician- 4 (2+2)</li> <li>3. Electronics Mechanic-2 (1+1)</li> <li>4. Fitter -4 (2+2)</li> </ol>	<ol style="list-style-type: none"> <li>1. Machinery bill Payment proof not available</li> <li>2. Qualification and experience certificate of trainers not uploaded</li> </ol>	<p>ITI needs to remove the deficiencies mentioned in column VI and submit a report to RDSDE within 1 week of issuing this MoM</p> <p>RDSDE will verify and send report with recommendation to DGT within 1 week of issuing this MoM</p>




17	Karmyogi Private Industrial Training Institute, Ambedkar Nagar, Krishna Nagar, Siswa, 224172  TMP9121PR1581229043	New	<ol style="list-style-type: none"> <li>1. (COPA)- 2 (1+1)</li> <li>2. Electrician-6 (2+2+2)</li> <li>3. Fitter-2 (1+1)</li> <li>4. Health Sanitary Inspector-2 (1+1)</li> </ol>	<p>Recommended:</p> <ol style="list-style-type: none"> <li>1. (COPA)- 2 (1+1)</li> <li>2. Electrician-6 (2+2+2)</li> <li>3. Fitter-2 (1+1)</li> <li>4. Health Sanitary</li> <li>5. Inspector-2 (1+1)</li> </ol>	<ol style="list-style-type: none"> <li>1. CITS Qualified Instructor details not available</li> <li>2. Bill payment details not available</li> <li>3. No Statutory Plan certificate not attached</li> <li>4. IT Lab and Drawing Hall not as per norms</li> <li>5. Electricity bill not available</li> </ol>	<p>ITI needs to remove the deficiencies mentioned in column VI and submit a report to the state within 1 week of issuing this MoM</p> <p>State Directorate will verify and send report with recommendation to DGT within 1 week of issuing this MoM</p>
18	Shri Balveer Singh Private Industrial Training Institute, Mainpuri Kareemganj, Kurawali Road 205001  TMP9166PU1581493844	New	<ol style="list-style-type: none"> <li>1. Electrician-6 (2+2+2)</li> <li>2. Fitter- 3 (1+1+1)</li> <li>3. Health Sanitary Inspector-3 (1+1+1)</li> <li>4. Hospital Housekeeping -3 (1+1+1)</li> </ol>	<p>Recommended:</p> <ol style="list-style-type: none"> <li>1. Electrician-6 (2+2+2)</li> <li>2. Fitter- 3 (1+1+1)</li> <li>3. Health Sanitary Inspector-3 (1+1+1)</li> <li>4. Hospital Housekeeping -3 (1+1+1)</li> </ol>	<ol style="list-style-type: none"> <li>1. Approved Layout Plan not attached</li> <li>2. Payment proof not available</li> <li>3. CITS Qualified Instructor details not available</li> <li>4. Layout plan not approved by Architect, No Statutory plan certificate not attached</li> <li>5. IT Lab not tiled</li> </ol>	<p>ITI needs to remove the deficiencies mentioned in column VI and submit a report to the state within 1 week of issuing this MoM</p> <p>State Directorate will verify and send report with recommendation to DGT within 1 week of issuing this MoM</p>




19	Shri Banke Bihari Pvt ITI, Kanpur, Hnagar, Kanpur Nagar  1809022479	New	<ol style="list-style-type: none"> <li>1 COPA -3 (1+1+1)</li> <li>2 Electrician-3 (1+1+1)</li> <li>3 Electronics Mechanic-3 (1+1+1)</li> <li>4 Fitter 3 (1+1+1)</li> </ol>	<p>Recommended:</p> <ol style="list-style-type: none"> <li>1. COPA -3 (1+1+1)</li> <li>2. Electrician-3 (1+1+1)</li> <li>3. Electronics Mechanic-3 (1+1+1)</li> <li>4. Fitter 3 (1+1+1)</li> </ol>	<ol style="list-style-type: none"> <li>1. Details of CITS Qualified Instructor details not available,</li> <li>2. BCC not as per norms, BCC from Gram Panchayat is given</li> </ol>	<p>ITI needs to remove the deficiencies mentioned in column VI and submit a report to the state within 1 week of issuing this MoM</p> <p>The State Directorate will verify and send a report with recommendation to DGT within 1 week of issuing this MoM</p>
20	Meena Devi Private Industrial Training Institute, Gorakhpur, Vill- Baharampur Post-Kusumhi Bazar Dist-Gorakhpur, 273002  TMP9148PR1581928075	New- MSTI	<ol style="list-style-type: none"> <li>1 Computer Operator and Programming Assistant (COPA)- 2 (1+1)</li> <li>2 Electrician -6 (2+2+2)</li> <li>3 Fitter-2 (1+1)</li> <li>4 Mechanic Refrigeration and Air Conditioner-2 (1+1)</li> </ol>	<p>Recommended:</p> <ol style="list-style-type: none"> <li>1 Computer Operator and Programming Assistant (COPA)- 2 (1+1)</li> <li>2 Electrician -6 (2+2+2)</li> <li>3 Fitter-2 (1+1)</li> <li>4 Mechanic Refrigeration and Air Conditioner-2 (1+1)</li> </ol>	<ol style="list-style-type: none"> <li>1. CITS Qualified Instructor details not available</li> <li>2. NOC for MSTI required from the state</li> <li>3. BCC not as per norms No Statutory Plan certificate given by Tehsildar</li> <li>4. Third shift is not allowed</li> </ol>	<p>ITI needs to remove the deficiencies mentioned in column VI and submit a report to the state within 1 week of issuing this MoM</p> <p>The State Directorate will verify and send a report with recommendation to DGT within 1 week of issuing this MoM</p>




21	Gangaram Private ITI Gram-Sihura, Post- Khojaphool Kanpur Dehat-209310  PR09900652  Grading-1.77	Existing	Trade details not available in application	NOT Recommended, ITI was locked	ITI was locked	Rejected
22	Shri Kehbar Singh Memorial Pvt ITI, Phulwaria Road, Bhatparrani Dist: - Deoria  TMPOLD316 MSTI	New- MSTI	1. Electrician - 2 (1+1+0)  2. Fitter - 2 (1+1+0)	NOT Recommended:  1. Electrician - 2 (1+1+0) 2. Fitter - 2 (1+1+0)  1 Photos of bills of tools and equipment captured, but bills of trade fitter and computers seemed to be fake  2 Photo of bills are captured and maximum of them were not tax invoice  3 Meter sealing certificate and electric load was correct but the name of the ITI was wrong Meter was not in working condition  4 Some machinery of trade fitter was not installed  5 Campus was residential under which some animals	1 NOC states that ITI is considered as MSTI 2 BCC signed by Architect	ITI needs to remove the deficiencies mentioned in column V & VI and submit a report to the state within 1 week of issuing this MoM  The State Directorate will verify and send a report with recommendation to DGT within 1 week of issuing this MoM




				were found 6 Machine tools, equipment and power connections-partially available		
23	Nirmal Raj Private Industrial Training Institute, Jalaun Bohadpura Jalaun Road Orai,285125  TMP9151PR1580283107	New	1. Computer Operator and Programming Assistant (COPA)- 2 (1+1) 2. Electrician-6 (2+2+2) 3. Fitter-2 (1+1) 4. Health Sanitary Inspector-2 (1+1)	Recommended: 1. Computer Operator And Programming Assistant (COPA)- 2 (1+1) 2. Electrician-6 (2+2+2) 3. Fitter-2 (1+1) 4. Health Sanitary Inspector-2 (1+1)	1. BCC is given by architect, Not as per Norms 2. Available power is 18 KW and required load for running all trades is 19.6 KW 3. CITS certificate of all trainers not available	ITI needs to remove the deficiencies mentioned in column VI and submit a report to the state within 1 week of issuing this MoM  The State Directorate will verify and send a report with recommendation to DGT within 1 week of issuing this MoM
24	Ram Singh College of Engineering Technology Pvt ITI, Etawa Road, Firozabad  POLYTECHNIC	NEW	1. COPA-3 (1+1+1) 2. Electrician-3 (1+1+1) 3. Fashion Technology 3 (1+1+1) 4. Fitter-3 (1+1+1)	Recommended: 1. Electrician-2 (1+1) 2. Fitter-2 (1+1)  NOT Recommended: 1. COPA -3 (1+1+1) 2. Fashion Technology 3 (1+1+1)  1. In the COPA trade some	1. BCC signed by the architect	Conditionally Recommended  1. Electrician-2 (1+1) 2. Fitter-2 (1+1)  COPA - Not Recommended Fashion Technology -Not Recommended




				<p>computers and Air-conditioners are not in working condition</p> <p>2. In swing technology, machines are not available as per new syllabus PG college/Pharma/Polytechnic running same campus</p> <p>3. Some machines are not installed</p> <p>Trade COPA some computers are not working &amp; trade fashion technology machines are not available as per syllabus and some machines are not installed in Fitter Trade</p>		<p>The State Directorate will verify deficiencies mentioned in V &amp; VI and send report with recommendation to DGT within 1 week of issuing this MoM</p>
--	--	--	--	---	--	--






**Annexure 4a for Agenda No. 4:** Proposals received from SSDECs

The following proposals were received from SSDEC of UT Daman & Diu and Dadra & Nagar Haveli for conversion of SCVT to NCVT trades. These cases were examined in meeting and the remarks of 3<sup>rd</sup> SCAA is given in column VII as below-

SI. No.	ITI Name/ MIS Code/Grading	Existing/New	Existing Trades/Units	Trades/Units Sought for Affiliation	Remarks by SSDEC	Remarks by 3 <sup>rd</sup> SCAA meeting held on dated 24.06.2022
I	II	III	IV	V	VI	VII
1.	Govt. Industrial Training Institute, Ringanwada, Daman  GR25000001  Grading: 2.62	Existing	1. Fitter - 3 (2+1+0) 2. Turner - 2 (1+1+0) 3. Electrician - 2 (1+1+0) 4. Wireman - 2 (1+1+0) 5. Welder - 2 (1+0+0) 6. Sewing Technology - 2 (1+0+0)	1. Computer Operator and Programming Assistant - 2 (1+1+0) 2. Electrician - 2 (1+1*+0) 3. Fashion Design & Technology - 2 (1+0+0) 4. Information & Communication Technology System - 1 (0+1+0) 5. Machinist - 1 (1+0+0) 6. Mechanic Diesel - 1 (0+1+0) 7. Plastic Processing Operator - 1 (0+1+0) 8. Refrigeration and Air-Conditioner Technician - 2 (1+1+0) 9. Welder - 1 (0+1*+0)	Recommended: 1. Computer Operator and Programming Assistant - 2 (1+1+0) 2. Electrician - 2 (1+1*+0) 3. Fashion Design & Technology - 2 (1+0+0) 4. Information & Communication Technology System - 1 (0+1+0) 5. Machinist - 1 (1+0+0) 6. Mechanic Diesel - 1 (0+1+0) 7. Plastic Processing Operator - 1 (0+1+0) 8. Refrigeration and Air-Conditioner Technician - 2 (1+1+0) 9. Welder - 1 (0+1*+0) Alternate faculties are to be made available before starting the session till regular filling up the post.	Recommended: 1. Computer Operator and Programming Assistant - 2 (1+1+0) 2. Electrician - 2 (1+1*+0) 3. Fashion Design & Technology - 2 (1+0+0) 4. Information & Communication Technology System - 1 (0+1+0) 5. Machinist - 1 (1+0+0) 6. Mechanic Diesel - 1 (0+1+0) 7. Plastic Processing Operator - 1 (0+1+0) 8. Refrigeration and Air-Conditioner Technician - 2 (1+1+0) 9. Welder - 1 (0+1*+0)

2.	Govt. Industrial Training Institute, Ghoghla, Diu  GR25000002  Grading: 2.85	Existing	<ol style="list-style-type: none"> <li>1. Electrician - 2 (1+1+0)</li> <li>2. Fitter - 2 (1+1+0)</li> <li>3. Mechanic Diesel - 1(1+0+0)</li> <li>4. Sewing Technology - 1 (1+0+0)</li> <li>5. Welder - 1 (1+0+0)</li> <li>6. Wireman - 2 (1+1+0)</li> </ol>	<ol style="list-style-type: none"> <li>1. Computer Operator and Programming Assistant -2 (1+1*+0)</li> <li>2. Electronics Mechanic - 2 (1+0+0)</li> <li>3. Marine Engine Fitter - 1 (1+0+0)</li> <li>4. Refrigeration and Air-Conditioner Technician - 2 (1+1+0)</li> </ol>	<p>Recommended:</p> <ol style="list-style-type: none"> <li>1. Computer Operator and Programming Assistant -2 (1+1*+0)</li> <li>2. Electronics Mechanic - 2 (1+0+0)</li> <li>3. Refrigeration and Air-Conditioner Technician - 2 (1+1+0)</li> </ol> <p>Not Recommended:</p> <ol style="list-style-type: none"> <li>1. Marine Engine Fitter - 1 (1+0+0)</li> </ol>	<p>Recommended:</p> <ol style="list-style-type: none"> <li>1. Computer Operator and Programming Assistant -2 (1+1*+0)</li> <li>2. Electronics Mechanic - 2 (1+0+0)</li> <li>3. Refrigeration and Air-Conditioner Technician - 2 (1+1+0)</li> </ol> <p>Not Recommended:</p> <ol style="list-style-type: none"> <li>1. Marine Engine Fitter - 1 (1+0+0)</li> </ol>
----	--	----------	---	---	--	--

Note: \*New Trade Introduced

**Annexure 4b for Agenda No 4:** Proposals received from SSDECs

The following proposals were received from SSDEC of Odisha State in various categories. These cases were examined in meeting and the remarks of 3rd SCAA is given as below-

## 1. Affiliation proposals of New Govt. ITIs:

SI. No.	Name of the Govt. ITIs	Trades/units sought for affiliation	Trades/units Recommended: by Joint Inspection Committee for affiliation	Trades/units Recommended: by SSDEC for affiliation w.e.f. August, 2022	Remarks by 3 <sup>rd</sup> SCAA meeting date 24.06.2022
I	II	III	IV	V	VI
1	Govt. ITI, Parjang, Dhenkanal	1. COPA - 2 (1+1) 2. Electrician - 4 (2+2) 3. Fitter - 4 (2+2) 4. Refrigeration & Air-Conditioning Technician -2 (1+1)	1. COPA - 2 (1+1) 2. Electrician - 4 (2+2) 3. Fitter - 4 (2+2) 4. Refrigeration & Air-Conditioning Technician -2 (1+1)	1. COPA - 2 (1+1) 2. Electrician - 4 (2+2) 3. Fitter - 4 (2+2) 4. Refrigeration & Air-Conditioning Technician -2 (1+1)	Recommended: 1. COPA - 2 (1+1) 2. Electrician - 4 (2+2) 3. Fitter - 4 (2+2) 4. Refrigeration & Air-Conditioning Technician -2 (1+1)
2	Govt. ITI, Krushna prasad, Puri	1. Dress Making - 2 (1+1) 2. Electrician - 2 (1+1) 3. Electronics Mechanic -2 (1+1) 4. Fitter - 2 (1+1)	1. Dress Making - 2 (1+1) 2. Electrician - 2 (1+1) 3. Electronics Mechanic -2 (1+1) 4. Fitter - 2 (1+1)	1. Dress Making - 2 (1+1) 2. Electrician - 2 (1+1) 3. Electronics Mechanic -2 (1+1) 4. Fitter - 2 (1+1)	Recommended: 1. Dress Making - 2 (1+1) 2. Electrician - 2 (1+1) 3. Electronics Mechanic -2 (1+1) 4. Fitter - 2 (1+1)
3	Govt. ITI, Birmaharajapur, Sonepur	1. Fitter - 2 (1+1) 2. Electrician - 2 (1+1) 3. Sewing Technology - 2 (1+1) 4. Welder - 2 (1+1)	1. Fitter - 2 (1+1) 2. Electrician - 2 (1+1) 3. Sewing Technology - 2 (1+1) 4. Welder - 2 (1+1)	1. Fitter - 2 (1+1) 2. Electrician - 2 (1+1) 3. Sewing Technology - 2 (1+1) 4. Welder - 2 (1+1)	Recommended: 1. Fitter - 2 (1+1) 2. Electrician - 2 (1+1) 3. Sewing Technology - 2 (1+1) 4. Welder - 2 (1+1)

Handwritten signatures and dates in blue ink, including a date '6/7' and a signature.

4	Govt. ITI, Kantabanjhi, Bolangir	<ol style="list-style-type: none"> <li>1. COPA - 2(1+1)</li> <li>2. Electrician - 2(1 +1)</li> <li>3. Fitter - 2(1+1)</li> <li>4. Refrigeration &amp; Air-Conditioning Technician - 2(1+1)</li> </ol>	<ol style="list-style-type: none"> <li>1. COPA - 2(1+1)</li> <li>2. Electrician - 2(1 +1)</li> <li>3. Fitter - 2(1+1)</li> <li>4. Refrigeration &amp; Air-Conditioning Technician - 2(1+1)</li> </ol>	<ol style="list-style-type: none"> <li>1. COPA - 2(1+1)</li> <li>2. Electrician - 2(1 +1)</li> <li>3. Fitter - 2(1+1)</li> <li>4. Refrigeration &amp; Air-Conditioning Technician - 2(1+1)</li> </ol>	Recommended: <ol style="list-style-type: none"> <li>1. COPA - 2(1+1)</li> <li>2. Electrician - 2(1 +1)</li> <li>3. Fitter - 2(1+1)</li> <li>4. Refrigeration &amp; Air-Conditioning Technician - 2(1+1)</li> </ol>
5	Govt. ITI, Koida, Sundergarh	<ol style="list-style-type: none"> <li>1. COPA - 2 (1+1)</li> <li>2. Mechanic Mining Machinery - 2 (1 +1)</li> <li>3. Stone Mining Machine Operator - 2 (1+1)</li> <li>4. Stone Processing Machine Operator - 2 (1+1)</li> </ol>	<ol style="list-style-type: none"> <li>1. COPA - 2 (1+1)</li> <li>2. Mechanic Mining Machinery - 2 (1 +1)</li> <li>3. Stone Mining Machine Operator - 2 (1+1)</li> <li>4. Stone Processing Machine Operator - 2 (1+1)</li> </ol>	<ol style="list-style-type: none"> <li>1. COPA - 2 (1+1)</li> <li>2. Mechanic Mining Machinery - 2 (1 +1)</li> <li>3. Stone Mining Machine Operator - 2 (1+1)</li> <li>4. Stone Processing Machine Operator - 2 (1+1)</li> </ol>	Recommended: <ol style="list-style-type: none"> <li>1. COPA - 2 (1+1)</li> <li>2. Mechanic Mining Machinery - 2 (1 +1)</li> <li>3. Stone Mining Machine Operator - 2 (1+1)</li> <li>4. Stone Processing Machine Operator - 2 (1+1)</li> </ol>
6	Govt. ITI, Paradeep, Jagatsinghpur	<ol style="list-style-type: none"> <li>1. Attendant Operator (C.P) - 2 (1+1)</li> <li>2. Electrician - 4 (2+2)</li> <li>3. Fitter - 2 (1+1)</li> <li>4. Laboratory Assistant (C.P) - 2 (1+1)</li> </ol>	<ol style="list-style-type: none"> <li>1. Attendant Operator (C.P) - 2 (1+1)</li> <li>2. Electrician - 4 (2+2)</li> <li>3. Fitter - 2 (1+1)</li> <li>4. Laboratory Assistant (C.P) - 2 (1+1)</li> </ol>	<ol style="list-style-type: none"> <li>1. Attendant Operator (C.P) - 2 (1+1)</li> <li>2. Electrician - 4 (2+2)</li> <li>3. Fitter - 2 (1+1)</li> <li>4. Laboratory Assistant (C.P) - 2 (1+1)</li> </ol>	Recommended: <ol style="list-style-type: none"> <li>1. Attendant Operator (C.P) - 2 (1+1)</li> <li>2. Electrician - 4 (2+2)</li> <li>3. Fitter - 2 (1+1)</li> <li>4. Laboratory Assistant (C.P) - 2 (1+1)</li> </ol>
7	Govt. ITI Kutra, Sundergarh (MSDP)	<ol style="list-style-type: none"> <li>1. Electrician - 2 (1 +1)</li> <li>2. Fitter - 2 (1+1)</li> <li>3. Refrigeration &amp; Air-Conditioning Technician - 2 (1 +1)</li> <li>4. Sewing Technology - 2 (1+1)</li> </ol>	<ol style="list-style-type: none"> <li>1. Fitter - 2 (1+1)</li> <li>2. Electrician - 2 (1 +1)</li> <li>3. Refrigeration &amp; Air-Conditioning Technician - 2 (1 +1)</li> <li>4. Sewing Technology - 2 (1+1)</li> </ol>	<ol style="list-style-type: none"> <li>1. Fitter - 2 (1+1)</li> <li>2. Electrician - 2 (1 +1)</li> <li>3. Refrigeration &amp; Air-Conditioning Technician - 2 (1 +1)</li> <li>4. Sewing Technology - 2 (1+1)</li> </ol>	Recommended: <ol style="list-style-type: none"> <li>1. Fitter - 2 (1+1)</li> <li>2. Electrician - 2 (1 +1)</li> <li>3. Refrigeration &amp; Air-Conditioning Technician - 2 (1 +1)</li> <li>4. Sewing Technology - 2 (1+1)</li> </ol>

8	Govt. ITI, Daringbadi, Kandhmal (MSDP)	<ol style="list-style-type: none"> <li>COPA-2(1+1)</li> <li>Electrician-2(1 + 1)</li> <li>Fitter-2(1+1)</li> <li>Refrigeration &amp; Air-Conditioning Technician-2(1 + 1)</li> </ol>	<ol style="list-style-type: none"> <li>COPA-2(1+1)</li> <li>Electrician-2(1 + 1)</li> <li>Fitter-2(1+1)</li> <li>Refrigeration &amp; Air-Conditioning Technician-2(1 + 1)</li> </ol>	<ol style="list-style-type: none"> <li>COPA-2(1+1)</li> <li>Electrician-2(1 + 1)</li> <li>Fitter-2(1+1)</li> <li>Refrigeration &amp; Air-Conditioning Technician-2(1 + 1)</li> </ol>	Recommended: <ol style="list-style-type: none"> <li>COPA-2(1+1)</li> <li>Electrician-2(1 + 1)</li> <li>Fitter-2(1+1)</li> <li>Refrigeration &amp; Air-Conditioning Technician-2(1 + 1)</li> </ol>
9	Govt. ITI, Kotagarh, Kandhamal (MSDP)	<ol style="list-style-type: none"> <li>Dress Making-2(1 + 1)</li> <li>Electrician-2(1 + 1)</li> <li>Fitter-2(1+1)</li> <li>Welder-2(1+1)</li> </ol>	<ol style="list-style-type: none"> <li>Dress Making-2(1 + 1)</li> <li>Electrician-2(1 + 1)</li> <li>Fitter-2(1+1)</li> <li>Welder-2(1+1)</li> </ol>	<ol style="list-style-type: none"> <li>Dress Making-2(1 + 1)</li> <li>Electrician-2(1 + 1)</li> <li>Fitter-2(1+1)</li> <li>Welder-2(1+1)</li> </ol>	Recommended: <ol style="list-style-type: none"> <li>Dress Making-2(1 + 1)</li> <li>Electrician-2(1 + 1)</li> <li>Fitter-2(1+1)</li> <li>Welder-2(1+1)</li> </ol>

## 2. Affiliation proposal for new age trades in Govt. ITIs:

SI. No.	Name of the Govt. ITI/Scheme	Trades/units sought for Affiliation	Trades/units Recommended: by DTE&T, Odisha for Affiliation	Trades/units Recommended: by SSDEC for Affiliation w.e.f. August, 2022	Remarks by 3 <sup>rd</sup> SCAA meeting date 24.06.2022
I	II	III	IV	V	VI
1	Govt. ITI, Berhampur, Ganjam GU21000525 Grade-4.05 VTIP and STRIVE Scheme	<ol style="list-style-type: none"> <li>Additive Manufacturing Technician (3D Printing) - 2(1+1)</li> <li>Smart Phone Technician-Cum-App. Tester - 2(1+1)</li> <li>Solar Technician - 2(1+1)</li> </ol>	<ol style="list-style-type: none"> <li>Additive Manufacturing Technician (3D Printing) - 2(1+1)</li> <li>Smart Phone Technician-Cum-App. Tester - 2(1+1)</li> <li>Solar Technician - 2(1+1)</li> </ol>	<ol style="list-style-type: none"> <li>Additive Manufacturing Technician (3D Printing) - 2(1+1)</li> <li>Smart Phone Technician-Cum-App. Tester - 2(1+1)</li> <li>Solar Technician - 2(1+1)</li> </ol>	Recommended: <ol style="list-style-type: none"> <li>Additive Manufacturing Technician (3D Printing) - 2(1+1)</li> <li>Smart Phone Technician-Cum-App. Tester - 2(1+1)</li> <li>Solar Technician - 2(1+1)</li> </ol>

2	Government ITI, Hinjilicut, Ganjam GR21000519 Grade 3.95  STRIVE	1. Solar Technician - 2(1+1) 2. Remotely Piloted Aircraft (RPA)/ Drone Pilot- 2(1+1)	1. Solar Technician - 2(1+1) 2. Remotely Piloted Aircraft (RPA)/ Drone Pilot- 2(1+1)	1. Solar Technician - 2(1+1) 2. Remotely Piloted Aircraft (RPA)/ Drone Pilot- 2(1+1)	Recommended:  1. Solar Technician - 2(1+1)  Not Recommended: 1. Remotely Piloted Aircraft (RPA)/ Drone Pilot- 2(1+1)
3	Govt. ITI, Phulbani, Kandhamal  GU21000511 Grade 3.01  VTIP and STRIVE	1. Solar Technician - 2(1+1)	1. Solar Technician - 2(1+1)	1. Solar Technician - 2(1+1)	Recommended:  1. Solar Technician - 2(1+1)
4	Govt. ITI, Bhubaneswar, Khurda GU21000510 Grade-3.24  VTIP and STRIVE	1. Remotely Piloted Aircraft (RPA)/ Drone Pilot- 2(1+1)	1. Remotely Piloted Aircraft (RPA)/ Drone Pilot- 2(1+1)	1. Remotely Piloted Aircraft (RPA)/ Drone Pilot- 2(1+1)	Not Recommended:  1. Remotely Piloted Aircraft (RPA)/ Drone Pilot- 2(1+1)
5	Gopabandhu Govt. ITI, Ambaguda, Koraput  GR21000502 Grade-2.74  VTIP and STRIVE	1. Solar Technician - 2(1+1)	1. Solar Technician - 2(1+1)	1. Solar Technician - 2(1+1)	Recommended:  1. Solar Technician - 2(1+1)



6	Govt. ITI, Bhawanipatna, Kalahandi  GU21000526 Grade-2.05  VTIP and STRIVE	1. Solar Technician - 2(1+1)	1. Solar Technician - 2(1+1)	1. Solar Technician - 2(1+1)	Recommended:  1. Solar Technician - 2(1+1)
7	Govt. ITI,Barbil, Keonjhar  GU21000501 Grade-2.31  VTIP, Model ITI,PPP, STRIVE	1. Solar Technician - 2(1+1)	1. Solar Technician - 2(1+1)	1. Solar Technician - 2(1+1)	Recommended:  1. Solar Technician - 2(1+1)
8	Govt. ITI,Talcher, Angul  GU21000531  Grade-2.52  VTIP	1. Additive Manufacturing Technician (3D Printing) - 2(1+1)	1. Additive Manufacturing Technician (3D Printing) - 2(1+1)	1. Additive Manufacturing Technician (3D Printing) - 2(1+1)	Recommended:  1. Additive Manufacturing Technician (3D Printing) - 2(1+1)
9	Govt. ITI,Cuttack  GU21000527  Grade-3.78	1. Additive Manufacturing Technician (3D Printing) - 2(1+1) 2. Solar Technician - 2(1+1) 3. Remotely Piloted Aircraft (RPA)/ Drone Pilot-	1. Additive Manufacturing Technician (3D Printing) - 2(1+1) 2. Solar Technician - 2(1+1) 3. Remotely Piloted Aircraft (RPA)/ Drone Pilot-	1. Additive Manufacturing Technician (3D Printing) - 2(1+1) 2. Solar Technician - 2(1+1) 3. Remotely Piloted Aircraft (RPA)/ Drone Pilot-	Recommended: 1. Additive Manufacturing Technician (3D Printing) - 2(1+1) 2. Solar Technician - 2(1+1) Not Recommended: 1. Remotely Piloted Aircraft (RPA)/ Drone Pilot- 2(1+1)



		2(1+1)	2(1+1)	2(1+1)	
--	--	--------	--------	--------	--

## 3. Affiliation proposal of Govt. ITIs for additional trades/units:

Sl. No.	Name of the Govt. ITIs	Trades/units sought for Affiliation	Trades/units Recommended: by DTE&T, Odisha for Affiliation	Trades/units Recommended: by SSDEC for Affiliation w.e.f., August,2022	Remarks by 3 <sup>rd</sup> SCAA meeting date 24.06.2022
I	II	III	IV	V	VI
1	Govt. ITI, Hirakud, Sambalpur  GU21000528 Grade-2.26 VTIP	1. COPA-2(1+1) 2. Dress Making - 2(1+1) 3. Technician Mechatronics - 2(1 + 1)	1. COPA-2(1+1) 2. Dress Making - 2(1+1) 3. Technician Mechatronics - 2(1 + 1)	1. COPA-2(1+1) 2. Dress Making - 2(1+1) 3. Technician Mechatronics - 2(1 + 1)	Recommended: 1. COPA-2(1+1) 2. Dress Making - 2(1+1) 3. Technician Mechatronics - 2(1 + 1)
2	Govt. ITI, Rourkela, Sundergarh  GU21000499 Grade-2.85  STRIVE	1. Dress Making - 2(1+1) 2. Solar Technician - 2(1+1) 3. Technician Mechatronics -2(1 + 1)	1. Dress Making -2(1+1) 2. Solar Technician - 2(1+1) 3. Technician Mechatronics -2(1 + 1)	1. Dress Making -2(1+1) 2. Solar Technician - 2(1+1) 3. Technician Mechatronics -2(1 + 1)	Recommended: 1. Dress Making -2(1+1) 2. Solar Technician - 2(1+1) 3. Technician Mechatronics -2(1 + 1)

3	Gopabandhu Govt. ITI, Ambaguda, Koraput  GR21000502 Grade-2.74  VTIP and STRIVE	1. COPA-2(1+1) 2. Sewing Technology-2(1+1)	1. COPA-2(1+1) 2. Sewing Technology-2(1+1)	1. COPA-2(1+1) 2. Sewing Technology-2(1+1)	Recommended: 1. COPA-2(1+1) 2. Sewing Technology-2(1+1)
---	--	---	---	---	---

## 4. Conversion of CoE to CTS trades in Govt. ITIs:

SI No.	Name of the Govt. ITI/ITI Code/Grading	Existing COE Advance Modules of Production and Manufacturing Sector	Departmental Inspection Committee recommend the Trade COE to CTS	Remarks by 3 <sup>rd</sup> SCAA meeting date 24.06.2022
I	II	III	IV	V
1	Govt. ITI, Cuttack  GU21000527 Grade 3.78	1. Advanced Welding-2(1 +1) 2. Manufacturing of Jigs & Fixture-2(1+1) 3. Quality Engineering-2(1 +1)	1. Operator Advanced Machine Tools-2(1+1)	Recommended: 1. Operator Advanced Machine Tools-2(1+1)
2	Govt. Talcher, Angul  GU21000531 Grade-2.52 VTIP	1. Advanced Welding-2(1 +1) 2. Manufacturing of Jigs & Fixture-2(1+1) 3. Quality Engineering-2(1 +1)	1. Operator Advanced Machine Tools-2(1+1) 2. Mechanic Machine Maintenance-2(1+1)	Recommended: 1. Operator Advanced Machine Tools-2(1+1) 2. Mechanic Machine Maintenance-2(1+1)




## 5. Conversion of courses from CTS to CITS:

SI No.	Name of ITI with MIS Code	Surrender/Affiliation of CTS Trades in Shifts/Units			Proposed for CITS courses		Remarks	Remarks by 3 <sup>rd</sup> SCAA meeting date 24.06.2022
		Name of CTS / Re-structured CTS trade(s) existing	No. Of Units affiliated in 3rd Shift to be surrendered	No. Of units proposed for Affiliation in 3rd Shift	Name Of trade(s) proposed for CITS course	NO. of Units proposed for ITOT	Additional facilities available for CITS courses	
1	Govt. ITI Cuttack (GU21000527)	Electrician	3rd Shift 7th Unit		Electrician	1 Unit	Schneider Electric Advanced Ele. Lab	Recommended
	Grade 3.78	Quality Engineering (COE Advance Module)		3rd Shift 1st Unit	Fitter	1 Unit	AM Labs, Mini Tool Room & Precision Engineering Lab	Recommended
2	Govt. ITI Balasore (GU21000524)	EAT-4 (COE Advanced Module)	3rd Shift 1st Unit		Electrician	1 Unit	Maruti Suzuki India Ltd sponsored Lab	Recommended
	Grade 3.03 VTIP and STRIVE	Mechanic (Motor Vehicle)		3rd Shift 1st Unit	Mechanic (Motor Vehicle)	1 Unit	COE AM Labs	Recommended
3	Govt. ITI Berhampur (GU21000525)	Fitter		3rd Shift 1st Unit	Fitter	1 Unit	CoE AM Labs	Recommended
	Grade-4.05							

	VTIP and STRIVE Scheme	Service and Overhauling of Automobiles Petrol (COE Advance Module)	3rd Shift 1st Unit	Mechanic Diesel	1 Unit	COE AM Labs	Recommended
		Service and Overhauling of Automobiles Diesel (COE Advance Module)	3rd Shift 16th Unit	Mechanic (Motor Vehicle)	1 Unit	Mini Tool Room andCTTC Technology Extension Centre	Recommended
4	Govt. ITI Hirakud, Sambalpur  (GU21000528) Grade-2.26 VTIP	Fitter	3rd Shift 1st Unit	Fitter	1 Unit	Maruti Suzuki India Ltd sponsored Lab	Recommended
		Mechanic (Motor Vehicle)	3rd Shift 4th Unit	Lab Asst Chemical Plant	1 Unit	Mini Tool Room	Recommended
		Operator Chemical Plant (COE Advance Module)	3rd Shift 1st Unit	Mechanic (Motor Vehicle)	1 Unit	CoE AM Labs	Recommended
5	Govt. ITI Rourkela Sundergarh  (GU21000499) Grade-2.85 STRIVE	Fitter	3rd Shift 1st Unit	Fitter	1 Unit	Mahindra EV Sponsored Lab	Recommended
		Mechanic (Motor Vehicle)	3rd Shift 7th Unit	Mechanic (Motor Vehicle)	1 Unit	Mini Tool Room	Recommended

6	Govt ITI Barbil KENDUJHAR (GU21000498)	Mechanic (Motor Vehicle)	3rd Shift 1st Unit		Mechanic (Motor Vehicle)	1 Unit	Sponsored Lab	Recommended
	Grade-2.54	Mechanic Machine Tool Maintenance	3rd Shift 1st Unit		Mechanic Machine Tool Maintenance	1 Unit	Mini Tool Room	Recommended
7	Govt. ITI Bhubaneswar (GU21000510)	Electronics Mechanic	3rd Shift 1st Unit		Catering and Hospitality	1 Unit	IOT trades	Recommended
	Grade-3.24 VTIP and STRIVE	Food & Beverages Services Assistant		3rd Shift 1st Unit	Computer Software Applications	1 Unit	CoE AM Labs	Recommended
		Multimedia & Webpage Design (COE Advance Module)		3rd Shift 1st Unit	Electronics Mechanic	1 Unit	CoE in Hospitality Sector (Faculties attached)	Recommended
8	Govt. ITI Jajpur (GU21000593)	Welder		3rd Shift 1st Unit	Welder	1 Unit	CoE in Advanced Cutting & Welding by Messer Cutting	Recommended
9	Govt. ITI Bhawanipatna Kalahandi (GU21000526)	Pressure Vessel & Pipe Welding (COE Advance Module)		3rd Shift 1st Unit	Welder	1 Unit	AM Labs and CTTC Technology Extension Centre	Recommended
	Grade-3.85							
	Grade-2.05 VTIP and STRIVE							




10	SIPT Pattamundai (GU21000518) Grade-2.88	Plumber		3rd Shift 1st Unit	Plumber	1 Unit	Indian Plumbing Sector Skill Council Sponsored Lab	Recommended
11	MITI Cuttack (GU21000500)  Grade-2.16 PPPP, STRIVE	Dress Making		3rd Shift 1st Unit	Dress Making	1 Unit		Recommended
12	Govt. ITI Talcher (GU21000531) Grade-2.52  VTIP	Machinist	3rd Shift 1st Unit		Machinist & Operator Advanced Machine Tools	1 Unit	Mini Tool Room	Recommended
13	Govt. ITI Takatpur (GU21000530)  Grade-3.31 Scheme - PPPP	Turner	3rd Shift 1st Unit		Turner	1 Unit	Mini Tool Room	Recommended
14	ITI Jharsuguda (GU21000601)  Grade-3.66	Fitter		3rd Shift 1st Unit	Fitter	1 Unit	Mini Tool Room	Recommended
15	Govt ITI Malkangiri (GR21000514)  Grade-2.43	Fitter		3rd Shift 1st Unit	Fitter	1 Unit	Mini Tool Room	Recommended

	Scheme - PPPP							
<b>Total</b>			<b>12 units</b>	<b>13 units</b>		<b>25 units</b>		

*[Handwritten signature]*

*[Handwritten signature]*





**Annexure 6 for Agenda No. 6:** Proposals to Start Drone courses in Govt. ITIs

The list of ITIs recommended for affiliation to start short-term Drone courses in 3rd SCAA meeting held on 24.06.2022 are as below-

Sl. No.	State	ITI Name	Government / Private	MIS code	Grading	Name of short-term Drone course
I	II	III	IV	V	VIII	VI
1	Assam	Govt. ITI, Tinsukia	Government	Not Available	Not Available	Proforma is not attached
2	Assam	Govt. ITI, Morigaon	Government	Not Available	Not Available	
3	Assam	Govt. ITI, Jorhat	Government	Not Available	Not Available	
4	Assam	Govt. ITI, Majuli	Government	Not Available	Not Available	
5	Assam	Govt. ITI, South Salmara	Government	Not Available	Not Available	
6	Assam	Govt. ITI, Guwahati	Government	Not Available	Not Available	
7	Assam	Govt. ITI, Tezpur	Government	Not Available	Not	

					Available	
8	Assam	Govt. ITI, (Women) Guwahati	Government	Not Available	Not Available	
9	Assam	Govt. ITI, Gargaon	Government	Not Available	Not Available	
10	Assam	Govt. ITI, Srikona	Government	Not Available	Not Available	
11	Chandigarh	Govt. ITI, Chandigarh	Government	GU04000002	2.95	Drone Service Technician
12	Uttar Pradesh	Govt. ITI, Chargawan Gorakhpur	Government	GR09000754	2.08	Drone Service Technician
13	Uttar Pradesh	Govt. ITI, Barabanki	Government	GR09000134	3.48	Drone Service Technician
14	Uttar Pradesh	Govt. ITI, Saket Meerut	Government	GR09001541	2.37	Drone Service Technician
15	Uttar Pradesh	Govt. ITI, Raebareli	Government	GR09000747	2.63	Drone Service Technician
16	Uttar Pradesh	Govt. ITI, Pandu Nagar Kanpur	Government	GR09000007	2.7	Drone Service Technician

17	Uttar Pradesh	Govt. ITI, Jhansi	Government	GU09001561	2.7	Drone Service Technician
18	Uttar Pradesh	Govt. ITI, Etawah	Government	GR09001569	2.07	Drone Service Technician
19	Uttar Pradesh	Govt. ITI, C.B. Ganj Bareilly	Government	GR09000750	2.22	Drone Service Technician
20	Uttar Pradesh	Govt. ITI, Fatehpur	Government	GU09001565	3.08	Drone Service Technician
21	Uttar Pradesh	Govt. ITI, Karaundi, Varanasi	Government	GR09001474	2.89	Drone Service Technician
22	Uttar Pradesh	Govt. ITI, Shahjahanpur	Government	GU09001558	2.51	Drone Service Technician
23	Uttar Pradesh	Govt. ITI, Balkeshwar Agra	Government	GR09001475	2.12	Drone Service Technician
24	Uttar Pradesh	Govt. ITI, Sitapur	Government	GR09000120	2.06	Drone Service Technician

**Annexure7 for Agenda No. 7:** Proposals for conversion of Govt. ITIs into IToTs

Proposals received from the States of Rajasthan and West Bengal for conversion of Govt. ITIs into IToTs. The recommendation of 3<sup>rd</sup> SCAA is given below in column VII.


1. The proposals received from Rajasthan for Conversion of CTS trades/units to CITS are given below with SCAA remarks:

SI. No.	ITI Name/MIS Code	Name of the trades to-be surrendered	No. of units to be surrendered	Name of the trades proposed for CITS course	No. of units proposed for CITS course	Remarks by 3rd SCAA meeting held on dated 24.06.2022
I	II	III	IV	V	VI	VII
1	Govt. ITI, Ajmer GR08000100	Electrician	01	Electrician	1 unit	Recommended
		Fitter	01	Fitter	1 unit	Recommended
		Turner	01	Turner	1 unit	Recommended
2	Govt. ITI, Alwar GU08000960	Electronic Mechanic	01	Electronic Mechanic	1 unit	Recommended
		Fitter	01	Fitter	1 unit	Recommended
		Mechanic Motor Vehicle	01	Mechanic Motor Vehicle	1 unit	Recommended





		Computer Operator and Programming Assistant	01	Computer Software Application	1 unit	Recommended
3	Govt. ITI, Banswara GR08000964	Electrician	01	Electrician	1 unit	Recommended
4	Govt. ITI, Baran GR08000111	Fitter	01	Fitter	1 unit	Recommended
		Sewing Technology	01	Sewing Technology	1 unit	Recommended
5	Govt. ITI, Barmer GU08000951	Electrician	01	Electrician	1 unit	Recommended
6	Govt. ITI, Bharatpur GU08000943	Electrician	01	Electrician	1 unit	Recommended
		Welder	01	Welder	1 unit	Recommended
		Fitter	01	Fitter	1 unit	Recommended
7	Govt. ITI, Bhilwara GU08000944	Electrician	01	Electrician	1 unit	Recommended
8	Govt. ITI, Bikaner GU08000942	Electrician	01	Electrician	1 unit	Recommended

9	Govt. ITI, Bundi GU08000949	Fitter	01	Fitter	1 unit	Recommended
10	Govt. ITI, Chittorgarh GR08000970	Computer Operator and Programming Assistant	01	Computer Software Application	1 unit	Recommended
11	Govt. ITI, Churu GU08000956	Mechanic Diesel	01	Mechanic Diesel	1 unit	Recommended
12	Govt. ITI, Dausa GR08000095	Electrician	02	Electrician	2 units	Recommended
		Computer Operator and Programming Assistant	01	Computer Software Application	1 unit	Recommended
		Mechanic Diesel	01	Mechanic Diesel	1 unit	Recommended
13	Govt. ITI, Dholpur GU08000957	Wireman	01	Electrician	1 unit	Recommended
14	Govt. ITI, Dungarpur GU08000950	Mechanic Motor Vehicle	01	Mechanic Motor Vehicle	1 unit	Recommended
15	Govt. ITI, Ganganagar GU08000947	Mechanic Diesel	01	Mechanic Diesel	1 unit	Recommended



16	Govt. ITI, Hanumangarh GR08000098	Electrician	01	Electrician	1 unit	Recommended
		Cosmetology	01	Cosmetology	1 unit	Recommended
17	Govt. ITI, Jajpur GR08000079	Fitter	01	Fitter	1 unit	Recommended
		Electrician	01	Electrician	1 unit	Recommended
		Wireman	01	Electrician	1 unit	Recommended
		Mechanic Motor Vehicle	01	Mechanic Motor Vehicle	1 unit	Recommended
		Mechanic (Refrigeration and Air-Conditioner)	01	Mechanic (Refrigeration and Air-Conditioner)	1 unit	Recommended
		Computer Operator and Programming Assistant	02	Computer Software Application	2 units	Recommended
	Information Communication Technology System Maintenance	01	Computer Hardware and Networking Maintenance	1 unit	Recommended	





		Stenographer and Secretarial Assistant (English)	01	Office Management	1 unit	Recommended
		Space Available	Space Available	Fire Technology and Industrial Safety Management*	1 unit	Not Recommended
18	Govt. ITI, Jaisalmer GU08000952	Fitter	01	Fitter	1 unit	Recommended
19	Govt. ITI, Jalor GU08000953	Fitter	01	Fitter	1 unit	Recommended
20	Govt. ITI, Jhalawar GU08000954	Electrician	01	Electrician	1 unit	Recommended
21	Govt. ITI, Jhunjhunun GR08000467	Plumber	01	Plumber	1 unit	Recommended
		Fitter	01	Fitter	1 unit	Recommended
22	Govt. ITI, Jodhpur GU08000939	Electrician	01	Electrician	1 unit	Recommended
		Fitter	01	Fitter	1 unit	Recommended




		Stenographer and Secretarial Assistant (Hindi)	01	Secretarial Assistant (Hindi)	1 unit	Recommended
		Space Available	Space Available	Health Sanitary Inspector*	1 unit	Not Recommended
23	Govt. ITI, Karauli GR08000112	Electronic Mechanic	01	Electronic Mechanic	1 unit	Recommended
		Fitter	01	Fitter	1 unit	Recommended
24	Govt. ITI, Kota GU08000940	Electrician	01	Electrician	1 unit	Recommended
		Mechanic Diesel	01	Mechanic Diesel	1 unit	Recommended
25	Govt. ITI, Nagaur GU08000945	Carpenter	01	Carpenter	1 unit	Recommended
		Wireman	01	Electrician	1 unit	Recommended
		Mechanic Motor Vehicle	01	Mechanic Motor Vehicle	1 unit	Recommended
26	Govt. ITI, Pali GR08000962	Welder	01	Welder	1 unit	Recommended




27	Govt. ITI, Pratapgarh GU08000948	Mechanic Diesel	01	Mechanic Diesel	1 unit	Recommended
28	Govt. ITI, Rajsamand GU08000657	Fitter	01	Fitter	1 unit	Recommended
29	Govt. ITI, Sawai Madhopur GR08000109	Electrician	01	Electrician	1 unit	Recommended
30	Govt. ITI, Sikar GR08000081	Draughtsman (Civil)	01	Draughtsman (Civil)	1 unit	Recommended
		Electrician	01	Electrician	1 unit	Recommended
		Fitter	01	Fitter	1 unit	Recommended
31	Govt. ITI, Sirohi GR08000108	Electronic Mechanic	01	Electronic Mechanic	1 unit	Recommended
32	Govt. ITI, Tonk GR08000967	Computer Operator and Programming Assistant	01	Computer Software Application	1 unit	Recommended
		Electrician	01	Electrician	1 unit	Recommended






33	Govt. ITI, Udaipur GU08000941	Electrician	01	Electrician	1 unit	Recommended
<b>Total</b>					<b>65 units</b>	

\*As per Sl. No. 17 and 22, Govt. ITI Jaipur and Govt. ITI Jodhpur have space available for Trades Fire Technology and Industrial Safety Management and Health Sanitary Inspector respectively.

2. The proposals received from West Bengal for Conversion of CTS trades/units to CITS are given below with SCAA remarks:

Sl. No.	ITI Name/MIS Code	Name of the trades to be surrendered	No. of Units to be surrendered	Name of the trades proposed for CITS course	No. of units proposed for CITS course	Remarks by 3rd SCAA meeting held on dated 24.06.2022
I	II	III	IV	V	VI	VII
1	Govt. ITI, Durgapur GR19000027	Foundryman	02	Electrician	1 unit	Not Recommended
				Fitter	1 unit	Not Recommended
		Plastic Processing Operator	01	Welder	1 unit	Not Recommended

2	Govt. ITI, Siliguri GR19000025	Architectural Draughtsman	02	Electrician	2 units	Not Recommended
		Sheet Metal Worker	02	COPA	2 units	Not Recommended
		Draughtsman Mechanical	02	MMV	2 units	Not Recommended
3	Govt. ITI, Howrah Homes GR19000048	Information Communication Technology System Maintenance	01	Electrician	1 unit	Not Recommended
		Foundryman	02	Fitter	2 units	Not Recommended
		Sheet Metal Worker	01	Turner	1 unit	Not Recommended
		Painter General	01	Turner	1 unit	Not Recommended
4	Govt. ITI, Tollygunge GR19000015	Painter General	01	Welder	1 unit	Not Recommended
		Foundryman	01	Welder	1 unit	Not Recommended

5	Govt. ITI, Gariahat GR19000035	Foundryman	03	Electrician	3 units	Not Recommended
		Sheet Metal Worker	02	Machinist	2 units	Not Recommended
		Carpenter	02	Fitter	2 units	Not Recommended
		Painter General	01	Machinist (Grinder)	1 unit	Not Recommended
<b>Total</b>					<b>24 units</b>	