

DGT-Aff011(51)/18/2022/-O/o DIR(TC)
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Employment Exchange Building,
1st floor, Pusa, New Delhi,
Dated: 11.07.2022

To

The State Directorate
Bihar, Chhattisgarh, Goa, Gujarat, Jammu & Kashmir, Madhya Pradesh, Punjab, Rajasthan,
Tamil Nadu

Subject: Affiliation of Units/Trades/after conversion from SCVT to NCVT-regarding.

Sir,

As per decision taken on E-file the Competent authority Recommended trades/units for session w.e.f. August 2022, for the ITI for the trade/units mentioned in the attached list. The affiliation is granted for five years from the date of issue of this order for the recommended applicant ITIs as per the list attached.

2. The DGT & State officer can inspect the ITI any time for better performance & training
 - (i) Periodic verification.
 - (ii) The ITI must comply with DGT norms/guidelines issued from time to time.
 - (iii) ITI must display the newly released logo of ITI on the Display Board at the main gate.
3. The said information is also available under "News & Updates" on NCVT MIS Portal at <https://ncvtmis.gov.in>.
4. Affiliation of Trades/Units mentioned in this order valid till the validity of affiliation of ITIs and ITI should apply for "Renewal of Affiliation" as per DGT Norms.
5. Discrepancies if any in the affiliation orders, may be intimated to the undersigned within 15 days of issue of this order.

Yours faithfully



(Ujjwal Biswas)
Director TC

Copy along with enclosures for information to:

1. Sr PPS to Chairman Standing Committee on Accreditation and Affiliation (SCAA)-DGT.
2. Sr PPS to DDG (Affiliation).
3. The officer dealing with NCVT MIS: - To please upload the order on NCVT MIS portal



(P.M. Damodharam)
Assistant Director TC

STATE: Bihar
Total – 108, (New-00, Existing-108)

SCVT to NCVT

Sl. No.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1	GOVT. ITI BENIPUR, DARBHANGA	GR10001384	Existing	Electrician	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				Fitter	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				Electronics Mechanic	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				Mechanic Diesel	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				Welder	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
2	GOVT ITI RAJAULI NAWADA	GR10001315	Existing	Electrician	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				Electronics Mechanic	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				Fitter	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				Mechanic Diesel	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				Welder	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
3	GOVT ITI SASARAM, ROHTAS	GR10001392	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				Fitter	2(1+1)	2(1+1)	2(1+1)	Recommended
				Electronics Mechanic	2(1+1)	2(1+1)	2(1+1)	Recommended
				ICTSM	2(1+1)	2(1+1)	2(1+1)	Recommended
				Welder	2(1+1)	2(1+1)	2(1+1)	Recommended
				Mechanic Diesel	2(1+1)	2(1+1)	2(1+1)	Recommended
4	GOVT. ITI SARMERA, NALANDA	GR10001388	Existing	Electrician	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRONIC MECHANIC	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				FITTER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MECHANIC DIESEL	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				WELDER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
5	GOVT. ITI BARH, PATNA	GR10001377	Existing	Electrician	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				FITTER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRONICS MECHANIC	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MECHANIC DIESEL	2 (1+1)	2 (1+1)	2 (1+1)	Recommended



11/7



STATE: Bihar Total – 108, (New-00, Existing-108)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
				WELDER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
6	Government ITI BAKHRI BEGUSARAI	GR10001353	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				Fitter	2(1+1)	2(1+1)	2(1+1)	Recommended
				Electronics Mechanic	2(1+1)	2(1+1)	2(1+1)	Recommended
				ICTSM	2(1+1)	2(1+1)	2(1+1)	Recommended
				Mechanic Diesel	2(1+1)	2(1+1)	2(1+1)	Recommended
				Welder	2(1+1)	2(1+1)	2(1+1)	Recommended
7	BUNIYAD RAMKRISHNA TILAK INDUSTRIAL TRAINING INSTITUTE BISFI, MADHUBANI	GR10001310	Existing	Electrician	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				FITTER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MRAC	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MECHANIC DIESEL	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				WELDER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
8	GOVT ITI KAWAKOL NAWADA (LWE)	GR10001379	Existing	Electrician	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRONICS MECHANICS	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended




STATE: Bihar Total – 108, (New-00, Existing-108)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
9	GOVT ITI BOUNSI BANKA(LWE)	GR10001331	Existing	FITTER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				DRAUGHT MAN CIVIL	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				Electrician	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRONIC MECHANIC	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				FITTER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
10	GOVT ITI MUZAFFARPUR (LWE)	GU10001322	Existing	DRAUGHTSMAN CIVIL	2 (1+1)	2(1+1)	2(1+1)	Recommended
				Electrician	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				DMC	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				FITTER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRONIC MECHANICS	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
11	Govt. Industrial Training Institute (LWE) Sonbhadra Bansi Arwal	GR10001342	Existing	Electrician	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				FITTER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				Electronics Mechanic	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				Draughtsman civil	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
12	ITI CHAKIA, EAST CHAMPARAN	GR10001317	Existing	Electrician	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				Filter	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				Electronics Mechanic	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				Welder	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				Mechanic Diesel	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
13	INDUSTRIAL TRAINING INSTITUTE SHIVNAGAR BENIPATTI MADHUBANI	GR10001327	Existing	Electrician	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				FITTER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MECHANIC TRACTOR	01 (1+0)	01 (1+0)	01 (1+0)	Recommended

STATE: Bihar
Total – 108, (New-00, Existing-108)

SCVT to NCVT

Sl. No.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
14	Government ITI Balia Begusarai	GR10001351	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				Fitter (SCVT)	2(1+1)	2(1+1)	2(1+1)	Recommended
				Electronics Mechanic (SCVT)	2(1+1)	2(1+1)	2(1+1)	Recommended
				ICTSM (SCVT)	2(1+1)	2(1+1)	2(1+1)	Recommended
				Mechanic Diesel (SCVT)	2(1+1)	2(1+1)	2(1+1)	Recommended
				Welder (SCVT)	2(1+1)	2(1+1)	2(1+1)	Recommended
15	ITI SIKRAHNA, EAST CHAMPARAN	GR10001332	Existing	Electrician	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				Fitter	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				Electronics Mechanic	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				Welder	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				Mechanic Diesel	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
16	ITI PATNA CITY, PATNA	GU10001382	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				FITTER	2(1+1)	2(1+1)	2(1+1)	Recommended
				ELECTRONICS MECHANIC	2(1+1)	2(1+1)	2(1+1)	Recommended
				ICTSM	2(1+1)	2(1+1)	2(1+1)	Recommended
				MECHANIC DIESEL	2(1+1)	2(1+1)	2(1+1)	Recommended
				WELDER	2(1+1)	2(1+1)	2(1+1)	Recommended
17	Government ITI Teghra, Begusarai	GR10001366	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				Fitter (SCVT)	2(1+1)	2(1+1)	2(1+1)	Recommended
				Electronics Mechanic (SCVT)	2(1+1)	2(1+1)	2(1+1)	Recommended
				ICTSM (SCVT)	2(1+1)	2(1+1)	2(1+1)	Recommended
				Mechanic Diesel (SCVT)	2(1+1)	2(1+1)	2(1+1)	Recommended
				Welder (SCVT)	2(1+1)	2(1+1)	2(1+1)	Recommended
	GOVT ITI Mahnar	GR10001338	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				Fitter	2(1+1)	2(1+1)	2(1+1)	Recommended




STATE: Bihar Total – 108, (New-00, Existing-108)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
18				Electronics Mechanic	2(1+1)	2(1+1)	2(1+1)	Recommended
				ICTSM	2(1+1)	2(1+1)	2(1+1)	Recommended
				Welder	2(1+1)	2(1+1)	2(1+1)	Recommended
				Mechanic Diesel	2(1+1)	2(1+1)	2(1+1)	Recommended
19	Govt. ITI Mahua, Vaishali.	GR10001391	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				ELECTRONICS MECH.	2(1+1)	2(1+1)	2(1+1)	Recommended
				ICTSM	2(1+1)	2(1+1)	2(1+1)	Recommended
				FITTER	2(1+1)	2(1+1)	2(1+1)	Recommended
				MECHANIC DIESEL	2(1+1)	2(1+1)	2(1+1)	Recommended
				WELDER	2(1+1)	2(1+1)	2(1+1)	Recommended
20	Govt. ITI Kahalgaon (Bhagalpur)	GR10001383	Existing	Electrician	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRONIC MECHANIC	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				FITTER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MECHANIC DIESEL	2(1+1)	2(1+1)	2(1+1)	Recommended
				WELDER	2(1+1)	2(1+1)	2(1+1)	Recommended
21	Government ITI ROSERA SAMASTIPUR	GR10001396	Existing	Electrician	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRONIC MECHANIC	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				FITTER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MECHANIC DIESEL	2 (1+1)	2(1+1)	2(1+1)	Recommended
				WELDER	2 (1+1)	2(1+1)	2(1+1)	Recommended
22	GOVT ITI NAUGACHIA, BHAGALPUR	GR10001354	Existing	Electrician	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRONIC MECHANIC	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				FITTER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended




STATE: Bihar
Total - 108, (New-00, Existing-108)

SCVT to NCVT


Sl. No.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCVT/State	Trade/units Approved by DGT Recommendation Committee	
23	Government ITI DALSINGH SARAI SAMASTIPUR	GU10001395	Existing	MECHANIC DIESEL	2 (1+1)	2(1+1)	2(1+1)	Recommended
				WELDER	2 (1+1)	2(1+1)	2(1+1)	Recommended
				Electrician	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRONIC MECHANIC	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				FITTER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
24	GOVT ITI, Lakhisarai	GU10001275	Existing	MECHANIC DIESEL	2 (1+1)	2(1+1)	2(1+1)	Recommended
				WELDER	2 (1+1)	2(1+1)	2(1+1)	Recommended
				ELECTRICIAN	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2(1+1)	2(1+1)	2(1+1)	Recommended
25	Govt, ITI Chapra, Saran	GU10001313	Existing	MECHANIC DIESEL	2(1+1)	2(1+1)	2(1+1)	Recommended
				WELDER	2(1+1)	2(1+1)	2(1+1)	Recommended
				ELECTRICIAN	2(1+1)	2(1+1)	2(1+1)	Recommended
				FITTER	2(1+1)	2(1+1)	2(1+1)	Recommended
				ELECTRONICS MECHANIC	2(1+1)	2(1+1)	2(1+1)	Recommended
				ICTSM	2(1+1)	2(1+1)	2(1+1)	Recommended
26	GOVERNMENT ITI BIRAU, DARBHANGA	GR10001378	Existing	MECHANIC DIESEL	2(1+1)	2(1+1)	2(1+1)	Recommended
				WELDER	2(1+1)	2(1+1)	2(1+1)	Recommended
				ELECTRICIAN	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				FITTER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRONICS MECHANIC	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
	Government ITI Manjhaul, Begusarai	GU10001368	Existing	Electrician (SCVT)	2(1+1)	2(1+1)	2(1+1)	Recommended
				Fitter (SCVT)	2(1+1)	2(1+1)	2(1+1)	Recommended




STATE: Bihar Total – 108, (New-00, Existing-108)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
27				Electronics Mechanic (SCVT)	2(1+1)	2(1+1)	2(1+1)	Recommended
				ICTSM (SCVT)	2(1+1)	2(1+1)	2(1+1)	Recommended
				Mechanic Diesel (SCVT)	2(1+1)	2(1+1)	2(1+1)	Recommended
				Welder (SCVT)	2(1+1)	2(1+1)	2(1+1)	Recommended
28	GOVT ITI HATHWA	GR10000042	Existing	ELECTRICIAN	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				FITTER	2((1+1)	2((1+1)	2((1+1)	Recommended
				MECH. DIESEL	04(4+0)	04(4+0)	04(4+0)	Recommended
				MMV	04(2+2)	04(2+2)	04(2+2)	Recommended
				MRAC	04(2+2)	04(2+2)	04(2+2)	Recommended
				ELECTRONICS MECHANIC	04(2+2)	04(2+2)	04(2+2)	Recommended
29	GOVT. ITI HAWELI KHARAGPUR	GR10001344	Existing	Electrician	2(1+1)	2 (1+1)	2 (1+1)	Recommended
				Mech. Electronic	2(1+1)	2 (1+1)	2 (1+1)	Recommended
				Fitter	2(1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2(1+1)	2 (1+1)	2 (1+1)	Recommended
				Mech. Diesel	2(1+1)	2 (1+1)	2 (1+1)	Recommended
				Welder	2(1+1)	2 (1+1)	2 (1+1)	Recommended
30	GOVT. ITI MADHUBANI SADAR	GR10001329	Existing	ELECTRICIAN	2(1+1)	2(1+1)	2(1+1)	Recommended
				FITTER	2(1+1)	2(1+1)	2(1+1)	Recommended
				ELECTRONICS MECHANIC	2(1+1)	2(1+1)	2(1+1)	Recommended
				ICTSM	2(1+1)	2(1+1)	2(1+1)	Recommended
				Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	Recommended
				WELDER	2(1+1)	2(1+1)	2(1+1)	Recommended
31	GOVT ITI, MADHEPURA	GU10001337	Existing	ELECTRICIAN	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRONIC MECHANIC	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				FITTER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended




STATE: Bihar Total – 108, (New-00, Existing-108)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
32	GOVT. ITI SIMRI BAKHTIYARPUR, SAHARSA	GR10001374	Existing	MECHANIC DIESEL	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				WELDER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRICIAN	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				FITTER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRONIC MECHANIC	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
33	Govt. Industrial Training Institute Masaurhi, Patna	GR10001321	Existing	MECH. DIESEL	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				WELDER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRICIAN	2(1+1)	2(1+1)	2(1+1)	Recommended
				FITTER	2(1+1)	2(1+1)	2(1+1)	Recommended
				ELECTRONICS MECHANIC	2(1+1)	2(1+1)	2(1+1)	Recommended
				ICTSM	2(1+1)	2(1+1)	2(1+1)	Recommended
34	GOVT. INDUSTRIAL TRAINING INSTITUTE, DUMRAON, BUXAR,	GR10001316	Existing	WELDER	2(1+1)	2(1+1)	2(1+1)	Recommended
				MECHANIC DIESEL	2(1+1)	2(1+1)	2(1+1)	Recommended
				ELCTRICIAN	2(1+1)	2(1+1)	2(1+1)	Recommended
				ELECTRONICS MECH	2(1+1)	2(1+1)	2(1+1)	Recommended
				FITTER	2(1+1)	2(1+1)	2(1+1)	Recommended
				ICTSM	2(1+1)	2(1+1)	2(1+1)	Recommended
35	GOVT ITI UDAKISHUNGANJ, MADHEPURA	GR10001336	Existing	WELDER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MECHANIC DIESEL	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				FITTER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRONIC MECHANIC	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRICIAN	2 (1+1)	2 (1+1)	2 (1+1)	Recommended



STATE: Bihar Total – 108, (New-00, Existing-108)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
36	Government ITI PAKARIDAYAL, East Champaran	GR10001312	Existing	ELECTRICIAN	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRONIC MECHANIC	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				FITTER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MECHANIC DIESEL	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				WELDER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
37	Govt. Industrial Training Institute Ninnali Supaul	GR10001362	Existing	ELECTRICIAN	2(1+1)	2(1+1)	2(1+1)	Recommended
				FITTER	2(1+1)	2(1+1)	2(1+1)	Recommended
				ELECTRONICS MECHANIC	2(1+1)	2(1+1)	2(1+1)	Recommended
				ICTSM	2(1+1)	2(1+1)	2(1+1)	Recommended
				WELDER	2(1+1)	2(1+1)	2(1+1)	Recommended
				MECHANIC DIESEL	2(1+1)	2(1+1)	2(1+1)	Recommended
38	GOVT. ITI ARARIA	GU10001390	Existing	ELECTRICIAN	2(1+1)	2(1+1)	2(1+1)	Recommended
				ELECTRONIC MECHANIC	2(1+1)	2(1+1)	2(1+1)	Recommended
				FITTER	2(1+1)	2(1+1)	2(1+1)	Recommended
				ICTSM	2(1+1)	2(1+1)	2(1+1)	Recommended
				MECHANIC DIESEL	2(1+1)	2(1+1)	2(1+1)	Recommended
				WELDER	2(1+1)	2(1+1)	2(1+1)	Recommended
39	GOVT. ITI SAHARSA	GU10001326	Existing	ELECTRICIAN	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				FITTER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MRAC	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MECH. DIESEL	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				WELDER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE BIHIYA, BHOJPUR,	GR10001394	Existing	ELECTRICIAN	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				FITTER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended




STATE: Bihar
Total - 108, (New-00, Existing-108)

SCVT to NCVT

Sl. No.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
40				MRAC	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MECHANIC DIESEL	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				WELDER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
41	GOVT ITI GOPALGANJ	GR10001361	Existing	ELECTRICIAN	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRONIC MECHANIC	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				FITTER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				WELDER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MACHANIC DIESEL	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
42	GOVT. Industrial Training Institute, Gogari (Khagaria)	GR10001346	Existing	ELECTRICIAN	2(1+1)	2(1+1)	2(1+1)	Recommended
				FITTER	2(1+1)	2(1+1)	2(1+1)	Recommended
				ELECTRONICS MECHANIC	2(1+1)	2(1+1)	2(1+1)	Recommended
				ICTSM	2(1+1)	2(1+1)	2(1+1)	Recommended
				WELDER	2(1+1)	2(1+1)	2(1+1)	Recommended
				MECHANIC DIESEL	2(1+1)	2(1+1)	2(1+1)	Recommended
43	GOVT. ITI, SIWAN	GR10001364	Existing	ELECTRICIAN	2(1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRONIC MECHANIC	2(1+1)	2 (1+1)	2 (1+1)	Recommended
				FITTER	2(1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2(1+1)	2 (1+1)	2 (1+1)	Recommended
				MECHANIC DIESEL	2(1+1)	2 (1+1)	2 (1+1)	Recommended
				WELDER	2(1+1)	2 (1+1)	2 (1+1)	Recommended
44	GOVT. I.T.I MAHARAJGANJ, SIWAN	GR10001311	Existing	Fitter	2(1+1) SCVT	2 (1+1)	2 (1+1)	Recommended
				Electrician	2(1+1) SCVT	2 (1+1)	2 (1+1)	Recommended
				Mechanic Electronic	2(1+1) SCVT	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2(1+1) SCVT	2 (1+1)	2 (1+1)	Recommended



STATE: Bihar Total – 108, (New-00, Existing-108)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
45	GOVT. INDUSTRIAL TRAINING INSTITUTE, MOHANIA, KAIMUR	GR10001349	Existing	Mechanic Diesel	2(1+1) SCVT	2 (1+1)	2 (1+1)	Recommended
				Welder	2(1+1) SCVT	2 (1+1)	2 (1+1)	Recommended
				ELECTRICIAN	2(1+1)	2(1+1)	2(1+1)	Recommended
				FITTER	2(1+1)	2(1+1)	2(1+1)	Recommended
				ELECTRONICS MECHANIC	2(1+1)	2(1+1)	2(1+1)	Recommended
				ICTSM	2(1+1)	2(1+1)	2(1+1)	Recommended
				MECH DIESEL	2(1+1)	2(1+1)	2(1+1)	Recommended
46	Govt. I.T.I. Semra Bazar, Bagaha, West Champaran, Bihar	GR10001357	Existing	WELDER	2(1+1)	2(1+1)	2(1+1)	Recommended
				ELECTRICIAN	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				FITTER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MECHANIC ELECTRONICS	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MECHANIC DIESEL	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				WELDER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
47	Govt. I.T.I. Narkatiyaganj, West Champaran, Bihar	GR10001375	Existing	WELDER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRICIAN	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				FITTER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MECHANIC ELECTRONICS	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MECHANIC DIESEL	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				WELDER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
48	GOVT. ITI MANIHAR, KATI HAR	GR10001372	Existing	Welder	2(1+1)	2 (1+1)	2 (1+1)	Recommended
				Electrician	2(1+1)	2 (1+1)	2 (1+1)	Recommended
				Mech Electronic	2(1+1)	2 (1+1)	2 (1+1)	Recommended
				Fitter	2(1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2(1+1)	2 (1+1)	2 (1+1)	Recommended
				Mech Diesel	2(1+1)	2 (1+1)	2 (1+1)	Recommended
				Welder	2(1+1)	2 (1+1)	2 (1+1)	Recommended

STATE: Bihar
Total – 108, (New-00, Existing-108)

SCVT to NCVT

Sl. No.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
49	GOVT ITI ARERAJ.EAST CHAMPARAN	GR10001324	Existing	ELECTRICIAN	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRONIC MECHANIC	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				FITTER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MECHANIC DIESEL	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				WELDER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
50	GOVT ITI RAXAUL.EAST CHAMPARAN	GR10001347	Existing	ELECTRICIAN	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRONIC MECHANIC	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				FITTER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MECHANIC DIESEL	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				WELDER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
51	GOVT. Industrial Training Institute. Khagaria	GR10001387	Existing	ELECTRICIAN	2(1+1)	2(1+1)	2(1+1)	Recommended
				FITTER	2(1+1)	2(1+1)	2(1+1)	Recommended
				ELECTRONICS MECHANIC	2(1+1)	2(1+1)	2(1+1)	Recommended
				ICTSM	2(1+1)	2(1+1)	2(1+1)	Recommended
				WELDER	2(1+1)	2(1+1)	2(1+1)	Recommended
				MECHANIC DIESEL	2(1+1)	2(1+1)	2(1+1)	Recommended
52	GOVT. ITI BAISI PURNEA	GR10001318	Existing	ELECTRICIAN	2(1+1)	2(1+1)	2(1+1)	Recommended
				FITTER	2(1+1)	2(1+1)	2(1+1)	Recommended
				ELECTRONICS MECHANIC	2(1+1)	2(1+1)	2(1+1)	Recommended
				ICTSM	2(1+1)	2(1+1)	2(1+1)	Recommended
				WELDER	2(1+1)	2(1+1)	2(1+1)	Recommended
				MECHANIC DIESEL	2(1+1)	2(1+1)	2(1+1)	Recommended
	GOVT. ITI BANMANKHIL, PURNEA	GR10001320	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				Electronics mechanics	2(1+1)	2(1+1)	2(1+1)	Recommended




STATE: Bihar
Total – 108, (New-00, Existing-108)

SCVT to NCVT

Sl. No.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
53				ICTSM	2(1+1)	2(1+1)	2(1+1)	Recommended
				FITTER	2(1+1)	2(1+1)	2(1+1)	Recommended
				Welder	2(1+1)	2(1+1)	2(1+1)	Recommended
				Diesel mechanic	2(1+1)	2(1+1)	2(1+1)	Recommended
54	GOVT. I.T.I. BELSAND, SITAMARHI	GR10001363	Existing	ELECTRICIAN	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRONIC MECHANIC	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				FITTER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MECHANIC DIESEL	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				WELDER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
55	ITI JHANJHARPUR, MADHUBANI	GR10001393	Existing	ELECTRICIAN	2(1+1)	2(1+1)	2(1+1)	Recommended
				FITTER	2(1+1)	2(1+1)	2(1+1)	Recommended
				ELECTRONICS MECHANIC	2(1+1)	2(1+1)	2(1+1)	Recommended
				I.C.T.S.M	2(1+1)	2(1+1)	2(1+1)	Recommended
				MECHANIC DIESEL	2(1+1)	2(1+1)	2(1+1)	Recommended
				WELDER	2(1+1)	2(1+1)	2(1+1)	Recommended
56	GOVT. I.T.I. PUPRI, SITAMARHI	GR10001376	Existing	ELECTRICIAN	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRONIC MECHANIC	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				FITTER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MECHANIC DIESEL	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				WELDER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
57	GOVT. ITI SAMASTIPUR	GR10001325	Existing	ELECTRICIAN	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				FITTER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MECHANIC ELECTRONIC	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended

STATE: Bihar Total – 108, (New-00, Existing-108)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
				MECHANIC DIESEL	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				WELDER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
58	GOVT. ITI BIRPUR SUPAUL	GR1000043	Existing	Electrician	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				Fitter	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				Electronic Mechanic	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				Draughtsmen (Civil)	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
59	GOVT. ITI TRIVENIGANJ, SUPAUL	GR10001340	Existing	Electrician	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				Fitter	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				Electronic Mechanic	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				Mech. Diesel	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				Welder	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
60	GOVT. ITI SHEOHAR	GR10001352	Existing	ELECTRICIAN	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRONIC MECHANIC	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				FITTER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MECHANIC DIESEL	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				WELDER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
61	GOVT. ITI SONPUR SARAN	GR10001314	Existing	ELECTRICIAN	2(1+1)	2(1+1)	2(1+1)	Recommended
				FITTER	2(1+1)	2(1+1)	2(1+1)	Recommended
				MECHANICS ELECTRONICS	2(1+1)	2(1+1)	2(1+1)	Recommended
				ICTSM	2(1+1)	2(1+1)	2(1+1)	Recommended
				WELDER	2(1+1)	2(1+1)	2(1+1)	Recommended
				MECHANICS, DIESEL	2(1+1)	2(1+1)	2(1+1)	Recommended
	GOVT. INDUSTRIAL TRAINING INSTITUTE JAINAGAR MADHUBANI	GR10001358	Existing	ELECTRICIAN	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				FITTER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended




STATE: Bihar Total – 108, (New-00, Existing-108)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
62				MECHANIC Electronics	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MECHANIC DIESEL	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				WELDER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
63	GOVT. INDUSTRIAL TRAINING INSTITUTE BIHTA, DANAPUR, PATNA	GU10001343	Existing	ELECTRICIAN	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				FITTER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MECHANIC Electronics	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MECHANIC DIESEL	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				WELDER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
64	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, PIRO, KOTHAUA, DISTRICT- BHOJPUR	GR10001323	Existing	ELECTRICIAN	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				FITTER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRONICS MECHANIC	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MECHANIC DIESEL	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				WELDER	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
65	Women ITI Aurangabad	GU10001386	Existing	Electrician	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRONIC MECHANIC	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MCEA	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
66	GOVT WOMEN ITI SASARAM, ROHTAS	GU10001348	Existing	ELECTRICIAN	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRONIC MECHANIC	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MCEA	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
67	GOVT WITI, Lakhisarai	GR10001356	Existing	ELECTRICIAN	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended




STATE: Bihar
Total – 108, (New-00, Existing-108)

SCVT to NCVT

Sl. No.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
				Mechanic Electronics	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MCEA	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
68	GOVT. WITI KATIHAR	GU10001345	Existing	ELECTRICIAN	2(1+1)	2(1+1)	2(1+1)	Recommended
				ELECTRONIC MECHANIC	2(1+1)	2(1+1)	2(1+1)	Recommended
				MCEA	2(1+1)	2(1+1)	2(1+1)	Recommended
				ICTSM	2(1+1)	2(1+1)	2(1+1)	Recommended
69	GOVT WOMEN ITI BANKA	GR10001330	Existing	ELECTRICIAN	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRONIC MECHANIC	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MECA	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
70	GOVT WOMEN INDUSTRIAL TRAINING INSTITUTE JAMUI	GU10001319	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				Electronics Mechanic	2(1+1)	2(1+1)	2(1+1)	Recommended
				ICTSM	2(1+1)	2(1+1)	2(1+1)	Recommended
				MCEA	2(1+1)	2(1+1)	2(1+1)	Recommended
71	WOMEN ITI NALANDA	GR10001389	Existing	ELECTRICIAN	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRONIC MECHANIC	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MECHANIC CONSUMER ELECTRONIC APPLIANCES	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				INFORMATION COMMUNICATION TECHNOLOGY & SYSTEM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
72	WITI MADHUBANI	GR10001328	Existing	ELECTRICIAN	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRONICS MECHANIC	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MCEA	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
73	Government Women Industrial Training Institute, Bettiah West Champaran, Bihar	GU10001369	Existing	ELECTRICIAN	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MCEA	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MECHANIC ELECTRONICS	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended




STATE: Bihar Total – 108, (New-00, Existing-108)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
74	GOVT. WOMEN ITI GOPALGANJ	GU10001360	Existing	ELECTRICIAN	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRONIC MECHANIC	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MCEA	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
75	GOVT. WITI, MADHEPURA	GU10001335	Existing	ELECTRICIAN	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRONIC MECHANIC	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MCEA	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
76	GOVT. WITI, KHAGARIA	GU10001385	Existing	ELECTRICIAN	2(1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRONIC MECHANIC	2(1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2(1+1)	2 (1+1)	2 (1+1)	Recommended
				MCEA	2(1+1)	2 (1+1)	2 (1+1)	Recommended
77	Govt. WITI Sheikhupura	GU10001373	Existing	ELECTRICIAN	2(1+1)	2(1+1)	2(1+1)	Recommended
				ELECTRONICS MECH.	2(1+1)	2(1+1)	2(1+1)	Recommended
				ICTSM	2(1+1)	2(1+1)	2(1+1)	Recommended
				MCEA	2(1+1)	2(1+1)	2(1+1)	Recommended
78	GOVT. WOMEN ITI SAMASTIPUR	GR10001339	Existing	ELECTRICIAN	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MECHANIC ELECTRONIC	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MCEA	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
79	GOVT. WITI ARWAL	GR10001334	Existing	ELECTRICIAN	2(1+1)	2(1+1)	2(1+1)	Recommended
				MECHANICS ELECTRONICS	2(1+1)	2(1+1)	2(1+1)	Recommended
				ICTSM	2(1+1)	2(1+1)	2(1+1)	Recommended
				MCEA	2(1+1)	2(1+1)	2(1+1)	Recommended
80	GOVT. WOMEN ITI KISHANGANJ	GU10001381	Existing	ELECTRICIAN	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				MECHANIC ELECTRONIC	2 (1+1)	2 (1+1)	2 (1+1)	Recommended

STATE: Bihar

Total – 108, (New-00, Existing-108)

SCVT to NCVT

Sl. No.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
				I.C.T.S.M	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				M.C.E.A	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRICIAN	2(1+1)	2(1+1)	2(1+1)	Recommended
				ELECTRONICS MECHANIC	2(1+1)	2(1+1)	2(1+1)	Recommended
81	Govt Women Industrial Training Institute, Kaimur (Bhabua)	GR10001333	Existing	ICTSM	2(1+1)	2(1+1)	2(1+1)	Recommended
				MCEA	2(1+1)	2(1+1)	2(1+1)	Recommended
				ELECTRICIAN	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRONIC MECHANIC	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
82	GOVT. WOMEN ITI SHEOHAR	GR10001365	Existing	MCEA	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRICIAN	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRONIC MECHANIC	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
83	WOMEN ITI SAHARSA	GU10001367	Existing	IoT TECHNICAL (SMART HEALTHCARE)	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ICTSM	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRONICS MECHANIC	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
				ELECTRICIAN	2 (1+1)	2 (1+1)	2 (1+1)	Recommended
84	GOVT. WOMEN ITI NAWADA, Gonawa Nawada - 805111 (Bihar)	GU10001292	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				Electronic Mechanic	2(1+1)	2(1+1)	2(1+1)	Recommended
				Mechanic Consumer Electronic Appliances	2(1+1)	2(1+1)	2(1+1)	Recommended
				I.C.T.S.M	2(1+1)	2(1+1)	2(1+1)	Recommended
85	GOVT. WOMEN ITI SITAMARHI, ITI Campus, Shanti Nagar, Dumra, Sitamarhi Pin Code- 843301	GU10001298	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				Electronic Mechanic	2(1+1)	2(1+1)	2(1+1)	Recommended
				Mechanic Consumer Electronic Appliances	2(1+1)	2(1+1)	2(1+1)	Recommended
				I.C.T.S.M	2(1+1)	2(1+1)	2(1+1)	Recommended
86	GOVT. ITI THAKURGANJ, At- Churli Hat, Thakurganj, Kishanganj- 855116	GR10001296	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				Electronic Mechanic	2(1+1)	2(1+1)	2(1+1)	Recommended
				FITTER	2(1+1)	2(1+1)	2(1+1)	Recommended
				I.C.T.S.M	2(1+1)	2(1+1)	2(1+1)	Recommended




STATE: Bihar Total – 108, (New-00, Existing-108)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
87	Govt. ITI SHEIKHPURA, At- Khuria, P.O.-Panhesa, PS-Sheikhpursarai, Distt.-Sheikhpura (Bihar ,Pin-811103.	GR10001303	Existing	Mechanic Diesel	2(1+1)	2(1+1)	2(1+1)	Recommended
				Welder	2(1+1)	2(1+1)	2(1+1)	Recommended
				Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				Fitter	2(1+1)	2(1+1)	2(1+1)	Recommended
				Electronic Mechanic	2(1+1)	2(1+1)	2(1+1)	Recommended
				I.C.T.S. M	2(1+1)	2(1+1)	2(1+1)	Recommended
				Welder	2(1+1)	2(1+1)	2(1+1)	Recommended
88	Govt ITI, Dhamdaha Village –Saweiya, Post-Rangpur P.S.-Mirganj, Block-Dhamdaha, Dist-Purnea-854304	GR1000132	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				Fitter	2(1+1)	2(1+1)	2(1+1)	Recommended
				Electronic Mechanic	2(1+1)	2(1+1)	2(1+1)	Recommended
				I.C.T.S. M	2(1+1)	2(1+1)	2(1+1)	Recommended
				Welder	2(1+1)	2(1+1)	2(1+1)	Recommended
				Mechanics Diesel	2(1+1)	2(1+1)	2(1+1)	Recommended
89	Govt. ITI, Barsoi, P.O. Barsoi Ghat , Ps. Barsoi, Dist. Katihar. Pin. 854317	GR10001307	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				Fitter	2(1+1)	2(1+1)	2(1+1)	Recommended
				Electronic Mechanic	2(1+1)	2(1+1)	2(1+1)	Recommended
				I.C.T.S. M	2(1+1)	2(1+1)	2(1+1)	Recommended
				Welder	2(1+1)	2(1+1)	2(1+1)	Recommended
				Mechanics Diesel	2(1+1)	2(1+1)	2(1+1)	Recommended
90	Govt. Women ITI, Purnea, Industrial Growth Center, Near MAFA Petrol Pump Maranga, Purnea-854301	GU10001293	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				Electronic Mechanic	2(1+1)	2(1+1)	2(1+1)	Recommended
				I.C.T.S. M	2(1+1)	2(1+1)	2(1+1)	Recommended
				Computer Aided Embroidery and Design	2(1+1)	2(1+1)	2(1+1)	Recommended
	Govt. ITI, Kaimur (Bhabua) At-Itadi, Dist.-Kaimur Pin-821109	GR10001291	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				Fitter	2(1+1)	2(1+1)	2(1+1)	Recommended

STATE: Bihar
Total – 108, (New-00, Existing-108)

SCVT to NCVT

Sl. No.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
91				Mechanic refrigeration & air conditioning	2(1+1)	2(1+1)	2(1+1)	Recommended
				Mechanics Diesel	2(1+1)	2(1+1)	2(1+1)	Recommended
				Welder	2(1+1)	2(1+1)	2(1+1)	Recommended
				I.C.T.S. M	2(1+1)	2(1+1)	2(1+1)	Recommended
92	Govt. ITI., Muzaffarpur Pashchim, Motipur, Thiakhan, Muzaffarpur-843111	GR10001306	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				Fitter	2(1+1)	2(1+1)	2(1+1)	Recommended
				Electronic Mechanic	2(1+1)	2(1+1)	2(1+1)	Recommended
				I.C.T.S. M	2(1+1)	2(1+1)	2(1+1)	Recommended
				Welder	2(1+1)	2(1+1)	2(1+1)	Recommended
				Mechanics Diesel	2(1+1)	2(1+1)	2(1+1)	Recommended
93	GOVT. ITI, ARWAL, At-Shivnagar, Pakharpur Dist-Arwal Pin code-804401	GR10001305	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				Fitter	2(1+1)	2(1+1)	2(1+1)	Recommended
				Electronic Mechanic	2(1+1)	2(1+1)	2(1+1)	Recommended
				I.C.T.S. M	2(1+1)	2(1+1)	2(1+1)	Recommended
				Welder	2(1+1)	2(1+1)	2(1+1)	Recommended
				Mechanics Diesel	2(1+1)	2(1+1)	2(1+1)	Recommended
94	Govt. WOMEN ITI, Buxar, Po-Nai Bazar Buxar, Ps- Buxar, District Buxar, Pin Code-82101	GU10001294	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				Mechanic Consumer Electronic Appliance	2(1+1)	2(1+1)	2(1+1)	Recommended
				Electronic Mechanic	2(1+1)	2(1+1)	2(1+1)	Recommended
				I.C.T.S. M	2(1+1)	2(1+1)	2(1+1)	Recommended
95	Govt ITI, Paliganj, At-Khirinore, PO-Khanpura, PS- Khirimore, Near power sub station. Paliganj, Patna- 801110 (Bihar)	GR10001297	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				Fitter	2(1+1)	2(1+1)	2(1+1)	Recommended
				Electronic Mechanic	2(1+1)	2(1+1)	2(1+1)	Recommended
				I.C.T.S. M	2(1+1)	2(1+1)	2(1+1)	Recommended
				Welder	2(2+0)	2(2+0)	2(2+0)	Recommended
				Mechanics Diesel	2(2+0)	2(2+0)	2(2+0)	Recommended

STATE: Bihar Total – 108, (New-00, Existing-108)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
96	Govt. WOMEN ITI BEGUSARAI, Panhas, P.O - Suhirdnagar Begusarai-851218	GU10001300	Existing	Electrician	4(2+2)	4(2+2)	4(2+2)	Recommended
				Electronic Mechanic	2(1+1)	2(1+1)	2(1+1)	Recommended
				I.C.T.S. M	2(1+1)	2(1+1)	2(1+1)	Recommended
				Mechanic Consumer Electronic Appliance	2(1+1)	2(1+1)	2(1+1)	Recommended
97	Govt. ITI, Tarapur Village- Madhura P.O - Tarapur Dist.-Munger Pin- 813221	GR10001295	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				Fitter	2(1+1)	2(1+1)	2(1+1)	Recommended
				Electronic Mechanic	2(1+1)	2(1+1)	2(1+1)	Recommended
				I.C.T.S. M	2(1+1)	2(1+1)	2(1+1)	Recommended
				Welder	2(1+1)	2(1+1)	2(1+1)	Recommended
				Mechanics Diesel	2(1+1)	2(1+1)	2(1+1)	Recommended
98	Govt. ITI, Daudnagar, Aurangabad, Village - Deokund, PO- Baghour, Sub. P.O - Haspura, Dist- Aurangabad (Bihar) 824120	GR10001304	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				Fitter	2(1+1)	2(1+1)	2(1+1)	Recommended
				Electronic Mechanic	2(1+1)	2(1+1)	2(1+1)	Recommended
				I.C.T.S. M	2(1+1)	2(1+1)	2(1+1)	Recommended
				Welder	2(2+0)	2(2+0)	2(2+0)	Recommended
				Mechanics Diesel	2(2+0)	2(2+0)	2(2+0)	Recommended
99	Baba Kewal Maharaj ITI, Patori, At- Darba, P.O+P.S- Patori, Dist-Samastipur Pin- 848504	GR10001309	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				Fitter	2(1+1)	2(1+1)	2(1+1)	Recommended
				Electronic Mechanic	2(1+1)	2(1+1)	2(1+1)	Recommended
				I.C.T.S. M	2(1+1)	2(1+1)	2(1+1)	Recommended
				Welder	2(2+0)	2(2+0)	2(2+0)	Recommended
				Mechanics Diesel	2(2+0)	2(2+0)	2(2+0)	Recommended
100	Govt. Women ITI Hajipur (Vaishali), Harvanshpur, Near warehouse & DRCC, Hajipur (Vaishali) Pin- 844101	GU10001301	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				Electronic Mechanic	2(1+1)	2(1+1)	2(1+1)	Recommended
				Mechanic Consumer Electronic Appliances	2(1+1)	2(1+1)	2(1+1)	Recommended
				I.C.T.S. M	2(1+1)	2(1+1)	2(1+1)	Recommended

STATE: Bihar Total – 108, (New-00, Existing-108)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
101	Government ITI Ara, Ibrahim Nagar, Dhanpura, Ara (Bhojpur), Pin- 8232	GU10001308	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				Fitter	2(1+1)	2(1+1)	2(1+1)	Recommended
				Mechanic (Refrigeration and Air-Conditioning)	2(1+1)	2(1+1)	2(1+1)	Recommended
				I.C.T.S. M	2(1+1)	2(1+1)	2(1+1)	Recommended
				Welder	2(1+1)	2(1+1)	2(1+1)	Recommended
				Mechanics Diesel	2(1+1)	2(1+1)	2(1+1)	Recommended
102	Govt. ITI, MARHOWRAH, Infront of SDO office Marhowrah, Block- Marhowrah, Saran- 841418	GR10000039	Existing	Mechanic Agriculture Machinery	4(2+2)	4(2+2)	4(2+2)	Recommended
				Plumber	4(2+2)	4(2+2)	4(2+2)	Recommended
				Mechanic Motor Vehicle	4(2+2)	4(2+2)	4(2+2)	Recommended
				I.C.T.S.M	4(2+2)	4(2+2)	4(2+2)	Recommended
				Mechanic refrigeration and Air conditioning	4(2+2)	4(2+2)	4(2+2)	Recommended
				Lift & Escalator Mechanic	4(2+2)	4(2+2)	4(2+2)	Recommended
103	Govt., ITI, Bhelari, Rohtas	GR10001355	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				Fitter	2(1+1)	2(1+1)	2(1+1)	Recommended
				ICTSM	2(1+1)	2(1+1)	2(1+1)	Recommended
				Plumber	2(1+1)	2(1+1)	2(1+1)	Recommended
104	Govt. Woman ITI Chapra, Dis-Saran, Pin 7 841301	GU10001371	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				Electronics Mech.	2(1+1)	2(1+1)	2(1+1)	Recommended
				ICTSM	2(1+1)	2(1+1)	2(1+1)	Recommended
				IoT Technician (Smart Health Care)	2(1+1)	2(1+1)	2(1+1)	Recommended
105	GOVT. Women ITI, SIWAN	GR10001380	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				Electronic Mechanic	4(2+2)	4(2+2)	4(2+2)	Recommended
				ICTSM	2(1+1)	2(1+1)	2(1+1)	Recommended
				Additive Manufacturing Technician- 3D Printing	2(1+1)	2(1+1)	2(1+1)	Recommended
106	Government Women ITI, District-Jehanabad	GU10001350	Existing	Electrician	4(2+2)	4(2+2)	4(2+2)	Recommended
				Electronics Mech.	2(1+1)	2(1+1)	2(1+1)	Recommended




STATE: Bihar Total – 108, (New-00, Existing-108)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
106				ICTSM	2(1+1)	2(1+1)	2(1+1)	Recommended
				IoT Technician (Smart Health Care)	2(1+1)	2(1+1)	2(1+1)	Recommended
107	Government. Women ITI, Ara Bhojpur	GU10001341	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				Electronics mechanics	2(1+1)	2(1+1)	2(1+1)	Recommended
				Additive Manufacturing Technician- 3D Printing	2(1+1)	2(1+1)	2(1+1)	Recommended
				IoT Technician (Smart Health Care)	2(1+1)	2(1+1)	2(1+1)	Recommended
108	Government, Women ITI Munger	GU10001359	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				Electronics Mech.	2(1+1)	2(1+1)	2(1+1)	Recommended
				ICTSM	2(1+1)	2(1+1)	2(1+1)	Recommended
				Additive Manufacturing Technician- 3D Printing	2(1+1)	2(1+1)	2(1+1)	Recommended




STATE: Chhattisgarh
Total – 26, (New-00, Existing-26)

SCVT to NCVT

Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Govt. ITI Women Kanker, District Kanker, Pin Code 494334, Chhattisgarh	GR22000114	Existing	COPA	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(0+1)	Recommended
							Total 2(1+1)	
				Electrician	Addl. 1(1+0)	Addl. 1(1+0)	Addl. 1(1+0)	
							Total 2(1+1)	
				Stenography & Secretarial Assistant Hindi	Addl. 1(1+0)	Addl. 1(1+0)	Addl. 1(1+0)	
							Total 2(1+1)	
2.	Govt Industrial Training Institute, Bastar, Distt-Bastar, Chhattisgarh	GR22000164	Existing	Machinist	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(0+1)	Recommended
							Total 2(1+1)	
				Draughtsman Civil	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(0+1)	
							Total 2(1+1)	
				Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1)	
							Total 4(2+2)	
				Fitter	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1)	
							Total 4(2+2)	
3.	Govt. ITI Sukma, Dist Sukma, Pin Code 494111, Chhattisgarh	GR22000073	Existing	Electrician	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(0+1)	Recommended
							Total 2(1+1)	
				Fitter	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(0+1)	
							Total 2(1+1)	
4.	Govt ITI for Tribal Women, Narayanpur Distt-Bastar, Dist Narainpur, Dist Narayanpur, Pin Code 494661, Chhattisgarh	GR22000011	Existing	Computer Operator and Programming Assistant	2(1+1)	2(1+1)	2(1+1)	Recommended
5.	Govt. ITI Pusaur, Dist Raigad, Pin Code 496440, Chhattisgarh	GR22000126	Existing	Computer Operator and Programming Assistant	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(0+1)	Recommended
							Total 2(1+1)	
6.	Govt Industrial Training Institute, Korba, Distt-Korba, Pin Code 495677, Chhattisgarh	GR22000160	Existing	Sewing Technology	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(0+1)	Recommended

STATE: Chhattisgarh
Total - 26, (New-00, Existing-26)

SCVT to NCVT

Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
7.	Govt. Industrial Training Institute, Gharghoda, Distt- Raigarh, Pin Code 496111, Chhattisgarh	GR22000064	Existing	Electrician	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(0+1)	Recommended
							Total 2(1+1)	
8.	Govt. Industrial Training Institute, Raigarh, Distt- Raigarh, PinCode 496001, Chhattisgarh	GR22000162	Existing	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1)	Recommended
							Total 4(2+2)	
				Fitter	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1)	
							Total 4(2+2)	
				Electronic Mechanic	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1)	
				DCM	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1)	
				COPA	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1)	
9.	Government ITI, Kharsia, Distt- Raigarh, Pincode 496661, Chhattisgarh	GR22000041	Existing	Computer Operator and Programming Assistant	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1)	Recommended
10.	Govt. ITI Model Koni-Bilaspur, Distt-Bilaspur, Pin Code- 495009, Chhattisgarh	GR22000159	Existing	Fitter	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(0+1)	Recommended
							Total 8(4+4)	
				Welder	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(0+1)	
							Total 4(2+2)	
				Electronic Mechanic	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(0+1)	
11.	Government ITI, Gaurela, Distt- Bilaspur, Pin Code 495117, Chhattisgarh	GR22000039	Existing	Mechanic Diesel	2(1+1)	2(1+1)	2(1+1)	Recommended
12.	Government ITI, Raipur, Distt- Raipur, Pincode 4920001, Chhattisgarh-492001	GU22000021	Existing	Welder (Gas & Electric)	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(0+1)	Recommended
				Mechanic (Refrigeration and Air-Conditioning)	2(1+1)	2(1+1)	2(1+1)	
	Govt. ITI Balodabazar, Distt- Balodabazar, Pin Code 493332, Chhattisgarh	GR22000025		Electrician	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(0+1)	

STATE: Chhattisgarh
Total - 26, (New-00, Existing-26)

SCVT to NCVT

Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
13.			Existing				Total 2(1+1)	Recommended
				Welder	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(0+1)	
							Total 2(1+1)	
				Fitter	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(0+1)	
							Total 2(1+1)	
							Total 2(1+1)	
14.	Govt. ITI, Kasdol, Vill- Asnind, Post- Hatuad Bazar, Teh- Kasdol, Dist. Baloda Bazar Bhatapa, Chhattisgarh-493335	GR22000005	Existing	Electrician	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(0+1)	Recommended
							Total 2(1+1)	
				Surveyor	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(0+1)	
							Total 2(1+1)	
				Welder	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(0+1)	
							Total 2(1+1)	
15.	Government ITI, Kurud, Dist- Dhamtari, Pincode -453663, Chhattisgarh	GR22000030	Existing	Mechanic Diesel	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(0+1)	Recommended
							Total 2(1+1)	
				Driver Cum mechanic	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(0+1)	
							Total 2(1+1)	
				Information Technology	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(0+1)	
							Total 2(1+1)	
				Information & Communication Technology System Maintenance	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(0+1)	
16.	Govt. Industrial Training Institute, Rajnandgaon, Pin code 491441, Chhattisgarh	GU22000036	Existing	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1)	Recommended
							Total 4(2+2)	
17.	Govt. Industrial Training Institute, Dongargadh, Dist- Rajnandgaon, Pin Code - 491445, Chhattisgarh	GR22000037	Existing	Instrument Mechanic	2(1+1)	2(1+1)	2(1+1)	Recommended
				Mechanic Diesel	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(0+1)	
							Total 2(1+1)	
				COPA	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(0+1)	
							Total 2(1+1)	
	Govt. ITI, Mohla, Dist- Rajnandgaon, Pin Code 491666, Chhattisgarh	GR22000035		Sewing Technology	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(0+1)	

STATE: Chhattisgarh
Total – 26, (New-00, Existing-26)


SCVT to NCVT

Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
18			Existing				Total 2(0+2)	Recommended
				COPA	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(0+1)	
							Total 2(1+1)	
19	GOVT. ITI AMBAGARH CHOWKI, Vill. Ambagarh Chowki, Post. Ambagarh Chowki, Dist. RAJNANDGAON, Pin Code 491665, Chhattisgarh	GR22000198	Existing	Fitter	2(1+1)	2(1+1)	2(1+1)	Recommended
				Electrician	2(1+1)	2(1+1)	2(1+1)	
				Mechanic Diesel	2(1+1)	2(1+1)	2(1+1)	
				Welder	2(1+1)	2(1+1)	2(1+1)	
20	Govt. Industrial Training Institute, Sanjari, Distt-Balod, Pin code 491771, Chhattisgarh	GR22000033	Existing	Fitter	2(1+1)	2(1+1)	2(1+1)	Recommended
				Electrician	2(1+1)	2(1+1)	2(1+1)	
				Mechanic Diesel	2(1+1)	2(1+1)	2(1+1)	
				COPA	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(0+1)	
							Total 2(1+1)	
21	Government Industrial Training Institute, Dondilohara, Dist. Balod, Pin Code 491771, Chhattisgarh	GR22000052	Existing	Electrician	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(0+1)	Recommended
							Total 5(2+3)	
22	Govt. Industrial Training Institute, Suregaon, Dist. Balod, Pin code -491225, Chhattisgarh	GR22000018	Existing	COPA	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(1+0)	Recommended
							Total 2(1+1)	
				Diesel Mechanic	2(1+1)	2(1+1)	2(1+1)	
				Electrician	2(1+1)	2(1+1)	2(1+1)	
				Fitter	2(1+1)	2(1+1)	2(1+1)	
23	Govt. Industrial Training Institute, Durg, Distt-Durg, Pin Code-491001, Chhattisgarh	GU22000003	Existing	Mechanic Motor Vehicle	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(1+0)	Recommended
							Total 2(1+1)	
24	Govt. ITI PATAN, Tahsil-patan, Dist Durg, Pin Code 491111, Chhattisgarh	GR22000230	Existing	Welder	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(0+1)	Recommended
							Total 2(1+1)	
				Mechanic Diesel	2(1+1)	2(1+1)	2(1+1)	
	Govt. Industrial Training Institute, Mahasamund, Railway Station Road, Dist. Mahasamund, Pin Code 493445, Chhattisgarh	GU22000004		Fitter	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(0+1)	
							Total 2(1+1)	
				Electrician	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(0+1)	

STATE: Chhattisgarh
Total – 26, (New-00, Existing-26)

SCVT to NCVT

Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
25.			Existing				Total 2(1+1)	Recommended
				Surveyor	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(0+1)	
							Total 2(1+1)	
				Draughtsman Civil	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(0+1)	
							Total 2(1+1)	
26.	Government ITI, Pathalgaon, Distt-Jashpur, Pincode-495118, Chhattisgarh	GR22000050	Existing	COPA	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(0+1)	Recommended
							Total 2(1+1)	
				Electrician	Addl. 1(0+1)	Addl. 1(0+1)	Addl. 1(0+1)	
							Total 2(1+1)	



STATE: Goa
Total - 03, (New-00, Existing-03)

SCVT to NCVT

Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1	Govt. ITI, Cacora, Curchorem, Goa-403706	GR30000009	Existing	Basic Cosmetology	2(1+1)	2(1+1)	2(1+1)	Recommended
				Sewing Technology	2(1+1)	2(1+1)	2(1+1)	Recommended
				DTPO	1(1+0)	1(1+0)	1(1+0)	Recommended
				Welder (Fab & Fit)	2(1+1)	2(1+1)	2(1+1)	Recommended
				Solar Technician (Elec.)	1(1+0)	1(1+0)	1(1+0)	Recommended
2	Farmagudi Govt. ITI, Farmagudi, North Goa Ponda Goa, 403401	GR30000017	Existing	Plumber	2(1+1)	2(1+1)	2(1+1)	Recommended
				Welder (GMAW & GTAW)	2(1+1)	2(1+1)	2(1+1)	Recommended
3	Canacona Government ITI, Mastimol, canacona, Goa-403702	GR30000014	Existing	Wireman	2(1+1)	2(1+1)	2(1+1)	Recommended
				Plumber	1(1+0)	1(1+0)	1(1+0)	Recommended
				House keeper	1(1+0)	1(1+0)	1(1+0)	Recommended
				Food Beverage Guest Services assistant	1(1+0)	1(1+0)	1(1+0)	Recommended
				Food Production	1(0+1)	1(0+1)	1(0+1)	Recommended




STATE: Gujarat
Total - 105, (New-00, Existing-105)

SCVT to NCVT

Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, KANKREJ	GR24008150	Existing	Sewing Technology	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
2	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, DEODAR	GU24008145	Existing	Electrician	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
3	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, IDAR (WOMEN)	GU24000130	Existing	Surveyor	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Welder	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Health Sanitary Inspector	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Computer Hardware & Network Maintenance	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
4	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, VADALI	GU24008131	Existing	Cosmetology	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended
5	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE KHEDBRAHMA	GU24000103	Existing	Filter	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Electrician	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
6	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, PALANPUR	GU24000106	Existing	Computer Hardware & Network Maintenance	2 (1+1+0)	2 (1+1+0)	2 (1+1+0)	Recommended
				Health Sanitary Inspector	2 (1+1+0)	2 (1+1+0)	2 (1+1+0)	Recommended
				Dress Making	2 (1+1+0)	2 (1+1+0)	2 (1+1+0)	Recommended
				Plumber	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
7	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, AMIRGADH	GR24000128	Existing	Filter	2 (1+1+0)	2 (1+1+0)	2 (1+1+0)	Recommended
8	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, DANTIWADA	GR24008155	Existing	Electrician	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
9	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, KADI	GU24008049	Existing	Welder (GMAW & GTAW)	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
10	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, PATAN	GU24000121	Existing	Cosmetology	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
11	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, SAMI	GR24008158	Existing	Mechanic Diesel	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Electrician	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended

 117



STATE: Gujarat
Total – 105, (New-00, Existing-105)

SCVT to NCVT


Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
12	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE ,BAVLA	GR24008163	Existing	Welder	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Mechanic Diesel	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Machinist	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Wireman	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
13	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, DHANDHUKA	GU24000124	Existing	Electrician	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Mechanic Motor Vehicle	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
14	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, DHOLKA	GR24008162	Existing	Wireman	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Welder	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
15	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, MEHSANA	GU24008040	Existing	Welder(GMAW>AW)	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
16	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE ,MANINAGAR-VASTRAL(MAHILA)	GU24008064	Existing	Computer Operator And Programming Assistant	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Fashion Design And Technology	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
17	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, BHILODA	GR24000110	Existing	Mechanic Motor Vehicle	2 Unit (1+1+0)	2 Unit (1+1+0)	2 (1+1+0)	Recommended
				Mechanic Diesel	6 Unit (2+2+2)	6 Unit (2+2+2)	4 (2+2+0)	Recommended
18	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, BAYAD	GU24000126	Existing	Mechanic Diesel	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
19	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, VISNAGAR	GR24000107	Existing	Fitter	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Turner	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
				Health Sanitary Inspector	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Plumber	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
20	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, VADNAGAR	GR24000132	Existing	Interior Design And Decoration	(0+1+0)	(0+1+0)	(0+1+0)	Recommended
				Hospital Housekeeping	(0+1+0)	(0+1+0)	(0+1+0)	Recommended
				Cosmetology	(1+1+0)	(1+1+0)	(1+1+0)	Recommended
21	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, DETROJ	GR24008036	Existing	Mechanic Motor Vehicle	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended




STATE: Gujarat
Total – 105, (New-00, Existing-105)

SCVT to NCVT

Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
22	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, SARKHEJ	GR24000106	Existing	Computer Hardware & Network Maintenance	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Fitter	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Mechanic Diesel	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
23	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, VIJAPUR	GR24000127	Existing	Mechanic Diesel	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Computer Operator And Programming Assistant	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended
				Health Sanitary Inspector	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Surface Ornamentation Techniques(Embroidery)	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
				Smartphone Technician Cum App Tester	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
24	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, VIRAMGAM	GR2400052	Existing	Mechanic Motor Vehicle	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Welder	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
25	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, MANINAGAR (KHOKHRA)	GU24000134	Existing	Fitter	3 (1+1+1)	3 (1+1+1)	2(1+1+0)	Recommended
				Technician Medical Electronics	2 (1+1+0)	2 (1+1+0)	2 (1+1+0)	Recommended
				Mechanic Diesel	1 (0+1+0)	1 (0+1+0)	1 (0+1+0)	Recommended
				IOT Technician(Smart City)	1 (0+1+0)	1 (0+1+0)	1 (0+1+0)	Recommended
				Smartphone Technician Cum App Tester	2 (1+1+0)	2 (1+1+0)	2 (1+1+0)	Recommended
26	Government Industrial Training Institute, Divda Colony	GR24000205	Existing	Mechanic Diesel	2(0+1+1)	2(0+1+1)	1(0+1+0)	Recommended
27	Government Industrial Training Institute, Lunawada	GU24000213	Existing	Welder	2(1+0+1)	2(1+0+1)	1(1+0+0)	Recommended
28	Government Industrial Training Institute, Belasinar	GU24000207	Existing	Fitter	3(0+1+2)	3(0+1+2)	1(0+1+0)	Recommended
				Electrician	3(0+1+2)	3(0+1+2)	1(0+1+0)	Recommended
				Wireman	3(0+1+2)	3(0+1+2)	1(0+1+0)	Recommended
				Mechanical Diesel	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended
29	Government Industrial Training Institute, Dahod	GU24000202	Existing	Multimedia, Animation & Special Effects	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Computer Hardware & Network Maintenance	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended

 17

STATE: Gujarat
Total - 105, (New-00, Existing-105)

SCVT to NCVT

Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
30	Government Industrial Training Institute, Jesavada	GR24008103	Existing	Health Sanitary Inspector	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Mechanic Diesel	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
31	Government Industrial Training Institute, Kaalo	GU24008058	Existing	Electrician	2(1+0+1)	2(1+0+1)	1(1+0+0)	Recommended
				Welder	2(0+1+1)	2(0+1+1)	1(0+1+0)	Recommended
				Mechanic Diesel	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
32	Government Industrial Training Institute, Tarsali	GU24000201	Existing	Draughtsman Mechanic	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Fitter	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Turner	6(2+2+2)	6(2+2+2)	4(2+2+0)	Recommended
				Machinist	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Machinist Grinder	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
				Mechanic Refrigeration And Air Condition	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Instrument Mechanic	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Electrician	6(2+2+2)	6(2+2+2)	4(2+2+0)	Recommended
				Wireman	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
				Computer Operator And Programming Assistant	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Mechanic Diesel	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Cosmetology	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
				Health Sanitary Inspector	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Carpenter	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
				Plumber	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
				IoT Technician(Smart City)	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
				IoT Technician(Smart Health Care)	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
				Computer Hardware & Network Maintenance	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Fashion Design And Technology	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
				Interior Design And Decoration	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended




STATE: Gujarat
Total – 105, (New-00, Existing-105)

SCVT to NCVT

Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
				Physiotherapy Technician	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
33	Government Industrial Training Institute, Dabhol	GU24008116	Existing	Electrician	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
34	Government Industrial Training Institute, Karjan	GR24008117	Existing	Mechanic Diesel	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended
				Computer Operator And Programming Assistant	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended
				Sewing Technology	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended
35	Government Industrial Training Institute, Waghodia	GR24000223	Existing	Solar Technician(Electrician)	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
				IOT Technician(Smart Health Care)	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
				Remotely Piloted Aircraft(RPA)/Drone Pilot	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
36	Government Industrial Training Institute, Gorwa	GU24000218	Existing	Computer Operator And Programming Assistant	2(1+0+1)	2(1+0+1)	1(1+0+0)	Recommended
37	Government Industrial Training Institute, Padra	GR24000222	Existing	Instrument Mechanic(Chemical Plant)	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
38	Government Industrial Training Institute, Gorwa(Women)	GU24000235	Existing	Draughtsman (Civil)	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
				Surface Ornamentation Techniques(Embroidery)	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
39	Government Industrial Training Institute, Uttarsanda	GR24000211	Existing	Mechanic Diesel	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
40	Government Industrial Training Institute, Anand(Women)	GU24000227	Existing	Wireman	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended
				Welder	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended
41	Government Industrial Training Institute, Vasad	GR24000216	Existing	Instrument Mechanic(Chemical Plant)	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Maintenance Mechanic(Chemical Plant)	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
42	Government Industrial Training Institute, Tarapur	GR24008110	Existing	Welder (GMAW & GTAW)	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
43	Government Industrial Training Institute, Palana	GR24000209	Existing	Mechanic Diesel	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Mechanic Motor Vehicle	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Wireman	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
				Sewing Technology	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
44	Government Industrial Training Institute, Sanjeli	GR240080193	Existing	Fitter	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended




STATE: Gujarat
Total - 105, (New-00, Existing-105)

SCVT to NCVT

Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SC/State	Trade/units Approved by DGT Recommendation Committee	
				Electrician	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Wireman	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Computer Operator And Programming Assistant	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Sewing Technology	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Welder	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Mechanic Diesel	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
45	Government Industrial Training Institute, Dashrath	GR24000203	Existing	Instrument Mechanic(Chemical Plant)	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Maintenance Mechanic(Chemical Plant)	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Laboratory Assistant(Chemical Plant)	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Attendant operator(Chemical Plant)	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Refrigerator And Air Condition	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Mechanic Motor Vehicle	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
46	Government Industrial Training Institute, Dhanpur	GR24008101	Existing	Mechanic Motor Vehicle	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
47	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, SAVLI	GR24000226	Existing	Electrician	3 (1+1+1)	3 (1+1+1)	2(1+1+0)	Recommended
				Machinist	3 (1+1+1)	3 (1+1+1)	2 (1+1+0)	Recommended
				Sewing Technology	1 (0+1+0)	1 (0+1+0)	1 (0+1+0)	Recommended
48	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, SANTRAMPUR	GR24008104	Existing	Mechanic Diesel	2 (1+1+0)	2 (1+1+0)	2 (1+1+0)	Recommended
				Plumber	1 (1+0+0)	1 (1+0+0)	1 (1+0+0)	Recommended
49	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, VIRPUR	GR24008169	Existing	Sewing Technology	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
50	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, KAPADVANJ	GU24000214	Existing	Fitter	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Mechanic Motor Vehicle	2(0+1+1)	2(0+1+1)	1(0+1+0)	Recommended
				Mechanic Diesel	2(0+1+1)	2(0+1+1)	1(0+1+0)	Recommended




STATE: Gujarat
Total – 105, (New-00, Existing-105)

SCVT to NCVT

Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
51	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, DAHOD (WOMEN)	GU24008102	Existing	Desktop Publishing Operator	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
52	Government Industrial Training Institute, Bhuj	GU24000329	Existing	Wireman	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended
				Mechanic Motor Vehicle	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Computer Operator And Programming Assistant	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended
				Cosmetology	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended
				Sewing Technology	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended
				Plumber	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
				Carpenter	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended
53	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, NAKHATRA	GR24008147	Existing	Wireman	03 Unit (1+1+1)	03 Unit (1+1+1)	2(1+1+0)	Recommended
				Electrician	02 Unit (1+1+0)	02 Unit (1+1+0)	2(1+1+0)	Recommended
				Sewing Technology	01 Unit (0+1+0)	01 Unit (0+1+0)	1(0+1+0)	Recommended
54	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, MANDVI (KUTCHH)	GU24000311	Existing	Wireman	1 (1+0+0)	1 (1+0+0)	1 (1+0+0)	Recommended
				Welder	3 (1+1+1)	3 (1+1+1)	2(1+1+0)	Recommended
				Computer Operator And Programming Assistant	3 (1+1+1)	3 (1+1+1)	2(1+1+0)	Recommended
				Desktop Publishing Operator	1 (1+0+0)	1 (1+0+0)	1 (1+0+0)	Recommended
				Health Sanitary Inspector	1 (1+0+0)	1 (1+0+0)	1 (1+0+0)	Recommended
55	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, MUNDRA (KUTCHH)	GU24000339	Existing	Electrician	2(0+1+1)	2(1+1+0)	1(0+1+0)	Recommended
				Wireman	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Electronics Mechanic	1(0+1+0)	1(1+0+0)	1(0+1+0)	Recommended
				Mechanic Diesel	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Welder	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
56	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, GANDHIDHAM	GU24000307	Existing	Welder	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Plumber	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended
				Solar Technician(Electrician)	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended

(Signature)
14/7

STATE: Gujarat Total – 105, (New-00, Existing-105)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
57	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, ANJAR	GR24008143	Existing	Electrician	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Fitter	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Wireman	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Welder	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended
				Computer Operator And Programming Assistant	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended
				Sewing Technology	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
58	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, GHOGHA	GR24000312	Existing	Welder(Fabrication & Fitting)	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
59	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, BHAVNAGAR	GU24000304	Existing	Computer Operator And Programming Assistant	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Mechanic Diesel	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
60	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, DWARKA	GU24000313	Existing	Welder(GMAW>AW)	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Desktop Publishing Operator	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
61	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, VISAVADAR	GR24008080	Existing	Mechanic Diesel	01 (0+01+0)	01(0+01+0)	01(0+01+0)	Recommended
62	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, GARIYADHAR	GR24008127	Existing	Welder	2(1+0+1)	2(1+0+1)	1(1+0+0)	Recommended
63	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, PATDI	GU24000325	Existing	Mechanic Diesel	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Electrician	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Fitter	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended
				Mechanic Motor Vehicle	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended
				Wireman	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended
64	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, DHRANGADHRA	GU24000320	Existing	Attendant operator(Chemical Plant)	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended





STATE: Gujarat Total – 105, (New-00, Existing-105)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
65	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, SURENDRANAGAR (WOMEN)	GU24008089	Existing	Fashion Design And Technology	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Health Sanitary Inspector	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
66	SHRI M.P.SHAH INDUSTRIAL TRAINING INSTITUTE, SURENDRANAGAR	GU24000302	Existing	Information Communication Technology System Maintenance	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Health Sanitary Inspector	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Welder	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Refrigeration And Air Condition	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Fitter	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
67	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, LAKHTAR	GR24008090	Existing	Wireman	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
68	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR	GU24000303	Existing	Computer Operator And Programming Assistant	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Computer Hardware & Network Maintenance	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
69	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, JAMNAGAR(CITY)	GU24008048	Existing	Computer Hardware & Network Maintenance	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended
				Architectural Draughtsman	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended
				Additive Manufacturing Technician (3D Printing)	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended
70	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, JAMJODHPUR	GU24008189	Existing	Electrician	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Wireman	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Welder(Fabrication & Fitting)	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Fitter	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Computer Operator And Programming Assistant	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
71	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, DHROL	GR24000332	Existing	Cosmetology	2(1+1)	2(1+1)	2(1+1)	Recommended
72	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, RATNAL	GR24008192	Existing	Fitter	1 (0 + 1 + 0)	1 (0 + 1 + 0)	1 (0 + 1 + 0)	Recommended
				Welder	1 (0 + 1 + 0)	1 (0 + 1 + 0)	1 (0 + 1 + 0)	Recommended
				Wireman	2 (1 + 1 + 0)	2 (1 + 1 + 0)	2 (1 + 1 + 0)	Recommended





STATE: Gujarat Total - 105, (New-00, Existing-105)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
				Computer Operator And Programming Assistant	1 (0 + 1 + 0)	1 (0 + 1 + 0)	1 (0 + 1 + 0)	Recommended
				Health Sanitary Inspector	1 (0 + 1 + 0)	1 (0 + 1 + 0)	1 (0 + 1 + 0)	Recommended
				Computer Hardware & Network Maintenance	1 (0 + 1 + 0)	1 (0 + 1 + 0)	1 (0 + 1 + 0)	Recommended
73	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, RAPAR(KUTCHH)	GR24008050	Existing	Wireman	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
74	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, SAYLA	GR24008194	Existing	Fitter	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
				Wireman	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
				Welder(Welding & Inspecting)	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
				Computer Operator And Programming Assistant	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
				Mechanic Diesel	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
75	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, UPLETA	GU24000337	Existing	Cosmetology	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
76	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, AMRELI	GU24000306	Existing	Health Sanitary Inspector	3(1+1+1)	3(1+1+1)	2(1+1+0)	recommended
77	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, BABRA	GR24008123	Existing	Mechanic Diesel	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Welder(Fabrication & Fitting)	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
78	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, KUKAVAV	GR24000331	Existing	Cosmetology	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
79	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, RAJULA	GR24000310	Existing	Welder(Fabrication & Fitting)	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
80	Government Industrial Training Institute, Vallya	GR24000408	Existing	Fitter	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Electrician	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Attendant operator	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended



STATE: Gujarat
Total – 105, (New-00, Existing-105)

SCVT to NCVT

Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
81	Government Industrial Training Institute, Kaparada	GR24000461	Existing	Sewing Technology	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
82	Government Industrial Training Institute, Dharampur	GR24000411	Existing	Electronics Mechanic	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended
				Electrician	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Computer Hardware & Network Maintenance	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Solar Technician	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended
83	Government Industrial Training Institute, Bhilad	GR24000455	Existing	Turner	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
				Attendant operator	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
84	Government Industrial Training Institute, Valsad(Women)	GU24000429	Existing	Fitter	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Electrician	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Computer Hardware & Network Maintenance	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended
				Sewing Technology	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
				Cosmetology	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
85	Government Industrial Training Institute, Khergam	GU24000458	Existing	Attendant operator	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
86	Government Industrial Training Institute, Jambusar	GR24008097	Existing	Computer Operator And Programming Assistant	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended
				Mechanic Diesel	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
87	Government Industrial Training Institute, Ganeshsisodra	GU24000424	Existing	Computer Operator And Programming Assistant	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended
88	Government Industrial Training Institute, Kevadiya	GR24000404	Existing	Computer Operator And Programming Assistant	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
	Government Industrial Training Institute, Kevadiya			Electrician	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
89	Government Industrial Training Institute, Dediapada	GR24000417	Existing	Computer Operator And Programming Assistant	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Sewing Technology	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended




STATE: Gujarat
Total - 105, (New-00, Existing-105)

SCVT to NCVT


Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
				Electrician	4(2+2+0)	4(2+2+0)	4(2+2+0)	Recommended
90	Government Industrial Training Institute, Sagbara	GR24000457	Existing	Attendant Operator (Chemical Plant)	2(1+1+0)	2 (1+1+0)	2 (1+1+0)	Recommended
				Computer Operator And Programming Assistant	3 (1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Electrician	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
91	Government Industrial Training Institute, Garudeshwar	GR24008188	Existing	Computer Operator And Programming Assistant	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Electrician	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Fitter	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Mechanic Diesel	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
				Sewing Technology	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Welder	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
92	Government Industrial Training Institute, Tilakwada	GR24000430	Existing	Electrician	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Computer Operator And Programming Assistant	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
93	Government Industrial Training Institute, Kamrej	GR24008190	Existing	Computer Operator And Programming Assistant	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Mechanic Diesel	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Welder	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Wireman	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Fitter	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Health Sanitary Inspector	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
94	Government Industrial Training Institute, Surat(Women)	GU24000463	Existing	Cosmetology	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
				Information Communication Technology System Maintenance	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
95	Government Industrial Training Institute, Palsana	GR24000419	Existing	Wireman	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Electrician	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Fitter	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
96	Government Industrial Training Institute, Uchchhal	GR24000453	Existing	Mechanic Diesel	2 (1+1+0)	2 (1+1+0)	2 (1+1+0)	Recommended
				Surveyor	1 (0+1+0)	1 (1+0+0)	1 (1+0+0)	Recommended




STATE: Gujarat
Total – 105, (New-00, Existing-105)

SCVT to NCVT

Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
97	Government Industrial Training Institute, Ukal	GR24000407	Existing	Electrician	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Fitter	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Cosmetology	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Welder Structural	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
98	Government Industrial Training Institute, Vyara	GR24000422	Existing	Mechanic Diesel	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Welder(Fabrication & Fitting)	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
99	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE BARDOLI	GR24000413	Existing	Computer Operator And Programming Assistant	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
100	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, MANDVI (SURAT)	GU24000406	Existing	Surveyor	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
101	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, PARDI	GR24000405	Existing	Attendant operator(Chemical Plant)	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Computer Operator And Programming Assistant	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Electrician	2(0+1+1)	2(0+1+1)	1(0+1+0)	Recommended
				Fitter	2(0+1+1)	2(0+1+1)	1(0+1+0)	Recommended
				Instrument Mechanic(Chemical Plant)	2(0+1+1)	2(0+1+1)	1(0+1+0)	Recommended
				Laboratory Assistant(Chemical Plant)	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
				Welder	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
				Wireman	2(0+1+1)	2(0+1+1)	1(0+1+0)	Recommended
102	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, OLPAD	GR24000423	Existing	Fitter	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended
				Electrician	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended
				Wireman	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
103	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, AHWA	GR24000412	Existing	Computer Operator And Programming Assistant	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Mechanic Motor Vehicle	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended
				Sewing Technology	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Cosmetology	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended



STATE: Gujarat Total – 105, (New-00, Existing-105)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instit.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
104	GOVERNMENT INDUSTRIAL TRAINING INSTITUTE, DEESA	GU24000120	Existing	Sewing Technology	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
105	Government Industrial Training Institute, Mahmedevad	GU24000228	Existing	Computer Operator And Programming Assistant	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Fitter	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended
				Wireman	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Mechanic Diesel	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
				Sewing Technology	1(0+1+0)	2(1+1+0)	2(1+1+0)	Recommended




				DGT-AM011(51)18/2022-O/o Dir(TC)				
STATE: Jammu and Kashmir Total – 44, (New-00, Existing-44)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1	Govt. ITI Ganderbal, Duderhams, 191201, J&K	GR01000030	Existing	COPA	1(1+0)	1(1+0)	1(1+0)	Recommended
				Electrician	1(1+0)	1(1+0)	1(1+0)	
				Computer Hardware & Network Maintenance	1(1+0)	1(1+0)	1(1+0)	
				Mechanic Refrigeration & Air Conditioner	1(1+0)	1(1+0)	1(1+0)	
				Draughtsman Civil	1(1+0)	1(1+0)	1(1+0)	
				Plumber	2(1+1)	2(1+1)	2(1+1)	
2	Govt. ITI for Women Rohama, Baramulla, 193101, J&K	GR01000042	Existing	Plumber	1(1+0)	1(1+0)	1(1+0)	Recommended
				Dress Making	1(1+0)	1(1+0)	1(1+0)	
				House Keeper	1(1+0)	1(1+0)	1(1+0)	
				Draughtsman Civil	1(1+0)	1(1+0)	1(1+0)	
				Early Childhood Educator	1(1+0)	1(1+0)	1(1+0)	
				Mechanic Consumer Electronic Appliances	1(1+0)	1(1+0)	1(1+0)	
3	Govt. ITI Lalpora, 193223, J&K	GR01000044	Existing	COPA	1(1+0)	1(1+0)	1(1+0)	Recommended
				House Keeper	1(1+0)	1(1+0)	1(1+0)	
				Secretarial Practice (English)	1(1+0)	1(1+0)	1(1+0)	
				Mechanic Consumer Electronic Appliances	1(1+0)	1(1+0)	1(1+0)	
				Information & Communication Technology System Maintenance	1(1+0)	1(1+0)	1(1+0)	
4	Govt. ITI Tral, 192123, J&K	GU01000029	Existing	COPA	1(1+0)	1(1+0)	1(1+0)	Recommended
				Health Sanitary Inspector	1(1+0)	1(1+0)	1(1+0)	
				Dress Making	1(1+0)	1(1+0)	1(1+0)	
				Data Entry Operator	1(1+0)	1(1+0)	1(1+0)	
				Plumber	1(1+0)	1(1+0)	1(1+0)	
				Welder	1(1+0)	1(1+0)	1(1+0)	
				Draughtsman Civil	1(1+0)	1(1+0)	1(1+0)	
				Mechanic Motor Vehicle	1(1+0)	1(1+0)	1(1+0)	
				Electrician	1(1+0)	1(1+0)	1(1+0)	
				Stenographer & Secretarial Assistant (English)	1(1+0)	1(1+0)	1(1+0)	
5	Govt. ITI Pampore, Tulbag Pampore, 192121, J&K	GR01000045	Existing	COPA	1(1+0)	1(1+0)	1(1+0)	Recommended
				Secretarial Practice (English)	1(1+0)	1(1+0)	1(1+0)	
				Electrician	1(1+0)	1(1+0)	1(1+0)	
				Mechanic Consumer Electronic Appliances	1(1+0)	1(1+0)	1(1+0)	

(Handwritten signatures and initials)

				DGT-AM011(51)18/2022-O/o Dir(TC)				
STATE: Jammu and Kashmir Total – 44, (New-00, Existing-44)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCL/State	Trade/units Approved by DGT Recommendation Committee	
6	Govt. ITI Srinagar, Bagh-i-Dilawar Khan Srinagar, 190002, J&K	GR01000001	Existing	Data Entry Operator	1(1+0)	1(1+0)	1(1+0)	Recommended
				Electrician	1(1+0)	1(1+0)	1(1+0)	
				COPA	1(1+0)	1(1+0)	1(1+0)	
				Stenographer & Secretarial Assistant (English)	1(1+0)	1(1+0)	1(1+0)	
				Plumber	1(1+0)	1(1+0)	1(1+0)	
7	Govt. ITI Uri, 193123 J&K	GR01000021	Existing	COPA	2(1+1)	2(1+1)	2(1+1)	Recommended
				Plumber	1(1+0)	1(1+0)	1(1+0)	
				Electrician	1(1+0)	1(1+0)	1(1+0)	
8	Govt. ITI Anantnag, 192101, J&K	GR01000003	Existing	Mechanic Refrigeration & Air Conditioner	1(1+0)	1(1+0)	1(1+0)	Recommended
				Fashion Design & Technology	2(1+1)	2(1+1)	2(1+1)	
				Information & Communication Technology System Maintenance	1(1+0)	1(1+0)	1(1+0)	
				Computer Hardware & Network Maintenance	1(1+0)	1(1+0)	1(1+0)	
				Tourist Guide	1(1+0)	1(1+0)	1(1+0)	
				COPA	1(1+0)	1(1+0)	1(1+0)	
				Mason	1(1+0)	1(1+0)	1(1+0)	
				Welder	1(1+0)	1(1+0)	1(1+0)	
				Draughtsman Civil	2(1+1)	2(1+1)	2(1+1)	
				Stenographer & Secretarial Assistant (English)	1(1+0)	1(1+0)	1(1+0)	
				Interior Design & Decoration	1(1+0)	1(1+0)	1(1+0)	
				Driver cum Mechanic	1(1+0)	1(1+0)	1(1+0)	
				Electrician	1(1+0)	1(1+0)	1(1+0)	
				Plumber	1(1+0)	1(1+0)	1(1+0)	
				Data Entry Operator	2(1+1)	2(1+1)	2(1+1)	
9	Govt. ITI Budgam, Khanpora, Wadpura, Budgam, 191111, J&K	GR01000018	Existing	Data Entry Operator	1(1+0)	1(1+0)	1(1+0)	Recommended
				Network Technician Mechanic	2(1+1)	2(1+1)	2(1+1)	
				Mechanic Refrigeration & Air Conditioner	1(1+0)	1(1+0)	1(1+0)	






				DGT-AM011(51)18/2022-O/o Dir(TC)				
STATE: Jammu and Kashmir Total – 44, (New-00, Existing-44)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instit.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
10	Govt. ITI Shopian, Batpora, 192303, J&K	GR01000013	Existing	COPA	1(1+0)	1(1+0)	1(1+0)	Recommended
				Welder	1(1+0)	1(1+0)	1(1+0)	
				Plumber	1(1+0)	1(1+0)	1(1+0)	
				Horticulture	2(1+1)	2(1+1)	2(1+1)	
				Electrician	1(1+0)	1(1+0)	1(1+0)	
				Mechanic Motor Vehicle	1(1+0)	1(1+0)	1(1+0)	
				Stenographer & Secretarial Assistant (English)	1(1+0)	1(1+0)	1(1+0)	
				Draughtsman Civil	1(1+0)	1(1+0)	1(1+0)	
11	Govt. ITI Khuribatpora, Ahrabal Road, 192233, J&K	GR01000051	Existing	Stenographer & Secretarial Assistant (English)	1(1+0)	1(1+0)	1(1+0)	Recommended
				COPA	1(1+0)	1(1+0)	1(1+0)	
				Dress Making	1(1+0)	1(1+0)	1(1+0)	
				Plumber	1(1+0)	1(1+0)	1(1+0)	
12	Govt. ITI for Women Kangan, Ganderbal, 191202	GR01000043	Existing	Mechanic Consumer Electronic Appliances	1(1+0)	1(1+0)	1(1+0)	Recommended
				Secretarial Practice (English)	1(1+0)	1(1+0)	1(1+0)	
				Draughtsman Civil	1(1+0)	1(1+0)	1(1+0)	
				Data Entry Operator	1(1+0)	1(1+0)	1(1+0)	
				Electrician	1(1+0)	1(1+0)	1(1+0)	
				Early Childhood Educator	1(1+0)	1(1+0)	1(1+0)	
13	Govt. ITI Pulwama, Dallpora, 192301, J&K	GU01000019	Existing	COPA	1(1+0)	1(1+0)	1(1+0)	Recommended
				Plumber	1(1+0)	1(1+0)	1(1+0)	
				Electrician	1(1+0)	1(1+0)	1(1+0)	
				Electronics Mechanic	1(1+0)	1(1+0)	1(1+0)	
				Welder	1(1+0)	1(1+0)	1(1+0)	





STATE: Jammu and Kashmir Total - 44, (New-00, Existing-44)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
14	Govt. ITI Kulgam, 192231, J&K	GR01000033	Existing	Information & Communication Technology System Maintenance	1(1+0)	1(1+0)	1(1+0)	Recommended
				Draughtsman Civil	1(1+0)	1(1+0)	1(1+0)	
				Electrician	2(1+1)	2(1+1)	2(1+1)	
				Mechanic Motor Vehicle	1(1+0)	1(1+0)	1(1+0)	
				Electronics Mechanic	1(1+0)	1(1+0)	1(1+0)	
				Health Sanitary Inspector	1(1+0)	1(1+0)	1(1+0)	
				Plumber	1(1+0)	1(1+0)	1(1+0)	
				Dress Making	2(1+1)	2(1+1)	2(1+1)	
				Data Entry Operator	2(1+1)	2(1+1)	2(1+1)	
				Event Management Assistant	1(1+0)	1(1+0)	1(1+0)	
				Network Technician	2(1+1)	2(1+1)	2(1+1)	
				Stenographer & Secretarial Assistant (English)	2(1+1)	2(1+1)	2(1+1)	
15	Govt. ITI for Women Soer Hamdan, 192129, J&K	GR01000049	Existing	COPA	1(1+0)	1(1+0)	1(1+0)	Recommended
				Draughtsman Civil	1(1+0)	1(1+0)	1(1+0)	
				Plumber	1(1+0)	1(1+0)	1(1+0)	
				Early Childhood Educator	1(1+0)	1(1+0)	1(1+0)	
				Front Office Assistant	1(1+0)	1(1+0)	1(1+0)	
16	Govt. ITI Chrari Sharief, 191112, J&K	GR01000039	Existing	COPA	1(1+0)	1(1+0)	1(1+0)	Recommended
				Mechanic Motor Vehicle	1(1+0)	1(1+0)	1(1+0)	
				Mechanic Refrigeration & Air Conditioner	1(1+0)	1(1+0)	1(1+0)	
				Fruits & Vegetables Processing	1(1+0)	1(1+0)	1(1+0)	
				Plumber	1(1+0)	1(1+0)	1(1+0)	
				Sewing Technology	1(1+0)	1(1+0)	1(1+0)	
				Electronics Mechanic	1(1+0)	1(1+0)	1(1+0)	
				Electrician	1(1+0)	1(1+0)	1(1+0)	
				Stenographer & Secretarial Assistant (English)	1(1+0)	1(1+0)	1(1+0)	



STATE: Jammu and Kashmir Total - 44, (New-00, Existing-44)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instit.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
17	Govt. ITI Handwara, Magam Road, Handwara, Kupwara, 193221, J&K	GR01000036	Existing	Sewing Technology	1(1+0)	1(1+0)	1(1+0)	Recommended
				Stenographer & Secretarial Assistant (English)	1(1+0)	1(1+0)	1(1+0)	
				COPA	1(1+0)	1(1+0)	1(1+0)	
				Data Entry Operator	1(1+0)	1(1+0)	1(1+0)	
18	Govt. ITI Baramulla, 193101, J&K	GR01000004	Existing	Interior Design & Decoration	1(1+0)	1(1+0)	1(1+0)	Recommended
				Tourist Guide	1(1+0)	1(1+0)	1(1+0)	
				Mechanic Motor Vehicle	1(1+0)	1(1+0)	1(1+0)	
19	Govt. ITI Kupwara, Galizoo Kupwara, 193222, J&K	GR01000017	Existing	Electronics Mechanic	1(1+0)	1(1+0)	1(1+0)	Recommended
20	Govt. ITI for Women Bemina, Srinagar, 190018, J&K	GR01000037	Existing	Stenographer & Secretarial Assistant (English)	1(1+0)	1(1+0)	1(1+0)	Recommended
				COPA	1(1+0)	1(1+0)	1(1+0)	
				Data Entry Operator	1(1+0)	1(1+0)	1(1+0)	
21	Govt. ITI Sopore, 193201, J&K	GR01000038	Existing	Stenographer & Secretarial Assistant (English)	1(1+0)	1(1+0)	1(1+0)	Recommended
				Electronics Mechanic	1(1+0)	1(1+0)	1(1+0)	
				Data Entry Operator	1(1+0)	1(1+0)	1(1+0)	
22	Govt. ITI Pattan, 193121, J&K	GR01000046	Existing	Plumber	1(1+0)	1(1+0)	1(1+0)	Recommended
				Draughtsman Civil	1(1+0)	1(1+0)	1(1+0)	
				Mechanic Consumer	1(1+0)	1(1+0)	1(1+0)	
				Electronic Appliances	1(1+0)	1(1+0)	1(1+0)	
23	Govt. ITI Bandipora, 193502, J&K	GR01000008	Existing	Electronic Mechanic	1(1+0)	1(1+0)	1(1+0)	Recommended
				Computer Hardware & Network Maintenance	1(1+0)	1(1+0)	1(1+0)	
				Welder	1(1+0)	1(1+0)	1(1+0)	
				Stenographer & Secretarial Assistant (English)	1(1+0)	1(1+0)	1(1+0)	
				Draughtsman Civil	1(1+0)	1(1+0)	1(1+0)	
24	Govt. ITI Basohli, 184201, J&K	GR01000032	Existing	COPA	1(1+0)	1(1+0)	1(1+0)	Recommended
				Plumber	1(1+0)	1(1+0)	1(1+0)	
				Sewing Technology	1(1+0)	1(1+0)	1(1+0)	




 Skill India असतो मा सद्गमय		 Industrial Training Institute		DGT-AM/11(SI)/18/2022-O/o Dir(TC)				
STATE: Jammu and Kashmir Total – 44, (New-00, Existing-44)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instl.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
25	Govt. ITI Ramban, 182144, J&K	GR01000014	Existing	Mason(Building Constructor)	1(1+0)	1(1+0)	1(1+0)	Recommended
				Plumber	1(1+0)	1(1+0)	1(1+0)	
				Draughtsman Civil	1(1+0)	1(1+0)	1(1+0)	
26	Govt. ITI Hiranagar, Tehsil Hiranagar, District Kathua, 184142, J&K	GR01000006	Existing	Basic Cosmetology	1(1+0)	1(1+0)	1(1+0)	Recommended
				Plumber	1(1+0)	1(1+0)	1(1+0)	
27	Govt. ITI Bhaddu/ Billawar, Dist. Kathua, 184102, J&K	GR01000024	Existing	Plumber	1(1+0)	1(1+0)	1(1+0)	Recommended
				Welder	1(1+0)	1(1+0)	1(1+0)	
				Sewing Technology	1(1+0)	1(1+0)	1(1+0)	
				Mechanic Motor Vehicle	1(1+0)	1(1+0)	1(1+0)	
28	Govt. ITI Kathua, Near Dist. Treasury Kathua, 184101, J&K	GU01000016	Existing	Health Sanitary Inspector	1(1+0)	1(1+0)	1(1+0)	Recommended
				Basic Cosmetology	1(1+0)	1(1+0)	1(1+0)	
				Electronics Mechanic	1(1+0)	1(1+0)	1(1+0)	
				Plumber	1(1+0)	1(1+0)	1(1+0)	
				Fitter	1(1+0)	1(1+0)	1(1+0)	
29	Govt. ITI Kishtwar, 182204, J&K	GR01000007	Existing	Health Sanitary Inspector	1(1+0)	1(1+0)	1(1+0)	Recommended
				Computer Hardware & Network Maintenance	1(1+0)	1(1+0)	1(1+0)	
				Interior Design & Decoration	1(1+0)	1(1+0)	1(1+0)	
				Plumber	1(1+0)	1(1+0)	1(1+0)	
				Draughtsman Civil	2(1+1)	2(1+1)	2(1+1)	
				Electrician	1(1+0)	1(1+0)	1(1+0)	
				COPA	1(1+0)	1(1+0)	1(1+0)	
				Mason(Building Constructor)	1(1+0)	1(1+0)	1(1+0)	
				Mechanic Motor Vehicle	1(1+0)	1(1+0)	1(1+0)	
30	Govt. ITI Badervah, Link Road Near Boys HSS Badervah, 18222, J&K	GR01000022	Existing	Front Office Assistant	1(1+0)	1(1+0)	1(1+0)	Recommended
				Mechanic Motor Vehicle	1(1+0)	1(1+0)	1(1+0)	
				Computer Hardware & Network Maintenance	1(1+0)	1(1+0)	1(1+0)	




				DGT-AM/11(51)18/2022-O/o Dir(TC)				
STATE: Jammu and Kashmir Total – 44, (New-00, Existing-44)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
31	Govt. ITI Doda, Nagri Doda, 182202 J&K	GR01000015	Existing	Draughtsman Civil	1(1+0)	1(1+0)	1(1+0)	Recommended
				Information & Communication Technology System Maintenance	1(1+0)	1(1+0)	1(1+0)	
				Tourist Guide	1(1+0)	1(1+0)	1(1+0)	
32	Govt. ITI Banihal, 182146, J&K	GR01000041	Existing	Plumber	1(1+0)	1(1+0)	1(1+0)	Recommended
				Draughtsman Civil	1(1+0)	1(1+0)	1(1+0)	
33	Govt. Women ITI Jammu, Akhnour Road, 180002, J&K	GU01000040	Existing	Basic Cosmetology	1(1+0)	1(1+0)	1(1+0)	Recommended
				Early Childhood Educator	1(1+0)	1(1+0)	1(1+0)	
34	Govt. ITI Sunderbani, Kathana, 185153, J&K	GR01000027	Existing	Plumber	1(1+0)	1(1+0)	1(1+0)	Recommended
				Fashion Design & Technology	1(1+0)	1(1+0)	1(1+0)	
35	Govt ITI Gool, Ramban, 182144, J&K	GR01000010	Existing	Plumber	1(1+0)	1(1+0)	1(1+0)	Recommended
				Mechanic Auto Electricals & Electronics	1(1+0)	1(1+0)	1(1+0)	
				Mechanic Diesel	1(1+0)	1(1+0)	1(1+0)	
36	Govt. Women ITI Dhamari, 182313, J&K	GR01000047	Existing	Electrician	1(1+0)	1(1+0)	1(1+0)	Recommended
				Plumber	1(1+0)	1(1+0)	1(1+0)	
				Dress Making	1(1+0)	1(1+0)	1(1+0)	
				Electronic Mechanic	1(1+0)	1(1+0)	1(1+0)	
				Stenographer & Secretarial Practice (English)	1(1+0)	1(1+0)	1(1+0)	
37	Govt. ITI Reasi, 182311, J&K	GU01000023	Existing	Plumber	1(1+0)	1(1+0)	1(1+0)	Recommended
				Electronic Mechanic	1(1+0)	1(1+0)	1(1+0)	
38	Govt. ITI R.S.Pura, 181102, J&K	GR01000031	Existing	Electrician	1(1+0)	1(1+0)	1(1+0)	Recommended
				Stenographer & Secretarial Assistant (English)	1(1+0)	1(1+0)	1(1+0)	
				Sewing Technology	1(1+0)	1(1+0)	1(1+0)	
				Basic Cosmetology	1(1+0)	1(1+0)	1(1+0)	


17/7




STATE: Jammu and Kashmir Total – 44, (New-00, Existing-44)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
39	Govt. ITI Surankote	GR01000050	Existing	Plumber	1(1+0)	1(1+0)	1(1+0)	Recommended
				Electrician	1(1+0)	1(1+0)	1(1+0)	
40	Govt. ITI Jammu, 180002, J&K	GR01000002	Existing	Draughtsman Civil	1(1+0)	1(1+0)	1(1+0)	Recommended
				Dress Making	1(1+0)	1(1+0)	1(1+0)	
				Instrument Mechanic	1(1+0)	1(1+0)	1(1+0)	
				Mechanic Refrigeration & Air Conditioner	1(1+0)	1(1+0)	1(1+0)	
				Mechanic Motor Vehicle	1(1+0)	1(1+0)	1(1+0)	
				Fitter	1(1+0)	1(1+0)	1(1+0)	
				Plumber	1(1+0)	1(1+0)	1(1+0)	
41	Govt. ITI Mendhar, 185111, J&K	GR01000028	Existing	Mechanic Motor Vehicle	1(1+0)	1(1+0)	1(1+0)	Recommended
				Fashion Design & Technology	1(1+0)	1(1+0)	1(1+0)	
				Welder	1(1+0)	1(1+0)	1(1+0)	
42	Govt. ITI Udhampur, 182101, J&K	GU01000011	Existing	Fashion Design & Technology	1(1+0)	1(1+0)	1(1+0)	Recommended
				Mechanic Motor Vehicle	1(1+0)	1(1+0)	1(1+0)	
				Plumber	1(1+0)	1(1+0)	1(1+0)	
				Mechanic Refrigeration & Air Conditioning	1(1+0)	1(1+0)	1(1+0)	
43	Govt. ITI Bhaleesa, Doda, 182203, J&K	GR01000048	Existing	Welder	1(1+0)	1(1+0)	1(1+0)	Recommended
				Plumber	1(1+0)	1(1+0)	1(1+0)	
				Electrician	1(1+0)	1(1+0)	1(1+0)	
				Early Childhood Educator	1(1+0)	1(1+0)	1(1+0)	
44	Govt. ITI Samba	GR01000035	Existing	Draughtsman Civil	1(1+0)	1(1+0)	1(1+0)	Recommended
				Mechanic Refrigeration & AC	1(1+0)	1(1+0)	1(1+0)	
				Electrician	1(1+0)	1(1+0)	1(1+0)	




STATE: Madhya Pradesh
Total – 23, (New-00, Existing-23)

SCVT to NCVT

Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instl.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1	Govt. ITI Shahpura JABALPUR	GR23000135	Existing	FITTER	2(1+1)	2(1+1)	2(1+1)	Recommended
2	Govt. ITI BUDNI	GR23000084	Existing	MECHANIC TRACTOR	2(1+1)	2(1+1)	2(1+1)	Recommended
3	Govt. ITI Kannod	GU23001176	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				FITTER	2(1+1)	2(1+1)	2(1+1)	
				COPA	2(1+1)	2(1+1)	2(1+1)	
				Welder	2(1+1)	2(1+1)	2(1+1)	
4	GOVT ITI SHAHGANJ	GR23001097	Existing	FITTER	2(1+1)	2(1+1)	2(1+1)	Recommended
				COMPUTER OPERATOR AND PROGRAMMING ASSISTANT	2(1+1)	2(1+1)	2(1+1)	
				WELDER	2(1+1)	2(1+1)	2(1+1)	
				MECHANIC DIESEL ENGINE	2(1+1)	2(1+1)	2(1+1)	
5	Govt. ITI KHUJNER	GR23001177	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				copa	2(1+1)	2(1+1)	2(1+1)	
				fitter	2(1+1)	2(1+1)	2(1+1)	
				welder	2(1+1)	2(1+1)	2(1+1)	
				mechanic diesel engine	2(1+1)	2(1+1)	2(1+1)	
6	GOVT. I.T.I. LATERI	GR2001106	Existing	FITTER	2(1+1)	2(1+1)	2(1+1)	Recommended
				MECHANIC DIESEL ENGINE	2(1+1)	2(1+1)	2(1+1)	
				SEWING TECHNOLOGY	1(1+0)	1(1+0)	1(1+0)	
7	GOVT. ITI BIAORA DIST. - RAJGARH	GR23000146	Existing	MECHANIC MOTOR VEHICLE	2(1+1)	2(1+1)	2(1+1)	Recommended
				MECHANIC REFRIGERATION AND AIR CONDITIONING	2(1+1)	2(1+1)	2(1+1)	
8	Govt. ITI Khilchipur	GU23000066	Existing	Mechanic Motor Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
				Mechanic Tractor	2(1+1)	2(1+1)	2(1+1)	
				Electrician	2(1+1)	2(1+1)	2(1+1)	
9	Govt. ITI, Betul	GU23000063	Existing	Draughtsman Civil	2(1+1)	2(1+1)	2(1+1)	Recommended
				Diesel Mechanic Engine	2(1+1)	2(1+1)	2(1+1)	
10	Govt. ITI HARDA	GR23000284	Existing	Mechanic Motor Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended



STATE: Madhya Pradesh
Total – 23, (New-00, Existing-23)

SCVT to NCVT

Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
11	Govt ITI Gadawara	GR23000083	Existing	ELECTRICIAN	2(1+1)	2(1+1)	2(1+1)	Recommended
				MECHANIC DIESEL ENGINE	2(1+1)	2(1+1)	2(1+1)	
12	Govt. Model ITI Bhopal (DIVISIONAL ITI)	GR23000005	Existing	Milk and Milk Products Technician	1(1+0)	1(1+0)	1(1+0)	Recommended
				Turner	2(1+1)	2(1+1)	2(1+1)	
				Computer Hardware and Network Maintenance	2(1+1)	2(1+1)	2(1+1)	
				Litho Offset Machine	2(1+1)	2(1+1)	2(1+1)	
				Electrician	4(2+2)	4(2+2)	4(2+2)	
13	Govt. ITI SIRONJ	GR23001131	Existing	ELECTRICIAN	2(1+1)	2(1+1)	2(1+1)	Recommended
				ELECTRONIC MECANIC	2(1+1)	2(1+1)	2(1+1)	
				FITTER	2(1+1)	2(1+1)	2(1+1)	
				MECHANIC MOTOR VEHICLE	2(1+1)	2(1+1)	2(1+1)	
				WELDER	2(1+1)	2(1+1)	2(1+1)	
14	GOVT.EKLAVYA ITI CHAKALDI SEHORE	GR23001136	Existing	WELDER	2(1+1)	2(1+1)	2(1+1)	Recommended
				MECHANIC DIESEL	2(1+1)	2(1+1)	2(1+1)	
15	GOVT.ITI ASHOKNAGAR	GU23000024	Existing	DIESEL MECHANIC	2(1+1)	2(1+1)	2(1+1)	Recommended
				MECHANIC MOTOR VEHICLE	2(1+1)	2(1+1)	2(1+1)	
16	Govt. ITI Narsinghpur	GU23000073	Existing	Turner	2(1+1)	2(1+1)	2(1+1)	Recommended
17	Govt. Model ITI Jabalpur (DIVISIONAL ITI)	GU23000011	Existing	Electrician	4(2+2)	4(2+2)	4(2+2)	Recommended
18	Govt. GAS ITI Bhopal (DIVISIONAL ITI)	GR23000005	Existing	Mechanic Diesel	2(1+1)	2(1+1)	2(1+1)	Recommended
				REFRIGERATION AND AIR CONDITIONING TECHNICIAN	2(1+1)	2(1+1)	2(1+1)	
				SHEET METAL WORKER	2(1+1)	2(1+1)	2(1+1)	
				central air condition plant mechanic	2(1+1)	2(1+1)	2(1+1)	
				INDUSTRIAL PAINTER	2(1+1)	2(1+1)	2(1+1)	
19	Govt. ITI Itarsi	GR23000062	Existing	Attendant operator chemical plant(AOCP)	2(1+1)	2(1+1)	2(1+1)	Recommended
				Computer operator & programming assistant (copa)	2(1+1)	2(1+1)	2(1+1)	
20	GOVT WOMEN. ITI BHOPAL	GR23000005	Existing	BASIC COSMETOLOGY	2(1+1)	2(1+1)	2(1+1)	Recommended

STATE: Madhya Pradesh
Total – 23, (New-00, Existing-23)

SCVT to NCVT

Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
21	Govt. ITI Berasia	GR23001114	Existing	Electronics Mechanic	2(1+1)	2(1+1)	2(1+1)	Recommended
				Mechanic Motor Vehicle	2(1+1)	2(1+1)	2(1+1)	
22	Govt. ITI Rahatgaon	GR23000271	Existing	FITTER	2(1+1)	2(1+1)	2(1+1)	Recommended
				WELDER	2(1+1)	2(1+1)	2(1+1)	
				COPA	2(1+1)	2(1+1)	2(1+1)	
23	Govt. ITI Dhar	GU23001149	Existing	Machinist	1(1+0)	1(1+0)	1(1+0)	Recommended
				Turner	1(1+0)	1(1+0)	1(1+0)	




TATE: Punjab Total - 49 (Existing -49)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1	Govt. ITI, Lopoke, Teh. Ajnala,Dist. Amritsar, Punjab 143110	GR03000116	Existing	Mechanic Tractor	2(1+1)	2(1+1)	2(1+1)	Recommended
2	Govt ITI (W) Amirtsar, Dist.Amritsar, Punjab 143001	GU03000060	Existing	Fashion Design & Technology	2(1+1)	2(1+1)	2(1+1)	Recommended
3	Govt. ITI Talwandi Road, Dist. Faridkot,Pincode 151203, Punjab	GU03000031	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				Welder GMAW & GTAW	2(1+1)	2(1+1)	2(1+1)	
				Draughtsman Civil	Addl. 1(0+1)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	
4	Government Industrial Training Institute, Qadian , Batala Road Qadian, Dist GURDASPUR , Punab 143516	GU03000032	Existing	Computer Hardware & Networking Maintenance	2(1+1)	2(1+1)	2(1+1)	Recommended
5	Govt. ITI Gill Road Ludhiana, Dist. Ludhiana, Punjab 141003	GU03000029	Existing	Mechanic Auto Body Repair	2(1+1)	2(1+1)	2(1+1)	Recommended
				Mechanic Auto Body Painting	2(1+1)	2(1+1)	2(1+1)	
				Mechanic Diesel	Addl. 1(0+1)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	
				Mechanic Motor Vehicle	Addl. 1(0+1)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	
				Plumber	2(1+1)	2(1+1)	2(1+1)	
				Electroplater	2(1+1)	2(1+1)	2(1+1)	
				Carpenter	Addl. 1(0+1)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	
				Electronics	Addl. 1(0+1)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	




TATE: Punjab Total - 49 (Existing -49)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
				Surveyor	Addl. 1(0+1)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	
6	Govt. ITI JALANDHAR ROAD HOSHIARPUR, Dist. HOSHIARPUR, Punjab-146001	GU03000052	Existing	Turner	Addl. 1(0+1)	Addl. 1(0+1) Total 4(2+2)	Addl. 1(0+1) Total 4(2+2)	Recommended
				Welder (GMAW & GTAW)	2(1+1)	2(1+1)	2(1+1)	
				Draughtsman Civil	Addl. 1(0+1)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	
				Mechanic Auto Electrical & Electronics	2(1+1)	2(1+1)	2(1+1)	
				Mechanic Auto Body Repair	2(1+1)	2(1+1)	2(1+1)	
				Computer Hardware & Networking Maintenance	2(1+1)	2(1+1)	2(1+1)	
				Fitter	Addl. 1(0+1)	Addl. 1(0+1) Total 4(2+2)	Addl. 1(0+1) Total 4(2+2)	
7	Government Industrial Training Institute Talwara, Sector-3 Talwara T/ Ship, Dist. HOSHIARPUR, Punjab-144216	GU03000050	Existing	Mechanic Ref. & Air Conditioning	3(1+2)	3(1+2)	3(1+2)	Recommended
				Mechanic Consumer Electronics Appliances	2(1+1)	2(1+1)	2(1+1)	
				Electrician	Addl. 1(0+1) Total 4(2+2)	Addl. 1(0+1) Total 4(2+2)	Addl. 1(0+1) Total 4(2+2)	
				Carpenter	Addl. 1(0+1) Total 2(2+2)	Addl. 1(0+1) Total 2(2+2)	Addl. 1(0+1) Total 2(2+2)	
				Draughtsman Civil	Addl. 1(0+1) Total 2(2+2)	Addl. 1(0+1) Total 2(2+2)	Addl. 1(0+1) Total 2(2+2)	
				Surface Ornamentation & Technique(Emb)	Addl. 1(0+1) Total 2(2+2)	Addl. 1(0+1) Total 2(2+2)	Addl. 1(0+1) Total 2(2+2)	

(Signature) 11/7



Skill India



Industrial Training Institute

DGT-Aff011(51)18/2022-O/o Dir(TC)

TATE: Punjab Total ~ 49 (Existing -49)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
8	Govt Industrial Training Institute Malerkotla, Nabha Road Maler kotla, Dist. SANGRUR, Punjab-148203	GR03000102	Existing	COPA	2(1+1)	2(1+1)	2(1+1)	Recommended
				Welder	2(1+1)	2(1+1)	2(1+1)	
				Mechanic Diesel	2(1+1)	2(1+1)	2(1+1)	
				Turner	2(1+1)	2(1+1)	2(1+1)	
9	Govt Industrial Training Institute (W) Dhuri, Dist. SANGRUR, Punjab-148024	GU03000062	Existing	COPA	2(1+1)	2(1+1)	2(1+1)	Recommended
				Surface Ornamentation Technique (Emb.)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	
10	Govt. ITI Near PRTC Workshop Model Town, Dist. PATIALA, Punjab-147001	GU03000013	Existing	Mechanic Consumer Electronics Appliances	2(1+1)	2(1+1)	2(1+1)	Recommended
				Welder (GMAw & GTAW)	2(1+1)	2(1+1)	2(1+1)	
				Computwer Hardware & Network Maintences	2(1+1)	2(1+1)	2(1+1)	
				Mechanci Auto Electrical & Electronics	2(1+1)	2(1+1)	2(1+1)	
11	Govt. ITI DHANAULA ROAD BARNALA, Dist. BARNALA, Punjab-148101	GU03000096	Existing	Mechanic Motor Vehicle	2(1+1)	2(1+1)	2(1+1)	Recommended
12	Govt Industrial School for Girls, Purana Bazar, Qila Mohala, Barnala, Dist. Barnala Punjab-148101	GR03000015	Existing	COPA	2(1+1)	2(1+1)	2(1+1)	Recommended
				Dress Making	2(1+1)	2(1+1)	2(1+1)	

TATE: Punjab Total - 49 (Existing -49)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
13	Govt Industrial Training Institute, Sunam, Sangrur, PATIALA ROAD SUNAM, Dist. SANGRUR, Punjab-148028	GU03000043	Existing	Secretarial Practice English Carpenter Mechanic Consumer Electronics Appliances Welder (GMAw & GTAW) Mechanic Agriculture Machinery Mechanic Diesel	2(1+1) Addl. 1(0+1) Total 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) Addl. 1(0+1) Total 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) Addl. 1(0+1) Total 2(1+1) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	Recommended
14	Govt.I.T.I.(W) Samrala, Ludhiana-chandigarh road, Samrala.Dist-Ludhiana, Punjab 141114	GR03000061	Existing	Basic Cosmetology	2(1+1)	2(1+1)	2(1+1)	Recommended
15	Govt Industrial Training Institute (W) Dharamkot, Muhalla Baba Kishan Das, Lohgarh Bazar, Dharamkot, Dist Moga, Punjab - 142042	GU03000082	Existing	Sewig Technology Surface Ornamentation & Technique (Emb.) COPA	Addl. 1(0+1) Total 2(1+1) Addl. 1(0+1) Total 2(1+1) 2(1+1)	Addl. 1(0+1) Total 2(1+1) Addl. 1(0+1) Total 2(1+1) 2(1+1)	Addl. 1(0+1) Total 2(1+1) Addl. 1(0+1) Total 2(1+1) 2(1+1)	Recommended
16	Govt. ITI (W) Sirhind, AT JALVEHRA NEAR SADUGARH, Dist FATEHGARH SAHIB, Punjab 140406	GR03000098	Existing	Basic Cosmetology	2(1+1)	2(1+1)	2(1+1)	Recommended
17	Govt. ITI (W) Hoshiarpur, Dist. Hoshiarpur, Punjab-146201	GU03000343	Existing	Fashion Design & Technology Basic Cosmetology	1(1+0) 1(1+0)	1(1+0) 1(1+0)	1(1+0) 1(1+0)	Recommended



Skill India
समृद्धि मंत्रालय - Ministry of Skill Development and Entrepreneurship



Industrial Training Institute

DGT-Aff011(51)18/2022-0/o Dir(TC)

TATE: Punjab Total - 49 (Existing -49)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
				Information Communication Technology & System	1(1+0)	1(1+0)	1(1+0)	

TATE: Punjab Total - 49 (Existing -49)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
18	Govt. I.T.I (w) Jaito, Gurudwara Tibbi Sahib Road Jaitu, Dist. Faridkot, Punjab 151202	GU03000099	Existing	Fashion Design & Technology	2(1+1)	2(1+1)	2(1+1)	Recommended
19	Govt. ITI Kalanaur, adaltpur road kalanaur, Dist, GURDASPUR, Punjab-143512	GR03000394	Existing	Mechanic Tractor Welder Draughtsman Civil	2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1)	Recommended
20	Govt. ITI Kapurthala, Satnaryan Bazar, Kapurthala, Dist Kapurthala, Punjab -144601	GU03000018	Existing	Electrician Welder (GMAW& GTAW)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	Recommended
21	Govt ITI, Nabha, Patiala, Chhintawala Road Near Over Bridge Nabha, Dist PATIALA, Punjab- 147201	GR03000005	Existing	Mechanic Tractor Computer Hardware & Networking Mechanic Motor Vehicle	2(1+1) 2(1+1) Addl. 1(0+1) Total 2(1+1)	2(1+1) 2(1+1) Addl. 1(0+1) Total 2(1+1)	2(1+1) 2(1+1) Addl. 1(0+1) Total 2(1+1)	Recommended
22	Govt Industrial Training Institute (W) Nabha, Near DIET, Circular Road, Nabha, Dist. Patiala, Punjab 147201	GU03000008	Existing	COPA Fashion Design & Technology Surface Ornamentation & Technique (Emb.)	2(1+1) 2(1+1) Addl. 1(0+1) Total 2(1+1)	2(1+1) 2(1+1) Addl. 1(0+1) Total 2(1+1)	2(1+1) 2(1+1) Addl. 1(0+1) Total 2(1+1)	Recommended
23	Govt. ITI , harsi Pind, tanda, hoshiarpur, Dist. Hoshiarpur Punjab 144212	GR03000115	Existing	Electronics Mechanic Electrician	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	Recommended
24	Govt Industrial Training Institute, Lalru, Handesra Road, Dist. SAHIBZADA AJIT SINGH NAGAR, Punjab-140501	GR03000087	Existing	Mechanic Auto Body Repair Mechanic Tractor Textile Wet	2(1+1) Addl 1(0+1) 2(1+1)	2(1+1) Addl. 1(0+1) Total 2(1+1) 2(1+1)	2(1+1) Addl. 1(0+1) Total 2(1+1) 2(1+1)	Recommended




TATE: Punjab Total - 49 (Existing -49)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
				Processing Technician				
				Spinning Technician	2(1+1)	2(1+1)	2(1+1)	
				Mechanic Ref. & Air Conditioning	Addl 1(0+1)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	
				Mechanic Electronics	2(1+1)	2(1+1)	2(1+1)	
25	Govt. ITI Pathankot, Dist Pathankot, Pin Code 145001, Punjab	GR03000039	Existing	Welder	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	Recommended
				Turner	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	
				Mechanic Ref. & Air Conditioning	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	
				Electronics Mechanic	2(1+1)	2(1+1)	2(1+1)	
26	Govt. ITI Gurdaspur-pathankot G.T. Road, Dist. Gurdaspur, Punjab 143521	GU03000067	Existing	Electrician	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	Recommended
				Mechanic Diesel Engine	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	
				Mechanic Ref. & Air Conditioning	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	
				Draughtsman Civil	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	
				Plumber	2(1+1)	2(1+1)	2(1+1)	
				Computer Hardware & Networking Maintenance	2(1+1)	2(1+1)	2(1+1)	
				Electronics Mechanic	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	





TATE: Punjab Total - 49 (Existing -49)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
				Welder	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	
				Carpenter	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	
27	Govt Industrial Training Centre for SC, CHHITORGARH ROAD FATEHGARH CHURIAN, Dist. GURDASPUR, Punjab	GR03000079	Existing	Electronics Mechanic	2(1+1)	2(1+1)	2(1+1)	Recommended
28	Govt.I.T.I. Samrala, Ludhiana Chd Road Samrala, Dist. Ludiana, Punjab 141114	GR03000049	Existing	Turner	2(1+1)	2(1+1)	2(1+1)	Recommended
				Welder	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	
				Welder (GMAW & GTAW)	2(1+1)	2(1+1)	2(1+1)	
				Mechanic Tractor	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	
				Electrician	2(1+1)	2(1+1)	2(1+1)	
				Draughtsman Civil	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	
29	Industrial Training Institute, Otalon, V.P.O. Otalan, Dist. LUDHIANA, Punjab-141114	GR03000040	Existing	Welder	2(1+1)	2(1+1)	2(1+1)	Recommended
30	Govt Industrial Training Institute, Batala, Dist. GURDASPUR, Punjab-143505	GU03000036	Existing	Mechanic Ref. & Air Conditioning	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	Recommended
				Mechanic Diesel Engine	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	
				Fitter	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	

TATE: Punjab Total - 49 (Existing -49)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
				Electrician	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	
				Tool & Die (Zig & Fixture)	2(1+1)	2(1+1)	2(1+1)	
				Mechanic Auto Electrical & Electronics	2(1+1)	2(1+1)	2(1+1)	
				Foundry man Technician	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	
31	Govt. Industrial Training Institute, Gujjarwal, VPO Gujjarwal, Distt Ludhiana, Punjab 141202	GR03000113	Existing	COPA	2(1+1)	2(1+1)	2(1+1)	Recommended
				Mechanic Diesel	2(1+1)	2(1+1)	2(1+1)	
32	Govt. ITI, Kathua Road, Bamial, Dist Pathankot, Punjab - 145027	GR03000119	Existing	Fashion Design & Technology	2(1+1)	2(1+1)	2(1+1)	Recommended
				Mechanic Ref. & Air Conditioning	2(1+1)	2(1+1)	2(1+1)	
				Mechanic Diesel	2(1+1)	2(1+1)	2(1+1)	
				Machinist	2(1+1)	2(1+1)	2(1+1)	
33	Govt. ITI (W) Chuharchak, Teh Moga Distt Moag., Pin 142053, Punjab	GR03000073	Existing	Basic Cosmetology	2(1+1)	2(1+1)	2(1+1)	Recommended
				COPA	2(1+1)	2(1+1)	2(1+1)	
				Sewing Technology	Addl. 1(0+1)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	
34	Govt ITI, Manuke, Manuke, Dist Ludhiana, Pin Code 142034, Punjab	GR03000092	Existing	COPA	2(1+1)	2(1+1)	2(1+1)	Recommended
35	Govt ITI (SC), Faridkot, Dist. Faridkot Pincode- 151203, Punjab	GU03000076	Existing	Surface Ornamentation & Technique (Emb.)	2(1+1)	2(1+1)	2(1+1)	Recommended
36	Govt. ITI (W) Khanna at	GR03000068	Existing	Basic Cosmetology	2(1+1)	2(1+1)	2(1+1)	Recommended





TATE: Punjab Total - 49 (Existing -49)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
	Bullepur, Dist. Ludhiana, Pincode 141001, Punjab							
37	Govt. ITI Jaitu, Near Tibbi Sahib Gurdwara, Tibbi Sahib Road, Jaitu, Dist. Faridkot, Pin 151202, Punjab	GU3000393	Existing	Electronic Mechanic Mechanic R& AC Welder COPA	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	Recommended
38	Govt. ITI, Ranike, Dist Amritsar, Pin 143408, Punjab	GR03000105	Existing	COPA Wireman Mechanic Diesel	2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1)	Recommended
39	Govt Industrial Training Institute, sarhali, Near GGS College, Sarhali Kalan, Dist. TARN TARAN, Pin 143410, Punjab	GR03000023	Existing	Welder(GMAW & GTAW) Mechanic Motor Vehicle	2(1+1) Addl. 1(0+1) Total 2(1+1)	2(1+1) Addl. 1(0+1) Total 2(1+1)	2(1+1) Addl. 1(0+1) Total 2(1+1)	Recommended
40	Government Industrial Training Institute Moga, Dist Moga, Pin code 142001, Punjab	GU03000048	Existing	Plumber	2(1+1)	2(1+1)	2(1+1)	Recommended
41	Govt. ITI Nangal, Nangal Township, Nangal, Distt. Rupnagar, Pin 140124, Punjab	GR03000037	Existing	Carpenter Dtaughtsman Civil Plumber Welder	Addl. 1(0+1) Total 2(1+1) Addl. 1(0+1) Total 2(1+1) Addl. 1(0+1) Total 2(1+1) Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1) Addl. 1(0+1) Total 2(1+1) Addl. 1(0+1) Total 2(1+1) Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1) Addl. 1(0+1) Total 2(1+1) Addl. 1(0+1) Total 2(1+1) Addl. 1(0+1) Total 2(1+1)	Recommended
42	Govt Industrial Training Institute, Budhlada, Bhhiki	GU03000051	Existing	Welder(GMAW & GTAW)	2(1+1)	2(1+1)	2(1+1)	Recommended




TATE: Punjab Total - 49 (Existing -49)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
	Road budhlada, Dist Mansa, Pin 151502, Punjab			Welder	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	
43	Govt. ITI (W), Sangrur, PATIALA GATE PANCHAYAT BHAWAN ROAD, Dist. Sangrur, Pin 148001, Punjab	GU03000070	Existing	COPA	2(1+1)	2(1+1)	2(1+1)	Recommended
44	Govt. ITI (W),Jandali Kalan Ahemdgarh, Dist. Ludhiana, Pin 148021, Punjab	GR03000100	Existing	Surface Ornamentation & Technique (Emb.)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	Recommended
45	Govt Industrial Training Institute, Nagal Road Ropar, Dist. Rupnagar, Pin 140001, Punjab	GU03000045	Existing	Draughtsman Civil	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	Recommended
				Mechanic Auto Electrician & Electronics	2(1+1)	2(1+1)	2(1+1)	
				Plumber	2(1+1)	2(1+1)	2(1+1)	
				Mechanic (Refrigeration and Air-Conditioning)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	
46	Govt. ITI Nakodar, MEHATPUR ROAD,NAKODAR, JALANDHAR, Dist Jalandhar, Pin 144040, Punjab	GU03000093	Existing	COPA	2(1+1)	2(1+1)	2(1+1)	Recommended
				Electrician	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	
				Fitter	2(1+1)	2(1+1)	2(1+1)	
				Welder	2(1+1)	2(1+1)	2(1+1)	
47	Govt Industrial Training Institute Rajpura, Near SOS,Rajpura - 140401 ,Distt.	GR03000022	Existing	Mechanic (Refrigeration and Air-Conditioning)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	Recommended
				Mechanic Auto	2(1+1)	2(1+1)	2(1+1)	




TATE: Punjab Total - 49 (Existing -49)				SCVT to NCVT				
Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/ New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
	Patiala, Pin 140401, Punjab			Electrical & Electronics				
48	Govt. I.T.I (W) Samana at Gajewas, Dist. Patiala Pin 147101, Punjab	GR03000262	Existing	Sewing Technology	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	Recommended
				Surface Ornamentation & Technique (Emb.)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	Addl. 1(0+1) Total 2(1+1)	
49	Govt. ITI Women Gurdaspur, Pandori road, Dist. Gurdaspur-143521, Punjab	GU03000021	Existing	Surface Ornamentation & Technique (Emb.)	3(1+2)	Add 3(1+2) 4(2+2)	Add 3(1+2) 4(2+2)	Recommended
				Sewing Technology	Add 3(1+2)	Add 3(1+2) 4(2+2)	Add 3(1+2) 4(2+2)	
				Fashion Design Technology	2(1+1)	2(1+1)	2(1+1)	
				Basic Cosmetology	2(1+1)	2(1+1)	2(1+1)	
				Electronic Mechanic	2(1+1)	2(1+1)	2(1+1)	
				Computer Hardware &	2(1+1)	2(1+1)	2(1+1)	




STATE: Rajasthan
Total - 13, (New-00, Existing-13)

SCVT to NCVT


Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instt.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1	Government ITI Thanagaji, Address Thanagaji- District-ALWAR, RAJASTHAN-301022	GR08000028	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
2	Government ITI Sahapura Address Sahapura, District-JAIPUR, State-RAJASTHAN-302001	GR08000080	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				COPA	2(1+1)	2(1+1)	2(1+1)	
				R&AC	2(1+1)	2(1+1)	2(1+1)	
3	Government ITI Rawatbhata, Centab Road Rawatbhata, Distt Chittorgarh-323307, Rajasthan	GR08000093	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
4	Government Industrial Training Institute Kekari Address Ajmer Road Vill-Dorai Kekari District AJMER, RAJASTHAN Pincode 305404	GR08000094	Existing	COPA	2(1+1)	2(1+1)	2(1+1)	Recommended
5	Govt ITI Gangapur, Dist Bhiwara, 332301, Rajasthan	GR08000097	Existing	Electrician	2(1+1)	2(1+1)	2(1+1)	Recommended
				Welder	2(1+1)	2(1+1)	2(1+1)	
6	Government ITI Toda Raisingh, Vill Sabri Nagar Post Kukad Malpura, District-TONK, RAJASTHAN-304505	GR08000102	Existing	COPA	2(1+1)	2(1+1)	2(1+1)	Recommended
7	Govt ITI Bari Post Roopasapur, Distt Dholpur, Rajasthan 328021	GR08000411	Existing	Welder(G&E)	2(1+1)	2(1+1)	2(1+1)	Recommended
8	Govt ITI Parasiya Sanganer, Near Muhana Road, Behind GSS Sanganer, Dist Jaipur, Rajasthan -302029	GR08000882	Existing	Carpenter	2(1+1)	2(1+1)	2(1+1)	Recommended
9	Government ITI Bayana, Distt Bharatpur, Rajasthan-321401	GR08000969	Existing	Welder	2(1+1)	2(1+1)	2(1+1)	Recommended
10	Govt ITI Kapasan, Udaipur Road Kapasan, Distt Chittorgarh, Rajasthan-312202	GR08000975	Existing	COPA	2(1+1)	2(1+1)	2(1+1)	Recommended
	Government ITI Kherwara Near Gabageshwar Hanuman Mandir, Kherwara District-	GR08000982	Existing	Electronics Mechatronics	2(1+1)	2(1+1)	2(1+1)	Recommended




STATE: Rajasthan
Total – 13, (New-00, Existing-13)

SCVT to NCVT

Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institution	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
11	Udaipur, Rajasthan-313803							
12	Government ITI, Chhabra, Kumbh Raj Road Chhabra, District- BARAN, RAJASTHAN -325220	GR08000997	Existing	COPA	2(1+1)	2(1+1)	2(1+1)	Recommended
13	Govt. ITI Fatehpur, Dist Sikar, Rajasthan- 332301	GR08001003	Existing	COPA	2(1+1)	2(1+1)	2(1+1)	Recommended
				Plumber	2(1+1)	2(1+1)	2(1+1)	



STATE: Tamil Nadu
Total - 04, (New-00, Existing-04)

SCVT to NCVT

Sl. No.	Name of Institute with address	NCVT/MIS Code	Existing/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Instit.	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1	GOVERNMENT ITI TINDIVANAM Sanchal Medu VILLUPURAM TAMIL NADU 604001	GR33000637	Existing	Solar Technician (Electrocal)	2(1+1)	2(1+1)	2(1+1)	Recommended
2	Government Industrial Training Institute,Perambalur, Indira Nagar, Thaneerpanthal, Perambalur TAMIL NADU- 621220	GR33000565	Existing	Solar Technician (Electrocal)	2(1+1)	2(1+1)	2(1+1)	Recommended
3	Government Industrial Training Institute For Women, Guindy, Alandur Road, Guindy CHENNAI 600032	GR33000070	Existing	Architectural Draughtsman	addl 2(1+1)	addl 2(1+1)	addl 2(1+1)	Recommended
4	Government Industrial Training Institute for Women, Pullambadi TIRUCHIRAPPALLI 621711	GR33000212	Existing	Machinist	addl 2(1+1)	addl 2(1+1)	addl 2(1+1)	Recommended
				Dress Making	addl 2(1+1)*	addl 2(1+1)*	addl 2(1+1)*	

