

Through E-Mail

E-file No.: 50837,50712,50836
50609,50761,50834

Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Employment Exchange Building,
1st floor, Pusa, New Delhi,
Dated: 17.06.2022

To

The State Directorate
Rajasthan,


Subject: Affiliation of Units/Trades/Shifting of Govt./Pvt. ITI with NCVT -regarding.

Sir,

On the basis of report received and the decision taken on E-file the Competent authority Recommended/Not recommended trades/units for session w.e.f. August 2022, for the ITIs for the trades/units mentioned in the attached list. The affiliation is granted for five years from the date of issue of this order for the recommended applicant ITIs as per the list attached.


2. The DGT & State officer can inspect the ITI any time for better performance & training
 - (i) Periodic verification.
 - (ii) The ITI must comply with DGT norms/guidelines issued from time to time.
 - (iii) ITI must display the newly released logo of ITI on the Display Board at the main gate.
3. The said information is also available under "News & Updates" on NCVT MIS Portal at <https://ncvtmis.gov.in>.
4. Affiliation of Trades/Units mentioned in this order valid till the validity of affiliation of ITIs and ITI should apply for "Renewal of Affiliation" as per DGT Norms.
5. Discrepancies if any in the affiliation orders, may be intimated to the undersigned within 15 days of issue of this order.

Yours faithfully


(Ujjwal Biswas)
Director of TC

Copy along with enclosures for information to:

1. Sr PPS to Chairman Standing Committee on Accreditation and Affiliation (SCAA)-DGT.
2. Sr PPS to DDG (Affiliation).
3. The officer dealing with NCVT MIS: - To please upload the order on NCVT MIS portal


(P.M. Damodharam)
Assistant Director of Training
17/6/22

STATE Rajasthan

Total - 06, (New-00, Old-06)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by		Remarks by SCAA
				Instt.	Trade/units Approved by DGT SCAA	
1.	<p>Samrat Private ITI</p> <p>Old Address- Matajhor Road, Teh. - Makrana, District- Nagaur Rajasthan</p> <p>New Address- Udai Road, Gangapur city, District- Sawai Madhopur Rajasthan</p> <p>Mis Code: PR08000157</p> <p>File No.: - DGT-Aff011(30)/9/2022-O/o DIR (TC)</p>	Existing	Electrician	Existing 18(6+6+6)	NR	<p>Not Recommended</p> <p>Inter district shifting is not permitted from session 2019 vide DGT order dated 18th Sept 2019 and Dedicated plot and land currently available with applicant ITI is not as per norms.</p>



STATE Rajasthan

Total - 06, (New-00, Old-06)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade which affiliation sought	Units for which affiliation sought/ recommended by		Remarks by SCAA
				Instit.	Trade/units Approved by DGT SCAA	
2.	<p>SR Mund Pvt. ITI,</p> <p>Old Address VPO Mundsar, Bikaner, Rajasthan</p> <p>New Address Plot No-3, Shila Vihar, Gukulpura, Jaipur, Rajasthan</p> <p>MIS Code: - PR08001715</p> <p>File No.: - DGT- Aff011(30)/3/2022- O/o DIR (TC)</p>	Existing	Electrician	3(1+1+1)	NR	<p>Not Recommended</p> <p>Inter district shifting is not permitted from session 2019 vide DGT order dated 18th Sept 2019</p>




STATE Rajasthan

Total – 06, (New-00, Old-06)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade which affiliation sought	Units for which affiliation sought/ recommended by		Remarks by SCAA
				Instit.	Trade/units Approved by DGT SCAA	
3.	<p>VD Pvt. ITI</p> <p>Old Address Chak Dholatpur, Chiksana, District Bharatpur Rajasthan</p> <p>New Address Chiksana, District Bharatpur Rajasthan</p> <p>MIS Code: PR08000680</p> <p>File No.: - DGT- Aff011(30)/4/2022- O/o DIR (TC)</p>	Existing	<p>Electrician</p> <p>COPA</p>	2(1+1)	NR	<p>Not Recommended</p> <p>Applicant ITI is having land area of 2108 sqm. which is less than minimum area requirement of 4291.4 sqm. ITI doesn't have NCIC qualified instructors and fire safety certificate of building.</p>




STATE Rajasthan

Total - 06, (New-00, Old-06)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade which affiliation sought	Units for which affiliation sought/ recommended by		Remarks by SCAA
				Instit.	Trade/units Approved by DGT SCAA	
4.	<p>Genius Private ITI</p> <p>Old Address Near New Police Station, Khampur, District-Jhalawar, Rajasthan</p> <p>New Address Village-Todarbas, Gram Panchayat Nangal Khanzadi, Tehsil Laxmangarh, District-Alwar, Rajasthan</p> <p>MIS Code: - PR08000189</p> <p>File No.: - DGT-Aff011(30)/8/2022-O/o DIR (TC)</p>	Existing	Electrician-	Existing 6(2+2+2)	NR	<p>Not Recommended</p> <p>Inter district shifting is not permitted from session 2019 vide DGT order dated 18th Sept 2019 and Dedicated plot and land currently available with applicant ITI is not as per norms.</p>



STATE Rajasthan

Total - 06, (New-00, Old-06)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade which affiliation sought	Units for which affiliation sought/ recommended by		Remarks by SCAA
				Instit.	Trade/units Approved by DGT SCAA	
5.	<p>Nav Bharti Private ITI,</p> <p>Old Address Bhuvneshwari Vatika, Panchyawala, Jaipur, Rajasthan</p> <p>New Address Behind God Factory, Guni Wali Dhani, Dausa , Rajasthan</p> <p>MIS Code: - PR08001295</p> <p>File No.: - DGT- Aff011(30)/2/2022- O/o DIR (TC)</p>	Existing	<p>Electrician</p> <p>Fitter-</p>	12(4+4+4)	NR	<p>Not Recommended</p> <p>Inter district shifting is not permitted from session 2019 vide DGT order dated 18th Sept 2019.</p>
				3(1+1+1)	NR	




STATE Rajasthan

Total - 06, (New-00, Old-06)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade which affiliation sought	Units for which affiliation sought/ recommended by		Remarks by SCAA
				Instit.	Trade/units Approved by DGT SCAA	
6.	<p>S.D. Pvt ITI,</p> <p>Old Address Amrit Nagar, Iskon Road, Mansarover, Dist-Jaipur, Rajasthan</p> <p>New Address Near Goshala, Lalsot road, Dist- Dausa, Rajasthan</p> <p>MIS Code: - PU08001442</p> <p>File NO.: - DGT-Aff011(30)/7/2022-O/o DIR (TC)</p>	Existing	Electrician	Existing 6(2+2+2)	NR	<p>Not Recommended</p> <p>Inter district shifting is not permitted from session 2019 vide DGT order dated 18th Sept 2019 and Dedicated plot and land currently available with applicant ITI is not as per norms.</p>

