Through Mail E-file No.: 51620

#### DGT-Aff011(51)/20/2022 O/o Dir (TC)

Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Employment Exchange Building, 1st floor, Pusa, New Delhi, Dated: 28<sup>th</sup> July, 2022

To

1. The State/UT Directors,

(Assam, Bihar, Chhattisgarh, Goa, Gujarat, Jharkhand, Jammu & Kashmir, Karnataka, Madhya Pradesh, Maharashtra, Punjab, Rajasthan, Tamil Nadu, Tripura, Uttar Pradesh)

2. The Regional Directors, RDSDEs

(Assam, Bihar, Chhattisgarh, Goa, Gujarat, Jharkhand, Jammu & Kashmir, Karnataka, Madhya Pradesh, Maharashtra, Punjab, Rajasthan, Tamil Nadu, Tripura, Uttar Pradesh)

Subject:

Minutes of Meeting of  $4^{th}$  meeting of Standing Committee on Accreditation and Affiliation (SCAA) held on  $8^{th}$  July, 2022 - regarding.

Sir/Madam,

Please find enclosed approved Minutes of Meeting along with Annexure of 4<sup>th</sup> Meeting of Standing Committee on Accreditation and Affiliation (SCAA) held on 8<sup>th</sup> July, 2022. However, implementation orders agenda item wise will be issued in due course of time.

Further, all the compliance reports must be sent to Director, TC only on below mentioned e-mail id with subject tag line-

Mail ID: tc-affiliation@dgt.gov.in

Subject tag line in Email: Compliance of 4th SCAA Meeting <State Name> <ITI Name>

This issue with approval of competent authority, DGT.

(Ujjwal Biswas) Director, TC

#### Copy along with enclosures for information to:

- 1. Sr PPS to Chairman of SCAA-DGT.
- 2. Sr PPS to DDG (Affiliation).
- 3. NCVT MIS Portal In charge, DGT Hqr. New Delhi, with request to upload MOM on NCVT MIS Portal.
- 4. IT Section, DGT Hgr. New Delhi.

(T. Ragulan)

Joint Director, TC

#### DGT-AFF011(51)/20/2022 O/o Dir (TC)

# Directorate General of Training Ministry of Skill Development and Entrepreneurship Government of India

Employment Exchange Building, Pusa Campus, New Delhi-110012

### Minutes of 4th meeting of Standing Committee on Accreditation and Affiliation (SCAA) held on 08.07.2022

Following Committee members were present during the meeting -

- 1. Smt. Sandhya Salwan, DDG, DGT, Chairperson of SCAA
- 2. Sh. Rajeev Ranjan, Director, State DTE Bihar
- 3. Sh. Digambar A. Dalvi, Director State DTE Maharashtra
- 4. Sh. Ujjwal Biswas, Director, TC, DGT Member
- 5. Sh. S Mathivanan, Regional Director, RDSDE Assam
- 6. Sh. B Ashfaq Ahmed, Regional Director, RDSDE Bihar
- 7. Sh. J P Meena, Regional Director, RDSDE Gujarat
- 8. Sh. C S Murthy, Regional Director, RDSDE Maharashtra
- 9. Sh. S Naik, Regional, Director, RDSDE Rajasthan
- 10. Sh. Seshachari, Regional Director, RDSDE Tamil Nadu
- 11. Sh. Manpal Singh, Additional Director, State DTE Uttar Pradesh
- 12. Smt. Daljeet Kaur, Additional Director, State DTE Punjab
- 13. Sh.Faroog Ahmed Khan, Joint Director State DTE J&K
- 14. Smt. Mossami, Joint Director State DTE Assam
- 15. Smt. Anju Agarwal, Jharkhand State
- 16. Sh. MF Ansari, Deputy Director, State DTE Chhattisgarh
- 17. Sh. K B Patel, Deputy Director, State DTE Gujarat
- 18. Sh. Mayank Gangwar, Deputy Director, State DTE Uttar Pradesh
- 19. Smt. Karapakkam, Deputy Director, State DTE Tamil Nadu
- 20. Sh. Sunil Kumar, Deputy Director, RDSDE Madhya Pradesh
- 21. Sh. Pramendra Tilanthe, Deputy Director, RDSDE Punjab
- 22. Sh.Sandeep Nath, Assistant Director, State DTE Rajasthan
- 23. Sh. Suman Kumar, Assistant Director, State DTE Bihar
- 24. Sh. Ashish Kumar Shukla, Assistant Director, RDSDE Uttar Pradesh
- 25. Sh. Nizamamuddin Barbhuiya, Assistant Director, RDSDE Assam
- 26. (i) Ms. Naina Nagpal (ii) Ms. Pooja Verma (iii) Sh. Rajesh Kumar (iv) Sh. Shramev Sharma (v) Sh. Suryakant Mishra (vi) Sh. P M Damodharam Assistant Directors, TC Section, DGT (vii) Shri Parveen Kumar, JTA, TC Section, DGT

At the outset, Smt. Sandhya Salwan, DDG, DGT and Chairperson of SCAA, welcomed all the committee members and participants. Thereafter, Shri Ujjwal Biswas, Director (TC) took agenda points for detailed discussions. The details of discussions, deliberations and agendawise decisions taken by the Chair, are placed below.

ON!

may 28/0 2/noon

Page 1 of 46

#### Agenda 1: Action taken report of 3rd SCAA meeting held on dated 24.06.2022

Director TC informed committee members that Minutes of Meeting of 3<sup>rd</sup> SCAA meeting held on 24.06.2022 were issued and uploaded on the NCVT MIS portal. Affiliation orders will be issued shortly.

#### Agenda 2: New accreditation/ affiliation proposals for existing and new ITIs from 9 states

Total 48 new accreditation/ affiliation proposals for existing and new ITIs from 9 States are received, out of which 19 are from existing ITIs (6 Government ITIs and 13 Private ITIs) for addition of trades/units and 29 are from new ITI (29 Private ITIs).

Table 1: Total applications received state-wise for government and private ITIs

SI. No.	Name of the	Existin	g	New		
	state	Government	Private	Government	Private	Total
1	Assam	<u>=</u>	12	· ·	4	4
2	Bihar	=	5	: 0 <del>4</del> :	7	12
3	Chhattisgarh	2		5 <b>=</b> :		2
4	Gujarat	-	-	1. <del>-</del>	4	4
5	Maharashtra	4	1	=	4	9
6	Punjab	-	1	-	æ	1
7	Rajasthan	· ·	1	-	=	1
8	Tamil Nadu	=	2	=	Ē.	2
9	Uttar Pradesh	₩.	3	-	10	13
Total		6	13	<u>=</u>	29	48

#### **SCAA Remarks:**

Committee members discussed proposal of ITIs state-wise and gave their decision. The remarks by SCAA for each case is attached as *Annexure-2*.

#### Agenda 3: Conversion of Government ITIs to IToTs

In order to establish IToTs in each state/UT, Hon'ble Secretary, MSDE and Hon'ble Special Secretary/DG, DGT, MSDE advised states/UTs to send proposals for conversion of government ITIs into IToTs in the meeting held with Secretaries of states/UTs on dated 10.03.2022.

The following proposals were received from director CFI,DGT for Conversion of government ITIs to IToTs from Session 2022-23.

Table 2: Total proposals received for conversion of government ITIs to IToTs

S.No.	State/UT	No of ITIs		
1	Chhattisgarh	12		
2	Jharkhand	4		

S.

m / 28/07/2022

Page 2 of 46

3	Karnataka	2
4	Madhya Pradesh	3
5	Maharashtra	8
6	Tripura	5
7	Uttar Pradesh	6
	Total ITIs	40

The committee members discussed on the proposal received from states for conversion of government ITIs into IToTs and gave their decision attached as *Annexure-3*.

#### Agenda 4: Miscellaneous

## 4.1 SSDEC Tripura proposal for grant of affiliation to government ITI Santirbazar, Tripura (South)

SSDEC Tripura in the meeting held on 28.06.2022 had recommended the grant of affiliation to government ITI Santirbazar, Tripura (South). The ITI is covered under Enhancing Skill Development Infrastructure in North Eastern States (ESDI). The proposal is placed before SCAA for ratification and the committee concurred with the recommendations of Tripura SSDEC for this ITI.

#### **SCAA Remarks**:

Below mentioned trade and units are recommended.

- 1) Architectural Draughtsman -2(1+1)
- 2) Computer Operator and Programming Assistant-2(1+1)
- 3) Dress making -2(1+1)
- 4) Plumber -2(1+1)
- 5) Surveyor -2(1+1)

#### 4.2 Conversion of SCVT to NCVT

DGT had approved conversion of 375 government ITIs from SCVT to NCVT for the session 2020 and 2021. The conversion of these ITIs from SCVT to NCVT has been regularized with the approval of the competent authority on e-file. The same was placed before SCAA for ratification and information to all the states/UTs.

Committee member discussed and agreed with the decisions of the competent authority.

Table 3: State wise list of SCVT to NCVT converted ITIs

SI.No.	State	Number of SCVT to NCVT converted ITIs		
1	Bihar	108		
2 Chhattisgarh		26		
3	Gujarat	105		

N.

and sologinos

4	Goa	3		
5	Jammu Kashmir	44		
6	Madhya Pradesh	23		
7	Punjab	49		
8	Rajasthan	13		
9	Tamil Nadu	4		
	Total	375		

\*\*\*Meeting ended with vote of thanks to the Chair\*\*\*

and the same of th

Annexure -2 for Agenda No. 2: New accreditation/ affiliation proposals for existing and new ITIs from 10 States.

Total 48 proposals were discussed in the meeting and state-wise remarks of 4<sup>th</sup> Standing Committee on Accreditation and Affiliation (SCAA) are given in column VII-

1. State: Assam, total 04 new ITIs proposal for affiliation.

ITIs Name/ Address/ MIS Code / Grading	Existing/ New/ MSTI	Trades/ units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 4th SCAA meeting held on dated 08.07.2022
11.	III	IV	V	VI	VII
Kaziranga Private Industrial Training Institute, Near Holy Child School, VIP Road, Hijuguri, Tinsukia-786126 TMP18302PU1582379653	New	1. Computer Operator and Programming Assistant (COPA) - 2 (1+1+0) 2. Electrician - 6 (2+2+2) 3. Fitter - 6 (2+2+2) 4. Mechanic Diesel - 6 (2+2+2)	Recommended: 1. Computer Operator and Programming Assistant (COPA) - 2 (1+1+0) 2. Electrician - 2 (1+1+0) 3. Fitter - 2 (1+1+0) 4. Mechanic Diesel - 2 (1+1+0)  Machinery are in partially working condition.	1. Machinery are in partially working condition as per ICVC report.  2. Trainers qualification, experience and CITS details not available.	ITI needs to submit the working condition of all the trades machineries and an undertaking for CITS qualified instructors will be appointed before the start of session 2022, to State Directorate within 07 days from the issue of this MoM.  State Directorate will verify and send the report with clear recommendation of all the trades/units within 07 days from issue of this MoM.
Axom Private Industrial Training Institute, Tinsukia Kokoratoli jail road post borguri ,Tinsukia-786126 TMP18302PR1582531761	New	1. Electrician - 3 (1+1+1) 2. Fitter - 3 (1+1+1) 3. Mechanic Diesel - 3 (1+1+1)	Recommended:  1. Electrician - 2	1. Tools & Equipment's and machineries for Stenographer Secretarial Assistant	Not Recommended as per ICVC remarks. Minimum four trades are required.  ITI needs to remove the deficiencies mentioned in column VI and submit the
	II  Kaziranga Private Industrial Training Institute, Near Holy Child School, VIP Road, Hijuguri, Tinsukia-786126  TMP18302PU1582379653  Axom Private Industrial Training Institute, Tinsukia Kokoratoli jail road post borguri ,Tinsukia-786126	Code / Grading  New/ MISTI  II  Kaziranga Private Industrial Training Institute, Near Holy Child School, VIP Road, Hijuguri, Tinsukia-786126  TMP18302PU1582379653  Axom Private Industrial Training Institute, Tinsukia Kokoratoli jail road post borguri ,Tinsukia-786126	Code / Grading  New/MSTI  III  IV  Kaziranga Private Industrial Training Institute, Near Holy Child School, VIP Road, Hijuguri, Tinsukia-786126  TMP18302PU1582379653  Axom Private Industrial Training Institute, Tinsukia Kokoratoli jail road post borguri ,Tinsukia-786126  TMP18302PR1582531761  Rew/MSTI  III  IV  1. Computer Operator and Programming Assistant (COPA) - 2 (1+1+0) 2. Electrician - 6 (2+2+2) 4. Mechanic Diesel - 6 (2+2+2) 4. Mechanic Diesel - 6 (2+2+2) 4. Mechanic Diesel - 3 (1+1+1) 3. Mechanic Diesel - 3	Sought for affiliation	Code / Grading



and soloshouse

			4. Stenographer Secretarial Assistant (English) - 3 (1+1+1)	1. Tools & Equipment's and machineries for Stenographer Secretarial Assistant (English) trade are not available as per norms.  2. The instructors are not trained under CITS.	(English) trade are not available as per norms. 2. CITS Pass out Instructor details not available	report to the State Directorate within 07 days from issue of this MoM.  State Directorate will verify and send the report with clear recommendation of all the trades/units within 07 days from issue of this MoM.
3	Kaziranga Private Industrial Training Institute Opposite Jorhat Science and Technology College, NH 37, Sotai Jorhat TMP18290PU1582373498	New	<ol> <li>Electrician - 12         (4+4+4)</li> <li>Fitter - 12         (4+4+4)</li> <li>Mechanic         Diesel - 12         (4+4+4)</li> <li>Stenographer         Secretarial         Assistant         (English) - 12         (4+4+4)</li> </ol>	Recommended:  1. Electrician - 2 (1+1+0)  2. Fitter - 2 (1+1+0)  3. Mechanic Diesel - 2 (1+1+0)  Remarks:  1. Some of the machineries of Electrician, Fitter and Mechanic Diesel Engine trades have not installed and no electric connection.  2. Machinery bills (in original) are partially available. But there are no payment receipts.  3. Copy of staff	1. CITS and experience details of trainers are not available.  1. CITS and experience available.  1. CITS and experience available.  1. CITS and experience available.	Not Recommended as per ICVC remarks. Minimum four trades are required.  ITI needs to remove the deficiencies mentioned in column V and VI and submit the report to the State Directorate within 07 days from issue of this MoM.  The State Directorate will verify and send the report with clear recommendation of all the trades/units within 07 days from issue of this MoM.



and 26/02hour

						Annexure - 2
				appointment letters are there. But no joining order. No record about their joining date.  4. Approach road is not in good condition. Boundary walls are not satisfactory		
4	New Tinsukia Private Industrial Training Institute, Nh 37, p.o. & p.s. Makum, Dis- Tinsukia  TMP18302PR1581929720	New	1. Computer Operator and Programming Assistant (COPA) - 3 (1+1+1) 2. Electrician - 12 (4+4+4) 3. Fitter - 12 (4+4+4) 4. Mechanic Diesel - 12 (4+4+4)	Not Recommended  Not recommended due to  1. Non-availability of proper infrastructure.  2. Machineries are partially installed. Some of the machineries are in working condition.  3. One old workshop of an industry has shown as workshops and classrooms of the Institute. No electrical fan and light are available. It is not suitable at all for the human health and hygiene.	1. Trainers qualification, experience and CITS details not available.  2. Drawing hall and IT lab are not available as per norms.	Not Recommended as per ICVC remarks.  ITI needs to remove the deficiencies mentioned in column V and VI and submit the report to the State Directorate within 07 days from issue of this MoM.  RDSDE and State Directorate will arrange joint reinspection and send the report with recommendation of trades/units.



201 57/100 22

	4. Amenities like	
	drinking water,	
19	separate toilets,	
	library, dispensary,	
	playground, parking	
	place etc. are not	
	available.	

2. State: Bihar, total 12 ITIs (07 new and 05 existing) proposal for affiliation. 05 existing ITIs have applied for addition of trades/units.

SI. No.	ITIs Name/ Address/ MIS Code / Grading	Existing/ New/ MSTI	Trades/ units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 4th SCAA meeting held on dated 08.07.2022
ı	II	111	IV	V	VI	VII
1,,	SHAMS private ITI, Sakra wazid, PS-Dholi, PO-Dholi, DistMuzaffarpur, Bihar, Pin- 843105. TMPNEW429	New	<ol> <li>Electrician -16 (8+8)</li> <li>Fitter - 4 (2+2)</li> <li>Hospital House Keeping -2 (1+1)</li> <li>Smart phone and App Testing - 2 (1+1)</li> </ol>	Recommended: 1. Electrician -16 (8+8) 2. Fitter - 4 (2+2) 3. Hospital House Keeping – 2 (1+1) 4. Smart phone and App Testing - 2 (1+1).	1. BCC signed by architect, not as per norms. 2. CITS certificate of trainers not available.	ITI needs to submit the BCC and an undertaking to appoint CITS qualified instructors before the start of session 2022, to State Directorate within 07 days from the issue of this MoM.  State Directorate will verify the BCC and submit the report with clear recommendation of trades/units within 07 days from issue of this MoM.
2.	Bharti Private Industrial Training Institute, Patna, Pir Badhauna, Daniawan, Patna-801305, Bihar.	New	1. Carpenter - 2 (1+1) 2. COPA - 2	Recommended: 1. Carpenter - 2 (1+1)	<ol> <li>BCC is not available.</li> <li>CITS</li> </ol>	ITI needs to submit the BCC and an undertaking to



and stockers

						Annexure - Z
	TMP10212PR1582885262		(1+1) 3. Electrician - 4 (2+2), 4. Fitter - 2 (1+1)	<ol> <li>COPA - 2 (1+1)</li> <li>Electrician - 4 (2+2),</li> <li>Fitter - 2 (1+1)</li> </ol>	certificate of trainers not available.	appoint CITS qualified instructors before the start of session 2022, to State Directorate within 07 days from the issue of this MoM.  State Directorate will verify the BCC and submit the report with clear recommendation of
3.	Om Sai Nath Private Industrial Training Institute, Vaishali, At- Panapur Dhammpur, P.S- Bidupur, Vaishali, Bihar. TMP10224PR1581591429	New	1. COPA - 2 (1+1) 2. Electrician - 4 (2+2) 3. Fitter - 2 (1+1) 4. Housekeeper - 2(1+1)	Recommended: 1. COPA - 2 (1+1) 2. Electrician - 4 (2+2) 3. Fitter - 2 (1+1) 4. Housekeeper - 2(1+1)	1. BCC is given by architect, not as per norms. 2. CITS certificate of trainers not available.	trades/units within 07 days from issue of this MoM.  ITI needs to submit the BCC and an undertaking to appoint CITS qualified instructors before the start of session 2022, to State Directorate within 07 days from the issue of this MoM.
						State Directorate will verify the BCC and submit the report with clear recommendation of trades/units within 07 days from issue of this MoM.
4.	RSM private ITI, Vill Ssamastpura, PS -Bheldi Dist.Saran-841402, Bihar. PR10000990 Grading 1.16	Existing	1. Electrician - 4 (2+2) 2. Fitter - 4 (2+2)	Recommended: 1. Electrician - 2 (1+1) 2. Fitter -2 (1+1)	<ol> <li>CITS         certificate of         trainers not         available.</li> <li>BCC by         anchal         adhikari, not         as per norms.</li> <li>Grading -         1.16, less than</li> </ol>	Not Recommended due to  1. Less grading. 2. Deficiencies mentioned in column VI.



28/07/1000

5 ,,	Harnaut Private Industrial Training Institute, Nalanda, Vill : Cheran, P.O+P.S :	New	1. COPA - 2 (1+1) and 2. Electrician - 4	Recommended: 1. COPA - 2 (1+1) 2. Electrician - 4	1.25,required as per norms.  1. BCC by architect and anchal	ITI needs to submit the BCC and an undertaking to appoint CITS qualified
	Harnaut, Dist: Nalanda ,State :Bihar  TMP10209PR1581399594		(2+2) 3. Fitter - 4 (2+2) 4. Smartphone Technician Cum App Tester - 2 (1+1)	(2+2) 3. Fitter - 4 (2+2) 4. Smartphone Technician Cum App Tester -2 (1+1)	adhikari.Not as per norms. 2. All trainers are not CITS trained.	instructors before the start of session 2022, to State Directorate within 07 days from the issue of this MoM.  State Directorate will verify the BCC and submit the report with clear recommendation of trades/units within 07 days
6.	New Vivekanand Private Industrial Training Institute, At Dilawarpur, P.O + P.S: Kaler, DistArwal-824127, Bihar PU10000903 Grading 2.13	Existing	1. Electrician - 12 (6+6)	Recommended: 1. Electrician - 12 (6+6)	All trainers are not CITS trained.	from issue of this MoM.  Recommended:  1. Electrician - 12 (6+6)  The ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session 2022 to the concerned state directorate and RDSDE within 07 days from the issue of this MoM.  RDSDE and the state will ensure the instructors are appointed in the ITI before start of session 2022.
7,:	Adarsh Patel Private Industrial Training Institute, arwal, vill+p.o.+p.s karpi, distarwal 804419, Bihar.	Existing	1. Electrician - 12 (6+6) 2. Fitter - 4 (2+2)	Recommended: 1. Electrician - 12 (6+6) 2. Fitter - 4 (2+2)	CITS     certificate of     all trainers not     available.	Recommended: 1. Electrician - 12 (6+6) 2. Fitter - 4 (2+2) The ITI needs to submit an



my softone

	PR10000756 Grading 2.93					undertaking that CITS qualified instructors will be appointed before the start of session 2022 to the concerned state directorate and RDSDE within 07 days from the issue of this MoM.  RDSDE and the state will ensure the instructors are appointed in the ITI before start of session 2022.
8.	Sapna Private Industrial Training Institute, At. Amawan More, P.O:Bansh Gopal, P.S:Rajauli,Nawada-805110,Bihar PR10000826 Grading 3.01	Existing	1. Electrician – 4 (2+2+0)	Recommended: Electrician – 4 (2+2+0)	1. CITS certificate of instructor not available. 2. BCC is given by architect, not as per norms.	ITI needs to submit BCC and an undertaking that CITS instructors will be appointed before start of session 2022 to the state directorate within 07 days from the issue of this MoM.  State Directorate will submit the verified report with recommendations of trades/units within 07 days from issue of this MoM.
9.	Sri Ramanand Private Industrial Training Institute, Bhagalpur, At+ P.O Kiranpur, Bhagalpur-813108, Bihar  TMP10192PR1582792266	New, MSTI	Electrician 4(2+2)	Recommended: Electrician 4(2+2)	<ol> <li>BCC is given by architect, not as per norms.</li> <li>No electricity bill uploaded.</li> <li>Drawing hall available but no drawing tables present.</li> <li>NOC for MSTI lying under unserved area</li> </ol>	ITI needs to remove the deficiencies mentioned in column VI and submit the report to the State Directorate within 07 days from issue of this MoM.  State Directorate will submit the verified report along with NOC for MSTI with recommendation of trades/units within 07 days from issue of this MoM

28/02/hour

Page **11** of **46** 

10.	Shree Sai Baba ITC, Pranbati Lane, Brahpura Bhagalpur- 812001, Bihar. PR10000335 Grading 1.95	Existing	Electrician -8 (4+4)	Recommended: Electrician – 8 (4+4)	is not available. CITS certificate of all trainers not available.	Recommended: Electrician – 8 (4+4)  The ITI needs to submit an undertaking that CITS qualified instructors will be
						appointed before the start of session 2022 to the concerned state directorate and RDSDE within 07 days from the issue of this MoM.  RDSDE and the state will ensure the instructors are appointed in the ITI before start of session 2022.
11.	Sudama Devi Private Industrial Training Institute, Begusarai At- Bari Eaghu, Po- Mohan Eaghu, Ps-Muffasil, Dist-Begusarai - 851129, Bihar. TMP10191PU1582788287	New	1. Electrician - 6 (2+2+2) 2. Fitter -3 (1+1+1) 3. Welder -3 (1+1+1) 4. Mechanic Diesel - 3 (1+1+1)	Disagree, not recommended Institute is closed management refuse to provide any documents	No inspection carried out.	Not Recommended as per ICVC remarks.
12.	Tribhuwan Private Industrial Training Institute, Madhepura Tribhuwan Nagar, Ward No 11, Basudeva Madhepura- 852121, Bihar.  TMP10205PR1579970084	New	1. Electrician – 2 (1+1), 2. Electronic Mechanics – 1 (1+0), 3. Fitter – 1 (1+0), 4. Wiremen – 1 (1+0).	Recommended:  1. Electrician – 2 (1+1),  2. Electronic Mechanics – 1 (1+0),  3. Fitter – 1 (1+0),  4. Wiremen – 1 (1+0).	<ol> <li>CITS         certificate of         trainers not         available.</li> <li>Wiremen         workshop         area not as         per norms.         Available-         51.054 sqm,         required – 88</li> </ol>	ITI needs to submit a report on wireman workshop area and an undertaking that CITS qualified instructors will be appointed before the start of session 2022, to the concerned State Directorate within 07 days from the issue of this MoM.





Sqm.	
	State Directorate will verify
	and submit the report with
	clear recommendation of
	trades/units within 07 days
	from issue of this MoM.

3. State: Chhattisgarh, total 02, (02 Existing) ITIs cases for new ITIs and for affiliation

SI. No.	ITIs Name/ Address/ MIS Code / Grading  Existing/ New/ MSTI		Trades/ units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 4th SCAA meeting held on dated 08.07.2022	
1	I1	III	IV	V	VI	VII	
1.	Govt. Industrial Training Institute, Gharghoda, Distt- Raigarh  GR22000064 Grading 1.52	Existing	1. Mechanic Diesel- 2 (1+1) 2. Welder- 2 (1+1)	<ol> <li>Not Recommended:</li> <li>Mechanic Diesel- 2 (1+1)</li> <li>Welder- 2 (1+1)</li> <li>Remarks:</li> <li>Roof of workshop of welder and Mechanic diesel are asbestos sheet which is not as per norms. Gap between wall &amp; roof noticed.</li> <li>No Instructor has been appointed in Welder and Mechanic Diesel trade.</li> <li>No computer in COPA Lab is as per norms.</li> <li>Lath not working in Fitter Lab.</li> <li>No control panel in electrician Lab.</li> <li>Diesel mechanic T&amp;E item No 184-diesel engine stationery is unserviceable engine displayed. welder</li> </ol>	1. Major Deficiencies are mentioned by ICVC as shown in column V. 2. Drawing hall infrastructure not as per norms.	ITI will remove all the deficiencies mentioned in column V &VI before the start of session 2022.  State Directorate and RDSDE will submit a joint report with recommendation.	





				No T&E 54- 6Nos not as per spec. No 94& 95 not available. 7. Old expired fire extinguisher was kept in the Institute. 8. COPA & STENO trades no CITS trainer available. 9. Building plan are not updated as on inspection date. 10. Available with old trades layout and not approved as per norms. 11. IT lab not available.		
2.	Government Industrial Training Institute, Parpodi, Bemetara- 491331, Chhattisgarh GR22000061 Grading 2.72	Existing	1. Computer Operator and Programming Assistant (COPA)- 2 (1+1) 2. Mechanic Diesel- 2 (1+1) 3. Welder (GMAW & GTAW)- 2 (1+1)	Recommended:  1. Computer Operator and Programming Assistant (COPA)- 2 (1+1)  2. Mechanic Diesel- 2 (1+1)  3. Welder (GMAW & GTAW)- 2 (1+1).  1. The trades /units may be affiliated subject to endorsement by Director, DET, Chhattisgarh to remove the deficiencies in machine /equipment before starting admission in the respective trades.  2. Machine installed biometric attendance records not available.  3. Fire extinguisher available refilled of current date but fire certificate is not provided of current year.	1. As per ICVC undertaking is required from the state for machinery and equipment.  2. Biometric attendance records not available.  3. Fire certificate is not provided of current year.  4. All trainers do not have CITS certificate.	Recommended:  1. Computer Operator and Programming Assistant (COPA)- 2 (1+1)  2. Mechanic Diesel- 2 (1+1)  3. Welder (GMAW & GTAW)- 2 (1+1).  State Directorate will submit an undertaking to DGT to remove all the deficiencies mentioned in column V and VI before start of session 2022 within 07 days from issue of this MoM.

S

28/07/2012

4. State: Gujarat, total 04 new ITIs proposal for affiliation.

SI. No.	ITIs Name/ Address/ MIS Code / Grading	,		Observations of TC section	Remarks by 4th SCAA meeting held on dated 08.07.2022	
1	11	m	IV	V	VI	VII
	BAPS Swaminarayan ITI, College Road, Bodeli District: Chhota Udepur - 391135 TMP24438PR1582872262	New	1. Computer Operator and Programming Assistant (COPA) - 2 (1+1+0) 2. Electrician - 2 (1+1+0) 3. Fitter - 2 (1+1+0) 4. Welder - 2 (1+1+0)	Not Recommended  Due to- 1. the machinery and equipment's of all the applied batches are not in working condition/not installed 2. No exact date papers available for land 3. Electricity meter not connected. Solar panel installed but not working. 4. Staff Available but not qualified	1. Ground floor Building Plan is available without any signature. 2. Six appointment letters are available, trainers' qualification, experience and CITS details are not available.	Not Recommended as per ICVC remarks.  ITI will remove the deficiencies mentioned in column V and VI and submit the report to the State Directorate within 07 days from issue of this MoM.  State Directorate and RDSDE will submit the joint verified report with recommendation of all trades/units.
2	Pramukh Swami Vocational Training Centre, Near BAPS Swaminarayan Temple, Nasik By Pass Road, Dharampur Valsad-396050 TMP24462PU1645333788	New	1. Computer Operator and Programming Assistant (COPA) - 2 (1+1+0) 2. Data Entry Operator - 2 (1+1+0) 3. Electrician - 2 (1+1+0) 4. Fitter - 2	Recommended: 1. Computer Operator and Programming Assistant (COPA) - 2 (1+1+0) 2. Data Entry Operator - 2 (1+1+0) 3. Electrician - 2 (1+1+0) 4. Fitter - 2 (1+1+0) 5. Sewing Technology - 2 (1+1+0)	Qualification,     experience and     CITS details of     trainers are not     available.	Recommended: 1. Computer Operator and Programming Assistant (COPA) - 2 (1+1+0) 2. Data Entry Operator - 2 (1+1+0) 3. Electrician - 2 (1+1+0) 4. Fitter - 2 (1+1+0) 5. Sewing Technology - 2 (1+1+0)

and solo silvent

Page **15** of **46** 

						Annexure - 2
			(1+1+0) 5. Sewing Technology - 2 (1+1+0) 6. Welder - 2 (1+1+0) 7. Wireman - 2 (1+1+0)	6. Welder - 2 (1+1+0) 7. Wireman - 2 (1+1+0)  New trade faculty may be appointed		6. Welder - 2 (1+1+0) 7. Wireman - 2 (1+1+0)  The ITI needs to submit an undertaking that CITS qualified instructors will be
					©	appointed before the start of session 2022 to the concerned state directorate and RDSDE within 07 days from the issue of this MoM.
						RDSDE and the state will ensure the instructors are appointed in the ITI before start of session 2022.
3	Indo German Tool Room Plot No. 5003, Phase – IV, GIDC Vatva, Ahmedabad-382445 TMP24438GU1646044431	New ITI	<ol> <li>Additive         Manufacturing         Technician         (3D Printing) -         4 (2+2+0)</li> <li>Computer         Operator and         Programming         Assistant         (COPA) - 4         (2+2+0)</li> <li>Machinist - 6</li> </ol>	Recommended: 1. Computer Operator and Programming Assistant (COPA) - 4 (2+2+0) 2. Machinist - 6 (3+3+0) 3. Technician Mechatronics - 4 (2+2+0)  Due to shortage of	1. Office Memorandum for staff are available, however, qualification, experience and CITS details are not available.	Recommended: 1. Computer Operator and Programming Assistant (COPA) - 4 (2+2+0) 2. Machinist - 6 (3+3+0) 3. Technician Mechatronics - 4 (2+2+0) 4. Welder (Fabrication & Fitting) - 4 (2+2+0)
			(3+3+0) 4. Technician Mechatronics - 4 (2+2+0)	machineries in Additive manufacturing Technician in 3D printing trade, Wireman trade		RDSDE has submitted verification report as decided in VC meeting



mer 28/07/2022

			6.	Welder (Fabrication & Fitting) - 4 (2+2+0) Wireman - 4 (2+2+0)	and welder trade are not recommended for affiliation.		and recommends welder trade.  Further, The ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session 2022 to the concerned state directorate and RDSDE within 07 days from the issue of this MoM.  RDSDE and the state will ensure the instructors are appointed in the ITI before start of session 2022.
4	Japan India Institute for Manufacturing Private ITI, Gandhinagar  TMP24446PU1646223077	New	2.	Electrician - 2(1+1+0) Fitter - 2(1+1+0) MMV - 2(1+1+0) Painter (General) - 2(1+1+0)	Recommended:  1. MMV - 2(1+1+0)  2. Painter (General) - 2(1+1+0)  Remarks:  1. Fitter and Electrician trade machines and tool are available but yet to installed.  2. Kausalya skill university course of Automobile also running by in same Campus.  3. They are providing training to ITI	1. Trainers experience and CITS details are not available.	Recommended:  1. Electrician - 2(1+1+0)  2. Fitter - 2(1+1+0)  3. MMV - 2(1+1+0)  4. Painter (General) - 2(1+1+0)  RDSDE and State Directorate confirms about the machinery installation in VC meeting.  Further, The ITI needs to submit an

and allower

Annexure - 2

	instructors also in	undertaking that CITS
	Automobile sector.	qualified instructors will
		be appointed before the
		start of session 2022 to
		the concerned state
1		directorate and RDSDE
1		within 07 days from the
		issue of this MoM.
		RDSDE and the state will ensure the instructors are appointed in the ITI before start of session 2022.

A

my gelogizor

5. State: Maharashtra, total-09 (04 new and 05 existing) ITIs proposals for affiliation. 05 existing ITIs have applied for addition of trades and units.

SI. No.	ITIs Name/ Address/ MIS Code / Grading	Existing/ New/ MSTI	Trades/ units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 4th SCAA meeting held on dated 08.07.2022	
Т	11	111	IV	V	VI	VII	
1.	P. N. Sarode Private Industrial Training Institute,At Post: Sawali(Wagh), Taluka: Hinganghat. District: Wardha-422301 State: Maharashtra.  TMPSP070(special case)	New	1 Computer - 2 (1+1) Hardware & Network Maintenance 2 Electrician - 2 (1+1) 3 Fitter - 2 (1+1) 4 Welder - 2 (1+1)	<ol> <li>Not recommended</li> <li>Dead stock register is available but it is not as per norms</li> <li>Some machinaries are not available as per syllabus. 60% of available machines are not installed properly. ITI was unable to show all machinaries working at the same time.</li> <li>ITI was unable to show all machines working at the same time.         Machinary specifications are not as per norms.         MIG welding not in working condition.</li> <li>Constructed Building is not as per approved building area plan</li> <li>Drawing Hall and IT Lab not as per norms</li> <li>Safety is compromised at every machine</li> <li>Disagree, no trades and</li> </ol>	1 CITS Qualified Instructor details not available. 2 Machinery not as per norms. 3 IT Lab and Drawing Hall not as per norms. 4 Safety measures not as per norms 5 Building not constructed as per approved plan.	Not recommended as per ICVC remarks.  Due to deficiencies mentioned in column V and VI	



				No unite recommended		
				No units recommended as some major machines are not in working. Safety is compromised while installation and Machines are not as per norms. IT lab and drawing hall is not as per norms.		
2.	Markandeya Private Industrial Training Institute, Baradgaon- 445402, Maharashtra  TMPSP070(special case)	New	1 COPA- 2 (1+1) 2 Electrician- 2 (1+1) 3 Fashion- 2 (1+1) Design- and Technology 4 Fitter- 2 (1+1)	Recommended:  1. COPA- 2 (1+1) 2. Electrician- 2 (1+1) 3. Fashion- 2 (1+1) 4. Design- and Technology 5. Fitter- 2 (1+1)	1 CITS Qualified Instructor details not available 2 Layout Plan not attached 3 BCC is available from Gram Panchayat. Not as per norms	ITI will submit the layout plan, BCC and an undertaking that CITS qualified instructors will be appointed before the start of session 2022 to State Directorate within 07 days from the issue of this MoM.  State Directorate will send verified report on layout plan, BCC along with recommendation of all trades/units within 07 days from the issue of this MoM.
3.	Government Industrial Training Institute, Ambad,Jalna Beed Road JALNA- 431204,Maharashtra	Existing	1 Welder- 1 (0+1+0)	Recommended: Welder- 1 (0+1+0)	May be recommended	Recommended: Welder- 1 (0+1+0)
		_	1-		1000	Page 20 of 46

A

28/07/201

4.	GR27000115(special case) Grading 1.81 Harsh Private Industrial Training Institute, Near Moti Baag, Midc Turning , Sutala Bk.	Existing	1 2 3	Electrician- 2 (0+1+1) Fitter- 2 (0+1+1) Welder- 2 (0+1+1)	Not Recommended Remarks:  1. Biometric Machine for Trainees not available	CITS Qualified Instructor details not available Biometric	Not Recommended as per ICVC remarks.  ITI needs to be inspected for existing trades.
	Taluka Khamgaon District Buldhana Pin: 444303,Maharashtra  PR27000708  Grading 1.58				<ol> <li>Fitter lathe machines are not having as per spec and not properly working</li> <li>Trainer records are found but not maintained properly</li> <li>IT Lab Air conditioning are not found licensed OS not shown/ not available</li> </ol>	Machine for Trainees not available  B. Drawing Hall and IT Lab not as per norms  Power not as per norms.	
					<ul> <li>5. Drawing tables, models, tools are not available as per requirement only few drawing boards are found No fans and lighting in room</li> <li>6. Electric power consumption is less for existing training.</li> <li>7. Hostel, accessibility to pwd, canteen not available.</li> </ul>		
					8. Fitter not recommend due lathe machines and hydraulic and pneumatic trainers are not as per requirement fitter class		





5.	Government Industrial	Existing	1 Electrician- 1	room is shown in lab only drawing lab and infrastructure need to setup properly Recommended:	May be	Recommended:
	Training Institute (Adivasi), Pandharkawada, Dist: Yavatmal, Sonbardi Road Yavatmal-445302, Maharashtra  GR27000156(special case) Grading 2.35		(0+1+0) 2 Fitter- 2 (1+1)	1 Electrician- 1 (0+1+0) 2 Fitter- 2 (1+1)	Recommended	1 Electrician- 1 (0+1) 2 Fitter- 2 (1+1)
6.	Nalanda Private Industrial Training Institute,At Post Ugwa Tq & Dist Akola- 444006,Maharashtra TMPSP069(special case)	New	1 Computer Operator and Programming Assistant (COPA)- 2 (1+1) 2 Electrician- 2 (1+1) 3 Draughtsman (Civil)- 2 (1+1) 4 Wireman- 2 (1+1)	Recommended:  1 Computer Operator and Programming Assistant (COPA)- 2 (1+1) 2 Electrician- 2 (1+1) 3 Draughtsman (Civil)- 2 (1+1) 4 Wireman- 2 (1+1)	Details of CITS Qualified Instructors not available.	Recommended:  1 Computer Operator and Programming Assistant (COPA)- 2 (1+1)  2 Electrician- 2 (1+1)  3 Draughtsman (Civil)- 2 (1+1)  4 Wireman- 2 (1+1)  The ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session 2022 to the concerned state

A

walted & Low

7.	Government Industrial Training Institute, Aurangabad, Dist: Aurangabad, MIDC Area Railways Station Road Aurangabad-431005, Maharashtra GU27000016(special case) Grading 1.48	Existing	1 2 3 4 5	Computer Operator and Programming Assistant (COPA)- 1 (0+0+1) Electrician- 2 (2+0+0) Electronics Mechanic- 2 (0+1+1) Fitter- 3 (1+1+1) Instrument Mechanic- 1 (0+1+0)  Computer	Recommended 1. COPA-1 (0+0+1) 2. Electrician-2 (1+1+0) 3. Electronics Mechanic- 2 (0+1+1) 4. Fitter- 3 (1+1+1)  Remarks: 1. Two EB Connections available. 2 <sup>nd</sup> Connection is on the name of Production training center. c/o Principal ITI Aurangabad connected load is 26 KW. 2. Instrument Mechanic - Total available tools and equipments are 75% so not recommended  Recommended:	1. Major power shortage as per norms. Required-504.51 KW, available-232.38 KW.  2. CITS instructor details not uploaded.  CITS details for	directorate and RDSDE within 07 days from the issue of this MoM.  RDSDE and the state will ensure the instructors are appointed in the ITI before start of session 2022.  State will submit verified report on following-  1. Electric Power connection as per norms, 2. Instrument mechanic tools equipment availability as per norms.  ITI will remove the above deficiencies and State Directorate will send the report to TC section DGT within 7 days from the issue of this MoM.
	Training Institute, Darwha, Dist: Yavatmal, Yavatmal Road Darwha Yavatmal-			Operator and Programming Assistant	Computer Operator and     Programming Assistant     (COPA)- 2 (1+1)	Instructors in Copa and Electrician is not	Computer Operator     and Programming     Assistant (COPA)- 2



GR2 case	202, Maharashtra 27000492(special e) ading- 2.17		(COPA)- 2 (1+1)  2 Basic Cosmetology- 2 (1+1)  3 Electrician- 2 (1+1)	<ul> <li>2 Basic Cosmetology- 2 (1+1)</li> <li>3 Electrician- 2 (1+1)</li> </ul>	available.	(1+1) 2 Basic Cosmetology- 2 (1+1) 3 Electrician- 2 (1+1)  State directorate will ensure that CITS instructors are appointed before the start of session 2022.
Indu Inst Talu -Jal Mał	askaracharya Private ustrial Training titute,A/P Tarwade uka-Chalisgoan District lgoan-424119 harashtra  PSP063(special case)	New	1 Draughtsman- 3 (1+1+1) 2 Mechanical- 3 (1+1+1) 3 Electrician- 3 (1+1+1) 4 Fitter- 3 (1+1+1) 5 Welder- 3 (1+1+1)	Recommended:  1 Draughtsman- 3 (1+1+1) 2 Mechanical- 3 (1+1+1) 3 Electrician- 3 (1+1+1) 4 Fitter- 3 (1+1+1) 5 Welder- 3 (1+1+1)	1 CITS details of instructor not provided. 2 BCC is issued by gram panchayat. Not as per norms. 3 From uploaded photo it appears Workshop roof is made up of tin sheet	ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM-  1. BCC documents as per norms.  2. Workshop roof as per norms  3. Undertaking to appoint CITS instructors before start of session 2022.  State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM.



mystogran

6. State: Punjab, total 01 Existing ITI proposal for addition of trades/units.

SI. No.	ITIs Name/ Address/ MIS Code / Grading	Existing/ New/ MSTI	Trades/ units sought affiliation	Remarks by Inspection Cum Verification Committee (ICVC)		Remarks by 4th SCAA meeting held on dated 08.07.2022
I	II	Ш	IV	V	VI	VII
1.	Guru Harkrishan ITC,Near Baba Ram Dev Mandir Alam Shah Road, Fazilka-152123, Punjab PR03000199 Grading- 1.47		(2+2)	Recommended  Electrician- 6 (2+2+2)  1. All instructors are not CITS qualified.  2. Drawing tables are not available	<ol> <li>Drawing table not available only sitting benches available.</li> <li>All the instructors are not CITS trained.</li> </ol>	ITI needs to submit the following details to the concerned state directorate within 07 days from the issue of this MoM –  1. An undertaking to appoint CITS qualified instructors before start of session 2022.  2. ITI will upgrade the furniture of drawing hall as per norms.  State Directorate will send verified report with recommendation of trade/units within 07 days from issue of this MoM.



and 28/02/201

7. State: Rajasthan,01 existing ITI proposal for addition of trades/units.

	ITIs Name/ Address/ MIS Code / Grading	Existing/ New/ MSTI	Trades/ units sought affiliation	for	Remarks by Inspection Cum Verification Committee (ICVC)		Remarks by 4th SCAA meeting held on dated 08.07.2022
	11	III	IV		V	VI	VII
1.:	Old Address- Smt. Banwari Devi Private Industrial Training Institute, Kishangarh Renwal, The. Phulera, JAIPUR-303608, Rajasthan New Address Smt. Banwari Devi Private Industrial Training Institute, Address-Near Shir Girraj Dharan Mandir, Agra Road, Dausa, Dausa- 303303, Rajasthan PR08000456	Existing	Electrician- 6 (2+2+2)		Recommended: Electrician- 6 (2+2+2)	40, available 22.23 sqm 2 CITS certificate of only 1 trainer is uploaded 3 Address mentioned in	Not Recommended Inter district shifting is not allowed from session 2019 and deficiencies mentioned in column VI.
	Grading- 0						



May 28/07/2022

8. State: Tamil Nadu, total- 02 existing ITIs proposals for addition of trades/units in existing ITI for affiliation.

	ITIs Name/ Address/ MIS Code / Grading	Existing/ New/ MSTI	Trades/ units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 4th SCAA meeting held on dated 08.07.2022
1	11	III	IV	V	VI	VII
1	A.C.Muthiah Private Industrial Training Institute, Thoothukkudi  New Address: 5/1, Abirami Nagar, (Survey 369/1B, 373/1), Muthiahpuram PO, Thoothukkudi, Tamilnadu  Old Address: Harbour Construction Road, Muthiahpuram Post,Thoothukkudi, Tamilnadu  PR33000385(Special Case)  Grading: 3.27	Existing (Change of Address)	1. Electrician - 4(2+2+0) 2. Instrument Mechanic (chemical plant) - 2(1+1+0) 3. Maintenance Mechanic (Chemical Plant) - 2(1+1+0) 4. Mechanic (Motor Vehicle) - 2(1+1+0) 5. Addl. Fitter - 2(1+1+0) 6. Addl. Welder - 2(1+1+0)	Recommended:  1. Electrician-4(2+2+0) 2. Instrument     Mechanic (chemical plant) - 2(1+1+0) 3. Maintenance     Mechanic (chemical plant) -2(1+1+0) 4. Fitter-2(1+1+0) 5. Welder - 2(1+1+0)  After 2018 no students are admitted as because of shifting	trainers are not available  2. Land lease document s are not visible	ITI will submit land lease documents and CITS instructors detail to state within 07 days from the issue of this MoM.  State directorate will verify the following details- 1 Land lease documents 2 Confirmation about inter block shifting 3 MMV trade recommendation and 4 An undertaking to appoint CITS qualified instructors before start of session 2022.  State will send verified report with clear recommendation of all the trades/units within 07 days of issue of this MoM.

and skiether

2	KS Rangasamy Institute of	Existing/	1.	Health Sanitary	Recommended:	May be	Recommended:
	Technology Private ITI,	Polytechnic		Inspector - 1(0+1+0)	Health Sanitary	recommended	1. Health Sanitary
	KSR Kalvi Nagar,				Inspector -		Inspector - 1(0+1+0)
	Tiruchengode				1(0+1+0)		
	Distt: Namakkal 637 215				if NOC is obtained from		State Directorate has
					the AICTE for HSI Trade.		confirmed that ITI is
	PR33000643 (Special Case)				1		running in spare capacity
							of polytechnic.
1	Grading: 0						

9. State: Uttar Pradesh, total 13 (10 new and 03 existing) ITIs proposals for affiliation. 3 existing ITIs have applied for addition of trades and units.

	ITIs Name/ Address/ MIS Code / Grading	New/	Trades/ units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 4th SCAA meeting held on dated 08.07.2022
	II	111	IV	V	VI	VII
1	Maa Pitambara ITI, Bar Private Industrial Training Institute, Lalitpur,Near Government Inter College, Bar District Lalitpur (U.P)- 284123 TMP9161PR1580055807	New	1 Computer Operator and Programming Assistant (COPA)-2 (1+1) 2 Electrician-4 (2+2) 3 Fitter-2 (1+1) 4 Stenographer Secretarial Assistant (Hindi)-2 (1+1)	Recommended:  1 Electrician- 2 (1+1)  subject to fulfill the shortcomings-  1. Electrician Trade: Almost tools & Equipment are available and in working condition. There is deficiency in T&E at S.No. 137, 138 & 139 of T&E List.  2. In COPA Lab Laptops are available in place of Desk Top Computers. Computer Table & Chairs are not as per norms.  3. Softwares are not available. Many other items as per T&E list are also short.  4. More ventilation is required in Electrician lab. Safety measures are to be ensured during working as building completion report does not seems certified by	as MSTI and mentioned that it is not lying in unserved area. If this is MSTI than NOC for MSTI lying in unserved area is required from state directorate.  2 Qualification, Experience	ITI needs to remove the deficiencies mentioned in column V & VI and submit the report to the concerned State Directorate within 07 days from issue of this MoM.  State Directorate will submit the verified report along with NOC for MSTI with recommendation of all the trades/units within 07 days from



mapleogrape

				relevant authority.	3 Fire safety certificate is not available.	issue of this MoM.
2.	Shanti Devi Private Iti,Nagla Vishnu Kheragarah, Agra, Agra,Uttar Pradesh. 1809017790	New	1 Assistant     Tourist Guide-     3 (1+1+1) 2 COPA-3     (1+1+1) 3 Electrician-3     (1+1+1) 4 Fitter -3     (1+1+1)	Recommended:  1 Assistant Tourist Guide-2 (1+1) 2 COPA-2 (1+1) 3 Electrician- 2 (1+1) 4 Fitter - 2 (1+1)	Qualification, Experience and CITS details of trainers not available	Recommended:  1 Assistant Tourist Guide-2 (1+1) 2 COPA-2 (1+1) 3 Electrician- 2 (1+1) 4 Fitter - 2 (1+1) The ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session 2022 to the concerned state directorate and RDSDE within 07 days from the issue of this MoM.  RDSDE and the state will ensure the instructors are appointed in the ITI before start of session 2022.
3.	Kamlla Prasad Pvt ITI Private Industrial Training	Existing	Electrician-6	Recommended:	Qualification, Experience and	Recommended

and stocker

	Institute,Jhalwa Allahabad Prayagraj-211012,Uttar Pradesh		(2+2+2)	Electrician-4 (2+2)	CITS details of trainers not available. Only 2	Electrician-4 (2+2) The ITI needs to
	PU09900202				instructors having CITS certificate as	submit an undertaking that
	Grading- 1.52				per report.	CITS qualified instructors will be appointed before the start of session 2022 to the concerned state directorate and RDSDE within 07 days from the issue of this MoM.  RDSDE and the state will ensure the instructors are appointed in the ITI before start of session 2022.
4.	Yashoda Private Iti,Vill- Pachawali, Kunaira Road, Etawah-206001,Uttar Pradesh PU09900272 Grading- 2.08	Existing	1 COPA-3 (1+1+1) 2 Electrician-3 (1+1+1) 3 HSI-3 (1+1+1) 4 Stenographer and Secretarial Assistant Hindi-3 (1+1+1)	Recommended:  1. COPA-2 (1+1) 2. Electrician-2 (1+1) 3. HSI-2 (1+1) 4. Stenographer and Secretarial Assistant Hindi-2 (1+1)	Qualification,     Experience     and CITS     details of     trainers not     available.	Recommended:  1. COPA-2 (1+1) 2. Electrician-2 (1+1) 3. HSI-2 (1+1) 4. Stenographer and Secretarial Assistant Hindi-2 (1+1) The ITI needs to

mystorivore

						submit an undertaking that CITS qualified instructors will be appointed before the start of session 2022 to the concerned state directorate and RDSDE within 07
						days from the issue of this MoM.  RDSDE and the state will ensure the instructors are appointed in the ITI before start of session 2022.
5.	Thakur Beni Madhav Singh P I T I Private Industrial Training Institute, Fatehpur,Vill And Post Manawa Fatehpur - 212620, Uttar Pradesh TMP9142PR1582475843	New	1 COPA-2 (1+1) 2 Electrician-6( 2+2+2) 3 Fitter -6 (2+2+2) 4 Sewing Technology-2 (1+1)	only 4 toolimour stair have completed on e	<ol> <li>Electric load is less as per Norms         (Available-18 KW, Required-20.67 KW)</li> <li>CITS details of all the trainers not available.</li> <li>Fire safety certificate is not available.</li> </ol>	ITI will submit the following details to state within 07 days from issue of this MoM-  1. Electric load details 2. Fire safety certificate 3. Undertaking to appoint CITS instructors before start of session 2022.

A

may 28109 Nov

Annexure - 2

6.	Banshi Singh Private Iti,Vill-Harsand, Banshi Bazar, Post-Nawanger, Dist-Ballia,Uttar Pradesh.  1809017096	New	1 Electrician-3 (1+1+1) 2 Fitter-3 (1+1+1) 3 Health Sanitary Inspector-3 (1+1+1) 4 Wireman-3 (1+1+1)	Recommended:  1 Electrician-3 (1+1+1)  2 Fitter-3 (1+1+1)  3 Wireman-3 (1+1+1)  power norms for HSI trade is short of 1.72 KW.	1 Electricity load is less as per norms. (Available-16 KW, Required-17.71 KW) 2 BCC is given by architect	State Directorate will submit the verified report on above point with clear recommendation of all the trades/units within 07 days from issue of this MoM.  ITI will submit the following details to state within 07 days from issue of this MoM-  1. Electric load details 2. BCC documents as per norms 3. Undertaking to appoint CITS instructors before start of session 2022.  State Directorate will submit the verified report on above point with clear recommendation of all the trades/units within 07 days from issue of this MoM.  ITI will submit the
1.0	Private Industrial Training		(2+2+2)		sufficient as	following details to
	Institute, Mathura, Vill-Ova, Post-Shergarh, Tehsil &		2 Fitter-3 (1+1+1)	1 Electrician-4 (2+2)	per recommended	state within 07 days from issue of this
	The state of the s	1		2 Fitter-2 (1+1)	1	19

~~

Page **32** of **46** 

.*	Block-Chhata, Distt- Mathura, Mathura,Uttar Pradesh TMP9167PR1582547341	3 4	(1+1+1)	4 du	Health Sanitary Inspector-2 (1+1) Marketing excutive-1(1+0)  ue to less land area total plot area available 4300 sqm but required 4330.14 sqm.	2	trades. BCC is not as per Norms. CITS details of all the trainers not available.	MoM-  1. BCC documents as per norms  2. Undertaking to appoint CITS instructors before start of session 2022.  State Directorate will submit the verified report on above point with clear recommendation of all the trades/units within 07 days from issue of this MoM.
8	D K D L Private ITI, Private Industrial Training Institute, Kaushambi,Kaju Kaushambi U.P.,Kaushambi,Uttar Pradesh.  TMP9158PR1579932437	3 4	Electrician-3 (1+1+1) Fitter-3 (1+1+1) Mechanic Diesel-3 (1+1+1) Physiotherapy Technician-3 (1+1+1)	1 2 3 4	,	the	TS details of all e trainers not ailable.	Recommended:  1 Electrician- 2 (1+1) 2 Fitter- 2 (1+1) 3 Mechanic Diesel-2 (1+1) 4 Physiotherapy Technician- 2 (1+1) The ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session

							2022 to the concerned state directorate and RDSDE within 07 days from the issue of this MoM.  RDSDE and the state will ensure the instructors are appointed in the ITI before start of session 2022.
9.	G.B.R.L. Private Industrial Training Institute, Barabanki Village- Sandwa, Post-Paliya, Tehsil- Haidargarh, District- Barabanki, Uttar Pradesh, Pin Code- 225125  TMP9129PR1581409542	New	1 COPA-3 (1+1+1) 2 Electrician-3 (1+1+1) 3 Fitter-3 (1+1+1) 4 Plumber-3 (1+1+1)	Recommended:  1 COPA- 2 (1+1) 2 Electrician- 2 (1+1) 3 Fitter- 2 (1+1) 4 Plumber- 2 (1+1) Remarks  1. Few Machinery for example pneumatic and hydraulic work station, pedestal grinder are not properly installed. 2. Lathe machine coolant pump was not working, earthing was not properly done. 3. Few computers were of 2GB RAM and few monitors were less than 17 inch in COPA trade		of all the trainers not available. Drawing hall and furniture	ITI needs to remove the deficiencies mentioned in column V and VI and submit the report to the State Directorate within 07 days from issue of this MoM.  State Directorate will submit report with clear recommendation of all the trades/units within 07 days from issue of this MoM.
10.	KP Private Industrial Training Institute, Hamirpur, Devganv Road Hamirpur-210502, Up	New	1 COPA-3 (1+1+1) 2 Electrician-6 (2+2+2)	Recommended:  1 COPA-2 (1+1) 2 Electrician-4 (2+2)	1.	Existing electric load is less as per norms.	Recommended:  1 COPA-2 (1+1) 2 Electrician-4



my 28/02/202

	TMP9149PU1582008432			Fitter-6 (2+2+2) Physiotherapy Technician-3 (1+1+1)	3 4	Physiotherapy Technician-2 (1+1)  ecommended:	2.	CITS details of all the trainers are not available.	(2+2) 3 *Fitter-2 (1+1) 4 Physiotherapy Technician-2 (1+1) The ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session 2022 to the concerned state directorate and RDSDE within 07 days from the issue of this MoM.  RDSDE and the state will ensure the instructors are appointed in the ITI before start of session 2022.  *Reduced units are affiliated due to less electric load  Not Recommended
111.	Rameshwarprasad Private Industrial Training Insttute, Banda Private	New	2	Electrician-3 (1+1+1) Fitter-3	1	Electrician -2 (1+1),		as MSTI and spare capacity	as per ICVC remarks.
	Industrial,Vill And Post		3	(1+1+1) Health	2	fitter-2 (1+1),		of Polytechnic and mentioned	Minimum four trades



-	Pachnehi Distt.Banda,		Sanitary	3 HSI -2 (1+1)	T		are required for an
	Banda-210001, Uttar Pradesh.		Inspector-3 (1+1+1) 4 Mechanic Diesel-3	Not recommended -Diesel Mechanic trade due to shortage of equipment.  Remarks:	2	unserved area. If it is MSTI than NOC from	ITI. ITI needs to remove the deficiencies mentioned in
	TMP9128PR1579864998			<ol> <li>Drawing hall was available, as per norms 20 furniture but there were 15 found ok and rest are under in progress.</li> <li>IT lab was available. server was not found. 9 desktop,2 laptop was available in working conditions and latest configuration were not found.</li> <li>Electrician lab earthing was not present, Mechanic diesel trade syllabus serial number 147,180,183,190,198,199,201,202,205,2 32 machinery and tool equipment are no available.</li> <li>Website is not available during inspection time, logo of ITI was missing on main gate, Due bank statement for supply of bill.</li> <li>Bills are available, But bank statement was not available during the inspection time</li> </ol>		Directorate is required. If ITI is in polytechnic than NOC from	column V and VI and submit the report to the State Directorate within 07 days from issue of this MoM.  State Directorate will confirm about the institute type MSTI or polytechnic and submit the NOC accordingly.  State Directorate will submit the verified report along with recommendation of all the trades/units within 07 days from issue of this MoM.
12.	Swami Vivekanand Private I I.T.I. Private Industrial Training Institute, Bareilly,Vill- Uchasiya Fatehganj East,Bareilly- 243506, Uttar Pradesh PR09002116 Grading- 1.75	_	Electrician- 6(2+2+2)	Recommended: Electrician-4(2+2)	1.	BCC is not as per norms. CITS details of all the trainers are not available.	ITI will submit the following details to state within 07 days from issue of this MoM-  1. BCC documents 2. An undertaking to appoint CITS instructors



and 20 to thouse

Annexure - 2

110						1
						before start of session 2022.  State Directorate will submit the verified report on above point with clear recommendation of all the trades/units within 07 days from issue of this MoM.
1	Chandrashekhar Private Industrial Training Institute, Ghazipur, Village Domanpura Post Balapur Ghazipur-233227  TMP9146PR1581430337	New	1 COPA-3 (1+1+1) 2 Electrician-3 (1+1+1) 3 Electronic mechanic-3 (1+1+1) 4 Fitter-3 (1+1+1)	<ol> <li>Not recommended</li> <li>Due to building area shortage and meter sealing certificate is not available.</li> <li>Connection bill not available. building area shortage, covered area is short</li> <li>Bill payment receipt not available.</li> </ol>	1. Electricity connection is under process. Electricity bill and meter sealing report are not available.  2. Drawing hall and IT lab area is not as per norms  3. Approved layout plan is not available.  4. CITS details of all the trainers are not available.	

&


28/02/2022

#### Annexure 3 for Agenda No.3: Proposals for conversion of government ITIs into IToTs

The proposals were received from 07 states and placed before the committee for grant of affiliation for conversion of government ITIs into IToTs. Recommendation of SCAA is given below in column VIII for each state.

1. Chhattisgarh: Total 12 proposals for conversion of CTS trades/units to CITS are given below with SCAA remarks

SI No	Name of the Government ITI	MIS Code	Name of CTS trades to be surrendered	No. of CTS Units to be surrendered	Name of the trad es proposed for CITS-ITOT	No. of uni ts propos ed for CIT S-ITOT	Remarks of 4th SCAA meeting held on 08.07 .2022
		1.11	IV	V	VI	VII	VIII
1	Government Industrial	GU22000021	Welder	1	Welder	1	Recommended
	Training Institute Raipur		Fitter	1	Fitter	1	Recommended
2	Government Industrial Training Institute Mana	GU22000065	Electrician	1	Electrician	1	Recommended
	Training motitate Mana		Fitter	1	Fitter	1	Recommended
			Diesel Mechanic	1	Diesel Mechanic	1	Recommended
3	Model Industrial Training Institute Koni, Bilaspur	Not provided	Sheet Metal Worker	1	Diesel Mechanic	1	Not Recommended
	S. augustines		Mechanic (Tractor)	3	Mechanic (Refrigeration and Air Conditioning)	1	Mapping of CTS and proposed CITS trade is different
4	Government Industrial Training Institute.	Not provided	Carpenter	1	Electrician	1	
	Raigarh, (CG)		Moulder (Foundryman)	1	Computer Operator and Programming Assistant	1	Not Recommended  Mapping of CTS and
			Sheet Metal Worker	1	Electrician Mechanic	1	proposed CITS trade is different
			Driver Cum Mechanic	1	Nil	Nil	
		1				L	



5	Government Industrial Training Institute	GR22000160	Carpenter	1	Fitter	2	
	Korba, Korba (CG)		Foundryman	1	Electrician	2	Not Recommended
			Nil	Nil	Welder	2	Mapping of CTS and
			Nil	Nil	Computer Operator and Programming Assistant	2	proposed CITS trade is different
6	Government Industrial Training Institute Bastar	GR22000164	Mechanic Tractor	1	Mechanic Diesel	2	Not Recommended  Mapping of CTS and proposed CITS trade is different
7	Government WITI Kanker	GR22000114	Smartphone Technician Cum App Tester	1	Computer Operator and Programming Assistant	2	Not Recommended  Mapping of CTS and proposed CITS trade is different
8	Government Industrial Training Institute Durg	GU22000003	Turner	2	Machinist	1	Not Recommended
	Training medicate Bung		Draughtsman Mechanic	2	Nil	Nil	Mapping of CTS and proposed CITS trade is different
9	Government Women Industrial Training Institute Durg	GU22000222	Nil	Nil	Computer Operator and Programming Assistant	1	Not Recommended  Mapping of CTS and proposed CITS trade is different
10	Government Industrial Training Institute Bhilai	GU22000161	Radio & Television	1	Fitter	1	Not Recommended
	Training motitude Dimar		Secretarial Practice	2	Nil	Nil	Mapping of CTS and proposed CITS trade is
			Machinist Grinder	1	Nil	Nil	different
11	Government Women	GU22000002	Information Technology	2	Electronics	1	



an falloglasse

	Industrial Training						Not Recommended
	Institute Bhilai		Information Communication Technology System Maintenance	2	Electronics	1	Mapping of CTS and proposed CITS trade is different
12	Government Industrial Training Institute Rajnadgaon	GU22000036	Nil	Nil	Electrician	1	Not Recommended  Mapping of CTS and proposed CITS trade is different

2. Jharkhand: Total 04 proposals for conversion of CTS trades/units to CITS are given below with SCAA remarks

SI No	Name of the Government ITI	MIS Code	Name of CTS tra des to be surren dered	No. of CTS Units to be surrendere d	Name of the trad es proposed for CITS-ITOT	No. of un its propo sed for C	Remarks of 4th SCAA meeting hel d on 08.07.2022
1		111	IV	V	VI	VII	VIII
1	Government ITI General Ranchi	GR20000004	Fitter	9 (4+5)	Fitter	1	
	General Nation		Mechanic Consumer Electronic Appliances	2 (1+1)	Electronic Mechanic	1	Revised proposal to be submitted by
2	Government ITI Mahuadanr, Latehar	GR20000315	Mechanic Diesel	2 (2+0)	Mechanic Diesel	1	state to DGT CFI with clear details of CTS trades surrendered (mention shift wise units details) and proposed CITS
3	Government ITI Hazaribagh	GR20000005	Welder	4 (4+0)	Welder	1	trades shifts and units.
4	Government ITI Chaibasa	GR20000009	Electrician	6 (3+3)	Electrician	1	

my solognon

### 3. Karnataka: Total 02 proposals for conversion of CTS trades/units to CITS are given below with SCAA remarks

SI No	Name of the Government ITI	MIS Code	Name of CTS t rades to be su rrendered		Name of the tr ades proposed for CITS-ITOT	No. of unit s propose d for CITS- ITOT	n 08.07.2022
I	II	111	IV	V	VI	VII	VIII
1	Government	GU29000014	Turner	2(1+1)	Turner	2(1+1)	Recommended
	Model ITI, Hosur Road, Bangalore		Tool & Die Maker (Press Tool Jigs & Fixture)	1(0+1)	Tool & Die Maker	1 (0+1)	Recommended
			Fitter	2(1+1)	Fitter	2(1+1)	Recommended
			Electrician	2(1+1)	Electrician	2(1+1)	Recommended
2	Government ITI Honnavar	PU29000062	Mechanic (Motor Vehicle)	2	Mechanic (Motor Vehicle)	2	Recommended  Revised proposal to be submitted by state to DGT, CFI with clear details of CTS trades surrendered (mention shift wise units details) and proposed CITS trades shifts and units.
			Mechanic Diesel	1	Mechanic Diesel	1	Recommended  Revised proposal to be submitted by state to DGT, CFI with clear details of CTS trades surrendered (mention shift wise units details) and proposed CITS trades shifts and units.
			Welder	1	Welder	1	Recommended  Revised proposal to be submitted by state to DGT, CFI with clear details of CTS trades surrendered (mention shift wise units details) and proposed CITS trades shifts and units.

con /2010 2010

Page **41** of **46** 

4. Madhya Pradesh: Total 03 proposals for conversion of CTS trades/units to CITS are given below with SCAA remarks

SI No	Name of the Government ITI	MIS Code	Name of CTS trades to be s urrendered	No. of CTS Units to be surrendered	Name of the t rades propos ed for CITS-I TOT	No. of units proposed for CITS-ITOT	Remarks of 4th SCAA meeting held on 0 8.07.2022
1	JI.	111	IV	V	VI	VII	VIII
1	Govt ITI Shivpuri	GR23000242	Surveyor	2	Secretarial Practice (Hindi)	2	Not Recommended  Mapping of CTS and proposed CITS trade is different
2	Divisional ITI Ujjain	GR23000256	Dress making	2	CSA	2	Not Recommended  Mapping of CTS and proposed CITS trade is different
3	Divisional ITI Jabalpur	GR23000011	Electrician	2	Electrician	2	Recommended  Revised proposal to be submitted by state to DGT CFI with clear details of CTS trades surrendered (mention shift wise units details) and proposed CITS trades shifts/units



Ch 28/02/2022

### 5. Maharashtra: Total 08 proposals for conversion of CTS trades/units to CITS are given below with SCAA remarks

SI No	Name of the Government ITI	MIS Code	Name of CTS trades to be surrendered	No. of CTS Un its to be surre ndered	Name of the trad es proposed for CITS-ITOT	No. of unit s propose d for CITS- ITOT	Remarks of 4th SCAA me eting held on 08.07.2022
1		111	IV	V	VI	VII	VIII
1	Government ITI, Amravati, Distt: Amravati	GR27000013	Information and Communication Technology System Maintenance	1(0+0+1)	*Computer Hardware and Networking Maintenance	1	Recommended  Revised proposal will be submitted by state as per correct mapping of CTS and CITS trade
			Mechanic Machine Tools Maintenance	1(0+0+1)	Mechanic Machine Tool, Maintenance	1	Recommended
			Mechanic Motor Vehicle	1(0+0+1)	Mechanic Motor Vehicle	1	Recommended
2	Government ITI, Aurangabad, Distt: Aurangabad	GU27000016	Tool and Die Maker (Press Tools, Jigs and Fixtures)	1(0+0+1)	Tool and Die Maker	1	Recommended
3	Government ITI, GR270000 Nanded, Dist:		Architectural Draughtsman	1(0+1+0)	Architectural Draughtsman	1	Recommended
	Nanded		Electronics Mechanic	1(0+0+1)	Electronics Mechanic	1	Recommended
4	Government ITI, Ambernath, Dist:	GU27000041	Painter (General)	1(0+1+0)	Painting Technology	1	Recommended
	Thane		Plumber	1(0+1+0)	Plumber	1	Recommended
			Refrigerator and Air Conditioner Technician	1(0+0+1)	Mechanic Refrigeration, & Air-Conditioning	1	Recommended



Annexure-3

			Sewing Technology	1(0+1+0)	Sewing Technology	1	Recommended
			Welder	1(0+0+1)	Welder	1	Recommended
5	Government ITI, Nagpur, Tal: Nagpur, Dist: Nagpur	GR27000011	Sheet Metal Worker	1(0+1+0)	Sheet Metal Worker	1	Recommended
			Surveyor	1(0+1+0)	*Draughtsman Civil	1	Recommended  Revised proposal will be submitted by state to DGT CFI as per correct mapping of CTS and CITS trade
6	Government ITI, Nashik, Tal: Nashik, Dist: Nashik	GR27000024	Draughtsman Mechanical	1(0+1+0)	Draughtsman Mechanical	1	Recommended
			Plastic Processing Operator	1(0+0+1)	Plastic Processing Operator	1	Not Recommended  CITS in Plastic Processing Operator is not introduced.
			Turner	1(0+0+1)	Turner	1	Recommended
7	Government ITI, Kolhapur, Dist: Kolhapur	GU27000021	Electrician	1(0+0+1)	Electrician	1	Recommended
8	Government ITI, Aundh Pune, Dist: Pune	ent ITI, GU27000009	Computer Operator and Programming Assistant	1(0+0+1)	Computer Software Application	1	Recommended
			Draughtsman Civil	1(0+0+1)	Draughtsman Civil	1	Recommended
			Fitter	1(0+0+1)	Fitter	1	Recommended
			Machinist Grinder	1(0+0+1)	Machinist (Grinder)	1	Recommended

m / 28/07/2022

	Mechanic Diesel	1(0+0+1)	Mechanic Diesel	1	Recommended
					W.
1					

<sup>\*</sup>Trade is mentioned with correct mapping of CTS and CITS trade as decided in meeting.

6. Tripura: Total 05 proposals for conversion of CTS trades/units to CITS are given below with SCAA remarks

SI No	Name of the Government ITI	MIS Code	Name of CTS trad es to be surrender ed	No. of CTS Units to be surrendere d	Name of the trades proposed for CITS-I TOT	No. of un its propo sed for C ITS-ITOT	Remarks of 4th SCAA meetin g held on 08.07.2022
	1	111	IV	V	VI	VII	VIII
1	Government ITI Bishramganj	GR16000016	Electrician	1 (0+1)	Electrician	1	Recommended
2	Government ITI Kamalpur	GR16000017	Surveyor	1 (0+1)	*Draughtsman Civil	1	Recommended  Revised proposal will be submitted by state as per correct mapping of CTS and CITS trade
3	Government ITI Teliamura	GR16000018	Desktop Publishing Operator (DTPO)	1 (0+1)	Computer Software Application	1	Not Recommended  Mapping of CTS and CITS trade is different
4	Government ITI Khumulwng	GR16000005	Mechanic Motor Vehicle	1 (0+1)	Mechanic Motor Vehicle	1	Recommended
5	Government ITI L.T. Valley, Dhalai	GR16000015	Welder	1 (0+1)	Welder	1	Recommended
			Refrigeration of Air Conditioning Technician	1 (0+1)	Refrigeration of Air Conditioning	1	Recommended

<sup>\*</sup>Trade is mentioned with correct mapping of CTS and CITS trade as decided in meeting.

- 7. Uttar Pradesh: Total 06 proposals were received for conversion of CTS trades/units into CITS from the UP-state directorate. The name of six ITIs are as follows-
  - 1) Government ITI Pandunagar-Kanpur
  - 2) Government ITI Saket-Merut
  - 3) Government ITI Karondi-Varanasi
  - 4) Government ITI Chargaon-Gorakhpur
  - 5) Government ITI C.B. Ganj- Bariely
  - 6) Government ITI Jhansi

SCAA Remarks: UP state directorate has put a request for cancellation of these proposals.

Page **46** of **46**