Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Employment Exchange Building, 1st floor, Pusa, New Delhi, Dated: 01.08.2022

То

The State Directorate
Bihar, Chhattisgarh, Gujarat, Maharashtra, Rajasthan, Tamil Nadu, Uttar Pradesh

Subject: Affiliation of Units/Trades of Govt./Pvt. ITI with NCVT -regarding.

Sir,

As decided in the 4th meeting of Standing Committee on Accreditation and Affiliation (SCAA) held on 08.07.2022., the committee recommended trades/units for session w.e.f. August 2022, for the ITIs for the trades/units mentioned in the attached list. The affiliation is granted for five years from the date of issue of this order.

- 1. The DGT & State officer can inspect the ITI any time for better performance & training
- (i) Periodic verification.
- (ii) The ITI must comply with DGT norms/guidelines issued from time to time.
- (iii) ITI must display the newly released logo of ITI on the Display Board at the main gate.
- 2. The said information is also available under "News & Updates" on NCVT MIS Portal at <a href="https://ncvtmis.gov.in">https://ncvtmis.gov.in</a>.
- 3. Affiliation of Trades/Units mentioned in this order is valid for five years thereafter ITIs should apply "Renewal of Affiliation "as per DGT Norms.
- 4. Discrepancies if any in the affiliation orders, may be intimated to the undersigned within 15 days of issue of this order.

(Ujjwal Biswas)
Director TC

Copy along with enclosures for information to:

- Sr PPS to Chairman of 4<sup>th</sup> meeting of Standing Committee on Accreditation and Affiliation (SCAA)-DGT, New Delhi
- 2. Sr PPS to DDG (Affiliation).
- 3. The officer dealing with NCVT MIS Portal To upload and Necessary mapping in the NCVT MIS portal.

(P.M. Damodharam)
Assistant Director TC





#### **STATE Bihar**

Meeting Date: 08/07/2022

Sl. no.	Name of Institute with address	Type of Applicati	Trade for which		vhich affiliati commended	_	
		on New/Exist ing	affiliation sought	Instt.	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA	Remarks by SCAA
	RSM private ITI, VillSsamastpura, PS - Bheldi Dist.Saran-	Existing	Electrician	4(2+2)	2(1+1)	NR	Not Recommended:  1. Less grading.
	841402, Bihar.		Fitter	4(2+2)	2(1+1)	NR	CITS     certificate of trainers not
1.	MIS CODE: PR10000990 Grading 1.16						available.  3. BCC by anchal adhikari, not as per norms.
							4. Grading - 1.16, less than 1.25, required as per norms.





#### **STATE Bihar**

Meeting Date: 08/07/2022

Sl. no.	Name of Institute with address	Type of Applicati	Trade for which		vhich affiliati commended	_	
		on New/Exist ing	affiliation sought	Instt.	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA	Remarks by SCAA
2	New Vivekanand Private Industrial Training Institute, At Dilawarpur, P.O + P.S: Kaler, DistArwal-824127, Bihar  MIS CODE: PU10000903  Grading 2.13	Existing	Electrician	12(6+6)	12(6+6)	12(6+6)	Recommended:  1. Electrician - 12 (6+6)  The ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session 2022 to the concerned state directorate and RDSDE within 07 days from the issue of this MoM.  RDSDE and the state will ensure the instructors are appointed in the ITI before start of session 2022.





#### **STATE Bihar**

Meeting Date: 08/07/2022

Sl. no.	Name of Institute with address	Type of Applicati	Trade for which		vhich affiliati commended		
		New/Exist ing	affiliation sought	Instt.	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA	Remarks by SCAA
	Adarsh Patel Private Industrial Training Institute, arwal, vill+p.o.+p.s karpi, distarwal	Existing	Electrician Fitter	12 (6+6) 4 (2+2)	12 (6+6) 4 (2+2)	12 (6+6) 4 (2+2)	Recommended: 1. Electrician - 12 (6+6) 2. Fitter - 4 (2+2)
3	804419, Bihar.  MIS CODE: PR10000756  Grading 2.93						The ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session 2022 to the concerned state directorate and RDSDE within 07 days from the issue of this MoM.  RDSDE and the state will ensure
							the instructors are appointed in the ITI before start of session 2022.





#### **STATE Bihar**

Meeting Date: 08/07/2022

Sl. no.	Name of Institute with address	Type of Applicati	Trade for which		which affiliati commended		
		on New/Exist ing	affiliation sought	Instt.	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA	Remarks by SCAA
4	Shree Sai Baba ITC, Pranbati Lane, Brahpura Bhagalpur- 812001, Bihar.  MIS CODE: PR10000335  Grading 1.95	Existing	Electrician	8 (4+4)	8 (4+4)	8 (4+4)	Recommended: Electrician – 8 (4+4)  The ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session 2022 to the concerned state directorate and RDSDE within 07 days from the issue of this MoM.  RDSDE and the state will ensure the instructors are appointed in the ITI before start of session 2022.





#### **STATE Bihar**

Meeting Date: 08/07/2022

Total - 05, (New-01, Existing- 04)

SI. no.	Name of Institute with address	Type of Applicati on New/Exist ing	Trade for which affiliation sought		which affiliati commended I Trade/ Units Recomme nded by (ICVC)	0	Remarks by SCAA
	Sudama Devi Private Industrial Training Institute, Begusarai At- Bari Eaghu, Po-	New	Electrician Fitter	6(2+2+2) 3(1+1+1)	NR NR	NR NR	Not Recommended:  As per ICVC
	Mohan Eaghu, Ps- Muffasil, Dist-		Welder	3(1+1+1)	NR	NR	remarks.  Disagree, not
5.	Begusarai -851129, Bihar. TMP10191PU158278 8287		Mechanic Diesel	3(1+1+1)	NR	NR	recommended institute is closed management refuse to provide any documents

Among 8/22





## STATE Chhattisgarh

Meeting Date: 08/07/2022

SI. no.	Name of Institute with address	Type of Applicati	Trade for which		which affiliati commended		
		on New/Exist ing	affiliation sought	Instt.	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA	Remarks by SCAA
	Government Industrial Training Institute, Parpodi, Bemetara- 491331, Chhattisgarh	Existing	Computer Operator and Programming Assistant (COPA)	2 (1+1)	2 (1+1)	2 (1+1)	Recommended:  1. Computer    Operator and    Programming    Assistant
	MIS CODE: GR22000061		Mechanic Diesel	2 (1+1)	2 (1+1)	2 (1+1)	(COPA)- 2 (1+1) 2. Mechanic
12	Grading 2.72		Welder (GMAW & GTAW	2 (1+1)	2 (1+1)	2 (1+1)	Diesel- 2 (1+1) 3. Welder (GMAW & GTAW)- 2 (1+1).
							State Directorate will submit an undertaking to DGT to remove all the deficiencies mentioned in column V and VI before start of session 2022 within 07 days from issue of this MoM.





## STATE Gujarat

Meeting Date: 08/07/2022

Total -03, (New-03, Existing-00)

SI.	Name of Institute with	Type of	Trade for	Units for y	vhich affiliati	on sought/	
no.	address	Applicati	which		commended		
		on New/Exist ing	affiliation sought	Instt.	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA	Remarks by SCAA
1.	Pramukh Swami Vocational Training Centre, Near BAPS Swaminarayan Temple, Nasik By Pass Road, Dharampur Valsad-396050  TMP24462PU164533 3788	New	Computer Operator and Programming Assistant (COPA)  Data Entry Operator  Electrician  Fitter Sewing Technology  Welder  Wireman	2 (1+1+0) 2 (1+1+0) 2 (1+1+0) 2 (1+1+0) 2 (1+1+0) 2 (1+1+0)	2 (1+1+0) 2 (1+1+0) 2 (1+1+0) 2 (1+1+0) 2 (1+1+0) 2 (1+1+0)	, ,	Recommended:  1. Computer    Operator and Programming    Assistant (COPA)    -2 (1+1+0)  2. Data Entry    Operator - 2    (1+1+0)  3. Electrician - 2    (1+1+0)  4. Fitter - 2 (1+1+0)  5. Sewing    Technology - 2    (1+1+0)  7. Wireman - 2    (1+1+0)  The ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session 2022 to the concerned state directorate and RDSDE within 07 days from the issue of this MoM.  RDSDE and the state will ensure the instructors are appointed in the ITI before start of session 2022.

-1-





### **STATE Gujarat**

Meeting Date: 08/07/2022

Sl. no.	Name of Institute with address	Type of Applicati	Trade for which		vhich affiliation		
		on New/Exist ing	affiliation sought	Instt.	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA	Remarks by SCAA
	Indo German Tool Room Plot No. 5003, Phase – IV, GIDC Vatva, Ahmedabad-382445	New	Additive Manufacturin g Technician (3D Printing)	4 (2+2+0)	NR	NR	Recommended: 1. Computer Operator and Programming Assistant (COPA)
	TMP24438GU164604 4431	1.03	Computer Operator and Programming Assistant (COPA)	4 (2+2+0)	4 (2+2+0)	4 (2+2+0)	- 4 (2+2+0) 2. Machinist - 6 (3+3+0) 3. Technician Mechatronics - 4
			Machinist	6 (3+3+0)	6 (3+3+0)	6 (3+3+0)	(2+2+0) 4. Welder (Fabrication &
			Technician Mechatronics	4 (2+2+0)	4 (2+2+0)	4 (2+2+0)	Fitting) - 4 (2+2+0)
			Welder (Fabrication	4 (2+2+0)	NR	4 (2+2+0)	submitted verification report as decided in
2			& Fitting) Wireman	4 (2+2+0)	NR	NR	VC meeting and recommends welder trade. Further, The ITI needs to submit ar undertaking that CITS qualified instructors will be appointed before the start of session 2022 to the concerned state directorate and RDSDE within 0° days from the issue of this MoM.  RDSDE and the start will ensure the instructors ar appointed in the ITI





## STATE Gujarat

Meeting Date: 08/07/2022

Total -03. (New-03. Existing-00)

Japan India Institute for Manufacturing Private ITI, Gandhinagar  TMP24446PU164622 3077	filiation ught  lectrician	2(1+1+0) 2(1+1+0)	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA	Remarks by SCAA
for Manufacturing Private ITI, Gandhinagar  TMP24446PU164622 3077 Pai	tter	` ′	NR	2(1+1+0)	
3	ainter General)	2(1+1+0) 2(1+1+0) 2(1+1+0)	NR 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0)	Recommended:  1. Electrician - 2(1+1+0)  2. Fitter - 2(1+1+0)  3. MMV - 2(1+1+0)  4. Painter (General) - 2(1+1+0)  RDSDE and State Directorate confirms about the machinery installation in VC meeting.  Further, The ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session 2022 to the concerned state directorate and RDSDE within 07 days from the issue of this MoM.  RDSDE and the state will ensure the instructors are appointed in the ITI before start of session 2022.





### **STATE Maharashtra**

Meeting Date: 08/07/2022

Sl. no.	Name of Institute with address	Type of Applicati	Trade for which		which affiliati commended		
		on New/Exist ing	affiliation sought	Instt.	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA	Remarks by SCAA
ila.	P. N. Sarode Private Industrial Training Institute, At Post: Sawali (Wagh), Taluka: Hinganghat. District: Wardha-422301 State: Maharashtra.  TMPSP070(special case)	New	Computer Hardware & Network Maintenance Electrician  Fitter  Welder	2(1+1) 2(1+1) 2(1+1) 2(1+1)	NR NR NR	NR NR NR	Not Recommended:  1 CITS Qualified Instructor details not available.  2 Machinery not as per norms.  3 IT Lab and Drawing Hall not as per norms.  4 Safety measures not as per norms  5 Building not constructed as per approved plan.
2	Government Industrial Training Institute, Ambad, Jalna Beed Road JALNA- 431204, Maharashtra  MIS CODE: GR27000115 (special case) Grading 1.81	Existing	Welder	(0+1+0)	(0+1+0)	(0+1+0)	Recommended: Welder- 1 (0+1+0)





#### **STATE Maharashtra**

Meeting Date: 08/07/2022

SI. no.	Name of Institute with address	Type of Applicati	Trade for which		vhich affiliatio commended b		
		on New/Exist ing	affiliation sought	Instt.	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA	Remarks by SCAA
3	Harsh Private Industrial Training Institute, Near Moti Baag, Midc Turning, Sutala Bk. Taluka Khamgaon District Buldhana Pin: 444303, Maharashtra  MIS CODE: PR27000708  Grading 1.58	Existing	Electrician Fitter Welder	2(0+1+1) 2(0+1+1) 2(0+1+1)	NR NR NR	NR NR NR	Not Recommended:  1. CITS Qualified Instructor details not available  2. Biometric Machine for Trainees not available  3. Drawing Hall and IT Lab not as per norms  4. Power not as per norms.  ITI needs to be inspected for existing trades.
4.	Government Industrial Training Institute (Adivasi), Pandharkawada, Dist: Yavatmal, Sonbardi Road Yavatmal-445302, Maharashtra  MIS CODE: GR27000156(special case)  Grading 2.35	Existing	Electrician Fitter	1 (0+1+0) 2 (1+1+0)	1 (0+1+0) 2 (1+1+0)	1 (0+1+0) 2 (1+1+0)	Recommended:  1 Electrician- 1 (0+1+0)  2 Fitter- 2 (1+1+0)





### **STATE Maharashtra**

Meeting Date: 08/07/2022

Total - 06, (New-02, Existing- 04)

		Computer Operator and Programming Assistant (COPA)	2 (1+1)	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA 2 (1+1)	Remarks by SCAA  Recommended:  1. Computer
Industrial Institute,At Tq & D 444006,Ma	Training Post Ugwa Dist Akola- harashtra	Operator and Programming Assistant (COPA)	2 (1+1)	2 (1+1)	2 (1+1)	
5		Electrician  Draughtsman (Civil)  Wireman	2 (1+1) 2 (1+1) 2 (1+1)	2 (1+1) 2 (1+1) 2 (1+1)	2 (1+1) 2 (1+1) 2 (1+1)	Operator and Programming Assistant (COPA)- 2 (1+1)  2. Electrician- 2 (1+1)  3. Draughtsman (Civil)- 2 (1+1)  4. Wireman- 2 (1+1)  The ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session 2022 to the concerned state directorate and RDSDE within 07 days from the issue of this MoM.  RDSDE and the state will ensure the instructors are appointed in the ITI before start of session

18122 m





#### **STATE Maharashtra**

Meeting Date: 08/07/2022

Sl. no.	Name of Institute with address	Type of Applicati	Trade for which affiliation		vhich affiliati commended l		
		New/Exist sought ing	Instt.	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA	Remarks by SCAA	
6	Government Industrial Training Institute, Darwha, Dist: Yavatmal, Yavatmal Road Darwha Yavatmal-445202, Maharashtra  MIS CODE: GR27000492(special case)	Existing	Computer Operator and Programming Assistant (COPA)  Basic Cosmetology	2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1)	Recommended:  I Computer Operator and Programming Assistant (COPA)- 2 (1+1) 2 Basic Cosmetology- 2 (1+1) 3 Electrician- 2 (1+1)
	Grading- 2.17	A 26					State directorate will ensure that CITS instructors are appointed before the start of session 2022.





## **STATE Rajasthan**

Meeting Date: 08/07/2022

Total - 01, (New-00, Existing- 01)

Sl. no.	Name of Institute with address	Type of Applicati	Trade for which		which affiliati commended	_		
		on New/Exist ing	affiliation t sought	Instt.	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA	Remarks by SCAA	
1.	Old Address- Smt. Banwari Devi Private Industrial Training Institute, Kishangarh Renwal, The. Phulera, JAIPUR-303608, Rajasthan New Address Smt. Banwari Devi Private Industrial Training Institute, Address-Near Shir Girraj Dharan Mandir, Agra Road, Dausa, Dausa-303303, Rajasthan  MIS CODE: PR08000456  Grading- 0	Existing	Electrician	6(2+2+2)	NR	NR	Not Recommended Inter district shifting is not allowed from session 2019 and deficiencies mentioned in column VI.  1 Area of Library as per norms 40, available 22.23 sqm  2 CITS certificate of only 1 trainer is uploaded	

Amag 8/22 males





# **STATE Rajasthan**

**Meeting Date: 08/07/2022** 

Total - 0	1, (New-	00, Exist	ting- 01)
-----------	----------	-----------	-----------

SI. no.	Name of Institute with address			which affiliati commended			
				Instt.	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA	Remarks by SCAA
							3 Address mentioned in inspection report is old (Jaipur), however in all the documents uploaded by inspection team new address (Dausa) is mentioned. It is clear from TCS data sheet that it is inter district shifting case (Jaipur to Dausa) and as per rule inter- district shifting is not permitted





### **STATE Tamil Nadu**

Meeting Date: 08/07/2022

	Name of Institute with address	Type of Applicati on New/Exist ing		which affiliati commended			
			Instt.	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA	Remarks by SCAA	
1.	KS Rangasamy Institute of Technology Private ITI, KSR Kalvi Nagar, Tiruchengode Distt: Namakkal 637 215 MIS CODE: PR33000643 (Special Case) Grading: 0	Existing	Health Sanitary Inspector	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended: 1. Health Sanitary Inspector - 1(0+1+0)  State Directorate has confirmed that ITI is running in spare capacity of polytechnic.





#### **STATE Uttar Pradesh**

Meeting Date: 08/07/2022

Total - 07, (New- 05, Existing- 02)

		on	00111 .1	re	commended	by	
		New/Exist ing	affiliation sought	Instt.	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA	Remarks by SCAA
	Shanti Devi Private ITI,,Nagla Vishnu Kheragarah, Agra,	New	Assistant Tourist Guide	3(1+1+1)	2(1+1)	2(1+1)	Recommended: 1 Assistant Tourist Guide
	Agra, Uttar Pradesh.		СОРА	3(1+1+1)	2(1+1)	2(1+1)	2 (1+1) 2 COPA-2 (1+1)
			Electrician	3(1+1+1)	2(1+1)	2(1+1)	
			Fitter	3(1+1+1)	2(1+1)	2(1+1)	3 Electrician- (1+1)
							4 Fitter - 2 (1+1)
1.	A 18112		ę				The ITI needs to submit a undertaking that CITS qualified instructors will be appointed before the start of session 2022 to the concerned start directorate and RDSDE within 00 days from the issue of this MoM.  RDSDE and the state will ensure the instructors are appointed in the ITE before start of session 2022.





## **STATE Uttar Pradesh**

Meeting Date: 08/07/2022

Total - 07, (New- 05, Existing- 02)

SI. no.	Name of Institute with address	Type of Applicati	Trade for which		vhich affiliati commended l		Remarks by SCAA
	5	on New/Exist ing	affiliation sought	Instt.	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA	
2.	Kamlla Prasad Pvt ITI Private Industrial Training Institute, Jhalwa Allahabad Prayagraj- 211012, Uttar Pradesh  MIS CODE: PU09900202  Grading- 1.52	Existing	Electrician	6(2+2+2)	4(2+2)	4(2+2)	Recommended:  Electrician-4 (2+2)  The ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session 2022 to the concerned state directorate and RDSDE within 07 days from the issue of this MoM.  RDSDE and the state will ensure the instructors are appointed in the IT before start of session 2022.

Jan 1/8/5-





## **STATE Uttar Pradesh**

Meeting Date: 08/07/2022

Total - 07, (New- 05, Existing- 02)

SI.	Name of Institute with	Type of	Trade for		vhich affiliati		
no.	address	Applicati on	which affiliation	re	commended	by	
		New/Exist sought ing	Instt.	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA	Remarks by SCAA	
	Yashoda Private ITI, Vill-Pachawali, Kunaira Road,	Existing	COPA	3(1+1+1)	2(1+1)	2(1+1)	Recommended: 1. COPA-2 (1+1)
	Kunaira Road, Etawah-206001, Uttar Pradesh		Electrician	3(1+1+1)	2(1+1)	2(1+1)	2. Electrician-2 (1+1)
	MIS CODE:						3. HSI-2 (1+1)
	PU09900272		HSI	3(1+1+1)	2(1+1)	2(1+1)	4. Stenographer and Secretarial
	Grading- 2.08		Stenographer and	3(1+1+1)	2(1+1)	2(1+1)	Assistant = Hindi-2 (1+1)
			Secretarial Assistant Hindi				The ITI needs to submit an undertaking that CITS qualified
3.							instructors will be appointed before the start of session
							2022 to the concerned state
							directorate and RDSDE within 07
							days from the issue of this MoM.
			ō				RDSDE and the state will ensure the
							instructors are appointed in the ITI before start of
							session 2022.

Jamos 18/22





#### **STATE Uttar Pradesh**

Meeting Date: 08/07/2022

Total - 07, (New- 05, Existing- 02)

Sl. no.	Name of Institute with address	Type of Applicati	Trade for which		which affiliati commended		
		on affiliation New/Exist sought ing	affiliation sought	Instt.	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA	Remarks by SCAA
	D K D L Private ITI, Private Industrial	New	Electrician	3(1+1+1)	2(1+1)	2(1+1)	Recommended
	Training Institute, Kaushambi,Kaju		Fitter  Mechanic	3(1+1+1)	2(1+1)	2(1+1)	1 Electrician- 2 (1+1)
	Kaushambi U.P.,Kaushambi,Uttar		Diesel	3(1+1+1)	2(1+1)	2(1+1)	2 Fitter- 2 (1+1)
	Pradesh. TMP9158PR15799324		Physiotherap y Technician	3(1+1+1)	2(1+1)	2(1+1)	3 Mechanic Diesel-2 (1+1)
	37						4 Physiotherapy Technician- 2 (1+1)
							The ITI needs to submit an
1							undertaking that CITS qualified
4.							instructors will be appointed before
							the start of session
							2022 to the concerned state
							directorate and
							RDSDE within 07 days from the issue
							of this MoM.
							RDSDE and the state will ensure the
							instructors are appointed in the ITI
							before start of session 2022.

18/29

-4-





### **STATE Uttar Pradesh**

Meeting Date: 08/07/2022

Total - 07, (New- 05, Existing- 02)

Sl. no.	Name of Institute with address	Type of Applicati	Trade for which affiliation		vhich affiliati commended		
		on affiliation New/Exist sought ing	Instt.	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA	Remarks by SCAA	
	KP Private Industrial Training Institute,	New	СОРА	3(1+1+1)	2(1+1)	2(1+1)	Recommended
	Hamirpur, Devganv Road Hamirpur-		Electrician	6(2+2+2)	4(2+2)	4(2+2)	1 COPA-2 (1+1)
	210502, Up		Eitton	6(2+2+2)	4(2+2)	4(2+2)	2 Electrician-4 (2+2)
	TMP9149PU1582008 432		Fitter				3 *Fitter-2 (1+1)
			Physiotherap y Technician	3(1+1+1)	2(1+1)	2(1+1)	4 Physiotherapy Technician-2 (1+1)
							The ITI needs to submit an
	1						undertaking that CITS qualified
_							instructors will be appointed before
5.							the start of session 2022 to the
							concerned state
							directorate and RDSDE within 07
							days from the issue of this MoM.
							RDSDE and the state will ensure the
							instructors are appointed in the ITI before start of session 2022.
							*Reduced units are affiliated due to less electric load
İ		1 0	0.				less electric load

-5-





#### **STATE Uttar Pradesh**

Meeting Date: 08/07/2022

Total - 07, (New- 05, Existing- 02)

Sl. no.	Name of Institute with address	Type of Applicati	Trade for which		vhich affiliati commended		
		on Affiliation sought ing	Instt.	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA	Remarks by SCAA	
	Rameshwarprasad Private Industrial	New	Electrician Fitter	3(1+1+1) 3(1+1+1)	2(1+1)	NR NR	Not Recommended as per ICVC remarks.
	Training Institute, Banda Private Industrial, Vill And Post Pachnehi Distt.Banda,		Health Sanitary Inspector	3(1+1+1)	2(1+1)	NR	Minimum four trades are required for an ITI.
6.	Banda-210001, Uttar Pradesh.  TMP9128PR15798649 98		Mechanic Diesel	3(1+1+1)	NR	NR	ITI needs to remove the deficiencies mentioned in column V and VI and submit the report to the State Directorate within 07 days from issue of this MoM.  State Directorate will confirm about the institute type MSTI or polytechnic and submit the NOC accordingly.  State Directorate will submit the verified report along with recommendation of all the trades/units within 07 days from issue of this MoM.

Amagair.

-6-





### **STATE Uttar Pradesh**

Meeting Date: 08/07/2022

Total - 07, (New- 05, Existing- 02)

SI. no.	Name of Institute with address	Type of Applicati	Trade for which		which affiliati commended		
		on New/Exist ing	Exist sought	Instt.	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA	Remarks by SCAA
	Chandrashekhar Private Industrial	New	СОРА	3(1+1+1)	NR	NR	Not recommended:  1. Electricity
	Training Institute, Ghazipur, Village Domanpura Post		Electrician	3(1+1+1)	NR	NR	connection is under process. Electricity bill
	Balapur Ghazipur- 233227		Electronic mechanic	3(1+1+1)	NR	NR	and meter sealing report
	TMP9146PR15814303		Fitter	3(1+1+1)	NR	NR	are not available.
7,.	37						2. Drawing hall and IT lab area is not as per norms
							3. Approved layout plan is not available.
			1				CITS details of all the trainers are not available.

1/8/22 M