Through Mail E-file No.: 53427

DGT-Aff011(51)/21/2022-O/o DIR (TC)-Part(1) Government of India Ministry of Skill Development and Entrepreneurship Directorate General of Training

Employment Exchange Building, 1st floor, Pusa, New Delhi, Dated: 30th August, 2022

То

1. The State/UT Directors

(Andhra Pradesh, Assam, Bihar, Chhattisgarh, Gujarat, Haryana, Himachal Pradesh Jharkhand, Karnataka, Maharashtra, Puducherry, Punjab, Rajasthan, Tamil Nadu Telangana, Uttarakhand, Uttar Pradesh, West Bengal)

2. The Regional Directors, RDSDEs

(Andhra Pradesh, Assam, Bihar, Chhattisgarh, Gujarat, Haryana, Himachal Pradesh Jharkhand, Karnataka, Maharashtra, Puducherry, Punjab, Rajasthan, Tamil Nadu Telangana, Uttarakhand, Uttar Pradesh, West Bengal)

Subject: Minutes of 5th meeting of Standing Committee on Accreditation and Affiliation (SCAA) held on 16th August to 18th August,2022 - regarding.

Sir/Madam,

Please find enclosed herewith a copy of minutes of 5th meeting of Standing Committee on Accreditation and Affiliation (SCAA) held on 16th August to 18 August, 2022 along with its annexures. Agenda item-wise implementation orders will be issued subsequently.

- 2. The decision of the committee / these minutes shall be read and construed in conjunction with the office order(s) which would be issued and signed separately by the competent authority.
- 3. The list of ITIs annexed in Annexure-2 (a total of 152 new Accreditation/ Affiliation proposals for existing and new ITIs) which have remarks "Not Recommended/Rejected", or which have been asked to "remove the deficiencies" shall follow the process/procedure defined below as per their remarks:
 - 3.1 For the ITIs which have remark "Not Recommended/Rejected", may remove the deficiencies as mentioned in the Minutes of Meeting and resubmit their case to concerned RDSDE within one month from the date of issue of this Minutes of Meeting. RDSDE will further review the cases in consultation with the State and submit a report with their concluding remarks to the Director (TC).
 - 3.2 For the ITIs which have the remark "remove the deficiencies" may remove the deficiencies within the stipulated timeline as mentioned in the Minutes of

Meeting and further submit requisite documents through RDSDE with recommendation from the State in stipulated timeline to comply with the 5th SCAA remarks as mentioned in Minutes of Meeting. In the event of any ITI failing to do so, its affiliation proposal shall be "Not Recommended", and further would fall under point 3.1.

Further, all the compliance reports must be sent to Director, TC only on below mentioned e- mail id with subject tag line-Compliance of 5th SCAA Meeting <State Name><ITI Name>.

Mail ID: tc-affiliation@dgt.gov.in

- Any ITI who are aggrieved with the decision of the SCAA, may register their grievances to Grievance Redressal Cell, TC section, established as per office order DGT-HC044/18/2021-O/o Dir (TC) dated 16.08.2022 , within 07 days, at the following Google-form link: https://forms.gle/7RhPDDHvuG39jggj7.
- It is to be noted that if any of such case forwarded by the Grievance 5. Redressal Cell gets recommendation, affiliation session will be decided as per DGT academic calendar, whereas the ITIs who does not fulfill the conditions within the stipulated timeline would be "Not Recommended/Rejected" and finally shall be deemed rejected and will have to apply afresh. No further representation shall be accepted under any circumstances after the closure of the given timeframe.
- The final decision on the applications shall be subject to fulfillment of conditions mentioned in the office order(s) read with Minutes of Meeting, which further shall be taken according to the established norms and principles and, following due process of law.

This issue with approval of the competent authority, DGT.

Yours faithfully,

(Ujjwal Biswas) Director,TC

Copy along with enclosures for information to:

1. PPS to DG(T), DGT.

PPS to Chairman of SCAA/DDG (Affiliation), DGT. 2.

NCVT MIS Portal In charge, DGT Hgr. New Delhi, with request to upload MoM on NCVT MIS Portal. Maga 30/8/22

IT Section, DGT Har. New Delhi. 4.

> PM Damodharam Assistant Director

DGT-Aff011(51)/21/2022-O/o DIR (TC)

Directorate General of Training

Ministry of Skill Development and Entrepreneurship

Government of India

Employment Exchange Building, Pusa Campus, New Delhi-110012

Minutes of 5th Meeting of "Standing Committee on Accreditation and Affiliation (SCAA)" held on from 16.08.2022 to 18.08.2022

Following Committee members were present during the meeting:

- 1. Smt. Sandhya Salwan, DDG, DGT, Chairperson of SCAA
- 2. Sh. Rajeev Ranjan, Director, State DTE Bihar
- 3. Sh. Digambar A. Dalvi, Director State DTE Maharashtra
- 4. Sh Vivek Chandel, Director, DTE Himachal Pradesh
- 5. Sh. Ujiwal Biswas, Director, TC, DGT Member
- 6. Sh. M. C. Kardam, Regional Director, RDSDE Chattisgarh
- 7. Sh. SS Naik Regional Director, RDSDE Rajasthan
- 8. Sh. J D Masilamani, Regional Director, RDSDE Uttar Pradesh
- 9. Sh. Ravi Chilukoti, Regional Director, RDSDE Uttarakhand
- 10. Sh. B K Singha , Regional Director, RDSDE Bihar, Jharkhand and Odisha
- 11. Sh. J P Meena, Regional Director, RDSDE Gujarat
- 12. Sh. C S Murthy, Regional Director, RDSDE Maharashtra
- 13. Smt. Swati Sethi , Regional Director, RDSDE Haryana and Punjab
- 14. Sh N R Aravindan RDSDE West Bengal and RDSDE Assam
- 15. Sh. Sanjeev Sharma, Additional Director, SDIT, Haryana
- 16. Sh. Ravi Chandra Additional Director, DET, Tamil Nadu
- 17. Sh. G. Balasubramanyam, Joint Director, State DTE, Andhra Pradesh
- 18. Sh. Nagesh, Joint Director, DET Telangana
- 19. Sh. Ashish Nautiyal, Joint Director, State DET Uttarakhand
- 20. Sh. J M Negi , Joint Director, State DET, Uttrakhand
- 21. Sh. K Mahendar, Joint Director, RDSDE Andhra Pradesh
- 22. Sh. RC Meena, Joint Director, RDSDE Punjab
- 23. Sh. T Ragulan, Joint Director, TC, DGT
- 24. Sh. MF Ansari, Deputy Director, State DTE Chhattisgarh



Myd

- 24. Sh. D Prasad, Deputy Director, State DET, Jharkhand
- 25. Sh. K B Patel, Deputy Director, State DTE Gujarat
- 26. Sh. Sanjay Kumar Gupta, Deputy Director, Himachal Pradesh
- 27. Sh. Maninder Pal Singh, Deputy Director, DET Punjab
- 28. Sh. Nitin Nikam, Deputy Director, State DTE Maharashtra
- 29. Sh. Mayank Gangwar, Deputy Director, State DTE Uttar Pradesh
- 30. Sh Parnav Choudhary, Deputy Director, RDSDE Haryana
- 31. Sh. D L Meena, Deputy Director, RDSDE Himachal Pradesh
- 32. Sh. Raju Kannam, Deputy Director, RDSDE Maharashtra
- 33. Sh. Subhashree, Deputy Director, RDSDE Tamil Nadu
- 34. Sh. Prasanjeet Bose, Assistant Director, State DET, West Bengal
- 35. Sh. Suman Kumar, Assistant Director, State DTE Bihar
- 36. Sh. Manpal Singh, Assistant Director, State DTE Uttar Pradesh
- 37. Sh. Ajay Agarwal. Assistant Director, RDSDE Bihar
- 38. Sh. Nizamamuddin Barbhuiya, Assistant Director, RDSDE Assam
- 39. Sh. K Shrikanth, Assistant Director, RDSDE Telangana
- (i) Ms. Naina Nagpal (ii) Ms. Pooja Verma (iii) Sh. Rajesh Kumar (iv) Sh. Shramev Sharma (v) Sh. Suryakant Mishra (vi) Sh. P
 M Damodharam Assistant Directors, TC Section, DGT (vii) Shri Parveen Kumar, JTA, TC Section, DGT

At the outset, Smt. Sandhya Salwan, DDG, DGT and Chairperson of SCAA, welcomed all the committee members and participants thereafter Shri Ujjwal Biswas, Director, TC took agenda points for detailed discussions. The details of discussions, deliberations and agenda wise decisions taken by the Chair, are placed below.

Agenda 1: Action Taken report of 4th SCAA meeting held on dated 08.07.2022

The action taken points as per agenda no. 1 were apprised by Director, TC to all the members of Committee, all the committee members agreed for the same for necessary compliance.

Agenda 2: New Accreditation/ Affiliation proposals for existing and new ITIs from 16 States/UTs

A total of 152 New Accreditation/ Affiliation proposals for existing and new ITIs from 16 States/UTs are received, out of which 77 are from existing ITIs (10 Govt. ITIs and 67 Pvt. ITIs) for addition of trades/units and 75 are from new Pvt. ITIs.

Table 1: New Accreditation/ Affiliation Proposals

SI. No.		Existing	Existing ITIs		New ITIs	
	State/UT	Govt.	Pvt.	Govt.	Pvt.	Total
1	Andhra Pradesh	0	0	0	3	3
2	Bihar	0	10	0	9	19
3	Chhattisgarh	0	3	0	2	5
4	Gujarat	0	3	0	8	11
5	Haryana	0	2	0	1	3
6	Himachal Pradesh	0	0	0	1	1
7	Karnataka	1	6	0	3	10
8	Maharashtra	9	4	0	12	25

Mangolo

Me

16 Total	West Bengal	10	67	0 0	75	8 1 52
15	Uttarakhand	0	0	0	1	1
14	Uttar Pradesh	0	18	0	26	44
13	Telangana	0	6	0	3	9
12	Tamil Nadu	0	6	0	2	8
11	Rajasthan	0	1	0	1	2
10	Punjab	0	1	0	1	2
9	Puducherry	0	0	0	1	1

SCAA Remarks:

The remarks by SCAA for each case is attached as: Annexure 2.

Agenda 3: Compliances of MoM of 1st of SCAA meeting held on 05.04.2022 & 06.04.2022

A total of 36 compliance reports received from ITIs through concerned State Directorates/RDSDEs, were put up in the meeting. The SCAA remarks are attached as: *Annexure 3*.

Agenda 4: Compliances of MoM of 2nd SCAA meeting held on 29.04.2022.

A total of 14 compliance reports received from ITIs through concerned State Directorates/RDSDEs, were put up in the meeting. The SCAA remarks are attached as: *Annexure 4*.

Page 4 of 279

Agenda 5: Compliances of MoM of 3rd SCAA meeting held on 24.06.2022

A total of 44 compliance reports received from ITIs through concerned State Directorates/RDSDEs, were put up in the meeting. The SCAA remarks are attached as: *Annexure 5*.

Agenda 6: Compliances of MoM of 4th SCAA meeting held on 08.07.2022

A total of 14 compliance reports received from ITIs through concerned State Directorates/RDSDEs, were put up in the meeting. The SCAA remarks are attached as: *Annexure* 6.

Agenda 7: Proposals received from SSDECs

The following proposals were received from the State Skill Development and Entrepreneurship Committee (SSDEC) of Tamil Nadu, Rajasthan, Sikkim and Uttarakhand States from respective RDSDEs.

The competent authority has given approval on these proposals and the same were put up before the committee for ratification.

7.1 Proposal from SSDEC of Rajasthan State: SSDEC of Rajasthan state in its meeting on date 17.05.2022 has recommended SCVT to NCVT Conversion of following 4 Govt. The ITIs. Affiliation order is already issued and this case was put up in the meeting for ratification.

Table 2: SCVT to NCVT Conversion Rajasthan

S.N o.	Name of ITI	NCVT MIS Code	Name of Trade	No of Unit	Recommendation of SSDEC
1	Govt Women ITI Udaipur	GR08000104	Stenographer Secretarial Assistant	2(1+1)	Recommended
2	Govt ITI Kotda Dist. Udaipur	GR0800414	Electronic Mechanic Welder	2(1+1) 2(1+1)	Recommended

3	Govt ITI Sagwara, Dist. Dungarpur	GR08000973	Computer Operator & Programmer Assistant	2(1+1)	Recommended
4	Govt ITI Merta City, Dist. Nagour	GR08001010	Mechanic Diesel	2(1+1)	Recommended

SCAA Remarks: The case was discussed for information and ratification.

7.2 Proposal from SSDEC of Sikkim State: SSDEC of Sikkim state in its meeting on date 30.06.2022 has recommended NCVT affiliation of trades/units in following 3 Govt. ITIs.

Table 3: SSDEC Sikkim proposals

SI. No.	Name of the ITI /MIS code	Trades/Units sought for affiliation	Trades/Units recommended by Skill Development Department, Govt, of Sikkim	Trades/Units recommended by SDEC for affiliation w.e.f Aug-2022	SSDEC Remarks	5th SCAA Remarks
1.	Govt ITI, Architectural Draughtsman (1+1)		Architectural Draughtsman (1+1)	Architectural Draughtsman (1+1)		
	Gyalshing, Sikkim GR1100000	Computer Operator and Programming Assistant (1+1)	Computer Operator and Programming Assistant (1+1)	Computer Operator and Programming Assistant (1+1)	Institute inspected on 27/06/2022 by the Regional Director, RDSDE-WB & Sikkim, Director, along with the Secretary, Skill Development Department, Govt, of Sikkim	Recommended



- Mynd

		Mechanic Motor Vehicle (1+1)	Mechanic Motor Vehicle (1+1)	Mechanic Motor Vehicle (1+1)	Set up under NITI Aayog Scheme Institute inspected on	Recommended
		Electrician (1+1)	Electrician (1+1)	Electrician (1+1)	27/06/2022 by the Regional Director, RDSDE-WB & Sikkim, Director, along with the Secretary, Skill Development Department, Govt, of Sikkim	Recommended
2,	Govt ITI, Namchi, Dist-	Mechanic Diesel (1+1)	Mechanic Diesel (1+1)	Mechanic Diesel (1+1)	Upgradation of Govt ITI into Model ITI	Recommended
	Namchi, Sikkim	Welder (Fab & fitting) (1+1)	Welder (Fab & fitting) (1+1)	Welder (Fab & fitting) (1+1)	Institute inspected on 28/06/2022 by Assistant Director-RDSDE-WB and	Recommended
	GR1100000 2	Plumber (1+1)	Plumber (1+1)	Plumber (1+1)	Deputy Director, Skill Development Department, Govt, of Sikkim	Recommended
3.	Govt ITI, Rangpo, Dist- Pakyong, Sikkim GR1100000	Machinist (1+1)	Machinist (1+1)	Machinist (1+1)	VTIP-World Bank funding and supplemented by STRIVE-RA1 Scheme Institute inspected on 28/06/2022 by Assistant Director-RDSDE-WB and Deputy Director, Skill Development Department, Govt, of Sikkim Trade running under SCVT is recommended for NCVET.	Recommended

A 100 18

Market

- **7.3 Proposal from SSDEC of Tamil Nadu State**: SSDEC of Tamil Nadu State in its meeting on 01.07.2022 has recommended NCVT affiliation/de-affiliation for trades/units in following Govt ITIs.
- 7.3.1: Affiliation of additional units started under SCVT in 11 existing Govt. ITIs with NCVT-

State directorate wants to convert below mentioned trade's unit under NCVT. SSDEC has recommended following additional units which will be run under NCVT given in below table.

Table 4: Affiliation of additional units started under SCVT in existing Govt. ITIs with NCVT

SI. No.	Name of the ITI with NCVT MIS code	Recommendation of SSDEC		5th SCAA Remarks
		Name of Trade	No of Units (To be run under NCVT)	Kenara
1	Govt. ITI, Arakkonam (GR33000107)	Electrician	1+0+0	Recommended
		Fitter	1+0+0	Recommended
2	Govt. ITI, Theni (GR33000064)	Computer Operator and Programming Assistant	0+1+0	Recommended
		Desktop Publishing Operator	0+1+0	Recommended
3	Govt. ITI, Thanjavur (GU33000041)	Machinist	0+1+0	Recommended
		Electrician	0+1+0	Recommended
4	Govt. ITI, Karaikudi (GR33000059)	Wireman	1+0+0	Recommended



Me

		Turner	0+1+0	Recommended
5	SMRV Govt ITI Nagercoil (Women) (GR33000092)	Architectural Draughtsman	0+1+0	Recommended
6	Govt. ITI, Konam, Nagercoil (GR33000045)	Wireman	0+1+0	Recommended
7	Govt. ITI, Virudhunagar (GR33000034)	Machinist	0+1+0	Recommended
8	Govt. ITI, Coimbatore (GU33000058)	Computer Operator and Programming Assistant	1+0+0	Recommended
9	Govt. ITI, Madurai (GU33000060)	Electrician	0+1+0	Recommended
10	Govt. ITI, Guindy (Women) (GR33000070)	Architectural Draughtsman	1+1+0	Recommended
11	Govt. ITI, Pullambadi (Women) (GR33000212)	Machinist	1+1+0	Recommended
		Dress Making	1+1+0	Recommended

7.3.2: De-affiliation of existing trades in 16 Govt. ITIs

Table 5: De-affiliation of existing trades in Govt. ITIs

SI. No.	Name of the ITI with NCVT MIS code	Recommendation	5th SCAA Remarks	
		Name of Trade	No of Units	Kemaro
1	Govt. ITI, Aundipatti (Women) (GR33000541)	Desktop Publishing Operator	2	Recommended

2	Govt. ITI Mudhukulathur (GR33000276)	Sheet Metal Worker	2	Recommended
3	Govt. ITI, Madurai (GU33000060)	Carpenter	2	Recommended
		Foundryman	2	Recommended
		Mechanic Machine Tool Maintenance	1 unit (shift 1)	Recommended
4	Govt. ITI, Namakkal (GR33000540)	Desktop Publishing Operator	2	Recommended
5	Govt. ITI, Salem (Women) (GU33000207)	Hospital Housekeeping	2	Recommended
6	Govt. ITI, Karur (GU33000538)	Mechanic Industrial Electronics*	1+1	Recommended*
7	Govt. ITI, Thanjavur (GU33000041)	Carpenter	1+1	Recommended
		Mechanic Industrial Electronics*	1+1	Recommended*
8	Govt. ITI, Karaikudi (GR33000059)	Machinist Grinder	2 units	Recommended
		Sheet Metal Worker	1 unit	Recommended
		Machinist	1 unit	Recommended
9	Govt. ITI, Tiruppur (GU33000110)	Stenographer and Secretarial Assistant (English)	1 unit	Recommended
10	Govt. ITI, Ramanathapuram (GR33000274)	Desktop Publishing Operator	Shift 1 - 1unit, shift 2- 1 unit	Recommended
		Draughtsman Civil	Shift 1- 1unit, shift 2-1 unit	Recommended

Junge 8

11	Govt. ITI, Konam, Nagercoil (GR33000045)	Driver Cum Mechanic	Shift 1-1 unit	Recommended
		Electroplater	Shift 1-1unit, shift2-1 unit	Recommended
12	Govt. ITI, Dharapuram (GR33000053)	Pump Operator cum Mechanic	2 units	Recommended
13	Govt. ITI, Guindy (GR33000068)	Tool & Die Maker (Press tools, Jigs & Fixtures)	Shift 2- 2nd unit	Recommended
		Food Beverage	Shift (1&2)-2units	Recommended
		Housekeeper	Shift 1&2-2units	Recommended
		Litho offset Machine Minder*	Shift 1&2-2units	Recommended*
		Mechanic Industrial Electronics*	Shift 1&2-2 units	Recommended*
14	Govt. ITI, Virudhunagar (GR33000034)	Carpenter	1+0	Recommended
15	Govt. ITI, Coimbatore (Women) (GU33000272)	Computer Operator and Programming Assistant	2(1+1) units	Recommended
		Computer Hardware and Network Maintenance	3(2+1) units	Recommended
		Stenographer and Secretarial Assistant (English)	1 unit	Recommended
		Fashion Design Technology	1 unit	Recommended
16	Govt. ITI, Coimbatore (GU33000058)	Mechanic Machine Tool Maintenance	1unit – shift 2	Recommended

B

Page **11** of **279**

*As per order no DGE&T-19/06(01)/2014-CD dated 04.07.2014, total 20 Nos. of obsolete trades from the purview of NCVET under CTS were deleted.

7.3.3: Affiliation of SCVT trades to NCVT in 25 Govt. ITIs:

The below mentioned trades has been recommended by SSDEC to fully convert from SCVT trades to NCVT trades.

Table 6: Affiliation of SCVT trades to NCVT

SI. No.	Name of the ITI with NCVT MIS code	Recommendation of SSDEC	5th SCAA Remarks	
No.		Name of trade	No of units	Remarks
1	Govt. ITI, Arakkonam (GR33000107)	Smartphone Technician cum App Tester	1+1+0	Recommended
		Welder	1+1+0	Recommended
		Refrigeration and Air Conditioning Technician	1+1+0	Recommended
2	Govt. ITI, Aundipatti (Women)	Refrigeration and Air Conditioning Technician	1+1+0	Recommended
	(GR33000541)	Smartphone Technician cum App Tester	1+1+0	Recommended
3	Govt. ITI, Cuddalore (Women)	Technician Power Electronics System	1+1+0	Recommended
	(GU33000085)	Architectural Draughtsman	1+1+0	Recommended
4	Govt. ITI, Madurai (Women) (GU33000523)	Technician Medical Electronics	1+1+0	Recommended
5	Govt. ITI, Dindigul (Women) (GR33000273)	Technician Power Electronics System	1+1+0	Recommended



Me

6	Govt. ITI, Mudhukulathur (GR33000276)	Refrigeration and Air Conditioning Technician	1+1+0	Recommended
		Machinist	1+1+0	Recommended
7	Govt. ITI, Madurai (GU33000060)	Interior Design and Decoration	1+1+0	Recommended
		Food Production (General)	1+1+0	Recommended
8	Govt. ITI, Sivangangai (GU33000568)	Dress Making (Change of Trade from Sewing Technology)	1+1+0	Recommended: Dress Making-2 (1+1) and Surrendered/De- affiliated: Sewing Technology-2 (1+1)
9	Govt. ITI, Namakkal (GR33000540)	Machinist	1+1+0	Recommended
		Information Communication Technology and System Maintenance	1+1+0	Recommended
10	Govt. ITI, Chekkanurani (GR33000097)	Refrigeration and Air Conditioning Technician	1+1+0	Recommended
11	Govt. ITI, Salem (Women) (GU33000207)	Refrigeration and Air Conditioning Technician	1+1+0	Recommended
		Electrician	1+1+0	Recommended
12	Govt. ITI, Kaur (GU33000538)	Operator Advanced Machine Tool	1+1+0	Recommended

Amus 18

Page **13** of **279**

13	Govt. ITI, Thanjavur (GU33000041)	Interior Design and Decoration	1+1+0	Recommended
14	SMRV Govt. ITI, Nagercoil (Women) (GR33000092)	Technician Medical Electronics	1+1+0	Recommended
15	Govt. ITI, Ranipet (GR33000542)	Operator Advance Machine Tool	1+1+0	Recommended
16	Govt. ITI, Tiruppur (GU33000110)	Tool & Die Maker (Press tools, Jigs & Fixtures)	1+1+0	Recommended
17	Govt. ITI, Paramakudi (GR33000063)	Solar Technician (Electrical)	1+1+0	Recommended
18	Govt. ITI, Thiruvanmiyur (GR33000080)	Technician Medical Electronics	1+1+0	Recommended
19	Govt. ITI, Ramanathapuram (GR33000274)	Computer Operator and Programming Assistant	1+1+0	Recommended
		Welder	1+1+0	Recommended
20	Govt. ITI, Dharapuram (GR33000053)	Operator Advanced Machine Tool	1+1+0	Recommended
21	Govt. ITI, Guindy (GR33000068)	Smartphone Technician cum App tester	1+1+0	Recommended
22	Govt. ITI, Virudhunagar (GR33000034)	Fire Technology and Industrial Safety Management	1+1+0	Recommended
		Interior Design and Decoration	1+1+0	Recommended
23	Govt. ITI, Coimbatore (Women) (GU33000272)	Technician Medical Electronics	1+1+0	Recommended
	(3033000212)	loT Technician (Smart Health Care)	1+1+0	Recommended
	A R	Smartphone Technician cum App tester	1+1+0	Recommended

Amy 618

Page **14** of **279**

24	Govt. ITI, Coimbatore (GU33000058)	Interior Design and Decoration	1+1+0	Recommended
		Remotely Piloted AirCraft (Drone Pilot)	1+1+0	Affiliation is on hold by DGT for Remotely Piloted AirCraft (Drone Pilot)
25	Govt. ITI, Thirukkuvalai (GR33000451)	Wireman	1+1+0	Recommended

7.3.4: Affiliation of 3 Existing SCVT ITIs with NCVT

Table 7: Affiliation of Existing SCVT ITIs with NCVT

SI. No.	Name of the ITI with NCVT MIS code	Recommendation of SSDEC		5th SCAA Remarks
		Name of trade	No of units	
1	Govt ITI Sattur	Fitter	1+1+0	Recommended
	Code-Not available	Electrician	1+1+0	Recommended
		Mechanic Motor Vehicle	1+1+0	Recommended
		Solar Technician (Electrical)	1+1+0	Recommended
		Fire Technology and Industrial Safety Management	1+1+0	Recommended
2	Govt ITI, Neyveli	Fitter	1+1+0	Recommended



Page **15** of **279**

	Code-Not available	Electrician	1+1+0	Recommended
	Ode-Not available	Welder	1+1+0	Recommended
		Refrigeration and Air conditioning Technician	1+1+0	Recommended
3	Govt ITI Sembodai	Electrician		Recommended
	Code-Not available	Spinning Technician	1+1+0	Recommended
		Surveyor	1+1+0	Recommended
		Maintenance Mechanic (Chemical Plant)	1+1+0	Recommended
		Mechanic Diesel	1+1+0	Recommended

7.4 Proposal from SSDEC of Uttarakhand State:

The 2nd meeting of SSDEC Uttarakhand was held on the date 29.06.2022 for approval of affiliation of 24 trade units of Government ITIs under the World Bank Funded "Uttarakhand Workforce Development Project (UKWDP)". SSDEC has recommended the proposals of 12 trade units under SCVT to NCVT conversion and 10 trade units under additional units vide SSDEC MoM dated 18.07.2022. The details of trade units for ITIs are given below:

7.4.1: SCVT to NCVT Conversion of trades/units in 5 Govt ITIs

Table 8: SCVT to NCVT Conversion of trades/units in 5 Govt ITIs

SI. No.	Name of GITI	MIS Code	Trade seeking affiliation	Shift se	eeking af	filiation	Recommendation of SSDEC	5th SCAA Remarks
				1st	2 nd	3 rd		

Page **16** of **279**

				Shift	Shift	Shift		
1	Kaladhungi	GR05000172	Electrician	01	01	٠	Recommended	Recommended
2	Narsan	GR05000168	Electrician	02	02	潇	Recommended	Recommended
3	New Tehri	GU05000073	Electrician	01	01	į.	Recommended	Recommended
4	Sitarganj	GU05000111	Electrician	01	01	-	Recommended	Recommended
5	Vikasnagar	GU05000097	Electrician	:=:	-	02*	Recommended	Recommended*
			Welder	01	01	,	Recommended	Recommended
	Total			06	06	02		

^{* 3}rd Shift is recommended under the DST scheme.

7.4.2: Trade units seeking affiliation – Additional Units/Trades

Table 9: Additional trades and units in 6 Govt. ITIs

SI. No.	Name of GITI	MIS Code	Trade seeking affiliation	Shift seeking affiliation		Control of the last of the las	Recommendation of SSDEC	5th SCAA Remarks
				1st	2 nd	3 rd		
The state of				Shif	Shift	Shift		
				t				

Total				03	07	:(⊯;		
			Welder (Fabrication & Fitting)	01	01	(E	Recommended	Recommended
6	Pantnagar	GU05000192	Electronic Mechanic		01	S#1	Recommended	Recommended
5	Kaladhungi	GR05000172	Welder (Fabrication & Fitting)	01	01	5 	Recommended	Recommended
4	Kanda	GR05000084	Electronic Mechanic	:: - :	01	:=:	Recommended	Recommended
3	Dehradun- Boys	GU05000071	Plumber	- 01 - Recommended		Recommended		
2	Dehradun- Women	GU05000065	Electronic Mechanic	斯	01	ï	Recommended	Recommended
1	Вајриг	GR05000158	Plumber	01	01	-	Recommended	Recommended

7.5 Proposal from SSDEC of West Bengal State:

The 2nd meeting of SSDEC WB was held on the date 14.07.2022 for approval of affiliation of 15 Government ITIs.

The details of SSDEC recommendation trade and units for ITIs are given below.

′ Table 10: Affiliation cases of Govt. ITIs & PTP ITI of West Bengal

WALL DELL	PARTY THE REAL PROPERTY IN			THE PERSON NAMED IN	
SI.	Name of ITI/ MIS Code	Trade sought for	Units which affiliation	New/	5th SCAA
No. of Lot of Line				7.37	A CHARLES EDUTES CON



No.		Affiliation	sought/re	commended by		Additional trades	Remarks
			Institute	Inspection team	SSDEC	traues	
1.	Govt. Industrial Training Institute for Women Dist - Kolkata GR19000041	Solar Technician (Electrical)	1+1+0	1+1+0	1+1+0	New	Recommended
		2.Electronics Mechanic	1+0+0	1+0+0	1+0+0	Addl	Recommended
2.	Govt. ITI Tollygunge, Dist - Kolkata GR19000015	Solar Technician (Electrical)	1+1+0	1+1+0	1+1+0	New	Recommended
3.	Govt. ITI Howrah Homes, Dist - Howrah GR19000048	Solar Technician (Electrical)	1+1+0	1+1+0	1+1+0	New	Recommended
4.	Govt. ITI Berhampore Dist - Murshidabad	Mechanic Diesel Engine	0+1+0	0+1+0	0+1+0	New	Recommended
	GR19000030	Mechanic Motor Vehicle	0+1+0	0+1+0	0+1+0	Addl	Recommended
		3. Wireman	0+1+0	0+1+0	0+1+0	Addl	Recommended
	1	4. Welder	0+1+0	0+1+0	0+1+0	Addl	Recommended

Jung-18

Page **19** of **279**

		5. Carpenter	0+1+0	0+1+0	0+1+0	Addl	Recommended
		6. Computer Operator & Programming Assistant	0+1+0	0+1+0	0+1+0	Addl	Recommended
		7.Electronics Mechanic	0+1+0	0+1+0	0+1+0	Addl	Recommended
-		8. Surveyor	0+1+0	0+1+0	0+1+0	Addl	Recommended
5.	Govt. ITI for Women, Burdwan Dist - Purba Burdwan GR19000040	1. Smartphone Technician cum App Tester	1+1+0	1+1+0	1+1+0	New	Recommended
6.	Govt. ITI Balurghat Dist - Dakshin Dinajpur GR19000017	1.Electronics Mechanic	0+1+0	0+1+0	0+1+0	Addl	Recommended
7.	Govt. ITI, Hijli Dist - Paschim Mindnapore	1.Electronics Mechanic	0+1+0	0+1+0	0+1+0	Addl	Recommended
	GR19000044	2. Fitter	0+1+0	Recommended if short falls are met up.	Recommended if short falls are met up.	Addl	Recommended . SSDEC to ensure any shortfall.
		3. Welder	1+1+0	Not	Not	New	Not

James R

Page **20** of **279**

				Recommended	Recommended		Recommended
8.	Govt. ITI Gariahat Dist - Kolkata GR19000035	Solar Technician (Electrical)	1+1+0	1+1+0	1+1+0	New	Recommended
9.	Binpur-1 Govt. ITI	1. Welder	1+1+0	1+1+0	1+1+0	New	Recommended
	Dist - Jhargram GR19000246	2.Cosmetology	1+1+0	1+1+0	1+1+0	New	Recommended
		3.Refrigeration and Air conditioning Technician	1+1+0	1+1+0	1+1+0	New	Recommended
10.	Govt. ITI Tufanganj Dist - Coochbeher	Electronics Mechanic	0+1+0	0+1+0	0+1+0	Addl	Recommended
	GR19000012	2. Fitter	1+1+0	1+1+0	1+1+0	New	Recommended
11.	Govt. ITI Midnapore Dist - Paschim Midnapore GR19000053	Solar Technician (Electrical)	1+1+0	1+1+0	1+1+0	New	Recommended
12.	Govt. ITI Malda GR19000032	Solar Technician (Electrical)	1+1+0	1+1+0	1+1+0	New	Recommended
13.	Government ITI Falta Dist - 24 Paragana(S)	1. Electrician	1+1+0	1+1+0	1+1+0	Addl	Recommended

James L

Page **21** of **279**

	Running under PTP GR19000218						
14.	Government ITI Ranibandh Dist - Bankura Running Under PTP GR19000152	1. Electrician	1+1+1	1+1+1	1+1+1*	Addl	*3rd shift to be run under DST scheme
15.	Biren Mohanty Memorial Govt. ITI, Karakanali Dist - Bankura running under PTP GR19000174	1. Electrician	1+1+0	1+1+0	1+1+0	Addl	Recommended

Agenda 8: Miscellaneous

8.1 Affiliation of A S K Pvt ITI, District Amroha Uttar Pradesh, Code- PR09901269

- 1. Affiliation Proposal of ITI was put up in the 2nd SCAA meeting held on 29.04. 2022 and was not recommended due to not having any grading. DGT has affiliated one trade dated 30.08.2019 and other three trades were not recommended due to deficiencies.
- 2. ITI has given representation that grading criteria is not applicable to the ITI because it was inspected against remaining three trades of the same old application. This ITI was not under consideration while grading was conducted by DGT.
- 3. As approved by competent authority, the grading parameter won't be applicable and the case will be decided based upon inspection report of ICVC for the trades/units sought for affiliation which is given below-
 - Fitter-3 (1+1+1
 - Plumber-3 (1+1+1)
 - Health Sanitary Inspector HSI-3 (1+1+1)

Angels.

Bells you

SCAA remarks: State Directorate of UP to submit the report of Land lease documents along with recommendations of all the trade/units to DGT, HQ within 7 days from the date of issue of MoM.

8.2: Affiliation of Jai Maa Pvt ITI, Siswan block, District-Siwan, Bihar

- 1. ITI has applied as an MSTI for trades Electrician 4(2+2), Fitter 4(2+2). Proposal was put in 4th SCAA meeting held on 26.10.2021, committee has not recommended the affiliation due to non-availability of drawing hall, machineries not in working condition, Electric load is less (Should be 12.22 kW, 9 kW available as per report).
- 2. SCN is issued as per direction of court. ITI then gave a reply of show cause notice on date 15.03.2022. Further the case was put in 1st SCAA held on 05.04.2022 & 06.04.2022.
- 3. SCAA gave the decision as "RDSDE and the concerned State DTE will jointly verify the authenticity of the documents by visiting the ITI and submit a report to TC section DGT.
- 4. Now a joint verification report is received from the concerned State Directorate, Joint committee has recommended the affiliation of said ITI.

Table 11: Jai Maa Pvt ITI

SI. No	Case/WP No. and Court Decision/ Directions	Petitioner ITI Name	As per court direction Action taken by DGT	Decision on reply received from ITI	Remarks by 1 st SCAA held on 05.04.2022 & 06.04.2022	Remarks by 5th SCAA held on 16.08.2022 - 18.08.2022
1	WP No. 4624/2020: "To conduct inspection and in the event, the DGT finds any deficiencies or discrepancies in the petitioners' case, it may issue a show cause notice to the concerned petitioner"	Jai Maa PVT. ITI, Siswan block, District- Siwan Bihar TMP 402 MSTI	Inspection done, ITI Not recommended, Show Cause Notice (SCN) sent to ITI by email on dated 11.03.2022	Reply received from ITI on dated 15.03.2022, and ITI informed that they have cleared the deficiencies.	DET Bihar and RDSDE Bihar are requested to jointly verify the authenticity of the document submitted by the ITI by visiting the ITI and send the verification report within 15 days from issue of minutes.	State Directorate of Bihar to submit the clarification report of the MSTI whether lying in an unserved area to DGT, HQ within 7 days from the date of issue of MoM.



Page 23 of 279

8.3: Affiliation of Mandeep Private ITI Geeta Colony (Shankar Vihar) Aligarh UP - 202001

- 1. Affiliation Proposal of ITI was put up in the 1st SCAA meeting held on 05.04. 2022 and was not recommended due to low grading.
- 2. As approved by the competent Authority based on ITI representation, joint inspection was carried out on 30.07.2022 and report has been submitted by RDSDE vide email on 05.08.2022.
- 3. The remarks of 1st SCAA meeting held on 05.04.2022 is given below:

Table 12: Mandeep Private ITI details

SI. No.	ITI Name/ Mis Code /App. Number	Type of App. Exist ing / New	Trades/ Units Sought for Affiliation	Recommendation Of Trade / Units By Inspection Cum Verification Committee (ICVC)	Remarks by TC-Section	Remarks By 1st SCAA meeting held on 05.04.2022
1	Mandeep Private ITI Geeta Colony (Shankar Vihar) Aligarh-202001 PU09900402 Grading - 0.82	Existing	Electrician - 6(2+2+2) Fitter - 3(1+1+1)	Electrician – NR Fitter – NR	May not be recommended due to following discrepancies: 1. Workshop shortage of tool equipment and machines not installed. 2. Details of CITS trained instructor not available 3. Student record and Trainer Record not properly maintained 4. ITI Grade less than 1.25 i.e. 0.82 5. For existing units electricity	Not recommended.



Page **24** of **279**

		consumption is low	

- 4. ICVC has recommended the following trades in the Annexure 3:
 - Electrician 6(2+2+2)
 - Fitter 3(1+1+1)
- 5. However, the grading of the ITI is 0.82 which is less than 1.25.

SCAA Remarks: The Committee decided to Not Recommend the case due to less grading.

8.4: Affiliation of Maa Vaishnavi Pvt. ITI, Giridih, Jharkhand Code TMP20329PR1582375793 MSTI

This case was put up in 4th SCAA meeting held on 26.10. 2021. The applicant MSTI has applied in trade/units of Electrician (2+2+2) and Fitter (2+2+2). The committee has recommended **Electrician 4(2+2)** trade/units subject to conditions to provide BCC, Internet speed to be improved, and CITs trained instructor details to be submitted within 15 days from the date of issue of MoM.

The affiliation order is issued after approval of competent authority and the same is put up in this meeting for ratification.

SCAA Remarks: The case was discussed for information and ratification.

Meeting ended with a Vote of Thanks to the Chair

Agenda 2: New Accreditation/ Affiliation proposals for existing and new ITIs from 16 States/UTs
A total of 152 New Accreditation/ Affiliation proposals for existing and new ITIs from 16 States/UTs are received. These cases were discussed in detail and the remarks of 5th SCAA are given in column VII.

1. State: Andhra Pradesh, total 03 new ITIs proposal for affiliation

SI. No	ITIs Name/ Address/ MIS Code / Grading	Existing / New/ MSTI	Trades/ units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 5th SCAA meeting held on dated 16.08.2022
1.	Don Bosco Private ITI D/No 1-274(14) Near Srinivasa Theater Ongole Prakasam Dist – 523001 TMPSP086	New	1. Draughtsman (Civil) 2(1+1) 2. Electrician 4(2+2) 3. Fitter 4(2+2) 4. Sewing Technology 2(1+1)	Recommended: 1. Draughtsman (Civil) 2(1+1) 2. Electrician 4(2+2) 3. Fitter 4(2+2) 4. Sewing Technology 2(1+1) subjected to appointing one more CITS trained instructor before the start of session. There are 05 CTI trained trainers are available for different trades.	Details of CITS trainers not available for any trainer	Recommended: 1. Draughtsman (Civil) - 2(1+1) 2. Electrician- 4(2+2) 3. Fitter -4(2+2) 4. Sewing Technology-2(1+1) ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session 2022 to the concerned state directorate and RDSDE within 07 days from the issue of this MoM. RDSDE and the state will ensure the instructors are



2	Doulos Private ITI Munagacherla Village, Nandigama(Mdl), Krishna District – 521185 TMPSP084	New	1. Electrician 4(2+2) 2. Fitter 2(1+1) 3. Mechanic Refrigeration and Air Conditioner 2(1+1) 4. Sewing Technology 2(1+1)	Recommended: 1. Electrician 4(2+2) 2. Fitter 2(1+1) 3. Mechanic Refrigeration and Air Conditioner 2(1+1) 4. Sewing Technology 2(1+1) Drawing tables and Boards are to be purchased. The Secretary has committed that it will be purchased within one week.	1. Building Plan is not available 2. BCC by AE 3. Trainers qualification, experience and CITS details not available 4. Drawing tables and Boards not available	appointed in the ITI before the start of session 2022. ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM: 1. BCC and Building Plan documents as per norms. 2. Drawing tables and Boards as per norms. 3. Undertaking to appoint CITS instructors before the start of session 2022. State Directorate will verify above reports and send recommendation of all the trades/units within 07 days
				£.		recommendation of all the
3	Vijaya Pvt. ITI, Chinthanippula Agraharam,	New	1. Fitter 4(2+2) 2. Electrician 4(2+2) 3. Mechanic Diesel	Recommended: 1. Fitter 4(2+2)	All instructors are not CITS qualified	Not recommended due to deficiencies mentioned in Column V and VI.

Awarto.

Me

	Anakapall Mandal,	2(1+1)	2. Electrician 4(2+2)	2. Tools,	
	Visakhapatnam-	4. Welder 2(1+1)	Conditionally	equipments	
	531001		recommended:	and	
	TMPSP082			machineries	
	· · · · · · ·		Mechanic Diesel	are partially	
1 1			2(1+1)	available for welder and	
1			4. Welder 2(1+1)	Mechanic	
	1		subject to submit the proof	Diesel	
			of procuring the shortage	3. Building plan	1
			tool kits, Machinery for	is different	1
			Welder and Mechanic	than actual	
			Diesel trades before start of	construction	
			session, in addition to	4. BCC is not as	
			submit the proof of	per norms	
			appointing one more CITS instructor for Electrician		
			trade.		
			lade.		
			1. The Building plan of		
			Vijaya pvt ITI is		8
			different from actual		
	1		construction. In the		
	1		master plan, it was		
			shown in three		
			blocks and actual		
			buildings were		
			constructed in two		
			blocks only.		
			2. The bills of		
			Machinery &		

SI Sample

Page **28** of **279**

		equipment of Welder & Mechanic Diesel are partially available	
rs	3.	Electrician- 01No., Fitter- 02Nos., Mechanic Diesel- 01No. and Welder- 01No. instructors are CITS qualified	

2. State: Bihar, Total 19 (New- 09, Existing- 10) ITIs proposal for affiliation

SI. No.	ITIs Name/ Address/ MIS Code / Grading	New/		Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 5th SCAA meeting held on dated 16.08.2022
i	II	111	IV	V	VI	VII
1,	Rajesh Ranjan Private Industrial Training Institute, Buxar, Mitralok Colony, Pandey Patti, Buxar, Bihar. MIS CODE:PR10000266 Grading: 1.51	Existing	Electrician - 2 (1+1)	Recommended for affiliation of trade Electrician- 2 (1+1) additional unit only, subject to submission of required approved building lay out plan.	 Approved building plan is required. BCC not as per norms. 	 ITI needs to submit approved building plan layout and BCC to the concerned State Directorate within one week from the issue of this MoM. The State Directorate will then verify and send the documents with recommendations to DGT TC section within 07 days from issue of this MoM.
2.	Dr Safal Kumar Mishra Private Industrial Training Institute, Pashchim Champaran TMP10211PU1581932748	New *	1. COPA - 2 (1+1) 2. Electrician - 4 (2+2) 3. Fitter - 4 (2+2) 4. Plumber - 2 (1+1)	Recommended: 1. COPA - 2 (1+1) 2. Electrician - 4 (2+2) 3. Fitter- 4 (2+2) 4. Plumber - 2 (1+1)	1. Only 1 CITS trained instructor, all trainers need to be CITS trained. 2. BCC not as per norms.	1. ITI to submit BCC and an Undertaking that CITS trained instructors will be appointed before the start of the session 2022 to the concerned State Directorate within one week from the issue of this MoM. 2. State Directorate will

Annual B

Page **30** of **279**

							3.	verify and send the above documents with recommendations to DGT TC section within 1 week. State Directorate and RDSDE will ensure CITS trained instructors are appointed before the start of the session.
3.	Sharda Pvt ITI, Saran Vill+ Po-Mohmadpur , PS- Garkha ,Dist-Saran - 841311 MIS CODE: PR10000836 Grading:2.36	Existing	Electrician-6 (2+2+2) Fitter-6 (2+2+2)	and Fitter - NF 1. Electr machi prope Fitter pneur hydra is not 2. All ma electr worki mach fitter I worki 3. Fitter Made	ician ine installed rly but in lab matic and ulic machine installed. achines in the ician lab are ng but some ines in the lab not	1.BCC is given by the Architect.	2.	ITI to submit BCC to the concerned State Directorate within one week from the issue of this MoM. State Directorate will then verify and send the documents with recommendations to DGT TC section within 1 week.

Page **31** of **279**

				workshop is made of cemented roof.	154	
4.	Vijay Private Industrial Training Institute, Saran Village- Chainpur, P.O + P.S- Mashrakh, Dist -Saran 841417 MIS CODE: PR10000389 Grading: 2.01	Existing	1. Electrician - 6 (2+2+2) 2. Fitter-6 (2+2+2)	Recommended: 1. Electrician 4 (2+2) 2. Fitter 4 (2+2) Total 22 staff available out of which CITS-08, B tech 05, Diploma 06, BSC-01, BCA-01, and ITI -01 Available.	1. All trainers are not CITS trained. 2. BCC given by Civil Executive engineer Bihar Education project saran Zila parishad.	 As informed by Bihar State Directorate, Executive Engineer Bihar Education project Saran zila parishad is not authorised to issue BCC for ITI. ITI needs to submit BCC and an Undertaking that CITS trained instructors will be appointed before the start of the session 2022 to the concerned State Directorate within one week from the issue of this MoM. The State Directorate will verify and send the above documents with recommendations to DGT TC section within 1 week. The State Directorate and RDSDE will ensure CITS trained

A R

My

						instructors 5. are appointed before the start of the session.
5.	Omkara Private Industrial Training Institute, Jehanabad TMP10199PR1579876155	New	1. Electrician - 4 (2+2)	Not recommended due to pending construction work w.r.t. Engineering Drawing Hall. 1. Although Building Completion certificate is uploaded but Engineering Drawing Hall is yet to be constructed for which a request letter from ITI is uploaded asking for more time to construct. 2. IT Lab available but without Air Conditioner. 3. asked for extension of time for building completion. 4. Name of ITI not	 NOC from State Directorate to consider this ITI as MSTI not available. Drawing hall not constructed yet. BCC not available. Some machinery is not installed properly. 	Not recommended as per recommendation of ICVC and deficiencies mentioned in column V and VI

Page **33** of **279**

				punched on all Machinery. 5. General Machinery not installed properly.		
6.	Ram Bhajan Private Industrial Training Institute,Gaya MIS CODE: PU10000886 Grading: 2.38	Existing	 Electrician 12 (6+6) Electronics Mechanic - (1+1) 	Recommended: 1. Electrician - 8 (4+4) 2. Electronic Mechanics 2 (1+1) 1.Tools and equipment available installed and working condition. They applied in Electrician (6+6) but tools and equipment available is sufficient for only (4+4) units also they have sufficient tools for Electronics Mechanic (1+1) units.	 Some Trainers are not CITS trained Tools and equipment available is sufficient for only (4+4) units also they have sufficient tools for Electronics Mechanic(1+1) units BCC is given by Junior Engineer and circle officer. 	 As informed by Bihar State Directorate, DTE Bihar, Junior Engineer and Circle officer is not authorized to issue BCC for ITI. ITI need to submit BCC and an Undertaking that CITS trained instructors will be appointed before the start of the session 2022 to the concerned State Directorate within one week from the issue of this MoM. The State Directorate with recommendations to DGT TC section within 1 week. State Directorate and RDSDE will ensure CITS trained instructors are appointed before

Jan Jas

Page **34** of **279**

						the start of the session.
7.	Saanvi Private Industrial Training Institute, Gaya, Vill-Bairiya ,P.O-Sahiya,P.S- Wazirganj,Dist-Gaya,Bihar- 805131,Gaya,Bihar. TMP10196PR1580139868	New	 COPA-3 (1+1+1) Electrician- 12 (4+4+4) Electronic Mechanic- 6 (2+2+2) Fitter- 6 (2+2+2) 	Recommended: 1. COPA - 2 (1+1) 2. Electrician - 8	 Some trainers are not CITS trained. BCC is given by Junior Engineer and circle officer. 	 As informed by Bihar State Directorate, DTE Bihar, Junior Engineer and Circle officer is not authorised to issue BCC for ITI. ITI need to submit BCC and an Undertaking that CITS trained instructors will be appointed before the start of the session 2022 to the concerned State Directorate within one week from the issue of this MoM. The State Directorate with recommendations to DGT TC section within 1 week. State Directorate and RDSDE will ensure CITS trained instructors are appointed before the start of the session.
8.	Horizon Private Industrial Training Institute, Gaya	Existing	Electrician - 8 (4+4)	Recommended:	Two lease documents	The concerned State Directorate will verify

Alway R

Mark

	New Chainpur Tola ,Kamat(Sherghati),Gaya 824211 MIS CODE: PR10000906 Grading: 2.14			existing iti and 2sep 2019 to 01 sep 2048 for new additional units extension these two	available, one for existing ITIs and other one for additional trades. 2. ITI has given an undertaking that they will hire CITS trained instructors at the start of the session. 3. BCC by Architect and Executive officer Nagar panchayat.	the BCC and send the document with recommendation to TC section, DGT within one week from the issue of this MoM. 2. ITI needs to submit an Undertaking that CITS trained instructors will be appointed before the start of the session 2022 to the concerned State Directorate within one week from the issue of this MoM. 3. The State Directorate and RDSDE will ensure CITS trained instructors are appointed before the start of the session.
9.	Ram Nandan Pandey ITC Private Industrial Training Institute, Aurangabad, At. Erka Colony, Po. Amba, Aurangabad,Bihar. MIS CODE: PR10000301 Grading: 1.79	Existing	 COPA - 2 (1+1) Electrician- 12 (6+6) Mechanic Diesel - 2(1+1) 	Recommended: 1. COPA - 2 (1+1) 2. Electrician- 12 (6+6) and 3. Mechanic Diesel – NR	1. Drawing Hall area not sufficient to accommodate additional trades/units trainees. As per norms Drawing hall area should be	1. ITI needs to remove the deficiencies mentioned in column VI, and inform the concerned State Directorate within 15 days from issue of this MoM.

June 18

you e

				 Total 46 training staff and 9 supporting staff and 27 cits trained also declarations of appointments of all cits trained instructors before session begins uploaded. Mechanic diesel trade machine not available. 	50sqm per 160 trainees per shift, for additional units proportionate area has to be increased by 35sqm. 2. All trainers are not CITS trained but ITI has given an undertaking that they will appoint CITS trained instructors before the start of the session 2022.	2. The State Directorate will physically verify and submit a report with recommendations to the TC section, DGT.
10.	Sityog Private Industrial Training Institute, Aurangabad, Sityog Institute Of Technology Growth Center Jasoiya More Aurangabad, Bihar,Aurangabad, Bihar. TMP10189PR1581853588	New	 Electrician 4(2+2) Fitter - 4(2+2) Health Sanitary Inspector - 4(2+2) Surveyor - 4(2+2) 	Recommended: 1. Electrician - 4 (2+2) 2. Fitter - 4 (2+2) 3. Health Sanitary Inspector - 4 (2+2) 4. Surveyor - 4 (2+2) 1. Available staff details uploaded total 9 cits trained instructors available also undertaking from secretary to appoint all	All trainers are not CITS trained, but an undertaking is given by ITI that they will appoint CITS trained instructors before the start of the session.	Recommended: 1. Electrician - 4 (2+2) 2. Fitter - 4 (2+2) 3. Health Sanitary Inspector - 4 (2+2) 4. Surveyor - 4 (2+2) The State Directorate and RDSDE will ensure CITS trained instructors are appointed before the start of the session.

Page **37** of **279**

				cits trained instructors before session starts. 2.Load Available is 32 kw and earlier it was 15 kw which was extended to 32 KW. letter by junior engineer electricity board and load extensions paper is uploaded and load required is 26.6 kw.	
11.	Namrit Private Industrial Training Institute, Begusarai At-Khowandpur Po- Khodawandpur 848202 TMP10191PR1580722161	New	1. Electrician-4(2+2) 2. Fitter-2(1+1)	 NCVT: Not recommended for affiliation of any Trade units due to observed deficiencies mentioned in remarks. SCVT: Affiliation may be given for 4 Units (2+2) Electrician Trade Only, Provided /Shown BCC not as per norms. Provided / Shown building map /naksha not 1. 1.All trainers are not CITS trained. Electricity bill not uploaded. Contradictory remarks by inspecting members. Un served area NOC from state directorate is not available. The concerned State Directorate and RD will do joint inspect submit a report wit recommendation to section, DGT. 	re rm the one te of ate OSDE tion and h

Amy 18

you

	matched with existing construction. 5. Non served area NOC from directorate not available. 6. Mode of payment- Staus of cheque given to vandor for procurement of Machineries not available. Bills Shown only for Electrician trade related. 7. Appointment letter for Principal not available. 8. Electricity bill not as per norms. 9. Fitter trade tools and equipment and machineries not available for Electrician trade. 10. Separate male and female toilet not available. 11. All of Class room,
--	---

Jungo 18 mark

				IT Lab and Drawing Hall is not as per norms. 12. Wall of IT lab not as per DGT norms. 13. Wall of DH not as per DGT norms. 14. Appointment letter for Principal not available.		
12.	Rajgir ITC At&Po Nekpur PS- Chabilapur Nalanda- Bihar MIS CODE: PR10000605 Grading: 2.05	Existing	Electrician 8(4+4)	Electrician (4+4) addition units recommended	BCC is given by the Architect.	The concerned State Directorate will verify BCC and send the document with recommendations to DGT TC section within one week from the issue of this MoM.
13.	Luv Kush Education & Welfare Trust Private Industrial Training Institute, Katihar Vill-Pranpur Block-Pranpur Ps-Pranpur Distt-Katihar 854116 Bihar TMP10201PR1580893272	NEW (MSTI)	1. Electrician -4(2+2) 2. Fitter 2(1+1)	Electrician (2+2) and Fitter (1+1) units recommended. Total 11 staff appointed 03 cits trained also undertaking of secretary to appoint 100 percent cits	1. CITS trained instructor not available. 2. BCC by registered civil engineer. 3. NOC for MSTI is required.	1. ITI need to submit the NOC for ITI lying in unserved area from the concerned State Directorate within one week from the issue of this MoM to TC section, DGT. 2. The concerned State Directorate will verify

Page **40** of **279**

				trained staff before session begins.		the BCC and submit the report with recommendations to TC section , DGT.
14.	Maa Smriti Private ITI, At. Udyog Nagar, P.O. & P.S. Deepnagar, NALANDA MIS CODE: PR10000430 Grading: 1.49	Existing	1. COPA- 2(1+1+0) 2. Cutting and Sewing- 2(1+1+0) 3. Electrician- 20(10+10+ 0)	Not Recommended 1. BCC and layout plan uploaded but workshops under simple tin shed also no plaster on the walls. 2. Only bills no digital payment proof. 3. Not recommended for additional units ITI may be given some time to improve its infrastructure. 4. Workshop is under a simple tin shed which is not as per norms. Some of the buildings are still under construction. plaster is not available on walls. 5. Internet connection not	 Power load not sufficient, available 18KW, required 45.67KW. All trainers are not CITS trained. Workshops under simple tin shed also no plaster on the walls. 	Not recommended as per recommendation of ICVC and deficiencies mentioned in column V and VI

Page **41** of **279**

				available. 6. Certificate available but fire extinguisher not available.		
15.	M S Y Private ITI, VillageAurwan -, Kishunpur Gaya- 823004 MIS CODE: PU1000911 Grading: 1.39	Existing	1. Comp Opera and Progra ng Assist (COP, 2(1+1 2. Early Childh Educa 2(1+1	additional units and COPA-2(1+1) units recommended. Total 18 staff appointed and undertaking to appoint 100percent cits trained staff before session begins	 All trainers are not CITS trained. ITI in its application has applied for COPA 2(1+1) and Early Childhood Educator 2(1+1) and has by mistake written Electrician 8 (4+4) in existing trades category. 	Recommended: COPA - 2 (1+1) The State Directorate and RDSDE will ensure CITS trained instructors are appointed before the start of the session.
16.	Mahalaxmi Pvt ITI, Block+ P.O+P.S Sirdala Nawada Bihar , Nawada,Bihar. TMP 384 MSTI NEW	NEW (MSTI)	1. Electr - 4 (2-2) 2. Fitter (2+2) 3. Surve 4 (2+2)	+2) units for this MSTI recommend. 2. Undertaking available to	1. NOC for MSTI required. 2. Power not sufficient to run all trades sought for affiliation.	ITI need to submit following documents to concerned State Directorate within one week from date of issue of MoM: 1. BCC as per norms 2. NOC for ITI lying in an unserved block from the State Directorate. The State Directorate will

Page **42** of **279**

						then verify and send the above document with recommendation to TC section ,DGT within one week. The State Directorate will also ensure that CITS trained instructors are appointed before the start of the session 2022.
17.	Mother Teresa Private Industrial Training Institute, Jamui, Village- Adsar, P.O- Adsar, P.S- Jamui, District- Jamui,811307 TMP10198PR1581507053	New	 COPA- 2(1+1+0) Electrician- 4(2+2+0) Fitter- 4(2+2+0) Welder- 2(1+1+0) 	Recommended: 1. Electrician-4 (2+2) 2. Fitter-4(2+2) 3. COPA-2(1+1) 4. Welder-2(1+1) 1.Undertaking to appoint 100 percent CITS trained staff before session is available.	1.All trainers are not CITS trained.	Recommended: 1. Electrician - 4 (2+2) 2. Fitter - 4 (2+2), 3. COPA - 2 (1+1), 4. Welder - 2 (1+1) The State Directorate will also ensure that CITS trained instructors are appointed before the start of the session 2022.
18.	Indiramadhwrya Private ITI, At-Indralok Vihar ,Po- Manoharpur Kachuara, Patna Patna Bihar MIS CODE: PR10000719	Existing	Electrician- 9(3+3+3)	Recommended: 1. Electrician - 4 (2+2) Undertaking shown by ITI for CITS trained 100 % instructor appointment reg.for	Power not sufficient for running recommended trades. All trainers are not CITS trained.	1. ITI need to increase power load and submit document to the concerned State Directorate within one week from the issue of this MoM. 2. The State Directorate

Jungo B

Page **43** of **279**

	Grading: 2.46			the upcoming session uploaded.	:		will then verify and send above document with recommendation to TC section ,DGT within one week.
19.	Shanti Devi Private Industrial Training Institute, Nalanda,At Shekhpura Dih P.O Bangpur P.S Tharthari,803114 TMP10209PR1581521826	New (MSTI)	Electrician- 4(2+2+0)	Electrician-4 (2+2) units recommended Total 10 staff appointed 05 cits trained instructors available.	 Drawing hall furniture is not proper. NOC for MSTI required. All trainers are not CITS trained. 	2.	ITI needs to remove the deficiency and submit the document to the concerned State Directorate within one week from the date of issue of this MoM. The State Directorate will then verify and send the above document with recommendation to TC section ,DGT within 07 days from issue of this MoM.

Amore 18

May e

3. State: Chhattisgarh, total 05 (New 02, Existing-03), ITIs proposal for affiliation.

SI. No.	ITIs Name/ Address/ MIS Code / Grading	Existing/ New/ MSTI	Trades/ units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 5th SCAA meeting held on dated 16.08.2022
ı	ĬĬ	Ш	IV	V	VI	VII
1	Shri Rawatpura Private Industrial Training Institute Champaran Road, Village- Pacheda, Post-Kurru, Block- Abhanpur Dist-Raipur-493661 TMP22387PR1582104119	New	 COPA - 2 (1+1) Electrician - 2 (1+1) Stenographer and Secretariat Assistant (Hindi) - 2 (1+1) Welder - 2 (1+1) 	Not recommended as ITI has withdrawn its affiliation request	Not recommended as ITI has withdrawn its affiliation request	Rejected
2	Kamlakant Shukla Private ITI, Plot. Kh No. 2661/24 (Part), P.H. No. 2, At. Village Deori Teh. Bhatapara Distt Balodabazar- Bhatapara- 493118 MIS CODE: PU22000150 Grading: 2.21	Existing	Physiotherapy Technician - 2(1+1)	1. NCVT - Recommended: Physiotherapy Technician 2(1+1) 2. SCVT - Recommended: Solar technician 2(1+1) and Physiotherapy 2(1+1) 3. Solar technician (ST)Tools & equipment List No 87,88,89,96,135,136,138,1 44 are not available. 4. The following (ST)Equipment: weather monitoring system (84) software(94) solar PCU (134) not installed.	1. BCC approval for 2nd floor not available 2. Canteen, hostel and parking not available 3. Solar Technician trade is not mentioned in application	Not recommended due to deficiencies mentioned in Column V and VI.



Page **45** of **279**

			3	 Already affiliated trade Electrician 4(2+2): shortages of tools & equipment 126h, 137,138,139,144,148,155 Canteen & Hostel and parking not available In the same campus B.Ed college is also running BCC approval for Ground,1st floor No approval for 2nd floor(vacant). Already affiliated Electrician Trade 4(2+2) tin sheet roofed, flooring in finished 	4. Tools and equipment's are shortage for Solar technician, if applied and existing electrician trades	
3	Yash ITC Private Industrial Training Institute, Janjgir-Champa Near Sai Mandir, Lachhanpur Janjgir — 495671 MIS CODE: PR22000077 Grading: 1.4	Existing	Stenographer Secretarial Assistant (Hindi) - 2(1+1)	Not recommended as ITI withdrew the application on medical grounds	Not recommended as ITI withdrew the application on medical grounds	Rejected
4	R.K.S. Private Industrial Training Institute Village+Post-Sapos,Via-	New	Civil Engineer Assistant - 3(1+1+1)	Not recommended as no preparation for inspection, no machines purchased, building	Not recommended as no	Rejected



Page **46** of **279**

	Chandrapur,Block-Dabhara, Janjgir-Champa TMP22379PR1582201973		 COPA - 3(1+1+1) Electrician - 3(1+1+1) Horticulture - 3(1+1+1) 	incomplete and nobody was available for inspection.	preparation for inspection, no machines purchased, building incomplete and nobody was available for inspection.	
5	VRB Private Industrial Training Institute Rajnandgaon Kedarbadi, Near Petrol Pump Dongargarh – 491445 MIS CODE: PR22000147 Grading- 1.59 Shifting Case	Existing	Electrician - 4(2+2)	Not recommended: Electrician 4(2+2) BCC not available, 2 energy meters are available, 3ph meter consumption zero, Trainers not available, shortages of tools in Electrician & COPA are observed After 2020-21, no admission and no staff appointments	 BCC is not available energy meters are available, 3ph meter consumption n zero Trainers are not available Shortages of tools in Electrician & COPA After 2020-21, no admission and no staff appointme nts 	Not Recommended due to shifting has been done by ITI without the approval of State Directorate/DGT and as per ICVC remarks.

Page **47** of **279**

4. State: Gujarat, total 11(New-03 and Existing-08) ITIs proposal for affiliation

SI. No.	ITIs Name/ Address/ MIS Code / Grading	Existing/ New/ MSTI	Trades/ units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 5th SCAA meeting held on dated 16.08.2022
I	II	III	IV	V	VI	VII
1,	CVM Private ITI, For Engineering Trades, Anand, Near Jain Derasar, V V N Panchayat Road, Nana Bazaar, V V Nagar, Anand - 388120 MIS CODE:PR24008065 Grading- 1.68	Existing	Category 3- Change of Address	Not Recommended As Institute is not Ready for Inspection	Not Recommended As Institute is not Ready for Inspection	Rejected
2.	Arrdekta I.T.I College Private Industrial Training Institute, Sabar Kantha On Ahmedabad - Ambaji S.H No. 09, At Navi Metral Ta Khedbrahma Dist Sabarkantha – 383255 TMP24458PR1581325347	New(Polytechnic)	 Draughtsman (Civil)-2(1+1) Electrician-2(1+1) Fitter-2(1+1) Machinist-2(1+1) Surveyor -2(1+1) 	Not Recommended as Institute is not interested for NCVET affiliation as per their email Dated:01.07.2022	Not Recommended as Institute is not interested for NCVET affiliation	Rejected
3.	Kosadi Private Industrial Training Institute, Surat Opp Railway Station Kosadi, Tal-Mangrol 394405	New	1. Electrician 2(1+1) 2. Fashion Design and Technology	Recommended: 1. Electrician 2(1+1) 2. Fashion Design and Technology	Trainers qualification, experience and CITS details not available	Recommended: 1. Electrician 2(1+1) 2. Fashion Design



Page **48** of **279**

	TMP24459PR1582781082		2(1+1) 3. Mechanic Refrigeration and Air Conditioner 2(1+1) 4. Plumber 2(1+1)	2(1+1) 3. Mechanic Refrigeration and Air Conditioner 2(1+1) 4. Plumber 2(1+1) Employability Skill staff is not available		and Technology 2(1+1) 3. Mechanic Refrigeration and Air Conditioner 2(1+1) 4. Plumber 2(1+1) ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session 2022 to the concerned state directorate and RDSDE within 07 days from the issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.
4.	Maa Kaamal Mahila Private Industrial Training Institute, Tapi	New (MSTI)	1. Basic Cosmetology 3(1+1+1)	Not recommended for any trade and any unit.	Space of workshop was not Available	Not recommended as per recommendation of

Page **49** of **279**

	Maa Kaamal Dham, Unai Road, Magarkui Patiya, At : Kapura, Tal : Vyara, Dist: Tapi - 394655 TMP24641PR1582799108		3.4.5.6.	Design and Technology 3(1+1+1) Health Sanitary Inspector 3(1+1+1)	four follows: 1.	e deficiency and in the owing rameter. Space of the workshop was not Available as per norms. Electricity load was not available as per norms. machinery and tools equipments were not available as norms. Net connectivity was not proper. Basic amenities were not available.	6.	as per norms. Electricity load is less Machinery and tools equipment's was not available as norms. Net connectivity was not proper. Basic amenities was not available Details of staff qualification, experience and CITS not available NOC from State for lying in unserved block for MSTI	ICVC and deficiencies mentioned in column V and VI
5.	Jamiah Private ITI Darul Quran Campus, By Pass Road Jambusar, Near Dabha Chokdi Atpota- Jambusar Dist-Bharuch - 392150	New	1. 2.	Attendant Operator (Chemical Plant) 2(1+1) Health Sanitary	for be	cause three stitutes can not registered in		The 2 institutes are already running in the same building under the	Not recommended as per recommendation of ICVC and deficiencies mentioned in

8) a generally

Page **50** of **279**

TMP24442PR1648210709		2(1+1) Mechanic Refrigeration and Air Conditioner - 2(1+1) Solar Technician (Electrical)- 2(1+1)	the same address. 1. SF Jamiah Uttumal Private ITI, Jamiah Uttumal (Self Finance) Registration No. PR24000851 Grading 1.13 2. JAMIAH, JAMBUSAR PRIVATE ITI, (GIA) Registration No. PR24000820 Grading 1.45 3. The above 2 institutes are already running in the same building under the same address. 4. The Principal is common. The Admin. staff is common. Now for the third time new ITI	same address. The Principal is common. The Admin. staff is common. Staff is not CITS qualified Drawing hall and IT lab is either not available or not in good condition	column V and VI
----------------------	--	--	--	--	-----------------

Salwar &

				affiliation is sought in the same building under sf. 5. Staff not CITS qualified		
6.	VJ NJ MJ Private Industrial Training Institute, Kheda Station Road, Vaso - 387380 MIS CODE: PR24006124 Grading: 1.7	Existing for Renewal of affiliation	Renewal of affiliation	Recommended: 1. COPA -2(1+1) 2. Turner- 2(1+1) 3. Fitter- 2(1+1) for reaffiliation	1. Mismatch in the units/shifts details in application/NC VT portal and ICVC recommendations 2. Trainers qualification, experience and CITS details not available 3. Sanctioned load is less	ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM- 1. Mismatch in the units/shifts details in application and NCVT portal 2. BCC documents as per norms. 3. Sanctioned load is as per norms 4. Undertaking to appoint CITS instructors before the start of session 2022. State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from

Alman B

Page **52** of **279**

							issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.
7.	Jashkamal Milcent Management Training Centre Pvt ITI Anand Jmtc Campus- 80ft Road, Vidya Vihar Marg, Opp Bigbazar Anand 388001 MIS CODE: PU24008171 Grading: 0	Existing	 3. 4. 	Fireman 2(1+1) Human Resource Executive 2(1+1) Physiotherapy Technician 2(1+1) Radiology Technician 2(1+1) Wireman 2(1+1)	Not recommended as ITI principal not ready for Affiliation work	Not recommended as ITI principal not ready for Affiliation work.	Rejected
8.	Aashara Institute Of Medical Science Mahesana	New	1.	Computer Operator and	Not recommended as the Institute is	Not recommended as the Institute is	Rejected

8 02

Page **53** of **279**

	Aashara House Near Railway Crossing Kadi- Karananagar Road Opp. Sidharaj Society, Kadi - 382715 TMP24451PU1647689689		3.	Programming Assistant (COPA) 2(1+1) Health Sanitary Inspector 2(1+1) Old Age Care 2(1+1) Radiology Technician 2(1+1)	not ready for inspection.	not ready for inspection.	
9.	I.S. Desai Institute Of Medical Science Mahesana C/O. Gangaba B.Ed College Near Gaytri Mandir At & Post Bechraji Ta:-Bechraji Dist:- Mahesana - 384210 TMP24451PR1647258252	New	3.	Computer Operator and Programming Assistant (COPA) 2(1+1) Health Sanitary Inspector 2(1+1) Old Age Care 2(1+1) Radiology Technician 2(1+1)	Not recommended as ITI not ready for affiliation inspection.	Not recommended as ITI not ready for affiliation inspection.	Rejected
10.	Shagun Institute Of Medical Sciences Private ITI	New	1.	Health Sanitary	Not recommended as ITI has	Not recommended as ITI has	Rejected

Atumber 18

Page **54** of **279**

	Devbhumi Dwarka, TMP24674PR1648129094		3.	Inspector - 2(1+1) Health, Safety and Environment - 2(1+1) Hospital Housekeeping - 2(1+1) Old Age Care - 2(1+1)	ext	uested an ension of pection date	ext	uested an ension of pection date	
11.	International institute of hotel management, ahmedabad ashram rd, opposite fortune hotel landmark, near usmanpura cross roads, usmanpura, Ahmedabad - 380013 TMP24438PU1649660317	New		Confectioner = 2(1+1)	any	t recommended ty trade. Shortage in workshop/lab area and Equipment & tool in each trade. Institute already running hospitality management education and training as per attachment at Other Activities in the same Campus section. Food Beverage		Two Buildings available at different locations around 50 meters distance. Shortage in workshop/lab area and Equipment & tool in each trade. Institute already running hospitality management education and training as per attachment at	Not recommended as per recommendation of ICVC and deficiencies mentioned in column V and VI.

Jumpe 18

my &

Page **55** of **279**

				trade Instructors are not available. All other trade Instructors are non CITS.	Other Activities in the same Campus section. 4. Food Beverage trade Instructors are not available. 5. All other trade Instructors are non CITS.	
--	--	--	--	--	---	--

5. State: Haryana, total 03(New 01, Existing-02), ITIs proposal for affiliation.

SI. No.	ITIs Name/ Address/ MIS Code / Grading	Existing/ New/ MSTI	Trades/ units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 5th SCAA meeting held on dated 16.08.2022
ij	11	101	IV	V	VI	VII
1	PRBS private industrial training institute, mahendragarh TMP669PR1582610382	New	 Electrician - 2(1+1) Fitter - 2(1+1) Plumber - 2(1+1) Wireman - 2(1+1) 	Not recommended as ITI has requested for extension of inspection date.	Not recommended as ITI has requested for extension of inspection date.	Rejected
2	Shri Vishwkarma pvt.ITI, private industrial training institute, sirsa, MIS CODE: PU06000253 Grading: 1.51	Existing	1. Basic Cosmetology - 2(1+1) 2. HSI - 2(1+1)	Recommended: 1. Basic Cosmetology - 2(1+1) 2. HSI - 2(1+1)	Building Plan by QCI and BCC by Architect Trainers experience and CITS details not available	ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM: 1. BCC documents as per norms. 2. Undertaking to appoint CITS instructors before the start of session 2022. State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM.

81 mg 18

My

					ja V	State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.
3	Aman Private Industrial Training Institute, Ratia Fatehabad MIS CODE: PR06000269 Grading: 1.38	Existing	1. Basic Cosmetology - 3(1+1+1) 2. COPA - 3(1+1+1) 3. HSI - 3(1+1+1) 4. Mechanic Diesel - 3(1+1+1)	Recommended: 1. COPA - 2(1+1) 2. Basic Cosmetology - 2(1+1) 3. HSI - 2(1+1) Not recommended: Mechanic Diesel - 2(1+1) due to the following deficiencies: 1. No tool Equipment and Area available 2. Biometric machine available but attendance not through Biometric machine	1. BCC by Architect 2. Trainers qualification, experience and CITS details not available 3. Tools & equipment's and area not available for Mechanic Diesel trade	ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM: 1. BCC documents as per norms. 2. Biometric Attendance 3. Undertaking to appoint CITS instructors before the start of session 2022. State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.

Page **58** of **279**

6. State: Himachal Pradesh, total 01 (New 01), ITI proposal for affiliation.

SI. No.	ITIs Name/ Address/ MIS Code / Grading	Existing/ New/ MSTI	Trades/ units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 5th SCAA meeting held on dated 16.08.2022
1	11	111	IV	V	VI	VII
1,	Shivalik Private Industrial Training Institute, UNA vpo badhera tehsail haroli distt una – 177209 TMP226PR1582605036	New Polytechnic	1. Basic Cosmetology 2(1+1) 2. Electrician 3(1+1+1) 3. Fitter 3(1+1+1) 4. Plumber 2(1+1)	Recommended: 1. Basic Cosmetology 2(1+1) 2. Electrician 3(1+1+1) 3. Fitter 3(1+1+1) 4. Plumber 2(1+1)	1. BCC and Building plan by Architect 2. NOC from AICTE 3. Trainers qualification, experience and CITS details not available	ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM: 1. BCC and Building plan as per norms 2. NOC from AICTE 3. Trainers qualification, experience and CITS details State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.

Strang 8

Page **59** of **279**

7. State: Karnataka, Total 10 (New- 03, Existing- 07) ITIs proposal for affiliation

SI. No.	ITIs Name/ Address/ MIS Code / Grading	Existing/New/ MSTI	Trades/ units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 5th SCAA meeting held on dated 16.08.2022
1	II	III	IV	V	VI	VII
1,	Kottur Swamy Kalyana Kendra Industrial Training Institute (W) Naregal At Post-Nargol-582119 Tq Ron Gadag-582119 MIS CODE: PR29000198 Grading:1.67	Existing	1. Electrician 2(1+1) 2. Fitter 2(1+1) 3. Plumber 2(1+1) 4. Wireman 2(1+1)	Agree	1. CITS Qualification details not attached 2. Electrical Load is not as per norms	ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM- 1. Enhanced electrical load as per norms 2. Undertaking to appoint CITS instructors before the start of session 2022. State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.

Page **60** of **279**

2.	Sri Ramalinga Chandra Chowdeswari Shubodaya I.T.C. Private 289, Chowdeswari temple road, Fort, Chikkaballapur - 562101 Karnataka MIS CODE: PR29000232 Grading- 0	Existing	1.	Electrician- 2(1+1) Smartphone Technician Cum App Tester- 1(1+0)	This case is related to the shifting and trainees not admitted from 2019 to till date. Agree, Recommended as per norms	2.	roof of industrial sheet IT lab area less	Not Recommended due to deficiencies mentioned in Column V &VI
3.	Sri Rakesh Siddaramayya Pvt ITI, Near Devaraj Urs Bhavana,Bapooji Nagar,Kalasapur Road,Gadag Gadag-582103 TMPKA_43	New	2. 3.	(COPA) 2(1+1) Electrician 2(1+1) Fitter 2(1+1) Solar Technician (Electrical) 2(1+1)	Agree, Recommended: 1. COPA) 2(1+1) 2. Electrician 2(1+1) 3. Fitter 2(1+1) 4. Solar Technician (Electrical) 2(1+1)	qu	etails of CITS ralified instructor at available	Recommended: 1. COPA) 2(1+1) 2. Electrician 2(1+1) 3. Fitter 2(1+1) 4. Solar Technician (Electrical) 2(1+1) The ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session 2022 to the concerned state directorate and RDSDE within 07 days from the issue of this MoM. State directorate and RDSDE will ensure

Jan Bi

My

		:*				CITS instructors are appointed before the session 2022.
4.	Srinivasa Industrial Training Centre Bangarpet 2059 Vijaya Nagar Vivekanandanagar Bangarpet KOLAR- 563114 MIS CODE: PR29000168 Grading- 0	Existing	 Electrician - 2(1+1) Smartphone Technician Cum App Tester- 1(1+0) 	Insufficient area for Electrician trade at Second building which has agreement dated 06/08/2021. Available tools & Equipment and adequate space for Fitter Trade as per DGT norms. Hence, Recommended for Fitter 2 (1+1) Units only.	Details of CITS qualified instructors not available	State Directorate to submit a report on the discrepancies mentioned in Column V and the trades in which ITI has requested for affiliation.
5.	Sri Renuka Pvt ITI, Munavalli A/P Munavalli Tq Savadatti Dist - Belagavi, MIS CODE: PR29000722 Grading- 0.4	Existing	 Electrician- 1(0+1) Fitter- 1(0+1) 	Recommended for 2nd units of Electrician & Fitter trade. 1. Biometric attendance is not available, attendance register is maintaine 2. 80% of machineries & equipments are in	1. Grading is less 2. CITS trainer details not available 3. Biometric attendance is not available, attendance register is maintained 4. Ramp needs to be constructed for PWD	Not recommended due to less grading and due to deficiencies mentioned in column V & VI

Alway Pe

Page **62** of **279**

				working condition 3. Ramp need to be constructed for PWD trainees. Workshop road to be repaired (damaged due to rain) Some Electrical machines have minor repairs and to be attended.	trainees. Workshop road to be repaired (damaged due to rain) Some Electrical machines have minor repairs and to be attended.	
6.	Mahatma Phule Pvt ITI, Hidkal Dam Belagavi-591107 Karnataka TMPKA_57	New	 Electrician 2(1+1) Fitter 2(1+1) Sewing Technology 2(1+1) Smartphone Technician Cum App Tester 2(1+1) 	Recommended: 1. Electrician 2(1+1) 2. Fitter 2(1+1) 3. Sewing Technology 2(1+1) 4. Smartphone Technician Cum App Tester 2(1+1) some electrical trainer kits have minor defects and needs to be repaired	 Total Land Area is 4089 Sq. mt Power shortage Power required= 16.71 KW and Power available =10 KW CITS details of instructor not available 	Not Recommended As per affiliation norms minimum area for 4 trade is 4291.4 sq meter i.e. approx 1.07 acre but total land area available with ITI is 4089 Sq. mt. Hence Not Recommended
7.	Jaybharat Private Industrial Training Institute, Belagavi, #689/1, Industrial Estate.	New	1. COPA 1(1+0) 2. Electrician 2(1+1) 3. Fitter 2(1+1)	In annexure III: Recommended for total 07 Trades, 12 units	CITS instructor details not available BCC is issued	ITI needs to submit the following details to State Directorate within 07 days from issue of

18 Sols

6

	Udyambag. Belagavi- 590008 TMP29527PU1581396813		4. Welder 1(1+0)	In inspection report: Recommended for 1. Technician Mechatronic 2units 2. Tool & die maker 2 units only 3. Machinist 2 units only 4. Fitter 2 units 5. Electrician 2 units 6. Foundry men is 1 unit only Note: COPA Trade is Not recommended.	by some pvt firm 3. ITI applied for different Trade units than recommended by inspection team	this MoM- 1. BCC documents as per norms. 2. Undertaking to appoint CITS instructors before the start of session 2022. 3. Details of Trade/Units Sought for affiliation State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.
8.	Madras Engineer Group & Centre Govt-ITI, Hq Meg Centre,Shivan Chetty Garden Post Box No 42 Bengaluru Urban-560042	Existing	1. Domestic Painter 2(1+1) 2. Driver cum Mechanic 12(6+6) 3. Electrician 4(2+2)	Recommended for Affiliation	1. BCC by architect 2. Instructors qualification, experience and CITS details not available	ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM- 1. BCC documents as per norms.

Page **64** of **279**

	MIS CODE: GU29001554 Grading- 0		 4. Fitter 2(1+1) 5. Mechanic Diesel 2(1+1) 6. Mechanic Tractor 4(2+2) 7. Sheet Metal Worker 2(1+1) 			2. Instructor qualification and experience details alongwith Undertaking to appoint CITS instructors before the start of session 2022. State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate will ensure CITS instructors are
				¥		appointed before the session 2022. TC section will deal this matter on e-file
9.	SVG School Campus , Chikkanahally , Koratagere Taluk, Tumkur District TMPKA_19	New	1. Computer Operator and Programming Assistant (COPA)- 1(1+0+0) 2. Electrician	Interact with the Principal and other staff. They want Affiliation only for Fitter and Electrician trade only. Not for COPA	 BCC is given by charted engineer. Power load not sufficient. Required load is 17.16 KW, 	Not Recommended due to noncompliance of four trade criteria and deficiencies mentioned in column V&VI

100000

Page **65** of **279**

			2(1+1) 3. Fitter 2(1+1) 4. Sewing Technology 2(1+1)	and Sewing technology. 2. COPA and Sewing Technology rejected due to shortage of Tools and Equipment. 3. Drawing boards are required	available is- 6KW. 3. Shortage in Tools and machineries of COPA and Sewing technology trade. 4. stability certificate is given by Charted engineer instead of BCC. 5. Drawing boards are required.	# %
10.	Sri Babukaka Shirgaokar Tech.Edn.Trust ITI Ugar- Khurd Athani Belgaum - 591316 MIS CODE: PR29000268 Grading- 1.79	Existing	Welder -1(1+0+0)	Recommended for welder trade :01 unit	Electricity is provided by Ugar sugar works limited. CITS trained instructor not available.	ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM- 1. Electricity Bill as per norms. 2. Undertaking to appoint CITS instructors before the start of session 2022.

A STORES

Page **66** of **279**

						State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.
--	--	--	--	--	--	--

7. State: Maharashtra, Total 25(New- 12, Existing- 13) ITIs proposal for affiliation

SI. No.	ITIs Name/ Address/ MIS Code / Grading	Existing/ New/ MSTI	Trades/ units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 5th SCAA meeting held on dated 16.08.2022
ı	II	Ш	IV	V	VI	VII
1,	Indira Private Industrial Training Institute , At. Post Sahayog Campus Vishnupuri, Nanded TMPSP074	New	 Computer Operator and Programming Assistant (COPA)2(1+1) Electrician 2(1+1) Mechanic Refrigeration and Air Conditioner 2(1+1) Turner 2(1+1) Welder 2(1+1) 	Not Recommended any Trade any Unit. 1. 1.Land Documents not available as per DGT Norms, shown on name of Polytechnic College 2. 2.BCC available on Polytechnic name not transferred to Principal ITI 3. CITS Staff Not Appointment. 4. Installation of Machinery is not Norms, some machinery not Working 5. Workshop not proper as per dgt norms, Workshop not organized properly as	 NOC from AICTE is not available Land and Building Documents are on name of Polytechnic CITS staff not appointment Some Machinery not available and not properly installed Workshops not proper 	Not recommended as per remarks of ICVC and deficiencies mentioned in column V and VI

July 8 July

Page **68** of **279**

				per dgt norm	_	
2.	Gramin Industrial Training Institute Nehrunagar Private Industrial Training Institute, Nanded At. Post. Nehrunagar Tq. Kandhar Dist. Nanded- 431742 MIS CODE: PR27000157 Grading: 1.99	Existing	 COPA 2(1+1) Electrician 8(4+4) Fitter 1(0+1) Wireman 8(4+4) 	In annexure III NCVT member Recommended 1. Electrician -12(2+2+8*) 2. Wiremen- 12(2+2+8*) 3. Fitter -2(0+0+2*) 4. COPA- 1(0+0+1*) 5. Welder- 1(0+0+1*) Note * Additional unit in third shift subjected to dgt norms 1. load 95.97 KW Sanction load 99.97 Available ITI meter 2meters of polytechnic transfer due to transfer due to transfer of polytechnic total using 99.97 2. COPA and Welder Trade not proper installed in dgt norms	 Electricity bill not uploaded Copa and Welder Trade not proper installed in dgt norms Copa trade CITS instructor details not available Inspecting members recommending the trade/units that are not being sought by ITI as per application of ITI. Hence required to confirm for which trade affiliation is sought 	State Directorate will verify Power requirement and send a report with recommendation to DGT within 01 week of issuing this MoM
3.	Shreeyansh Private Industrial Training Institute,	Existing	1. Electrician (1+1)	Institute Is Not Ready For Inspection As Per	Institute is not ready for inspection they have	Rejected

180g-18

y y

	Tirora, At-Sahakar Nagar Tirora Th-Tirora Dist-Gondia MIS CODE: PR27000626 Grading- 1.91			Fitter (1+1) HSI (1+1)	Enclosed Letter Submitted By Principal of the ITI	submitted letter to NCVT/State member copy also enclosed in inspection report	
4.	Sanmati Private Industrial Training Institute, Nh161, Sawargaon Barde, Washim-Malegaon Road, Tq.& Dist. Washim, TMPSP092(SPECIAL CASE)	New	2. 3.	Dress Making- 2(1+1) Electrician- 2(1+1) Fitter -2(1+1) Welder-2(1+1)	Recommended: 1. Dressmaking 2(1+1) 2. Electrician 2(1+1) 3. Fitter 2(1+1) 4. Welder 2(1+1) 1 fitter and 1 welder instructor is CITS passed	Only fitter and welder 1 - 1 instructors are CITS passed rest are not CITS passed	Recommended: 1. Dress Making- 2(1+1) 2. Electrician- 2(1+1) 3. Fitter 2(1+1) 4. Welder 2(1+1) The ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session 2022 to the concerned State Directorate and RDSDE within 07 days from the issue of this MoM. State Directorate and RDSDE will

America 8

Page **70** of **279**

								ensure CITS instructors are appointed before the session 2022.
5.	Navjeevan Private Industrial Training Institute Nashik, At. Vinchurgavli, Post. Madsangvi, Tal. Dist. Nashik TMPSP020	New	1. 2. 3. 4.	Computer Operator and Programming Assistant (COPA) 2(1+1) Electrician 4(2+2) Fitter 2(1+1) Welder 2(1+1)	Recommended: 1. Copa2 (1+1) 2. Electrician 4(2+2), 3. Fitter 2(1+1), Not Recommended: 1. Welder 2 (1+1) Due to following deficiencies: 1. Machinery and Tools and Equipment Bills For Welder Trade Not Available 2. Tools And Equipment Bills For Welder Trade Not Available 3. Only Pricipal Appointment Details Uploaded 4. Fire Saftety Cerificate Date Expired 5. Institute Member Is Not Available	3. 4.	For Welder trade machinery not available and machinery and tools and equipment bills for Welder trade not available IT lab is available or not, is not clear Fire safety certificate date expired Only principal is appointed, rest of the instructor's details not available Shortage of power Required =28.16 KW Available=20KW	Not Recommended due to deficiencies mentioned in in column V &VI and non-compliance of 4 trade criteria
6.	Govt.ITI, Malegaon, Mochi Cornar, Camp	Existing	1.	Basic Cosmetology	Recommended 1. Cosmetology 2(1+1)	1	TS instructor details ot available	Recommended: 1. Basic

810000

- your

	Road, Malegaon Tal- Malegaon, Dist-Nashik MIS CODE: GR27000481 Grading- 1.68		2.	2(1+1) Mechanic Motor Vehicle (MMV) 2(1+1)	Mechanic Motor Vehicle 2 (1+1) MMV trade 82% available remaining under purchasing by Dir.		Cosmetology- 2(1+1) 2. Mechanic Motor Vehicle- 2 (1+1) State directorate will ensure remaining machinery of MMV trade is to be purchased at earliest and CITS instructors are appointed before the session 2022.
7.	Swami Vivekanand Private ITI,Chimur Dist. Chandrapur, Masad Road Chimur Tq Chimur,Chandrapur, Maharashtra. TMPSP067	New`	2. 3.	Electrician 2(1+1) Fitter 2(1+1) Health Sanitary Inspector 2(1+1) Housekeeper 2(1+1)	Agreed for Affiliation as applied 04 Trades 8 Units Principal Appointed as per Norms with M. Tech and 12 Years Exp. Total 10 Instructors will be appointed including ED Maths and ES	Instructors not appointed, after affiliation they will be appointed as trade instructor.	Recommended: 1. Electrician 2(1+1) 2. Fitter 2(1+1) 3. Health Sanitary Inspector 2(1+1) 4. Housekeeper 2(1+1) The ITI needs to submit an undertaking that CITS qualified instructors will be

Amy Pol8

Page **72** of **279**

		20				appointed before the start of session 2022 to the concerned state directorate and RDSDE within 07 days from the issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.
8.	Ramakrishna Private Industrial Technical Institute, At-Balsond Th-Hingoli Dist-Hingoli TMPSP064	New	 Electrician 4(2+2) Fitter 2(1+1) Welder 2(1+1) Wireman 2(1+1) 	Recommended: 1. Electrician 4(2+2) 2. Fitter 2(1+1) 3. Welder 2(1+1) 4. Wireman 2(1+1)	Only 2 instructors are CITS passed however ITI has given undertaking for training all the instructors within 3 year of start of ITI	Recommended: 1. Electrician 4(2+2) 2. Fitter 2(1+1) 3. Welder 2(1+1) 4. Wireman 2(1+1) The ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session

368

more

								2022 to the concerned state directorate and RDSDE within 07 days from the issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.
9.	Manohar Naik Jr College of ITI, Mahan Tq Barshitakli Dist Akola, Manohar Naik Jr College Of Iti Mahan At. Post. Mahan Tq. Barshitakali Dist. Akola, TMPSP073	New	2.	Computer Hardware & Network Maintenance 2(1+1) Electrician 2(1+1) Fitter 2(1+1) Wireman 2(1+1)	As Tools & Equipments for Fitter 73.05%, Computer hardware & networking 79.81%, Wireman 80.70%, Electrician 96.54%, Les space available for Drawing room, Principal room, no amenities Hence not recommend 2.Building completion certificate is not given by proper authority. Majority of machines &	2.	required: 50 sqm, available 32.13 sqm. 3.Principal room required: 20sqm available: 12.92 Actual dimensions are not matching with the approved map of the building.	Not recommended as per remarks of ICVC and deficiencies mentioned in column V and VI

810%

no

	equipments are not installed. 4. 32.13 Sq.M. is available instead of the required area of 5. 50 Sq.M. 6. Principal room (12.92 square meter) 7. Major amenities like wash room, Provision for drinking water not available. Washroom is not having roof and not maintained hygiene. Drinking water facilities is not at all available. Dripping of rain water is through roof is observed. 8. 7. Actual dimensions are not matching with the approved map of the building. 9. 10 nos of computers are available, license for the OS not shown & structural defects like water seepage through the walls need to be rectified. 10. Fire extinguishers are
--	--

A 3018

M

					not installed at a proper place.		
10.	Govt. ITI, Hinganghat , At Rimdoh Jam Road Hinganghat, Wardha, MIS CODE: GR27000353 Grading- 2.50	Existing	2.	Electronics Mechanic 1(0+1) Fitter 1(0+1)	Recommended: 1. Electronics Mechanic 1(0+1) 2. Fitter 1(0+1)	CITS details of instructor not available ITI in its application sought units in 1 shift	Recommended: 1. Electronics Mechanic 1(0+1) 2. Fitter 1(0+1) State directorate will ensure CITS instructors are appointed before the session 2022.
11.	Government Industrial Trainign Institute, Shirur Anantpal, At Post Bhigoli, Nitur Road Tal Shirur Anantpal Dist Latur MIS CODE: GR27000574 Grading- 1.36	Existing	1.	Mechanic - (0+1)	Recommended: 1. Electronics Mechanic-1(0+1) 2. Welder -1(0+1)	CITS details of instructor is not available	Recommended 1. Electronic Mechanic - 1(0+1) 2. Welder-1 (0+1) State directorate will ensure CITS instructors are appointed before the session 2022.
12.	Government Industrial Training Institute Ghantanji, At Post Belora Road Ghatanji Dist	Existing	1.	Wireman 2(1+1)	Recommended: 1. Wireman 2(1+1)	1. IT lab required 55 sqm. available 36 sqm 2.Drawing Hall required 68.75 sqm. Available:	Recommended Wireman(1+1) State to ensure all the deficiencies to



	Yavatmal MIS CODE: GR 27000290 Grading: 2.10		**		1.IT lab size 6 MX6M= 36 Sq m as informed by Institute 2. Drawing Hall 5MX6 M = 30Sq.m	30sqm. 3.CITS details of instructors not available.	be removed before start of the session
13.	Govt.[Adivasi] Industrial Triaing Institute Rajura Near Shivaji College Asifabad Road Rajura, Dist. Chandrapur MIS CODE: GR27000172 Grading: 2.06	Existing	n Tech System Mainte 1(0+1) 3. Mecha Electric Electro 1(0+1) 4. Mecha Motor	nic ation & unicatio nology n nance nic Auto cal and onics	Recommended 1. MMV 1(0+1) 2. Electronic mechanic (0+1) 3. ITESM 1(0+1) 4. MAEE 1(0+1)	1. CITS details of instructor not available 2. In electronic Mechanic trade ITI sought 1(1+0) but NCVT and SCVT both members recommended 1(0+1)	Recommended: 1. Electronics Mechanic-1 (0+1) 2. Information & Communicatio n Technology System Maintenance - 1(0+1) 3. Mechanic Auto Electrical and Electronics - 1(0+1) 4. Mechanic Motor Vehicle (MMV) -1(0+1) State directorate will ensure CITS instructors are appointed before the session 2022.
14.	Govt. Industrial Training Institute, Jalna Dist. Jalna,	Existing	1. Draug (Civil)		Recommended: 1. Draftsman Civil -	Recommended: 1. Draftsman Civil -	Recommended: 1. Draftsman



Page **77** of **279**

	Near S.T. Workshop, Aurangabad Road Dist-Jalna MIS CODE: GR27000062 Grading- 1.97			1(1+0)	1(1+0)	Civil-1 (1+0)
15.	Shivarogya Private Industrial Institute, Georai Tal.Georai Dist.Beed TMPSP061	New	1. Electrician- 2(1+1) 2. Geo- Informatics Assistant- 2(1+1) 3. Marketing Executive- 2(1+1) 4. Wireman- 2(1+1)	Recommended: 1. Electrician 2(1+1) 2. Geo-Informatics Assistant 2(1+1) 3. Marketing executive 2(1+1) 4. Wireman 2(1+1)	1. BCC issued by Gram Panchayat and State Director confirmed BCC is valid. 2. only 2 instructors are CITS passed, 2 more CITS instructors not available	Recommended: 1. Electrician-2 (1+1) 2. Geo- Informatics Assistant - 2(1+1) 3. Marketing executive 2(1+1) 4. Wireman 2(1+1) The ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session 2022 to the concerned state directorate and RDSDE within 07 days from the

8 2500

Page **78** of **279**

						State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.
16.	Chattrapati Shahu Maharaj Private Iti, Parner, Tal. Parner Dist. Ahmednagar, Ahmednagar, Maharashtra. TMPSP060	New	 Wireman (1+1) Electrician (1+1) Marketing executive assistant (1+1) Geo-Informatics Assistant 2(1+1) 	Recommended: 1. Wireman(1+1) 2. Electrician (1+1) 3. Marketing executive assistant(1+1) for new age course: Geo informatics assistant qualified instructors are to be appointed before admitting trainees.	CITS details of instructors not available for eligible trades Geo informatics assistant qualified instructors are to be appointed before admitting trainees.	Recommended: 1. Wireman (1+1) 2. Electrician (1+1) 3. Marketing executive assistant (1+1) 4. Geo- Informatics Assistant 2(1+1) The ITI needs to
			A			submit an undertaking that CITS qualified instructors will be appointed before the start of session 2022 to the concerned state directorate and RDSDE within 07

Page **79** of **279**

					-	days from the issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.
17.	Government Industrial Training Institute (Tribal), Palghar Survey No. 115 A, Opp. Divisional St Workshop, Near Dhawale Hospital, Boisar Road, Tal & Dist- Palghar MIS CODE: GR27000301 Grading- 1.55	Existing	1. Welder(1+1)	Recommended: 1. Welder(1+1)	CITS instructor details not available	Recommended: 1. Welder (1+1) The ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session 2022 to the concerned state directorate and RDSDE within 07 days from the issue of this MoM. State directorate and RDSDE will ensure CITS

James 8102 man

Page **80** of **279**

						instructors are appointed before the session 2022.
18.	Sanjaysinh Gaikwad Private Industrial Training Institute, Kolhapur, A/P-Donoli-Bambavade, Tal-Shahuwadi, Dist- Kolhapur, MIS CODE: PR27000631 Grading- 2.05	Existing	1. Electrician-1 (0+1)	Recommended 1. Electrician-1(0+1)	1. BCC issued by Gram Panchayat and State Director confirmed BCC is valid 2. CITS details of Instructor is not given however undertaking is given by Principal for appointing CITS qualified instructors before starting of the session	Recommended: 1. Electrician- 1(0+1)
19.	Government Industrial Training Institute Umarkhed. Baldi Road Umarkhed Dist,Yavatmal, MIS CODE: GR27000109 Grading- 1.27	Existing	1. Basic Cosmetology (1+0) 2. Dress making (1+0)	Recommended	CITS details of instructor is not available	Recommended: 1. Basic Cosmetology- 1(1+0) 2. Dress making - 1(1+0) The ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session 2022 to the

Jan 30/8

Page **81** of **279**

				æ		concerned state directorate and RDSDE within 07 days from the issue of this MoM. State Directorate will ensure CITS instructors are appointed before the session 2022.
20.	Shree Rameshwar Shikshan Sanstha Private Industrial Training Institute Ratnagiri Dabhil, Taluka Khed, Dis- Ratnagiri, 415709 TMP27492PR1647858847	New	1. COPA 2(1+1) 2. Electrician 4(2+2) 3. Fitter 4(2+2) 4. Solar Technician (Electrical) 2(1+1)	Recommended: 1. fitter (1+1), 2. Electrician (1+1) 3. COPA (1+1) Solar Technician is Not Recommended 1. longitude and latitude are showing different from portal data and actual 2. building completion issued by Tahasildar 3. bill is not in the name of ITI, bill coming on GiteshVinayak Rau 4. 4.solar technician machinery are not installed, solar panels	 longitude and latitude are showing different from portal data and actual building completion issued by Tahasildar bill is not in the name of ITI, bill coming on GiteshVinayak Rau 4. solar technician machinery are not installed, solar panels are not mounted, not done proper electrical wiring lathe machine foundation not found COPA, electrician and fitter installation ok 	Not Recommended due to non- compliance of 4 trade criteria and deficiencies mentioned in column V & VI

Page **82** of **279**

				are not mounted, not done proper electrical wiring lathe machine foundation not found COPA, electrician and fitter installation ok 5. solar technician not shown in working condition due to non-proper installation remaining trades are found ok quality of some instruments are not good 6. second floor construction not completed, found 4 classrooms only, one class room less space, workshop passage shown in the lab area, library shown in the admin room. 7. 11 drawing desks and some student tables are found in the drawing room.	 solar technician not shown in working condition due to non-proper installation remaining trades are found ok quality of some instruments are not good second floor construction not completed. found 4 classrooms only. one class room less space. workshop passage shown in the lab area. library shown in the admin room. CITS instructors' details for all trades not available 11 drawing desks and some student tables are found in the drawing room. 	
21.	K.B.J. Industrial Training Institute, Borakhedi Buldhana At Post Borakhedi Ta	New	 Electrician 2(1+1) Fitter 2(1+1) Mechanic 	Recommended 5 trades (1+1) for each trade 1. For Instructors Advertisement is	For Instructors Advertisement is published and appointment after	Recommended: 1. Electrician (1+1) 2. Fitter 2(1+1)



Page **83** of **279**

	Motala Dist Buldhana Buldhana-443103 TMP27472PR1649737227			Diesel 2(1+1) Solar Technician (Electrical) 2(1+1) Wireman 2(1+1)	published and appointment after affilation approved 2. BCc issued by Grampanchayat	2. Pa Dir	liation approved BCC issued by Gram nchayat and State rector confirmed BCC /alid	3. Solar Technician 2(1+1) 4. Wireman-2 (1+1) 5. Mech Diesel-2 (1+1) The ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session 2022 to the concerned state directorate and RDSDE within 07 days from the issue of this MoM.
22.	Hon. Ratnakarraoji Gutte Industrial Training Institute, Wadgaon (St.) Tq- Sonpeth, Dist-Parbhani - 431516 MIS CODE: PR27000792 Grading- 2.18	Existing	1. 4(Electrician 2+2)	May be Considered for Electrician 1+1 subject to rectification of above mentioned remarks within a time frame as decided by SCAA. 1. BCC approved plan from architect and GP is available.	2.	1.serial no shown on document and on meter are different Connection is not on ITI name In the EB bill it is mentioned that this connection is used for schools &. colleges.	Not recommended due to deficiencies mentioned in column V and VI

8 12 12

Page **84** of **279**

				 On the Electricity Bill serial no. shown on document and on meter are different, Connection is not on ITI name, In EB bill it is mentioned that, this connection is used for schools &. colleges. quantity mentioned on Machinery bills are not matching with quantity mentioned in DSR 20-25% shortage in trainee tool kit. electrical workshop-2 is of 193 sq m area without any partition (claiming as 2 workshops) Shortage of one electrical workshop (shown empty hall) 4 rooms available but only bench are there for 2. About 30-35% shortage in machinery 	 4. CITS instructors' details not available 5. about 30-35% shortage in machinery, 20-25% shortage in trainee tool kit. 6. workshop space shortage for 1 unit of Electrician, Classroom Shortage 7. BCC approved plan from architect and GP is available 	
23.	Government Industrial Training Institute, Sangrampur, Jalgaon Jamod Road	Existing	Computer Operator and Programming Assistant	Recommended: 1. COPA -2(1+1) 2. Welder-2(1+1)	One staff each for COPA and Welder is available.one each for both trades will be	Recommended: 1. COPA -2(1+1) 2. Welder-2(1+1)

Alogo Maria

Page **85** of **279**

	Dist: Buldhana- 444202 MIS CODE: GR27000514 Grading- 1.48		(COPA) 2(1+1) 2. Welder 2(1+1)	1. one staff each for COPA and Welder is available.one each for both trade will be appoint after grant of Affiliation 2. No Biometric attendance for Trainees.	appoint after grant of Affiliation CITS instructor details not available No Biometric attendance for Trainees.	State directorate will ensure CITS instructors are appointed before the session 2022.
24.	Rashtrasant Tukdoji Maharaj Private Industrial Training Institute Buldhana, Shelodi Road, Khamgaon Dist Buldhana-444303 TMP27472PU1649925021	New	1. COPA 2(1+1) 2. Electrician 2(1+1) 3. Fitter 2(1+1) 4. Mechanic Diesel 2(1+1) 5. Solar Technician (Electrical) 2(1+1)	Recommended: 1. COPA 2(1+1) 2. Electrician 2(1+1) 3. Fitter 2(1+1) 4. Mechanic Diesel 2(1+1) 5. Solar Technician (Electrical) 2(1+1)	1. BCC given by architect 2. CITS details not available	ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM- 1. BCC documents as per norms. 2. Undertaking to appoint CITS instructors before the start of session 2022. State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue

Jeogo 18

Page **86** of **279**

Mahale Pvt Industrial Training Institute Undri Buldhana Toranwada Road, Undri Ta. Chikhli Dist. Buldhana 444303 TMP27472PR1649831145 TMP27472PR1649831145							of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.
State direct	25.	Mahale Pvt Industrial Training Institute Undri Buldhana Toranwada Road, Undri Ta. Chikhli Dist. Buldhana 444303	New	 Electrician 4(2+2) Fitter 2(1+1) Solar Technician (Electrical) 	1. COPA 2(1+1+0) 2. Electrician 4(2+2++0) 3. Fitter 2(1+1+0) 4. Solar Technician	Panchayat and State Director confirmed BCC is valid 2. Instructor qualification, experience and CITS	(2+2) 3. Fitter 2(1+1) 4. Solar Technician 2(1+1) The ITI needs to

Blogund ol8

Page **87** of **279**

	41	and RDSDE will ensure CITS instructors are appointed before the session 2022.
A ROUNGE 18		

8. UT: Puducherry, total 01 (new 01) ITIs proposal for affiliation.

SI. No.	ITIs Name/ Address/ MIS Code / Grading	Existing/ New/ MSTI	Trades/ units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 5th SCAA meeting held on dated 16.08.2022
1	11	Ш	IV	V	VI	VII
1	Thirumalaiyan Private Industrial Training Institute, Karaikal B3 Nallezhundur Road, Nallambal Post Ambagarathur Karaikal District Ut Of Puducherry 609601 TMP34598PR1580121103	New	1. Electrician - 4(2+2) 2. Fitter - 4(2+2) 3. Surveyor - 4(2+2) 4. Wireman - 4(2+2)	Recommended subject to the submission of School closure NOC. Trust was running the Swami Vivekananda School and it was closed (20.06.2021) during the past academic calendar year. Yet not received NOC from the Directorate of Education Puducherry. No Trainers are Trained in CITS Training	 Trainers are not CITS qualified NOC of School closure 	ITI needs to submit following documents to State Directorate/UT administration within 7 days from issue of MoM 1. School closure certificate 2. Undertaking that ITI will engage CITS qualified instructors before the start of Session 2022. State Directorate/UT administration will verify the above documents and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate/UT and RDSDE will ensure CITS instructors are appointed before the session 2022.

812000

Page **89** of **279**

9. State: Punjab, total 02 (new 01, existing 01) ITIs proposal for affiliation.

SI. No.	ITIs Name/ Address/ MIS Code / Grading	Existing/ New/ MSTI	Trades/ units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 5th SCAA meeting held on dated 16.08.2022
Î	II	Ш	IV	V	VI	VII
1,	Modern Private I Village. Lakho Ke Behram, Tehsil Guru Har Sahai, District Ferozepur – 152023 MIS CODE: PR03000317 Grading: 1.58	Existing	1. Electrician - 6(3+3)	 Electrician - 6(3+3) Due to the following deficiencies: Plot Signboard not available Electricity Bill Name and Address to be corrected Machinery Bill of Sr. No. 87, 92,112,114,118,126,134,135,136,1 64-173 in Electrician Trade are not available Dead stock register not in prescribed format Biometric machines for Staff and Trainees attendance not being used Available Machinery installed and working except few machineries and shortage of Tools and Eqpts. ES, TT, WKS, ED records of all trainees not available Classroom, Workshop, Llbrary floor 	Major deficiencies as per ICVC remarks	Not recommended as per ICVC remarks.

Page **90** of **279**

				is made from bricks. 9. Electrical distribution not covered and earthing is also not there 10. 07 Pcs in IT Lab are of old configuration 11. NOC for Fire Safety is applied and approval pending 12. Toilets are not as per standards 13. No partition in Workshops 14. Parking area is too low and water can clog there during rain, the Canteen area is less than required. Canteen does not have wash basin for cleaning utensils 15. Library area is less than reqd. Actual Area is 35 Sr mtr but required is 40 Sq mtr. 16. Workshop workbenches are not of good standard 17. Tin shed quality outside canteen area is not of good standard 18. Out of 5 instructors only 1 is CITS qualified		
2	Sri Sai Private Industrial Training Institute, Pathankot Badhani-Pathankot – 145001 TMP3662PR1582881933	New	 COPA - 2(2+0) Electrician - 2(2+0) Mechanic Diesel - 2(2+0) Plumber - 	Not recommended: 1. Plumber - 2(2+0) Recommended: 1. COPA - 2(2+0) 2. Electrician - 2(2+0) 3. Welder - 2(2+0)	Instructors are not CITS qualified BCC not as per norms Connected load unit not available in	Not recommended due to deficiencies mentioned in Column V and VI.



Page **91** of **279**

2(2+0) 5. RACT - 2(2+0) 6. Surveyor - 2(2+0) 7. Welder - 2(2+0)	subject to removal of deficiencies: 1. Electricity bill is available to the managing committee of Sri Sai College of Engineering and technology. 2. Plumber 40% T/E are available and welder T/E available with some machinery installed. 3. Website is under construction 4. Trainers Experience not found as per norms, Staff available but not matched with portal data details. 5. payment receipts not found.
---	---

18 Mary 18

10. State: Rajasthan, total 02 (new 02) ITIs proposal for affiliation.

SI. No.	ITIs Name/ Address/ MIS Code / Grading	Existing/ New/ MSTI	Trades/ units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 5th SCAA meeting held on dated 16.08.2022
1	11	Ш	IV	V	VI	VII
1,	Subham Private ITI, Tapukara Private Industrial Training Institute, Alwar, Rajasthan TMP887PR1580212150	New	 Electrician- 6(2+2+2) Fitter-6(2+2+2) 	 Not recommended as ITI was not ready to inspect the ITI affiliation Machinery, tools, machinery bills, Building certificate and electricity bill not available Dead Stock Register and Raw Material consumption register not available Staff not appointed, Biometric machine not available Amenities not as per norms House and school running in campus 	Major deficiencies in the ITI	Not Recommended as per the ICVC recommendation
2	Subodh Private ITI Plot No. IS 2020, Industrial Area, Ramchandrapura, Sitapura, JAIPUR	New	Computer Operator and Programming Assistant	Recommended subject to below points Non-Engineering	No Instructor is CITS Qualified	Not Recommended due to deficiencies mentioned in Column V & VI



Page **93** of **279**

TMPSP102	(COPA)-2(1+1) 2. Electrician- 4(2+2) 3. Fashion Design and Technology- 2(1+1) 4. Fitter-2(1+1) 5. Solar Technician (Electrical)- 2(1+1)	Trade Fashion Design & Technology Drafting & Sewing Lab Major Machinery not as per the Specification 3. No Instructor is CITS Qualified 4. Fitter Workshop on Ground floor, but below the Workshop in the basement Multipurpose/ Seminar hall. 5. Applied for fire safety certificate	
----------	---	---	--

11. State: Tamil Nadu, total 08 (new 02, existing 06) ITIs proposal for affiliation.

SI. No.	ITIs Name/ Address/ MIS Code / Grading	Existing/ New/ MSTI	Trades/ units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 5th SCAA meeting held on dated 16.08.2022
1	11	111	IV	V	VI	VII
1,	Padma Narasimhan Private Industrial Training Institute, Thiruvarur MIS CODE: PR33000551 Grading: 2.67	Existing	1. Computer Hardware & Network Maintenance-1(1+0) 2. Mechanic Auto Electrical and Electronics-1(1+0)	1. Recommended: CHNM - 1(1+0) MAEE - 1(1+0) 2. No biometric attendance	1. CITS Qualified Instructor details not available 2. Drawing Hall Furniture not as per norms	Deferred for clarification and report from State Directoratefor the deficiencies found for the applicant ITI in 3rd SCAA meeting dated 24.06.2022.
2	Codep Private Industrial Training Institute, Tiruvannamalai MIS CODE: PR33000195 Grading:	Existing	Solar Technician (Electrical)-2(1+1)	Recommended: 1. Solar Technician (Electrician) - 2(1+1)	Details of CITS qualified Instructors not available	Recommended: 1. Solar Technician (Electrical)- 2(1+1) The ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session 2022 to the

Am 2/8

Page **95** of **279**

					4.	concerned state directorate and RDSDE within 07 days from the issue of this MoM. RDSDE and the state will ensure the instructors are appointed in the ITI before start of session 2022.
3.	Tirumala Private Industrial Training Institute, Tiruvannamalai TMP33593PU1582781482	New	1. Fitter-2(1+1) 2. Electrician-2(1+1) 3. Plumber-2(1+1) 4. Welder-2(1+1)	Not recommended as Institute is not fully prepared for inspection	May be rejected	Rejected
4	T E L C Private Industrial Training Institute, Dindigul MIS CODE: PR33000065 Grading: 0.2	Existing	Not filled in the application	1. Not recommended to any trades and Units 2. Last 5 Year no admission for any trade and unit, Power consumption very less unit payment paied by socitey, so that no trainee's attendance records found 3. Fitter trade- Hydraulaic & Pneumatic kit setup not available	1. Applied trades details not available 2. Machinery not in working condition and not as per norms for Fitter trade 3. Grading is low 4. CITS Qualified	Not Recommended due to low grading and deficiencies mentioned in Column V & VI

Page **96** of **279**

					4. Machinery not in working condition 5. Canteen, PWD accessibility, Hostel Non-availability 6. TELC Society imposed by the court case to run the ITI and also all original documents under the chest - High court case bending more than 5 years.	Instructor details not available	
5	Ramco Private Industrial Training Institute, Virudhunagar MIS CODE: PR33000301 Grading: 3.67	Existing	and P	outer Operator rogramming tant (COPA)-)	Recommended: 1. COPA - 2(1+1) NCIC completed Instructors are not available. But the institute head assured to recruit the trainers who qualified NCIC before starting the COPA trade	1. CITS Qualified Instructor not available 2. BCC given by District panel Engg., approved valuer	ITI needs to submit following documents to State Directorate/UT administration within 7 days from issue of MoM 1. Building Completion Certificate as per norms 2. Undertaking that ITI will engage CITS qualified Instructors before the start of Session 2022.

Page **97** of **279**

						State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS qualified instructors are appointed before the session 2022
6	Sri Ramakrishna Mission Vidyalaya Private Industrial Training Institute, Coimbatore MIS CODE: PR33000033 Grading: 3.43	Existing	1.Plumber-2(1+1) 2.Wireman-2(1+1)	Recommended: 1.Wireman-1(1+0), 2.Plumber-2(1+1)	1. Building occupancy Certificate signed by Block Health Supervisor 2. In BCC sign is not visible 3. CITS Qualified Instructor details not available	ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM-1. BCC documents as per norms. 2. Enhanced electrical load for existing and additional trades 3. Undertaking to appoint CITS instructors before the start of session 2022. State Directorate

Page **98** of **279**

	C					will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022
7	Tirumala Polytechnic College Pvt Iti,Tiruvannamalai MIS CODE: PR33000650 Grading: 0	Existing	1 Electrician (NSQF)-1(0+1) 2. Fitter-2(1+1) 3. Mechanic (Motor Vehicle) (NSQF)-1(0+1) 4. Plumber (NSQF)-1(0+1) 5. Welder (NSQF)- 1(0+1)	1. Not recommended: 1.Electrician 1(0+1) 2.MMV 1(0+1) 3.Welder 1(0+1) 4.Plumber 1(0+1) 5.Fitter 2(1+1) 2. Thirumala polytechnic college ITI is not fully ready for inspection 3. All the tools and equipments are not available for proposed trades 4. Dead Stock register not as per norms 5. Staff not appointed for proposed trades 6. Biometric machine not working	1. Details of qualification, experience and CITS Qualification of Instructors not available 2. EB bill not available 3. tools and equipments not available 4. Grading is 0	Not Recommended as per ICVC recommendation

Page **99** of **279**

				7. All the listed facilities are available except access for pwd		
8	Venkateswara Private Industrial Training Institute, Tiruvannamalai TMP33593PR1581503497	New	1. Electrician (NSQF)-2(1+1) 2. Fitter (NSQF)-2(1+1) 3. Mechanic (Motor Vehicle) (NSQF)-2(1+1) 4. REFRIGERATION AND AIR CONDITIONING TECHNICIAN(NSQF)-2(1+1) 5. Surveyor-2(1+1) 6. Welder (NSQF)-2(1+1) 7. Wireman (NSQF)-2(1+1)	1. Recommended: Electrician (NSQF)- 2(1+1), Fitter (NSQF)- 2(1+1), Surveyor-2(1+1), Welder (NSQF)-2(1+1), Wireman (NSQF)-2(1+1) 2. Not recommended: Mechanic (Motor Vehicle) (NSQF)-2(1+1), REFRIGERATION AND AIR CONDITIONING TECHNICIAN(NSQF)- 2(1+1) as the machineries, staff and classroom not available 3. NOC from AICTE awaited, as the AICET have completed their inspection for starting of NCVT courses under spare capacity.	1. Details of qualification, experience and CITS Qualification of Instructors not available 2. machineries, staff and classroom are not available for MMV and RACT trades	ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM-1. NOC from AICTE 2. Undertaking to appoint CITS instructors before the start of session 2022. State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.

12. State: Telangana, total 09 (New 03, Existing- 06) ITIs proposal for affiliation.

Amag 18

Page **100** of **279**

SI. No.	ITIs Name/ Address/ MIS Code / Grading	Existing/ New/ MSTI	Trades/ units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 5th SCAA meeting held on dated 16.08.2022
1	11	10	IV	V	VI	VII
1.	Subhodaya Pvt ITI, H,No; 2-2-23/38/1 Ambedhkar Colony Gummudur, Mahabubabad,506101, Mahabubabad,Telangana. MIS CODE: PR36000150 Grading: 0.4	Existing	1. Electrician(1+1)	1. Out of 3 electrical labs in 2 labs machines are not installed properly 2. One Mechanical Diesel lab equipments are not installed properly nor working 3. Fire buckets were empty, 04 fire extinguishers available but were not properly installed	ITI applied in Category 3 i.e. for change of address however applied for additional Trade also. Shifting is within block or not needs to confirm from SD/RDSDE 1.Report of SCVT member is not submitted 2. CITS details of Instructors not available 3. out of 3 electrical labs in 2 labs machines are not installed properly, one	Not recommended for shifting and additional trades due to deficiencies mentioned in column V & VI and As per remarks of ICVC

S) Brown

Page **101** of **279**

					mechanical diesel lab equipments are not installed properly nor working	
2.	Shakti Pvt. I.T.I., Mancherial, H. No. 1-1/28, Laxmi Nagar, Road No.3, Bypass Road, Mancherial, Mancherial Dist., T.S., 504209, Mancherial, Telangana. MIS CODE: PR36000058 Grading: 1.43	Existing	Nil	Recommended 1. All equipment are available, minor shortcoming exists. Diesel M - item in syllabus srno 191, 194 does not exist. Diesel vehicle, multi scan tool. Electwash mach, dig wattmeter not available. 2. Minor deficiencies as per Telangana state fire audit letter	1. ITI applied in Category 3 i.e. Change of Address whether block is changed or not needs to confirm from State Directorate /RDSDE 2. Minor deficiencies as per Telangana state fire audit letter(Minimum width of staircase not maintained) 3. Diesel M - item in syllabus srno 191, 194 not exist. Diesel vehicle, multi scan tool. Elect-	ITI to remove the deficiencies mentioned in column V & VI State Directorate will submit the following report within 07 days from issue of this MoM: 1 As per DGT order shifting of ITI in rural area is permitted within block and in urban area shifting is permitted within municipal/corporation limits, being followed or not. 2. Whether ITI followed a complete shifting procedure or not. 3. State Directorate will

is what

					wash mach, dig wattmeter not available 4. Staff Details not available	verify that the deficiencies mentioned in column VI are removed by ITI.
3.	Daripally Anantha Ramulu Private Industrial Training Institute, Khammam, D.No.3-134 Satyanarayanapuram(Kothur) Khammam Bypass - Mahbad Road Khammam City, Khammam TMP36509PU1582089548	New	1Civil Engineering Assistant(2+2+2) 2. Copa (1+1+1) 3. Electrician(2+2+2) 4. Fashion Design and Technology(1+1+1) 5. Fitter(2+2+2) 6. Hospital Housekeeping(1+1+1) 7. Instrument Mechanic(2+2+2) 8. IoT Technician (Smart Health Care)(1+1+1) 9. Mechanic Mining Machinery(2+2+2) 10. Physiotherapy Technician(1+1+1) 11. Radiology Technician(2+2+2) 12. Welder(1+1+1)	DisAgree /Not Recommended 1. NOC not issued by State & AICTE for NEW ITI to establish 2. Separate ITI building not yet completed .Earmarked ITI Building under construction 3. Machinery & Equipment invoices & mode of payment not available. 4. most of the machinery not installed in all the labs & not available as per the norms 5. Trade practical Lab area, Safely norms not available	1. NOC not issued by State & AICTE for NEW ITI to establish 2. Separate ITI. building not yet completed .Earmarked ITI Building under construction 3. Machinery & Equipment invoices & mode of payment not available . 4. most of the machinery not installed in all the labs & not available as per the norms 5. Trade	Not recommended as per remarks of ICVC and deficiencies mentioned in column V and VI

8 Joseph

Page **103** of **279**

	K			as per norms 6. Safely norms not available as per norms	practical Lab area, Safely norms not available as per norms 6. Power required = 82.65 KW available = 56 KW That is also on the name of society	
4	Sri Sai Adithya Private ITI, Govt. Junior College Back Side Shivunipally, Ghanpur Station, Jangoan MIS CODE: PR28000481 Grading:1.23	Existing	Electrician (1+1+1)	Recommended Additional: Electrician (1+1) 1. Building occupancy certificate issued by Panchayat secretary without date 2. Fire extinguisher not installed 3. Bill invoice dated 27.05.2014	1. ITI applied in Category 3 i.e. Change of Name/Address however in application applied for additional trade also. hence State Directorate needs to confirm whether inspection was done done at new location or on old location 2.Building	ITI to remove the deficiencies mentioned in column V & VI State Directorate will submit the following report units within 07 days from issue of this MoM: 1 As per DGT order shifting of ITI in rural area is permitted within block and in urban area shifting is permitted within municipal/corporation limits, being followed or not.

8/02/18

M

					occupancy certificate issued by Panchayat secretary without date 3. Bill Invoices are old 4. Fire extinguisher not installed 5 CITS instructor details not provided	2. Whether ITI followed a complete shifting procedure or not. 3. State Directorate will verify that the deficiencies mentioned in column V & VI are removed by ITI.
5.	Ascend Private I.T.I, Paidipally, Hanamkonda, Warangal Urban, Telangana MIS CODE: PU36000490 Grading: 0	Existing	1. HSI(1+1+1) 2. Smartphone Technician Cum App Tester(1+1+1)	Recommends Electrician (4 + 4 + 4), DMC (1 + 1 + 1), sanitary health inspector (1 + 1 +), Smartphone technician cum app tester (1+1+1) Draftsman Civil(1+1+1) Re-Affiliation applied for Electrician, Draughtsman civil ., Sanitary health inspector,	ITI affiliated at 2016 ITI not running any course due to state government NOC was pending 1. Staff Qualification, Experience and CITS in relevant trade not available	ITI to remove the deficiencies mentioned in column V & VI State Directorate needs to submit report within 07 days from issue of this MoM on the following: 1 As per DGT order shifting of ITI in rural area is permitted within block and in urban area shifting is permitted within

Page **105** of **279**

				Smartphone technician cum app tester ITI affiliated at 2016 ITI not running any course due to state government NOC was pending. Now they have NOC from state hence now affiliation in progress		municipal/corporation limits, being followed or not. 2. Whether ITI followed a complete shifting procedure or not. 3. State Directorate will verify that the deficiencies mentioned in column V & VI are removed by ITI. This Case to be dealt on e-file
6.	National Small Industries Corporation - Technical Services Centre - ITI Medchal Malkajgiri, Kamalanagar, Kushaiguda, Ecil X Road, Hyderabad, Medchal Malkajgiri TMP36700PU1647525137	New	1. Computer Hardware & Network Maintenance(20+20) 2. Computer Operator and Programming Assistant (COPA)(20+20) 3. Data Entry Operator(20+20) 4. Database System Assistant(20+20) 5. Draughtsman Mechanical(20+20) 6. Electrician(20+20)	Recommended for only Trade: 1. Database System Assistant(1+1), 2. Data Entry Operator(1+1) 3. IT(1+1) 4. Welder(1+1) 5. COPA(1+1) 6. MPCA(1+1) 7. Draughtsman Mechanic(1+1)	1. For 18 Trade total 360+360 units sought for affiliation, hence power 55KW is not at all sufficient 2. Instructors Qualification, experience and CITS details not available 3. Very few Machinery bill	ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM-1. Trade units Sought for affiliation 2. Undertaking to appoint CITS instructors before the start of session 2022. 3. Availability of Drawing Hall 4. All machinery Bills

James 18

Page **106** of **279**

			7. Electronics Mechanic(20+20) 8. Fitter(20+20) 9. Information Technology(20+20) 10. Information Technology(20+20) 11. Machinist(20+20) 12. Manufacturing Process Control and Automation(20+20) 13. Mechanic Consumer Electronic Appliances(20+20) 14. Mechanic Electric Vehicle(20+20) 15. Mechanic Motor Vehicle (MMV)(20+20) 16. Mechanic Refrigeration and Air Conditioner(20+20) 17. Solar Technician (Electrical)(20+20) 18. Turner(20+20) 19. Welder(20+20)	1. Sign Boards and name Boards should be with ITI logo and DGT emblem which is not available as per standard Norms 2. Drawing Hall Not Available	available 4. Drawing Hall not available	State Directorate will verify above reports and send recommendation for all the trades/units within 07 days from issue of this MoM.
7	VNR Private ITI, 5-147/5 Opp: Bits College Ramavaram Laknepally Narsampet Warangal Rural Telangana-506331, Warangal Rural	Existing	1. Electrician (2+2) 2. Fitter(1+1) 3. Food Production (General)(1+1)	Recommends Existing Trade Electrician (2+2) Fitter (1+1) Additional trade/Units	1. ITI applied in Category 3 i.e. for Change of Name/Address however ITI applied for	ITI to remove the deficiencies mentioned in column VI State Directorate will
1	The same of the sa	818	y		l	Page 107 of 279

	MIS CODE: PR36000254 Grading: 0.25			only Electrician (2+2) 1. ITI SHIFTED TO NEW LOCATION. HENCE Admission NOT GIVEN LAST YEAR that is 2021.	additional trade also. Needs to confirm from State Directorate whether ITI followed shifting procedure or not 2. BCC is not as per norms 3. CITS instructor details not available	submit the following report within 07 days from issue of this MoM on the following: 1 As per DGT order shifting of ITI in rural area is permitted within block and in urban area shifting is permitted within municipal/corporation limits, being followed or not. 2. Whether ITI followed a complete shifting procedure or not. 3. State Directorate will verify that the deficiencies mentioned in column VI are removed by ITI.
8.	Mother Theresa Iti(Pvt), Survey No 310, Hasnapur Road, Thatikonda Village, Mahabubnagar,	Existing	1. Electrician(2+2) 2. HSI(1+1)	Recommended for Additional Electrician(2+2) HSI(1+1)	1. ITI applied in Category 3 i.e. for change of	ITI to remove the deficiencies mentioned in column VI

18 Jan 2018

Page **108** of **279**

	Mahabubnagar, Telangana MIS CODE: PR36000192 Grading: 0.62			1. As per request received from ITI for Mechanic Diesel trade (1 + 1 unit) is already affiliated. But requesting to deaffiliate the trade.	address however applied for additional Trade also State Directorate needs to confirm whether ITI followed shifting procedure or not 2CITS details of instructor not available	State Directorate will submit the following report within 07 days from issue of this MoM on the following: 1 As per DGT order shifting of ITI in rural area is permitted within block and in urban area shifting is permitted within municipal/corporation limits, being followed or not. 2. Whether ITI followed complete shifting procedure or not. 3. State Directorate will verify that the deficiencies mentioned in column VI are removed by ITI.
9.	TSRTC Industrial Training Institute Warangal Warangal Urban, Tsrtc Zonal Staff Training College Near Ayyappa Swamy	New	1. Mechanic Diesel(1+1) 2. Mechanic Motor Vehicle (MMV)(1+1) 3. Painter	Recommended for affiliation 1. Mechanic Diesel(1+1) 2. Mechanic Motor	CITS details of Instructors not available	Recommended: 1. Mechanic Diesel(1+1) 2. Mechanic Motor Vehicle (MMV)(1+1) 3. Painter

Donata mil

Page **109** of **279**

Temple Mulugu Road, Aarepally, Warangal Warangal Urban TMP36686PU1648453636	General(1+1) 4. Welder(1+1)	Vehicle (MMV)(1+1) 3. Painter General(1+1) 4. Welder(1+1) 1. For Tier change machine, practical will be done by trainees in TSRTC workshop ie within 4 km of iti campus It is govt	General(1+1) 4. Welder(1+1) The ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session 2022 to the concerned state directorate and RDSDE within 07 days
	~	undertaking-ITI.	from the issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.

Amongo 18

Me

13. State: Uttar Pradesh, total 44 (New-26 and Existing-18) ITIs proposal for affiliation

SI. No.	ITIs Name/ Address/ MIS Code / Grading	Existing/ New/ MSTI	Trades/ units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 5th SCAA meeting held on dated 16.08.2022
1	II	III	IV	V	VI	VII
1	H S Private Industrial Training Institute, Hathras, Vill Nagla Rund Sasni Hathras, District-Aligarh- 202001,Up TMP9163PR1582629555	New	1. Computer Operator and Programming Assistant (COPA)- 3 (1+1+1) 2. Electrician-6 (2+2+2) 3. Fitter- 3 (1+1+1) 4. Mechanic Diesel- 2 (1+1)	Not recommended Principal not ready for inspection for affiliation, building under construction.	No inspection is carried out	Rejected
2.	Shree Ram Pvt ITI, Teliya Kalan, Bhagalpur, Deoria-274604 1809024027	New	1. COPA-1(0+0+1) 2. Electrician-6(2+2+2) 3. Fitter-3(1+1+1) 4. Mechanic diesel-2(1+1+0)	Recommended: 1. COPA-1 unit, shift not mentioned by member 2. Electrician-4(2+2) 3. Fitter-2 (1+1) 4. Mechanic diesel-2(1+1)	1. BCC is not available. No approved plan certificate is given. 2. All instructors are not CITS qualified.	ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM- 1. BCC documents as per norms. 2. Undertaking to appoint CITS instructors before start of session 2022.



March

						State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.
3.	Shree Moni Baba Pvt. ITI, Mathura, Gadaya Latifpur Block - Farah Dist. — Mathura 281122 MIS CODE: PU09002081 Grading: 2.49	Existing	 Electrician-6 (2+2+2) Fitter- 3 (1+1+1) 	Recommended: 1. Electrician- 4(2+2) 2. Fitter- 2(1+1)	 BCC is given by architect, Not as per norms. All instructors are not CITS qualified. 	ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM-1. BCC documents as per norms. 2. Undertaking to appoint CITS instructors before start of session 2022. State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of

Page **112** of **279**

						this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.
4.	Abdullah Hashim Private Industrial Training Institute, Aligarh, Maheshpur, Quarsi Bye Pass Road Aligarh- 202001 TMP9119PU1581573629	New	1. Electrician-3 (1+1+1) 2. Fitter- 3 (1+1+1) 3. Health Sanitary Inspector-3 (1+1+1) 4. Sewing Technology-3 (1+1+1)	Not Recommended 1. For Fitter trade - one lathe machine is not in working condition, No allied trade / welder instruments were not available. 2. For Sewing Technology - No power connection in maximum machines and four sewing machines were found less. 3. Land available on rent for the institute is 2270.44sqm. 4. Store was shown in adjacent Masjid building premises. 5. Partial bill payment were available with institute.	1. BCC is not available. Only no approved plan certificate is given. 2. Sufficient land is not available as per NCVT norms. 3. Electric load is not sufficient as per norms(Available-9.7 kW,Required-17.72 kW) 4. IT lab internet connnection and drawing hall furniture not available. 5. All instructors are not CITS qualified.	Not recommended as per recommendation of ICVC and deficiencies mentioned in column V and VI
5.	Radha Govind Private	New	1. COPA-3	Not Recommended	1. BCC is not	Not recommended as

Hongold

MAN

	Industrial Training Institute, Aligarh, Milik Nai Tehsil Khair Aligarh, 202138- UP TMP9119PR1582878871	(1+1+1) 2. Electrician-6 (2+2+2) 3. Fitter- 3 (1+1+1) 4. Health Sanitary Inspector-2 (1+1+0)	 Major Machinery like lathe machines, overhead projector, surface plate, generator and others not installed. hight of workbenches more than prescribed norms. Few major machines not functional. No railing in staircase, balcony and openings on first floor gallery. No proper electrical wiring in workshops and classrooms. No rubber Mets in electrician workshops. Output cable very thin in comparsion to input cable, not capable to bear 17kw load and output cable has a joint close to meter. Physically Land area is approximately 35.3meter×85.7meter which is less than prescribed. 	available.Only no approved plan certificate is given. 2. CITS qualified instructors are not available. 3. Physical land area is less than prescribed norms as per report. 4. Approved layout plan is not available. 5. Major machinaries are not installed and not in working condition.	per recommendation of ICVC and deficiencies mentioned in column V and VI
--	--	--	---	--	--

818 miles

Mes

				7. Basic amenities are not available.		
6.	Sadhana Private Industrial Training Institute, Ballia ,Pandeypur , Post - Takha , Teh Rasara, Ballia- 221709 Up TMP9126PR1582524827	New	1. Computer Operator and Programming Assistant-2 (1+1+0) 2. Electrician-6 (2+2+2) 3. Fashion Design and Technology-2 (1+1+0) 4. Fitter-3 (1+1+1) 5. Hospital Housekeeping-2 (1+1+0)	Not Recommended 1. There is no electricity connection in ITI. 2. Machineries are not properly installed. 3. Payment proof was not provided. 4. IT and drawing hall not available.	1. BCC is given by architect.Not as per norms. 2. Approved layout plan is not available. 3. ITI has applied for 18 KW load after inspection but required load is 22.17 KW,RDSDE has forwarded state letter vide email 20.07.2022 4. IT lab and drawing hall are not available.	Not recommended as per recommendation of ICVC and deficiencies mentioned in column V and VI
7.	D.C. Sharma Private Industrial Training Institute, Aligarh Vill- Jarara Post- Jarara Tehsil- Khair District- Aligarh- 202138, UP TMP9119PR1582781858	New	1. COPA-3 (1+1+1) 2. Electrician-6 (2+2+2) 3. Fitter- 6 (2+2+2) 4. Health Sanitary Inspector-3 (1+1+1)	Not Recommended 1. Some of the equipment like hydraulic and pneumatic plant, welding machine, LCD projector, desktop computer, generator (on trolley) not installed. Air conditioner, network	1. BCC is not available. Only no approved plan certificate is given. 2. Approved layout plan is not available. 3. CITS qualified	Not recommended as per recommendation of ICVC and deficiencies mentioned in column V and VI



Market

		•	·	printer not available 2. Hydraulic and pneumatic plant, welding machine, control panel of motor generator AC to DC, DC to AC meters, winding machine not functional. 3. Area in lease deeds(both) not shown in map. Plot gate3.8m wide, most of the w/s gates are 1.18m wide 4. Drawing furniture is not proper in drawing hall.	instructors are not available.	
8.	RKS Private ITI, Vill- Banspali Post –Sukhpura, Tah. Bansdih,277304 MIS CODE: PR09900991 Grading: 1.36	Existing	Electrician-2 (1+1)	Not Recommended 1. Available only 01 nos. Electrician Workshop /01 nos. Fitter Workshop / 01 Fitter ClassRoom/01Electrician Class Room.Class room for electrician is not available for extension. 2. Machinery installed but wiring is not as per norms.It is not ok for unit senction. 3. Machinery is not working fully.	1. Class room for electrician is not available for unit extension. 2. Drawing hall is not available.IT lab is not having networking, software and licences. 3. BCC and approved layout plan is not available.	Not recommended as per recommendation of ICVC and deficiencies mentioned in column V and VI

Page **116** of **279**

				 No drawing hall available. Library is not having any books. The IT lab is not having networking, software and licences. No staff as per norms, no staff record found, no raw material found last many years. No consumption in raw materials for many years. 	4. Electricity bill details are not available. 5. CITS qualified instructors are not available.	
9.	Shiv Shakti Private Industrial Training Institute, Village Harvanshpur Post Jirauli Dhoom Singh Tehsil Atrauli, Aligarh 202281 TMP9119PR1582791463	New	1. Cutting & Sewing (VI & OD)-3 (1+1+1) 2. Electrician-6 (2+2+2) 3. Fitter-6 (2+2+2) 4. Plumber-3 (1+1+1)	Not Recommended 1. Shiv shakti mahavidyalaya running on the same land and building.In rent agreement first and second part is same which is not proper.Same entry gate for ITI and degree college.Building as per given map is not available. 2. Machineries are partially installed. 3. For Fitter trade - No instructor table, chair, work bench, surface plate were found.For Electrician	1. Land lease documents are not proper. 2. BCC and approved layout plan are not available. 3. Shortage of electricity load (Available-19.8 KW,Required-20.24 KW) 4. Drawing hall furniture is not available.IT lab is not having networking and furniture.	Not recommended as per recommendation of ICVC and deficiencies mentioned in column V and VI

Slogens 18

who

				trade - No instructor table, chair, work bench.For Sewing Technology trade - 04 sewing machine were short and no furniture was available.For Plumber trade - No furniture was available. 4. For IT Lab - No networking and furniture was found.	5. Machineries are partially installed and shortage of workbenches and equipments 6. Fire safety certificate is not available. 7. CITS qualified instructors are not available.	
10.	Madan Mohan Malviya Pvt ITI Private Industrial Training Institute, Vill- Masuriya Post-Malhanpar Dist-Gorakhpur Pin- 273403, UP MIS CODE: PR09900441 Grading: 2.34	Existing	Electrician-6 (2+2+2)	Recommended: Electrician-3(1+1+1)	1. BCC is not available, No approved plan is given by SDM 2. CITS qualified instructors are not available.	ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM-1. BCC documents as per norms. 2. Undertaking to appoint CITS instructors before the start of session 2022. State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of

3/18

Page **118** of **279**

						this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.
11.	Late Pooran Ramprakash Dixit Private Industrial Training Institute, Village Post Gehroli Muskara Tehsil Maudaha Hamirpur -210506 TMP9149PR1582448209	New	 Electrician-12 (4+4+4) Fitter- 6 (2+2+2) Plumber-3 (1+1+1) Mechanic Diesel-3 (1+1+1) 	Recommended: 1. Electrician-12 (4+4+4) 2. Fitter- 6 (2+2+2) 3. Plumber-3 (1+1+1) 4. Mechanic Diesel-3 (1+1+1)	1. BCC is given by architect, not as per norms. 2. CITS qualified instructors are not available.	ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM-1. BCC documents as per norms. 2. Undertaking to appoint CITS instructors before the start of session 2022. State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the

June 8 States

Page **119** of **279**

				1		session 2022.
12.	Pandit Beeri Singh Private Industrial Training Institute, Bhanpura , Rajakhera Road Shamshabad Agra- 283125 MIS CODE: PR09002015 Grading: 1.3	Existing	1. Electrician-3 (1+1+1) 2. Health Sanitary Inspector-3 (1+1+1)	Recommended: 3. Electrician-3 (1+1+1) 4. Health Sanitary Inspector-3 (1+1+1)	1. BCC is not available, No approved plan is given by SDM. 2. CITS qualified instructors are not available. 3. Fire safety certificate is not available.	ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM-1. BCC documents as per norms. 2. Fire safety certificate as per norms. 3. Undertaking to appoint CITS instructors before the start of session 2022. State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.
13.	Smt Vidyawati Industrial	Existing	1. COPA-3 (1+1+1)	Recommended:	1. ITI is	ITI needs to remove

Jung 3018

May

Page **120** of **279**

	Training Centre - Jhansi, Gora Machhiya Post Baragaon, Kanpur Road, Jhansi-284121 MIS CODE: PU09001617 TMP9153PU1579855685 Grading: 2.28	but code is for New ITI	2. Electrician-4 (1+1+2)	1. COPA-2 (1+1) 2. Electrician-2 (1+1) 1. Sufficient Tools and machinery is not available as per the trade and unit sought for affiliation. Item is available for (1+1) unit for Electrician and (1+1) unit for COPA. 2. The original bill was not available for the purchasing of Tool and equipments for COPA Trade, only photo copies were available.	existing ITI but code is given for new ITI. ITI may have submitted as new ITI application 2. BCC is not as per norms. 3. CITS qualified instructors are not available.	the deficiencies mentioned in column V and VI and submit the report to concerned State Directorate within 07 days of issue of this MoM. State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM.
14.	Lalaram Shridevi Private Industrial Training Institute, Aligarh Village Bhudia Post Chhabilpur Tehsil Atrauli, Aligarh 202280 TMP9119PR1582784786	New,MSTI	1. Cutting & Sewing (VI & OD)-3 (1+1+1) 2. Electrician-6 (2+2+2) 3. Fitter- 6 (2+2+2) 4. Plumber-3 (1+1+1)	Not Recommended 1.Land seller and purchaser are same which is not proper. original doc not shown. a photocopy of the paper looking was tempered. Society reg. is expired on 19 dec 21. 2.In the same campus and land Lalaram Shri Devi Inter College was running. There was no doors in any room of building. 3.Machines were going to	1. Land lease documents are not proper. Society registration was also expired. Another college is running in the same campus. 2. BCC and approved layout plan is not available. 3. Machineries were not	Not recommended as per recommendation of ICVC and deficiencies mentioned in column V and VI

ALMOS R

Page **121** of **279**

				be installed in front of inspection committee, which was partially installed and the payment detail of machine bills was shown from other society. 4. There was no workbench, locker, furniture, almirah in whole institute. New machine were coming in front of committe. 5. Staff was appointed but it came in notice of committee that some staff was common in Shiv shakti p iti and Lalaram shridevi p iti	installed.New machines were brought during inspection. 4.CITS qualified instructors are not available. Same staff used for two ITIs. 5.Meter sealing report not shown. Electricity bill is showing online in name of college. 6.NOC for MSTI lying under unserved area is required. 7.Fire safety certificate is not available.	-
15.	Manjul Industrial Traning Institute, Araji No.1221, Meharban Singh Ka Purwa,Kanpur Nagar MIS CODE: PU09002153 Grading: 1.88	Existing	1. COPA-3 (1+1+1) 2. Electrician-3 (1+1+1) 3. Fitter- 3 (1+1+1)	Not Recommended 1.Electrician and Fitter workshop space area, Classroom area are not available as per DGT norms. 2.Few machines are not working in Fitter and Electrician workshop and hydraulic machines is not	1. No approved plan and BCC certificates are not provided by ITI. 2. Electrician, fitter classroom and workshop area is not as per norms. 3.CITS qualified	Not recommended as per recommendation of ICVC and deficiencies mentioned in column V and VI

Auros B

Cole

				working 3.Tools and Equipments are partially available 4.Payment proof and bills are not provided by ITI.	instructors are not available. 4.Fire safety certificate is not available.	
16.	O. P. Adarsh Private Industrial Training Institute, Tedi Bhagiya Rambagh Agra -282006 TMP9118PU1581075899	New	 COPA-3 (1+1+1) Electrician-6 (2+2+2) Fitter- 3 (1+1+1) Health Sanitary Inspector-3 (1+1+1) 	Not Recommended ITI denied for inspection. No ITI was found at the given address.	No inspection was carried out.ITI denied for inspection.	Rejected
17.	Adarsh Private Industrial Training Institute Private Industrial Training Institute Police Lines Tiraha, Banda-210001 MIS CODE: PU09001864 Grading: 2.3	Existing	Electrician-3 (1+1+1)	Recommended: 1. Electrician-3 (1+1+1)	CITS qualified instructors are not available.	Recommended: 1. Electrician-2 (1+1) ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session 2022 to the concerned state directorate and RDSDE within 07 days from the issue of this MoM. RDSDE and the state will ensure the

8/00/2018

Page **123** of **279**

		-				instructors are appointed in the ITI before the start of session 2022.
18.	Shri Tirupatil Balaji Private Industrial Training Institute, Nagla Shroti Civil Line Firozabad-283203,UP TMP9143PU1580823454	New	1. COPA-3 (1+1+1) 2. Electrician-6 (2+2+2) 3. Fitter- 3 (1+1+1) 4. Health Sanitary Inspector-3 (1+1+1)	Not Recommended 1.Total land/ plot area is 1110.77sq.m. But as per Map total land area is 1868 .00 sqm.Not as per norms required plot /land area 1.07 acre. 2.Earthing of machines is not done. some computers do not have latest configuration.Gas welding set is not available in Fitter workshop. 3.Drawing hall available but area is less than 50 square meter. It is not as per norms. 4.Electrical/ fitter workshop work shop earthing is not proper.	1.Total Land/plot area is not available as per NCVT norms. 2. Drawing hall area is not as per norms. IT lab computers is not as per norms. 3.BCC is not available, No approved plan is given by Tehsildar. 4.CITS qualified instructors are not available.	Not recommended as per recommendation of ICVC and deficiencies mentioned in column V and VI
19.	Maa Pitambra Pvt ITI, Shivpuri Road, JMK Motors, Behind JK Hospital, Nan,Jhansi MIS CODE:	Existing	Electrician-6 (2+2+2)	Recommended: 1. Electrician-6 (2+2+2) Sufficient Tools and	BCC is not as per norms CITS qualified instructors are not	ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM-

Page **124** of **279**

	PU09001984 Grading: 2.67			machinery is available as per the trade and unit sought for affiliation Except two machinery item all installed properly. All machinery/tools available as norms.	available.	 BCC documents as per norms. Undertaking to appoint CITS instructors before the start of session 2022.
						State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.
20.	Mahesh chandra rajeev kumar private ITI, Near railway station , Marehra,district-Etah- 207401 MIS CODE: PR09900135 Grading: 1.54	Existing	 Computer Hardware & Network Maintenance-3 (1+1+1) Fashion Design and Technology 3 (1+1+1) Solar Technicial (Electrical)- 3 (1+1+1) 	(Electrical)- 3 (1+1+1)	1.BCC is not attached. However, ICVC mentioned that BCC is approved by civil engineer. 2.CITS qualified instructors are not available.	ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM-1. BCC documents as per norms. 2. Undertaking to appoint CITS instructors before the

100 mg

Page **125** of **279**

			150	machineries are purchased for the new upcoming proposed trades with proper billings. All machines are installed properly and were found in proper working condition.		start of session 2022. State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.
21.	Lakshya Private Industrial Training Institute, Agra Vill Choma Shahpur NH- 21 Kirawali, Agra-283110 TMP9118PR1582450620	New	 COPA-3 (1+1+1) Electrician-12 (4+4+4) Fitter- 3 (1+1+1) Health Sanitary Inspector-3 (1+1+1) 	Not Recommended ITI does not exist. The Authorities denied the inspection.	No inspection was carried out.ITI denied for inspection.	Rejected
22.	Rajesh Kumar Sadhna Devi Private ITC - Etah,Dhumari Etah- 207248 MIS CODE: PR09000673 Grading: 1.25	Existing	 COPA-3 (1+1+1) Electrician-12 (4+4+4) Health Sanitary Inspector-3 (1+1+1) 	Recommended: COPA-3 (1+1+1) Health Sanitary Inspector-3 (1+1+1)	1.BCC is given by architect. Not as per norms. 2.CITS qualified instructors are not available.	ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM-1. BCC documents as per norms. 2. Undertaking to

Jan 2018

Mark

						appoint CITS instructors before the start of session 2022. State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.
23.	Bohre Natthi Lal Mudgal Private I.T.I Private Industrial Training Institute, Khediya Iradat Nagar Agra -283112 TMP9118PR1582369959	New	 COPA-3 (1+1+1) Electrician-3 (1+1+1) Fitter- 3 (1+1+1) Health Sanitary Inspector-3 (1+1+1) 	Recommended: 1. COPA-3 (1+1+1) 2. Electrician-3 (1+1+1) 3. Fitter- 3 (1+1+1) 4. Health Sanitary Inspector-3 (1+1+1)	1. BCC is given by gram panchayat and arhictect, not as per norms. 2. CITS qualified instructors are not available.	ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM-1. BCC documents as per norms. 2. Undertaking to appoint CITS instructors before the start of session 2022. State Directorate will verify above reports

Among as

Page **127** of **279**

						and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.
24.	Shiv Shanker Industrial Training Centre , Verified By - Bareilly-243202 MIS CODE: PR09000128 Grading: 1.81	Existing	1. Electrician-4 (1+1+2) 2. Fitter- 3 (1+1+1)	Recommended: 1. Electrician-2 (1+1)	1.BCC is not available. No approved plan is given by Tehsildar. 2.CITS qualified instructors are not available.	ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM-1. BCC documents as per norms. 2. Undertaking to appoint CITS instructors before the start of session 2022. State Directorate will verify above reports and admission data and send recommendation of all the trades/units within 07 days from issue of

Page **128** of **279**

						this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.
25.	Lalsa Prasad Institute of Technical Education Pvt ITI - LucknowD-139/3 Indira Nagar Lko.Lucknow-226010 MIS CODE: PR09001023 Grading: 1.53	Existing	 Computer Operator and Programming Assistant (COPA)- 3(1+1+1) Electrician- 4(1+1+2) Fitter - 4(1+1+2) 	Recommended: Fitter- 2(1+1) Electrician- 2(1+1) and Not recommended: COPA 1. Tools and equipments are available as per norms for Fitter and Electrician new trade Tools and equipment for COPA trade are not available as norms 2. In Lalsa PVT ITI having all machinary bills and payment receipt for existing and additional unit for Fitter and Electrician Trade but not of New trade COPA. COPA trade is not recommended.	1. BCC is not as per norms. 2. Drawing Hall Furniture not as per norms. 3. CITS qualified instructors are not available.	ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM-1. BCC documents as per norms. 2. Drawing hall furniture details. 3. Undertaking to appoint CITS instructors before the start of session 2022. State Directorate will verify above reports and admission data and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are

Page **129** of **279**

	,					appointed before the session 2022.
26.	Vishwakarma Private ITI Vill- Singhpur Post- Ghitauli Karhal Road Mainpuri, Up MIS CODE: PR09900574 Grading: 1.53	Existing	1. Fitter- 6 (2+2+2)	Recommended: 1. Fitter- 6 (2+2+2)	1.Only NCVT member report is available. 2.Electric load is less.(Available-13 KW,Required- 16.22 KW) 3.CITS qualified instructors are not available.	Deferred as SCVT report is not available.
27.	Surendra Bala Bhatnagar Private Industrial Training Institute, Aligarh,Omnagar, Khair- 202138 TMP9119PU1582734149	New	 Electrician-6 (2+2+2) Electronics Mechanic-3 (1+1+1) Fitter- 3 (1+1+1) Health Sanitary Inspector-3 (1+1+1) 	Recommended: 1. Electrician-4 (2+2) 2. Fitter- 2 (1+1) 3. Health Sanitary Inspector-2 (1+1) 4. Electronics Mechanic-2 (1+1) Remarks: Earthing is not proper in the electrical lab and fitter lab. Rubber mat is not available in the electrician lab.	 UPS is not available in the IT lab. Earthing is not proper in the electrician and fitter lab. CITS qualified instructors are not available. 	ITI will remove the deficiencies mentioned in column V and VI and submit a report to concerned RDSDE within 07 days of issue of this MoM. RDSDE will submit the verified report with clear recommendation of all trades/units to DGT.
28.	Ronald Private Itc - Lucknow, N 10,11a,Sil,Ancillary Estate,Nadergang	Existing	1. Electrician-17 (5+5+7) 2. Fitter- 2 (0+0+2)	Recommended: Electrician-10 (5+5), 3rd shift is not recommended.	BCC is not as per norms CITS qualified	ITI needs to submit the following details to State Directorate within 07 days from



	Industrial,Lucknow MIS CODE: PR09000957 Grading: 2.19	4			instructors are not available.	issue of this MoM- 1. BCC documents as per norms. 2. Undertaking to appoint CITS instructors before the start of session 2022. State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.
29.	S S Memorial Private Industrial Training Institute, Village- Aasfabad Bhawan, Post- Sherkot, District- Bijnor -246747 TMP9132PR1581079348	New	1. COPA-3 (1+1+1) 2. Electrician-6 (2+2+2) 3. Fitter- 3 (1+1+1) 4. Health Sanitary Inspector-3 (1+1+1)	Recommended: 1. COPA-2 (1+1) 2. Electrician-4 (2+2) 3. Fitter-2 (1+1) 4. Health Sanitary Inspector-2 (1+1)	CITS qualified instructors are not available.	Recommended: 1. COPA-2 (1+1) 2. Electrician-4 (2+2) 3. Fitter-2 (1+1) 4. Health Sanitary Inspector-2 (1+1) ITI needs to submit an undertaking that CITS qualified

James 10

Page **131** of **279**

						instructors will be appointed before the start of session 2022 to the concerned state directorate and RDSDE within 07 days from the issue of this MoM. RDSDE and the state will ensure the instructors are appointed in the ITI before the start of session 2022.
30.	Saint Bilal Pvt. I.T.I Private Industrial Training Institute, Sitapur Vill. Ganeshpur Block & Tehsil Laharpur District Sitapur-261135 TMP9183PR1581419884	New	1. COPA-3 (1+1+1) 2. Electrician-6 (2+2+2) 3. Fitter- 6 (2+2+2) 4. Plumber-3 (1+1+1)	Not Recommended: As per Map Gata no. 77 (wide size is 45.11 meter) and (Length size 83.52 meter). total plot area is 3767.58 Sqm. Land area is partially less than the required area.	1. While physically checking by ICVC, the land area is found less as per NCVT norms. 2. UPS is not available in the IT lab. 3. Drawing furniture is not proper in the drawing hall. 4. CITS qualified instructors are not available.	Not recommended as per recommendation of ICVC and deficiencies mentioned in column V and VI



31.	Shri Ram Raja Sarkar Private Industrial Training Institute, Jhansi Village Paadri,P.O.Bhojla,Block Badagaon, Jhansi - 284002 TMP9153PR1580287259	New	1. Electrician 6(2+2+2) 2. Fitter - 3(1+1+1) 3. Health Sanitary Inspector- 1(1+0) 4. Stenographer Secretarial Assistant (Hindi)-3(1+1+1)	Recommended for trades- 1. Electrician- (2+2+2), 2. Fitter- (1+1+1), 3. Health Sanitary Inspector-(1+1+1), 4. Stenographer Secretarial Assistant (Hindi)-(1+1+1)	1. CITS trained instructors not available. 2. BCC is not as per norms	ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM- 1. BCC documents as per norms. 2. Undertaking to appoint CITS instructors before the start of session 2022. State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.
32.	National College Of Education Private Industrial Training Institute, Bijnor Baasta Road, Chandpur Bijnor - 246725	New	1. Electrician 4(2+2) 2. Health Sanitary Inspector 2(1+1) 3. Physiotherapy Technician 2(1+1)	Recommended for 1. Electrician-4(2+2) 2. Radiology Technician- 2(1+1) 3. Physiotherapy Technician- 2 (1+1) 4. Health Sanitary	CITS trained instructors are not available.	Recommended: 1. Electrician- 4(2+2) 2. Radiology Technician- 2(1+1) 3. Physiotherapy Technician- 2 (1+1)

18 Permit 18

Page **133** of **279**

	TMP9132PU1581852354		4. Radiology Technician 2(1+1)	Inspector -2(1+1)		4. Health Sanitary Inspector - 2(1+1)
						ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session 2022 to the concerned state directorate and RDSDE within 07 days from the issue of this MoM. RDSDE and the state will ensure the instructors are appointed in the ITI before the start of session 2022.
33.	Virendra Singh Memorial Private ITI - Lucknow 5-Bhagwati Vihar Indralok Colony, Kanpur Road, Lucknow-226023 MIS CODE: PU09001688 Grading: 1.29	Existing	1. Electrician 9(3+3+3) 2. Fitter 3(1+1+1)	Recommended Additional Electrician 2(1+1) and Additional Fitter 2(1+1) Some of the Machines in electrician w/s- 3,4 were not installed properly. Fitter trade m/c installed properly.	BCC is not as per norms CITS qualified instructors are not available	ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM-1. BCC documents as per norms. 2. Undertaking to appoint CITS



						instructors before the start of session 2022. State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.
34.	Mata Tetara Devi Sachchidanand Private Industrial Training Institute, Ghazipur, Alipur Mandara Ghazipur- 275203 TMP9146PR1581769910	New	1. COPA- 3(1+1+1) 2. Electrician- 6(2+2+2) 3. Electronics Mechanic -3(1+1+1) 4. Fitter - 6(2+2+2)	Recommend for affiliation 1. COPA -2 (1+1), 2. Electronics Mechanic -2(1+1), 3. Electrician-4 (2+2), 4. Fitter -4 (2+2)	1. BCC is given by architect and gram panchayat.Not as per norms. 2. CITS qualified instructors are not available.	ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM-1. BCC documents as per norms. 2. Undertaking to appoint CITS instructors before the start of session 2022. State Directorate will verify above reports and send recommendation of all the trades/units within

A 208

Page **135** of **279**

						07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.
35.	Maa Sharada Samarak Audhogik Prashikshan Centre Gram Basarathapur - MauBasarathpur Gontha Mau-275303 MIS CODE: PR09001341 Grading: 1.91	Existing	Electrician -6(2+2+2)	Recommended : Electrician-6(2+2+2)	1. Only no approved plan is given .BCC is not available. 2. CITS qualified instructors are not available.	ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM-1. BCC documents as per norms. 2. Undertaking to appoint CITS instructors before the start of session 2022. State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.



36.	Sushma Singh Singraur Private ITI khatangi Ganga Allahabad -211012 MIS CODE: PR09900537 Grading: 1.5	Existing	Electrician - 6(2+2+2)	NCVT : Agree , ok SCVT : DisAgree ,not recommended	Contradictory recommendation from ICVC.	Joint re inspection will be conducted by the concerned State Directorate and RDSDE.
37.	Dulam Singh Private Industrial Training Institute, Unnao, TMP9186PR1580466245	New	1. COPA- 3(1+1+1) 2. Electrician- 3(1+1+1) 3. Electronics Mechanic-3(1+1+1) 4. Fitter- 3(1+1+1)	Not Recommended Remarks: 1. Fitter-Lathe machines are available without foundation and ITI Name and application not mentioned on machines. 2. Electrician - All electrical machines are installed without earthing, No Proper installation 3. Electronics: Instruments are not properly installed as norms 4. COPA- Internet connection, LAN, System configure are not available, 5. Electrical bill is not ITI Name 6. Staff appointed were not found as per norms. No formal	CITS qualified instructors are not available.	Not recommended as per recommendation of ICVC and deficiencies mentioned in column V and VI

8 January 18

Page **137** of **279**

				appointment letter was available.		
38.	New Kapoor Pvt I.T.I , Kanpur Nagar Vill. Budhanpur, Near Amauli , Ghatampur Kanpur Nagar 209206 TMP9157PR1580020309	New	1. COPA- 3(1+1+1) 2. Electrician- 6(2+2+2) 3. Fitter- 6(2+2+2) 4. Plumber- 3(1+1+1)	Recommended: 1. Electrician-4 (2+2), 2. Fitter-4 (2+2), 3. Plumber-2(1+1) 4. COPA-2(1+1)	1. BCC is given from architect. Not as per norms. 2. Details of CITS qualified instructor not available 1. BCC is given from a subject of the subject of t	ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM-1. BCC documents as per norms. 2. Undertaking to appoint CITS instructors before the start of session 2022. State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.
39.	Ishaq Nisha Pvt ITI Village Mukrampur Block Bhawalkhera Tehsil Sadar D, Shahjahanpur-242306	Existing	Fitter 3(1+1+1)	Recommended: 1. Electrician-6 (2+2+2), 2. Fitter-3 (1+1+1)	CITS instructor details of fitter trade are not available.	Case to be dealt on e-file.

Am 30/8

Page **138** of **279**

	MIS CODE: PR09901299 Grading: 0				2.Grading of ITI is zero.	
40.	Ram Milan Private Industrial Training Institute, Faizabad Ramdattpur, Atrawan, Darshan Nagar, Ayodhya - 224135 TMP9140PR1581692901	New	1. COPA- 2(1+1+0) 2. Electrician- 6(2+2+2) 3. Fitter- 2(1+1+0) 4. Sewing Technology- 2(1+1+0)	Recommended all trade 1. COPA-2(1+1+0) 2. Electrician- 6(2+2+2) 3. Fitter-2(1+1+0) 4. Sewing Technology-2(1+1+0)	1. BCC is not available. No statutory plan is available from Tehsildar. 2. Details of CITS qualified instructor not available 1. BCC is not available instructor. 2. Details of CITS qualified instructor not available.	ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM- 1. BCC documents as per norms. 2. Undertaking to appoint CITS instructors before the start of session 2022. State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.
41.	Veer Kunwar Industrial Training Institute Bijnor Private Industrial Training	New	Computer Hardware & Network Maintenance-	Recommended: 1. Electrician-2(1+1) 2. Fitter- 2(1+1),	BCC issued by Gram Pradhan. Not as	ITI needs to submit the following details to State Directorate

	Institute, Bijnor V.K.Puram Nagina Road Bijnor,246701 TMP9132PR1580196491		2(1+1+0) 2. Electrician- 2(1+1+0) 3. Fitter- 2(1+1+0) 4. Mechanic Diesel-2(1+1+0)	3. Diesel Mechanic- 2(1+1) 4. Computer Hardware & Network Maintenance-2 (1+1)	per norms. 2. Details of CITS qualified instructor not available	within 07 days from issue of this MoM- 1. BCC documents as per norms. 2. Undertaking to appoint CITS instructors before the start of session 2022. State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.
42.	Shri Moti Smriti Private ITI Adalpurtaj Kailsa Road Amroha Dist - 244221 MIS CODE: PR09901272 Grading: 0	Existing	1. Electrician 3(1+1+1) 2. Fitter 3(1+1+1)	Recommended: Electrician -2(1+1) and Fitter -2(1+1)	1. CITS instructors' details not available. 2. Grading of ITI is zero.	Case to be dealt on efile.
43.	Sri Dauji Maharaj Private	New	1. Electrician -	Recommended:	1. BCC is not as	ITI needs to submit



	ITI Barauli, Shamshabad Road Agra 1809016777		3.	3(1+1+1) Fitter -3(1+1+1) Housekeeping- 3(1+1+1) 4.Plumber- 3(1+1+1)	1. 2. 3. 4	, ,	2.	per norms CITS details of all instructors are not available.	the following details to State Directorate within 07 days from issue of this MoM- 1. BCC documents as per norms. 2. Undertaking to appoint CITS instructors before the start of session 2022. State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.
44.	Gyandeep Private Industrial Training Institute, Hardoi, Vill- Nevada, Post - Tadiyawan, Tahsil & Distt- Hardoi- 241404 TMP9150PR1582531229	New	1. 2. 3. 4.	6(2+2+2) Electronics Mechanic- 3(1+1+1) Fitter-6(2+2+2)	1. E 2. E 3. F 4. S	ommended: Electrician -4(2+2) Electronics Mechanic 2(1+1) Fitter -4(2+2) Stenographer Secretarial Assistant Hindi) 2(1+1)	in	ITS details of all structors are not /ailable.	Recommended: 1. Electrician -4(2+2) 2. Electronics Mechanic 2(1+1) 3. Fitter -4(2+2) 4. Stenographer Secretarial Assistant (Hindi)

Page **141** of **279**

	Assistant (Hindi)-3(1+1+1)	ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session 2022 to the concerned state directorate and RDSDE within 07 days from the issue of this MoM. RDSDE and the state will ensure the instructors are appointed in the ITI before the start of session 2022.
--	----------------------------	---



14. State: Uttarakhand, total 01 (New 01), ITIs proposal for affiliation.

SI. No.	ITIs Name/ Address/ MIS Code / Grading	Existing/ New/ MSTI	Trades/ units sought for affiliation	sought for Cum Verification		Remarks by 5th SCAA meeting held on dated 16.08.2022
ţ	11	Ш	IV	V	VI	VII
1.	Shiv Private Industrial Training Institute Ward no. 08, VPO Rasham Majri- Doiwala Dehradun – 248140 TMP549PR1580293798	NEW	1. Electrician 1(1+0) 2. Fitter 1(1+0) 3. HealthSanitar y Inspector 1(1+0) 4. Surveyor 1(1+0)	 Not Recommended Severe shortage of tools and equipments Insufficient space to accomodate all equipments. Biometric machine not available Machinery not installed and grounded some machine in junk condition, not even cleaned, sparks visible, machines not earthed No proper drinking water facility, no ramp for disabled. Temp sign board, about 8 ft. partitioning done to separate labs. Area for surveyor Lab is less by 10sq. mt. No classrooms available even though marking has been done. 	 CITS Qualified Instructor details not available IT Lab not as per norms Drawing Hall Furniture not as per norms Building not as per norms Land not as per norms Amenities not as per norms Machinery availability and installation not as per norms Safety measures not as per norms 	Not Recommended due to deficiencies mentioned in column V & VI



Mark

		No space for office work. 9. no health safety sign boards available 10. HT Electrical installation just in front of gate and approach road		
--	--	--	--	--

18 September 18

7. State: West Bengal, total 08 (New 01, Existing-07 ITIs) proposals for affiliation.

SI. No.	ITIs Name/ Address/ MIS Code / Grading	Existing/ New/ MSTI	Trades/ units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 5th SCAA meeting held on dated 16.08.2022
1	11	Ш	IV	٧	VI	VII
1.,	Khamargachi Private ITI Vill: Hamjanpur P.O. Khamargachi Ps: Balagarh Dist: Hooghly - 712515 MIS CODE: PR19000230 Grading: 2.07	Existing	1. Electrician 6(2+2+2) 2. Fitter 6(2+2+2)	1. Recommende d 2. 2. Biometric machine not available	1. BCC not as per norms 2. CITS qualified instructor details not available 1. BCC not as per norms 2. CITS qualified instructor details not available	As informed by the State Directorate, BCC is as per norms. ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM-1. ITI has purchased and installed Biometric machine 2. Undertaking to appoint CITS instructors before the start of session 2022. State Directorate will verify above reports and send recommendation of all the trades/units



							within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.
2.	Don Bosco Technical Institute, Park Circus,Kolkata,West Bengal MIS CODE: PU19000112 Grading: 3.16	Existing	1.	Electrician2(1+1)	Recommended: 1. Electrician - 2(1+1) Machinery not properly installed	1. Details of CITS qualified instructor not available 2. BCC not available for additional construction 3. Machinery not properly installed	State Directorate to verify 1. 1.Machinery is installed as per norms 2. BCC documents as per norms. 3. Undertaking to appoint CITS instructors before the start of session 2022 is provided by ITI. State Directorate will verify above deficiencies and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are

Among R

Page **146** of **279**

						appointed before the session 2022.
3.	Raniganj Private ITI, Barddhaman, West Bengal MIS CODE: PU19000240 Grading: 2.63	Existing	 Data Entry Operator 2(1+1) Hospital Housekeeping 2(1+1) 	Recommended: 1. Data Entry Operator 2(1+1+0) 2. Hospital Housekeeping 2(1+1+0) Electricity available 16 KVA and load enhanced to 26 KW and approved by WBSEDCL dated 07-04-2022	1. CITS Qualified Instructor details not available 2. 2. Drawing hall area not as per norms	State Directorate to verify Drawing Hall is available as per norms and ITI has given an undertaking for appointment of CITS qualified instructors before the start of Session 2022. State Directorate will verify above deficiencies and recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.
4.	Bishnupur Public I.T.I, Bankura	Existing	1. Fitter- 2(1+1) 2. Electrician-2(1+1)	Recommended: 1. Fitter 2(1+1) 2. Electrician	CITS Qualified Instructor details not available	ITI needs to submit the following details to State Directorate within 07 days from



	MIS CODE: PR19000118 Grading: 2.28			2(1+1)	BCC not as per norms	issue of this MoM- 1. BCC documents as per norms. 2. Undertaking to appoint CITS instructors before the start of session 2022. State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.
5.	Novel Private Industrial Training Institute, Hooghly,West Bengal TMP19312PR1581497650	New	1. Electrician -3(1+1+1) 2. Fitter-3(1+1+1) 3. Smartphone Technician Cum App Tester-3(1+1+1) 4. Welder-3(1+1+1)	Recommended: 1. Fitter 3(1+1+1) 2. Electrician 3(1+1+1) 3. Welder 3(1+1+1) 4. Smartphone Technician cum App tester	All Instructors are not CITS Qualified BCC not as per norms	ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM- 1. BCC documents as per norms. 2. Undertaking to appoint CITS instructors before the start of

And 8 M

Page **148** of **279**

			G	3(1+1+1)		session 2022. State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.
6.	Salboni ITI,,Medinipur West Vill-Bankibandh, Po- Sayedpur, Ps-Salboni, Dist Paschim Medinipur – 721147 MIS CODE: PU19000064 Grading: 3.95	Existing	1. Solar Technician (Electrical)-2(1+1)	Recommended: 1. Solar Technician (Electrical) - 2(1+1) 1. Manual attendance register 2. 3. not available PWD staircase and toilet	CITS Qualified Instructors not available Manual attendance maintained	RDSDE to verify that PwD staircase, toilet and other amenities are available as per norms, get an undertaking from ITI that ITI will appoint CITS instructors before the start of session 2022. RDSDE to submit a report with clear recommendations of trades and units. State directorate and RDSDE will ensure



						CITS instructors are appointed before the session 2022.
7	Don Bosco Technical School, Liluah, Haora 136, Girish Ghosh Road, P.O Liluah, P.S- Liluah – 711204 MIS CODE: PU19000006 Grading: 2.73	Existing	1. Fitter-4(1+1+2) 2. Electrician-6(2+2+2) 3. Turner-1(0+0+1) 4. Machinist-1(0+0+1)	Recommended	1. All Instructors are not CITS qualified 2. Sanctioned load is less 3. BCC is not as per norms	ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM- 1. BCC documents as per norms. 2. Undertaking to appoint CITS instructors before the start of session 2022. State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.
8.	Royal Private ITI Medinipur East At - Professor Colony Po+Ps - Contai Dist - Purba	Existing	 Electrician - 1(0+0+1) Electronic Mechanic - 2(1+1) Food and Beverage 	Recommended: 1. Electrician - 1(0+0+1) 2. Electronic	All instructors are not CITS qualified	Recommended: 1. Electronic Mechanic -

James 18

Page **150** of **279**

Medinipur – 721401 MIS CODE: PU19000109 Grading: 2.77	000	Mechanic - 2(1+1) Food and Beverage Service Assistant - 2(1+1) Out of 13 trainers Only 2 CITS rained	2(1+1) 2. Food and Beverage Service Assistant - 2(1+1) The ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session 2022 to the concerned state directorate and RDSDE within 07 days from the issue of this MoM. RDSDE and the state will ensure the instructors are appointed in the ITI before the start of session 2022.
---	-----	--	---



Agenda 3: Compliances of SCAA remarks of Minutes of 1st SCAA meeting held on 05.04.2022 & 06.04.2022

Following cases were put in previous affiliation meeting, but were not recommended due to certain deficiencies. ITIs were asked to remove those deficiencies and submit the report through the concerned State Directorate/RDSDE. In this regard reports for following ITIs are received from the State Directorates/RDSDEs.

The cases were discussed in the meeting and the recommendation of 5th SCAA is given in column IX-

1. State: Andhra Pradesh

S.no	ITI's Name/ #Mis Code / *App. Number	Type of app. Existin g / New	Trades/Unit s sought for affiliation	Recommendatio n of Trade / Units by inspection cum verification committee (ICVC)	Remarks by Scrutiny Team (TC- section) at DGT Hqrs.	Remarks by 1 st SCAA held on 05.04.2022 & 06.04.2022	Observations	Remarks by 5th SCAA meeting held on dated 16.08.2022
1	U	111	IV	V	VI	VII	VIII	IX
1.	Sri Balaji Pvt. ITI, Vinukonda Narasarapet Road Vinukonda522647 PU28000433	Existing	Electrician – 4 (2+2) Fitter – 2 (1+1)	Electrician – 4(2+2) Fitter – 2(1+1) Subjected to production of proof electric power enhancement and procured the minor shortages.	Since the available power load is only 22 KW against the requirement of 25.26 KW. We may recommend Electrician —	Recommended Electrician – 2(1+1) Fitter – 2(1+1)	Letter is received from the State Directorate of AP stating that the said ITI has available power load of 26 KW and they have also verified the same So, Electrician	Recommended: Electrician – 2 (1+1)



	2(1+1) Fitter —	- 4 (2+2) and Fitter - 2(1+1) may be
	2(1+1)	recommended instead of Electrician —
		2(1+1) Fitter – 2(1+1)

2. State: Bihar

S.N o.	ITI's Name/ *Mis Code / *App. Number	Type of app. Existi ng / New	Trades/Un its sought for affiliation	Recommendat ion of Trade / Units by inspection cum verification committee (ICVC)	Remarks by Scrutiny Team (TC- section) at DGT Hqrs.	Remarks by 1 st SCAA held on 05.04.2022 & 06.04.2022	Observations	Remarks by 5th SCAA meeting held on dated 16.08.2022
I	II	111	IV	V	VI	VII	VIII	IX
1.	Ganga Memorial College of Polytechnic, Harnaut, At- Nh- 31, Kharuara, PO+PS- Harnaut,, Nalanda,	New	Fitter – 2(1+1) Electrician – 6(3+3) Surveyor – 2(1+1) Computer operator	Fitter – NR Electrician – NR Surveyor – NR Computer operator and Programming Assistant – NR	Not recommended 1. Drawing hall is shared with polytechnic college. 2.COPA trade: Lab common with polytechnic	Since this is case of spare capacity in Polytechnic to run ITI, State Directorate requested to arrange inspection at	A joint report is through mail from RDSDE Bihar. Observation as per report received: 1. Report is signed by Nodal ITI	Recommende d: Fitter – 2(1+1) Electrician – 6 (3+3) Surveyor – 2 (1+1) Computer



	3		nd	3. Faculty is shared	Stat			Principal	operator and
		Pr	rogrammi	with polytechnic	and			Nawda, Nodal	Programming
		ng	g		repo			ITI Principal	Assistant – 2
		As	ssistant –		follo	wing		Nalanda and	(1+1)
		2((1+1)		рага	ameters:		officer from	
			` '			_		RDSDE	
						Power		Bihar.	
						load is	2.	Satisfactory	
			4			available		document	
						as		submitted for	
			1			required.		power sharing	
						Time		between ITI	
						table for		and	
	-					running		polytechnic.	
						ITI.	3	Experience	
					3.	Major	١٠.	and	
						equipmen		qualification	
						t's	l	•	
						/machiner		documents of	
		l 10	1			ies of all	1	trainers are	
					ı	the four		also attached.	
					ı	trades in			
						column			
						IV is			
						available.			
1							1		

Some Significant

2.	Sangam Private	Existin	Electrician	Final comments	1.Origianl bills not	Recommend	Joint inspection	Recommende
-	ITI At+Po+Ps: -	g	- 8 (4+4)	from NCVT	provided, few	ed for Joint	report received	d:
	Madanpur	9	-0(4.4)	member is not	machines and	re-inspection	from the State	
	Aurangabad-			available	equipment not	through State	Directorate on	Electrician – 8
	824208			avallable	properly installed,	Directorate	date 25.07.2022.	(4+4)
	024200				electrical	Directorate		
	PR10000898				connection port not		Observations	
					available for		based on report	
					electrical		received:	
					equipment,		1. Joint	
					machines not		inspection	
							was done by	
					engraved properly, 2. Final comments		Govt. ITI	
					from NCVT		Aurangabad,	
					member is not		Nodal	
							Principal	
					available. sign on		Lakhisarai	
					each page is also not available 3.		and Joint	
1					1		Director	
	Į.				Drawing Hall is not		RDSDE	
					as per norms		Bihar.	
		1			4.Only 2 CITS		2. Joint	
					trained instructors		committee	
				1	available. Bank		has	
					account and salary		recommende	
					details not shown		d to consider	
					at the time of		this case	
					inspection.		positively.	
							,	
								3
				1 Am				,

A 2018

Page **155** of **279**

3.	SN Pvt ITI,	New	Electrician	Electrician -	MSTI inspected as	This is the	A Joint Inspection	State
1.	Block Balia,		- 4(2+2)	NR	per ITI norms there	case of	report was	Directorate
	Begusarai Dist,		.(= =/		are separate norms	MSTI in	received from the	will send NOC
	Bogadaiai Biot,		Surveyor –	Surveyor – NR	for infrastructure in	unserved	State Directorate	required for
	Nh-31-851211,		2(1+1)	Many key tool	MSTIs. Many short	block -State	on date	MSTI lying in
	Begusarai,			and	comings are there.	Directorate	04.08.2022	unserved area
				equipment	sommings and anone.	recommend	through mail.	to consider
				were not		ed for		this ITI as
	TMP 386 MSTI			available such		reinspection	Observations	MSTI within 7
				as various		as per MSTI	based on report	days from the
				type of lamps,		Norms	received:	date of issue
				function		along with	1. Joint	of MOM.
				generator.		NOC.	inspection	
				Dead stock			was done by	
				register and			Govt. ITI	
				raw material			Araria, Nodal	
				register was			Principal	
				not being			Lakhisarai	
				maintained as			and Deputy	
				per standard			Director	
				format ITI			RDSDE	
				Name was not			Bihar.	
				engraved or		ľ	2. Joint	
				punched in			inspection	
				any of the			committee	
				machine as			has	
				prescribed in			recommende	
				affiliation			d to consider	
				norms IT labs			this case	
				was not			positively.	
				having			3. No NOC is	
				internet			provided from	
							State	



Page **156** of **279**

				facility, UPS and antivirus. Even system configuration was very obsolete.			Directorate to consider this ITI as MSTI.	
4.	Techno India Private ITI Vill – Akhtiyarpur Rajaura, P.O – Rajaura, P.S BEGUSARAI PR10001105	Old	Electrician 8(4+4)	Agree, Starters for DC motors to be provided However, for existing units of electrician trade Following items were not available 1. starters not available with DC motors. 2. AC wound rotor motor starter was not available 3.Manual moor coil winding machine – Not available 4.Primary Cu Injection set	1.For new trades Starters for DC motors to be provided 2. AC wound rotor motor starter was not available 3.Manual moor coil winding machine — Not available 4. Primary Current Injection set 200A - Not available 5.Manual moor coil winding machine — Not available 6.Wiring board - Not available, Pillar electric drill machine - Not	Recommen ded for Joint re- inspection of existing trades also. ITI has to remove all the short comings mentioned in (column VI) within 15 days. State Directorate to arrange Joint Inspection with RDSDE and send the report to DGT Hqrs. Within 1 month from the date of issue of this minute.	Joint Inspection report was received from the State Directorate on date 04.08.2022 through mail. Observations based on report received: 1. Joint inspection was done by Govt. ITI Araria, Nodal Principal Lakhisarai and Deputy Director RDSDE. 2. Joint inspection committee has recommende	Recommende d: Electrician – 8 (4+4)



M

200A - Not available 5.Manual moor coil winding machine - Not available 6.Wiring board - Not available 7.Pillar electric drill machine - Not avail 8.Synchronou	available 7.Synchronous motor does not have starter, Excitation arrangement 8.Compound generator does not has Prime mover i.e squirrel cage induction motor , Rheostat	d to consider this case positively.
machine - Not available 6.Wiring board - Not available	Excitation arrangement 8.Compound generator	
Not avai	mover i.e squirrel cage induction motor	
s motor does not have	9.Domestic	
starter, Excitation	appliances – e. Ceiling fan f. Geyser g. Mixture	
arrangement 9.Compound generator does not has	grinder h. Washing Machine – Not available	
Prime mover i.e squirrel cage induction	10.Oil testing kit no available	
motor , Rheostat 10.Domestic	11.Shaded pole motor - not available)	
appliances – e. Ceiling fan f. Geyser g. Mixture grinder h.	12. Fire safety certificate, fire extinguisher etc not available,	



				Washing Machine – Not available 11.Oil testing kit not available 12.Shaded pole motor - not available				
5.	KDS Private ITI, Rajgir Road, Mangar Bigha Giriyak, NALANDA- 803109 PR10000980	Existin g	Electrician - 8(4+4) Surveyor - 2(1+1)	Electrician – 8(4+4) Not recommended for Surveyor trade due to less machinery and Tools & Equipment's also required space was not sufficient.	6No biometric machine available. PWD accessibility required.	Conditionally recommende d Electrician – 8(4+4) However, ITI has to remove the shortcoming mentioned in (column VI) and forward the report to DGT Hqrs. within 15 days from the date of issue of this minute	Report is received from the concerned State Directorate. The State Directorate has recommended affiliation.	Recommende d: Electrician 8 (4+4)

A 18

Page **159** of **279**

6	B N Ray ITI, At:- Main Road Darwa, P.O.+P.S Isuapur Pin 841411, TMP 410 MSTI	New	Electrician - 4(2+2) Fitter - 2(1+1)	Electrician – 2(1+1) Fitter – 2(1+1) 1.Separate drawing hall should be prepare d within one month. 2. Electrical wiring should be separate for each machine.	No drawing hall present Electrical wiring should be separate for each machine. Fire safety certificate not available	through State Directorate. Conditionally recommende d: Electrician – 2(1+1) Fitter – 2(1+1) This is the case of MSTI in unserved block. MSTI needs to prepare separate drawing hall and remove all the short coming mentioned in (Colum VI) within one month.	Report is received from the concerned state directorate. Observations based on report received: 1. State Directorate has recommen ded for affiliation. 2. NOC for MSTI is required.	State Directorate will send NOC required for MSTI lying in unserved area to consider this ITI as MSTI within 7 days from the date of issue of MOM.
						State Directorate		

Amaga8

Market

7.	Churaman Rai	New	Electricia	Electrician –	1. Plan is approved	requested to submit submit the compliance report to DGT Hqrs.	Report is	State
	Private ITI, Chhapra State - Bihar TMP 391 MSTI		n – 2(1+1) Fitter – 2(1+1)	2(1+1) Fitter – 2(1+1)	by architecture only. 3.Qualification document and experience certificate of trainers not available. 4.Insulation Rubber Matting should be provided.	y Recommen ded Electrician – 2(1+1) Fitter – 2(1+1) Subject to remove the deficiencies mentioned in column VI within 15 days. State Directorate will forward the report alongside NOC to DGT Hq within one	received from the concerned State Directorate Observations based on the report received: 1. Affiliation may be recommen ded. 2. NOC for MSTI is required.	Directorate will send NOC required for MSTI lying in unserved area to consider this ITI as MSTI within 7 days from the date of issue of MOM.

100 m

8.	Navbharat Private ITI Bishunpur, Dighi, Hajipur, Vaishali PR10000502	Old	Electricia n 12(4+4+4) Fitter – 3(1+1+1)	Electrician Addl. 4(2+2) Fitter – NR	1.IT lab 12 Old version computers available. 2.NCIC instructor qualification and experiences details are not available	month from the date of issue of these minutes. Conditionall y recommend ed Electrician Addl. 4(2+2). However,	Report is received from the concerned State Directorate Observations based on the report received. 1. Details of	Recommende d: Electrician - 4 (2+2)
					3.BCC signed by architect, No statutory plans certificate by circle officer.	However, ITI has to remove all the deficiencies as mentioned in (column VI) and forward the report to DGT Hqrs through State Directorate within 15 days from	CITS trained instructor not provided by ITI. 2. State Directorate has recommen ded ITI's proposal for affiliation.	



9.	RN Private ITI Ram Raj Nagar, Dharambari Road, Post- Dighwa Dubauli Dist-Gopalganj, Bihar-841409 PR10000940	Old	Electrician 18(6+6+6) Fitter 6(2+2+2)	Electrician - NR Fitter – NR	1.Rating mismatch Electrician S.No. 64,80,81,96,129,132 ,151 Fitter some machinery not installed. 2. ITI does not have sufficient CITS pass instructors 3 Earthing not per DGT Norms 4. Biometric machine is not installed	the date of issue of this minute. Applicant ITI need to remove all the deficiencies mentioned in column VI within 15 days from the date of the issue of the minutes. After that Joint Inspection will be arranged.	Report is received from the concerned State Directorate Observation based on the report received: 1. Joint Inspection of ITI was conducted by RDSDE and State Directorate. 2. Joint inspection team has recommende d for affiliation	Recommende d: 1. Electrician - 12 (6+6) 2. Fitter – 4 (2+2)
10.	Suryanath Private ITI, Khajuraha Mishra, Post- Bhore, Gopalganj	Existin g	Electrician – 4(2+2)	Electrician – NR Remarks of members: Disagree, Only NCVT SCVT member	No inspection is carried out.	Recommend ed for reinspection. State directorate arrange the joint	Joint re- inspection of this ITI was carried out by member from RDSDE and State. Joint inspection	Recommende d: Electrician – 4 (2+2)



Page **163** of **279**

	PR10000941			present		inspection with RDSDE and forward the report to DGT Hq, New Delhi within one month from the date of issue of the minutes.	team has recommended for affiliation	
11,	Aishwarya Max Glow Private ITI, Near Toll Plaza 28 Muzaffarpur 1810018970	New	Electricia n – 4(2+2) Fitter – 4(2+2) COPA – 2(1+1) Plumber - 2(1+1)	Electrician – 4(2+2) Fitter –4 (2+2) COPA- 2 (1+1) Plumber - 2(1+1) NCVT comments is IT lab available. SCVT comments no IT lab available. NCVT comments is	 IT lab not as per norms. Load not clear in electricity bill uploaded. Less number of computer system. No machinery in Plumber trade – SCVT comments 	ITI need to remove the deficiencie s mentioned in column VI and send report through State Directorate.	Report is received from the Concerned State Directorate stating that ITI has removed all deficiencies, affiliation may be granted.	Recommende d: 1. Electrician



Page **165** of **279**

					norms.	VI). And forward the report to DGT Hqrs. through State Government along with NOC.	2. Joint inspection team has recommen ded for affiliation 3. NOC for MSTI is required.	
13.	R K Pvt ITI, Village Age Amwari Post Nandpur Amwari, Raghunathpur, Siwan TMP 390 MSTI	New	Electricia n - 4(2+2) Fitter- 4(2+2)	Electrician – NR Fitter- NR Not recommended for Affiliation of Trade electrician and ITI not fulfilling DGT Norms.	1. Drawing Hall very small. 2. Qualification and experience documents not available. 3. Power not sufficient available 8KW, required8.22KW	MSTI case -MSTI needs to remove all the deficiencie s as mentioned (column VI) within one month from the date of issue of the minute and forward the report through State Directorate	Report is received through the concerned State Directorate stating that ITI has removed all deficiencies may be recommended for affiliation. NOC for MSTI is required.	State Directorate will send NOC required for MSTI lying in unserved area to consider this ITI as MSTI within 7 days from the date of issue of MOM.



14.	Sangita Pvt. ITI, Village +P.O Chainpur, Block-Siswan, District-Siwan, Bihar,Siwan, Bihar. TMP 403 MSTI	New	Wireman – 4(2+2) Old batch	Wireman NR	1.Tax Invoice computerized and therefore not signed. Bench Vice not installed. 2. Area of Drawing hall is less. 3.Less in power norms, Required Load-5 Kw, Available Load-4 Kw 4.Electrical Earthing not proper.	along with NOC. MSTI needs to remove the deficiencies and send report through State Directorate.	Report is received from the Concerned State Directorate stating that ITI has removed all the deficiencies, may be recommended for affiliation. NOC for MSTI is required.	State Directorate will send NOC required for MSTI lying in unserved area to consider this ITI as MSTI within 7 days from the date of issue of MOM.
15.	Balaji Private ITI, Naranpur Beduali, P.OGaraul, Block-Garaul, Dist Vaishali, Bihar844118, TMP 407 MSTI	New	Electrician – 4(2+2) Fitter – 4(2+2)	Electrician – 4(2+2) Fitter – 2(1+1) 1. Availability of area for fitter workshop Unit 2 is used for other purpose and instructed to vacant that particular	1.Availability of area for fitter workshop unit 2 is used for other purposes. 2. old version computers are available in IT Lab.	Conditionally recommende d: Electrician – 4(2+2) Fitter – 2(1+1) However, ITI has to updated the computer	Report is received from the concerned State Directorate stating that ITI has removed all deficiencies, affiliation may be recommended NOC from MSTI is required.	State Directorate will send NOC required for MSTI lying in unserved area to consider this ITI as MSTI within 7 days from the date of issue of MOM.



Page **167** of **279**

		i	r				· · · · · · · · · · · · · · · · · · ·		
				space.			version, and		
							forward the		
						11	compliance		Ü
							to DGT		
							Hqrs.		
							Through		
							State		
							Directorate		
							along with		
							NOC from		
							Government		
							, within 15		
							days from		
							the date of		
							issue this	1	1
							minute.		
16.	Radiant Private	Old	Fitter -	Fitter – 2(1+1)	1.BCC	not	Conditionally	Summary:-	RDSDE bihar
	ITI Sarha,		2(1+1)	Electrician –	available,	No	Recommend	1. This case	to submit the
	Chapra-		Electrician	10(5+5)	statuary	plan	ed	was put up in	report that
			- 10(5+5)	10(0.0)	certificate	from	Fitter –	3rd SCAA	whether ITI
			10(0.0)		V.	officer	2(1+1)	held on	has shifted
	PR10000557				availabe. L	.ayout	2(1.1)	24.06.2022.T	within block
		1			plan signed	l by	Electrician -	his was a	or not along
			ii	(architect	is	10(5+5)	shifting case.	with
					available.		0.4	2. A report has	recommendat
							Subject to	been	ion of
							submission	received	trade/units
							of BCC	from the	within 07
							through State	concerned	days from
1							Directorate	State	issue of this
			7.07				within one month from	Directorate	MoM.
	I .								

Atmin 18

Page **168** of **279**

	the date of issued of the minutes.	stating that ITI has removed all the deficiencies, may be recommende d.	
--	------------------------------------	---	--

3. State: Himachal Pradesh total cases submitted 01 Existing ITI

S. no	ITI's Name/ *MIS Code / *App. Number	Type of app. Existing / New	Trades/Units sought for affiliation	Recommendation of Trade / Units by inspection cum verification committee (ICVC)	Remarks by Scrutiny Team (TC- section) at DGT Hqrs.	Remarks by 1 st SCAA held on 05.04.2022 & 06.04.2022	Observations	Remarks by 5th SCAA meeting held on dated 16.08.2022
ı	11		IV	V	VI	VII	VIII	IX
1,	Jai Maa Saraswati Private ITI Village Baroh, Post Office Raja Ka Talab, Tehsil N, Kangra- 176051 PR02000241	Existing	Electrician – 3(1+1+1) Surface Ornamentation Techniques (Embroidery) – 2(1+1)	Electrician – NR Surface Ornamentation Techniques (Embroidery) – NR	 Staff not appointed for trades seeking affiliation. Machinery items not present as per tool list for both trades. BCC not uploaded 	Not Recommended. ITI need to remove deficiencies.	Joint Inspection report is received from the State Directorate. Inspection team has recommended: Electrician – 2(1+1) Surface Ornamentation Techniques	Recommended: Electrician – 2(1+1) Surface Ornamentation Techniques (Embroidery) – 2(1+1)



reg

	(Embroidery) – 2(1+1)
--	--------------------------

4. Tamil Nadu:

S.N o.	ITI's Name/ *Mis Code / *App. Number	Type of App. Existin g / New	Trades/Unit s Sought for Affiliation	Recommendati on of Trade / Units by Inspection Cum Verification Committee (ICVC)	Remarks by Scrutiny Team (Tc- Section) At DGT Hqrs.	by 1 st SCAA held	Observations VIII	Remarks by 5th SCAA meeting held on dated 16.08.2022
1.	New Murugan Private Industrial Training Institute, Tiruvannamalai TMP33593PR1 581587036	New	Fitter 2(1+1) Welder - 2(1+1) Electrician - 2(1+1) Wiremen- 2(1+1) Mechanic Motor Vehicle- 2(1+1)	Fitter – 2 (1+1) Welder - 2 (1+1) Electrician - 2 (1+1) Wiremen - 2 (1+1) Mechanic motor vehicle - 2 (1+1)	2. CITS trained instructor s are required. 3. ITI in spare capacity at Cheyyar Polytechn ic College and NOC is required from AICTE.	ITI need to remove the deficienci es mentione d in column VI and submit the report through State Directorate	A letter is received from the concerned State Directorate Observations: - 4. NOC from AICTE is available. 5. ITI is requesting they have already appointed trainers, please give 1-year time to get	Recommend ed: 1. Fitter – 2 (1+1) 2. Welder - 2 (1+1) 3. Electricia n - 2 (1+1) 4. Wiremen - 2 (1+1) 5. Mechanic motor vehicle - 2 (1+1) ITI needs to submit an



Γ Τ								trainers CITS	undertaking
	A						1		
							1	certificate.	that CITS
	1	1	1						qualified
									instructors
									will be
	l l								appointed
									before the
1 1	l l				1				start of
					1				session 2022
									to the
									concerned
)	State
									Directorate
								,	and within 07
									days from the
									issue of this
									MoM.
									RDSDE and
					1				the State will
									ensure the
									instructors
									1
					1				are
									appointed in
									the ITI before
									the start of
									session
									2022.
2.	Annamalayar Private	New	Wiremen -2	1.	Wiremen-	1. CITS	ITI need	A letter is	Recommend
	ITI,		(1+1).		2(1+1)	trained	to remove	received from	ed:
	TiruvannamalaiChetpet		Computer	2.	Computer	instructors	the	the concerned	4 145 0
	To Polur Road,		Hardware &		Hardware &	are not	deficienci	State Directorate	1. Wiremen-2
					Network				(1+1)

Annie R

Page **171** of **279**

\ [6	Modaiyur Village & Post, Polur Taluk, District- Tiruvannamalai 606902, TMP33593PR15815772 80	Network Maintenanc e-2 (1+1). Electrician - 2(1+1). Fitter- 2(1+1). Mechanic Motor Vehicle (MMV)- 2 (1+1). Plumber -2 (1+1). Surveyor- 2 (1+1). Welder -2 (1+1) Mechanic Refrigeratio n and Air Conditioner -2 (1+1) Fire Technology	4. 5.	Maintenance -2 (1+1) Electrician - 2(1+1) Fitter-2(1+1) Surveyor - 2(1+1). Mechanic Refrigeration and Air Conditioner - 2(1+1)	3.	available. ITI opened in Engineerin g college. Machinery and equipment shown for only six trades. NOC from AICTE required.	es mentione d in column VI and submit the report through State Directorate	1. 2. 3. Si ha th	Instructor will complete CITS in due course. Six trades may be recommende d. Institute has applied for NOC from AICTE, reply from AICTE is awaited.	5. 6. IT si u th q ir w a b s s to	Hardware & Network Maintenan ce - 2 (1+1) Electrician -2 (1+1) Fitter-2(1+1) Surveyor - 2 (1+1).
-------------	--	---	----------	--	----	--	--	-------------------	---	------------------------------------	--

A 308

	Managemen t2 (1+1)		issue of this MoM.
			RDSDE and
		1	the State will
li II			ensure the
			instructors
			are
			appointed in
			the ITI before
			the start of
			session
			2022.

7. Uttar Pradesh

SI.N o.	ITI's Name/ *Mis Code / *App. Number	Type Of App. Existi ng / New	Trades/U nits Sought For Affiliation	Recommend ation Of Trade / Units By Inspection Cum Verification Committee (ICVC) &	Remarks by Scrutiny Team (Tc- Section) At DGT Hqrs.	Remarks by 1 st SCAA held on 05.04.2022 & 06.04.2022	Observations	Remarks by 5th SCAA meeting held on dated 16.08.2022
1	II	181	IV	V	VI	VII	VIII	IX
1.	Baba Sant Gadage Pvt ITI Block: Khadda District: Kushinagar, Khadda, Kushi Nagar,	New	Electrician - 4(2+2)	Electrician- 4(2+2)	Qualification and experience details of staff uploaded. Drawing table not proper. NOC from State	Conditionall y Recommen ded. Electrician – 4 (2+2)	TC section DGT has received a letter from the State Directorate dated 09/06/2022	Not recommended



Page **173** of **279**

TMPOLD322 MSTI is not provided Subject to condition the MSTI will remove the MSTI will remove the deficiencies mentioned in column VI and submit the report through State Directorate within 15 days from the date issue of the minutes. 2. D.P. Pandey Private Itc - Gonda D.P. Pandey Frivate Itc - Gonda is not provided Subject to condition the MSTI will remove the deficiencies against the rules. Subject to condition the MSTI will remove the deficiencies running Royal Future Public School and Baba Sant Gadge Pvt ITI which is Prima Facie against the rules. D.P. Pandey Private Itc - Gonda NCVT member recommended for regorded for rego						Directorate for MSTI		stating that	
MSTI MSTI MSTI Localition the MSTI will remove the MSTI will remove the deficiencies mentioned in column VI and submit the report through State Directorate within 15 days from the date issue of the minutes. Directorate within 15 days from the date issue of the minutes. Directorate within 15 days from the date issue of the minutes. Directorate within 15 days from the date issue of the minutes. Directorate within 15 days from the date issue of the minutes. Directorate within 15 days from the date issue of the minutes. Directorate within 15 days from the date issue of the minutes. Directorate within 15 days from the date issue of the minutes. Directorate within 15 days from the date issue of the minutes. Directorate within 15 days from the date issue of the minutes. Directorate within 15 days from the date issue of the minutes. Directorate within 15 days from the date issue of the minutes. NCVT and SCVT are not matching as per the inspection. NCVT and SCVT are not matching as per the irreports. Directorate within 16 date issue of the minutes. NCVT and SCVT are not matching as per the irreports. Directorate within 15 days from the date issue of the minutes. NCVT and SCVT are not matching as per the irreports. NCVT and SCVT are not matching as per the irreports. NCVT and SCVT are not matching as per the irreports. NCVT and SCVT are not matching as per the irreports.		TMPOLD322					Subject to	•	
2. D.P. Pandey Private Itc - Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda 271313 PR09000654 D.P. PR09000654 Tight T						is not provided			
2. D.P. Pandey Private Itc - Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda-271313 PR09000654 PR090000654 PR090000654 PR090000654 PR090000654 PR090000654 PR090000654 PR090000654 PR090		WOTT						•	
2. D.P. Pandey Private Itc Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda-271313 PR09000654 D.P. Pandey Litc - Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda-271313 PR09000654 PR090000654 PR09000654 PR09000654 PR090000654 PR090000654 PR090000654 PR090000654 PR090									
2. D.P. Pandey Private Itc - Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda-271313 PR09000654 Existi PR09000654 Rediciencies mentioned in column vil and submit the report through State Directorate within 15 days from the date issue of the minutes. NCVT May be minutes. Recommen ded for re-recommended for re-recommended for re-recommendation of NCVT and SCVT are not matching as per their reports. NCVT May be recommended for re-recommended for re-remarks: DisAgree, IT lab flooring not as per the standard, staffs not having CITS qualification, PR09000654									l l
2. D.P. Pandey Private Itc - Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda-271313 PR09000654 Existi (10+0+1) PR09000654 Private Itc - Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda-271313 PR09000654 Existi (10+0+1) PR09000654 PR09000654 Existi (10+0+1) PR09000654 Existi (10+0+1) PR09000654 PR09000654 Existi (10+0+1) PR09000654 PR09000654 Existi (10+0+1) PR09000654 PR09000654 PR09000654 Existi (10+0+1) PR09000654 PR09000654 PR09000654 PR09000654 PR09000654 PR09000654 Existi (10+0+1) PR09000654 PR09000									
D.P. Pandey Private Itc - Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda-271313 PR09000654 PR									
2. D.P. Pandey Private Itc - Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda-271313 PR09000654 D.P. Pandey Private Itc - Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda-271313 PR09000654 D.P. Pandey Private Itc - Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda-271313 PR09000654 VI and submit the report which is Prima Facie against the rules. Village:Baba Sant Gadge Pvt ITI which is Prima Facie against the rules. Village:Baba Sant Gadge Pvt ITI which is Prima Facie against the rules. Village:Baba Sant Gadge Pvt ITI which is Prima Facie against the rules. Village:Baba Sant Gadge Pvt ITI which is Prima Facie against the rules. Village:Baba Sant Gadge Pvt ITI which is Prima Facie against the rules. Village:Baba Sant Gadge Pvt ITI which is Prima Facie against the rules. Village:Baba Sant Gadge Pvt ITI which is Prima Facie against the rules. Village:Baba Sant Gadge Pvt ITI which is Prima Facie against the rules. Village:Baddar Grantpost:Sabarp ur District: Gonda State onto Matching as per the standard, staffs not having CITS qualification, last per the letter from State on NCVT and SCVT are not matching as per the istandard, staffs not having CITS qualification, last per the letter from State on NCVT and SCVT are not matching as per the inspection. As per the letter from State on NCVT and SCVT are not matching as per the inspection. As per the letter from State on NCVT and SCVT are not matching as per the date issue of the minutes. Village:Baddar Grantpost: As per the decision of 1st and 3rd SCAA meeting. ITI was recommended for pre-inspection. As per the letter from State on NCVT and SCVT are not matching as per the date issue of the minutes.									
2. D.P. Pandey Private Itc - Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda-271313 PR09000654 D.P. Pandey Private Itc - Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda-271313 PR09000654 D.P. Pandey Private Itc - Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda-271313 PR09000654 D.P. Pandey Private Itc - Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda-271313 PR09000654 D.P. Pandey Private Itc - Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda-271313 PR09000654 D.P. Pandey Private Itc - Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda-271313 PR09000654 D.P. Pandey Private Itc - Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda-271313 PR09000654 D.P. Pandey Private Itc - Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda-271313 PR09000654 D.P. Pandey Private Itc - Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda-271313 District: Gonda-271313 District: Gonda-271313 PR09000654 District: Gonda-271313 District: Gonda-2								l .	
2. D.P. Pandey Private Itc - Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda-271313 PR09000654 Existi remember of through State Directorate within 15 days from the date issue of the minutes. May be recommended for remember recommended for remember recommended for remember of NCVT and SCVT are not matching as per the standard, staffs not having CITS qualification,									
2. D.P. Pandey Private Itc - Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda- 271313 PR09000654 D.P. Pandey Private Itc - Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda- 271313 PR09000654 Discortate within 15 days from the date issue of the minutes. Recommen ded for reinspection as the recommendation of NCVT and SCVT are not matching as per their reports. Discortant vibration as per the standard, staffs not having CITS qualification, State Directorate within the rules. Facie against the rules.					1				
2. D.P. Pandey Private Itc - Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda-271313 PR09000654 Existi ng Provide Itc - Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda-271313 PR09000654 Existi ng Private Itc - Itc - Itc Private Itc Private Itc - Itc Private Itc Private Itc - Itc Private Itc									
2. D.P. Pandey Private Itc - Gonda Village: Bagdar Grantpost: Sabarp ur District: Gonda-271313 PR09000654 Directorate within 15 days from the date issue of the minutes.									1
2. D.P. Pandey Private Itc - Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda 271313 PR09000654 Existi ng Holy Private Itc - Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda 271313 PR09000654 Within 15 days from the date issue of the minutes. May be recommended for reinspection as the recommendation of NCVT and SCVT are not matching as per their reports. May be recommend for reinspection as the recommendation of NCVT and SCVT are not matching as per their reports. NCVT and SCVT are not matching as per their reports. NCVT and SCVT are not matching as per their reports. NCVT and SCVT are not matching as per their reports. NCVT and SCVT are not matching as per their reports. NCVT and SCVT are not matching as per their reports. NCVT and SCVT are not matching as per their reports. NCVT and SCVT are not matching as per their reports. NCVT and SCVT are not matching as per their reports.								the rules.	
2. D.P. Pandey Private Itc - Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda-271313 PR09000654 Electrician ng - MCVT member recommended for reinspection as the recommendation of NCVT and SCVT are not matching as per their reports. May be recommended for reinspection as the recommendation of NCVT and SCVT are not matching as per their reports. May be recommended for reinspection as the recommendation of NCVT and SCVT are not matching as per their reports. PR09000654 Becommen ded for joint reinspection. NCVT and SCVT are not matching as per their reports. NCVT and SCVT are not matching as per their reports. As per the decision of 1st and 3rd SCAA meeting, ITI was recommended for Joint Reinspection. As per the letter from State									
2. D.P. Pandey Private Itc - Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda-271313 PR09000654 Existi ng Helectrician ng Private Itc - Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda-271313 Reference to the date issue of the minutes. May be recommended for reinspection as the recommendation of NCVT and SCVT are not matching as per their reports. May be recommended for reinspection as the recommendation of NCVT and SCVT are not matching as per their reports. PR09000654				1	1				
2. D.P. Pandey Private Itc - Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda 271313 PR09000654 Existi private Itc - Itc - Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda 271313 PR09000654 Discription					1				
2. D.P. Pandey Private Itc - Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda-271313 PR09000654 Existi Flectrician ng - Holder n									
2. D.P. Pandey Private Itc - Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda-271313 PR09000654 D.P. Pandey Private Itc - Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda-271313 Electrician NCVT member recommended for reinspection as the recommendation of NCVT and SCVT are not matching as per the decision of 1st and 3rd SCAA meeting, ITI was recommended for private Itc - Itc									
Private Itc - Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda- 271313 PR09000654 Private Itc - Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda- 271313 PR09000654 RDSDE and State recommended for reinspection as the recommendation of NCVT and SCVT are not matching as per their reports. RDSDE and State of their reports.									
Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda- 271313 Fitter – 1(0+0+1) PR09000654 Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda- 271313 Fitter – 1(0+0+1) PR09000654 Gonda Village:Bagdar Grantpost:Sabarp ur District: Gonda- 271313 Fitter – 1(0+0+1) Fitter	2.	D.P. Pandey	Existi	Electrician	NCVT	May be			Joint Inspection to
Village:Bagdar Grantpost:Sabarp ur District: Gonda- 271313 PR09000654 DisAgree, IT lab flooring not as per the standard, staffs not having CITS qualification,			ng	=		Tr.	ded for joint		
Grantpost:Sabarp ur District: Gonda-271313 PR09000654 Fitter – 1ab flooring not as per the standard, staffs not having CITS qualification,				4(1+1+2)	remarks:	inspection as the	re-		RDSDE and State
ur District: Gonda- 271313 1(0+0+1) not as per the standard, staffs not having CITS qualification, not matching as per their reports. PR09000654 1(0+0+1) not as per their reports. recommended for Joint Reinspection. As per the letter from State		Village:Bagdar			DisAgree, IT	recommendation of	inspection.	meeting, ITI	Directorate within
271313 the standard, staffs not PR09000654 property property the standard, staffs not having CITS qualification, staffs not property prope		Grantpost:Sabarp		Fitter –	lab flooring	NCVT and SCVT are		was	01 month.
PR09000654 staffs not having CITS qualification, staffs not having CITS from State		ur District: Gonda-		1(0+0+1)	not as per	not matching as per		recommended	
PR09000654 having CITS As per the letter qualification, from State		271313			the standard,	their reports.		for Joint	
qualification, from State	1				staffs not			Reinspection.	
qualification, from State		PR09000654			having CITS			As per the letter	
sign boards Directorate of					qualification,				
					sign boards			Directorate of	
not fixed, UP dated								UP dated	
								23.06.2022, ITI	
toilets not has only been								1	
available, inspected by									

			IGBT drive - contol s only display. SCVT membe remarks Agree, Recom- ation Electric unit	r s: mend for			SCVT member that too only for remarks mentioned by NCVT member in concluding remarks.	
3.	Raj Adarsh Private ITI, Sultanpur Vill-Sisouda Post- Mahmoodpur Semri TMP9185PR1580 017601	- 6(2) Fitt. 2(1) (CC 2(1) Heat Sail	ectrician Electric 6(2+2+2+2) ter - 2(1+1) OPA) - (COPA 2(1+1) Health Sanitary spector 2(1+1)	2) -) -	No trainer available for Health sanitary Inspector. Details documents of CITS trained staff not available.	Conditionall y Recommen ded Electrician - 4 (2+2) Fitter - 2 (1+1) (COPA) - 2 (1+1) Health Sanitary Inspector - 2 (1+1) ITI needs to provide following	A letter is received in the TC section from State Directorate of UP. Observations based on the letter received: 3. ITI has sent the details of only two CITS trained instructor. 4. Details of trainers in	Recommended: 1. Electrician – 4 (2+2) 2. Fitter – 2 (1+1) 3. COPA – 2 (1+1) 4. Health Sanitary Inspector – 2 (1+1) ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session 2022 to the concerned state

8/2018

						documents as mentioned in Column VI within 15 days from the issue of this minutes through State Directorate. 1. Details of trainer available for Health sanitary Inspector. 2. Details documents of CITS trained staff not available	Health Sanitary Inspector trade are provided.	directorate and within 07 days from the issue of this MoM. RDSDE and the state will ensure the instructors are appointed in the ITI before the start of session 2022.
4.	Uma Shankar Shukla Pvt ITI, Bhulanpur, Behjam, Lakhimpur, Kheri- 261501,	New	Electrician - 4(2+2) Fitter - 2(1+1)	Electrician – NR Fitter – NR Comments from SCVT:	1.Some machinery are not installed properly at the time of inspection. 2. Some Items as per tool list not present	Applicant MSTI needs to remove all the deficiencies as mentioned	A mail is received from State Director with following documents: 1. Machinery bill of tools	Recommended: 1. Electrician – 4 (2+2) 2. Fitter – 2 (1+1)
	TMPOLD338 MSTI			1-Store room and staffroom are not available. 2-In both	as per tool list. 3.CITs trained instructors not	in column VI and submit documents through	and equipment. 2. Photographs of machinery.	

Slager 18

- Marine

				trades bills for few items are not available in original form and their mode of payment is cash and few machinery and tools are unavailable.	4. N S: 5. S	vailable. NOC from the tate Directorate, Some original bills ot submitted.	State Directorate.	4.	Trainers documents. 50 % trainers are CITS trained. MSTI ITI list.	
				Comments from NCVT: In both trade bills for some items are not available in original form and their mode of payment is in cash and few Machinery / Tools are not available.						
5.	Rashtrakavi Maithilisharan Gupt Private Industrial Training Institute, Behind Power House, Main Road, Chirgaon, Jhansi-	New	Electrician - 12(4+4+4) Fitter - 2(1+1) Stenograp	Fitter – 2(1+1) Stenographe	1.	Building Plan not available, BCC signed by Architect is uploaded Qualification /Experience documents not	Applicant ITI needs to remove the short coming as mentioned in column VI and	21 be or 05 th	ate dated 1.06.2022 has een received	ITI to submit BCC and an Undertaking that CITS trained instructors will be appointed before the start of the session 2022 to the



284301 TMP9153PR1580 813042	her Secretaria I Assistant (Hindi) — 2(1+1) Health Sanitary Inspector — 2(1+1)	Secretarial Assistant (Hindi) – 2(1+1) Health Sanitary Inspector – 2(1+1)	available Adequate machinery not available for Health sanitary inspector Universal motor not available	submit the proof/docu ments through State Directorate within 20 days from the date of issue of the minutes.	the deficiencies and attached the following documents: 1. Inspection report of Principal, Govt. ITI, Jhansi on dt. 10.05.2022 2. Building plan and No Statutory plan signed by Pradhan, Gram Panchayat	concerned State Directorate within one week from the issue of this MoM. State Directorate will verify and send the above documents with recommendations to DGT TC section within 1 week. State Directorate
					Panchayat 3. BCC signed by Registered Architect, not as per Norms.	will ensure CITS trained instructors are appointed before the start of the session.
					4. Staff joining letter, qualification, experience, bank account documents 5. HSI machinery GST bills and geotag photos 6.Universal Motor GST bills	

Dungsto

Page **178** of **279**

		7						and geo-tag photos It is found out that 05 instructors from Electrician trade and 01 instructor from Fitter trade are CITS qualified.	
6.	Shri Ram Singh Niranjan Erar, Jalaun,	New	Electrician - 6(2+2+2) Fitter - 6(2+2+2) COPA - 3(1+1+1) Fashion & Technolog y - 3(1+1+1)	Electrician – NR Fitter – NR COPA – NR Fashion & Technology – NR Inspection is carried out by NCVT member only.	2. 3. 4. 5.	no fire safety norms like bucket, fire exit signage on first floor no boundary wall. Electrical Lab was TIN shaded.	Recommen ded for joint re- inspection as the inspection is carried out by NCVT member only.	TC section, DGT has received a report from the State Directorate of UP on date 05/07/2022. Observation of TC section based on the report/document s received in the report: 1. The report submitted is based on the visit done by Joint Director Jhansi	As joint inspection was not done, State and RDSDE to conduct a Joint Inspection and submit report to DGT in annexure 3 within 1 week from the date of issue of MOM.

James of 8

different collect	1
different collage	region only,
name was written.	RDSDE was
	not involved
	in this visit.
	2. BCC
	submitted is
	signed by
1	architect
	which is not
	as per
	norms.
	3. It seems from the
	photo
	submitted,
	width of IT
	lab is less
	than 3m.
	4. Fire safety
	certificate is
	not
	available.
	Competent
	authority
	decision on E-
	file: As joint
	inspection was
	not done, State
	and RDSDE
	may be asked
	to do Joint
	Inspection and
	submit report to
	DGT in
A e	annexure 3

Manuffe 18

Page **180** of **279**

7,	Major General Gurbaksh Singh Gill Itc - Rampur Vill. Sarakthal,Po. Peepli Nayak Teh. Tanda, Block, Rampur- 244925 PR09001360	Existi ng	Electrician – 2(1+1)	Electrician — 2(1+1) Agree, Subject to rectification of following. 1.Engineerin g drawing tables need to be	May be recommended Electrician – 2(1+1) Subject to submission of following details/documents: 1. Biometric machine not	Conditionall y recommend ed Electrician – 2(1+1) Subject to condition that ITI will	As per the letter forwarded by State Directorate of Uttar Pradesh, in compliance to the decision taken by 1st SCAA meeting.	Recommended Electrician – 2(1+1) The ITI needs to submit an undertaking that CITS qualified instructors will be appointed before
				procured as per norms. 2.One Electrician trade instructor need to be recruited as per norms.	available. 2. Engineering drawing tables need to be procured as per norms. 3. One Electrician trade instructor need to be recruited as per norms	submit the following documents/ details within 15 days from the date of issue of the minutes through State Directorate: 1. Biometri c machin e not availabl e. 4. Enginee	ITI has procured Biometric Machine, Drawing Hall Furniture. However, the Instructor recruited is not CITS qualified.	the start of session 2022 to the concerned state directorate and RDSDE within 07 days from the issue of this MoM. RDSDE and the state will ensure the instructors are appointed in the ITI before the start of session 2022.

Auros 26

Page **181** of **279**

						ring drawing tables need to be procure d as per norms. 5. One Electrici an trade instruct or need to be recruite d as per norms.		
8.	Subhawati Sheetal Prasad Private ITI, Basti Village, Po Bhangura, Kalwari, 272301 TMP9131PR1581 953612	New	Electrician 3(1+1+1) Solar Technicia n (Electrical) -3 (1+1+1) Fitter - 3 (1+1+1) COPA - 3	Electrician – NR Solar Technician (Electrical) – NR Fitter – NR (COPA) – NR Remarks of the Inspection committee in Annexure	May Not be Recommended. Remarks of the Inspection committee in Annexure - III: 1. The ITI is still in the construction phase and the railings are not there for stairs which can endanger the safety of students.	Not Recomme nded. ITI need to remove the deficiencie s.	A letter is received from the State Directorate of UP stating that: 1. ITI construction is complete. 2. ITI has removed deficiency of all trades.	Recommended: Electrician– 2 (1+1) Solar Technician (Electrical) – 2 (1+1) Fitter – 2 (1+1) COPA – 2 (1+1)

James 18

Page **182** of **279**

			(1+1+1)	- III: 1. The ITI is still in the construction phase and the railings are not there for stairs which can endange r the safety of students 2. 70% deficien cy in COPA trade and 30% deficien cy in all other trades.	2. 70% deficiency in COPA trade and 30% deficiency in all other trades. Output Description:			
9.	Maharajgang Pvt ITI Brijmangang	New	Electrician - 4(2+2)	Electrician – 4(2+2)	Applicant MSTI is required to apply	MSTI needs to remove	Letter is received from	ITI needs to submit the following details
	Maharajgang First Block:	145		0	for minimum one	all the deficiencies	the State Directorate that:	to State Directorate within 07 days from

Page **183** of **279**

	Details Block: Brijmangang District: Maharajgang, TMPOLD323 MSTI				long term and short term council NOC from Star Directorate for MSTI is not provided. BCC is not provided.	urse. ate	as mentioned in column VI and send the report through State Directorate.	2.	lies in an unserved block and earlier there was no provision of NOC for MSTI from State Directorate UP. ITI has given an undertaking that they should be given time to start short term course.	ensure CITS
10.	Neeam Collage of Engineering & Technology, Agra 27 Km Stone Village Korai Kiraoli, Agra, Agra,	New	Fitter – 3(1+1+1) Electrician – 6(2+2+2)	NCVT-Agree, recommende d for affiliation SCVT-Agree, electrician (2+2), fitter (1+1), HSI (1+1),	supplying electricity of	neters f 66 entire	The applicant ITI need to clarify whether ITI applied for two trades or four trades.	St Di Ut wi re ob	letter is ceived from ate rectorate tar Pradesh th point wise ply of ojections entioned in	Recommended: 1. Electrician - 4 (2+2) 2. Fitter- 2 (1+1)

Jun 3018 M

POLYTECHNIC0	COPA (1+1)	approved layout S	Share the MoM.	
	recommende		me table 1. The Institute	: [
	d for	3. Payment proof o	of ITI and has initially	
	affiliation		polytechnic applied fo	
			and send two trades	
			he report only but was	
			hrough asked to	
			State apply fo	r
			Directorate. four trades	
		block/building in	as pe	
		Polytechnic	Norms, ther	
		campus	the Institute	
			has applied	
			for fou	
			trades.	
		1	2. Building	
		1	plan i	s
		1	attached.	
		1	3. Time table	e
		1	for ITI and	
		1	polytechnic	
		1	is attached.	1
			4. Details of	f
			Instructor i	
		1	also	
			provided.	1
			5. Letter from	n
			Electricity	
			board that	nt
	1		the sai	
	1		institute ha	
			power	
			connection	
			of 66KVA.	

81 Semonth

Page **185** of **279**

11.	Swami	New	1. Beaut	1. Beautic	1. Beautician, Cad-	Not	The case was	Recommended:
	Vivekanand		ician - 3	ian - NR	Cam Operator-Cum	Recommen	put up in 3rd	
	College of Higher		(1+1+1)	2. Fashio	Programmer Retail	ded due to	SCAA.	1.Electrician- 2
	Education Pvt ITI,		2. Fashi	n Design &	Assistant are ATS	deficiencies		(1+1),
	Kataha Dal		on Design	Technology -	courses.	mentioned	3rd SCAA	
1	Narayanpur,		&	NR	2. Five Computers	in column	remarks: State	3.Mechanic diesel-
	Unnao-209861		Technolog	3. COPA -	are not working in	VI.	Directorate of	2(1+1)
			y - 3	NR	Stenographer Hindi		UP will conduct	4.Stenographer
	1809018287		(1+1+1)	4. Cutting	Lab.		joint re-	Secretarial
			3. COP	& Sewing	3. General shop		inspection along	assistant (Hindi)-
			A - 3	(VI) - NR	outfit machine not		with RDSDE	2(1+1)
			(1+1+1)	5. Cad-	working at so.no.		Uttar Pradesh	×
			4. Cuttin	Cam	180,184,185,202,205		and send the	
			g &	Operator-	and 206 in Diesel		inspection	
			Sewing	Cum	mechanic trade.		report along	
			(VI) - 3	Programmer	4.Shortage of items		with their	
			(1+1+1)	- NR	at so		recommendatio	
			5. Cad-	6. Retail	no.3,7,10,14,17,21,22		ns within 10	
			Cam	Assistance -	& 38 in stenographer		days from the	
			Operator-	NR	trade.		date of issue of	
			Cum		5. Shortage of items		MoM.	
1			Programm	ITI not	at			
			er - 3	fulfilling the	so.no.182,186,188,19			
			(1+1+1)	affiliation	1,197,199,200,203 &		Report has	
			6. Retail	norms as	204 in DM trade.		been received	
			Assistanc	required	6.Shortage of items		from State vide	
			e-3	related	at so.no.135,145-147,		letter dated	
			(1+1+1)	details given	etc		01.08.2022 with	
				above at	Machinery bills are		the following	
				so.no. 1 to	found but bank		remarks:	
				21.	payment details are	1	i loint	
					not provided by the		1. Joint	
					Institute.		inspection	
					7. Safety measures		was carried	
	1	1	1		are not as per norms.		out on	

Jun 2010

Page **186** of **279**

	00.07.0000
8. Infrastructure (DH	23.07.2022
and IT Lab) is not as	(a)
per norms	2. Physical
	Annexure-
	III is
	submitted
	by ICVC
	with
	recommend
1	ation vide
	dated
	23.07.2022
	3. The
	deficiencies
	were
	removed by
	ITI and
	ICVC has
	verified the
	same and
	recommend
	ed the
	trades.
	Recommended:
	Electrician-
	2(1+1),
	Fitter-2(1+1),
	Mechanic
	diesel-2(1+1)
	and
	Stenographer
	Secretarial
	assistant
	(Hindi)-2(1+1)
	[(i i i di)-2(i + i)

Al Servine

Page **187** of **279**

12.	Shri Ram Private Itc - Ambedkar Nagar	Existi ng	Electrician -6(2+2+2) Fitter-	Electrician- 6(2+2+2) Fitter-	May be approved conditionally:	Conditionall y approved:	As per letter received from State	Recommended :
	Nagar Achhti Block Ram Nagar Ambedkar Nagar- 224129 PR09001452		Fitter- 1(0+0+1)	Fitter- 1(0+0+1) Agree, After Sanctioning of 14KW of Electrical Load	Electrician-4(2+2) Electrician & Fitter third shift not recommended Subject to submission of latest electricity bill with electric load as per DGT norms.	Electrician-4(2+2) Electrician & Fitter third shift not recommend ed Subject to submission of latest electricity bill with electric load as per DGT norms within one month from the date of issue of the minutes through State Directorate.	State Directorate of Uttar Pradesh dated 21.06.2022, ITI has obtained 14KW connection in compliance to the decision taken by SCAA.	Electrician-4(2+2)
13.	Suresh Mishra Private ITI Singhahi Road, In Front of Pwd	Exist ing	Electrician - 6(2+2+2)	Inspection done by institutional Representati ve only	Inspection done by institutional Representative only	Recomm ended for joint re- inspectio n. as	Joint inspection report is received from State Directorate on	Recommended : Electrician 4 (2+2) Fitter – 2(1+1)

Slagarity 18

Page **188** of **279**

	Guest House, Nighasan, Lakhimpur Kheri- 262701 PR09900103		Fitter – 3(1+1+1)			inspectio n is done by institution al represent ative only and it is observed that document of another ITI (Uma Shankar Pvt. ITI) are uploaded.	date. Joint inspection committee has recommended: Electrician 4 (2+2) Fitter – 2(1+1)	
14.	Raghuveer Ram Private Industrial Training Institute, Village Pasahi Khurd Post Tendu, Roberts Ganj Sonbhadra TMP9184PR1580 383444	New	Electrician - 3(1+1+1) Fitter - 3(1+1+1) Welder - 3(1+1+1) Mechanic Diesel - 3(1+1+1)	Electrician-3(1+1+1) Fitter – 3(1+1+1) Welder - 3(1+1+1) Mechanic Diesel – NR Agree, Welder, Fitter and	May not be recommended due to deficiencies given below: 1. Deficiency of Heavy machinery (Vehicle) in Mechanic Diesel trade.	Applicant ITI has to upgrade the mechanical diesel trade also and inform DGT HQ within one month from the date of issue of the minutes. Joint	Joint inspection report is received from State Directorate on date 08.08.2022 with the following remarks: Heavy Machinery (Vehicle) in Mechanic Diesel Trade was available	2(1+1) 2. Fitter – 2 (1+1)



				Electrician trade affiliation may be granted but for Diesel Mechanic trade heavy machinery (vehicles) are shortage.		inspection will be arranged after receiving the above details/repo rt from the applicant ITI.	relevant documents are enclosed.		
15.	Rakhi Memorial Private ITI, Asfabad, Bijnor 1809023990	New	Electrician - 3(1+1+1) Fitter - 3(1+1+1) COPA - 3(1+1+1) H.S.I - 3(1+1+1)	Electrician – 3(1+1+1) Fitter – 3(1+1+1) COPA – NR H.S.I – 3(1+1+1) Comments from NCVT: No BCC available for ITI. Building plan is not approved.	1. No BCC Available For ITI. Building Plan Is Not Approved. 2. In COPA Trade 50% Shortage Of Tools & Equipment. 3. All The Instructors Are Also Not Available Physically At The Time Of	Not Recomm ended due to the short comings mentione d in column VI.	on dated 30.07.2022 as approved	Recommended: 1. Electrician 2(1+1) 2. Fitter – 2(1+1) 3. COPA – 2(1+1) 4. H.S.I – 2(1+1)	

June 18 my

Page **190** of **279**

Inspection.	COPA – 2(1+1)
	H.S.I – 2(1+1))
COPA may not be	2. Observation
considered	on report:
due to	BCC is given by
	Architect and all instructors are
	not CITS
	qualified.

5.West Bengal

S.No	ITI's Name, Address MIS Code / Temp. Code	Existin g / New	Trades/unit s sought for Affiliation	Recommendati on of Trade / Units by Inspection Cum Verification Committee (ICVC)	Sc (To	marks by rutiny Team :-Section) At t Hqrs.	Remarks by 1 st SCAA held on 05.04.2022 & 06.04.2022	Observation	5th me on 16.0	narks by SCAA eting held dated 08.2022
	ll	111	IV	V	VI		VII	VII	IX	
1.	Sadatpur Private ITI, At - Sadatpur, PO- Rakhajungle, PS- Kharagpur Local, Dist- Medinipur West Bengal, TMP19318PR15814030 93	New	Electrician-6(2+2+2) Fitter-6(2+2+2) Welder-3(1+1+1) Health Sanitary Inspector-3(1+1+1)	Electrician- 6(2+2+2) Fitter- 6(2+2+2) Welder-3(1+1+1) Health Sanitary Inspector- 3(1+1+1) NCVT member remark - Agree, Above recommendation only if concerned	2.	Fitter trade not recommend ed as machinery in not adequate. Electrician and welder trade (1+1) unit recommend ed only if	ITI need to remove the discrepanci es mentioned in column - VI and submit the report through state directorate to DGT Hg	Document received from the State Directorate, based on that following trades were recommende d in 3rd SCAA held on 24.04.2022: Electrician- 2 (1+1)	ed:	addl Fitter - 2 (1+1)



		ITI is ready to fulfilled the discrepancies. Member remark-Agree, May be granted affiliation if shortfall of Fitter trade is considered.	Institution provides the non-skid floor in the workshop with Gangway and connect machines those of not connected to the Electric Supply.	within 15 day from the issue of the minute. After receiving the above desired details, the case will be put up in the next SCAA meeting.	(1+1) Health Sanitary Inspector- 3(1+1+1) Now a Letter is received from the	
--	--	--	--	---	---	--

In the 2nd SCAA meeting held on 29.04.2022, the old cases of previous meetings which were either deferred or Not Recommended due to four trade norms and grading were considered. The letters and emails were received from the state directorate and ITIs in compliance to 2nd SCAA MoM dated 27.05.2022.

The cases were discussed in the meeting and the recommendation of 5th SCAA is given in column VII-

SI. No.	State	ITI Name/MIS Code and Grading/Existing Trades	Trades/Units sought for Affiliation	History of case and Last meeting Decision of RCM/SCRC/SCAA	Observations of TC section	Remarks by 5th SCAA meeting held on dated 16.08.2022
1	II	III	IV	V	VI	VII
1,	Bihar	Maa sharda Pvt. ITI, Pratapur, Muktapur, Samastipur, Bihar- 848102	Electrician - 24(12+12+0)	1. In 23rd RCM dated 24.06.2021 — Recommended for 1 year and ITI shall submit the 100% CTI trained instructor details within 15 days of issue of Minutes. 2. In 2nd SCAA meeting dated 29.04.2022- State Director & Regional Director will conduct joint - inspection within 15 days after issuing of this MoM and will submit report to	A mail has been received from State Directorate of Bihar on 10.08.2022 with the following remarks: 1. As NC has been removed by ITI, so ITI can be considered for affiliation. 2. 100% NCIC certified instructor certificate available as per the data provided and recommended by the Joint inspection committee constituted vide Directorate letter No. 1326 dated 29.06.2022.	State Director & Regional Director will conduct joint - inspection within 15 days after issuing of this MoM and will submit a report to Director TC DGT.

Amore to

				Director TC DGT.	Joint inspection report of trade/units is not available.	
2.	Bihar	Kumar ITC, NH-31, Kenamore, Madhobigha, Nawada, Bihar – 805123	Electrician - 8(4+4+0)	1. In 23rd RCM dated 24.06.2021 — Recommended for 1 year and ITI shall submit the 100% CTI trained instructor details within 15 days of issue of Minutes. 2. In 2nd SCAA meeting dated 29.04.2022- State Director & Regional Director will conduct joint - inspection within 15 days after issuing of this MoM and will submit report to Director TC DGT.	A mail has been received from State Directorate of Bihar on 10.08.2022 with the following remarks: 1. As NC has been removed by ITI, so ITI can be considered for affiliation. 2. 100% NCIC certified instructor certificate available as per the data provided and recommended by the Joint inspection committee constituted vide Directorate letter No. 1326 dated 29.06.2022. 3. Joint inspection report of trade/units is not available.	State Director & Regional Director will conduct joint - inspection within 15 days after issuing of this MoM and will submit report to Director TC DGT.
3.	Bihar	Rajdeo Yadav Private ITI, Fatehpur Chandhosh Road, PO- Mukhmilpur, PS- Paliganj, Dist Patna, Bihar – 801110	Electrician – 8 (4+4+0)	In 23rd RCM dated 24.06.2021 — Recommended for 1 year and ITI shall submit the 100% CTI trained instructor details within 15 days of issue of Minutes.	A mail has been received from State Directorate of Bihar on 10.08.2022 with the following remarks: 1. As NC has been removed by ITI, so ITI can be considered for	State Director & Regional Director will conduct joint - inspection within 15 days after issuing of this MoM and will

1 m 3/8

Page **194** of **279**

				2. In 2nd SCAA meeting dated 29.04.2022-State Director & Regional Director will conduct joint - inspection within 15 days after issuing of this MoM and will submit a report to Director TC DGT.	affiliation. 2. 100% NCIC certified instructor certificate available as per the data provided and recommended by the Joint inspection committee constituted vide Directorate letter No. 1326 dated 29.06.2022. 3. Joint inspection report of trade/units is not available.	submit report to Director TC DGT.
4.	Chhattisgar h	Gracious Abhanpur Private ITI, Abhanpur, Raipur -493661 PR22000134 Grading-2.60 Existing trades/units- 1. Computer Operator and Programming Assistant (COPA)-4 (2+2) 2. Electrician - 4 (2+2)	COPA-4 (2+2)	1. In 20th RCM dated 19.01.2021- -Not Recommended, Since ITI is more than 5 years old and has less than 4 trades in total. ITI needs to re-apply with minimum 4 trades in total. 2. In 2nd SCAA meeting dated 29.04.2022- ITI to remove deficiencies mentioned in column no. VI and send the report to DGT HQ within 2 weeks after issuing of this MoM. Deficiencies observed	ITI has submitted a letter dated 15.06.2022 (TC section dairy no 6132 dated 21.06.2022). Layout plan is not proper. No details available. Proposed layout plan is submitted instead of approved plan. Only 02 instructors are CITS qualified out of 4. Payment proof not given. UPS purchased invoices are submitted with photos of PCs	RDSDE will verify the documents by visiting ITI and submit the report along with recommendatio n within 01 week of issue of this MoM.

Amage 18

Page **195** of **279**

				were-	and UPS.	
				 Layout plan not attached, Payment proof not attached No of CITS Trained instructor details not available UPS not installed 	9:	
5.	Gujarat	Sai Krupa Gram Vikas Trust, Sai Private ITI, Balaiya Crossing Padaliya, Fatepura, Dahod-389190 PR24006117 Grading-1.4 Existing trades- 1. Fitter - 8 (4+2+2) 2. Electrician - 2 (1+1) 3. Welder - 2 (2+0) 4. Wireman - 2 (2+0) 5. COPA - 2 (2+0)	1. Wirerman- 1(0+0+1) 2. Electrician- 1(0+0+1) 3. Health Sanitary Inspector- 6(2+2+2)	 In 19th RCM dated 15.01.2021-It was decided that-Reverted back to State Directorate. One day time from the date of issue of MoM to be given to ITI for submitting the principal details. In 23rd RCM dated 09.03.2021-Deferred "Report from Grading Committee is waited for decisions on ITIs with less than 2.0 grades" In 8th SCRC dated 18.11.2021-As the grading of ITI is 1.4 which is more than 1.25 (Minimum Requirement). Hence, 	 The units mapped on portal is not as per affiliation order. As per affiliation order the affiliated units are (Affiliation order dated 15.06.2010,26.09.201 3 andDGT-12/1/2016 TC dated 16.09.2016-1. Fitter - 8 (3+3+2) Electrician - 2 (1+1) Welder - 2 (1+1) Wireman - 2 (1+1) COPA - 2 (1+1) 3. RDSDE Gujarat has given mail that concern ITI management have not made any mistake during admission	Recommended: Health Sanitary Inspector - 4(2+2) Already affiliated trade's units to be mapped correctly on NCVT portal.



Page **196** of **279**

					may be considered for granting Affiliation/Accreditatio n In 2nd SCAA meeting held on 29.04.2022- RDSDE Gujrat to cross check NCVT Portal affiliated units' data from physical verification report and affiliation orders and send the report within 2 weeks to Director - TC, DGT. In 3rd SCAA meeting held on 24.06.2022- RDSDE Gujarat needs to send the report with recommendation to DGT HQ after getting clarification from ITI for already admitted trainees in portal within 1 week from the date of issue of MoM.	He	because it was wrongly mapped on the portal and accordingly ITI has admitted trainees as per guidance by DET, Gujarat. RDSDE has Recommended: alth Sanitary Inspector 2+2)		×
6.	Jharkhand	Imperial institute of technology pvt. ITI,	Electrician -4 (2+2)	1.	held dated	1.	Jharkhand vide its		nmended: Electricia
		East Singhbum,Plot No. 1988 Village- Pichhli, Kudada Potka Road Post	7		26.10.2021- Not recommended as Single-phase connection and Not in	2.	letter dated 21.07.2022 has given verification report. In the report it is	1.	n -4 (2+2)

Page **197** of **279**

		Office-Shankarda Ps-		the name of society/	verified that ITI has	7
		Potka. ,East Singhbum		ITI, Electrical machine	rectified the	
	,	TMP20327PR157987041		trainer not available 2. In 2 nd SCAA meeting	deficiencies and state directorate has verified	
		3		dated 29.04.2022-	the same along with	1
				MSTI needs to	NOC for MSTI lying	
		MSTI		remove the	under unserved area.	
				deficiencies and	State directorate has	
				inform the State	recommended-	
				Directorate within 01		
				month after issuing of	Electrician -4 (2+2)	
				this MoM. State		
				Directorate will verify		
				and submit the report		
				to Director – TC, DGT Deficiencies were-		
				Electrical machine		
				trainer not		
				available		
				CITS Trained		
				Instructor not		
				available		
			-	 Building, IT Lab, 		
				Drawing Hall not		
7.	Ib a dab a a d	OKY British Industrial	Flactician 4	as per norms	0 . 5	D
7.	Jharkhand	S K Y, Private Industrial	Electrician-4	1. 24 RCM meeting held on 23.03.2021 -	Case is Recommended in e file-	Recommended :
		Training Institute,	(2+2)	Rejected as Not	Electrician -4(2+2) Fitter-	1. Electrician - 4(2+2)
		Ludharia, Post Office-		Recommended by	4(2+2)	2. Fitter-4(2+2)
		Ludharia, Thana-Tundi, Dhanbad- 828109		State Director since	1(2.2)	2. 111101-4(2.2)
		Dhanbad- 626 109	Fitter-4 (2+2)	load sanction and staff	Put up for ratification to	
				details not available.	the committee.	
		T14D00005DD450004600		2. 2 nd SCAA meeting		
		TMP20325PR158204203		held on 29.04.2022-		
			10	MSTI needs to		

18

		0 MSTI		remove the deficiencies and inform the State Directorate. S/D to verify that the deficiencies removed and forward the report to Director – TC, DGT within 01 month after issuing of this MoM.		
				Deficiencies observed were – Details of CITS Pass out Instructors not available MSTI NOC from State Directorate not uploaded Staff Educational and Experience details not uploaded Electricity Bill not available.		
8.	Jharkhand	J.P.S. Memorial Pvt. ITI, Balidih, Inustrial Area Phase-11/D-61, Dist. Bokaro, Pin-827014	1. Fitter- 10(5+5) 2. Electrician- 16(8+8)	 In 10th RCM - As this is an existing ITI, due to oversight listed under the new ITI category, this will be placed with details in next meeting. 11th RCM - NR due to 	RDSDE has submitted the verification report vide email dated 29.07.2022 and based upon verification report, RDSDE has recommended-Fitter- 4(2+2) Electrician- 4(2+2)	1. Fitter- 4(2+2) 2. Electrician- 4(2+2)

Page **199** of **279**

	ē			deficiency in tools, poor admission in affiliated trades, Drawing Hall. ITI shall apply for Re-affiliation before Session 2021. 3. In 2 nd SCAA meeting held on 29.04.2022-ITI has to remove its deficiencies observed and re inspection to be carried out within 01 month after issuing of this MoM		
9.	Jharkhand	MSP Pvt. ITI, Palamu, Main Road Patan Po Ps- Patan Distt- Palamu TMP20338PR158158069 2	Electrician- 6(2+2+2) Fitter- 6(2+2+2)	1. 4th SCAA meeting dated 26.10.2021- Not recommended due to non- availability of drawing hall. 2. In the 2nd SCAA	State directorate vide its letter dated 15.06.2022 has submitted verification report along with NOC for MSTI. In verification report state directorate has	Recommended: 1. Electrician- 4(2+2) 2. Fitter-4(2+2)
		MSTI		meeting dated 29.04.2022-MSTI needs to remove the deficiencies and inform the State Directorate within 01 month after issuing of this MoM.State Directorate will verify and submit the report to Director - TC,	Recommended the following trades - Electrician-4(2+2) Fitter-4(2+2)	

				DGT Deficiencies were-		
10.	Maharashtra	Shreeyansh Private Industrial Training Institute, Sahakar Nagar Th-Tirora Gondia-441911 PR27000626 Grading-1.91 Existing Trades- 1. COPA-4 (2+2) 2. Electrician-4 (2+2) 3. Fitter- 6 (3+3)	1. Electrician - 4 (1+1+2) 2. *Fitter – 4 (1+1+2) *Fitter trade - 2 (1+1) is recommended in 2 nd SCAA meeting	 In 20th RCM dated 19.01.2021-Not Recommended, since ITI is more than 5 years old and has less than 4 trades in total. ITI needs to re-apply with minimum 4 trades in total. ITI applied for only two trades. In 2nd SCAA meeting held on 29.04.2022-Recommended in Fitter -2(1+1), Not Recommended in-Electrician-4(1+1+2) due to less power load In 3rd SCAA meeting held on dated 24.06.2022-RDSDE Mumbai needs to send the report with recommendation to DGT HQ after getting clarification from ITI 	Electrician -2(1+1) and COPA- 1(1+0) are affiliated. 3. RDSDE has Recommended: Electrician-2(1+1)	1. Electricia n-2(1+1) Already affiliated trade's units to be mapped correctly on NCVT portal.
			0 0	for already admitted		/

Page **201** of **279**

11.	Maharashtr a	Nasik Dist Maratha Vidyaprasarak Samaj Industrial Training Center, Tahrabad, Tal Satana, District - Nasik- 423302	1.	Electrician - 2 (1+1) Fitter - 2 (1+1)	po fro of 1.	inees in the NCVT rtal within 1 week m the date of issue MoM. The case was put up in 2nd SCAA and 3rd SCAA meeting held on dated 29.04.2022 and 24.06.2022 respectively. In 3rd SCAA MoM it was decided that	 3. 	ITI is shifting within the same block. IT lab infrastructure (computers, software) is not as per norms Inspecting committee has mentioned shortage in in tools & equipment.	Not Recommended as per inspection report
		PR27000490 Grading: 0.87 Existing trades- 1. Electrician-2(1+1) 2. Fitter-2(1+1)			3.	RDSDE will conduct verification at a shifted location and submit the report. Than RDSDE Maharashtra	4.	All Instructors are not CITS trained.	
						submitted the following reports by email dated 14.07.2022 with following Remarks: -			
			7		1. EI	ecommended: ectrician - 2 (1+1) tter - 2 (1+1) ction report			

Alamos W

Page **202** of **279**

				Remarks:		
				 About 20% shortage in tools & equipment About 20% machineries are not installed. Lath machines have no foundation. In the same campus Arts, Commerce and Science college are running, half portion of the building are used 		
				by colleges (which was not shown in plan) and half portion shown to inspection. 4. Staff room is shown in electrician lab. 5. LAN connection and software are not		
				available as per norms in IT lab.		
12.	Maharashtr a	Mauli Private ITI, Near Vilas 2 Sugar Industry, At Post Tondar,TQ Udgir District-Latur- 413517	 Electrician 4 (2+2) Wireman - 2 (1+1) 	In 16 th RCM -Rejected as not recommended by State, Since ITI needs to have 4 or more trades for affiliation.	inspection report vide email dated 29.07.2022.	Recommended: 1. Electrician- 4(2+2) 2. Wireman- 2(1+1) 3. Welder-
		TMP27481PR158282227 2	3. Welder - 2 (1+1)	2. In 2 nd SCAA meeting held on 29.04.2022- ITI needs to remove	Recommended: Electrician-4(2+2)	2(1+1) 4. Mechanic Diesel-
		NEW ITI	4. Mechanic Diesel - 2	the deficiencies mentioned in MoM	Welder-2(1+1)	2(1+1)

18 January 18

(

			(1+1)	within 1 month and inform the State Directorate S/D will arrange Re-inspection along with RDSDE and submit the report to the Director – TC, DGT. 3. In 3 rd SCAA meeting held on 24.06.2022-ITI has given the mail to carry out inspection.		
13.	Uttar Pradesh	Banvari lal pvt. ITI, Mathura vill-saidpur, post-baldeo, tehsil-mahavan, distt- Mathura 281301	1. Electrician-6(2+2+2) 2. Fitter - 3(1+1+1) 3. Health Sanitary	4 th SCAA meeting dated 26.10.2021- Not Recommended due to deficiencies mentioned in the Inspection report 2 nd SCAA meeting	Recommended in e file for 1. Electrician- 4(2+2) 2. Fitter -2(1+1) 3. Health Sanitary Inspector -2(1+1) 4. Marketing Executive-	Recommended: 1. Electrician- 4(2+2) 2. Fitter - 2(1+1) 3. Health
		TMP9167PR1579942802 New	Inspector ~ 2(1+1) 4. Marketing Executive-1(1+0)	dated 29.04.2022-ITI needs to remove all the deficiencies within 1 month and inform and intimate to RDSDE. RDSDE will send the verified report to Director – TC, DGT. Deficiencies observed were – Principal is not	1(1+0) Put up for ratification to the committee.	Sanitary Inspector - 2(1+1) 4. Marketing Executive- 1(1+0)

\$18 ml

				fulfilling eligibility criteria and experience certificate is not as per norms CTI certificate required. Experience certificates of some of the staff are suspicious & not trade.		
14.	Uttar Pradesh	Sarmishta Ahuja Pvt. ITI, Hathras Village Parsara Hathras 204101 TMP9163PR1582780708 New ITI	Electrician 3(1+1+1) Fitter 3(1+1+1) COPA 3(1+1+1) Health Sanitary Inspector 3(1+1+1)	1. 4th SCAA meeting dated 26.10.2021- Not Recommended due to shortage of Space, Infrastructure and meter sealing (Store room is not available. Land certificate such as khasra khatauni are not matched with the rent deed. Shortage of area of library, HIS workshop, staffroom) 2. In 2nd SCAA - ITI needs remove the deficiencies within 1 month and inform to the RDSDE.State Directorate will verify and submit the report	1. Joint inspection report was submitted with Annexure-III and ICVC has recommended: • Electrician 2(1+1) • Fitter 2(1+1) • COPA 2(1+1) • Health Sanitary • Inspector-2(1+1) Observation: ITI has applied as MSTI in application form, So NOC is required for MSTI lying in unserved area from the state. No approved plan certificate is given but BCC is not available.	ITI will submit the BCC as per norms to the state within 01 week from issue of this MoM. State directorate will submit a verified report along with NOC with clear recommendation to DGT within 01 week from issue of this MoM.

Jano 30/8

Page **205** of **279**

to Director – TC, DGT
Deficiencies-
Qualification and experience documents of trainers not available.
2. Land certificates such as khasra khatauni are not matching as per rent deed.
No meter sealing certificate.
4. furniture is not available as per norms.
5. NOC from state for
ITI to be considered as MSTI not available.
6. Health sanitary inspector workshop not as per norms

Note: Abbreviation RCM (Recommendation Committee Meeting), SCAA (Standing Committee on Affiliation & Accreditation), SCRC (Standing Cum Recommendation Committee)

Page **206** of **279**

Agenda 5: Compliances of SCAA remarks of Minutes of 3rd SCAA meeting held on 24.06.2022

The following cases were put up in 3rd SCAA meeting held on dated 24.06.2022 and ITIs were asked to remove those deficiencies and submit the report through the concerned State Directorate/RDSDE. In this regard, reports for the following ITIs are received from the State Directorates/RDSDEs:

The cases were discussed in the meeting and the recommendation of 5th SCAA is given in column IX-

1. State: Assam

SI. No	ITIs Name/ MIS Code / /Grading	Existin g / New/ MSTI	Trades/units sought affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observation s of TC section	Remarks by 3rd SCAA meeting held on dated 24.06.2022	Observation s	Remarks by 5th SCAA meeting held on dated 16.08.2022
ļ	li"	111	IV	V	VI	VII	VIII	IX
1.	Nemcare Model Private Industrial Training Institute, Kamrup, C/O Nemcare Group of Institutions, Santipur, Mirza, Kamrup -781125 TMP18291PR15826457 57	New	1. Computer Operator and Programmi ng Assistant (COPA) -2 (2+0+0) 2. Electrician- 2 (2+0+0) 3. Fitter-2 (2+0+0) 4. Mechanic Diesel-2 (2+0+0)	Recommende d: 1. COPA-2 (1+1) 2. Electrician -2 (1+1) 3. Fitter-2 (1+1) and Most of the available machineries are old and transferred from the earlier	1. CITS Pass out Instructor details not available 2. Engineeri ng College being converted to ITI	Conditionally Recommended: 1. COPA-2 (1+1) 2. Electrician-2 (1+1) 3. Fitter-2 (1+1) RDSDE to get following documents from ITI and	Mail received from RDSDE Assam on 07.07.2022 with the following remarks (documents attached): 1. Affidavit received for convertin g engineeri	Recommende d: 1. COPA-2



Page **207** of **279**

		College	report with recommendation within 7 days from date of issue of MoM - 1. Engineering college closure affidavit for running ITI 2. An undertaking from ITI that CITS Instructor will be appointed (through RPL/Regular CITS) before the start of session 2022 RDSDE	college into ITI. 2. Undertak en received from the ITI to certify the instructor s in CITS (RPL Mode)	
--	--	---------	---	--	--

Alaskan 8

Page **208** of **279**

2. State: Bihar

SI.N o	ITIs Name/ MIS Code / Application Number /Grading	Type of applicati on Existing / New/MS TI	Trades/units sought affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observation s of TC section	Remarks by 3rd SCAA meeting held on dated 24.06.2022	Observations	Remarks by 5th SCAA meeting held on dated 16.08.2022
1	II	111	IV	V	VI	VII	VIII	IX
1.	Shiv Shakti Private ITI Shakambhari Complex Kabirpur Road, Nathnagar, Distt Bhagalpur – 812006 PR10000608 Grading- 1.27	Existing	1. Electricia n-6 (3+3+0)	Recommende d: 1. Electrician -2 (1+1)	BCC is not available Sanctione d electric load is less	ITI needs to remove the deficiencies mentioned in column VI and submit a report to the state within 1 week of issuing this MoM The State Directorate will verify and send a report with recommendati on to DGT within 1 week of issuing this	A mail has been received from State Directorate of Bihar on 10.08.2022 with the following remarks: 1. All the NCs are cleared, ITI can be considered for affiliation of additional (1+1) units in electrician. 2. BCC certificate is submitted by ITI and is as per norms	Recommende d: 1. Electrician- 2 (1+1)





2.	Bhabha Private ITI, Ghosawari, Block Distt Patna TMP 415 MSTI	New- MSTI	1. Electrician -4(2+2+0) 2. Fitter-2 (1+1+0)	Recommende d for – 1. Electrician –4 (2+2) 2. Fitter –4 (2+2) Biometric machine purchased but not installed	1. NOC from State stating unserved is not available 2. BCC is not available 3. Qualificati on, Experienc e and CITS details of trainers not available 4. Payment	ITI needs to remove the deficiencies mentioned in column VI and submit report to state within 1 week of issuing this MoM State Directorate will verify and send report with recommendati on to DGT	3. Electricity connection of load 21 KW is available A mail has been received from State Directorate of Bihar on 10.08.2022 with the following remarks: 1. All the NCs are cleared, ITI can be considered for affiliation 2. BCC certificate is submitted by ITI and is as per norms 3. Undertaking	Recommende d: 1. Electrician -4 (2+2) 2. Fitter -4 (2+2)
			Q	1	not available	with recommendati	ITI and is as per norms	

Along to 18

Page **210** of **279**

3.	Rishav Private Industrial Training Institute, Siwan Vill+Po-Jagatpur Mahuari, Block- Lacri Nabiganj, Dist-Siwan Pincode - 841406 TMP10222PR158 1410003	New- MSTI	1. Electricia n-4 (2+2) 2. Fitter-4 (2+2)	Recommende d: 1. Electrician-4 (2+2) 2. Fitter-2 (1+1) The institute is in the unserved area as certified by the State nodal officer and the	1. Land Lease made in person name instead of ITI Name Trust deed is also not available 2. NOC for MSTI lying in unserved	ITI needs to remove the deficiencies mentioned in column VI and submit a report to the state within 1 week of issuing this MoM The State Directorate	submitted by ITI A mail has been received from State Directorate of Bihar on 10.08.2022 with the following remarks: 1. All the NCs are cleared, ITI can be considered for affiliation 2. Land lease paper in the name of	Recommende d: 1. Electrician-4 (2+2) 2. Fitter- 2 (1+1)
				submitted on app	not available 3. BCC is not as per Norms	send a report with recommendati on to DGT within 1 week of issuing this MoM	Rishav Pvt ITI and trust registration paper is submitted by ITI 3. Dist-Siwan Block- Lacri Nabibganj is an unserved block 4. BCC certificate is submitted by ITI and is as	

818 Emm

Cyl

							727 72772	
4.	RC Group of Private Industrial Training Institute, Siwan Vill-Lakri Dargah Post-Lakri Dargah Thana-Barhariya Dist-Siwan TMP10222PR158 1652271	New	1. COPA-2 (1+1) 2. Electricia n-4 (2+2) 3. Fitter-4 (2+2) 4. Mechanic Diesel-2 (1+1)	Recommende d: 1. COPA-2 (1+1) 2. Electrician- 4 (2+2) 3. Fitter-4 (2+2) 4. Mechanic Diesel-2 (1+1)	1. Electricity bill not uploaded 2. Machinery Bill Payments Not Available	ITI needs to submit the details mentioned in column VI to RDSDE within 01 week of issuing this MoM RDSDE to send a verified report with recommendati on within 1 week of issuing this MoM	per norms 1. RDSDE has given the letter without recommendat ion for deficiencies mentioned in MoM vide letter dated 15.07.2022. 2. Electricity bill and payment proof is submitted. Load is sufficient as per norms.	Recommende d: 1. COPA-2 (1+1) 2. Electrician-4 (2+2) 3. Fitter-4 (2+2) 4. Mechanic Diesel-2 (1+1)
5.	Ramchandra Prasad Ji Private Industrial Training Institute, Gopalganj Vill- Harkhauli Uttar Tola Post-Mirganj Thana-Mirganj Dist-Gopalganj	New	1. Computer Operator and Program ming Assistant (COPA)-2 (1+1) 2. Fitter-2 (1+1)	Recommende d: 1. COPA 2 (1+1) 2. Electrician 4 (2+2) 3. Fitter- 2 (1+1) 4. Housekee ping 2	1. The Old age care CTS trade is filled in Application and Annexure - III but inspection was done in	Not Recommende d Difference of trade in Annexure-III and inspection	1. Representation n mail received from ITI on dated 06.07.2022 stating that DGT has already given permission to change the old age care	Recommende d: 1. COPA -2 (1+1) 2. Electricia n -4 (2+2) 3. Fitter- 2 (1+1) 4. Houseke eping- 2

8 James 18

Page **212** of **279**

	TMP10197PU158 1681631		 Electricia n-4 (2+2) Old Age Care-2 (1+1) 	(1+1)	2.	qualificatio n of instructor is not available	carried out	trade into housekeeper through mail on 20.08.2020. 2. CD section DGT vide its MoM dated 13.12.2019 under agenda 4, it was decided not to give affiliation in old age care trade.	(1+1)
6.	Palak Buddha Private Industrial Training Institute, Siwan, Vill+Po- Papaur-Bihar PR10000922 Grading- 1.60	Existing	1. Electricia n-8 (4+4)	Recommende d: 1. Electrician - 8 (4+4)	2.	Machiner y Bill Invoice given but Payment details Not Available	ITI to give machinery bill payment proof and BCC to state within 01 week after issuing of this MoM State Directorate will verify and	A mail has been received from State Directorate of Bihar on 10.08.2022 with the following remarks: 1. All the NCs are cleared, ITI can be considered for affiliation 2. As a payment	Recommende d: Electrician- 8 (4+4)

\$10 months

Page **213** of **279**

						send report with recommendati on to DGT within 1 week of issuing this MoM	proof account statement provided 3. BCC certificate is submitted by ITI and is as per norms	
7.	Sri Mahavir Private Industrial Training Institute, Nalanda At Kako, Po Maghara, Ps Deep Nagar PR10000461 Grading-1.69	Existing	1. Electricia n-4 (2+2)	Recommende d: 1. Electrician -4 (2+2) additional units	1. Machinery Bill Payments Not Available 2. Instructor NCIC and experience details are not available 3. BCC certificate is not as per norms 4. Fire safety certificate is not available	ITI needs to remove the deficiencies mentioned in column VI and submit report to state within 1 week of issuing this MoM State Directorate will verify and send report with recommendati on to DGT within 01 week of issuing this MoM	A mail has been received from State Directorate of Bihar on 10.08.2022 with the following remarks: 1. All the NCs are cleared, ITI can be considered for affiliation 2. As a payment proof account statement provided 3. 100% NCIC certified instructor list along with their	Recommende d: Electrician-4 (2+2)

Hamisol 8

Page **214** of **279**

8.	K D Private ITI Dhanauti Dist Siwan, Vill: Phulwaria, PO: Dhanauti PR10001175 Grading- 2.20	Existing	1. Electricia n-12 (6+6)	Recommende d 1. Electrician -12 (6+6) additional units	1. The IT lab area is less in layout plan Available-26.05 Sqm, Required-37.5 sqm (25+5*2.5) 2. Instructor NCIC qualificati on and experienc e details are not available 3. Fire safety	ITI needs to remove the deficiencies mentioned in column VI and submit a report to the state within 1 week of issuing this MoM State Directorate will physically verify and send report with recommendati on to DGT within 01	certificate is available 4. BCC certificate is submitted by ITI and is as per norms 5. Fire Safety Certificate is available A mail has been received from State Directorate of Bihar on 10.08.2022 with the following remarks: 1. All the NCs are cleared, ITI can be considered for affiliation 2. IT lab of size 59 sqm is shown in layout plan and same is reported by joint inspection team 3. Fire Safety	Recommende d Electrician-12 (6+6)
----	---	----------	--------------------------	---	--	--	--	-----------------------------------

8 tomand

my

					certificate is not available	MoM	Certificate is available	
9.	Maa Santoshi Pvt ITI, Hussainganj Block, Hussainganj TMP 408 MSTI	New, 1 MSTI 2	4(2+2+0)	Recommende d- 1. Electrician -4 (2+2)	1. Less in electric load but sufficient for recomme nded trade electrician 4 (2+2) units (Required -5.2 KW) 2. BCC Not available as per norms, no approved plan certificate given by Circle officer 3. NOC for MSTI lying in unserved area is not	issuing this MoM The State Directorate will verify and	A mail has been received from State Directorate of Bihar on 10.08.2022 with the following remarks: 1. All the NCs are not cleared, ITI cannot be considered for affiliation 2. Electric load 6 KW is available 3. BCC from CO is available which is not as per norms 4. Hussainganj is served block 5. NCIC qualification of all the instructors is	Not Recommende d as per report received from the State Directorate.

Almostal 8 mg/

					provided 4. NCIC qualificati on of some instructor s is not available 5. MSTI need to start at least one short term course		not provided 6. Declaration for starting short-term course is not given by ITI	
10.	Maa Brahmani Private ITI, Village Age Po Ps - Saksohara, Block - Belchhi, Dist - Patna, Pin - 803213, Patna TMP 417 MSTI NEW	New, MSTI	1. Electricia n-4 (2+2+0) 2. Fitter-4 (2+2+0)	Recommende d: 1. Electrician - 04 (2+2) 2. Fitter- 04 (2+2)	1. BCC is not available 2. Machinery Bill Payments Not Available 3 NOC for MSTI lying in an unserved block not available 4 Instructor NCIC qualificatio n and experience	ITI needs to remove the deficiencies mentioned in column VI and submit a report to the state within 1 week of issuing this MoM The State Directorate will verify and send a report with	A mail has been received from State Directorate of Bihar on 10.08.2022 with the following remarks: 1. All the NCs are cleared, ITI can be considered for affiliation 2. BCC certificate is submitted by ITI and is as per norms 3. As a	Recommende d: 1. Electrician - 04 (2+2) 2. Fitter- 04 (2+2)

8/02/m

Page **217** of **279**

11.	Satvahhama	Eviotina	1 Electricie	Boommanda	details are not available 5 MSTI need to start at least one short term course	recommendati on to DGT within 01 week of issuing this MoM	payment proof account statement provided 4. NCIC qualification of all the instructors is not provided 5. Declaration is submitted by ITI to start short-term course	Doomes
11.	Satyabhama Private ITI, Mirzanhat The, Kutubganj Bhagalpur PR10000708 Grading-1.86	Existing	1. Electricia n-8 (4+4+0) 2. Fitter-4 (2+2+0)	Recommende d: Electrician trade-4 (2+2) 1. Tools equipment and machinery installed and in working condition the institute applied for 4+4 additional units in Electrician	1. Machinery Bill Payments Not Available 2. BCC is not as per norms	ITI needs to remove the deficiencies mentioned in column VI and submit report to state within 1 week of issuing this MoM State Directorate will verify and send report with	A mail has been received from State Directorate of Bihar on 10.08.2022 with the following remarks: 1. All the NCs are cleared, ITI can be considered for affiliation 2. As a payment proof bank statement is submitted by	Recommende d: 2. Electri cian -4 (2+2)

Shanded 8 mg

				but as per the availability of equipment it is sufficient for only 4 (2+2) additional units		recommendati on to DGT within 01 week of issuing this MoM	ITI 3. BCC Certificate is submitted by ITI and is as per norms	
12.	Maa Shitla Private ITI, Vill-Kakobigha Po-Maghra, Ps-Deepnagar, Dist-Nalanda, 803216-Nalanda PU10001055 Grading-1.59	Existing	1. Electricia n-4 (2+2)	Recommende d: Electrician trade-4 (2+2) additional units	1. This ITI is existing Pvt ITI running from 2016 but applied under MSTI category in NIMI portal 2. BCC is not as per norms 3. Machiner y Bill Payments Not Available 4. NCIC	ITI needs to remove the deficiencies mentioned in column VI and submit report to state within 1 week of issuing this MoM State Directorate will verify and send report with recommendati on to DGT within 01 week of	A mail has been received from State Directorate of Bihar on 10.08.2022 with the following remarks: 1. All the NCs are cleared, ITI can be considered for affiliation 2. NIMI should modify the application as extension and removed from MSTI category 3. BCC Certificate is	Recommende d: Electrician -4 (2+2)

8 (September 18

				×	qualificati on details of some instructor is not available	issuing this MoM	submitted by ITI and is as per norms 4. As a payment proof bank statement is submitted by ITI 5. NCIC qualification of all the instructors is submitted by ITI	
13.	Raj Deo Yadav Private Industrial Training Institute, Patna, Dulhin Bajar Ps-Dulhin Bajar Dist-Patna TMP10212PR158 2618381	New- MSTI	1. Electricia n-4 (2+2) 2. Fitter-4 (2+2)	Recommende d: 1. Electrician -4 (2+2) 2. Fitter-4 (2+2) conditionally NOC from State is obtained	1. BCC is not as per Norms 2. NOC for MSTI lying in unserved area is not available 3. Invoice is available but payment proof is not provided	ITI needs to remove the deficiencies mentioned in column VI and submit a report to state within 1 week of issuing this MoM State Directorate will verify and send report with	A mail has been received from State Directorate of Bihar on 10.08.2022 with the following remarks: 1. All the NCs are cleared, ITI can be considered for affiliation 2. BCC certificate is submitted by ITI and is as per norms	Recommende d: 1. Electrician-4 (2+2) 2. Fitter-4 (2+2)

A12000 18

Page **220** of **279**

					4. Instructor NCIC qualificati on details not available 5. MSTI need to start at least one short term course	recommendati on to DGT within 01 week of issuing this MoM	3. Dist- Patna block- Dulhin is an unserved block 4. As a payment proof bank statement is submitted by ITI 5. NCIC qualification certificate of all the instructor is submitted by ITI 6. Declaration for starting short-term course is submitted by ITI	
14.	Adarsh Private Industrial Training Institute, Bhojpur Nayka Tola, Bihiya Road Po+ Ps- Jagdishpur Dist- Bhojpur	New	1. Computer Operator and Program ming Assistant (COPA)-2 (1+1)	Recommende d: 1. COPA-2 (1+1) 2. Electrician-4 (2+2) 3. Fitter-4 (2+2)	1. BCC is not provided Total Land area is not found in lease	ITI needs to remove the deficiencies mentioned in column VI and submit report to state within 1 week	A mail has been received from State Directorate of Bihar on 10.08.2022 with the following remarks: 1. All the NCs	Recommende d: 1. COPA-2 (1+1) 2. Electrician-4 (2+2) 3. Fitter-4 (2+2)



Page **221** of **279**

15.	802158 TMP10193PR158 0196415	3. F (3. K 4. N	Electricia n-4 (2+2) Fitter-4 2+2) Mechanic Diesel-2 1+1)	Mechanic Diesel-2 (1+1)	 3. 4. 	buckets and inspection reports are available but Fire safety certificate is not uploaded	State Directorate will verify and send report with recommendati on to DGT within 01 week of issuing this MoM	4.	are cleared, ITI can be considered for affiliation BCC certificate is submitted by ITI and is as per norms. For land area clarification Lease/Agree ment submitted by ITI Undertaking of NCIC staff appointment is submitted by ITI As a payment proof bank statement is submitted by ITI Fire Safety Certificate is submitted by ITI Fire Safety Certificate is submitted by ITI mail has been	A.	Mechanic Diesel-2 (1+1)
L										_	

James 8 offered

Private Industrial Training Institute, At - Harkhauli Uttar Tola Po + Ps Mirganj, Gopalganj-841438 TMP10197PU158 2438253	-4 (2+2) 2. Fitter-4 (2+2) 3. Housekee per-2 (1+1) 4. Surveyor- 2 (1+1) 4. Surveyor- 2 (1+1) 5. Housekee ping- 2 (1+1) 4. Surveyor- 2 (1+1) 7. Surveyor- 2 (1+1) 8. Surveyor- 2 (1+1) 9. Surveyor- 2 (1+1)	bill not uploaded 2. Fire safety not uploaded 3. Qualificati on and experienc e document of trainers not available 4. Payment proof of machiner y and equipmen t not available bill not uploaded column VI and submit report to state within 1 week of issuing this MoM State Directorate will verify and send report with recommendati on to DGT within 01 week of issuing this MoM	received from State Directorate of Bihar on 10.08.2022 with the following remarks: 1. All the NCs are not cleared, ITI cannot be considered for affiliation 2. Electricity bill consumer no. 1262035970 38 of load 18 KW is submitted by ITI 3. Fire Safety Certificate is submitted by ITI 4. All instructors are not NCIC certified 5. As a payment proof account	Recommende d as per the report received from the State Directorate.
---	--	--	--	---



16.	Navneet Private Industrial Training Institute, Sheohar, At & Po- Dumri Katsari Sheohar-843329 TMP10220PR158 1839868	New, MSTI	1. Electricia n-4 (2+2) 2. Housekee per-2 (1+1)	Recommende d: 1. Electrician -4 (2+2) 2. Housekee per-2 (1+1)	1. NOC for MSTI lying in unserved area is not available Given BCC document s are not as per norms 2. Instructor NCIC qualificati on details not available 3. Machiner y bill invoice is available but payment proof not	ITI needs to remove the deficiencies mentioned in column VI and submit a report to the state within 1 week of issuing this MoM The State Directorate will verify and send a report with recommendati on to DGT within 01 week of issuing this MoM	payee cheque is submitted. No account statement is submitted A mail has been received from State Directorate of Bihar on 10.08.2022 with the following remarks: 1. All the NCs are cleared, ITI can be considered for affiliation 2. BCC certificate is submitted by ITI and is as per norms. Dist- Sheohar Block-Dumri Katsari is an unserved block. 3. Undertaking of NCIC staff	Recommende d: 1. Electrician-4 (2+2) 2. Housekeep er-2 (1+1)
-----	--	--------------	---	--	---	--	--	---

\$ 18 miles

M

17.	Laxmi Private Industrial Training Institute, Khagaria, At - Maraiya, Po - Pipra Latif, Dist - Khagaria - 851212 TMP10202PR158 2803416	New	1. Electricia n-12 (4+4+4) 2. Fitter-6 (2+2+2) 3. Mechanic Diesel-3 (1+1+1) 4. Welder-3 (1+1+1)	Recommende d: 1. Electricia n-8 (4+4), 2. Fitter -4 (2+2), 3. Mechanic Diesel -2 (1+1) 4. Welder-2 (1+1) 1. Boundary wall and roof is incomplete , Industrial roof sheet	uploaded 4. Fire buckets and inspection reports are available but Fire safety certificate s are not uploaded 1. Workshop roof is incomplet e, damaged and not as per Norms 2. BCC is also not provided Given BCC document s is not as per norms 3. Instructor NCIC qualificati	ITI needs to remove the deficiencies mentioned in column V& VI and submit report to state within 1 week of issuing this MoM State Directorate will verify and send report with recommendati on to DGT	is submitted by ITI 4. As a payment proof bank statement is submitted by ITI 5. Fire Safety Certificate is submitted by ITI A mail has been received from State Directorate of Bihar on 10.08.2022 with the following remarks: 1. All the NCs are cleared, ITI can be considered for affiliation 2. Workshop repaired proof is image/photo graph submitted by ITI	Recommende d: 1. Electrician -8 (4+4), 2. Fitter -4 (2+2), 3. Mechanic Diesel -2 (1+1) 4. Welder-2 (1+1)
-----	--	-----	---	--	--	--	--	---





10				should be used 2. Workshop height: Min 10ft and Max 12ft, Fall ceiling of workshop damaged due to high speed wind/Cyclo ne (letter attached) Industrial sheet should be used Incomplete Boundary wall and 1st floor roof	buckets and inspection reports are available but Fire safety certificate not uploaded	within 01 week of issuing this MoM	3. BCC certificate is submitted by ITI and is as per norms. 4. All NCIC certified instructor details with certificate is submitted by ITI 5. Fire Safety Certificate is submitted by ITI TII	
18.	Dr Kumar Private Industrial Training Institute, Araria, Raniganj, Araria- 854334	New- MSTI	1. Electricia n- 6 (2+2+2)	Recommende d: 1. Electrician - 4 (2+2)	1. NOC for MSTI lying in unserved area is not available	ITI needs to remove the deficiencies mentioned in column VI and submit report to state	RDSDE vide its email dated 05.08.2022 has submitted verification	State Directorate to submit the report of NOC for MSTI lying in unserved area to with
	TMP10188PR158			×	2. Given	and RDSDE		recommendati

Mundol 8

19.	Maya Devi Private	New	1. Electricia	Recommende	4.	tension power line is passing by MSTI and DGT logo is not available at entrance (Visible in App Video) Third shift is not allowed and MSTI need to start at least one short term course	within 1 week of issuing this MoM RDSDE will verify HT power line, BCC and NOC from state and send report with recommendati on to DGT within 01 week of issuing this MoM	report that ITI has rectified the deficiencies but NOC for MSTI from state has not given. RDSDE has not provided their recommendation s, only forwarded the report.	trades/units wise to DGT within 1 week from the date of issue of MoM.
13.	Industrial Training Institute, Patna Baghatilha, Po-	14644	n- 8 (4+4) 2. Fitter-4 (2+2)	d: 1. Electrician -8 (4+4),		document s are not as per	remove the deficiencies mentioned in	received from State Directorate of Bihar on	d: 1. Electrician -8 (4+4),

Amon For 18

Mes

	Jodhanbigha, Ps-Belchhi, District-Patna 803110 TMP10212PR158 1925335		3. Mechanic Diesel-2 (1+1)4. Surveyor-2 (1+1)	 Fitter -4 (2+2), Mechanic Diesel-2 (1+1) Surveyor- 2 (1+1) 	norms 2. Instructor NCIC qualificati on details not available 3. Machiner y bill invoice is available but payment proof not uploaded	column VI and submit report to state within 1 week of issuing this MoM State Directorate will verify and send report with recommendati on to DGT within 01 week of issuing this MoM	10.08.2022 with the following remarks: 1. All the NCs are cleared, ITI can be considered for affiliation 2. BCC certificate is submitted by ITI and is as per norms. 3. Undertaking of NCIC staff appointment is submitted by ITI 4. As a payment proof bank statement is submitted by ITI	 Fitter -4 (2+2), Mechanic Diesel-2 (1+1) Surveyor- 2 (1+1)
20.	Silicon Private ITI, Naugachia, Bhagalpur TMP 385 MSTI NEW	New- MSTI	1. Electricia n- 4 (2+2) 2. Fitter-4 (2+2)	Recommende d: 1. Electrician- 2 (1+1) 2. Fitter-2 (1+1)	1. NOC for MSTI lying in unserved area is not available 2. BCC	ITI needs to remove the deficiencies mentioned in column V& VI and submit report to state within 1 week	A mail has been received from State Directorate of Bihar on 10.08.2022 with the following remarks:	Not Recommende d: 1. Electrician- 2 (1+1) 2. Fitter-2 (1+1)

A Lunger

Lyd

1. Some machine were not function however tools and equipment are available also shortag of draw tables 2. Machine available but man machine are not function properly 3. Digital payment proof near provides	available 3. Machiner y bill invoices is given but send a repo payment proof is not available 4. All the instructor s' NCIC qualificati on document s are not available 5. Many machines are not	are not cleared, ITI cannot be considered for affiliation 2. Dist-Bhagalpur Block-Naugachiya is served block 3. BCC is not as per norms 4. No proper payment proof is submitted by ITI 5. Only 4 CITS certificates are submitted. No appointment letter is provided. 6. Photographs and video proof are submitted by
	furniture	ITI

HAMME OF 8

		T			is not			
					sufficient			
21.	Bhagalpur City Private ITI, At Jagatpur, Po Sabour, District- Bhagalpur PR10000411 Grading-2.66	Existing	1. Electricia n-20 (10+10) 2. Fitter-8 (4+4)	Recommende d: 1. Electricia n -20 (10+10) 2. Fitter-8 (4+4)	1. BCC document is not as per norms Layout plan is not clear 2. Instructor s NCIC qualificati on details not available 3. Machiner y bill invoice is available but payment proof not uploaded	ITI needs to remove the deficiencies mentioned in column VI and submit a report to the state within 1 week of issuing this MoM The State Directorate will verify and send a report with recommendati on to DGT within 01 week of issuing this MoM	A mail has been received from State Directorate of Bihar on 10.08.2022 with the following remarks: 1. All the NCs are cleared, ITI can be considered for affiliation 2. BCC certificate is submitted by ITI and is as per norms also layout plan submitted by ITI 3. Undertaking of NCIC staff appointment is submitted by ITI 4. As a payment proof bank statement is	Recommende d: I. Electrician - 20 (10+10) E. Fitter-8 (4+4)

\$18 marge 18

			submitted by	
			ITI	

3. State: Chhattisgarh

SI No	ITIs Name/ MIS Code / Application Number /Grading	Type of applicatio n Existing / New/MSTI	Trades/units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 3rd SCAA meeting held on dated 24.06.2022	Observations	Remarks by 5th SCAA meeting held on dated 16.08.2022
I	11	111	IV	٧	VI	VII	VIII	IX
1,	Shaildevi Private ITI, Janjgiri Road, Anda, Durg, Chhattisgarh -491221 PR22000191 Grading-1.53	Existing	1. Computer Operator and Programmin g Assistant (COPA)-2 (1+1) 2. Driver cum Mechanic-2 (1+1) 3. Fitter-4 (2+2) 4. Solar Technician (Electrical)-2 (1+1) 5. Stenographe r Secretarial Assistant (Hindi)-2 (1+1)	Recommended 1. Computer Operator and Programmi ng Assistant (COPA)-2 (1+1) 2. Driver cum Mechanic-2 (1+1) 3. Fitter-4 (2+2)	1. Machinery Bill Payments Partially Available 2. Details of CITS Passout Instructors not available 3. Electricity connection, classes & other labs shared with Shaildevi Mahavidyala ya	ITI needs to remove the deficiencies mentioned in column V& VI and submit report to state within 1 week of issuing this MoM The State Directorate will verify and send a report with recommendation to DGT within	A letter has been received from State Directorate of Employment and Training Chhattisgarh along with attached Undertaking from ITI stating the following points: The bills of machineries	The State Directorate will verify and send a report with clear recommendatio n of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed



Page **231** of **279**

	4. Solar Technician (Electrical)- 2 (1+1) 5. Stenograph er Secretarial Assistant (Hindi)-2 (1+1) Shortage of tool equipment and machinery, Power connection shared with Arts College	4. Machinery tool equipment not as per norms 5. Fire Safety Certificate not available	01 week of issuing this MoM	are uploaded in portal and enclosed in submitted file CITS pass out instructors' will be recruited in all trades Electricity connection is dedicated and in the name of ITI Separate classrooms are under construction and will be completed within 3 weeks Machinery tools and equipments are available as per NCVT norms	before the session 2022.
--	---	--	-----------------------------	--	--------------------------

James 18

Page **232** of **279**

			Fire safe Certificat available per requirem	e is as
--	--	--	---	------------

4. State: Gujarat

SI N o	ITIs Name/ MIS Code / Application Number /Grading	Type of application Existing	Trades/units sought affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 3rd SCAA meeting held on dated 24.06.2022	Observations	Remarks by 5th SCAA meeting held on dated 16.08.2022
I	II	Ш	IV	V	VI	VII	VIII	IX
1.	Shri KD Barad Trust Sanchalit, Kodinar Private ITI, Veraval Road, Kadavasan, Kodinar, Junagadh-362720 PR24007114(SPECI AL CASE) Grading-1.35	Existing	 Electricia n-2 (1+1) Fitter-2 (1+1) Health Sanitary Inspector -2 (1+1) Mechanic Diesel-2 (1+1) 	Recommended: 1. Electrician-2 (1+1) 2. Fitter-2 (1+1) 3. Mechanic Diesel-2 (1+1) Not Recommended: Health Sanitary Inspector-2 (1+1)	1. Details of CITS Pass out Instructors not available 2. BEd and PTC college continued in same building and same manageme nt	to remove the deficiencie s RDSDE and State Directorate will submit a joint inspection	Mail received from RDSDE Gujarat with recommendation of following Trades Recommended: 1. Electricia n-2 (1+1) 2. Fitter-2 (1+1)	Recommende d: 1. Electricia n-2 (1+1) 2. Fitter-2 (1+1) 3. Mechanic Diesel-2 (1+1) 4. Health Sanitary Inspector -2 (1+1)



Page **233** of **279**

	Remarks: 1. Raw Material Consumptio n Register, Student Records not maintained 2. Machinery not properly installed, Shortage of Tool and Equipment, Machinery not in working condition 3. HSI is not recommend ed due to non-	days of (1+1) issuing 4. Health this MoM Sanitary	
--	--	---	--

5. State: Himachal Pradesh

SI N o	ITIS Name/ MIS Code / application Application Number /Grading New/MSTI	Trades/units sought affiliation	Remarks by Inspection Cum Verification Committee	Observations of TC section	Remarks by 3rd SCAA meeting held on dated 24.06.2022	Observations	Remarks 5th meeting on 16.08.202	by SCAA held dated 2
--------------	--	---------------------------------	--	----------------------------	---	--------------	--	----------------------------------

18 mg/8

1

				(ICVC)				
ı	11	111	IV	V	VI	VII	VIII	IX
13	Jaypee Private Industrial Training Institute Samirpur, Hamirpur- 177601 PR02000141 Grading-2.85	Existing	1 Electrician -3 (1+1+1)	Recommended for – 1. Electrician-3 (1+1+1)	1. Details of CITS Pass out Instructors not available 2. No Statutory Plan Certificate not attached	Conditionally Recommended 1. Electrician -2 (1+1) State Directorate to get the No Statutory Plan Certificate and an undertaking from ITI that CITS Instructor will be appointed before the start of session 2022 and forward with recommendations to DGT within 7 days from the date of issue of MoM	Letter received from State Directorate of Himachal Pradesh dated 12.07.2022 with No Statutory plan certificate and undertaking for CITS certified Instructors will be engaged before start of session 2022.	Recommended: Electrician-2 (1+1)

6. State: Rajasthan

Γ	SI	ITIs Name/	Type of	Trades/units	Remarks by	Observation	Remarks by	Observations	Remarks by 5th
		MIS Code /	applicatio		Inspection	s of TC	3rd SCAA		SCAA meeting
١	No	Application	n Existing	sought	Cum	section	meeting held		held on dated
		Number	_		Verification		on dated		



	/Grading	/ New/MSTI	affiliation	Committee (ICVC)		24.06.2022		16.08.2022
	II.	III	IV	V	VI	VII	VIII	IX
1,	Amrit Private ITI, Sjirota Kalan Jaipur Road Dausa TMPNEW43	New	1. Computer Operator and programming assistant-3 (1+1+1) 2. Electrician-12 (4+4+4) 3. Health sanitary Inspector-3 (1+1+1) 4. Information communicati on technology system maintenance- 3 (1+1+1)	Recommended: 1. Computer Operator and programming assistant-3 (1+1+1) 2. Electrician-12 (4+4+4) 3. Health sanitary Inspector-3 (1+1+1) 4. Information communicatio n technology system maintenance- 3 (1+1+1)	1. Layout Plan only contains the Signature of AE, but do not contain entry/ documen t number 2. CITS Qualified instructor details not available	ITI will submit the layout and will give undertaking within 7 days from the date of issue of MoM to the State Directorate that CITS qualified instructors will be appointed before the start of session 2022 State directorate will submit the verified report with recommendatio n to DGT within 07 days from issuing of this MoM	Mail received from State Directorate of Rajasthan on 27.06.2022 with the following documents attached: 1. Certificate issued by Ex Engineer, PWD Dated 24-06-2022 stating that layout plan is approved by PWD. 2. Undertakin g from ITI stating that ITI will engage CITS	Recommended: 1. Computer Operator and programming assistant-2 (1+1) 2. Electrician-8 (4+4) 3. Health sanitary Inspector-2 (1+1) 4. Information communicati on technology system maintenance- 2 (1+1)
					1	I	0110	L

8/2E-marks 18

		qualified	
		instructors	
		before the	
		start of	
		session	
		2022.	

A Second

ng to

7. State: Maharashtra

SI N o	ITIs Name/ MIS Code / Application Number /Grading	Type of applicati on Existing / New/MST	Trades/units sought affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observatio ns of TC section	Remarks by 3rd SCAA meeting held on dated 24.06.2022	Observations	Remarks by 5th SCAA meeting held on dated 16.08.2022
Τ	II.	III	IV	V	VI	VII	VIII	IX
	Rajendrarao Moghe Private Industrial Training Institute, Amravati Malkapur Dhanodi Road, Shendurjana Ghat, Th-Warud, Dist- Amravati 444907 TMP27468PR1582866 464	New	1. Electrician-6 (2+2+2) 2. Fitter-3 (1+1+1) 3. Welder-3 (1+1+1) 4. Wireman-3 (1+1+1)	Recommende d: 1. Electricia n- 2 (1+1) 2. Fitter - 2 (1+1) 3. Welder - 2 (1+1) 4. Wireman - 2 (1+1)	1. BCC Issued by Architec t 2. CITS Pass out Instructo r details not availabl e	Conditionally Recommende d- 1. Electrician - 2 (1+1) 2. Fitter – 2 (1+1) 3. Welder – 2 (1+1) 4. Wireman – 2 (1+1) Subject to provide BCC, CITS and classroom details by ITI through the State directorate within 01	Mail received from State Directorate of Maharashtra on 30.06.2022 with the following remarks: 1. The institute has submitted the Building Completion Certificate of Nagar parishad Office of Shendurjanagh at, Tq Varud Dist Amravati dated 29.06.2022. 2. ITI has 4	Recommende d: 1. Electrician-2 (1+1) 2. Fitter – 2 (1+1) 3. Welder – 2 (1+1) 4. Wireman – 2 (1+1)

Jamaza 8

						week from this MoM State will verify and submit a report with recommendati on to DGT within 01 week from this MoM	classrooms as per norms 3.ITI has submitted Instructor details as per norms. 4. Hence, recommended for: Electrician- 2 (1+1) Fitter - 2 (1+1) Welder - 2 (1+1) Wireman - 2 (1+1)	
2.	Dnyanganga Private Industrial Training Institute TMPSP062(SPECIAL CASE)	New	 Electrician- 2 (1+1) Fashion Design and Technolog y-2 (1+1) Fire Technolog y and Industrial Safety Manageme nt-2 (1+1) Wireman-2 	Recommende d: 1. Electrician-2 (1+1) 2. Fashion Design and Technology- 2 (1+1) 3. Fire Technology and Industrial Safety	17.2KW 2. CITS	ITI needs to remove the deficiencies mentioned in column VI and submit a report to RDSDE within 1 week of issuing this MoM	Mail received from RDSDE Maharashtra on 14.07.2022 with the following remarks: 1. The ITI has enhanced their load sanction from 16 KW to 19 KW and	Recommende d: 1. Electrician- 2 (1+1) 2. Fashion Design and Technolog y-2 (1+1) 3. Fire Technolog y and Industrial Safety Manageme



y

			(1+1)		Managemen t-2 (1+1) Wireman-2 (1+1)	machine ry bills are from the year 2019	verify and send a report with their recommendati on to DGT within 1 week of issuing this MoM	2.	submitted a copy to RDSDE. Trainers CITS certificates are submitted. As per DVET information, ITI has applied for affiliation in 2020, machinerie s have been purchased in 2019. (Enclosed as Annexure C) Recommen ded for affiliation.		nt-2 (1+1) Wireman-2 (1+1)
3.	Dr Devendra Joshi Private Industrial Training Institute, Laxmi Nagar Wadi (Bk) Tal- Nanded Dist-	New	Electrician- 2 (1+1) Fitter-2 (1+1) Welder-2 (1+1)	1.	Electrician -2 (1+1) Fitter-2	1. BCC given by the Architect 2. CITS and Experien	ITI needs to remove the deficiencies mentioned in column VI and	fr D M	lail received om State irectorate of laharashtra n 30.06.2022	d	ecommende : Electrician-

8 Jan 2018

Cryst .

Nanded-431605 TMP27485PR1581085 667	4. Wireman-2 (1+1)	(1+1) 3. Welder-2 (1+1) 4. Wireman- 2 (1+1)	ce certificat e for trainers not available	submit a report to the State within 1 week of issuing this MoM The State Directorate will verify and send a report with recommendati on to DGT within 1 week of issuing this MoM	with the following remarks: 1. The institute has submitted the Building Completion Certificate of Gram Panchayat Office of Wadi (Bu.), Tq. Dist Nanded dated 08.03.2020. 2. ITI has submitted an Undertakin g for appointmen t of CITS qualified Instructors before start of Session 2022 3. Hence, recommend ed for: Electrician-	3.	2 (1+1) Fitter-2 (1+1) Welder-2 (1+1) Wireman-2 (1+1)
--------------------------------------	--------------------	---	--	---	---	----	---

Zol8

Page **241** of **279**

		2 (1+1) Fitter – 2 (1+1) Welder – 2 (1+1) Wireman – 2 (1+1)
Alexandra 18	Marie	

8. State: Uttar Pradesh

N o.	ITIs Name/ MIS Code / Application Number /Grading	Type of applicati on Existing / New/MS	Trades/units sought fo	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 3rd SCAA meeting held on dated 24.06.2022	Observations	Remarks by 5th SCAA meeting held on dated 16.08.2022
	11	III	IV	V	VI	VII	VIII	IX
1.	Sri Nathilal Pvt ITI, Syarmau Tehra Agra 1809016789	New	1 COPA 3 (1+1+1) 2 Electrician 3 (1+1+1) 3 Fitter 3 (1+1+1) 4 Health Sanitary Inspector-3 (1+1+1)	Recommende d: 1 COPA -3 (1+1+1) 2 Electrician -3 (1+1+1) 3 Fitter -3 (1+1+1) 4 Health Sanitary Inspector- 3 (1+1+1) In COPA trade some computers are not working, software/	1. Land lease document not uploaded 2. In Health sanitary trade Tools and equipment not available 3. BCC is given by the architect, not as per Norms	ITI needs to remove the deficiencies RDSDE and State directorate will conduct joint reinspection and send the report within 1 week of issuing this MoM	RDSDE UP has submitted vide letter dated 08.08.2022 along with joint inspection report with the following remarks: 1. Verified Land lease document 2. No Statutory Plan signed by Tehsildar and BCC is given by the architect	ITI needs to submit the BCC as per norms to the State Directorate within 07 days from issue of this MoM. State Directorate to verify the BCC and submit the report with clear recommendati ons within 07 days from issue of this

812 marg 18

- rgh

				LICENSE physically not available, and trade Health sanitary inspector tools & equipment are not available		3. Health sanitary trade Tools and equipment bills, photos and videos of workshop 4. software/ license physically available, purchase bill attached 5. All computers are working, photos and videos of COPA trade is attached	MoM.
2.	Bharat Private ITI, Village-Tayyatpur, Post-Balipur, Bareilly-243123 PR09900061 GRADING- 1.63	Existing	1. Electrician -12 (4+4+4)	Recommende d: 1. Electrician -12 (4+4+4) In additional units	1. Payment proof of Machinery equipment not available 2. Drawing Hall available 1. ITI needs to remove the deficiencies mentioned in column VI and submit a report to RDSDE within 1 weed of issuing the	12.07.2022 stating the following remarks:	Recommende d: 1. Electrician-8 (4+4)

B102018

Page **244** of **279**

					but stool not proper	MoM RDSDE will verify and send a report with recommendat ion to DGT within 1 week of issuing this MoM	paid online out of total Rs. 640000 2. Recommend ed for affiliation Documents submitted by ITI:	
							Copy of bank statement as payment proof of machineries and equipments	
							2. Copy of bill of procurement of stools for Drawing Hall and photo, video of the Drawing Hall	
3.	New Bright Future Private Industrial Training Institute,	New	1. Electrician - 18 (6+6+6)	Recommende d: 1. Electrician	2. Inspection done by NCVT members	ITI needs to remove the deficiencies and intimate	A letter has been received from State Directorate of	Recommende d: 1. Electrician

8/sgmudge/8

Page **245** of **279**

	Razzaknagar Jhinjhana Meerut Karnal Road Shamli- 247773 TMP9660PR157992 5991		3.	Fitter - 3 (1+1+1) Health Sanitary Inspector - 3 (1+1+1) Hospital Housekee ping - 3 (1+1+1) Physiother apy Technician - 3 (1+1+1)	3.	Housekee ping -3 (1+1+1)	3.	only Power not sufficient to run recommen ded trades (Available-18.75KW, Required-27.11KW)	to State and RDSDE RDSDE and State directorate will conduct joint reinspection within 1 week of issuing this MoM	UP dated 26.07.2022 along with following documents attached: 1. Inspection report with documents signed by Nodal ITI Principal 2. Electricity bill the month July 2022 with a sanctioned load of 35 KVA.	4.	(1+1) Hospital Housekee ping -2 (1+1) Physiother apy Technician -2 (1+1) ot ecommende
4.	Shanti Devi Private Industrial Training Institute, Village -Diwadhar Post- Pipramishr Distt-Deoria-274505	New	1.	Computer Operator and Programmi ng Assistant (COPA)- 2 (1+1) Electrician	d: 1. 2.	COPA -2 (1+1) Electrician -9 (3+3+3) Fashion Technolog	1. 2.	plan is not attached	ITI needs to remove the deficiencies mentioned in column VI and submit a report to the state within 1 week of	A letter has been received from State Directorate of UP dated 26.07.2022 along with following documents	Si Bi no Si Di w	I needs to ubmit the CC as per orms to the tate irectorate of its MoM.



Page **246** of **279**

	5646	-9 (3+3+3) 3. Fashion Design and Technolog y-2 (1+1) 4. Fitter-6 (2+2+2)	y -2 (1+1) 4. Fitter -3 (1+1+1)	given by an architect, Not as per Norms	issuing this MoM State Directorate will verify and send a report with recommendat ion to DGT within 1 week of issuing this MoM	attached: 1. Building Plan approved by Tahsildar 2. No statutory plan by Tahsildar 3. BCC by Architect 4. Fire Safety Certificate	State Directorate to verify the BCC and submit the report with clear recommendati ons within 07 days from issue of this MoM.
5.	Shri Fuleshwar Mishra Jagdish Pandey Private Industrial Training Institute, Ballia Village Babhnauli Post Bansdih Road, Ballia-277203 TMP9126PR158135 2247	1. Computer Operator and Programming Assistant (COPA)- 3 (1+1+1) 2. Electrician -3 (1+1+1) 3. Fitter -3 (1+1+1) 4. Sewing Technolog y -3	(1+0) 2. Electrician -2 (1+1) 3. Fitter -2 (1+1) 4. Sewing Technolog y -1 (1+0)	1. Only one COPA trainer is CITS trained 2. Machinery payment proof is not available	ITI needs to remove the deficiencies mentioned in column VI and submit a report to the state within 1 week of issuing this MoM The State Directorate will verify and send a report	Mail received from State Directorate of UP on dated 19.07.2022 stating that the ITI has removed the deficiencies along with following attached documents: 1. CITS details of 2 instructors of	Recommende d: 1. COPA)-1 (1+0) 2. Electrician -2 (1+1) 3. Fitter -2 (1+1) 4. Sewing Technolog y -1 (1+0) The ITI needs to submit an undertaking

Amund 18

Page **247** of **279**

			(1+1+1)			with recommendat ion to DGT within 1 week of issuing this MoM	COPA trade 2. Payment Receipt of machineries and bank statement	that CITS qualified instructors will be appointed before the start of session 2022 to the concerned state directorate and RDSDE within 07 days from the issue of this MoM.
								RDSDE and the state will
								ensure the instructors are appointed in the ITI before the start of session 2022.
6.	Sardar Patel Private Industrial Training Institute, Post- Ladawali, Tehseel- Kanth,	New	1 Electrician - 12 (4+4+4) 2 Fitter 6	Recommende d: 1. Electrician - 12	1. Only one Electrician and one fitter trainer is	ITI needs to remove the deficiencies mentioned in column VI	Mail received from State on dated 19.07.2022 stating that the	Recommende d: 1. Electrician- 8 (4+4)

Am Esto

The same

	Moradabd - 244504 TMP9171PR158244 5887		3	Health Sanitary Inspector- 3 (1+1+1) Physiother apy Technician - 3 (1+1+1)		(4+4+4) Fitter 6 (2+2+2) Health Sanitary Inspector- 3 (1+1+1) Physiother apy Technician - 3 (1+1+1)	2.	CITS trained Machinery payment proof is not available	and submit a report to the state within 1 week of issuing this MoM State Directorate will verify and send a report with recommendat ion to DGT within 01 week of issuing this MoM	ITI has removed the deficiencies. The following attached documents: 1. Certificates of Instructors with staff details 2. Bank Statement 3. Undertaking Letter of CITS	3.	(2+2) Health Sanitary Inspector- 2 (1+1)
7.	Bhardwaj Industrial Training Institute, Distt-Kushinagar 1809015589	New- MSTI	2.	COPA -3 (1+1+1) Electrician -3 (1+1+1) Fitter-3 (1+1+1) Health Sanitary Inspector- 3 (1+1+1)	d: 1. 2. i () 3.	COPA 3 (1+1+1) Electric an-3 (1+1+1) Fitter-3 (1+1+1) Health Sanitary	2.	The architect has not mentioned the dimensions of the total plot Area IT Lab is not tiled CITS Qualified Instructor	ITI needs to remove the deficiencies mentioned in column VI and submit report to RDSDE within 1 week of issuing this MoM	Mail received from RDSDE UP on dated 19.07.2022 stating that the ITI has removed the deficiencies. The following attached documents: 1. Building Plan signed by Engg.	Di ha th do ur ur ar w co a ra M	ne State frectorate as confirmed at the ITI bes not lie nder an inserved rea, the ITI ill be onsidered as new ITI ather than iSTI. ence, State



Page **249** of **279**

				Original bills for HSI, COPA trade and IT lab are not provided Bills of the lathe machine are not provided payment mode details not provided	4. N S C fo	etails not vailable IOC from State Directorate or MSTI not available	verify and send report with recommendat ion to DGT within 1 week of issuing this MoM	3.	CITS instructors and undertaking for CITS	Directorate to verify the land details of the ITI and other deficiencies mentioned in Column V as per norms and send a report with recommendati on within 07 days from issue of this MoM.
8.	New Sant Bihari Private Industrial Training Institute, Vill - Indira Nagar, Post- Bari Sawai, Block- Maitha, Kanpur Dehat – 209301	New	1. Computer Operator and Programming Assistant (COPA)-3 (1+1+1)	Recommende d: 1. Computer Operator and Programmi ng Assistant (COPA)- 2 (1+1)	2. (c	Machinery bill Payment broof not available Qualificati bn and experienc e certificate	ITI needs to remove the deficiencies mentioned in column VI and submit a report to RDSDE within 1 week of issuing this MoM	red RI da 12 sta fol		Recommende d: 1. Computer Operator and Programmi ng Assistant (COPA)- 2 (1+1)
	TMP9156PR158150		2. Electrician	2. Electrician	1	of trainers not	RDSDE will		10,62,000/- paid online	2. Electrician-

Jan 3018

Page **250** of **279**

148	31	-6 (2+2+2		- 4 (2+2)	uploaded	verify and		and Rs.	4 (2+2)
148	31	-6 (2+2+2) 3. Fitter -6 (2+2+2) 4. Electronic Mechanic 3(1+1+1)	3	- 4 (2+2) Electronics Mechanic- 2 (1+1) Fitter -4 (2+2)	uploaded	verify and send report with recommendat ion to DGT within 1 week of issuing this MoM	su	4,27,160 paid in cash. 09 instructors have CITS qualification out of total 25 instructors. cuments bmitted by ITI: Copy of bank statement as payment proof of machineries	3. Electronics Mechanic-2 (1+1) 4. Fitter -4 (2+2) The ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session 2022 to the concerned state directorate and RDSDE within 07 days from the issue of this MoM. RDSDE and the state will
									ensure the

Spunge 18

5

9.	Shri Banke Bihari Pvt ITI, Kanpur Nagar	New	1 2	COPA -3 (1+1+1) Electrician -3 (1+1+1)	d		1.	Details of CITS Qualified Instructor details not	ITI needs to remove the deficiencies mentioned in column VI	Mail received from State Directorate of UP on dated 19.07.2022	instructors are appointed in the ITI before the start of session 2022. Recommende d 1. COPA -2 (1+1)
	1809022479	,.	4	Electronics Mechanic- 3 (1+1+1) Fitter 3 (1+1+1)	1. 2. 3.	COPA -2 (1+1) Electricia n-4(2+2) Electronic s Mechanic -2 (1+1) Fitter - 4(2+2)	2.	available, BCC not as per norms, BCC from Gram Panchayat is given	and submit a report to the state within 1 week of issuing this MoM The State Directorate will verify and send a report with recommendat ion to DGT within 1 week of issuing this MoM	stating that the ITI has remove the deficiencies along with following attached documents: 1. BCC by Structural Engg. 2. No Statutor plan signed by Upjila Adhikari Mail received from ITI requesting for correction in the units of the	3. Electronics Mechanic- 2 (1+1) 4. Fitter - 4(2+2) The ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session 2022

Jung 18

Page **252** of **279**

									trades applied (application copy attached): 1. COPA -2 (1+1) 2. Electrician- 4(2+2) 3. Electronics Mechanic-2 (1+1) 4. Fitter - 4(2+2)	state directorate and RDSDE within 07 days from the issue of this MoM. RDSDE and the state will ensure the instructors are appointed in the ITI before the start of session 2022.
10	Meena Devi Private Industrial Training Institute, Gorakhpur, Vill- Baharampur Post-Kusumhi Bazar Dist-Gorakhpur, 273002 TMP9148PR158192 8075	New- MSTI	2	Computer Operator and Programmi ng Assistant (COPA)- 2 (1+1) Electrician -6 (2+2+2) Fitter-2 (1+1)	Re d: 1	Commende Computer Operator and Programmi ng Assistant (COPA)- 2 (1+1) Electrician -6 (2+2+2) Fitter-2 (1+1)	CITS Qualified Instructor details not available NOC for MSTI required from the state BCC not as per norms No Statutory Plan	ITI needs to remove the deficiencies mentioned in column VI and submit a report to the state within 1 week of issuing this MoM The State Directorate will verify and	Mail received from State Directorate of UP on dated 10.08.2022 with the following documents attached: 1. CITS certificate of two instructors in fitter and EM trade each are available	The State Directorate has confirmed that the ITI does not lie under an unserved area, the ITI will be considered as a new ITI rather than MSTI. Hence, State Directorate to verify the land

Page **253** of **279**

			4	Mechanic Refrigerati on and Air Conditione r-2 (1+1)	4	Mechanic Refrigerati on and Air Conditione r-2 (1+1)	4.	certificate given by Tehsildar Third shift is not allowed	send a report with recommendat ion to DGT within 1 week of issuing this MoM	 3. 4. 	ITI is opened as per latest norms No statutory plan by Tehsildar, BCC signed by Architect Third shift allowed as per norms	ITI nor ser with rec on day	ommendati within 07 /s from ue of this
11	Nirmal Raj Private Industrial Training Institute, Jalaun Bohadpura Jaluan Road Orai - 285125 TMP9151PR158028 3107	New	2.	Computer Operator and Programmi ng Assistant (COPA)- 2 (1+1) Electrician	Red:	Operator And Programmi ng Assistant		BCC is given by architect, Not as per Norms Available power is 18 KW and	ITI needs to remove the deficiencies mentioned in column VI and submit a report to the state within 1 week of	fro da 19 sta ITI the Th	m State on ted .07.2022 ating that the has removed e deficiencies. te following ached	Red:	Commende Computer Operator and Programmi ng Assistant (COPA)- 2
	3107		3.	-6 (2+2+2) Fitter-2 (1+1) Health Sanitary Inspector-2 (1+1)	2. 3. 4.	-6 (2+2+2)	3.	required load for running all trades is 19.6 KW	issuing this MoM The State Directorate will verify and send a report with recommendat ion to DGT within 1 week		BCC signed by Structural Engg. Electricity bill of sanctioned load of 20 KW from 18	2. 3. 4.	(1+1) Electrician- 6 (2+2+2) Fitter-2 (1+1)

\$18 June 2018

Page **254** of **279**

						pector- 1+1)	available	of issuing this MoM	3.	KW Undertaking Letter of CITS	2 (1+1)
12	C B S College of Polytechnic, Poiya, Pili-Pokhar, Agra TMPOLD310 MSTI	New- MSTI	2. E 3. F (Computer Operator and Programmi ng Assistant (COPA)-2 (1+1) Electrician -2 (1+1) Fitter-2 (1+1) Welder-2 (1+1)	d: 1. 2. 3. NOT Record: 1. CO (1-to	Electric ian -2 (1+1) Fitter-2 (1+1) Welder -2 (1+1) nmende DPA-2 +1) due less	Institute has 25 KW, 3-Ph connectio n from UPPCL and 25 KW grid connected Solar power Institute submitted an undertakin g that 25 KW, 3-Ph connectio n will be used for ITI only Required load = 28.16 KW All Instructors are not	ITI needs to remove the deficiencies mentioned in column VI and submit report to RDSDE within 1 week of issuing this MoM RDSDE will verify deficiencies and send report with recommendat ion to DGT within 1 week of issuing this MoM	rec RD dat 08. atta ver rep foll rer 1.	08.2022 with ached rification port and owing marks: ITI has increased the sanction load to 35 KVA (32.2 KW) from 25 KW ITI has appointed all the CITS instructors	State Directorate to submit the report of NOC for the ITI lying in the unserved area to DGT within 07 days from issue of this MoM.

Aura Ecla

Page **255** of **279**

13	Veerendra Singh Private Industrial Training Institute, Hardoi Kursath-241126 TMP9150PR158037 9276	New	2.	Computer Operator and Programmi ng Assistant (COPA)- 3 (1+1+1) Electrician -6 (2+2+2) Fitter-6 (2+2+2) Plumber-3 (1+1+1)	Recommende d: 1. Computer Operator and Programming Assistant (COPA)-3 (1+1+1) 2. Electrician -6 (2+2+2) 3. Fitter-6 (2+2+2) 4. Plumber-3 (1+1+1)	1.	CITS Qualified Payment proof not available for Machinery Fire safety certificate not available Drawing Hall available but stool not proper	ITI needs to remove the deficiencies mentioned in column VI and submit a report to the state within 1 week of issuing this MoM The State Directorate will verify and send a report with recommendat ion to DGT within 01 week of issuing this MoM ITI needs to	1.	recommend ation from the State Directorate is not available.	State Directorate to verify the reports of the deficiencies mentioned in column VI and send recommendati on of all the trades/units within 07 days from issue of this MoM.
	Private Industrial Training Institute, Mainpuri	NOW .		-6 (2+2+2) Fitter- 3	d: 1. Electrician-6		Layout Plan not attached	remove the deficiencies mentioned in column VI	•••	directorate has forwarded the letter	submit the following details to State



Page **256** of **279**

	Kareemganj, Kurawali Road 205001 TMP9166PU158149 3844	4	(1+1+1) 3. Health Sanitary Inspector- 3 (1+1+1) 4. Hospital Housekee ping -3 (1+1+1)	(2+2+2) 2. Fitter- 3 (1+1+1) 3. Health Sanitary Inspector-3 (1+1+1) 4. Hospital Housekeepi ng -3 (1+1+1)	 Payment proof not available CITS Qualified Instructor details not available Layout plan not approved by Architect, No Statutory plan certificate not attached IT Lab not tiled 	and submit a report to the state within 1 week of issuing this MoM State Directorate will verify and send report with recommendat ion to DGT within 1 week of issuing this MoM	vide dated 29.07.2022 (TC section diary no- 6406 dated 10.08.2022) stating that ITI has removed the deficiencies mentioned in MoM. 2. Other documents are available but No Statutory plan certificate is still not attached. 3. Final recommend ation from the State Directorate is not available.	Directorate within 07 days from issue of this MoM- 1. BCC documents as per norms. State Directorate will verify above reports and send recommendati on of all the trades/units within 07 days from issue of this MoM.
15	Swargiya Beche Lal Memorial Pvt ITI,		Electrician – 4 (2+2)	Electrician – NR	 BCC not available. No drawing 	Not Recommend ed in 1 st	3rd SCAA MoM Remarks:	State Directorate to verify the

10 Bolls

Page **257** of **279**

Village-Kamipur Post Balamau Block- Kachhauna District- Hardoi-241126	Fitter – 4 (2+2)	Fitter NR	hall. 3. Running of machinery not shown due to non-availability	SCAA MoM: Applicant ITI advised to upgrade to four trades.	State directorate to submit a report whether this ITI lies in unserved block	reports of the deficiencies mentioned in Column VI and send
TMP9150PR158219 9453			of power. 4. No UPS in IT Lab. 5. No power backup. 6. Total area of ITI less than required. 7. Experience certificate of staff not provided.		or not within 1 week from the date of issue of this MoM. State directorate has clarified that MSTI lies under unserved area vide state letter dated 19.07.2022.	recommendati on of all the trades/units within 07 days from issue of this MoM.

18 Seman 8

- May -

Agenda 6: Compliances of SCAA remarks of Minutes of 4th SCAA meeting held on 08.07.2022

The following cases were put up in 4th SCAA meeting held on dated 08.07.2022 and ITIs were asked to remove those deficiencies and submit the report through the concerned State Directorate/RDSDE. In this regard, reports for the following ITIs are received from the State Directorates/RDSDEs:

The cases were discussed in the meeting and the recommendation of 5th SCAA is given in column IX-

1. State: Assam

SI. No	ITIs Name/ Address/ MIS Code / Grading	Existin g/ New/ MSTI	Trades/ units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observation s of TC section	Remarks by 4th SCAA meeting held on dated 08.07.2022	Observation s	Remarks by 5th SCAA meeting held on dated 16.08.2022
1	11	111	IV	V	VI	VII	VIII	IX
1.	Kaziranga Private Industrial Training Institute, Near Holy Child School, VIP Road, Hijuguri, Tinsukia-786126 TMP18302PU1582379 653	New	1. Computer Operator and Programmi ng Assistant (COPA) - 2 (1+1+0) 2. Electrician - 6 (2+2+2) 3. Fitter - 6 (2+2+2) 4. Mechanic Diesel - 6 (2+2+2)	Recommende d: 1. Computer Operator and Programmi ng Assistant (COPA) - 2 (1+1+0) 2. Electrician - 2 (1+1+0) 3. Fitter - 2 (1+1+0) 4. Mechanic	1. Machinery are in partially working condition as per ICVC report. 2. Trainers qualificati on, experienc e and CITS details not available.	ITI needs to submit the working condition of all the trades machineries and an undertaking for CITS qualified instructors will be appointed before the	State Directorate of Assam has forwarded the letter from ITI. 1. ITI has given an undertaking to intake CITS qualified instructors ,upgrade	As per the mail received from State Directorate, ITI has removed deficiencies Recommende d: 1. Computer Operator and Programming Assistant

				Diesel - 2 (1+1+0) Machinery are in partially working condition.		start of session 2022, to the State Directorate within 07 days from the issue of this MoM. The State Directorate will verify and send the report with clear recommendati on of all the trades/units within 07 days from issue of this MoM.	Session 2022 2. As per the	(COPA) - 2 (1+1+0) 2. Electrician - 2 (1+1+0) 3. Fitter - 2 (1+1+0) 4. Mechanic Diesel - 2 (1+1+0)
2.	Axom Private Industrial Training Institute, Tinsukia Kokoratoli jail road post borguri ,Tinsukia- 786126 TMP18302PR1582531 761	New	 Electrician 3 (1+1+1) Fitter - 3 (1+1+1) Mechanic Diesel - 3 (1+1+1) Stenograp her Secretarial Assistant (English) - 	Recommende d: 1. Electrician	1. Tools & Equipment s and machinerie s for Stenograp her Secretarial Assistant (English) trade are not	Not Recommende d as per ICVC remarks. Minimum four trades are required. ITI needs to remove the deficiencies mentioned in	State Directorate of Assam has forwarded the letter from ITI. ITI has given an undertaking to procure all tool & equipment,	As per the mail received from State Directorate, ITI has removed deficiencies Recommende d: 1. Electrician -2 (1+1)



- John State of the State of th

			3 (1+1+1)	Equipment s and machinerie s for Stenograp her Secretarial Assistant (English) trade are not available as per norms. 2. The instructors are not trained under CITS.	available as per norms. 2. CITS Pass out Instructor details not available	column VI and submit the report to the State Directorate within 07 days from issue of this MoM. The State Directorate will verify and send the report with clear recommendati on of all the trades/units within 07 days from issue of this MoM.	engage CITS qualified instructors, enhance electrical load before the start of Session 2022 As per the mail received from State Directorate of Assam ITI has removed other deficiencies mentioned in column VII	 Fitter - 2(1+1) Mechanic Diesel - 2 (1+1) Stenograp her Secretarial Assistant (English) - 2 (1+1)
3.	Kaziranga Private Industrial Training Institute Opposite Jorhat Science and Technology College, NH 37, Sotai Jorhat TMP18290PU1582373	New	 Electrician 12	Recommende d: 1. Electrician	CITS and experienc e details of trainers are not available.	Not Recommende d as per ICVC remarks. Minimum four trades are required. ITI needs to remove the deficiencies mentioned in	State Directorate of Assam has forwarded the letter from ITI. 1. ITI has given an undertakin g that shortages of Items	As per the mail received from State Directorate, ITI has removed deficiencies Recommende d: 1. Electrician - 2 (1+1+0)



Page **261** of **279**

3618

1

	about their joining date. 4. Approach road is not in good condition. Boundary walls are not satisfactory	other deficiencies mentioned in column VII
--	---	--

2. State: Bihar

SI. No	ITIs Name/ Address/ MIS Code / Grading	Existin g/ New/ MSTI	Trades/ units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observatio ns of TC section	Remarks by 4th SCAA meeting held on dated 08.07.2022	Observations	Remarks by 5th SCAA meeting held on dated 16.08.2022
	11	111	IV	V	VI	VII	VIII	IX
1.	Om Sai Nath Private Industrial Training Institute, Vaishali, At- Panapur Dhammpur, P.S- Bidupur, Vaishali, Bihar. TMP10224PR1581591 429	New	1. COPA - 2 (1+1) 2. Electrician - 4 (2+2) 3. Fitter - 2 (1+1) 4. Housekee per - 2(1+1)	Recommende d: 1. COPA - 2 (1+1) 2. Electrician - 4 (2+2) 3. Fitter - 2 (1+1) 4. Housekee per - 2(1+1)	1. BCC is given by the architect, not as per norms. 2. CITS certificat e of trainers	ITI needs to submit the BCC and an undertaking to appoint CITS qualified instructors before the start of session	A mail has been received from State Directorate of Bihar on 10.08.2022 with the following remarks:	Recommende d: 1. COPA - 2 (1+1) 2. Electrician - 4 (2+2) 3. Fitter - 2 (1+1) 4. Housekee per - 2(1+1)



Page **263** of **279**

not available State 1. All the NCs have been removed by within 07 days from the issue of this MoM.
The State Directorate will verify the BCC and submit the report with clear recommendatio n of trades/units within 07 days from issue of this MoM. BCC available from Executive Engg., Building Division, Vaishali Bhawan Pramandal Hazipur is available. Undertaking for recruitment of CITS instructors before the start of session 2022 is provided.

8 Samuel 8

Indus Institu Vill : Harn	aut Private strial Training ute, Nalanda, Cheran, P.O+P.S : aut, Dist: Nalanda 10209PR1581399	2. 3.	COPA - 2 (1+1) and Electrician - 4 (2+2) Fitter - 4 (2+2) Smartphon e Technician Cum App Tester - 2 (1+1)	d: 1. 2. 3.	COPA - 2 (1+1) Electrician - 4 (2+2) Fitter - 4 (2+2) Smartphon e Technician Cum App Tester - 2 (1+1)	BCC by architect and anchal adhikari. not as per norms. All trainers are not CITS trained.	ITI needs to submit the BCC and an undertaking to appoint CITS qualified instructors before the start of session 2022, to the State Directorate within 07 days from the issue of this MoM. The State Directorate will verify the BCC and submit the report with clear recommendation of trades/units within 07 days from issue of this MoM.	be from Direction Bit 10 with form of the 1.	Division, Vaishali Bhawan Pramandal	d: 1. 2.	n - 4 (2+2)
							this MoM.	4.	Bhawan Pramandal Hazipur is available.		

8/2000

5.	Sapna Private	Existing	Electrician – 4	Recommende	1.	CITS	ITI needs to	for recruitment of CITS instructors before the start of session 2022 is provided. A mail has	Recommende
	Industrial Training Institute, At. Amawan More, P.O:Bansh Gopal, P.S:Rajauli,Nawada- 805110,Bihar PR10000826 Grading 3.01		(2+2+0)	d: Electrician – 4 (2+2+0)	2.	certificate of instructor not available.	submit BCC and an undertaking that CITS instructors will be appointed before the start of session 2022 to the state directorate within 07 days from the issue of this MoM. The State Directorate will submit the verified report with recommendations of trades/units	been received from State Directorate of Bihar on 10.08.2022 with the following remarks: 1. All the NCs have been removed by ITI, ITI is recommen ded for affiliation. 2. BCC submitted by	d: 1. Electricia n – 4(2+2)

18 Seminar 18

No.

				within 07 days	concerned	
			1	from issue of	ITI and is	
				this MoM.	as per	
					norms.	
					3. 10 CITS	
					trained	
					instructor	
					list along	
		1			with	
					certificates	
					submitted	
					by the ITI.	

8/2018

3. State: Gujarat

SI. No.	ITIs Name/ Address/ MIS Code / Grading	Existin g/ New/ MSTI	Trades/ units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observatio ns of TC section	Remarks by 4th SCAA meeting held on dated 08.07.2022	Observatio ns	Remarks by 5th SCAA meeting held on dated 16.08.2022
ı	11	111	IV	V	VI	VII	VIII	IX
1	BAPS Swaminarayan ITI, College Road, Bodeli District: Chhota Udepur - 391135 TMP24668PR1646888 406	New	1. Computer Operator and Programming Assistant (COPA) - 2 (1+1+0) 2. Electrician - 2 (1+1+0) 3. Fitter - 2 (1+1+0) 4. Welder - 2 (1+1+0)	and equipmen	1. Ground floor Building Plan is available without any signature. 2. Six appointment letters are available, trainers' qualification, experience and CITS details are not available.	Not Recommende d as per ICVC remarks. ITI will remove the deficiencies mentioned in column V and VI and submit the report to the State Directorate within 07 days from issue of this MoM. State Directorate and RDSDE will submit the	A mail has been received from RDSDE Gujarat on 09.07.2022 with the following remarks: 1. Machinery, tool and equipment of all trades found in working condition 3. Electrica	ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM- 1. Land documents/papers 2. Undertaking to appoint CITS instructors before the start of session 2022. 3. Electrical bill clearly showing connected load State Directorate will verify above



Page **268** of **279**

			for lar 3. Electr meter conne . Sola panel install but no worki 4. Staff Availa but no qualif	city not cted r ed ot ng. ble	joint verified report with recommendati on of all trades/units.	4.	of building	reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.
--	--	--	---	-------------------------------	---	----	----------------	--





6. Maharashtra:

	Address/ MIS Code / Grading	New/ MSTI	Trades/ units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	SCAA meeting held on dated 08.07.2022	Observations	Remarks by 5th SCAA meeting held on dated 16.08.2022
i,	11.	III.	IV,	V.	VI.	VII.	VIII.	IX.
1.	Markandeya Private Industrial Training Institute, Baradgaon-445402 TMPSP070(special case)	New	1. COPA- 2 (1+1) 2. Electrician- 2 (1+1) 3. Fashion Design and Technology - 2 (1+1) 4. Fitter- 2 (1+1)	1. COPA- 2 (1+1) 2. Electrician- 2 (1+1) 3. Fashion Design and Technology - 2 (1+1) 4. Fitter- 2 (1+1)	1. CITS Qualified Instructor details not available 2. Layout Plan not attached 3. BCC is available from Gram Panchayat. Not as per norms	ITI will submit the layout plan, BCC and an undertaking that CITS qualified instructors will be appointed before the start of session 2022 to the State Directorate within 07 days from the issue of this MoM. State Directorate within or days from layout plan, BCC along with recommendation of all trades/units within 07 days from the issue of this MoM.	A mail has been received from State Directorate of Maharashtra on 16.08.2022 with the following remarks: 1. State Directorate has verified Layout Plan Building, BCC as per norms 2. CITS qualified instructor appointment undertaking	Recommen ded: 1. COPA- 2 (1+1) 2. Electricia n- 2 (1+1) 3. Fashion Design and Technolo gy - 2 (1+1) 4. Fitter- 2 (1+1)



)

	3. Recommend ed for: COPA- 2 (1+1) Electrician- 2 (1+1) Fashion Design and Technology - 2 (1+1) Fitter- 2	
	(1+1)	

7. State: Uttar Pradesh

SI N o.	ITIs Name/ Address/ MIS Code / Grading	Existi ng/ New/ MSTI	Trades/ units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observatio ns of TC section	Remarks by 4th SCAA meeting held on dated 08.07.2022	Observati ons	Remarks by 5th SCAA meeting held on dated 16.08.2022
	11	111	IV	V	VI	VII	VIII	IX
1.	Thakur Beni Madhav Singh P I T I Private Industrial Training Institute, Fatehpur,Vill And	New	1. COPA-2 (1+1) 2. Electrici an-6(2+2+2) 3. Fitter -6 (2+2+2)	Not Recommended: 1. COPA-2 (1+1) 2. Electrician-6 (2+2+2) 3. Fitter -6 (2+2+2) 4. Sewing Technology-2 (1+1)	1. Electric load is less as per Norms (Available e-18	ITI will submit the following details to state within 07 days	State Directorate of UP has forwarded following details:	Recommen ded: 1. COPA-2 (1+1) 2. Electricia n-4 (2+2)



Post Manawa	4. Sewing	Only 4 technical staff have	KW,	I I	l. Electrica 3	
Fatehpur -212620,	Technoi	completed CITS	Required	of this MoM-	I Load	(2+2)
Uttar Pradesh	ogy-2		-20.67 KW)	1. Electric	00,00	I. Sewing Technolo
	(1+1)		2. CITS	load	on	gy-2
			details of	details	details	(1+1)
TMP9142PR15824			all the	2. Fire	of 20.7 KW	` ′
75843			trainers	safety	2. Fire	
			not	certificat 2	Safety	
			available	3. Underta	certificat	
			3. Fire	king to	e	
			safety	appoint ;	3. An	
			certificat	CITS	underta	
			e is not	instructo rs before	king	
			available	the start	from ITI	
				of of	for	
			I	session	engage	
				2022.	ment of CITS	
				The State	qualified	
				Directorate	instructo	
				will submit	rs	
1 1 1				the verified	before	
				report on the above	the start	
1 1				point with	of	
				clear	Session	
				recommend	2022.	
				ation of all		
				the		
				trades/units		
				within 07		
		1 2		days from		

10000018

M

2.	Banshi Singh Private Iti,Vill- Harsand, Banshi Bazar, Post- Nawanger, Dist- Ballia,Uttar Pradesh.	New	1. Electricia n-3 (1+1+1) 2. Fitter-3 (1+1+1) 3. Health Sanitary Inspector -3 (1+1+1) 4. Wireman -3 (1+1+1)	Recommended: 1. Electrician-3 (1+1+1) 2. Fitter-3 (1+1+1) 3. Wireman-3 (1+1+1) power norms for HSI trade is short of 1.72 KW.	1. Electricit y load is less as per norms. (Availabl e-16 KW, Required -17.71 KW) 2. BCC is given by architect, Not as per Norms. 3. CITS	nts as per norms	State Directorate of UP had forwarded following details: 1. Electricit y bill with connecti on of 18KW. 2. No Statutor y plan certificat	ITI will submit BCC as per norms to concerned state directorate within 07 days from issue of this MoM. The State Directorate will verify and send the report
				A 3	Norms.	1 '		1 1

Slogment 8

May 8

							the above point with clear recommend ation of all the trades/units within 07 days from issue of this MoM.	rs before the start of Session 2022.	
3.	Swami Vivekanand Private I.T.I. Private Industrial Training Institute, Bareilly, Vill- Uchasiya Fatehganj East, Bareilly- 243506, Uttar Pradesh PR09002116 Grading- 1.75	g	Electrician- 6(2+2+2)	Recommended: Electrician-4(2+2)	2.	BCC is not as per norms. CITS details of all the trainers are not available.	ITI will submit the following details to state within 07 days from issue of this MoM- 1. BCC docume nts 2. An undertak ing to appoint CITS instructo rs before the start of session	Mail received from State Directorate of UP on dated 11.08.2022 with the letter stating that the requisite documents are attached. However, attached documents are not	Report from the State Directorate is required as decided in 4th SCAA MoM remarks.

Jung 18

Page **274** of **279**

							2022. The State Directorate will submit the verified report on the above point with clear recommend ation of all the trades/units within 07 days from issue of this MoM.	found.	
4.	Rameshwar Prasad Private Industrial Training Institute, Banda Private Industrial, Vill And Post Pachnehi Distt. Banda-210001 TMP9128PR15798 64998	New	1. Electrici an-3 (1+1+1) 2. Fitter-3 (1+1+1) 3. Health Sanitary Inspecto r-3 (1+1+1) 4. Mechani c Diesel-3 (1+1+1)	Recommended: 1. Electrician -2 (1+1), 2. Fitter-2 (1+1) 3. HSI -2 (1+1) Not recommended: 1. Diesel Mechanic trade due to shortage of equipment. Remarks: 1. Drawing hall was available, as per norms 20 furniture but there were 15 found ok and	a a a s c c o F n n e is ly	TI has applied as MSTI and apacity of Polytech nic and mention ed that it is not ying in unserved area.	Not Recommen ded as per ICVC remarks. Minimum four trades are required for an ITI. ITI needs to remove the deficiencies mentioned in column V	Only forwarding letter is received from state directorate letter dated 10.08.2022 . Detailed reports are not available.	Report from State Directorate is required as decided in 4th SCAA MoM remarks

\$ 18 mm

rest are under in progress. 2. IT lab was available, server was not found. 9 desktop,2 laptop were available in working conditions and the latest configuration was not found. 3. Electrician lab earthing was not present, Mechanic diesel trade syllabus serial number 147,180,183,190,198,199,20 1,202,205,232 machinery and tool equipment are not available. 4. Website is not available during inspection time, logo of ITI was missing on main gate, Due bank statement for supply of bill. 5. Bills are available, But bank statement was not available during the inspection time	MSTI than NOC from the State Directora te is required. If ITI is in polytech nic then NOC from AICTE is required. 3 Approve d layout plan is not available . 4 CITS details of all the trainers	and VI and submit the report to the State Directorate within 07 days from issue of this MoM. The State Directorate will confirm about the institute type MSTI or polytechnic and submit the NOC accordingly. The State Directorate will submit	
5. Bills are available, But bank statement was not available	4 CITS details of all the	accordingly. The State Directorate	

Among 8

					4 5	issue of this MoM.		Daniel
5.	KP Private Industrial Training Institute, Hamirpur, Devganv Road Hamirpur-210502, Up TMP9149PU15820 08432	New	1. COPA-3 (1+1+1) 2. Electrici an-6 (2+2+2) 3. Fitter-6 (2+2+2) 4. Physioth erapy Technici an-3 (1+1+1)	Recommended: 1. COPA-2 (1+1) 2. Electrician-4 (2+2) 3. Fitter-4 (2+2) 4. Physiotherapy Technician-2 (1+1)	1. Existing electric load is less as per norms. (Availab le-18 KW,Req uired-18.67K W) 2. CITS details of all the trainers are not available.	(1+1) 4. Physioth erapy Technici	Only forwarding letter is received from state directorate letter dated 10.08.2022 . Detailed reports are not available.	Report from the state directorate is required as decided in 4th SCAA MoM remarks.



and the same

				state	
				I. II	
				directorate	
				and RDSDE	
				within 07	
				days from	
				the issue of	
			1		
1 1				this MoM.	
1 1	l l		1	RDSDE and	
				the state will	
1 1				ensure the	
1 1					
				instructors	
				are	
				appointed in	
				the ITI	
				before the	
				start of	
				session	
				2022.	
				l	
				*Reduced	
				units are	
				affiliated	
		23		due to less	
				electric load	
		(N) 8	y .		