

**DGT-Aff011(51)/21/2022-O/o DIR (TC)**  
**Government of India**  
**Ministry of Skill Development and Entrepreneurship**  
**Directorate General of Training**

Employment Exchange Building,  
1st floor, Pusa, New Delhi,  
Dated: 06.09.2022

To

**The State Directorate**  
Tamil Nadu, Uttarakhand

**Subject: Affiliation of Trades/Units after conversion from SCVT to NCVT for ITIs - Reg.**

Sir,

As decided in the 5<sup>th</sup> Standing Committee on Accreditation and Affiliation (SCAA) held on 16.08.2022 to 18.08.2022, Recommended trades/units for session w.e.f. August 2022, for the **ITI for the trade/units mentioned in the attached list**. The affiliation is granted for five years from the date of issue of this order for the recommended applicant ITIs as per the list attached.


1. The DGT & State officer can inspect the ITI any time for better performance & training
  - (i) Periodic verification.
  - (ii) The ITI must comply with DGT norms/guidelines issued from time to time.
  - (iii) ITI must display the newly released logo of ITI on the Display Board at the main gate.
2. The said information is also available under "News & Updates" on NCVT MIS Portal at <https://ncvtmis.gov.in>.
3. **Affiliation of Trades/Units mentioned in this order valid till the validity of affiliation of ITIs and ITI should apply for "Renewal of Affiliation "as per DGT Norms.**
4. Discrepancies if any in the affiliation orders, may be intimated to the undersigned within 15 days of issue of this order.

Yours faithfully

  
(Ujjwal Biswas)  
Director TC

**Copy along with enclosures for information to:**

1. Sr PPS to Chairman Standing Committee on Accreditation and Affiliation (SCAA)-DGT.
2. Sr PPS to DDG (Affiliation).
3. The officer dealing with NCVT MIS: - To please upload the order on NCVT MIS portal

  
(P.M. Damodharam)  
Assistant Director TC



**STATE Tamil Nadu**

**Meeting Date: 16/08/2022**

**SCVT to NCVT**

**Total - 11, (New-00, Existing-11)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instt.	Trade/Units Recommended by (SSDEC)	Trade/units Approved by DGT SCAA	
1.	Govt. ITI, Arakkonam Mosur Road, Ranipettai-631003  MIS CODE: GR33000107  Grading: 3.22	Existing	Electrician	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended
			Fitter	1(1+0+0)	1(1+0+0)	1(1+0+0)	
2.	Govt. ITI, Theni Madurai Road, Theni-625531  MIS CODE: GR33000064  Grading: 3.09	Existing	Computer Operator and Programming Assistant	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
			Desktop Publishing Operator	1(0+1+0)	1(0+1+0)	1(0+1+0)	
3.	Govt. ITI, Thanjavur- 613007  MIS CODE: GU33000041  Grading: 3.24	Existing	Machinist	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
			Electrician	1(0+1+0)	1(0+1+0)	1(0+1+0)	






**STATE Tamil Nadu**

**Meeting Date: 16/08/2022**

**SCVT to NCVT**

**Total - 11, (New-00, Existing-11)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instit.	Trade/Units Recommended by (SSDEC)	Trade/units Approved by DGT SCAA	
4.	Govt. ITI, Karaikudi Devakottai Road, Amaravathi Pudur,karaikudi Sivaganga-630005  MIS CODE: GR33000059  Grading: 2.89	Existing	Wireman	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended
			Turner	1(0+1+0)	1(0+1+0)	1(0+1+0)	
5.	SMRV Govt ITI Nagercoil (Women)  MIS CODE: GR33000092  Grading: 2.97	Existing	Architectural Draughtsman	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
6.	Govt. ITI, Konam, Nagercoil Pwd Road, Nagercoil Kanniyakumari- 629001  MIS CODE: GR33000045  Grading: 2.76	Existing	Wireman	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended




**STATE Tamil Nadu**

**Meeting Date: 16/08/2022**

**SCVT to NCVT**

**Total - 11, (New-00, Existing-11)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (SSDEC)	Trade/units Approved by DGT SCAA	
7.	Govt. ITI, Virudhunagar Soolakarai Virudhunagar-626003  MIS CODE: GR33000034  Grading: 3.16	Existing	Machinist	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
8.	Govt. ITI, Coimbatore Mettupalayam Road, GN Mills – Post Coimbatore-641029  MIS CODE: GU33000058  Grading: 3.10	Existing	Computer Operator and Programming Assistant	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended
9.	Govt. ITI, Madurai K.pudur, Madurai-625007  MIS CODE: GU33000060  Grading: 3.13	Existing	Electrician	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended






**STATE Tamil Nadu**

**Meeting Date: 16/08/2022**

**SCVT to NCVT**

**Total - 11, (New-00, Existing-11)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instit.	Trade/Units Recommended by (SSDEC)	Trade/units Approved by DGT SCAA	
10.	Govt. ITI, Guindy (Women) K.pudur, Madurai-625007  MIS CODE: GR33000070  Grading: 2.85	Existing	Architectural Draughtsman	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
11.	Govt. ITI, Pullambadi (Women) Pullambadi Tiruchirappalli-621711  MIS CODE: GR33000212  Grading: 2.93	Existing	Machinist  Dress Making	2(1+1+0)  2(1+1+0)	2(1+1+0)  2(1+1+0)	2(1+1+0)  2(1+1+0)	Recommended





**STATE Tamil Nadu**

**Meeting Date: 16/08/2022**

**SCVT to NCVT**

**Total - 25, (New-00, Existing-25)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (SSDEC)	Trade/units Approved by DGT SCAA	
1.	Govt. ITI, Arakkonam Mosur Road, arakkonam Ranipettai-631003  MIS CODE: GR33000107  Grading: 3.22	Existing	Smartphone Technician cum App Tester	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
			Welder	2(1+1+0)	2(1+1+0)	2(1+1+0)	
			Refrigeration and Air Conditioning Technician	2(1+1+0)	2(1+1+0)	2(1+1+0)	
2.	Govt. ITI, Aundipatti (Women) Theni Madurai Road, S.renganathapuram, Aundipatti  Theni-625512  MIS CODE: GR33000541  Grading: 3.22	Existing	Refrigeration and Air Conditioning Technician	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
			Smartphone Technician cum App Tester	2(1+1+0)	2(1+1+0)	2(1+1+0)	
3.	Govt. ITI, Cuddalore (Women) Semmandalam, Cuddalore-607001  MIS CODE: GU33000085  Grading: 3.26	Existing	Technician Power Electronics System	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
			Architectural Draughtsman	2(1+1+0)	2(1+1+0)	2(1+1+0)	



**STATE Tamil Nadu**

**Meeting Date: 16/08/2022**

**SCVT to NCVT**

**Total - 25, (New-00, Existing-25)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instit.	Trade/Units Recommended by (SSDEC)	Trade/units Approved by DGT SCAA	
4.	Govt. ITI, Madurai (Women) K. pudur, madurai-625007  MIS CODE: GU33000523  Grading: 3.51	Existing	Technician Medical Electronics	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
5.	Govt. ITI, Dindigul (Women) Natham Road, dindigul-624006  MIS CODE: GR33000273  Grading: 2.80	Existing	Technician Power Electronics System	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
6.	Govt. ITI, Mudhukulathur Paramakudi Road, Mudukulathur. Ramanathapuram-623704  MIS CODE: GR33000276  Grading: 2.50	Existing	Refrigeration and Air Conditioning Technician  Machinist	2(1+1+0)  2(1+1+0)	2(1+1+0)  2(1+1+0)	2(1+1+0)  2(1+1+0)	Recommended






**STATE Tamil Nadu**

**Meeting Date: 16/08/2022**

**SCVT to NCVT**

**Total - 25, (New-00, Existing-25)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (SSDEC)	Trade/units Approved by DGT SCAA	
7.	Govt. ITI, Madurai K.pudur, Madurai-625007  MIS CODE: GU33000060  Grading: 3.13	Existing	Interior Design and Decoration	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
			Food Production (General)	2(1+1+0)	2(1+1+0)	2(1+1+0)	
8.	Govt. ITI, Sivangangai Muthupatti, Sivangangai -630562  MIS CODE: GU33000568  Grading: 2.91	Existing	Dress Making (Change of Trade from Sewing Technology)	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended: 1. Dress Making-2 (1+1)  and  Surrendered/De-affiliated:  1. Sewing Technology-2 (1+1)
9.	Govt. ITI, Namakkal Tamilnadu Motel, Paramathi Via, Kirambur Post Namakkal-637207  MIS CODE: GR33000540  Grading: 3.48	Existing	Machinist	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
			Information Communication Technology and System Maintenance	2(1+1+0)	2(1+1+0)	2(1+1+0)	





**STATE Tamil Nadu**

**Meeting Date: 16/08/2022**

**SCVT to NCVT**

**Total - 25, (New-00, Existing-25)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instit.	Trade/Units Recommended by (SSDEC)	Trade/units Approved by DGT SCAA	
10.	Govt. ITI, Chekkanurani Theni Road, Chekkanurani. Madurai-626514  MIS CODE: GR33000097  Grading: 3.08	Existing	Refrigeration and Air Conditioning Technician	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
11.	Govt. ITI, Salem (Women) Iyanthirumaligai Road, Kannankurichu PO Salem-636008  MIS CODE: GU33000207  Grading: 2.74	Existing	Refrigeration and Air Conditioning Technician  Electrician	2(1+1+0)  2(1+1+0)	2(1+1+0)  2(1+1+0)	2(1+1+0)  2(1+1+0)	Recommended
12.	Govt. ITI, Kaur Near vennaimalai murugankoil, Vennaimalai Karur-639006  MIS CODE: GU33000538  Grading: 2.68	Existing	Operator Advanced Machine Tool	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended



**STATE Tamil Nadu**

**Meeting Date: 16/08/2022**

**SCVT to NCVT**

**Total - 25, (New-00, Existing-25)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (SSDEC)	Trade/units Approved by DGT SCAA	
13.	Govt. ITI, Thanjavur Thanjavur-613007  MIS CODE: GU33000041  Grading: 3.24	Existing	Interior Design and Decoration	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
14.	SMRV Govt. ITI, Nagercoil (Women) Kanniyakumari  MIS CODE: GR33000092  Grading: 2.97	Existing	Technician Medical Electronics	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
15.	Govt. ITI, Ranipet Ranipettai-632402  MIS CODE: GR33000542  Grading: 2.15	Existing	Operator Advance Machine Tool	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended

 08/19 



**STATE Tamil Nadu**

**Meeting Date: 16/08/2022**

**SCVT to NCVT**

**Total - 25, (New-00, Existing-25)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instit.	Trade/Units Recommended by (SSDEC)	Trade/units Approved by DGT SCAA	
16.	Govt. ITI, Tiruppur Opp. To Govt. Hospital, Dharapuram Road Tiruppur-641608  MIS CODE: GU33000110  Grading: 3.00	Existing	Tool & Die Maker (Press tools, Jigs & Fixtures)	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
17.	Govt. ITI, Paramakudi Madurai To Rameshwaram Main Road, Paramakudi Ramanathapuram  MIS CODE: GR33000063  Grading: 3.36	Existing	Solar Technician (Electrical)	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended






**STATE Tamil Nadu**

**Meeting Date: 16/08/2022**

**SCVT to NCVT**

**Total - 25, (New-00, Existing-25)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instt.	Trade/Units Recommended by (SSDEC)	Trade/units Approved by DGT SCAA	
18.	Govt. ITI, Thiruvanmiyur L21,L22 Dr VSI Estate, Thiruvanmiyur. Chennai-600041  MIS CODE: GR33000080  Grading: 2.61	Existing	Technician Medical Electronics	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
19.	Govt. ITI, Ramanathapuram  1350, rameshwaram Main Road,near Collectrate Ramanathapuram- 623503  MIS CODE: GR33000274  Grading: 2.68	Existing	Computer Operator and Programming Assistant  Welder	2(1+1+0)  2(1+1+0)	2(1+1+0)  2(1+1+0)	2(1+1+0)  2(1+1+0)	Recommended





**STATE Tamil Nadu**

**Meeting Date: 16/08/2022**

**SCVT to NCVT**

**Total - 25, (New-00, Existing-25)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instt.	Trade/Units Recommended by (SSDEC)	Trade/units Approved by DGT SCAA	
20.	Govt. ITI, Dharapuram Tiruppur road, Nanjiyampalayam po., Dharapuram Tiruppur -638656  MIS CODE: GR33000053  Grading: 2.64	Existing	Operator Advanced Machine Tool	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
21.	Govt. ITI, Guindy Alandur Road, Guindy Chennai- 600032  MIS CODE: GR33000068  Grading: 2.55	Existing	Smartphone Technician cum App tester	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended

*(Handwritten signatures and date 06/9)*




**STATE Tamil Nadu**

**Meeting Date: 16/08/2022**

**SCVT to NCVT**

**Total - 25, (New-00, Existing-25)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instit.	Trade/Units Recommended by (SSDEC)	Trade/units Approved by DGT SCAA	
22.	Govt. ITI, Virudhunagar Soolakarai Virudhunagar  MIS CODE: GR33000034  Grading: 3.16	Existing	Fire Technology and Industrial Safety Management	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
			Interior Design and Decoration	2(1+1+0)	2(1+1+0)	2(1+1+0)	
23.	Govt. ITI, Coimbatore (Women) Mettupalayam Road, GN Mills - Post Coimbatore-641029  MIS CODE: GU33000272  Grading: 3.15	Existing	Technician Medical Electronics	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
			IoT Technician (Smart Health Care)	2(1+1+0)	2(1+1+0)	2(1+1+0)	
			Smartphone Technician cum App tester	2(1+1+0)	2(1+1+0)	2(1+1+0)	



Handwritten signatures and dates in blue ink, including '2019'.



**STATE Tamil Nadu**

**Meeting Date: 16/08/2022**

**SCVT to NCVT**

**Total - 25, (New-00, Existing-25)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instit.	Trade/Units Recommended by (SSDEC)	Trade/units Approved by DGT SCAA	
24.	Govt. ITI, Coimbatore Mettupalayam Road, GN Mills - Post Coimbatore-641029  MIS CODE: GU3300058  Grading: 3.10	Existing	Interior Design and Decoration	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
			Remotely Piloted Air Craft (Drone Pilot)	2(1+1+0)	2(1+1+0)	2(1+1+0)	Affiliation is on hold by DGT for Remotely Piloted Air Craft (Drone Pilot)
25.	Govt. ITI, Thirukkuvalai Nagapattinam- 610204  MIS CODE: GR33000451  Grading: 2.81	Existing	Wireman	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended

*(Handwritten signatures and initials)*



**STATE Tamil Nadu**

**Meeting Date: 16/08/2022**

**SCVT to NCVT**

**Total - 03, (New-03, Existing-00)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instt.	Trade/Units Recommended by (SSDEC)	Trade/units Approved by DGT SCAA	
1.	Govt ITI Sattur	New	Fitter	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
			Electrician	2(1+1+0)	2(1+1+0)	2(1+1+0)	
			Mechanic Motor Vehicle	2(1+1+0)	2(1+1+0)	2(1+1+0)	
			Solar Technician (Electrical)	2(1+1+0)	2(1+1+0)	2(1+1+0)	
			Fire Technology and Industrial Safety Management	2(1+1+0)	2(1+1+0)	2(1+1+0)	

*[Signature]*  
26/9

*[Signature]*





**STATE Tamil Nadu**

**Meeting Date: 16/08/2022**

**SCVT to NCVT**

**Total - 03, (New-03, Existing-00)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instit.	Trade/Units Recommended by (SSDEC)	Trade/units Approved by DGT SCAA	
2.	Govt ITI, Neyveli	New	Fitter	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
			Electrician	2(1+1+0)	2(1+1+0)	2(1+1+0)	
			Welder	2(1+1+0)	2(1+1+0)	2(1+1+0)	
			Refrigeration and Air conditioning Technician	2(1+1+0)	2(1+1+0)	2(1+1+0)	
3.	Govt ITI Sembodai	New	Electrician	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
			Spinning Technician	2(1+1+0)	2(1+1+0)	2(1+1+0)	
			Surveyor	2(1+1+0)	2(1+1+0)	2(1+1+0)	
			Maintenance Mechanic (Chemical Plant)	2(1+1+0)	2(1+1+0)	2(1+1+0)	
			Mechanic Diesel	2(1+1+0)	2(1+1+0)	2(1+1+0)	

*[Signature]*  
26/9



**STATE Uttarakhand**

**Meeting Date: 16/08/2022**

**SCVT to NCVT**

**Total - 05, (New-00, Existing-05)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instt.	Trade/Units Recommended by (SSDEC)	Trade/units Approved by DGT SCAA	
1.	Govt. ITI, Kaladhungi District-Nainital-263140 MIS CODE: GR05000172 Grading: 0.35	Existing	Electrician	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
2.	Govt. ITI, Narsan Landhora Haridwar-247664 MIS CODE: GR05000168 Grading: 0.40	Existing	Electrician	4(2+2+0)	4(2+2+0)	4(2+2+0)	Recommended
3.	Govt. ITI, New Tehri Tehri Garhwal-249001 MIS CODE: GU05000073 Grading: 0.56	Existing	Electrician	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended






**STATE Uttarakhand**

**Meeting Date: 16/08/2022**

**SCVT to NCVT**

**Total - 05, (New-00, Existing-05)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instit.	Trade/Units Recommended by (SSDEC)	Trade/units Approved by DGT SCAA	
4.	Govt. ITI, Sitarganj Udam Singh Nagar- 261405  MIS CODE: GU05000111  Grading: 1.21	Existing	Electrician	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
5.	Govt. ITI, Vikasnagar Dehradun-248191  MIS CODE: GU05000097  Grading: 1.56	Existing	Electrician  Welder	2(0+0+2)  2(1+1+0)	2(0+0+2)  2(1+1+0)	2(0+0+2)  2(1+1+0)	Recommended:  1. *Electrician- 2(0+0+2)  2. Welder- 2(1+1+0)  *3rd Shift is recommended under the DST scheme.

*[Signature]*  
06/19

*[Signature]*

*[Handwritten mark]*