

DGT- Aff011(51)/21/2022 O/o Dir (TC)
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Employment Exchange Building,
1st floor, Pusa, New Delhi,
Dated: 06.09.2022

To

The State Directorate
Uttarakhand, West Bengal

Subject: Accreditation and Affiliation of Trades /Units for Govt. ITI, with NCVT -Reg.

Sir,

As decided in the 5th meeting of Standing Committee on Accreditation and Affiliation (SCAA) held on 06.08.2022 to 18.08.2022, the committee recommended trades/units for session w.e.f. August 2022, for the **ITIs for the trades/units mentioned in the attached list**. The affiliation is granted for five years from the date of issue of this order.

1. The DGT & State officer can inspect the ITI any time for better performance & training
 - (i) Periodic verification.
 - (ii) The ITI must comply with DGT norms/guidelines issued from time to time.
 - (iii) ITI must display the newly released logo of ITI on the Display Board at the main gate.
2. The said information is also available under "News & Updates" on NCVT MIS Portal at <https://ncvtmis.gov.in>.
3. **Affiliation of courses mentioned in this order is valid for five years thereafter ITIs should apply for "Renewal of Affiliation "as per DGT Norms.**
4. Discrepancies if any in the affiliation orders, may be intimated to the undersigned within 15 days of issue of this order.

Yours faithfully



(Ujjwal Biswas)
Director TC

Copy along with enclosures for information to:

1. Sr PPS to Chairman of 5th meeting of Standing Committee on Accreditation and Affiliation (SCAA)- DGT, New Delhi
2. Sr PPS to DDG (Affiliation).
3. The officer dealing with NCVT MIS Portal - To upload and Necessary mapping in the NCVT MIS portal.



(P.M. Damodharm)
Assistant Director TC



STATE Uttarakhand

Meeting Date: 16/08/2022

Total - 06, (New-00, Existing-06)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instt.	Trade/Units Recommended by (SSDEC)	Trade/units Approved by DGT SCAA	
1.	Govt. ITI, Bajpur Udam Singh Nagar-262401 MIS CODE: GR05000158 Grading: 0.80	Existing	Plumber	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
2.	Govt. ITI, Dehradun- Women Dehradun- 248001 MIS CODE: GU05000065 Grading: 2.20	Existing	Electronic Mechanic	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
3.	Govt. ITI, Dehradun- Boys Dehradun- 248171 MIS CODE: GU05000071 Grading: 1.65	Existing	Plumber	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
4.	Govt. ITI, Kanda Bageshwar-263631 MIS CODE: GR05000084 Grading: 0.76	Existing	Electronic Mechanic	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended

(Handwritten signatures and numbers)



STATE Uttarakhand

Meeting Date: 16/08/2022

Total - 06, (New-00, Existing-06)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instit.	Trade/ Units Recommended by (SSDEC)	Trade/units Approved by DGT SCAA	
5.	Govt. ITI, Kaladhungi District-Nainital-263140 MIS Code: GR05000172 Grading: 0.35	Existing	Welder (Fabrication & Fitting)	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
6.	Govt. ITI, Pantnagar Vishisht Govt ITI Pantnagar, Near Ashok Leyland Ra Udam Singh Nagar-263153 MIS CODE: GU05000192 Grading: 0.38	Existing	Electronic Mechanic Welder (Fabrication & Fitting)	1(0+1+0) 2(1+1+0)	1(0+1+0) 2(1+1+0)	1(0+1+0) 2(1+1+0)	Recommended

[Handwritten signatures and initials]



STATE West Bengal

Meeting Date: 16/08/2022

Total - 15, (New-00, Existing-15)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instt.	Trade/Units Recommended by (SSDEC)	Trade/units Approved by DGT SCAA	
1.	Govt. Industrial Training Institute for Women Dist - Kolkata MIS CODE: GR19000041 Grading: 2.60	Existing	Solar Technician (Electrical)	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
			Electronics Mechanic	1(1+0+0)	1(1+0+0)	1(1+0+0)	
2.	Govt. ITI Tollygunge, Dist - Kolkata MIS CODE: GR19000015 Grading: 3.23	Existing	Solar Technician (Electrical)	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
3.	Govt. ITI Howrah Homes, Dist - Howrah MIS CODE: GR19000048 Grading: 2.42	Existing	Solar Technician (Electrical)	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended


06/19





STATE West Bengal

Meeting Date: 16/08/2022

Total - 15, (New-00, Existing-15)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instit.	Trade/Units Recommended by (SSDEC)	Trade/units Approved by DGT SCAA	
4.	Govt. ITI Berhampore Dist - Murshidabad MIS CODE: GR19000030 Grading: 3.20	Existing	Mechanic Diesel Engine	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
			Mechanic Motor Vehicle	1(0+1+0)	1(0+1+0)	1(0+1+0)	
			Wireman	1(0+1+0)	1(0+1+0)	1(0+1+0)	
			Welder	1(0+1+0)	1(0+1+0)	1(0+1+0)	
			Carpenter	1(0+1+0)	1(0+1+0)	1(0+1+0)	
			Computer Operator & Programming Assistant	1(0+1+0)	1(0+1+0)	1(0+1+0)	
			Electronics Mechanic	1(0+1+0)	1(0+1+0)	1(0+1+0)	
			Surveyor	1(0+1+0)	1(0+1+0)	1(0+1+0)	

[Handwritten signatures and dates]



STATE West Bengal

Meeting Date: 16/08/2022

Total - 15, (New-00, Existing-15)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instt.	Trade/Units Recommended by (SSDEC)	Trade/units Approved by DGT SCAA	
5.	Govt. ITI for Women, Burdwan Dist - Purba Burdwan MIS CODE: GR19000040 Grading: 2.52	Existing	Smartphone Technician cum App Tester	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
6.	Govt. ITI Balurghat Dist - Dakshin Dinajpur MIS CODE: GR19000017 Grading: 3.17	Existing	Electronics Mechanic	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended

(Handwritten signatures and dates)



STATE West Bengal

Meeting Date: 16/08/2022

Total - 15, (New-00, Existing-15)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instit.	Trade/Units Recommended by (SSDEC)	Trade/units Approved by DGT SCAA	
7.	Govt. ITI, Hijli Dist - Paschim Mindnapore MIS CODE: GR19000044 Grading: 1.73	Existing	Electronics Mechanic Fitter Welder	1(0+1+0) 1(0+1+0) 1(0+1+0)	1(0+1+0) 1(0+1+0) NR	1(0+1+0) 1(0+1+0) NR	Recommended: 1. Electronics Mechanic- 1(0+1+0) 2. Fitter- 1(0+1+0) SSDEC to ensure any shortfall. Not Recommended: 1. Welder- 1(0+1+0)
8.	Govt. ITI Gariahat Dist – Kolkata MIS CODE: GR19000035 Grading: 3.03	Existing	Solar Technician (Electrical)	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
9.	Binpur-1 Govt. ITI Dist – Jhargram MIS CODE: GR19000246 Grading: 0	Existing	Welder Cosmetology Refrigeration and Air conditioning Technician	2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0) 2(1+1+0)	Recommended





STATE West Bengal

Meeting Date: 16/08/2022

Total - 15, (New-00, Existing-15)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by SCAA
				Instt.	Trade/ Units Recommended by (SSDEC)	Trade/units Approved by DGT SCAA	
10.	Govt. ITI Tufanganj Dist - Coochbeher	Existing	Electronics Mechanic	1(0+1+0)	1(0+1+0)	1(0+1+0)	Recommended
	MIS CODE: GR19000012		Fitter	2(1+1+0)	2(1+1+0)	2(1+1+0)	
11.	Govt. ITI Midnapore Dist - Paschim Midnapore	Existing	Solar Technician (Electrical)	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
	MIS CODE: GR19000053						
12.	Govt. ITI, Malda	Existing	Solar Technician (Electrical)	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
	MIS CODE: GR19000032						
	Grading: 1.41						
	Grading: 2.52						
	Grading: 3.20						

(Handwritten signatures and initials)



STATE West Bengal

Meeting Date: 16/08/2022

Total - 15, (New-00, Existing-15)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/recommended by			Remarks by SCAA
				Instit.	Trade/Units Recommended by (SSDEC)	Trade/units Approved by DGT SCAA	
13.	Government ITI Falta Dist - 24 Paragana(S) Running under PTP MIS CODE: GR19000218 Grading: 3.92	Existing	Electrician	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
14.	Government ITI Ranibandh Dist - Bankura Running Under PTP MIS CODE: GR19000152 Grading: 3.87	Existing	Electrician	3(1+1+1)	3(1+1+1)	3(1+1+1) *	Recommended *3rd shift to be run under DST scheme
15.	Biren Mohanty Memorial Govt. ITI, Karakanali Dist - Bankura running under PTP MIS CODE: GR19000174 Grading: 3.61	Existing	Electrician	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended

(Handwritten signature and date 26/9)