

DGT-Aff011(51)/20/2022 O/o Dir (TC)
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Employment Exchange Building,
 1st floor, Pusa, New Delhi,
 Dated: 13th Sep, 2022

To

- 1. The State/UT Directors,**
 (Andhra Pradesh, Assam, Bihar, Chhattisgarh, Gujarat, Haryana, Himachal Pradesh, Jharkhand, Karnataka, Maharashtra, Puducherry, Punjab, Rajasthan, Tamil Nadu, Telangana, Uttar Pradesh, Uttarakhand, West Bengal)
- 2. The Regional Directors, RDSDEs**
 (Andhra Pradesh, Assam, Bihar, Chhattisgarh, Gujarat, Haryana, Himachal Pradesh, Jharkhand, Karnataka, Maharashtra, Puducherry, Punjab, Rajasthan, Tamil Nadu, Telangana, Uttar Pradesh, Uttarakhand, West Bengal)

Subject: Corrigendum of Minutes of Meeting of 5th meeting of Standing Committee on Accreditation and Affiliation (SCAA) held on 16th August to 18th August 2022 – regarding


Sir/Madam,

In continuation to Minutes of Meeting of 5th meeting of Standing Committee on Accreditation and Affiliation (SCAA) held on 16th August to 18th August 2022, the following corrigendum is being issued:

Sl. no	Page No in issued Minutes of 5 th SCAA	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Remarks given in 5 th SCAA minutes	Remarks of 5 th SCAA meeting to be read as
1.	210-211	Bhabha Private ITI, Ghosawari, Block Distt Patna TMP 415 MSTI	New MSTI	1. Electrician-4(2+2+0) 2. Fitter-2 (1+1+0)	Recommended: 1. Electrician -4 (2+2) 2. Fitter - 4(2+2)	Recommended: 1. Electrician -4 (2+2+0) 2. Fitter - 2(1+1+0)
2.	254-255	Nirmal Raj Private Industrial Training Institute, Jalaun Bohadpura Jalaun Road Orai - 285125 TMP9151PR1580283 107	New	1. Computer Operator and Programming Assistant (COPA)- 2 (1+1) 2. Electrician-6 (2+2+2) 3. Fitter-2 (1+1) 4. Health Sanitary	Recommended: 1. Computer Operator and Programming Assistant (COPA)- 2 (1+1+0) 2. Electrician-4 (2+2+2) 3. Fitter-2 (1+1+0)	Recommended: 1. Computer Operator and Programming Assistant (COPA)- 2 (1+1+0) 2. Electrician-4 (2+2+0) 3. Fitter-2 (1+1+0)

				Inspector-2 (1+1)	4. Health Sanitary Inspector- 2 (1+1+0)	4. Health Sanitary Inspector- 2 (1+1+0)
3.	266- 267	Sapna Private Industrial Training Institute, At. Amawan More, P.O:Bansh Gopal, P.S:Rajauli,Nawada- 805110,Bihar PR10000826 Grading 3.01	Existing	Electrician – 4 (2+2+0)	Mentioned at serial number 5 in annexure 6	Correct serial number is 3 in annexure 6

Yours faithfully


(Ujjwal Biswas)
Director of TC

Copy along with enclosures for information to:

1. Sr PPS to Chairman of Standing Committee on Accreditation and Affiliation (SCAA) Sr PPS to DDG (Affiliation).
2. NCVT MIS Portal In charge, DGT Hqr. New Delhi, with request to upload on NCVT MIS Portal.


12/9/22

(P.M. Damodharm)
Director of TC