

DGT-Aff011(51)/23/2022-O/o DIR (TC)
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Employment Exchange Building,
1st floor, Pusa, New Delhi,
Dated: 13th Sep, 2022

To

1. The State/UT Directors

(Bihar, Chhattisgarh, Haryana, Himachal Pradesh, Jharkhand, Karnataka, Kerala, Maharashtra, , Rajasthan, Tamil Nadu, Telangana, Uttar Pradesh, West Bengal.)

2. The Regional Directors, RDSDEs

(Bihar, Chhattisgarh, Haryana, Himachal Pradesh, Jharkhand, Karnataka, Kerala, Maharashtra, Rajasthan, Tamil Nadu, Telangana, Uttar Pradesh, West Bengal.)

Subject: Minutes of 6th meeting of Standing Committee on Accreditation and Affiliation (SCAA) held on 30th August, 2022 -regarding.

Sir/Madam,

Please find enclosed herewith a copy of the minutes of 6th meeting of Standing Committee on Accreditation and Affiliation (SCAA) held on 30th August 2022 along with its annexures. Agenda item-wise implementation orders will be issued subsequently.

2. The decision of the SCAA / these minutes shall be read and construed in conjunction with the office order(s) which would be issued and signed separately by the competent authority.

3. The list of ITIs annexed in Annexure-2 (a total of 47 new Accreditation/ Affiliation proposals for existing and new ITIs), which have remarks "**Not Recommended/Rejected**", or which have been asked to "**remove the deficiencies**" shall follow the process/procedure explained below: -

3.1 For the ITIs which have remark, "**Not Recommended/Rejected**", may remove the deficiencies as mentioned in the Minutes of Meeting and resubmit their case to concerned RDSDE within one month from the date of issue of this Minutes of Meeting.

3.2 For the ITIs which have the remark, "**remove the deficiencies**", may remove the deficiencies within the stipulated timeline as mentioned in the Minutes of Meeting and further submit requisite documents through RDSDE with recommendation from the State/UT in stipulated timeline to comply with the remarks of 6th SCAA as mentioned in Minutes of Meeting.

The RDSDE will further review the cases in consultation with the State/UT and submit a report with their concluding remarks to the Director (TC). Whereas the ITI which does not fulfill the conditions within the stipulated timeline would be, "**Not Recommended/Rejected**", and shall be deemed rejected and will have to apply afresh. No further representation shall be accepted under any circumstances after the closure of the given timeframe.

Further, all the compliance reports must be sent to Director, TC only on below mentioned e-mail id with subject tag line-**Compliance of 6th SCAA Meeting <State Name><ITI Name>**.

Mail ID: tc-affiliation@dgt.gov.in

4. Any ITI which is aggrieved with the decision of the SCAA, may register its grievances to Grievance Redressal Cell, TC section, established as per office order DGT-HC044/18/2021-O/o Dir (TC) dated 16.08.2022, within 07 days, at the following Google-form link: <https://forms.gle/7RhPDDHvuG39jggj7>.

5. It is to be noted that if any of such case forwarded by the Grievance Redressal Cell gets recommendation, affiliation session will be decided as per DGT academic calendar.

6. The final decision on the applications shall be subject to the fulfillment of conditions mentioned in the office order(s) read with Minutes of Meeting, which further shall be taken according to the established norms and principles and, following due process of law.

7. The concerned RDSDE and State Directorate will ensure that CITS instructors are appointed in the ITIs which are recommended for affiliation before the start of session.

This issue with approval of the competent authority, DGT.


Yours faithfully,



(Ujjwal Biswas)
Director, TC

Copy along with enclosures for information to:

1. PPS to DG(T), DGT.
2. PPS to Chairman of SCAA/DDG (Affiliation), DGT.
3. NCVT MIS Portal In charge, DGT Hqr. New Delhi, with request to upload MoM on NCVT MIS Portal.
4. IT Section, DGT Hqr. New Delhi.



Pooja Verma
Assistant Director, TC

File No: DGT-Aff011 (51)/23/2022-O/o DIR (TC)
Directorate General of Training
Ministry of Skill Development and Entrepreneurship
Government of India
Employment Exchange Building, Pusa Campus, New Delhi-110012

Minutes of 6th Meeting of "Standing Committee on Accreditation and Affiliation (SCAA)" held on 30.08.2022

Following Committee members were present during the meeting:

1. Smt. Sandhya Salwan, DDG, DGT, Chairperson of SCAA
2. Sh. Digambar A. Dalvi, Director State DTE Maharashtra
3. Sh. Ujjwal Biswas, Director, TC, DGT – Member
4. Sh. M. C. Kardam , Regional Director, RDSDE Chattisgarh
5. Sh. SS Naik Regional Director, RDSDE Rajasthan
6. Sh. J D Masilamani, Regional Director, RDSDE Uttar Pradesh
7. Sh. Sridhar, Regional Director, RDSDE Karnataka
8. Sh. Sheshchari, Regional Director, RDSDE Tamil Nadu
9. Sh. J P Meena, Regional Director, RDSDE Gujarat
10. Sh. C S Murthy, Regional Director, RDSDE Maharashtra
11. Smt. Swati Sethi , Regional Director, RDSDE Haryana and Punjab
12. Sh N R Aravindan RDSDE West Bengal and RDSDE Assam
13. Sh. Shiva Shankar Additional Director, DET Kerala
14. Sh. Rajendra Prasad , Joint Director, DET Uttar Pradesh
15. Sh. Nagesh, Joint Director, State DET Telangana
16. Smt. Vijayalaxmi, Deputy Director, State DET TamilNadu
17. Sh. Nitin Nikam, Deputy Director, State DTE Maharashtra
18. Sh. Sanjay Kumar Gupta, Deputy Director, Himachal Pradesh
19. Sh. Rajanayak , Deputy Director, DET Karnataka
20. Sh. D Prasad, Deputy Director, State DET, Jharkhand
21. Sh. Mayank Gangwar, Deputy Director, State DTE Uttar Pradesh
22. Sh. D L Meena, Deputy Director, RDSDE Himachal Pradesh
23. Sh. Rajendra Deputy Director, RDSDE Kerala




24. Sh. Prasanjeet Bose, Assistant Director, State DET, West Bengal
25. Sh. Suresh Sharma, Assistant Director, DET Rajasthan
26. Sh. Vishal Sodhi, Assistant Director, SDIT Haryana
27. Sh. Suman Kumar, Assistant Director, State DTE Bihar
28. Sh. Ajay Agarwal, Assistant Director, RDSDE Bihar
29. Sh. K Shrikanth Babu, Assistant Director, RDSDE Telangana
30. Sh. Abhishek Anand, Assistant Director, RDSDE West Bengal
31. (i) Ms. Pooja Verma (ii) Sh. Rajesh Kumar (iii) Sh. Shramev Sharma (iv) Sh. Suryakant Mishra (v) Sh. P M Damodharam - Assistant Directors, TC Section, DGT

At the outset, Smt. Sandhya Salwan, DDG, DGT and Chairperson of SCAA, welcomed all the committee members and participants thereafter Shri Ujjwal Biswas, Director, TC took agenda points for detailed discussions. The details of discussions, deliberations and agenda wise decisions taken by the Chair, are placed below.



Agenda 1: Action Taken report of 5th SCAA meeting held on dated 16.08.2022 to 18.08.2022

The action taken points as per agenda no. 1 were apprised by Director, TC to all the members of Committee, all the committee members agreed for the same for necessary compliance.

Agenda 2: New Accreditation/ Affiliation proposals for existing and new ITIs from 9 States

A total of 47 New Accreditation/ Affiliation proposals for existing and new ITIs from 9 States are received, out of which 24 are from Existing ITIs (02 Govt. ITIs and 22 Pvt. ITIs) for the addition of Trades/Units and 23 are from New ITIs(01 Govt. ITI and 22 Pvt. ITIs)

Table 1: Total applications received State-wise

Sl. No.	Name of the State	Existing		New		Total
		Govt.	Pvt.	Govt.	Pvt.	
1	Bihar	0	1	0	1	2
2	Chhattisgarh	0	3	0	0	3
3	Jharkhand	0	1	1	1	3
4	Karnataka	0	3	0	0	3
5	Maharashtra	2	2	0	9	13
6	Rajasthan	0	2	0	0	2
7	Tamil Nadu	0	0	0	2	2
8	Telangana	0	9	0	3	12

9	Uttar Pradesh	0	1	0	6	7
Total		2	22	1	22	47

SCAA Remarks:

The remarks by SCAA for each case is attached as: *Annexure 2*.

Agenda 3: Compliances of MoM of 2nd of SCAA meeting held on 29.04.2022

A total of 02 compliance reports received from ITIs through concerned State Directorates/RDSDEs, were put up in the meeting. The SCAA remarks are attached as: *Annexure 3*.

Agenda 4: Compliances of MoM of 3rd SCAA meeting held on 24.06.2022

A total of 03 compliance reports received from ITIs through concerned State Directorates/RDSDEs, were put up in the meeting. The SCAA remarks are attached as: *Annexure 4*.

Agenda 5: Compliances of MoM of 4th SCAA meeting held on 08.07.2022

A total of 04 compliance reports received from ITIs through concerned State Directorates/RDSDEs, were put up in the meeting. The SCAA remarks are attached as: *Annexure 5*.

Agenda 6: Proposals received from SSDECs

The following proposals were received from the State Skill Development and Entrepreneurship Committee (SSDEC) of Kerala and West Bengal from respective RDSDEs.

6.1 Proposal from SSDEC of Kerala State: SSDEC of Kerala State in its meeting on date 02.08.2022 has recommended the following proposal :

6.1.1 SCVT to NCVT Conversion of following 3 Govt ITIs:


Table 2: SCVT to NCVT Conversion



S. No	Name of ITI	Name of trade	No of Units	SSDEC Remarks	Remarks of 6th SCAA meeting held on 30.08.2022
1.	Govt. ITI Vazhakkad	Electrician	2(1+1)	Recommended	Recommended
		D/Civil	2(1+1)		Recommended
		Welder	2(1+1)		Recommended
		Plumber	2(1+1)		Recommended
2	Govt ITI Kuthuparamba MIS CODE: GU32000623	COPA	2(1+1)	Recommended	Recommended
3	Govt ITI Kasaragod MIS CODE: GR32000107	RACT	2(1+1)	Recommended	Recommended
		Plumber	2(1+1)		
		Electrician	2(1+1)		

6.1.2 Conversion of CoE to CTS trades in the following Govt. ITIs:

1. Govt. ITI Chandanathone, Kollam MIS Code: GR32000234

Table 3: Conversion of CoE to CTS trades in GOVT ITI Chandanathone, Kollam ,GR32000234

Sl. No.	Name and MIS code of ITI	Existing CoE modules details	No. of Units	Proposed CTS trades approved and recommended by Govt. of Kerala	Units	Remarks	Remarks of 6th SCAA meeting held on 30.08.2022
---------	--------------------------	------------------------------	--------------	---	-------	---------	--

				and SSDEC			
1.	Govt. ITI Chandanathone, Kollam MIS Code: GR32000234	Basic Fitting & Measurement	1	Fitter	1(1+0)	CTS affiliation is requested from this academic session (2022-23) onwards	Recommended
		Basic Sheet Metal Work & Welding	1	Welder	1(1+0)		
		Basic Electrical & Electronics	1	Electrician	1(1+0)		
		Basic Microprocessor & Computer Operation	1	COPA	1(1+0)		
		Basic Petrol & Diesel Engine	1	Mechanic Diesel	1(1+0)		
		Basic of Transmission Suspension Steering System & Breaks	1	Mechanic Motor Vehicle	1(1+0)		
		Servicing & Over Following of Automobile	2	Mechanic Motor Vehicle	2(1+1)	CTS affiliation is requesting from next academic session onwards (2023-24) since CoE Advanced Module trainees who were admitted in Basic Modules during	Recommended
		Auto Electricals Electronics & Air Conditioning In AutoMobile	2	Mechanic Diesel	2(1+1)		
		Denting/Pendinh & Welding Automobiles	2	Mechanic Auto Body Painting	2(1+1)		

Table 4: Conversion of CoE to CTS trades in Govt ITI Kalpetta, Wayanad MIS code: GR32000307

Sl. No.	Existing COE module Details	No of Seats of existing trade	New Trade	Units	Recommendation of SSDEC Remarks	Remarks of 6th SCAA meeting held on 30.08.2022
1	Hospitality Management B asic Module (BBBT1-6)	120	Food Production	2(1+1)	CTS affiliation is requested from this academic session (2022-23) onwards	Recommended: Food Production 2 (1+1)
			Plumber	2(1+1)		Not recommended as the sector is different. The State Directorate may send revised proposal.
			COPA	2(1+1)		Not recommended as the sector is different. The State Directorate may send revised proposal.
2.	Hospitality Management Advance Module(1-3)	120	Food and Beverages service assistant	2(1+1)	CTS affiliation is requesting from the next academic session onwards (2023-24) since CoE Advanced Module trainees who were admitted in Basic Modules during 2021 -22	Recommended: Food and Beverages service assistant 2(1+1)
			Front Office Assistant	2(1+1)		Recommended: Front Office Assistant 2(1+1)

			Mechanic Motor Vehicle	2(1+1)		Not recommended as the sector is different. The State Directorate may send revised proposal .
--	--	--	---------------------------	--------	--	---

6.2 Proposal from SSDEC of West Bengal State:

The 3rd SSDEC West Bengal Meeting was held on 4.08.2022 . The following proposals were received from SSDEC West Bengal:

6.2.1 Affiliation of trade/units of 12 Govt ITIs (4 Existing/8 New ITIs): The recommendation of joint inspection team for affiliation of trades & units of 12 Govt ITIs (4 existing and 8 new ITIs) placed before SSDEC and after scrutiny SSDEC duly approved the proposal for affiliation .

Table 5: Affiliation of trade/units of 12 Govt. ITIs (4 existing and 8 new ITIs)

Affiliation cases of Govt. ITI & PTP ITI of West Bengal for 2022 Session									
S.No	Name of ITI	MIS Code	District	Date of Inspection	Trade Sought for Affiliation	Units which affiliation Sought/recommended			
						Institute	Inspection Team	SSDEC	6th SCAA meeting held on 30.08.2022
1	Govt. ITI Arambagh running under PTP	New	Hooghly	28.07.2022	Physiotherapy Technician	1+1+1	1+1+1	1+1+1	1+1+1*
					Solar Technician (Electrical)	1+1+1	Not Recommended	Not Recommended	Not Recommended

					Fitter	1+1+1	1+1+1	1+1+1	1+1+1*
					Warehouse Technician	1+1+1	1+1+1	1+1+1	1+1+1*
					Electrician	1+1+1	1+1+1	1+1+1	1+1+1*
2	Ranubala Singha Govt. ITI, Dhaniakhali running under PTP	New	Hooghly	25.07.2022	Fitter	2+2+2	2+2+2	2+2+2	2+2+2*
					Electrician	2+2+2	2+2+2	2+2+2	2+2+2*
					Electronic Mechanic	1+1+1	1+1+1	1+1+1	1+1+1*
					Welder	1+1+1	1+1+1	1+1+1	1+1+1*
3	Govt. ITI Manteswar running under PTP	New	Purba Burdwan	30.07.2022	Electronic Mechanic	1+1+1	1+1+1	1+1+1	1+1+1*
					Fitter	2+2+2	2+2+2	2+2+2	2+2+2*
					Welder	1+1+1	1+1+1	1+1+1	1+1+1*
					Electrician	2+2+2	2+2+2	2+2+2	2+2+2*
4	Govt. ITI Krishnanagar-II running under PTP	New	Nadia	28.07.2022	Fitter	2+2+2	2+2+2	2+2+2	2+2+2*
					Electronic Mechanic	1+1+1	1+1+1	1+1+1	1+1+1*
					Welder	1+1+1	1+1+1	1+1+1	1+1+1*
					Electrician	2+2+2	2+2+2	2+2+2	2+2+2*

					COPA	1+1+1	1+1+1	1+1+1	1+1+1*
5	Govt. ITI Haringhata running under PTP	New	Nadia	27.07.2022	Electrician	2+2+2	2+2+2	2+2+2	2+2+2*
					Electronic Mechanic	2+2+2	2+2+2	2+2+2	2+2+2*
					Fitter	2+2+2	2+2+2	2+2+2	2+2+2*
					COPA	1+1+1	1+1+1	1+1+1	1+1+1*
6	Govt. ITI Pingla running under PTP	New	Paschim Midnapore	26.07.2022	Fitter	2+2+2	2+2+2	2+2+2	2+2+2*
					Welder	1+1+1	1+1+1	1+1+1	1+1+1*
					Electrician	2+2+2	2+2+2	2+2+2	2+2+2*
					COPA	1+1+1	1+1+1	1+1+1	1+1+1*
7	Govt. ITI Galsa Running under PTP	New	Purba Burdwan	01.08.2022	Electronic Mechanic	1+1+1	1+1+1	1+1+1	1+1+1*
					Fitter	1+1+1	1+1+1	1+1+1	1+1+1*
					Welder	1+1+1	1+1+1	1+1+1	1+1+1*
					Electrician	2+2+2	2+2+2	2+2+2	2+2+2*
8	Govt. ITI Barjora Running under PTP	New	Bankura	03.08.2022	Electrician	2+2+2	2+2+2	2+2+2	2+2+2*
					Electronic Mechanic	2+2+2	2+2+2	2+2+2	2+2+2*
					COPA	1+1+1	1+1+1	1+1+1	1+1+1*

					Fitter	2+2+2	2+2+2	2+2+2	2+2+2*
9	Govt. ITI Hooghly	GR19000 057	Hooghly	28.07.2022	Solar Technician (Electrical)	1+1+0	1+1+0	1+1+0	1+1+0
10	Govt. ITI Sagardighi	GR19000 167	Murshidabad	14.07.2022	Computer Hardware & Network Maintenance	1+1+1	1+1+1	1+1+1	1+1+1*
11	St. Vincent ITC (Govt. Sponsored)	GR19000 056	Paschim Burdwan	18.07.2022	Electrician	0+1+1	0+1+1	0+1+1	0+1+1*
					Fitter	1+1+1	1+1+1	1+1+1	1+1+1*
					Refrigeration and Air Conditioning	1+1+1	Not Recommended	Not Recommended	Not Recommended
12	Govt. ITI Raninagar Running under PTP	GR19000 165	Murshidabad	15.07.2022	Computer Hardware & Network Maintenance	1+1+1	1+1+1	1+1+1	1+1+1*

*3rd Shift is recommended under the DST scheme only

6.2.2 Affiliation proposal in 3rd shift for 2 ITIs: Affiliation proposal in 3rd shift for 02 ITIs was placed before SSDEC and SSDEC duly approved the proposals for affiliation.

Table 6: Affiliation proposal in 3rd shift for 02 ITIs

Affiliation cases of Govt. ITI & PTP ITI of West Bengal for 2022 Session								
Sl. No.	Name of ITI	MIS Code	District	Date of Inspection	Trade Sought for Affiliation	Units which affiliation Sought/recommended		
						Institute	Inspection Team	SSDEC
1	Govt. ITI Daspur-II running under PTP	GR19000274	Paschim Midnapore		Fitter	0+0+2	0+0+2	0+0+2
					Electrician	0+0+2	0+0+2	0+0+2
					Welder	0+0+1	0+0+1	0+0+1
					COPA	0+0+1	0+0+1	0+0+1
2	Royal Pvt. ITI	PU19000109	Paschim Midnapore	29.07.2022	Electrician	0+0+1	0+0+1	0+0+1

Remarks of SCAA: 3rd Shift is recommended under the DST scheme only.

Agenda 7: Proposals to start short-term Drone Courses in ITIs

With reference to the DGT letter no. DGT-Aff011(51)/1/2022-O/o DIR (TC) dt. 30.03.2022 regarding Starting of short-term Drone Courses in ITIs, DGT has received the proposal from Bihar State for running short term courses in 25 Govt. ITIs.

SCAA remarks: The SCAA remarks are attached as: *Annexure 7*.

Agenda 8: Miscellaneous

8.1 The State Directorate of Bihar sent clarification regarding Unserved blocks for 15 Pvt ITIs which were placed in 1st SCAA, 3rd SCAA, 4th SCAA, 5th SCAA. Details of ITIs are given below. The cases are discussed in detail and remarks of 6th SCAA are given in the table below:

Table 7: Compliance Cases of Bihar State

Sl. No.	ITIs Name/ MIS Code / /Grading	ITI placed in SCAA	Existing / New/ MSTI	Trades/units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by SCAA meeting	Observations	Remarks of 6 th SCAA meeting held on 30.08.2022
I	II		III	IV	V	VI	VII	VIII	IX
1	Somya Pvt. ITI Shamho Akha Kurha , Begusarai-811106(Bihar) TMP10191P R158046958 8	1st SCAA dated 6.4.2022	New	Electrician – 4(2+2) Fitter – 4(2+2)	Electrician – 2(1+1) Fitter – NR	1. Power not sufficient to run both trades. Available - 6KW, Required- 12.2 KW 2. Shortage of few tools & equipment and Machinery for Electrician trade. Tools & Equipment and Machinery for Fitter trade not shown at the time of inspection.	Not Recommended The ITI needs to apply for minimum 04 trades as per DGT norms.	State Directorate of Bihar has confirmed through mail that 1. ITI lies in an unserved block. 2. ITI has removed all deficiencies of tools and equipment for Electrician trade and power is sufficient for Electrician 4(2+2).	Recommended: Electrician - 4 (2+2)

2.	SN Pvt ITI, Block Balia, Begusarai Dist, Nh-31- 851211, Begusarai TMP 386 MSTI	1st SCAA dated 6.4.2022	New- MSTI	Electrician – 4(2+2) Surveyor – 2(1+1)	Electrician – NR Surveyor – NR Many key tool and equipment were not available such as various types of lamps, function generators. Dead stock register and raw material register was not being maintained as per standard format ITI Name was not engraved or punched in any of the machines as prescribed	MSTI inspected as per ITI norms there are separate norms for infrastructure in MSTIs. Many shortcomings are there.	This is the case of MSTI in unserved block -State Directorate recommended for reinspection as per MSTI Norms along with NOC.	A Joint Inspection report was received from the State Directorate on date 04.08.2022 through mail. Observations based on report received: 1. Joint inspection was done by Govt. ITI Araria, Nodal Principal Lakhisarai and Deputy Director RDSDE Bihar. 2. Joint inspection committee has recommended to consider this case positively.	Recommended: 1. Electrician – 4 (2+2)
----	--	----------------------------------	--------------	---	---	--	--	--	---

					in affiliation norms IT labs was not having internet facility, UPS and antivirus. Even system configuration was very obsolete.			3. SD has sent a letter by mail to TC section in which it was confirmed ITI lies in an unserved block.	
3.	Barka Pandit ji PVT ITI, Dist Siwan TMP 383 MSTI New	1st SCAA dated 6.4.2022	New-MSTI	Electrician – 4(2+2) Fitter – 4(2+2)	Electrician – NR Fitter – NR ITI infrastructure needs improvement with completing of shortage of Tool equipment and machinery.	1. Power is not sufficient. Required 12.22 kW, Available 7 kW. 2. Workshop roof is not as per norms, earthing and punching of machine is not as per norms. 3. Shortages in tools	This is case of MSTI in unserved block - State Directorate recommended for joint re-inspection after applicant MSTI to remove all shortcomings as per (Column VI). And forward the report to DGT Hqrs. through the	Report is received from the concerned State Directorate Observation based on the report received: 1. Joint Inspection of ITI was conducted by RDSDE and State Directorate. 2. Joint inspection team has recommend	Recommended: Electrician - 4 (2+2) Fitter - NR as electricity load is not sufficient. Available power - 7KW, Required for both trades- 12.2 KW.

						and equipment workshop not as per norms. Library, IT Lab not in proper shape as per norms.	State Government along with NOC.	3. SD has sent a letter by mail to TC section in which it was confirmed ITI lies in an unserved block.	
4.	B N Ray ITI, At:- Main Road Darwa, P.O.+P.S.- Isuapur Pin 841411, TMP 410 MSTI	1st SCAA dated 6.4.2022	New- MSTI	Electrician – 4(2+2) Fitter – 2(1+1)	Electrician – 2(1+1) Fitter – 2(1+1) 1. Separate drawing hall should be prepared within one month. 2. Electrical wiring should be separate for each machine.	No drawing hall present. Electrical wiring should be separate for each machine. Fire safety certificate not available	Conditionally recommended: Electrician – 2(1+1) Fitter – 2(1+1) This is the case of MSTI in unserved block. MSTI needs to prepare a separate drawing hall and remove all the shortcoming	Report is received from the concerned state directorate. Observations based on report received: 1. State Directorate has recommended affiliation 2. SD has also sent a letter by mail to TC section in	Recommended: 1. Electrician – 2 (1+1) 2. Fitter – 2 (1+1)

							s mentioned in (Column VI) within one month. State Directorate requested to submit the compliance report to DGT HQ.	which it was confirmed ITI lies in an unserved block	
5.	Balaji Private ITI, Naranpur Beduali, P.O- Garaul, Block-Garaul Dist-Vaishali - 844118 TMP 407 MSTI	1st SCAA dated 6.4.2022	New- MSTI	Electrician – 4(2+2) Fitter – 4(2+2)	Electrician – 4(2+2) Fitter – 2(1+1) 1. Availability of area for fitter workshop Unit 2 is used for other purposes and instructed to vacant that particular space.	1.Availability of area for fitter workshop unit 2 is used for other purposes. 2. old version computers are available in the IT Lab..	Conditionally recommended: Electrician – 4(2+2) Fitter – 2(1+1) However, ITI has to update the computer version, and forward the compliance to DGT Hqrs. Through State Directorate along with	Report is received from the concerned State Directorate stating that ITI has removed all deficiencies, affiliation may be recommended. SD has also sent a letter by mail to TC section in which it was confirmed ITI lies in an unserved block	Recommended: 1. Electrician – 4 (2+2) 2. Fitter – 2(1+1)

							NOC from State Government , within 15 days from the date of issue this minute.		
6.	CHURAMAN RAI PRIVATE ITI	1st SCAA dated 6.4.2022	New-MSTI	Electrician – 2(1+1) Fitter – 2(1+1)	Electrician – 2(1+1) Fitter – 2(1+1)	<ol style="list-style-type: none"> 1. Plan is approved by architecture only. 2. Qualification document and experience certificate of trainers not available. 3. Insulation Rubber Matting should be provided. 	<p>Conditionally Recommended</p> <p>Electrician – (1+1) Fitter – 2(1+1)</p> <p>Subject to remove the deficiencies mentioned in column VI within 15 days. State Directorate will forward the report along with NOC to DGT Hq within one month</p>	<p>Report is received from the concerned state directorate.</p> <p>Observations based on report received:</p> <p>The State Directorate has recommended affiliation.</p> <p>SD has also sent a letter by mail to TC section in which it was confirmed ITI lies in an unserved block</p>	<p>Recommended:</p> <ol style="list-style-type: none"> 1. Electrician – 2 (1+1) 2. Fitter – 2 (1+1)

							from the date of issue of these minutes.		
7.	R K Pvt. ITI Village Age Amwari Post Nandpur Amwari, Raghunathpur, Siwan TMP 390 MSTI	1st SCAA dated 6.4.2022	New-MSTI	Electrician – 4(2+2) Fitter- 4(2+2)	Electrician – NR Fitter- NR Not recommended for Affiliation of Trade electrician and ITI not fulfilling DGT Norms.	1. Drawing Hall very small. 2. Qualification and experience documents not available. 3. Power not sufficient available 8KW, required 8.22KW .	MSTI case –MSTI needs to remove all the deficiencies as mentioned (column VI) within one month from the date of issue of the minute and forward the report through State Directorate along with NOC.	1. Report is received from the Concerned State Directorate stating that ITI has removed all the deficiencies , and may be recommended for affiliation. 2. SD has also sent a letter by mail to TC section in which it was confirmed ITI lies in an unserved block	Recommended: Electrician - 4 (2+2) Fitter – Not Recommended as Power not sufficient to run both trades sought for affiliation .

8.	Sangita Pvt. ITI, Village +P.O. - Chainpur, Block-Siswan, District-Siwan, Bihar, Siwan, Bihar. TMP 403 MSTI	1st SCAA dated 6.4.2022	New-MSTI	Wireman - 4(2+2) Old batch	Wireman - NR	<p>1. Tax Invoice computerized and therefore not signed. Bench Vice not installed..</p> <p>2. Area of Drawing hall is less.</p> <p>3. Less in power norms, Required Load-5 Kw, Available Load-4 Kw</p> <p>4. Electrical Earthing is not proper.</p>	MSTI needs to remove the deficiencies and send a report through the State Directorate.	<p>Report is received from the Concerned State Directorate stating that ITI has removed all the deficiencies, and may be recommended for affiliation.</p> <p>SD has also sent a letter by mail to TC section in which it was confirmed ITI lies in an unserved block</p>	Recommended: Wiremen - 4(2+2)
9.	JAI MAA PVT. ITI, Siswan block, District-Siwan Bihar	<p>4th SCAA dated 26.10.2021</p> <p>and</p> <p>1st SCAA dated</p>	New-MSTI	<p>1. Electrician- 4 (2+2)</p> <p>2. Fitter - 4 (2+2)</p>	<p>1. Machinery not in working condition Drawing hall under construction.</p> <p>2. Electric load is less</p>	<p>1. Machinery not in working condition Drawing hall under construction.</p> <p>2. Electric load is less Should be 12.22 kW, 9</p>	<p>Inspection done, ITI Not recommended, Show Cause Notice (SCN) sent to ITI by email on date 11.03.2021, reply</p>	<p>SD has also sent a letter by mail to TC section in which it was confirmed ITI lies in an unserved block</p>	Recommended: Electrician - 4(2+2)

		06.04.2022			Should be 12.22 kW, 9 kW available as per report.	kW available as per report.	Reply received from ITI on dated 15.03.2022, and ITI informed that they have cleared the deficiencies. 1 st SCAA directed to DET Bihar and RDSDE Bihar are requested to jointly verify the authenticity of the document submitted by the ITI by visiting the ITI and send the verification report within 15 days from issue of minutes.		
10	JAI MAA SANTOSHI PVT. ITI, Village Age Kilpur Post-	1st SCAA dated 6.4.2022	New-MSTI	Fitter (2+2+0) Electrician (2+2+0)	Not Recommended due to lack of proper	Not Recommended due to lack of proper infrastructure,	Inspection done, ITI Not recommended, SCN sent to ITI by email	SD has sent a letter by mail to TC section in which it was confirmed ITI	Not recommended as per remarks given in joint inspection




	Kabirpur Thana - Nawtan Distt Siwan				infrastructur e, tools, equipment, and machinery.	tools, equipment, and machinery.	on dated 11.03.2021. Reply received from ITI on dated 21.03.2022. DET Bihar informed that the applicant applied for MSTI that is in the served block. However, the State Directorate of Bihar will send information within 05 days from the issue of the minutes of 1st SCAA held on 05.04.2022& 06.04.2022.	lies in an unserved block. As the matter was in Court (CWP no), State Directorate and RDSDE was directed to conduct joint inspection.to verify the reply sent by ITI in relation to Show Cause Notice . Accordingly, joint inspection was done and report was submitted and following observation are made: 1. Not Recommen ded for affiliation. 2. ITI is in very pathetic condition,	report submitted by State Directorate
--	--	--	--	--	---	--	--	--	---





								no Tools and ,equipment, no electricity connection, no furniture, no drinking water facility, no staff available .	
								3. Land owner has given a compliant letter against ITI for not submitting rent for last 2.5 years	
11.	Dr Kumar Private Industrial Training Institute, Araria, Raniganj, Araria-854334 TMP10188PR 1582893356	3 rd SCAA 24.06.2022	New - MSTI	1. Electrician- 6 (2+2+2)	Recommended: 1. Electrician- 4 (2+2)	1. NOC for MSTI lying in unserved area is not available 2. Given BCC documents is not as per norms	ITI needs to remove the deficiencies mentioned in column VI and submit report to state and RDSDE within 1 week of issuing this MoM	RDSDE vide its email dated 05.08.2022 has submitted verification report that ITI has rectified the deficiencies but	Not recommended as the concerned State Directorate has confirmed that ITI lies in a served block.

						<p>3. High tension power line is passing by MSTI and DGT logo is not available at entrance (Visible in App Video)</p> <p>4. Third shift is not allowed and MSTI need to start at least one short term course</p>	<p>RDSDE will verify HT power line, BCC and NOC from state and send report with recommendation to DGT within 01 week of issuing this MoM</p>	<p>SD has sent a letter by mail to the TC section in which it was confirmed ITI lies in an served block.</p>	
--	--	--	--	--	--	--	--	--	--

8.2 Compliances received from Uttar Pradesh State:

Table 8: Compliance Cases of Uttar Pradesh State

Sl. No.	ITIs Name/ MIS Code / /Grading	Exist ing New/ MSTI	Trades/units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 3rd SCAA meeting held on dated 24.06.2022	Observatio ns	Remarks of 6 th SCAA meeting held on 30.08.2022
								



I	II	III	IV	V	VI	VII	VIII	IX
1.	<p>Meena Devi Private Industrial Training Institute</p> <p>Vill- Baharampur Post-Kusumhi Bazar Dist- Gorakhpur - 273002</p> <p>TMP9148PR15 81928075</p>	New-MSTI	<p>Computer Operator and Programming Assistant (COPA)- 2 (1+1)</p> <p>Electrician -6 (2+2+2)</p> <p>Fitter-2 (1+1)</p> <p>Mechanic Refrigeration and Air Conditioner-2 (1+1)</p>	<p>Recommended:</p> <ol style="list-style-type: none"> Computer Operator and Programming Assistant (COPA)- 2 (1+1) Electrician -6 (2+2+2) Fitter-2 (1+1) Mechanic Refrigeration and Air Conditioner-2 (1+1) 	<p>1.CITS Qualified Instructor details not available</p> <p>2.NOC for MSTI required from the state</p> <p>3.BCC not as per norms No Statutory Plan certificate given by Tehsildar</p> <p>4.Third shift is not allowed</p>	<p>ITI needs to remove the deficiencies mentioned in column VI and submit a report to the state within 1 week of issuing this MoM</p> <p>The State Directorate will verify and send a report with recommendation to DGT within 1 week of issuing this MoM</p>	<p>S/D has forwarded letter dated 08.08.2022 TC section diary No 29.08.2022</p> <p>The deficiencies are still not removed by ITI.</p> <p>BCC is by architect. No approved plan by Tehsildar given.</p> <p>NOC for MSTI is not given</p> <p>Recommendation of S/D is not available</p>	<p>State directorate will send the verified report on each point as per column VI and VIII with clear recommendation of all the trades and units to TC Section, DGT within 7 days from the date of issue of MoM.</p>

2.	Durga Pvt ITI Pali Sahjawana Pali, Gorakhpur TMPOLD320 MSTI	MSTI New	1. Electrician- 4 (2+2+0) 2. COPA-2 (1+1+0)	<p>1. In 4th SCAA meeting - Not recommended due to shortage of Infrastructure</p> <p>2. In the 2nd SCAA meeting held on 29.04.2022- MSTI needs to remove the deficiencies and send the report along with NOC to DGT, HQ.</p> <p>3. Deficiencies observed in 2nd SCAA were- (Drawing table not proper. non-conformity lease paper. UPS not working and discrepancy in bill. Work bench not up to mark, desktop and printer not available in workshop, as per tools list sr no 164 to 173</p>	Details submitted by ITI for deficiencies mentioned in 2nd SCAA MoM but NOC is not authentic	The State Directorate will examine the NOC and ITI report. The State Directorate will submit the report to DGT HQ with recommendation within 1 week of issuing this MoM.	<p>S/D has forwarded the report vide TC section diary no 6498 dated 29.08.2022.</p> <p>In the report it is mentioned that ITI has not provided BCC, Electricity bill and original lease documents. Drawing hall and tables are also not as per norms.</p> <p>Machinery and tools were found</p>	Not Recommended as per state directorate report
----	---	-------------	--	---	--	--	---	---

				item bill not available. Trainers are not CITS trained, only principal is CITS trained.			to be short by 50%. NOC for MSTI is still not available.	
3.	Rameshwar Prasad Private Industrial Training Institute, Banda Vill And Post Pachnehi Distt. Banda-210001 TMP9128PR157 9864998	New	1 Electrician-3 (1+1+1) 2 Fitter-3 (1+1+1) 3 Health Sanitary Inspector-3 (1+1+1) 4 Mechanic Diesel-3 (1+1+1)	Recommended: 1 Electrician -2 (1+1), 2 fitter-2 (1+1), 3 HSI -2 (1+1) Not recommended - Diesel Mechanic trade due to shortage of equipment. Remarks: 1. Drawing hall was available, as per norms 20 furniture but there were 15 found ok	1. ITI has applied as MSTI and spare capacity of Polytechnic and mentioned that it is not lying in an unserved area. 2 If it is MSTI than NOC from State Directorate is required. If ITI is in polytechnic then NOC from AICTE is required.	Not Recommended as per ICVC remarks. Minimum four trades are required for an ITI. ITI needs to remove the deficiencies mentioned in column V and VI and submit the report to the State Directorate within 07 days from	S/D has forwarded the letter dated 10.08.2022 TC section diary no 6499 dated 29.08.2022 in which S/D recommendation is not available. It has not been clarified by S/D about the type of ITI.	ITI needs to remove the deficiencies as per last MoM and this table column no. V, VI and VIII within 07 days from the date of issue of MoM and the State Directorate will send a verified report on each point along with clear recommendation of all the trades and units within 07 days of this MoM.




			<p>and rest are under in progress.</p> <p>2. IT lab was available. the server was not found. 9 desktop, 2 laptops were available in working conditions and the latest configuration was not found.</p> <p>3. Electrician lab earthing was not present, Mechanic diesel trade syllabus serial number 147,180,183,190,198,199,201,202,205,232 machinery and tool equipment are not available.</p> <p>4. Website is not available during inspection time, logo of ITI was missing on main gate, Due</p>	<p>3 Approved layout plan is not available.</p> <p>4 CITS details of all the trainers are not available.</p>	<p>issue of this MoM.</p> <p>The State Directorate will confirm about the institute type MSTI or polytechnic and submit the NOC accordingly.</p> <p>The State Directorate will submit the verified report along with recommendation of all the trades/units within 07 days from issue of this MoM.</p>	<p>The deficiencies mentioned in MoM are not removed by ITI.</p> <p>ITI has submitted an approved layout plan, instructor qualification.</p>	
--	--	--	--	--	--	--	--




				bank statement for supply of bill. 5. Bills are available, But bank statement was not available during the inspection time				
--	--	--	--	--	--	--	--	--



Agenda 2: New Accreditation/ Affiliation proposals for existing and new ITIs from 09 States

A total of 47 New Accreditation/ Affiliation proposals for existing and new ITIs from 09 States are received, out of which 24 are from Existing ITIs (02 Govt. ITIs and 22 Pvt. ITIs) for the addition of Trades/Units and 23 are from New ITI (01 Govt. ITI and 22 Pvt. ITIs).

The state-wise recommendations of 6th SCAA are given in column VII.

1. State: Bihar Total: 2 (New-1, Existing-1) ITIs proposal for affiliation

Sl. No.	ITIs Name/ Address/ MIS Code / Grading	Existing/ New/ MSTI	Trades/ units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 6 th SCAA meeting held on dated 30.08.2022
I	II	III	IV	V	VI	VII
1	Pacific Private ITI Private Industrial Training Institute, Gaya, Bagobigha, Post-Silaunja, P.S. Belaganj, Dist-Gaya MIS Code: PR10000892 Grading: 2.46	Existing	1. Computer Operator and Programming Assistant (COPA)- 2 (1+1) 2. Electronics Mechanic – 2 (1+1) 3. Electrician – 12 (6+6)	Recommended: Electrician – 12 (6+6) Not recommended: Electronics Mechanic, Computer Operator and Programming Assistant. No infrastructure developed for COPA and Electronics	1. Area of the drawing hall is less. Drawing hall are required for trade/unit recommended-62.5 sqm, available - 51.23 sqm. 2. BCC by CO and JE.	Not recommended for Electronics and COPA trade as no infrastructure is developed. For Electrician trade, 1. ITI needs to increase the area of the drawing hall in proportion to the

				mechanics, so rejected.		<p>number of trainees to be accommodated in a single shift. Required -62.5 sqm and available -51.23 sqm.</p> <p>2. The State Directorate of Bihar has informed in the meeting that BCC from CO and JE is not as per Bye laws of Bihar.</p> <p>ITI needs to remove the above-mentioned deficiencies and send the report to the concerned State Directorate within 15 days from the date of issue of this MoM.</p>
--	--	--	--	-------------------------	--	--

						The State Directorate will then verify and send the report with recommendation to TC section, DGT within 7 days.
2	<p>Ravi Gyan Private Industrial Training Institute, Gopalganj,</p> <p>Barawa Kaparpura Tola Prem Nagar Mirganj Hathua Gopalganj,</p> <p>TMP10197PR158254461 5</p>	New	<ol style="list-style-type: none"> 1. Electrician – 6 (2+2+2) 2. Fitter - 6 (2+2+2) 3. Health Sanitary Inspector - 3(1+1+1) 4. Hospital Housekeeping - 3(1+1+1) 	<p>Recommended:</p> <ol style="list-style-type: none"> 1. Electrician – 4 (2+2) 2. Fitter – 2 (1+1) 3. Health Sanitary Inspector - 2 (1+1) 4. Hospital Housekeeping - 2 (1+1) <p>1. Details of available man power along with undertaking to appoint 100% CITS trained instructors before session begins</p>	<ol style="list-style-type: none"> 1. BCC by Executive officer. 2. Trainers are not CITS trained. 	<p>The State Directorate of Bihar has informed in the meeting that BCC from Executive officer is not as per Bye laws of Bihar.</p> <p>ITI needs to remove the above-mentioned deficiency and submit a report in this regard to the State Directorate of Bihar within 7 days from the date of issue of this MoM.</p> <p>The State Directorate of Bihar</p>

				are uploaded on the app. 2. Institute applied for Fitter (2+2) units but as per available workshop size only Fitter (1+1) units can function.		has to verify and send the report with recommendations of trades and units to TC section, DGT within 7 days .
--	--	--	--	--	--	---

2. State: Chhattisgarh, Total -3 (Existing-3) ITIs proposal for affiliation

Sl. No.	ITIs Name/ Address/ MIS Code / Grading	Existing/ New/ MSTI	Trades/ units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 6 th SCAA meeting held on dated 30.08.2022
I	II	III	IV	V	VI	VII
1	Agashe Industrial Training Centre, Raipur, Chhattisgarh MIS Code: PR22000056 Grading: 2.59	Existing	Stenographer Secretarial Assistant (Hindi)-2(1+1)	Recommended: Stenographer and Secretarial Assistant (Hindi) - 2(1+1) 1. It is existing old ITI .building is without lift.internal wiring in existing Electrician	1. Details of CITS Instructor not available 2. BCC from Architect 3. Drawing Hall not available 4. Lift not available,	ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM- 1.BCC as per NCVT norms.

				<p>workshop needs strengthening,</p> <p>2. Glazed white magnetic board not available institute has view sonic smart class multi featured board, Desktop computers are connected with server based common CPU and UPS, laser printers and scanner exists in combined unit.</p> <p>3. DC shunt generator and DC compound generator, prime mover, generators need to be coupled.</p>	wiring needs strengthening	<p>2. Undertaking to appoint CITS instructors before the start of session .</p> <p>3. Availability of Drawing Hall</p> <p>4. Availability of Lift and proper wiring as mentioned by RDSDE.</p> <p>The State Directorate will then verify the above reports and send a report along with recommendation for all the trades/units within 07 days .</p>
--	--	--	--	---	----------------------------	--




2	Shaildevi Private ITI, Durg MIS Code: PR22000191 Grading: 1.53	Existing	<ol style="list-style-type: none"> 1. Computer Operator and Programming Assistant (COPA)-2(1+1) 2. Driver cum Mechanic-2(1+1) 3. Fitter-4(2+2) 4. Solar Technician (Electrical)-2(1+1) 5. Stenographer Secretarial Assistant (Hindi)-2(1+1) 	<p>Recommended</p> <ol style="list-style-type: none"> 1. Electrician-4(2+2) 2. fitter -4(2+2) 3. Solar Technician-2(1+1) 4. stenographer secretarial Assistant (Hindi)-2(1+1) 	<ol style="list-style-type: none"> 1. CITS instructors details not available 2. BCC from architect not as per norms. 	<p>ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM-</p> <ol style="list-style-type: none"> 1. BCC as per Norms. 2. Undertaking to appoint CITS instructors before the start of session. <p>State Directorate will then verify the above report and send a report along with recommendation for all the trades/units within 07 days.</p>
3	Sandipani Masturi, Bilaspur MIS Code: PR22000129 Grading: 2.08	Existing	<ol style="list-style-type: none"> 1. Computer Operator and Programming Assistant (COPA)-2(1+1) 2. Stenographer Secretarial 	<p>Recommended w.e.f 2022-23 Steno (Hindi)-2(1+1) units</p> <p>COPA- 2(1+1) units</p> <p>In place of Fax Machine,</p>	<ol style="list-style-type: none"> 1. Details of CITS qualified Instructors not available 2. Power not as per norms 	<p>ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM-</p>

			Assistant (Hindi)- 2(1+1)	<p>multifunctional printer is available</p> <p>Fitter trade- surrender letter date 16.05.2018 Ground floor of the building school is running</p> <p>Deficiencies in tool equipment of Electrician Trade- Generator of 5.5 KVA is available against 7.5 KVA, Manual coil winding machine not available, Single phase grinder is available against 3 phases</p>		<p>1.Availability of power as per norms</p> <p>2.Undertaking to appoint CITS instructors before the start of session.</p> <p>3. Clarification on school running in the building.</p> <p>4.Clarification on surrender of Fitter trade.</p> <p>State Directorate will then verify above reports and send recommendation for all the trades/units within 07 days.</p>
--	--	--	------------------------------	---	--	--

3. State: Jharkhand Total case Total -03 (New-02 Existing-01) ITIs proposal for affiliation

Sl. No.	ITIs Name/ Address/ MIS Code / Grading	Existing/ New/ MSTI	Trades/ units sought for	Remarks by Inspection Cum	Observations of TC section	Remarks by 6 th SCAA meeting
---------	--	---------------------	--------------------------	---------------------------	----------------------------	---

			affiliation	Verification Committee (ICVC)		held on dated 30.08.2022
I	II	III	IV	V	VI	VII
1	Sark Private Industrial Training Institute, Bokaro, Bijulia, Chas, Bokaro TMP20322PR1582122893	New	1. Electrician - 6(2+2+2) 2. Fitter -6(2+2+2) 3. Front Office Assistant – 3(1+1+1) 4. Food and Beverage Service Assistant -3(1+1+1)	Not Recommended 1.Electricity Bill not submitted. Separate transformer to be set up for the new & power supply 3 phase is to be connected to the meter.	1. Electricity Bill not submitted Meter is connected but no commercial power supply. 2. CITS trained instructor required. 3. Drawing table to be procured. 4. BCC by architect. 5. Adequate photographs of machinery and workshop not uploaded.	Not recommended due to deficiencies mentioned in column V and VI.




2	<p>Narayan Private ITI Saraikela Kharsawan</p> <p>Nh-32, Lupungdih, Chandil, Po-Tankocha, Ps-Nimdih Dist-Seraikella Kharswan</p> <p>Pin-832401</p> <p>MIS Code: PR20000199</p> <p>Grading: 0.53</p>	Existing	<ol style="list-style-type: none"> 1. Computer Operator and Programming Assistant (COPA) – 2(1+1) 2. Electrician – 4 (2+2) 3. Electronics Mechanic – 2(1+1) 4. Fitter – 4 (2+2) 5. Sewing Technology – 2(1+1) 6. Surveyor – 2 (1+1) 	<ol style="list-style-type: none"> 1. Affiliation may be approved for sought trade and unit. 2. Agree, Observation for improvement, gangway marking needs to be done, may be approved. 	<ol style="list-style-type: none"> 1. All trainers are not CITS trained. 2. Grading is low 0.53. 	Not recommended as grading is low .
3	<p>Jharkhand Government Tool Room ITI Gola,</p> <p>Plot No-279, Anchal- Banda, Po-Poyar, Village- Kanke, Dist- Ramgarh,</p> <p>TMP20607GR164620231 5</p>	New	<ol style="list-style-type: none"> 1. Fitter 2 (1+1) 2. Machinist (1+1) 3. Turner (1+1) 4. Welder (1+1), 	<p>Recommended:</p> <ol style="list-style-type: none"> 1. Fitter 2 (1+1) 2. Machinist 2 (1+1) 3. Turner 2 (1+1) 4. Welder 2 (1+1) 	<ol style="list-style-type: none"> 1. BCC is not available. 	<p>ITI needs to submit Building Completion certificate to the concerned State Directorate within 7 days from the date of issue of MoM.</p> <p>The State Directorate then has to verify and submit the report with recommendations to</p>

						the TC section, DGT within 7 days .
--	--	--	--	--	--	--

4. State: Karnataka, Total-3 (Existing-3) ITIs proposal for affiliation

Sl. No.	ITIs Name/ Address/ MIS Code / Grading	Existing/ New/ MSTI	Trades/ units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 6 th SCAA meeting held on dated 30.08.2022
I	II	III	IV	V	VI	VII
1	Bellary Private Industrial Training Institute T.S. No. 12-A, Vidya Soudha Sanjay Gandhi Nagar Ballari MIS Code: PU29000482 Grading: 3.13	Existing Shifting Case	1. Electrician-2 (0+0+2) 2. Fitter- 1 (0+0+1)	Recommended: 1. Electrician-2 (0+0+2) 2. Fitter- 1 (0+0+1)	1. BCC by architect. 2. CITS certificate of trainers required. 3. Institute has applied for affiliation in the third shift.	Not Recommended. Third shift is only allowed in DST Mode.
2	Visweswaraiah ITI Private New Address: Mysuru, # 19/2a9, Bogadi, , Mysuru	Existing	New trade- Nil Shifting case with existing trade	Recommended 1. Electronic Mechanic trade: 4 units	ITI applied in Category - 4 (Shifting) Within block shifting (as mentioned by	Recommended ITI needs to submit an undertaking that CITS qualified instructors will be

	<p>MIS Code: PU29000224</p> <p>Grading: 1.18</p> <p>Old Address: No. 1535, C & D Block Anikethan Road Kuvempur, Mysuru</p> <p>New Address: 19/2a9, Bogadi, , Mysuru</p>			<p>2. Fitter trade: 4 Units</p> <p>It is a change of location, and it is within the Block(less than 2 KM). it is available as per DGT Norms.</p>	<p>NCVT Member) CITS instructors' details not available.</p>	<p>appointed before the start of session to the concerned state directorate and RDSDE within 07 days from the issue of this MoM.</p> <p>RDSDE and the state will ensure the instructors are appointed in the ITI before the start of session.</p>
3	<p>Shri Annadaneshwara Pvt Aided ITI, Purtageri Cross, Ron Road, Gajendragad, Gadag</p> <p>MIS Code: PU29000285</p> <p>Grading: 1.83</p>	Existing	<p>1. Electrician (1+1+1)</p> <p>2. Fitter (0+0+1)</p> <p>3. Mechanic Diesel (1+1)</p> <p>4. HSI (1+1)</p>	<p>1. Electrician (1+1+1)</p> <p>2. Fitter (0+0+1)</p> <p>3. Mechanic Diesel (1+1)</p> <p>4. HSI(1+1)</p>	<p>CITS Instructors details not available</p>	<p>Fitter not recommended as third shift is only allowed in DST mode.</p> <p>Recommended:</p> <p>1. Electrician 2(1+1+0)</p> <p>2. Mechanic Diesel 2(1+1)</p>



						<p>3. HSI 2(1+1)</p> <p>ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session to the concerned state directorate and RDSDE within 07 days from the issue of this MoM.</p> <p>RDSDE and the state will ensure the instructors are appointed in the ITI before the start of session .</p>
--	--	--	--	--	--	--

5. State: Maharashtra, Total-13 (New-9,Existing-4) ITIs proposal for affiliation:

Sl. No.	ITIs Name/ Address/ MIS Code / Grading	Existin g/ New/ MSTI	Trades/ units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 6 th SCAA meeting held on dated 30.08.2022
---------	--	----------------------	--------------------------------------	---	----------------------------	--

I	II	III	IV	V	VI	VII
1	<p>Don Bosco Private Industrial Training Institute, Pune near St Andrews High School, Bala ji Chowk Chinchwad Pune-411019</p> <p>MIS Code: PR27000815</p> <p>Grading: 2.15</p>	Existing	<p>1. Electrician-2(1+1)</p> <p>2. Mechanic Auto Electrical and Electronics-2(1+1)</p>	<p>Recommended:</p> <p>1. Electrician-2(1+1)</p> <p>2. Mechanic Auto Electrical and Electronics-2(1+1)</p>	CITS trained instructors are not available.	<p>Recommended:</p> <p>1. Electrician-2(1+1)</p> <p>2. Mechanic Auto Electrical and Electronics -2(1+1)</p> <p>ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session to the concerned state directorate and RDSDE within 07 days from the issue of this MoM.</p> <p>RDSDE and the state will ensure the instructors are appointed in the ITI before the start of session.</p>

2	Govt. Industrial Training Institute Surgana Tal Surgana Dist Nashik Umbarthan Road, Tal Surgana Dist Nashik 422211 MIS Code: GR27000285 Grading: 1.55	Existing	1. Electrician-2(1+1) 2. Sewing Technology-1(0+1)	Recommended: 1. Electrician-2(1+1) 2. Sewing Technology-1(0+1)	CITS trained instructors are not available.	Recommended: 1. Electrician-2(1+1) 2. Sewing Technology-1(0+1) ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session to the concerned state directorate and RDSDE within 07 days from the issue of this MoM. State will ensure the instructors are appointed in the ITI before the start of session .
3	Rasikalalji Dhariwal Private Industrial Training Institute Akola, At Post Alegaon Tq Patur Dist Akola Pin Code 444511	New	1. Electrician-2(1+1) 2. Fitter-2(1+1) 3. Wireman-2(1+1) 4. Solar Technician - 2(1+1) 5. Basic Cosmetology-2(1+1)	Recommended 1. Fitter 1+1+0=2 2. Electrician 1+1+0=2 3. wireman 1+1+0=2 4. solar Technician 1+1+0=2	CITS trained instructors are not available.	Recommended: 1.Fitter-2(1+1) 2.Electrician-2(1+1) 3.Wireman-2(1+1)

	TMP27467PR164623681 4			5. Cosmetology 1+1+0=2		4.Solar Technician- 2(1+1) 5.Cosmetology-2(1+1) ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session to the concerned state directorate and RDSDE within 07 days from the issue of this MoM. State will ensure the instructors are appointed in the ITI before the start of session.
4	Shri Vaidyanath (P) Industrial Training Institute Halam Beed, C/O At Post Halam Tq Parali (V) Dist Beed 431515	New	1. Electrician 2(1+1) 2. Wireman 2(1+1) 3. HSI 2(1+1) 4. Solar Technician 2(1+1)	Recommended: 1. Electrician 2(1+1) 2. Wireman 2(1+1) 3. Health Sanitary Inspector 2(1+1) 4. Solar Technique (Electrician) 2(1+1)	1. Classroom roof and drawing hall roof is not as per norms 2. CITS instructors not available	ITI needs to remove the deficiency as mentioned in column VI and the State Director and RDSDE will conduct joint reinspection and submit a report within 1 month from the date of issue of this MoM.

	TMP27470PR164990619 0					
5	<p>Dipprabha (P) Industrial Training Institute Chimthane Dhule,</p> <p>At Post Chimthane, Dalwade Praso Area Dhule Nandurbar Road Chimthane Tal Shindkheda Dist Dhule,</p> <p>TMP27474PR164543223 2</p>	New	<p>1. Electrician 2(1+1) 2. Fitter 2(1+1) 3. HSI 2(1+1) 4. Solar Technician 2(1+1)</p>	<p>Recommended: 1. Electrician2(1+1) 2. Fitter2(1+1) 3. Health Sanitary Inspector 2(1+1) 4. Solar Technician 2(1+1)</p> <p>1. Solar demonstration kit not available</p>	<p>1. Solar demonstration kit not available 2.land documents not uploaded 3.CITS instructor details not available</p>	<p>ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM:</p> <p>1. Availability of Solar Demonstration Kit 2. Land Documents</p> <p>3. ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session</p> <p>State Directorate will verify above reports and send recommendation</p>

						of all the trades/units within 07 days . State directorate and RDSDE will ensure CITS instructors are appointed before the session.
6	Unique Private Industrial Training Institute Jalgaon, Sutgirni Road, Yawal, Dist-Jalgain TMP27478PR164671499 7	New	1. Electrician(1+1) 2. Fitter(1+1) 3. Sewing Technology (1+1) 4. Solar Technician(1+1) 5. Welder (1+1)	Recommended 1. Electrician(1+1) 2. Fitter(1+1) 3. Sewing Technology (1+1) 4. Solar Technician(1+1) 5. Welder (1+1)	1. CITS Instructors details not available	Recommended: 1.Electrician-2(1+1) 2.Fitter-2(1+1) 3.Sewing Technology - 2(1+1) 4.Solar Technician- 2(1+1) 5.Welder-2(1+1) ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session to the concerned state directorate and RDSDE

						<p>within 07 days from the issue of this MoM.</p> <p>RDSDE and the state will ensure the instructors are appointed in the ITI before the start of session.</p>
7	<p>Dr Vijay Bidkar Industrial Training (P) Institute Abhona Nashik, At Post Abhona Tal Kalwan Dist Nashik,</p> <p>TMP27487PR164542853 4</p>	New	<p>1. Electrician(1+1) 2. Fitter(1+1) 3. HSI(1+1) 4. Solar Technician(1+1)</p>	<p>Recommended</p> <p>1. Electrician-2(1+1) 2. Fitter-2(1+1) 3. HIS-2(1+1) 4. Solar Technician-2(1+1)</p>	<p>1. CITS instructors details not available</p> <p>2. Power is not sufficient</p> <p>required-15.71 KW</p> <p>available-13.42 KW</p>	<p>ITI needs to remove the following deficiencies and submit report to State Directorate within 07 days from issue of this MoM:</p> <p>1.Availability of sufficient power</p> <p>2.Undertaking to appoint CITS instructors before the start of session.</p> <p>State Directorate will verify above reports and send recommendation of all the trades/units</p>

						within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the start of session.
8	K.T.Patil Private Industrial Training Sanstha Osmanabad, Survey No 627/1, Jadhavwadi Road, Osmanabad TMP27488PU164984704 1	New	1. Computer Operator and Programming Assistant (COPA)(1+1) 2. Electrician(1+1) 3. Solar Technician (Electrical)(1+1) 4. Surveyor(1+1) 5. Welder(1+1)	Equipment and Machinery is newly purchased but not found installed at the time of inspection hence not recommended.	1. Machinery and Equipment not installed instructors 2. Qualifications, experience and CITS details not available.	Not recommended as per ICVC remarks and deficiencies mentioned in Column V and VI.
9	Jijau Private ITI Dharmapuri Parbhani, Near Manshanti Hospital Pathari Road Dharmapuri Tq Dist Parbhani, TMP27489PR164870819 7	New	1. Basic Cosmetology (1+1) 2. Geo-Informatics Assistant(1+1) 3. Electrician(2+2) 4. Fitter(1+1)	Recommended 1. Basic Cosmetology-2(1+1) 2. Geo-Informatics Assistant-2(1+1) 3. Electrician-4(2+2) 4. Fitter-2(1+1)	1. CITS Instructors details not available	Recommended: 1. Basic Cosmetology-2(1+1) 2. Geo-Informatics Assistant-2(1+1) 3. Electrician-4(2+2) 4. Fitter-2(1+1) 5. Wireman-2(1+1)

			5. Wireman(1+1)	5. Wireman-2(1+1)		<p>ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session to the concerned state directorate and RDSDE within 07 days from the issue of this MoM.</p> <p>RDSDE and the state will ensure the instructors are appointed in the ITI before the start of session .</p>
10	<p>Shivajirao Desai Private ITI Daulatnagar Satara, A/P- Daulatnagar (Marali) Tal-Patan Dist-Satara</p> <p>TMP27494PR164974530 1</p>	New	<p>1. Driver cum Mechanic-2(1+1)</p> <p>2. Electrician-2(1+1)</p> <p>3. Fitter-2(1+1)</p> <p>4. Smartphone Technician Cum App Tester-2(1+1)</p>	<p>Recommended:</p> <p>1. Driver cum Mechanic 1(1+0)</p> <p>2. Electrician-2(1+1)</p> <p>3. Fitter-2(1+1)</p> <p>4. Smartphone Technician Cum App Tester-1(1+0)</p> <p>Machinery working only for Electrician &</p>	<p>1. Instructor Qualification, Experience and CITS details not available</p> <p>2. BCC is issued by Architect, Not as per norms.</p> <p>3. Tools Machinery is</p>	<p>ITI needs to remove the following deficiencies and submit report to State Director with 7 days from the date of issue of MoM :</p> <p>1. BCC as per norms.</p> <p>2. Tools and Machinery for Driver cum mech., Smartphone tech</p>

				Fitter-2 units each , Driver cum mech., Smartphone tech cum App Tester -1 units each	available for Driver cum mech., Smartphone tech cum App Tester -1 units each	cum App Tester - both units State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session.
11	Shri Tukaramji Solav Patil Private Industrial Training Institute Washim At Dnyanraj Mauli Vidhyala Tornala Post Tornala Tq & Dist Washim TMP27499PR164983066 2	New	1. Copa 2(1+1) 2. Electrician 2(1+1) 3. Fitter 2(1+1) 4. Mechanic Diesel 2(1+1) 5. Welder 2(1+1) 6. Wireman 2(1+1)	Recommended: 1. COPA 2(1+1+0) 2. Diesel mechanic 2(1+1+0) 3. Electrician 2(1+1+0) 4. Fitter 2(1+1+0) 5. Welder 2(1+1+0) 6. Wireman 2(1+1+0)	Instructors qualification, experience and CITS details not available	Recommended: 1. COPA- 2(1+1+0) 2. Diesel mechanic 2(1+1+0) 3. Electrician 2(1+1+0) 4. Fitter 2(1+1+0) 5. Welder 2(1+1+0) 6. Wireman 2(1+1+0) ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the

						<p>start of session to the concerned state directorate and RDSDE within 07 days from the issue of this MoM.</p> <p>RDSDE and the State will ensure the instructors are appointed in the ITI before the start of session .</p>
12	<p>Smt.Sulochana Bhat Pvt. ITI, Kundal</p> <p>Kundal Palus-Karad Road,Near Ghatage Pool,Kundal Tal:Palus Dist:Sangli Pincode:416309</p> <p>MIS Code: PR27001026</p>	Existing	Nil	<p>Recommended:</p> <ol style="list-style-type: none"> 1. COPA-2(1+1) 2. Draftsman Mechanical-2(1+1) 3. Electrician-2(1+1) 4. Information Technology-2(1+1) 5. Welder-1(1+0+0) 	<ol style="list-style-type: none"> 1. BCC issued by Architect 2. Mismatch in trade units recommended by ICVC and trade unit sought by ITI 3. CITS instructor details not available 	<p>RDSDE to clarify on the trade mismatch in trades recommended by ICVC and trades/units sought for affiliation and send a report to TC section DGT within 7 days from the date of issue of MoM.</p> <p>State Directorate to verify BCC and send a report with recommendation to TC section, DGT within 7</p>

						<p>days from the issue of this MoM.</p> <p>ITI needs to submit an undertaking to the concerned State Directorate and RDSDE within 7 days from the date of issue of MoM.</p> <p>State Directorate and RDSDE will ensure that CITS trained instructors are appointed before the start of the session.</p>
13	<p>Government Industrial Training Institute, Yeola, Dist: Nashik</p> <p>MIS Code: GR27000407</p> <p>Grading: 1.41</p>	Existing	Fitter(1+1)	Recommended: Fitter(1+1)	CITS details of Instructor not available.	<p>Recommended: Fitter-2(1+1)</p> <p>State directorate will ensure CITS instructors are appointed before the start of the session.</p>


6. State: Rajasthan, Total-2 (Existing-2) ITIs proposal for affiliation

Sl. No.	ITIs Name/ Address/ MIS Code / Grading	Existing/ New/ MSTI	Trades/ units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 6 th SCAA meeting held on dated 30.08.2022
I	II	III	IV	V	VI	VII
1	Raghukul Techno Engineers Private Industrial Training Institute, Model Town -A, Malviya Nagar, Jaipur MIS Code: PR08000072 Grading: 0.2 Old Address: Model Town -A, Malviya Nagar, Jaipur - 303903	Existing - Shifting Case	Electrician - 2(1+1)	1. Not Recommended 2. BCC not available, building plan available but not signed by authorized architect / development authority/ agency 3. Tools equipments and machinery was available as per norms but the bills were not available 4. Electrician workshop is located in the basement. 5. No dead stock register, no trainers record, no library medical room 6. Electricity bills not available currently no electricity connections ITI closed from 4 years, solar panels of 100 kw installed on terrace 7. Raw material record available but the date when it was purchased is not available	Whether Shifting is as per norms 1. Trade is deactivated from 29.06.2021 2. BCC not available 3. Machinery bills are not available 4. Electricity bill not available 5. Details of staff qualification, experience and CITS are not available 6. Fire Safety Certificate is not available	Not Recommended as per ICVC remarks and deficiencies mentioned in column V & VI

	New Address: Village peeplabai ka baad, village panchayat bada, Padampura, nr. Goner, Jaipur			8. ITI is closed since 4 years ,available appointment letters are of 2019 of 5 staff members		
2	Laxmi Devi Private Industrial Training Institute, Near Liberty Company, Madho Singh Pura Neemrana, Alwar MIS Code: PR08001587 Grading: 0.83 Old Address: Behind Liberty Company, Madhosinghpura,	Existing - Shifting Case	Electrician - 6(2+2+2)	<ol style="list-style-type: none"> 1. Not Recommended as location shifting is not as per norms. 2. Shifting is within the same block. 3. Lease deed not registered, only notarized. Total area mismatch in lease deed and building plan. Dimensions not marked properly. 4. BCC is not available 5. Following major Tools & Equipment not available: 6. Primary current injection set. 7. Ceiling fan coil winding m/c. 8. Manual motor coil winding m/c. 9. Synchronous motor with accessories. 	Whether shifting is as per norms 1. Lease deed not registered, only notarized. Total area mismatch in lease deed and building plan. 2. Building plan by Architect, BCC is not available 3. Major tools and equipment and machineries not available 4. Workshop in basement area 5. IT lab not available as per new norms, Drawing equipment not available.	Not Recommended as per ICVC remarks and deficiencies mentioned in column V & VI.

	<p>Neemrana, Alwar - 301705</p> <p>New Address: Behind Liberty Company, Madhosinghpura Road, Neemrana, Alwar - 301705</p>			<p>10. Pentium IV computer for lab.</p> <p>11. Solar panel with battery.</p> <p>12. Star-Delta Soft starter</p> <p>13. Washing m/c semi automatic.</p> <p>14. Phase sequence indicator.</p> <p>15. Power Factor meter digital.</p> <p>16. Biometric attendance not recorded in institute</p> <p>17. DC shunt and compound generator not as per specification, Synchronous motor not available. Solar panel with battery not available.</p> <p>18. Workshop in basement area not allowed as per norms</p> <p>19. IT lab not available as per new norms, Drawing equipment not available.</p> <p>20. Fire safe certificate not available.</p> <p>21. Amenities not adequate.</p>	<p>6. Fire safe certificate not available</p> <p>7. Biometric attendance not recorded in institute</p> <p>8. Amenities not adequate</p> <p>9. Two CITS instructors are available</p>	
--	--	--	--	--	--	--

7. State: Tamil Nadu, Total -2 (New-2) ITIs proposal for affiliation




Sl. No.	ITIs Name/ Address/ MIS Code / Grading	Existing/ New/ MSTI	Trades/ units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 6 th SCAA meeting held on dated 30.08.2022
I	II	III	IV	V	VI	VII
1	Adhiparasakthi Industrial Training Institute, Melmaruvathur Distt Kanchipuram – 603319 TMPSP090	New - Polytechnic	1. Electrician - 2(2+0) 2. Front Office Assistant - 2(2+0) 3. Fitter - 2 (2+0) 4. IOT Technician (Smart Healthcare) - 2(2+0) 5. MRAC - 2(2+0) 6. Welder - 2(2+0)	Recommended: Fitter - 2(1+1), Electrician - 2(1+1), RAC - 2(1+1), Front office assistant -1(1+0), Welder - 1(1+0) as No Objection Certificate from AICTE for NCVT courses is available Labs, classrooms are available for Fitter, Electrician, RAC, Front office	1. Difference in units/shifts mentioned in the ICVC remarks and application 2. EB in the name of Adhiprasakthi Engineering College 3. Trainers qualification, experience and CITS details are not available	RDSDE to clarify on the trade mismatch in trades recommended by ICVC and trades sought for affiliation and send a report to TC section DGT within 7 days from the date of issue of MoM. ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM: 1. Electricity Bill as per norms 2. Trainers qualification, experience details State Directorate will verify above reports and send

				assistant, Welder Trades. Tools for all trades available, some equipments planned on spare capacity of Polytechnic		recommendation of all the trades/units within 07 days.
2	Rotary Club Of Madras Worth Pvt ITI Charitable Trust, Panjalai Village, Thanipoondi Post, Gummidipoondi Taluk, Thiruvallur District.601202 TMP33589PR1647660070	New	1. Machinist - 2 (2+0) 2. Horticulture - 1 (1+0) 3. Smartphone Technician cum App Tester - 1 (1+0) 4. Turner - 2 (2+0)	Recommended for Machinist - 1(1+1), Turner - 2(1+1), Horticulture - 2(1+1) and Smart phone technician cum app tester - 1(1+0) No instructor has been trained CITS	1. Difference in units/shifts mentioned in the ICVC remarks and application 2. Trainers qualification, experience and CITS details are not available	RDSDE to clarify on the trade mismatch in trades recommended by ICVC and trades sought for affiliation and send a report along with recommendation of trades/units to TC section DGT within 7 days from the date of issue of MoM. ITI needs to submit an undertaking to the concerned State Directorate and RDSDE within 7 days from the date of issue of MoM. State Directorate and RDSDE will ensure that CITS trained instructors are

						appointed before the start of the session.
--	--	--	--	--	--	--

8. State: Telangana, Total-12 (New-3, Existing-09) ITIs proposal for affiliation

Sl. No.	ITIs Name/ Address/ MIS Code / Grading	Existing/ New/ MSTI	Trades/ units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 6 th SCAA meeting held on dated 30.08.2022
I	II	III	IV	V	VI	VII
1	Sri Balaji Private ITI, Post & Mandal. Bhanswada, G.P. No.7-64/2A,Kamareddy MIS Code: PR36000255 Grading: 1.48	Existing	1. Electrician-8(2+2+4) 2. Mechanic Diesel-3(1+1+1) 3. Radiology Technician-6(2+2+2) 4. Sewing Technology-3(1+1+1)	Recommended 1. Electrician 2+2=4 (new) 2+2=4 (old) Total 4+4=8 2. Mechanic Diesel 1+1=2 (new) 3. Radiology Technician 2+2=4 (New)	1. Details of CITS qualified Instructors not available 2.BCC from Town Planning Officer	State Directorate confirms BCC is as per norms Recommended: 1. Electrician-4(2+2) 2. Mechanic Diesel - 2(1+1) 3. Radiology Technician - 4(2+2)

				4. Sewing Technology 1+1=2 (new)		4. Sewing Technology 2(1+1) ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session to the concerned state directorate and RDSDE within 07 days from the issue of this MoM. RDSDE and the state will ensure the instructors are appointed in the ITI before the start of session .
2	Vathsalya Private Industrial Training Institute, Yadadri Bhuvanagiri	New (Polytechnic and MSTI)	1. Attendant Operator (Chemical Plant)- 6(2+2+2)	There is no state govt. permission. Hence inspection canceled	Inspection canceled	Rejected

	TMP36697PU1582880381		<p>2. Computer Operator and Programming Assistant (COPA)- 3(1+1+1)</p> <p>3. Civil Engineering Assistant- 6(2+2+2)</p> <p>4. Early Childhood Educator- 3(1+1+1)</p> <p>5. Electronics Mechanic- 6(2+2+2)</p> <p>6. Electrician- 12(4+4+4)</p> <p>7. Fashion Design and Technology- 3(1+1+1)</p> <p>8. Fitter-6(2+2+2)</p> <p>9. Health Sanitary Inspector- 3(1+1+1)</p>			
--	----------------------	--	---	--	--	--




			10. Hospital Housekeeping-3(1+1+1) 11. IoT Technician (Smart City)-3(1+1+1) 12. Mechanic Mining Machinery-6(2+2+2) 13. Physiotherapy Technician-3(1+1+1) 14. Radiology Technician-6(2+2+2) 15. Welder-3(1+1+1)			
3	Kakatiya Industrial Training Centre, B.C. Road, Gajuwaka, Visakhapatnam MIS Code: PU28000177 Grading: 2.19	Existing (Category 3)	1. Electrician-8(4+4) (Existing) 2. Fitter-4(2+2) (Existing) 3. Hospital Housekeeping-2(1+1) (Existing)	1. Raw Material consumption register is not maintained as Institute is newly opened Agree , ITI constructed with good infrastructure, hence	1. Biometric machine not available 2. Details of CITS qualified Instructors not available	ITI needs to remove the deficiencies mentioned in column V & VI and send report to the concerned State Directorate within 1

			<p>4. Welder-2(1+1) (Existing)</p> <p>Since the ITI is new, no affiliation granted yet and not running any training activities at present. This ITI sought affiliation for the following trades with units as mentioned:</p> <ol style="list-style-type: none"> 1. Electrician 4+4 total 8 Units 2. Fitter 2+2 total 4 Units 3. Welder 1+1 total 2 Units 4. Hospital Housekeeping 1+1 total 2 Units 	recommended as per above.		<p>week from the date of issue of this MoM.</p> <p>State Directorate will submit the following report with recommendation trade and unit wise within 07 days from issue of this MoM on the following:</p> <ol style="list-style-type: none"> 1. As per DGT order shifting of ITI in rural area is permitted within block and in urban area shifting is permitted within municipal/corporation limits, being followed or not. 2. Whether ITI followed a complete shifting procedure or not.
--	--	--	---	---------------------------	--	--

						3. ITI has removed deficiency mentioned in column V & VI or not.
4	Gaargi ITI, Warangal Road, Huzurabad, Karimnagar MIS Code: PU28000478 Grading: 3.11	Existing (MSTI)	1. Dress Making- 6(2+2+2) 2. Mechanic Diesel- 6(2+2+2) 3. Welder- 6(2+2+2)	Committee recommends following trades as 1. Diesel Mechanic 2+2 2. Dress Making 2+2 3. Welder 2+2	1. Details of CITS qualified instructors not available 2. Power details not available 3. BCC from Architect	ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM- 1. Power details as per norms 2. BCC as per NCVT norms 3. Undertaking to appoint CITS instructors before the start of session . State Directorate will verify above reports and send recommendation for




						all the trades/units within 07 days .
5	Al-Sana Industrial Training Centre, Khammam MIS Code: PU36000081 Grading: 0.65	Existing (Category 3)	1. Electrician - 4(2+2) (Existing) 2. Fitter-2(1+1) (Existing)	1. Dead stock and Raw Material register not available 2. Machinery not grouted. 3. Insufficient amenities 4. IT Lab without Internet Connection 5. Drawing Hall without Blackboard/Whiteboard 6. Registered lease document not available which is mandatory as per norms DisAgree ,Not recommended for affiliation	1. BCC and building plan not as per norms 2. Electricity connection not as per norms 3. Dead stock register and raw material register not available 4. Machinery not properly installed 5. Details of CITS qualified instructors not available 6. Amenities not as per norms 7. IT lab not as per norms (floor not is tiled, roof of tin and without Internet connection) 8. Land not as per norms	Not recommended as per ICVC remarks and deficiencies mentioned in column V&VI.

					9. Drawing Hall not as per norms	
6	Gautam Buddha Minority Industrial Training Centre, Bhadradri Kothagudem, Telangana MIS Code: PU36000130 Grading: 1.29	Existing	1. Computer Operator and Programming Assistant (COPA)- 2(1+1) 2. Surveyor- 2(1+1) 3. Welder- 2(1+1)	Management p ITI not ready for inspection	ITI not ready for inspection	Rejected
7	Sri Vijay Sai Industrial Training Centre, Annaram, Ranga Reddy, Telangana MIS Code: PU36000133 Grading: 1.89	Existing (Category 3)	1. Electrician (NSQF)-2(1+1) 2. Electronics Mechanic (NSQF)-2(1+1) 3. Fitter (NSQF)- 2(1+1) 4. Mechanic Diesel (NSQF)- 3(1+1+1)	As per GO RT.320 Dated 16.10.2020 shifting old location to new location i.e SURVEY NO 137 PART MALLAPUR BALAPUR SAROOR NAGAR, Ranga Reddy District.DGT existing affiliated trades. Recommended: 1. ELECTRICIAN -2 (1+1).	1. BCC from Gram Panchayat and Architect 2. Details of CITS qualified Instructors not available	ITI needs to remove following deficiency and submit report to the concerned State Directorate within 2 weeks from the date of issue of this MoM. 1. BCC as per norms. State Directorate will submit the following report within 07 days




				<p>2.FITTER 2 (1+1).</p> <p>3.ELECTRONIC MECHANIC – 2 (1+1)</p> <p>4.MECHANIC DIESEL Not recommended as tools and equipment are not available at new location i.e mallapur balapur rr district.but space and electricity available .Management requested for Mechanic Diesel surrender 1+1 units.</p>		<p>1. As per DGT order shifting of ITI in rural area is permitted within block and in urban area shifting is permitted within municipal/corporation limits, being followed or not.</p> <p>2. Whether ITI followed a complete shifting procedure or not.</p> <p>3. Surrender of Mechanic Diesel trade.</p> <p>4. BCC as per norms or not.</p>
8	Marcos Industrial Training Centre, Karimnagar, Telangana	Existing(MS TI) (Category 3)	<p>1. Dress Making- 3(1+1+1)</p> <p>2. Fashion Design and</p>	ITI is not ready for inspection due to machinery under shifting / erection.	ITI is not ready for inspection	Rejected



	MIS Code: PU36000142 Grading: 1.05		Technology- 3(1+1+1) 3. Mechanic Diesel- 3(1+1+1) 4. Welder- 3(1+1+1)			
9	Naveen Industrial Training Centre, Nalgonda, Telangana MIS Code: PR36000047 Grading: 0.45	Existing (Category 2 and 4)	Electrician-8(4+4)	1. Lease document is not as per norms. 2. Building Completion Certificate (BCC)/Occupancy certificate are not in proper. 3. In-sufficient classrooms 4. Sufficient computers not available. 5. All 16 Nos. of PC's are not installed with licensed Multimedia, antivirus and Operating System.	1. Land not as per norms 2. BCC not as per norms 3. Class rooms not as per norms 4. IT Lab not as per norms 5. Machines not installed as per norms 6. Safety measures not as per norms 7. Instructors are not CITS qualified 8. Biometric machine not available	Not Recommended as per ICVC remarks and deficiencies mentioned in column V & VI.

				<p>All the machines and equipments are not installed as per supplier manual and ISO safety standards.</p> <p>Fire Extinguisher CO2—Required 08 Nos. But only 03 Nos.</p> <p>Shop Floor Furniture and Materials.... 16 Nos. of Working Bench (2.5m*1.20m*0.75m) required but available only 08 Nos</p> <p>DisAgree ,Not recommend for affiliation</p>	9. Machines not properly installed	
10	<p>Doulphin Industrial Training Centre, Ranga Reddy,</p> <p>MIS Code: PR36000262</p>	Existing	Electrician-6(2+2+2)	<p>Agree , Recommended for additional 04 units in Electrician Trade</p>	<p>1. Details of CITS qualified Instructors not available</p> <p>2. Biometric</p>	<p>ITI needs to submit the following details to State Directorate</p>

	Grading: 1.82				machine not available 3. Drawing area less, not as per norms	within 07 days from issue of this MoM- 1 Undertaking to appoint CITS instructors before the start of the session. 2. Availability of Drawing Hall as per NCVT norms. 3. Availability of Biometric Machine State Directorate will verify above reports and send recommendation for all the trades/units within 07 days .
11	Karthikeya Private ITI Karimnagar Near Old Grain Market Road Beside Chanekya Degree College	New	1. Electrician-12(4+4+4) 2. Fitter-6(2+2+2) 3. Health Sanitary Inspector-2(1+1)	Fitter lab area not as per norms for 2 units in 1 shift and Health Sanitary Inspector and Smartphone Technician Cum App	1. Details of CITS qualified instructors not available 2. Health Sanitary Inspector and	ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM- 1. Availability of area of HSI, Fitter,

	Jammikunta District Karimnagar TMP36508PU1648438236		4. Smartphone Technician Cum App Tester-2(1+1)	Tester area not as per norms Recommended for Electrician trade 2+2 = 4 Fitter 1+1=2 Health Sanitary Inspector 1 Smartphone Technician Cum App Tester 1	Smartphone Technician Cum App Tester area not as per norms 3. Drawing Hall not as per norms 4.power detailed not available	Smartphone technician and drawing hall 2.Availability of power as per norms 3.Undertaking to appoint CITS instructors before the start of session. State Directorate will verify above reports and send recommendation for all the trades/units within 07 days from issue of this MoM.
12	TSRTC Industrial Training Institute Hakimpet Medchal Malkajgiri TMP36700PU1648014342	New	1. Mechanic Diesel-2(1+1) 2. Mechanic Motor Vehicle (MMV)-2(1+1) 3. Painter (General)-2(1+1)	Govt.Of Telangana State Road Transport Corporation, applied For ITI In Four Trades. Biometric Machine Not Available	1. Details of CITS qualified instructors not available 2. Biometric machine not available	ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM- 1. Availability of biometric machine

			4. Welder-2(1+1)	<p>Team Members Recommended for the Following CTS Trades:- 1.Mechanic Motor Vehicle- 1+1 (2 Units). 2.Mechanic Diesel- 1+1 (2 Units).</p> <p>3.Welder- 1+1 (2 Units). 4.Painter (General) 1+1 (2 Units).</p>	3.BCC from Ex. Engg TSRTC	<p>2.BCC as per norms</p> <p>3.Undertaking to appoint CITS instructors before the start of session .</p> <p>State Directorate will verify above reports and send recommendation for all the trades/units within 07 days.</p>
--	--	--	------------------	---	---------------------------	--

9. State: Uttar Pradesh, Total-7 (New-6 and Existing-1) ITIs proposal for affiliation

Sl. No.	ITIs Name/ Address/ MIS Code / Grading	Existing/ New/ MSTI	Trades/ units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 6 th SCAA meeting held on dated 30.08.2022
I	II	III	IV	V	VI	VII




1	<p>Lalpati Private Industrial Training Institute, Sultanpur Bhikharpur Sanjay Nagar Kurebhar Sultanpur 228151</p> <p>TMP9185PR1582198675</p>	New	<ol style="list-style-type: none"> 1. Electrician – 3 (1+1+1) 2. Fitter - 3 (1+1+1) 3. Computer Operator and Programming Assistant (COPA) - 3 (1+1+1) Health Sanitary Inspector- 3 (1+1+1) 	<p>Recommended:</p> <ol style="list-style-type: none"> 1. Electrician – 3 (1+1+1) 2. Fitter - 3 (1+1+1) 3. Computer Operator and Programming Assistant (COPA) - 3 (1+1+1) 4. Health Sanitary Inspector- 3 (1+1+1) 	<ol style="list-style-type: none"> 1. All trainers are not CITS trained. 	<p>Recommended:</p> <ol style="list-style-type: none"> 1. Electrician – 2 (1+1) 2. Fitter - 2 (1+1) 3. Computer Operator and Programming Assistant (COPA) - 2 (1+1) 4. Health Sanitary Inspector- 2 (1+1) <p>ITI needs to submit an undertaking to the concerned State Directorate and RDSDE that CITS trained instructors will be appointed before the start of the session .</p> <p>RDSDE and State Directorate need to ensure that CITS trained instructors are appointed before the start of the session.</p>
---	--	-----	--	---	---	---

2	<p>Shri Jeet Ram Smarak Private Industrial Training Institute, Bareilly,</p> <p>Village- Khata, Rithora Tehseel Sadar, Thana Hafizganj, Block Bithri Chainpur Bareilly,</p> <p>TMP9130PR1582377850</p>	New Polytechnic	<ol style="list-style-type: none"> 1. Electrician – 6 (2+2+2) 2. Fitter - 6 (2+2+2) 3. Wireman – 3(1+1+1) 4. Mechanic Diesel - 3(1+1+1) 	<p>Recommended:</p> <ol style="list-style-type: none"> 1. Electrician- (1+1+1) 2. Fitter-(1+1+1) 3. Wireman-(1+1+1) 4. Hospital Housekeeping- (1+1+1) 	<ol style="list-style-type: none"> 1. Trades recommended are different from trades sought for affiliation. 2. BCC is given Executive Officer, Nagar Panchayat, Rithora, Bareilly, and by Architect. 3. All trainers are not CITS trained. 	<p>RDSDE to clarify on the trade mismatch in trades recommended by ICVC and trades sought for affiliation and send a report to TC section, DGT within 7 days from the date of issue of MoM.</p> <p>State Directorate to verify BCC and send a report with recommendation to TC section, DGT within 7days from the issue of this MoM.</p> <p>ITI needs to submit an undertaking to the concerned State Directorate and RDSDE that CITS trained instructors will be appointed before the start of the session.</p>
---	--	-----------------	---	---	--	--

3	Ch Nepal Singh ITI Dugchara Saharanpur Private Industrial Training Institute, Saharanpur, Vill_Dugchara. Post_Gangdasapur Distt_Saharanpur TMP9177PR1582009438	New	<ol style="list-style-type: none"> 1. Computer Operator and Programming Assistant (COPA) – 3 (1+1+1) 2. Electrician – 6 (2+2+2) 3. Fitter - 3 (1+1+1) 4. Hospital Housekeeping - 3 (1+1+1) 	<ol style="list-style-type: none"> 1. Disagree, not Recommended for any trade: 2. Degree college may be running in the same building. 3. 10 tables available in the Drawing hall. 4. Approve map not provided. 5. Toilet and Library available but books not available in library. 6. Some machines not installed and one Lathe machine shortage. 7. Biometric machine not available. 8. Some instructors are not qualified. 	<ol style="list-style-type: none"> 1. BCC not available. 2. Approved layout plan not available. 	Not recommended due to ICVC remarks and deficiencies mentioned in Column V and VI.
4	Sw. Dr. Yatendra Singh Private Industrial Training Institute, Jalaun,	New	<ol style="list-style-type: none"> 1. COPA – 3 (1+1+1) 2. Electrician - 6(2+2+2) 	Agree, Conditionally Recommended for Electrician 2(1+1), FITTER 2(1+1), FDT 2(1+1) & COPA	<ol style="list-style-type: none"> 1. All trainers are not CITS trained. 	ITI needs to remove below mentioned deficiencies and send a report to the concerned State Directorate within

	Vpo - Madhogarh Tehsil - Madhogarh Jalaun 281526 TMP9151PR1580379261		3. Fashion Design and Technology – 3 (1+1+1) 4. Fitter – 3 (1+1+1) 5. Health Sanitary Inspector -3 (1+1+1)	2(1+1) provided that mentioned shortcomings be rectified. 1. Qualification & Experience for COPA & FDT trade is not as per norms. 2. BCC is not as per norms.		7 days from the issue of this MoM. 1. BCC is not as per norms. 2. Qualification & Experience certificate for COPA & FDT trade is not as per norms. 3. All trainers are not CITS trained. The State Directorate will then verify and send the report with recommendation to TC section, DGT within next 7 days
5	Navodaya P.I.T.I. Tilauly Post Badhudy Ballia- 221717 MIS Code: PR09002006 Grading: 1.97	Existing	Electrician 6(2+2+2)	Recommended: Electrician – 4 (2+2) 1. 3 instructor's experience is less than as per norms. 2. Drawing hall available as per norms but only 10	1. Power load not sufficient, if power factor of .9 is considered then available power load 16.2KW	ITI needs to remove below mentioned deficiencies and send a report to the concerned State Directorate within 7 days from the issue of this MoM. 1. BCC is not available.

				nos. drawing tables available. need some improvement. 3. Eng. drawing needs improvement, ITI having two-part land for unit extension. 4. Old firefighting certificate available but new online certificate not available.	Which is less than required. 2. Only No statutory plan is available, BCC is not available.	2. Power load not sufficient, available 18KVA/16.2 KW, required- 17.42 KW. 3. Old firefighting certificate available but new online certificate not available. 4. Drawing hall available as per norms but only 10 nos. drawing tables available, need some improvement. The State Directorate will verify and send the document with recommendation to TC section, DGT within 7 days .
6	S.V.D. College of Pvt. ITI, Mainpuri 1809014901	New	1. Copa- 3(1+1+1) 2. Electrician- 6(2+2+2) 3. Fitter- 6(2+2+2)	Recommended; 1. Electrician - (2+2) 2. Fitter- (2+2) 3. COPA - (1+1)	1. All trainers are not CITS trained. 2. Trades sought is different from trades recommended	RDSDE to clarify on the trade mismatch in trades recommended by ICVC and trades sought for affiliation and send a report to TC section

			4. Sewing technology- 3(1+1+1)	4. Health Sanitary Inspector - 2 (1+1)		DGT within 7 days from the issue of this MoM. ITI needs to submit an undertaking to the concerned State Directorate and RDSDE that CITS trained instructors will be appointed before the start of the session.
7	<p>Suraj Deepa Private Industrial Training Institute, Mau</p> <p>Village- Haldharpur (Sofipur), Post-Haldharpur, Tehsil-Sadar Mau, District- Mau, 221705</p> <p>TMP9168PR1580372397</p>	New	<p>1. Electrician -6 (2+2+2)</p> <p>2. Fitter - 3 (1+1+1)</p> <p>3. Electronics Mechanic -3 (1+1+1)</p> <p>4. COPA – 3 (1+1+1)</p>	<p>1. SCVT: Agree, land, building tools Equipment Electricity is available as per norms, staff partially available and trustee provides affidavit that before session start all teaching staff will be planned as per norm.</p> <p>2. NCVT: Agree, Building Completion Certificate is not in proper format.</p>	<p>1. BCC not as per norms.</p> <p>2. All instructors are not having CITS certificate.</p>	<p>ITI needs to remove below mentioned deficiency within 7 days and submit a report to the concerned State Directorate.</p> <p>The State Directorate will verify and send the report to the TC section ,DGT within 7 days from the date of issue of MoM..</p> <p>1. BCC is not in proper format.</p> <p>2. Some of the computer systems found in COPA lab are having lower Specifications, 30%</p>

				<p>3. Some of the computer systems found in COPA lab are having lower Specifications, 30% Tools and Equipment shortage in Electronics Mechanic Trade.</p> <p>4. Building Completion Certificate is not in proper format.</p> <p>5. The purchase invoice no.01325 dated 15.7.2020 (Techostar Enterprises who supplied items for COPA trade) for the amount of Rs.10,18,989 is not in proper format and is doubtful.</p>		<p>Tools and Equipment shortage in Electronics Mechanic Trade.</p> <p>3. The purchase invoice no.01325 dated 15.7.2020 (Techostar Enterprises who supplied items for COPA trade) for the amount of Rs.10,18,989 is not in proper format and is doubtful.</p>
--	--	--	--	---	--	---




Agenda 3: Compliances of SCAA remarks of Minutes of 2nd SCAA meeting held on 29.04.2022

In the 2nd SCAA meeting held on 29.04.2022, the old cases of previous meetings which were either deferred or Not Recommended due to four trade norms and grading were considered. The letters and emails were received from the following 02 ITIs through the concerned State Directorate in compliance with MoM of 2nd SCAA.

Sl. No.	State	ITI Name/MIS Code and Grading/Existing Trades	Trades/Units sought for Affiliation	History of case and Last meeting Decision of RCM/SCRC/SCAA	Observation of TC section	Remarks of 6 th SCAA meeting held on 30.08.2022
I	II	III	IV	V	VI	VII
1.	Telangana	<p>Gawtham Pvt. ITI, Industrial Estate Warangal - 506007</p> <p>MIS Code: PU36000189</p> <p>Grading: 1.91</p> <p>Old address:</p> <p>Gawtham Pvt. ITI, Industrial Estate Warangal, D. No. 15-1-350 Shad 2/4 Industrial</p>	Electrician-8(4+4+0)	In 2 nd SCAA it was decided to conduct Joint Re inspection by RDSDE and State Directorate within 01 month from the date of issue of this MoM.	<p>In State Directorate Telangana sent Joint Inspection on 19.08.2022.</p> <ol style="list-style-type: none"> 1. This is a shifting case. ITI is shifting and has to follow the latest norms. 2. Total Land area is 745 Sqm. Which is not as per NCVT norms. 3. The IT lab, Drawing hall and Principal office area is also less. 4. BCC is not available, No 	<p>Not recommended</p> <p>due to less land area and deficiencies mentioned in column VI.</p>



		Estate, Warangal - 506007 New Address: Gawtham Pvt. ITI, Plot No F 13, INO Estate, Mulugu Road, Warangal-506007			approved plan certificate is also not available. 5. State directorate needs to confirm whether ITI is shifting within the block or not. 6. All the instructors are not CITS trained.	
2.	Uttar Pradesh	Guru nanak pvt. ITI, bijnor umarpur khadar seohara bijnor-uttar pradesh- 246746 TMP9132PR1582190101 New ITI	1. COPA -3 (1+1+1) 2. Electrician -24 (8+8+8) 3. Fitter 12 (4+4+4) 4. Health Sanitary Inspector- 6 (2+2+2)	1. Deferred in 4th SCAA MoM dated 09.11.2021 page No - Deferred for Land lease agreement, Photograph/ video/ bills of computers. Put up to SCAA again with the above document/details. 2. In the 2nd SCAA meeting- State Directorate to verify the deficiencies mentioned in Column VII and submit the report	State directorate has forwarded ITI email dated 17.08.2022. ITI has submitted the following documents- 1. A certificate for land conversion. 2. Principal qualification and payment proof documents.	Recommended: 1. COPA -2 (1+1) 2. Electrician -16 (8+8) 3. Fitter-8 (4+4) 4. Health Sanitary Inspector-4 (2+2) ITI needs to submit an undertaking to the concerned State Directorate and RDSDE that CITS trained instructors will be appointed before the start of the session.

				<p>within 1 month after issuing of this MoM.</p> <p>The deficiencies were-</p> <ul style="list-style-type: none"> • Land affidavit is submitted. Land is purchased in trust name and it is agricultural land. Total area-1.8 acre. • Land conversion certificate from agricultural land is not available. • payment proof of invoice not attached. • Principal experience details given but Instructors NCIC certificate not available. • State Directorate has submitted a letter on 28.03.2022 for N/A with lease under taking, photos, and bills. Information 		<p>RDSDE and State Directorate need to ensure that CITS trained instructors are appointed before the start of the session.</p>
--	--	--	--	---	--	--

				<p>received on email 28.03.2022 Dir TC, JD and AD email</p> <ul style="list-style-type: none">• Bill of computer is attached but payment proof is not given. Photos of computers are attached in the report.• Principal details given but NCIC details of staff not available.		
--	--	--	--	---	--	--



Agenda 4: Compliances of SCAA remarks of Minutes of 3rd SCAA meeting held on 24.06.2022

The following cases were put up in 3rd SCAA meeting held on dated 24.06.2022 and ITIs were asked to remove those deficiencies and submit the report through the concerned State Directorate/RDSDE. In this regard, reports for the following ITIs are received from the State Directorates/RDSDEs:

1. State: Haryana

Sl. No.	ITIs Name/ MIS Code / /Grading	Existing / New/ MSTI	Trades/units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section in 3 rd SCAA	Remarks by 3rd SCAA meeting held on dated 24.06.2022	Observations of TC section	Remarks of 6 th SCAA meeting held on 30.08.2022
I	II	III	IV	V	VI	VII	VIII	IX
1.	Shri Krishna Pvt ITI, Budani Rewari 1906031565	New	1. COPA-2 (1+1) 2. Electrician -2 (1+1) 3. Fitter-2 (1+1) 4. Health sanitary Inspector-2 (1+1)	Recommended for – 1. COPA-2 (1+1) 2. Electrician-2 (1+1) 3. Health sanitary Inspector-2 (1+1) Not Recommended: 1. Fitter-2 (1+1)	1. Details of CITS Qualified Instructor not available 2. Biometric Machine not available 3. IT Lab not tiled 4. No Statutory Plan	Not Recommended Minimum Four trades are required ITI needs to remove the deficiencies	State directorate vide email dated 25.08.2022 has requested to carry out joint inspection as ITI has removed the deficiencies but in MoM it was already Not Recommended	Joint inspection to be carried out for all the trades within 1 month from the date of issue of this MoM.

				Remarks: 1. Basic Amenities are not sufficient and no provision for special disabled persons 2. Apprx 5% Machines not available, HSI model not working 3. Fitter Lab located in First Floor	Certificat e not available 5. Other Deficienci es are mentione d in ICVC remarks			
--	--	--	--	---	--	--	--	--

2. State : Uttar Pradesh

SI. No.	ITIs Name/ MIS Code / /Grading	Existi ng / New/ MSTI	Trades/units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observatio ns of TC section	Remarks by 3rd SCAA meeting held on dated 24.06.2022	Observatio ns	Remarks of 6 th SCAA meeting held on 30.08.2022
I	II	III	IV	V	VI	VII	VIII	IX

1.	Shri Balveer Singh Private Industrial Training Institute, Mainpuri Kareemganj, Kurawali Road, 205001 TMP9166PU1581 493844	New	<ol style="list-style-type: none"> 1. Electrician -6 (2+2+2) 2. Fitter- 3 (1+1+1) 3. Health Sanitary Inspector-3 (1+1+1) 4. Hospital Housekeeping -3 (1+1+1) 	<p>Recommended:</p> <ol style="list-style-type: none"> 1. Electrician-6 (2+2+2) 2. Fitter- 3 (1+1+1) 3. Health Sanitary Inspector-3 (1+1+1) 4. Hospital Housekeeping -3 (1+1+1) 	<ol style="list-style-type: none"> 1. Approved Layout Plan not attached 2. Payment proof not available 3. CITS Qualified Instructor details not available 4. Layout plan not approved by Architect, No Statutory plan certificate not attached 5. IT Lab not tiled 	<p>ITI needs to remove the deficiencies mentioned in column VI and submit a report to the state within 1 week of issuing this MoM</p> <p>State Directorate will verify and send report with recommendation to DGT within 1 week of issuing this MoM</p>	<p>Email from UP S/D received on 18.08.2022 in which the following are forwarded:</p> <ol style="list-style-type: none"> 1. Approved layout plan is given by Architect 2. Payment proof attached 3. No statutory plan mentioned in report is ok but not attached 4. IT lab floor is tiled 	<p>Recommended:</p> <ol style="list-style-type: none"> 1. Electrician-4 (2+2) 2. Fitter- 2 (1+1) 3. Health Sanitary Inspector-2 (1+1) 4. Hospital Housekeeping -2 (1+1)
----	---	-----	--	---	---	---	---	---

2.	Veerendra Singh Private Industrial Training Institute, Hardoi Kursath-241126 TMP9150PR1580 379276	New	<ol style="list-style-type: none"> 1. Computer Operator and Programming Assistant (COPA)- 3 (1+1+1) 2. Electrician -6 (2+2+2) 3. Fitter-6 (2+2+2) 4. Plumber-3 (1+1+1) 	<p>Recommended:</p> <ol style="list-style-type: none"> 1. Computer Operator and Programming Assistant (COPA)- 3 (1+1+1) 2. Electrician-6 (2+2+2) 3. Fitter-6 (2+2+2) 4. Plumber-3 (1+1+1) 	<ol style="list-style-type: none"> 1. Payment proof not available for Machinery 2. Fire safety certificate not available 3. Drawing Hall available but stool not proper 	<p>ITI needs to remove the deficiencies mentioned in column VI and submit a report to the state within 1 week of issuing this MoM</p> <p>The State Directorate will verify and send a report with recommendation to DGT within 01 week of issuing this MoM</p>	<p>State Directorate forwarded email dated 18.08.2022 and given following-</p> <p>Payment proof details attached</p> <p>Fire safety certificate attached</p> <p>Drawing Hall furniture is available</p>	<p>Recommended:</p> <ol style="list-style-type: none"> 1. Computer Operator and Programming Assistant (COPA)- 2 (1+1) 2. Electrician-4 (2+2) 3. Fitter-4 (2+2) 4. Plumber-2 (1+1)
----	--	-----	--	---	--	--	---	---




3.	Swargiya Beche Lal Memorial Pvt ITI, Village-Kamipur Post Balamau Block-Kachhauna District-Hardoi- 241126 TMP9150PR15821 99453	New	Electrician – 4 (2+2) Fitter – 4 (2+2)	Electrician – NR Fitter – NR	1. BCC not available. 2. No drawing hall. 3. Running of machinery not shown due to non-availability of power. 4. No UPS in IT Lab. 5. No power backup. 6. Total area of ITI less than required. 7. Experience certificate of staff not provided.	Not Recommended in 1 st SCAA MoM: Applicant ITI advised to upgrade to four trades.	3rd SCAA MoM Remarks: State directorate to submit a report whether this ITI lies in unserved block or not within 1 week from the date of issue of this MoM. State directorate has clarified that MSTI lies under unserved area vide state letter dated 19.07.2022.	Recommended Electrician-4(2+2) Fitter-4(2+2)
----	---	-----	---	---------------------------------	--	---	--	--




Agenda 5: Compliances of SCAA remarks of Minutes of 4th SCAA meeting held on 08.07.2022

The following cases were put up in 4th SCAA meeting held on dated 08.07.2022 and ITIs were asked to remove those deficiencies and submit the report through the concerned State Directorate/RDSDE. In this regard, reports for the following ITIs are received from the State Directorates/RDSDEs:

1. State: Bihar

SI. No.	ITIs Name/ Address/ MIS Code / Grading	Existin g/ New/ MSTI	Trades/ units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observati ons of TC section in 4 th SCAA	Remarks by 4 th SCAA meeting held on dated 08.07.2022	Observation of TC section	Remarks of 6 th SCAA meeting held on 30.08.2022
I	II	III	IV	V	VI	VII	VIII	IX
1.	Bharti Private Industrial Training Institute, Patna, Pir Badhauna, Daniawan, Patna-801305 TMP10212PR1 582885262	New	1. Carpenter - 2 (1+1) 2. COPA - 2 (1+1) 3. Electrician - 4 (2+2), 4. Fitter - 2 (1+1)	Recommend ed: 1. Carpenter - 2 (1+1) 2. COPA - 2 (1+1) 3. Electrician - 4 (2+2), 4. Fitter - 2 (1+1)	1. BCC is not available. 2. CITS certificate of trainers not available.	ITI needs to submit the BCC and an undertaking to appoint CITS qualified instructors before the start of session to the State Directorate within 07 days from the issue of this MoM.	A mail has been received from State Directorate of Bihar on 10.08.2022 with the following remarks: 1. All the NCs have not been removed by ITI, so ITI cannot be	Not Recommended as per State recommendations.

						The State Directorate will verify the BCC and submit the report with clear recommendation of trades/units within 07 days from issue of this MoM.	<p>considered for affiliation.</p> <p>2. BCC certificate is submitted by ITI and is as per norms.</p> <p>3. Some of the trainers are CITS qualified but 100% are not. Neither undertaking is submitted by ITI.</p>	
2	Tribhuwan Private Industrial Training Institute, Madhepura Tribhuwan Nagar, Ward No. - 11,	New	<p>1. Electrician – 2 (1+1)</p> <p>2. Electronic Mechanics – 1 (1+0)</p> <p>3. Fitter – 1 (1+0)</p> <p>4. Wiremen – 1 (1+0)</p>	<p>Recommended:</p> <p>1. Electrician – 2 (1+1)</p> <p>2. Electronic Mechanics – 1 (1+0)</p>	CITS certificate of trainers not available. Wiremen workshop area not as per norms.	ITI needs to submit a report on the wireman workshop area and an undertaking that CITS qualified instructors will	A mail has been received from State Directorate of Bihar on 10.08.2022 with the following remarks:	<p>Recommended:</p> <p>1. Electrician – 2 (1+1)</p> <p>2. Electronic Mechanics – 1 (1+0)</p> <p>3. Fitter – 1 (1+0)</p> <p>4. Wiremen – 1 (1+0)</p>

Basudeva Madhepura- 852121			3. Fitter – 1 (1+0) 4. Wiremen – 1 (1+0)	Available- 51.054 sqm, required – 88 Sqm.	be appointed before the start of session , to the concerned State Directorate within 07 days from the issue of this MoM. The State Directorate will verify and submit the report with clear recommendatio n of trades/units within 07 days from issue of this MoM.	1. All the NCs are cleared, ITI can be considered for affiliation. 2. Undertakin g for Recruitmen t of CITS instructor before start of session 2022 is provided. 3. Revised layout plan provided of size 101.6 sqm available for Wireman workshop.	
----------------------------------	--	--	---	---	--	--	--

2. State: Tamil Nadu:




Sl. No.	ITIs Name/ Address/ MIS Code / Grading	Existing/ New/ MSTI	Trades/ units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section in 4 th SCAA	Remarks by 4 th SCAA meeting held on dated 08.07.2022	Observation of TC section	Remarks of 6 th SCAA meeting held on 30.08.2022
I	II	III	IV	V	VI	VII	VIII	IX
1.	<p>A.C.Muthiah Private Industrial Training Institute, Thoothukkudi</p> <p>New Address: 5/1, Abirami Nagar, (Survey 369/1B, 373/1), Muthiahpuram PO, Thoothukkudi, Tamilnadu</p> <p>Old Address: Harbour Construction Road, Muthiahpuram Post, Thoothukkudi, Tamilnadu</p>	Existing (Change of Address)	<p>1. Electrician - 4(2+2+0)</p> <p>2. Instrument Mechanic (chemical plant) - 2(1+1+0)</p> <p>3. Maintenance Mechanic (Chemical Plant) - 2(1+1+0)</p>	<p>Recommended:</p> <p>1. Electrician - 4(2+2+0)</p> <p>2. Instrument Mechanic (chemical plant) - 2(1+1+0)</p> <p>3. Maintenance Mechanic (chemical plant) - 2(1+1+0)</p> <p>4. Fitter - 2(1+1+0)</p> <p>5. Welder - 2(1+1+0)</p>	<p>CITS details of trainers are not available</p> <p>Land lease documents are not visible.</p>	<p>ITI will submit land lease documents and CITS instructors' details to state within 07 days from the issue of this MoM.</p> <p>State directorate will verify the following details-</p> <p>1 Land lease documents</p> <p>2 Confirmation about inter block shifting</p> <p>3 MMV trade recommendation and</p>	<p>State Directorate of Tamil Nadu vide letter dated 23.08.2022 had informed the following -</p> <p>1. Land lease is verified</p> <p>2. ITI is shifting within same zone of municipal corporation</p> <p>3. List of Instructors under RPI July 2022</p> <p>4. Recommended:</p>	<p>Recommended:</p> <p>1. Electrician - 4(2+2+0)</p> <p>2. Instrument Mechanic (chemical plant) - 2(1+1+0)</p> <p>3. Maintenance Mechanic (chemical plant) - 2(1+1+0)</p> <p>4. Fitter - 2(1+1+0)</p> <p>5. Welder - 2(1+1+0)</p>

PR33000385(Special Case)			4. Mechanic (Motor Vehicle) - 2(1+1+0) 5. Addl. Fitter - 2(1+1+0) 6. Addl. Welder - 2(1+1+0)	After 2018 no students are admitted as because of shifting		4 An undertaking to appoint CITS qualified instructors before the start of session 2022. State will send a verified report with clear recommendation of all the trades/units within 07 days of issue of this MoM.	Electrician-4(2+2+0) Instrument Mechanic (chemical plant) - 2(1+1+0) Maintenance Mechanic (chemical plant) - 2(1+1+0) Fitter- 2(1+1+0) Welder - 2(1+1+0)	
--------------------------	--	--	--	--	--	--	--	--

3. State: Uttar Pradesh

Sl. No.	ITIs Name/ Address/ MIS Code / Grading	Existing/ New/ MSTI	Trades/ units sought for affiliation	Remarks by Inspection Cum Verification Committee (ICVC)	Observations of TC section	Remarks by 4th SCAA meeting held on dated 08.07.2022	Observation	Remarks of 6 th SCAA meeting held on 30.08.2022
---------	--	---------------------	--------------------------------------	---	----------------------------	--	-------------	--

I	II	III	IV	V	VI	VII	VIII	IX
1	<p>Swami Vivekanand Private I.T.I. Bareilly</p> <p>Vill- Uchasiya Fatehganj East, Bareilly- 243506</p> <p>MIS Code: PR09002116</p> <p>Grading- 1.75</p>	Existing	Electrician- 6(2+2+2)	Recommended: Electrician- 4(2+2)	<p>1. BCC is not as per norms.</p> <p>2. CITS details of all the trainers are not available.</p>	<p>ITI will submit the following details to state within 07 days from issue of this MoM-</p> <p>1. BCC documents</p> <p>2. An undertaking to appoint CITS instructors before the start of session 2022.</p> <p>The State Directorate will submit the verified report on the above point with clear recommendation of all the trades/units</p>	<p>State directorate vide letter dated 10.08.2022 has forwarded the report in which-</p> <p>1. No Statutory plan is submitted by Tehsildar and BCC is confirmed by S/D as per norms.</p> <p>2. CITS qualified instructor details is attached</p>	<p>Recommended:</p> <p>Electrician- 4(2+2)</p>




						within 07 days from issue of this MoM.		
--	--	--	--	--	--	--	--	--



Agenda 7: Applications to start Drone Courses in ITIs

With reference to the DGT letter no. DGT-Aff011(51)/1/2022-O/o DIR (TC) dt. 30.03.2022 regarding Starting of short-term Drone Courses in ITIs, DGT has received the proposal from Bihar State for running short term courses in 25 Govt. ITIs. The remarks of SCAA are given in the table below.

Sl. No.	ITI Name	Government/Private	PR Code	Name of Drone Course	Grading	Remarks of 6 th SCAA meeting held on 30.08.2022
1	Govt ITI Munger	Government	GR10000033	Drone service Technician	2.13	Recommended
2	Govt ITI Darbhanga	Government	GR10000037		0.58	Recommended
3	Govt ITI Supaul	Government	GR10000047		0.60	Recommended
4	Govt ITI Forbesganj	Government	GR10000045		1.18	Recommended
5	Govt ITI Arwal	Government	GR10001305		0	Recommended
6	Govt ITI Banka	Government	GU10001214		1.13	Recommended
7	Govt ITI Bhagalpur	Government	GR10000038		0.50	Recommended
8	Govt ITI Ara (Bhojpur)	Government	GU10001308		0	Recommended
9	Govt ITI Mothihari	Government	GR10000051		1.26	Recommended
10	Govt ITI Hathwa	Government	GR10000042		0.86	Recommended




11	Govt ITI Jamui	Government	GU10001226		1.08	Recommended
12	Govt ITI Kaimur (bhabua)	Government	GR10001291		0	Recommended
13	Govt ITI Thakurganj	Government	GR10001296		0	Recommended
14	Govt ITI Lakhisarai	Government	GU10001275		0	Recommended
15	Govt ITI Muzaffarpur	Government	GR10000052		1.66	Recommended
16	Govt ITI Kaala Bigha Nalanda	Government	GR10001211		1.25	Recommended
17	Govt ITI Nawada	Government	GR10000050		0.96	Recommended
18	Govt ITI Bettiah	Government	GR10000049		1.23	Recommended
19	Govt ITI Purnea	Government	GR10001210		1.1	Recommended
20	Govt ITI Dehri-on-Son, Rohtas	Government	GR10000034		1.44	Recommended
21	Govt ITI Saharsa	Government	GU10001326		0	Recommended
22	Govt ITI Samastipur	Government	GR10001325		0	Recommended
23	Govt ITI Sheikhpura	Government	GR10001303		0	Recommended
24	Govt ITI Sheohar	Government	GR10001352		0	Recommended

25	Govt ITI Siwan Sadar	Government	GR10001364		0	Recommended
----	----------------------	------------	------------	--	---	-------------

