DGT- Aff011(51)/23/2022 O/o Dir (TC) Government of India Ministry of Skill Development and Entrepreneurship Directorate General of Training

Employment Exchange Building, 1st floor, Pusa, New Delhi, Dated: 15.09.2022

To

The State Directorate

Bihar, Karnataka, Maharashtra, Tamil Nadu, Telangana, Uttar Pradesh

Subject: Affiliation of Units/Trades of Govt./Pvt. ITI with NCVT -regarding.

Sir/Madam,

As decided in the 6th meeting of Standing Committee on Accreditation and Affiliation (SCAA) held on 30.08.2022., the committee recommended trades/units for the ITIs mentioned in the attached list.

- 2. The affiliation of Trade/Units stated above are further subjected to,
 - (i) The DGT & State officer can inspect the ITI any time for better performance & training
 - (ii) Periodic verification.
 - (iii) The ITI must comply with DGT norms/guidelines issued from time to time.
 - (iv) ITI must display the newly released logo of ITI on the Display Board at the main gate.
- 3. The said information is also available under "News & Updates" on NCVT MIS Portal at https://ncvtmis.gov.in.
- 4. Affiliation of Trades/Units mentioned in this order is valid for five years from the date of issue of this order and ITI should have to apply for "Renewal of Affiliation" as per DGT Norms.
- 5. Discrepancies if any in the affiliation orders, may be intimated to the undersigned within 15 days of issue of this order.

Yours faithfully

(Ujjwal Biswas)
Director TC

Copy along with enclosures for information to:

- Sr PPS to Chairman of 6th meeting of Standing Committee on Accreditation and Affiliation (SCAA)-DGT, New Delhi
- 2. Sr PPS to DDG (Affiliation).
- 3. The officer dealing with NCVT MIS Portal To upload and Necessary mapping in the NCVT MIS portal.

(Rooja Verma) Assistant Director TC





STATE Bihar

Meeting Date: 30/08/2022

Total - 10, (New-10, Existing-00)

otai	- 10, (New-10,	PVI201	ig-ooj	,			
SI. no.	Name of Institute with address	Type of Applicat	Trade for which affiliation sought		vhich affiliati commended		
		ion New/Exi sting		Instt.	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA	Remarks by SCAA
	Somya Pvt. ITI Shamho Akha Kurha Begusarai-	New	Electrician Fitter	4(2+2+0) 4(2+2+0)	2(1+1+0)	4(2+2+0)	Recommended: Electrician - 4
1.	811106(Bihar)		ritter	4(2+2+0)	NR	NR	Electrician = 4 (2+2+0)
1,1	TMP10191PR15804 69588						Not Recommended:
							Fitter- 4(2+2+0)
	SN Pvt ITI, Block Balia, Begusarai Dist,	New	Electrician	4(2+2+0)	NR	4(2+2+0)	Recommended:
2.	Nh-31- 851211, Begusarai		Surveyor	2(1+1+0)	NR	NR	Electrician – 4 (2+2+0)
	TMD 207 MOTH						Not Recommended:
	TMP 386 MSTI						Surveyor -2(1+1+0)
	Barka Pandit ji PVT ITI, Dist Siwan	New	Electrician	4(2+2+0)	NR	4(2+2+0)	Recommended: Electrician - 4
	TMP 383 MSTI New		Fitter	4(2+2+0)	NR	NR	(2+2+0)
2							Not Recommended:
3,							Fitter- 4(2+2+0) As electricity load
							is not sufficient. Available power - 7KW, Required for both trades- 12.2 KW.

my s







STATE Bihar

Meeting Date: 30/08/2022

Total - 10, (New-10, Existing-00)

Sl.	Name of Institute with address	Type of Applicat	Trade for which affiliation sought		hich affiliatio commended b		
		ion New/Exi sting		Instt.	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA	Remarks by SCAA
4.	B N Ray ITI, At: - Main Road Darwa, P.O.+P.S Isuapur	New	Electrician Fitter	4(2+2+0) 2(1+1+0)	2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0)	Recommended: 1. Electrician – 2
	Pin 841411, TMP 410 MSTI						(1+1+0)
5.	Balaji Private ITI, Naranpur Beduali, P.O-Garaul, Block- Garaul Dist-Vaishali - 844118 TMP 407 MSTI	New	Electrician Fitter	4(2+2+0)	4(2+2+0) 2(1+1+0)	4(2+2+0) 2(1+1+0)	Recommended: 1. Electrician – 4 (2+2+0) 2. Fitter – 2(1+1+0)
6.	Churaman Rai Private ITI TMP 391 MSTI New	New	Electrician Fitter	2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0)	2(1+1+0)	Recommended: 1. Electrician - 2









STATE Bihar

Meeting Date: 30/08/2022

Total - 10, (New-10, Existing-00)

Sl. no.	Name of Institute with address	Type of Applicat	Trade for which affiliation sought		which affiliati commended l		
		ion New/Exi sting		Instt.	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA	Remarks by SCAA
	R K Pvt. ITI Village Age Amwari	New	Electrician	4(2+2+0)	4(2+2+0)	4(2+2+0)	Recommended:
	Post Nandpur Amwari,		Fitter	4(2+2+0)	4(2+2+0)	NR	Electrician - 4 (2+2+0)
7,	Raghunathpur, Siwan TMP 390 MSTI						Not Recommended: Fitter- 4(2+2+0)
							as Power not sufficient to run both trades sought for affiliation.
8	Sangita Pvt. ITI, Village +P.O Chainpur, Block-Siswan, District-Siwan, Bihar,Siwan, Bihar. TMP 403 MSTI	New	Wireman	4(2+2+0)	NR	4(2+2+0)	Recommended: Wiremen - 4(2+2+0)
	JAI MAA PVT. ITI, Siswan block,	New	Electrician	4(2+2+0)	NR	4(2+2+0)	Recommended:
	District- Siwan Bihar		Fitter	4(2+2+0)	NR	NR	Electrician 4(2+2+0)
9	TMP 402 MSTI New						Not Recommended:
	^	12					Fitter- 4(2+2+0)







STATE Bihar

Meeting Date: 30/08/2022

Total - 10, (New-10, Existing-00)

Sl.	Name of Institute with address	Type of Applicat	Trade for which affiliation sought		hich affiliation commended b		
		ion New/Exi sting		Instt.	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA	Remarks by SCAA
	Tribhuwan Private Industrial Training	New	Electrician	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended: 1. Electrician – 2
	Institute, Madhepura		Electronic	1(1+0+0)	1(1+0+0)	1(1+0+0)	(1+1+0)
	Tribhuwan Nagar, Ward No 11,		Mechanics				2. Electronic Mechanics – 1
10	Basudeva Madhepura-852121		Fitter	1(1+0+0)	1(1+0+0)	1(1+0+0)	(1+0+0) 3. Fitter – 1
DC.	TMP10205PR15799 70084		Wiremen	1(1+0+0)	1(1+0+0)	1(1+0+0)	(1+0+0) 4. Wiremen – 1
	, 555						(1+0+0)









STATE Karnataka

Meeting Date: 30/08/2022

Total - 02, (New-00, Existing-02)

Clai	10 0,000			TT 14 C	111 0011	14	
Sl. no.	Name of Institute with address	Type of Applicat	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			
		ion New/Exi sting		Instt.	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA	Remarks by SCAA
	Shri Annadaneshwara Pvt Aided ITI, Purtageri Cross, Ron Road,	Existing	Electrician Fitter Mechanic Diesel	3(1+1+1) 1(0+0+1) 2(1+1+0)	3(1+1+1) 1(0+0+1)	2(1+1+0) NR	Recommended: 1. Electrician 2(1+1+0)
	Gajendragad, Gadag MIS Code:		HSI	2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0)	 Mechanic Diesel 2(1+1) HSI 2(1+1)
	PU29000285 Grading: 1.83						Fitter not recommended as third shift is only allowed in DST mode.
1.							ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session to the concerned state directorate and RDSDE within 07 days from the issue of this MoM.
							RDSDE and the state will ensure the instructors are appointed in the ITI before the start of session.







STATE Karnataka

Meeting Date: 30/08/2022

Total - 02, (New-00, Existing-02)

Sl.	Name of Institute with address	Type of Applicat	Trade for which affiliation sought	Units for w	vhich affiliati commended l	on sought/ by	
		ion New/Exi sting		Instt.	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA	Remarks by SCAA
2.	Visweswaraiah ITI Private New Address: Mysuru, 19/2a9, Bogadi, Mysuru MIS Code: PU29000224 Grading: 1.18 Old Address: No. 1535, C & D Block Anikethan Road Kuvempur, Mysuru New Address: 19/2a9, Bogadi, Mysuru	Existing	Electronic Mechanic Fitter	4(2+2+0)	4(2+2+0)	4(2+2+0)	Recommended: 1. Electronic Mechanic-4(2+2+0) 2. Fitter-4(2+2+0) ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session to the concerned state directorate and RDSDE within 07 days from the issue of this MoM. RDSDE and the state will ensure the instructors are appointed in the ITI before the start of session.

Ruerman





STATE Maharashtra

Meeting Date: 30/08/2022

Total - 07, (New-04, Existing-03)

SI. no.	Name of Institute with address	Type of Applicat	Trade for which affiliation sought		which affiliati commended l		
		ion New/Exi sting		Instt.	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA	Remarks by SCAA
1,	Don Bosco Private Industrial Training Institute, Pune near St Andrews High School, Bala ji Chowk Chinchwad Pune-411019 MIS Code: PR27000815 Grading: 2.15	Existing	Electrician Mechanic Auto Electrical and Electronics	2(1+1+0) 2(1+1+0)	2(1+1+0)	2(1+1+0) 2(1+1+0)	Recommended: 1. Electrician- 2(1+1+0) 2. Mechanic Auto Electrical and Electronics - 2(1+1+0) ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session to the concerned state directorate and RDSDE within 07 days from the issue of this MoM. RDSDE and the state will ensure the instructors are appointed in the ITI before the start of session.

Berna





STATE Maharashtra

Meeting Date: 30/08/2022

Total - 07, (New-04, Existing-03)

Sl. no.	Name of Institute with address	Type of Applicat	Trade for which affiliation sought		vhich affiliati commended		
		ion New/Exi sting		Instt.	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA	Remarks by SCAA
2.	Govt. Industrial Training Institute Surgana Tal Surgana Dist Nashik Umbarthan Road, Tal Surgana Dist Nashik 422211 MIS Code: GR27000285 Grading: 1.55	Existing	Electrician Sewing Technology	2(1+1+0) 1(0+1+0)	2(1+1+0) 1(0+1+0)	2(1+1+0) 1(0+1+0)	Recommended: 1. Electrician- 2(1+1+0) 2. Sewing Technology- 1(0+1+0) ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session to the concerned state directorate and RDSDE within 07 days from the issue of this MoM. State will ensure the instructors are appointed in the ITI before the start of session.







STATE Maharashtra

Meeting Date: 30/08/2022

Total - 07, (New-04, Existing-03)

	Name of Institute with address	Type of Applicat	Trade for which affiliation sought		vhich affiliati commended l		
		ion New/Exi sting	15	Instt.	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA	Remarks by SCAA
	Rasikalalji Dhariwal Private Industrial	New	Electrician	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended:
	Training Institute Akola, At Post Alegaon Tq		Fitter	2(1+1+0)	2(1+1+0)	2(1+1+0)	1.Fitter-2(1+1+0) 2.Electrician- 2(1+1+0)
	Patur Dist Akola Pin Code 444511		Wireman Solar	2(1+1+0)	2(1+1+0)	2(1+1+0)	3.Wireman- 2(1+1+0)
	TMP27467PR16462 36814		Technician	2(1+1+0)	2(1+1+0)	2(1+1+0)	4.Solar Technician- 2(1+1+0) 5.Cosmetology-
			Basic Cosmetology	2(1+1+0)	2(1+1+0)	2(1+1+0)	2(1+1+0)
3,							ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session to the concerned state directorate and RDSDE within 07 days from the issue of this MoM.
							State will ensure the instructors are appointed in the ITI before the start of
			0				

Burny





STATE Maharashtra

Meeting Date: 30/08/2022

Total - 07, (New-04, Existing-03)

Ų	Ulai	- 07, (New-04,		ig obj			- I Al	
	Sl. no.	Name of Institute with address	Type of Applicat	Trade for which affiliation sought		hich affiliatio commended b		
			ion New/Exi sting		Instt.	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA	Remarks by SCAA
		Unique Private Industrial Training	New	Electrician	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended: 1.Electrician-
		Institute Jalgaon,		Fitter	2(1+1+0)	2(1+1+0)	2(1+1+0)	2(1+1+0) 2.Fitter-2(1+1+0) 3.Sewing
		Sutgirni Road, Yawal, Dist-Jalgain		Sewing Technology	2(1+1+0)	2(1+1+0)	2(1+1+0)	Technology - 2(1+1+0) 4.Solar Technician-
		TMP27478PR16467 14997		Solar Technician	2(1+1+0)	2(1+1+0)	2(1+1+0)	2(1+1+0) 5.Welder-2(1+1+0)
	4.			Welder	2(1+1+0)	2(1+1+0)	2(1+1+0)	ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session to the concerned state directorate and RDSDE within 07 days from the issue of this MoM.
								RDSDE and the state will ensure the instructors are appointed in the ITI before the start of session.







STATE Maharashtra

Meeting Date: 30/08/2022

<u>'otal</u>	– 07, (New-04,			<u> </u>			
Sl. no.	Name of Institute with address	Type of Applicat	Trade for which affiliation sought		which affiliati commended		
		ion New/Exi sting		Instt.	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA	Remarks by SCAA
	Jijau Private ITI Dharmapuri Parbhani, Near Manshanti Hospital Pathari Road Dharmapuri Tq	New	Basic Cosmetology Geo-Informatics Assistant	2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0)	Recommended: 1. Basic Cosmetology- 2(1+1+0) 2. Geo-
	Dist Parbhani,		Electrician	4(2+2+0)	4(2+2+0)	4(2+2+0)	Informatics Assistant- 2(1+1+0)
	TMP27489PR16487 08197		Fitter	2(1+1+0)	2(1+1+0)	2(1+1+0)	3. Electrician- 4(2+2+0)
5.			Wireman	2(1+1+0)	2(1+1+0)	2(1+1+0)	4. Fitter-2(1+1+0) 5. Wireman- 2(1+1+0) ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session to the concerned state directorate and RDSDE within 07 days from the issue of this MoM. RDSDE and the
			6	-5-			RDSDE and the state will ensure the instructors are appointed in the ITI before the start of session.





STATE Maharashtra

Meeting Date: 30/08/2022

Total - 07, (New-04, Existing-03)

Sl.	Name of Institute with address	Type of Applicat	Trade for which affiliation sought		vhich affiliation commended l		
		ion New/Exi sting		Instt.	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA	Remarks by SCAA
	Shri Tukaramji Solav Patil Private Industrial Training	New	Copa Electrician	2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0)	Recommended: 1. COPA- 2(1+1+0) 2. Diesel
	Institute Washim At Dnyanraj Mauli Vidhyala Tornala		Fitter	2(1+1+0)	2(1+1+0)	2(1+1+0)	mechanic 2(1+1+0) 3. Electrician
	Post Tornala Tq & Dist Washim		Mechanic Diesel	2(1+1+0)	2(1+1+0)	2(1+1+0)	2(1+1+0) 4. Fitter 2(1+1+0)
	TMP27499PR16498		Welder	2(1+1+0)	2(1+1+0)	2(1+1+0)	5. Welder 2(1+1+0)
			Wireman	2(1+1+0)	2(1+1+0)	2(1+1+0)	6. Wireman 2(1+1+0)
6.							ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session to the concerned state directorate and RDSDE within 07 days from the issue of this MoM. RDSDE and the
							State will ensure the instructors are appointed in the ITI before the start of
			V				session.







STATE Maharashtra

Meeting Date: 30/08/2022

Total - 07, (New-04, Existing-03)

SI. no.	Name of Institute Type of Trade for which with address Applicat affiliation sought			which affiliati commended			
		ion New/Exi sting		Instt.	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA	Remarks by SCAA
	Government Industrial Training Institute, Yeola, Dist: Nashik	Existing	Fitter	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended: Fitter-2(1+1+0)
7.	MIS Code: GR27000407 Grading: 1.41		,				State directorate will ensure CITS instructors are appointed before the start of the session.

who e







STATE Tamil Nadu

Meeting Date: 30/08/2022

Total - 01, (New-00, Existing-01)

Sl. no.	Name of Institute with address	Type of Applicat	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			
		ion New/Exi sting		Instt.	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA	Remarks by SCAA
	A.C.Muthiah Private Industrial Training	Existing	Electrician	4(2+2+0)	4(2+2+0)	4(2+2+0)	Recommended:
	Institute, Thoothukkudi		Instrument Mechanic (chemical plant)	2(1+1+0)	2(1+1+0)	2(1+1+0)	1. Electrician- 4(2+2+0) 2. Instrument
	New Address: 5/1, Abirami Nagar, (Survey 369/1B, 373/1), Muthiahpuram PO,		Maintenance Mechanic (Chemical Plant)	2(1+1+0)	2(1+1+0)	2(1+1+0)	Mechanic (chemical plant) - 2(1+1+0) 3. Maintenance
1,	Thoothukkudi, Tamilnadu		Mechanic (Motor Vehicle)	2(1+1+0)	2(1+1+0)	2(1+1+0)	Mechanic (chemical plant) -2(1+1+0) 4. Fitter-2(1+1+0)
	Old Address: Harbour Construction Road,		Fitter	2(1+1+0)	2(1+1+0)	2(1+1+0)	5. Welder - 2(1+1+0)
	Muthiahpuram Post, Thoothukkudi, Tamilnadu		Welder	2(1+1+0)	2(1+1+0)	2(1+1+0)	
	PR33000385(Special Case)						
	Grading: 3.27		7				

Menny





STATE Telangana

Meeting Date: 30/08/2022

Total - 01, (New-00, Existing-01)

Sl.	1		Trade for which affiliation sought		vhich affiliati commended l		
		ion New/Exi sting		Instt.	Trade/ Units Recomme nded by (ICVC)	Trade/uni ts Approved by DGT SCAA	Remarks by SCAA
	Sri Balaji Private ITI, Post & Damp; Mandal. Bhanswada, G.P. No.7-64/2A,	Existing	Electrician Mechanic Diesel	8(2+2+4) 3(1+1+1)	4(2+2+0) 2(1+1+0)	4(2+2+0) 2(1+1+0)	State Directorate confirms BCC is as per norms
	Kamareddy MIS Code:	Radiology		6(2+2+2)	4(2+2+0)	4(2+2+0)	Recommended: 1. Electrician- 4(2+2+0)
1,	PR36000255 Grading: 1.48		Sewing Technology	3(1+1+1)	2(1+1+0)	2(1+1+0)	2. Mechanic Diesel - 2(1+1+0) 3. Radiology Technician - 4(2+2+0) 4. Sewing Technology 2(1+1+0) ITI needs to submit an undertaking that CITS qualified instructors will be appointed before the start of session to the concerned state directorate and RDSDE within 07 days from the issue of this MoM. RDSDE and the state will ensure the instructors are appointed in the ITI before the start of session.

Morang





STATE Uttar Pradesh

Meeting Date: 30/08/2022

Total - 06, (New-05, Existing-01)

Sl.	Name of Institute with address	ame of Institute Type of Tith address Applicat v	Trade for which		which affiliation		
		ion New/Exi sting	affiliation sought	Instt.	Trade/ Units Recommen ded by (ICVC)	Trade/units Approved by DGT SCAA	Remarks by SCAA
	Lalpati Private Industrial Training Institute, Sultanpur Rhikharpur Sanjay	New	Electrician Fitter	3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1)	2(1+1+0) 2(1+1+0)	Recommended: 1. Electrician – 2 (1+1+0)
1.	Bhikharpur Sanjay Nagar Kurebhar Sultanpur 228151 TMP9185PR158219 8675		Computer Operator and Programmi ng Assistant (COPA) Health Sanitary Inspector	3(1-1+1)	3(1-1+1)	2(1+1+0)	2. Fitter - 2 (1+1+0) 3. Computer Operator and Programming Assistant (COPA) - 2 (1+1+0) 4. Health Sanitary Inspector- 2 (1+1+0) ITI needs to submit an undertaking to the concerned State Directorate and RDSDE that CITS trained instructors will be appointed before the start of the session. RDSDE and State Directorate need to ensure that CITS trained instructors are appointed before the start of the session.

parma





STATE Uttar Pradesh

Meeting Date: 30/08/2022

Total - 06, (New-05, Existing-01)

Sl.	Name of Institute with address	Type of Applicat	Trade for which		which affiliatio ecommended b		Remarks by SCAA
		ion affiliation New/Exi sought sting	affiliation sought	Instt.	Trade/ Units Recommen ded by (ICVC)	Trade/units Approved by DGT SCAA	
	Guru nanak pvt. ITI, bijnor	New	COPA	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended: 1. COPA -2
	umarpur khadar seohara bijnor-uttar		Electrician	24(8+8+8)	24(8+8+8)	16(8+8+0)	(1+1+0) 2. Electrician -16
	pradesh-246746		Fitter	12(4+4+4)	12(4+4+4)	8(4+4+0)	(8+8+0) 3. Fitter-8
	TMP9132PR158219 0101 New ITI		Health Sanitary Inspector	6(2+2+2)	6(2+2+2)	4(2+2+0)	(4+4+0) 4. Health Sanitary Inspector-4 (2+2+0)
2.							ITI needs to submit an undertaking to the concerned State Directorate and RDSDE that CITS trained instructors will be appointed before the start of the session.
							RDSDE and State Directorate need to ensure that CITS trained instructors are appointed before the start of the session.

and e

Duenna





STATE Uttar Pradesh

Meeting Date: 30/08/2022

Total - 06, (New-05, Existing-01)

Sl. no.	Name of Institute with address	Type of Applicat	Trade for which		which affiliation		Remarks by SCAA
		ion New/Exi sting	affiliation sought	Instt.	Trade/ Units Recommen ded by (ICVC)	Trade/units Approved by DGT SCAA	
	Shri Balveer Singh Private Industrial	New	Electrician	6(2+2+2)	6(2+2+2)	4(2+2+0)	Recommended: 1. Electrician-4
	Training Institute, Mainpuri Kareemganj,		Fitter Health	3(1+1+1) 3(1+1+1)	3(1+1+1) 3(1+1+1)	2(1+1+0) 2(1+1+0)	(2+2+0) 2. Fitter- 2 (1+1+0) 3. Health Sanitary
3.	Kurawali Road, 205001 TMP9166PU158149 3844		Sanitary Inspector Hospital Housekeepi ng	3(1+1+1)	3(1+1+1)	2(1+1+0)	Inspector-2 (1+1+0) 4. Hospital Housekeeping -2 (1+1+0)
4.	Veerendra Singh Private Industrial Training Institute, Hardoi Kursath-241126 TMP9150PR158037 9276	New	Computer Operator and Programmi ng Assistant (COPA)	3(1+1+1)	3(1+1+1)	2(1+1+0)	Recommended: 1. Computer Operator and Programming Assistant (COPA)- 2 (1+1+0) 2. Electrician-4
			Electrician	6(2+2+2)	6(2+2+2)	4(2+2+0)	(2+2+0) 3. Fitter-4
			Fitter	6(2+2+2)	6(2+2+2)	4(2+2+0)	(2+2+0) 4. Plumber-2
			Plumber	3(1+1+1)	3(1+1+1)	2(1+1+0)	(1+1+0)
	Swargiya Beche Lal Memorial Pvt ITI,	New	Electrician	4(2+2+0)	NR	4(2+2+0)	Recommended:
5.	Village-Kamipur Post Balamau Block- Kachhauna District- Hardoi-241126		Fitter	4(2+2+0)	NR	4(2+2+0)	Electrician- 4(2+2+0)
	TMP9150PR158219 9453	Ç	7				Fitter-4(2+2+0)

Breting





STATE Uttar Pradesh

Meeting Date: 30/08/2022

Total - 06, (New-05, Existing-01)

Sl.	Name of Institute with address	Type of Applicat	Trade for which		which affiliation ecommended b		
		ion New/Exi sting	affiliation sought	Instt.	Trade/ Units Recommen ded by (ICVC)	Trade/units Approved by DGT SCAA	Remarks by SCAA
6.	Swami Vivekanand Private I.T.I. Bareilly Vill- Uchasiya Fatehganj East, Bareilly-243506 MIS Code: PR09002116 Grading- 1.75	Existing	Electrician	6(2+2+2)	4(2+2+0)	4(2+2+0)	Recommended: Electrician- 4(2+2+0)

4 John H

