

DGT-Aff011(51)/26/2022-TC SECTION  
Government of India  
Ministry of Skill Development and Entrepreneurship  
Directorate General of Training

Employment Exchange Building,  
1st floor, Pusa, New Delhi,  
Dated: 13.10.2022

To

The State Directorate  
Bihar, Chhattisgarh, Gujarat, Haryana, Karnataka, Maharashtra, Punjab, Tamil Nadu,  
Telangana, Uttar Pradesh, West Bengal

**Subject: Affiliation of Trades/Units of Govt./Pvt ITI with NCVT- Reg.**

Based on the compliance report received and the decision taken on e-file, details of trades/units Recommended by competent authority is given in the attached list. The affiliation is valid for five years from the date of issue of this order.

2. Affiliation of Trade/Units stated above are further subjected to,

- (i) The DGT & State officer can inspect the ITI any time for better performance & training
- (ii) Periodic verification.
- (iii) The ITI must comply with DGT norms/guidelines issued from time to time.
- (iv) ITI must display the newly released logo of ITI on the Display Board at the main gate.

3. The said information is also available under "News & Updates" on NCVT MIS Portal at <https://ncvtmis.gov.in>.
4. Affiliation of Trades/Units mentioned in this order valid for five years thereafter ITI should apply for "Renewal of Affiliation" as per DGT Norms.
5. Discrepancies if any in the affiliation orders, may be intimated to the undersigned within 15 days of issue of this order.

Yours faithfully

  
(Ujjwal Biswas)  
Director of TC

Copy along with enclosures for information to:

1. Sr PPS to Chairman Standing Committee on Accreditation and Affiliation (SCAA)-DGT.
2. Sr PPS to DDG (Affiliation).
3. The officer dealing with NCVT MIS: - To please upload the order on NCVT MIS portal

  
(Pooja Verma)  
Assistant Director of TC



**STATE Bihar**

**Total - 23, (New-09, Existing-14)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ Recommended: by		Remarks by DGT
				Instt.	Trade/units Approved by DGT	
1.	Ravi Gyan Private Industrial Training Institute, Gopalganj, Barawa Kaparpura Tola Prem Nagar Mirganj Hathua Gopalganj,  TMP10197PR15825 44615	New	Electrician	6(2+2+2)	4(2+2)	Recommended:  1. Electrician – 4 (2+2) 2. Fitter – 2 (1+1) 3. Health Sanitary Inspector - 2 (1+1) 4. Hospital Housekeeping - 2 (1+1)
			Fitter	6(2+2+2)	2(1+1)	
			Health Sanitary Inspector	3(1+1+1)	2(1+1)	
			Hospital Housekeeping	3(1+1+1)	2(1+1)	
2.	Pacific Private ITI Private Industrial Training Institute, Gaya, Bagobigha, Post-Silaunja, P.S. Belaganj, Dist-Gaya  MIS Code: PR10000892	Existing	Computer Operator and Programming Assistant (COPA)	2(1+1)	NR*	Recommended:  1. Electrician-12(6+6)  Not Recommended:  1. COPA- 2(1+1) 2. Electronics Mechanic -2(1+1)
			Electronics Mechanic	2 (1+1)	NR*	
			Electrician	12 (6+6)	12(6+6)	
3.	Sri Ramanand Private Industrial Training Institute, Bhagalpur, At+ P.O. - Kiranpur, Bhagalpur-813108, Bihar  TMP10192PR15827 92266	New	Electrician	4(2+2)	4(2+2)	Recommended:  1. Electrician-4(2+2)




\* Not Recommended:



**STATE Bihar**

**Total - 23, (New-09, Existing-14)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ Recommended: by		Remarks by DGT
				Instt.	Trade/units Approved by DGT	
4.	Dr Safal Kumar Mishra Private Industrial Training Institute, Pashchim Champaran  TMP10211PU15819 32748	New	COPA  Electrician  Fitter  Plumber	2(1+1)  4(2+2)  4(2+2)  2(1+1)	2(1+1)  4(2+2)  4(2+2)  2(1+1)	Recommended: 1. COPA - 2 (1+1) 2. Electrician - 4 (2+2) 3. Fitter- 4 (2+2) 4. Plumber - 2 (1+1)
5.	Sharda Pvt ITI, Saran Vill+ Po- Mohmadpur, PS-Garkha, Dist-Saran - 841311  MIS CODE: PR10000836	Existing	Electrician  Fitter	6(2+2+2)  6(2+2+2)	4(2+2)  NR*	Recommended: 1. Electrician - 4 (2+2)  Not Recommended: 1. Fitter-6(2+2+2)
6.	Vijay Private Industrial Training Institute, Saran Village- Chainpur, P.O + P.S- Mashrakh, Dist - Saran 841417  MIS CODE: PR10000389	Existing	Electrician  Fitter	6(2+2+2)  6(2+2+2)	4(2+2)  4(2+2)	Recommended: 1. Electrician- 4 (2+2) 2. Fitter- 4 (2+2)






**STATE Bihar**

**Total - 23, (New-09, Existing-14)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ Recommended: by		Remarks by DGT
				Instt.	Trade/units Approved by DGT	
7.	Ram Bhajan Private Industrial Training Institute, Gaya MIS CODE: PU10000886	Existing	Electrician Electronics Mechanic	12(6+6) 2(1+1)	8(4+4) 2(1+1)	Recommended: 1. Electrician - 8 (4+4) 2. Electronic Mechanic-2 (1+1)
8.	Saanvi Private Industrial Training Institute, Gaya, Vill-Bairiya, P.O-Sahiya, P.S-Wazirganj, Dist-Gaya, Bihar-805131, Gaya, Bihar. TMP10196PR15801 39868	New	COPA Electrician Electronic Mechanic Fitter	3(1+1+1) 12(4+4+4) 6(2+2+2) 6(2+2+2)	2(1+1) 8(4+4) 2(1+1) 2(1+1)	Recommended: 1. COPA - 2 (1+1) 2. Electrician - 8 (4+4) 3. Electronic Mechanics - 2 (1+1) 4. Fitter - 2 (1+1)
9.	Horizon Private Industrial Training Institute, Gaya New Chainpur Tola, Kamat(Sherghati), Gaya 824211 MIS CODE: PR10000906	Existing	Electrician	8(4+4)	8(4+4)	Recommended: 1. Electrician - 8 (4+4)






**STATE Bihar**

**Total - 23, (New-09, Existing-14)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ Recommended: by		Remarks by DGT
				Instt.	Trade/units Approved by DGT	
10.	Luv Kush Education & Welfare Trust Private Industrial Training Institute, Katihar Vill-Pranpur Block-Pranpur Ps-Pranpur Distt-Katihar 854116 Bihar  TMP10201PR15808 93272	New	Electrician  Fitter	4(2+2)  2(1+1)	4(2+2)  2(1+1)	Recommended:  1. Electrician -4(2+2) 2. Fitter- 2(1+1)
11.	Mahalaxmi Pvt ITI, Block+ P. O+P.S-. Sirdala Nawada Bihar, Nawada,Bihar.  TMP 384 MSTI NEW	New	Electrician  Fitter  Surveyor	4(2+2)  4(2+2)  4(2+2)	4(2+2)  NR*  NR*	Recommended:  1. Electrician- 4(2+2)  Not Recommended:  1. Fitter- 4(2+2) 2. Surveyor- 4(2+2)
12.	Indiramadhrya Private ITI, At-Indralok Vihar, Po-Manoharpur Kachuara, Patna Patna Bihar  MIS CODE: PR10000719	Existing	Electrician	9(3+3+3)	4(2+2)	Recommended:  1. Electrician - 4 (2+2)

*[Handwritten Signature]*

*[Handwritten Signature]*

\* Not Recommended:



**STATE Bihar**

**Total - 23, (New-09, Existing-14)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ Recommended: by		Remarks by DGT
				Instt.	Trade/units Approved by DGT	
13.	Rajgir ITC At&Po Nekpur PS- Chabilapur Nalanda- Bihar  MIS CODE: PR10000605	Existing	Electrician 8(4+4)	8(4+4)	8(4+4)	Recommended:  1. Electrician- 8(4+4)
14.	Maa sharda Pvt. ITI, Pratapur, Muktapur, Samastipur, Bihar- 848102  MIS CODE: PU10000863	Existing	Electrician	24(12+12)	24(12+12)	Recommended:  1. Electrician 24(12+12)
15.	Kumar ITC, NH-31, Kenamore, Madhobigha, Nawada, Bihar - 805123  MIS CODE: PR10000306	Existing	Electrician	8(4+4)	8(4+4)	Recommended:  1. Electrician-8(4+4)






**STATE Bihar**

**Total - 23, (New-09, Existing-14)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ Recommended: by		Remarks by DGT
				Instit.	Trade/units Approved by DGT	
16.	Rajdeo Yadav Private ITI, Fatehpur Chandhosh Road, PO- Mukhmilpur, PS- Paliganj, Dist.- Patna, Bihar - 801110  MIS CODE: PR10000813	Existing	Electrician	16(8+8)	16(8+8)	Recommended: 1. Electrician-16(8+8)
17.	Rajesh Ranjan ITI, At-Mitralok Colony, Pandey Patti, Buxar,  MIS CODE: PR10000266	Existing	Electrician	3(1+1+1)	2(1+1)	Recommended: 1. Electrician- 2 (1+1)
18.	SHAMS private ITI, Sakra wazid, PS-Dholi, PO-Dholi, Dist.-Muzaffarpur, Bihar, Pin-843105.  TMPNEW429	New	Electrician Fitter Hospital House Keeping Smart phone and App Testing	16(8+8) 4(2+2) 2(1+1) 2(1+1)	16(8+8) 4(2+2) 2(1+1) 2(1+1)	Recommended: 1. Electrician -16 (8+8) 2. Fitter - 4 (2+2) 3. Hospital House Keeping - 2 (1+1) 4. Smart phone and App Testing - 2 (1+1).

\* Not Recommended:





**STATE Bihar**

**Total - 23, (New-09, Existing-14)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ Recommended: by		Remarks by DGT
				Instt.	Trade/units Approved by DGT	
19.	Maa Shivdulari Private Industrial Training Institute, Sitamarhi, Chak mahila, Bihar TMP10221PR1 582388556	New	Electrician  Fitter  Computer Operator and Programming Assistant (COPA)  Mechanic Diesel	8(4+4)  4(2+2)  2(1+1)  2(1+1)	8(4+4)  4(2+2)  2(1+1)  2(1+1)	Recommended:  1. Electrician – 8(4+4) 2. Fitter – 4(2+2) 3. Computer Operator and Programming Assistant (COPA) 2(1+1) 4. Mechanic Diesel – 2(1+1)
20.	Mahatma Budh Private ITI- Imadpur, Rahui, Biharsharif, Nalanda  MIS CODE: PR10000023	Existing	Electrician  Fitter	8(4+4)  4(2+2)	4(2+2)  NR*	Recommended:  1. Electrician- 4(2+2)  Not Recommended:  1. Fitter- 4(2+2)
21.	Siya ITC, Saharsa Saharsa, Near Matasyagandha P.O, Dist- Saharsa- 852201  MIS CODE: PR10000297	Existing	Electrician	6(3+3)	6(3+3)	Recommended:  1. Electrician-6(3+3)

\* Not Recommended:





**STATE Bihar**

**Total - 23, (New-09, Existing-14)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ Recommended: by		Remarks by DGT
				Instit.	Trade/units Approved by DGT	
22.	DPS PVT ITI, Tikapur Kasba Dist-Purnea- Pin- 854330, TMP 396 MSTI	New	Electrician	4(2+2)	4(2+2)	Recommended: 1. Electrician 4(2+2) 2. Fitter 4(2+2)
			Fitter	4(2+2)	4(2+2)	
			Mechanic diesel	2(1+1)	NR	
23.	Sri Vishnu Private ITI, Vansi Nagar, Gaya Road Islampur, Nalanda- MIS CODE: PR10000697	Existing	Electrician	8(4+4)	8(4+4)	Recommended: 1. Electrician - 8(4+4)






**STATE Chhattisgarh**

**Total - 01, (New-01, Existing-00)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ Recommended: by		Remarks by DGT
				Instt.	Trade/units Approved by DGT	
1.	Chhattisgarh Pvt ITI, Dhanora, Durg.  TMP22378PR15810 41011	New	Electrician	4(2+2)	4(2+2)	Recommended:  1. Electrician- 4(2+2) 2. COPA- 4(2+2) 3. Health Sanitary Inspector- 2(1+1) 4. Computer Hardware and Networking- 2(1+1)
			COPA	4(2+2)	4(2+2)	
			Health Sanitary Inspector	4(2+2)	2(1+1)	
			Computer Hardware and Networking	4(2+2)	2(1+1)	






**STATE Gujarat**

**Total - 01, (New-01, Existing-00)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ Recommended: by		Remarks by DGT
				Instt.	Trade/units Approved by DGT	
1.	BAPS Swaminarayan ITI, College Road, Bodeli District: Chhota Udepur - 391135 TMP24668PR1646888406	New	Computer Operator and Programming Assistant (COPA) Electrician Fitter Welder	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	Recommended: 1. Computer Operator and Programming Assistant (COPA) - 2 (1+1) 2. Electrician - 2 (1+1) 3. Fitter - 2 (1+1) 4. Welder - 2 (1+1)

*[Handwritten signature]*

*[Handwritten signature]*



**STATE Haryana**

**Total - 01, (New-00, Existing-01)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ Recommended: by		Remarks by DGT
				Instit.	Trade/units Approved by DGT	
1.	Aman Private Industrial Training Institute, Ratia Fatehabad  MIS CODE: PR06000269	Existing	Basic Cosmetology	3(1+1+1)	2(1+1)	Recommended:  1. COPA - 2(1+1) 2. Basic Cosmetology - 2(1+1) 3. HSI - 2(1+1)  Not Recommended:  1. Mechanic Diesel- 3(1+1+1)
			COPA	3(1+1+1)	2(1+1)	
			HSI	3(1+1+1)	2(1+1)	
			Mechanic Diesel	3(1+1+1)	NR*	






**STATE Karnataka**

**Total - 02, (New-00, Existing-02)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ Recommended: by		Remarks by DGT
				Instt.	Trade/units Approved by DGT	
1.	Sri Babukaka Shirgaokar Tech.Edn.Trust ITI Ugar-Khurd Athani Belgaum - 591316  MIS CODE: PR29000268	Existing	Welder	1(1+0)	1(1+0)	Recommended: 1. Welder-(1+0)
2.	Kottur Swamy Kalyana Kendra Industrial Training Institute (W) Naregal At Post-Nargol-582119 Tq Ron Gadag-582119  MIS CODE: PR29000198	Existing	Electrician Fitter Plumber Wireman	2(1+1) 2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	Recommended: 1. Electrician- 2(1+1) 2. Fitter- 2(1+1) 3. Plumber- 2(1+1) 4. Wireman- 2(1+1)






**STATE Maharashtra**

**Total - 06, (New-03, Existing-03)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ Recommended: by		Remarks by DGT
				Instt.	Trade/units Approved by DGT	
1.	Gramin Industrial Training Institute Nehrunagar Private Industrial Training Institute, Nanded At. Post. Nehrunagar Tq. Kandhar Dist. Nanded-431742  MIS CODE: PR27000157	Existing	COPA  Electrician  Fitter  Wireman	2(1+1)  8(4+4)  1(0+1)  8(4+4)	NR*  4(2+2)  NR*  4(2+2)	Recommended:  1. Electrician- 4(2+2) 2. Wireman- 4(2+2)  Not Recommended:  1. COPA- 2(1+1) 2. Fitter- 1(0+1)
2.	Smt. Sulochana Bhat Pvt. ITI, Kundal Kundal Palus-Karad Road, Near Ghatage Pool, Kundal Tal: Palus Dist: Sangli Pincode: 416309  MIS Code: PR27001026	Existing	Information Technology  Computer Operator and Programming Assistant (COPA)  Electrician  Draughtsman Mechanical  Welder (GMAW & GTAW)	2(1+1)  2(1+1)  2(1+1)  2(1+1)	1(0+1)  NR*  1(0+1)  1(0+1)  NR*	Recommended:  1. Information Technology- 1(0+1) 2. Electrician- 1(0+1) 3. Draftsman Mechanical- 1(0+1)  Not Recommended:  1. (COPA)- 2(1+1)  2. Welder (GMAW & GTAW)- 2(1+1)






**STATE Maharashtra**

**Total - 06, (New-03, Existing-03)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ Recommended: by		Remarks by DGT
				Instit.	Trade/units Approved by DGT	
3.	Dr Vijay Bidkar Industrial Training (P) Institute Abhona Nashik,  At Post Abhona Tal Kalwan Dist Nashik,  TMP27487PR16454 28534	New	Electrician  Fitter  HSI  Solar Technician	2(1+1)  2(1+1)  2(1+1)  2(1+1)	2(1+1)  2(1+1)  2(1+1)  2(1+1)	Recommended:  1. Electrician-2(1+1) 2.Fitter-2(1+1) 3.HSI-2(1+1) 4.Solar Technician-2(1+1)
4.	Bhaskaracharya Private Industrial Training Institute, A/P Tarwade Taluka-Chalisgoan District - Jalgoan-424119 Maharashtra  TMPSP063(special case)	New	Draughtsman Mechanical  Electrician  Fitter  Welder	3(1+1+1)  3(1+1+1)  3(1+1+1)  3(1+1+1)	2(1+1)  2(1+1)  2(1+1)  2(1+1)	Recommended:  1.Draughtsman Mechanical- 2(1+1) 2.Electrician- 2(1+1) 3.Fitter- 2 (1+1) 4.Welder- 2 (1+1)
5.	Rashtrasant Tukdoji Maharaj Private Industrial Training Institute Buldhana, Shelodi Road, Khamgaon Dist Buldhana-444303  TMP27472PU16499 25021	New	COPA  Electrician  Fitter  Mechanic Diesel  Solar Technician (Electrical)	2(1+1)  2(1+1)  2(1+1)  2(1+1)  2(1+1)	2(1+1)  2(1+1)  2(1+1)  2(1+1)  2(1+1)	Recommended:  1.COPA 2(1+1) 2. Electrician 2(1+1) 3.Fitter 2(1+1) 4. Mechanic Diesel 2(1+1) 5. Solar Technician (Electrical) 2(1+1)

\* Not Recommended:







**STATE Maharashtra**

**Total - 06, (New-03, Existing-03)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ Recommended: by		Remarks by DGT
				Instt.	Trade/units Approved by DGT	
6.	Government Industrial Training Institute, Aurangabad, Dist: Aurangabad, MIDC Area Railways Station Road Aurangabad-431005, Maharashtra  MIS CODE: GU27000016	Existing	Computer Operator and Programming Assistant (COPA)	1(0+0+1)	NR*	Recommended:  1. Electrician-2 (1+1+0) 2. Electronics Mechanic- 1 (0+1) 3. Fitter- 2(1+1)  Not Recommended: 1. COPA- 1(0+0+1) 2. Instrument Mechanic- 1(0+1+0)
			Electrician	2(2+0+0)	2(1+1)	
			Electronics Mechanic	2(0+1+1)	1(0+1)	
			Fitter	3(1+1+1)	2(1+1)	
			Instrument Mechanic	1(0+1+0)	NR*	






**STATE Punjab**

**Total - 01, (New-00, Existing-01)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ Recommended: by		Remarks by DGT
				Instt.	Trade/units Approved by DGT	
1.	Guru Harkrishan ITC, Near Baba Ram Dev Mandir Alam Shah Road, Fazilka-152123, Punjab  MIS CODE: PRO3000199	Existing	Electrician	4(2+2)	4(2+2)	Recommended:  1. Electrician- 4 (2+2)






**STATE Tamil Nadu**

**Total - 05, (New-02, Existing-03)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ Recommended: by		Remarks by DGT
				Instt.	Trade/units Approved by DGT	
1.	Padma Narasimhan Private Industrial Training Institute, Thiruvarur Keezha Palaiyur Salai, Manjakkudi Post, Kodavasal Taluk, Thiruvarur District 612610, Thiruvarur, Tn  MIS CODE: PR33000551	Existing	Technician Power Electronics Systems	2(1+1)	2(1+1)	Recommended:  1. Technician Power Electronics Systems-2 (1+1)
2.	Sri Ramakrishna Mission Vidyalaya Private Industrial Training Institute, Coimbatore  MIS CODE: PR33000033	Existing	Plumber  Wireman	2(1+1)  2(1+1)	2(1+1)  1(1+0)	Recommended:  1. Wireman-1(1+0) 2. Plumber-2(1+1)






**STATE Tamil Nadu**

**Total - 05, (New-02, Existing-03)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ Recommended: by		Remarks by DGT
				Instit.	Trade/units Approved by DGT	
3.	Ramco Private Industrial Training Institute, Virudhunagar  MIS CODE: PR33000301	Existing	Computer Operator and Programming Assistant (COPA)	2(1+1)	2(1+1)	Recommended: 1. COPA - 2(1+1)
4.	Adhiparasakthi Industrial Training Institute, Melmaruvathur Distt Kanchipuram - 603319  TMPSP090	New	Electrician  Front Office Assistant  Fitter  R&AC  Welder	2(1+1)  2(1+1)  2(1+1)  2(1+1)  2(1+1)	2(1+1)  2(1+1)  2(1+1)  2(1+1)  2(1+1)	Recommended: 1. Electrician - 2(1+1) 2. Front Office Assistant - 2(1+1) 3. Fitter - 2 (1+1) 4. R&AC - 2(1+1) 5. Welder - 2(1+1)






**STATE Tamil Nadu**

**Total - 05, (New-02, Existing-03)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ Recommended: by		Remarks by DGT
				Instit.	Trade/units Approved by DGT	
5.	Thirumalaiyan Private Industrial Training Institute, Karaikal  B3 Nallezhundur Road, Nallambal Post Ambagarathur Karaikal District Ut Of Puducherry  609601  TMP34598PR15801 21103	New	Electrician  Fitter  Surveyor  Wireman	4(2+2)  4(2+2)  4(2+2)  4(2+2)	4(2+2)  4(2+2)  4(2+2)  4(2+2)	Recommended:  1. Electrician - 4(2+2)  2. Fitter - 4(2+2)  3. Surveyor - 4(2+2)  4. Wireman - 4(2+2)






**STATE Telangana**

**Total - 07, (New-00, Existing-07)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ Recommended: by		Remarks by DGT
				Instit.	Trade/units Approved by DGT	
1.	Gaargi ITI, Warangal Road, Huzurabad, Karimnagar  MIS Code: PU28000478	Existing	Dress Making  Diesel Mechanic  Welder	6(2+2+2)  6(2+2+2)  6(2+2+2)	4(2+2)  4(2+2)  4(2+2)	Recommended:  1. Diesel Mechanic-4(2+2)  2. Dress Making-4(2+2)  3. Welder- 4(2+2)
2..	Doulphin Industrial Training Centre, Ranga Reddy,  MIS Code: PR36000262	Existing	Electrician	6(2+2+2)	4(2+2)	Recommended:  1. Electrician- 4(2+2)






Skill India  
शरीरमै भवत - मूषरमै भवत

## DGT-Aff011(51)/26/2022-TC SECTION



STATE Telangana

Total - 07, (New-00, Existing-07)

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ Recommended: by		Remarks by DGT
				Instit.	Trade/units Approved by DGT	
3.	Sri Sai Adithya Private ITI,  <u>Old Address</u> Shivunipally, Ghanpur Station Jangoan-506143  <u>New Address</u> Govt. Junior College Back Side Shivunipally, Ghanpur Station, Jangoan  MIS CODE: PR28000481	Existing	Electrician	3(1+1+1)	NR*	ITI is recommended for shifting with existing trades only.

\* Not Recommended:





**STATE Telangana**

**Total - 07, (New-00, Existing-07)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ Recommended: by		Remarks by DGT
				Instit.	Trade/units Approved by DGT	
4.	<p>VNR Private ITI,</p> <p><b>Old Address</b> H.No. 18-144/25, Shantinagar, Narsampet, Warangal-506132</p> <p><b>New Address</b> 5-147/5 Opp: Bits College Ramavaram Laknepally Narsampet Warangal Rural Telangana-506331, Warangal Rural</p> <p>MIS CODE: PR36000254</p>	Existing	<p>Electrician</p> <p>Fitter</p> <p>Food Production (General)</p>	<p>4(2+2)</p> <p>2(1+1)</p> <p>2(1+1)</p>	<p>NR*</p> <p>NR*</p> <p>NR*</p>	ITI is recommended for shifting with existing trades only.






**STATE Telangana**

**Total - 07, (New-00, Existing-07)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ Recommended: by		Remarks by DGT
				Instit.	Trade/units Approved by DGT	
5.	<p>Mother Theresa ITI, (Pvt)</p> <p><b>Old Address</b></p> <p>Sheshadri nagar, Mahaboobnagar -509001, Telangana</p> <p><b>New Address</b></p> <p>Survey No 310, Hasnapur Road, Thatikonda Village, Mahabubnagar, Mahabubnagar, Telangana</p> <p>MIS CODE: PR36000192</p>	Existing	<p>Electrician</p> <p>HSI</p>	<p>4(2+2)</p> <p>2(1+1)</p>	<p>NR*</p> <p>NR*</p>	ITI is recommended for shifting with existing trades only.

*[Handwritten Signature]*

*[Handwritten Signature]*



**STATE Telangana**

**Total - 07, (New-00, Existing-07)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ Recommended: by		Remarks by DGT
				Instit.	Trade/units Approved by DGT	
6	<p>Sri Vijay Sai Industrial Training Centre,</p> <p><b>Old Address</b></p> <p>H No: 64 Gayatri Nagar, Gaddiannaram Saroor Nagar, DilshukhNagar, R R Dist Ranga Reddy-500035</p> <p><b>New Address</b></p> <p>Annaram, Ranga Reddy, Telangana</p> <p>MIS Code: PU36000133</p>	Existing	Electrician (NSQF)-2(1+1)	2(1+1)	2(1+1)	<p>Recommended for shifting with trades:</p> <p>1 Electrician -2 (1+1).</p> <p>2.Fitter 2 (1+1).</p> <p>3.Electronic Mechanic – 2 (1+1)</p> <p><b>Mechanic Diesel Not Recommended as tools and equipment are not available at new location</b></p>
			Electronics Mechanic (NSQF)-2(1+1)	2(1+1)	2(1+1)	
			Fitter (NSQF)-2(1+1)	2(1+1)	2(1+1)	
			Mechanic Diesel (NSQF)-3(1+1+1)	3(1+1+1)	NR*	






**STATE Telangana**

**Total - 07, (New-00, Existing-07)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ Recommended: by		Remarks by DGT
				Instit.	Trade/units Approved by DGT	
7.	<p>Shakti Pvt. I.T.I.,</p> <p><b>Old Address</b> Goseva Mandal Mancherial- 504208</p> <p><b>New Address</b> Mancherial, H. No. 1-1/28, Laxmi Nagar, Road No.3, Bypass Road, Mancherial, Mancherial Dist., T.S., 504209, Mancherial, Telangana.</p> <p>MIS CODE: PR36000058</p>	Existing	Applied for shifting	Applied for shifting	Recommended for shifting	ITI is recommended for shifting with existing trades only.

*[Handwritten Signature]*


*[Handwritten Signature]*



**STATE Uttar Pradesh**

**Total - 12, (New-07, Existing-05)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ Recommended: by		Remarks by DGT
				Instit.	Trade/units Approved by DGT	
1.	Meena Devi Private Industrial Training Institute Vill- Baharampur Post-Kusumhi Bazar Dist-Gorakhpur - 273002  TMP9148PR1581928075	New	Computer Operator and Programming Assistant (COPA)-  Electrician  Fitter  Mechanic Refrigeration and Air Conditioner	2(1+1)  6(2+2+2)  2(1+1)  2(1+1)	2(1+1)  4(2+2)  2(1+1)  2(1+1)	Recommended:  1. Computer Operator and Programming Assistant (COPA)- 2 (1+1) 2. Electrician -4(2+2) 3. Fitter-2 (1+1) 4. Mechanic Refrigeration and Air Conditioner-2 (1+1)
2.	Shiv Shanker Industrial Training Centre, Verified By - Bareilly-243202  MIS CODE: PR09000128	Existing	Electrician  Fitter	4(1+1+2)  3(1+1+1)	2(1+1)  NR*	Recommended:  1. Electrician-2 (1+1)  Not Recommended:  Fitter- 3(1+1+1)






**STATE Uttar Pradesh**

**Total - 12, (New-07, Existing-05)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ Recommended: by		Remarks by DGT
				Instit.	Trade/units Approved by DGT	
3.	Surendra Bala Bhatnagar Private Industrial Training Institute, Aligarh, Omnagar, Khair-202138  TMP9119PU1582734149	New	Electrician  Electronics Mechanic  Fitter  Health Sanitary Inspector	6(2+2+2)  3(1+1+1)  3(1+1+1)  3(1+1+1)	4(2+2)  2(1+1)  2(1+1)  2(1+1)	Recommended:  1. Electrician-4 (2+2) 2. Fitter- 2 (1+1) 3. Health Sanitary Inspector-2 (1+1) 4. Electronics Mechanic-2 (1+1)
4.	Ishaq Nisha Pvt ITI Village Mukrampur Block Bhawalkhera Tehsil Sadar D, Shahjahanpur-242306  MIS CODE: PR09901299	Existing	Fitter	3(1+1+1)	2(1+1)	Recommended:  1. Fitter-2 (1+1)

*[Handwritten Signature]*

*[Handwritten Signature]*



**STATE Uttar Pradesh**

**Total - 12, (New-07, Existing-05)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ Recommended: by		Remarks by DGT
				Instt.	Trade/units Approved by DGT	
5.	A.S.K. INSTITUTE OF EDUCATION PVT. ITI,  NH-24 Budhanpur Block Joya Distt. Amroha 244102,  Amroha, Uttar Pradesh.  MIS CODE: PR09901269	Existing	Fitter  Plumber  HSI	3(1+1+1)  3(1+1+1)  3(1+1+1)	2(1+1)  2(1+1)  2(1+1)	Recommended:  1. Fitter 2 (1+1)  2. Plumber 2 (1+1)  3. HSI 2 (1+1)
6.	New Kapoor Pvt I.T.I, Kanpur Nagar Vill. Budhanpur, Near Amauli, Ghatampur Kanpur Nagar 209206  TMP9157PR158002 0309	New	COPA  Electrician  Fitter  Plumber	3(1+1+1)  6(2+2+2)  6(2+2+2)  3(1+1+1)	2(1+1)  4(2+2)  4(2+2)  2(1+1)	Recommended:  1. Electrician-4 (2+2) 2. Fitter-4 (2+2) 3. Plumber-2(1+1) 4. COPA-2(1+1)

*[Handwritten Signature]*

*[Handwritten Signature]*





**STATE Uttar Pradesh**

**Total - 12, (New-07, Existing-05)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ Recommended: by		Remarks by DGT
				Instit.	Trade/units Approved by DGT	
7.	Maa Pitambra Pvt ITI, Shivpuri Road, JMK Motors, Behind JK Hospital, Nan, Jhansi  MIS CODE: PU09001984	Existing	Electrician	6(2+2+2)	4(2+2)	Recommended: 1. Electrician- 4(2+2)
8.	Mata Tetara Devi Sachchidanand Private Industrial Training Institute, Ghazipur, Alipur Mandara Ghazipur-275203  TMP9146PR158176 9910	New	COPA  Electrician  Electronics Mechanic  Fitter	3(1+1+1)  6(2+2+2)  3(1+1+1)  6(2+2+2)	2(1+1)  4(2+2)  2(1+1)  4(2+2)	Recommended: 1. COPA -2 (1+1) 2. Electronics Mechanic -2(1+1) 3. Electrician-4 (2+2) 4. Fitter- 4(2+2)






**STATE Uttar Pradesh**

**Total - 12, (New-07, Existing-05)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ Recommended: by		Remarks by DGT
				Instt.	Trade/units Approved by DGT	
9.	Rashtrakavi Maithilisharan Gupt Private Industrial Training Institute, Behind Power House, Main Road, Chirgaon, Jhansi-284301  TMP9153PR15808 13042	New	Electrician  Fitter  Stenographer Secretarial Assistant (Hindi)  Health Sanitary Inspector	12(4+4+4)  2(1+1)  2(1+1)  2(1+1)	8(4+4)  2(1+1)  2(1+1)  2(1+1)	Recommended:  1. Electrician – 8(4+4) 2. Fitter – 2(1+1) 3. Stenographer Secretarial Assistant (Hindi) – 2(1+1) 4. Health Sanitary Inspector – 2(1+1)
10.	Shanti Devi Private Industrial Training Institute,  Village -Diwadhar Post- Pipramishr Distt-Deoria-274505  TMP9137PR158176 5646	New	Computer Operator and Programming Assistant (COPA)  Electrician  Fashion Design and Technology  Fitter	2(1+1)  9(3+3+3)  2(1+1)  6(2+2+2)	2(1+1)  6(3+3)  2(1+1)  2(1+1)	Recommended:  1. COPA -2 (1+1) 2. Electrician -6(3+3) 3. Fashion Technology -2 (1+1) 4. Fitter -2 (1+1)



**STATE Uttar Pradesh**

**Total - 12, (New-07, Existing-05)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ Recommended: by		Remarks by DGT
				Instit.	Trade/units Approved by DGT	
11.	Shri Moti Smriti Private ITI Adalpurta Kailsa Road Amroha Dist - 244221  MIS CODE: PR09901272	Existing	Electrician	3(1+1+1)	2(1+1)	Recommended: 1. Electrician -2(1+1) 2. Fitter -2(1+1)
			Fitter	3(1+1+1)	2(1+1)	






**STATE Uttar Pradesh**

**Total - 12, (New-07, Existing-05)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ Recommended: by		Remarks by DGT
				Instt.	Trade/units Approved by DGT	
12.	KP Private Industrial Training Institute, Hamirpur, Devganv Road Hamirpur-210502, Up  TMP9149PU1582008432	New	COPA Electrician Physiotherapy Technician Fitter	3(1+1+1) 6(2+2+2) 3(1+1+1)  6(2+2+2)	COPA-2(1+1) Electrician-4(2+2)  Physiotherapy Technician-2(1+1)  Fitter-2(2+2)	ITI already recommended in 4 <sup>th</sup> SCAA for  COPA- 2(1+1) Electrician- 4(2+2)  Physiotherapy Technician- 2(1+1)  Fitter- 2(1+1)  <b>Now Addl. Fitter-2(1+1), is recommended</b>






**STATE West Bengal**

**Total - 07, (New-01, Existing-06)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ Recommended: by		Remarks by DGT
				Instt.	Trade/units Approved by DGT	
1.	Khamargachi Private ITI Vill: Hamjanpur P.O. Khamargachi Ps: Balagarh Dist: Hooghly - 712515  MIS CODE: PR19000230	Existing	Electrician  Fitter	6(2+2+2)  6(2+2+2)	4(2+2)  4(2+2)	Recommended:  1. Electrician 4(2+2) 2. Fitter 4(2+2)
2.	Salboni ITI,Medinipur West Vill-Bankibandh, Po- Sayedpur, Ps- Salboni, Dist.- Paschim Medinipur – 721147  MIS CODE: PU19000064	Existing	Solar Technician (Electrical)	2(1+1)	2(1+1)	Recommended:  1. Solar Technician (Electrical)- 2(1+1)
3.	Raniganj Private ITI, Barddhaman, West Bengal  MIS CODE: PU19000240	Existing	Data Entry Operator  Hospital Housekeeping	2(1+1)  2(1+1)	2(1+1)  2(1+1)	Recommended:  1. Data Entry Operator2(1+1) 2. Hospital Housekeeping 2(1+1)

\* Not Recommended:



**STATE West Bengal**

**Total - 07, (New-01, Existing-06)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ Recommended: by		Remarks by DGT
				Instt.	Trade/units Approved by DGT	
4.	Don Bosco Technical Institute, Park Circus, Kolkata, West Bengal  MIS CODE: PU19000112	Existing	Electrician	2(1+1)	2(1+1)	Recommended: 1. Electrician - 2(1+1)
5.	Don Bosco Technical School, Liluah, Haora 136, Girish Ghosh Road, P.O.- Liluah, P.S- Liluah - 711204  MIS CODE: PU19000006	Existing	Fitter Electrician Turner Machinist	4(1+1+2) 6(2+2+2) 1(0+0+1) 1(0+0+1)	2(1+1) 4(2+2) NR* NR*	Recommended: 1. Electrician 4(2+2) 2. Fitter 2(1+1)  Not Recommended: 1. Turner- 1(0+0+1) 2. Machinist- 1(0+0+1)
6.	Bishnupur Public I.T.I, Bankura  MIS CODE: PR19000118	Existing	Fitter Electrician	2(1+1) 2(1+1)	2(1+1) 2(1+1)	Recommended: 1. Fitter- 2(1+1) 2. Electrician- 2(1+1)

\* Not Recommended:



**STATE West Bengal**

**Total - 07, (New-01, Existing-06)**

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ Recommended: by		Remarks by DGT
				Instt.	Trade/units Approved by DGT	
7.	Novel Private Industrial Training Institute, Hooghly, West Bengal TMP19312PR15814 97650	New	Electrician	3(1+1+1)	2(1+1)	Recommended: 1. Electrician-2(1+1) 2. Fitter-2(1+1) 3. Smartphone Technician Cum App Tester-2(1+1) 4. Welder-2(1+1)
			Fitter	3(1+1+1)	2(1+1)	
			Smartphone Technician Cum App Tester	3(1+1+1)	2(1+1)	
			Welder	3(1+1+1)	2(1+1)	