

DGT-Aff011(22)/06/2022-TC SECTION
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Employment Exchange Building,
1st floor, Pusa, New Delhi,
Dated: 12.12.2022

To

The State Directorate
Madhya Pradesh

Subject: Affiliation of Trades/Units after conversion from SCVT to NCVT -Reg.

Sir,

As per decision taken on e-file, the competent authority recommended trades/units for session 2023, for the new/existing govt. ITI for the trade/units mentioned in the attached list.

2. Affiliation of Trade/Units stated above are further subjected to,

- (i) The DGT & State officer can inspect the ITI any time for better performance & training
- (ii) Periodic verification.
- (iii) The ITI must comply with DGT norms/guidelines issued from time to time.
- (iv) ITI must display the newly released logo of ITI on the Display Board at the main gate.

3. The said information is also available under "News & Updates" on NCVT MIS Portal at <https://ncvtmis.gov.in>.

4. Discrepancies if any in the affiliation orders, may be intimated to the undersigned within 15 days of issue of this order.

This issues with the approval of competent authority.

Yours faithfully

(Ujjwal Biswas)

Director, TC
उज्ज्वल बिस्वास/UJJWAL BISWAS
निदेशक / Director
प्रशिक्षण महानिदेशालय / Directorate General of Training
कौशल विकास एवं उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, पृष्ठ संख्या-12 / Govt. of India, New Delhi-12

Copy along with enclosures for information to:

1. Sr PPS to Chairman Standing Committee on Accreditation and Affiliation (SCAA) DGT
2. Sr PPS to DDG (Affiliation).
3. The officer dealing with NCVT MIS-to necessary upload and mapping on NCVT MIS portal
4. RDSDE Madhya Pradesh



STATE Madhya Pradesh

Total- 29, (New-01, Existing-28)

SCVT to NCVT

Sl. no.	Name of Institute with address	Type of Application on New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
				Instt.	Trade/ Units Recommended by (SDEC)	Trade/units Approved by DGT	
1.	Govt. ITI Kirnapur, Kawre chouk Kinhi Road Kirnapur P.N. 48101 Dist, Balaghat MP MIS CODE: GU23000068	Existing	Fire Technology & Industrial Safety	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
2.	Govt. Eklavya Woman ITI Betul Industrial Area Kosami, Betul (M.P.)-46001 MIS CODE: GR23000019	Existing	Stenographer & Secretarial Assistant English	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended
3.	Govt. ITI Ganjbasoda Gurod Road, Pathar near shani mandir, Ganjbasoda 464221 MIS CODE: GR23001107	Existing	Mechanic Tractor	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended






STATE Madhya Pradesh

Total- 29, (New-01, Existing-28)

SCVT to NCVT

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
				Instit.	Trade/ Units Recommended by (SSDEC)	Trade/units Approved by DGT	
4.	Govt ITI Barhi Tayab Nagar, near railway station Dist katni MP.483770 MIS CODE: GU23001138	Existing	Solar Technician (Electrical)	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
5.	Govt ITI Harrai-Behind Model School Bypass Road Harrai Dist Chhind-48224 MIS CODE: GU23001122	Existing	Solar Technician (Electrical)	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
6.	Govt ITI Seoni-Chuna Bhatti Chidiya Parari Seoni-480661 MIS CODE: GR23000253	Existing	Mechanic Diesel Engine Electronic Mechanic Desktop Publishing Operator	2(1+1+0) 2(1+1+0) 1(0+1+0)	2(1+1+0) 2(1+1+0) 1(0+1+0)	2(1+1+0) 2(1+1+0) 1(0+1+0)	Recommended





STATE Madhya Pradesh

Total- 29, (New-01, Existing-28)

SCVT to NCVT

Sl. no.	Name of Institute with address	Type of Application on New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
				Instt.	Trade/ Units Recommended by (SSDEC)	Trade/units Approved by DGT	
7.	Govt ITI Patan-Suraiya Road Patan-483113 MIS CODE: GU23001086	Existing	Electrician	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
			Welder	2(1+1+0)	2(1+1+0)	2(1+1+0)	
8.	Govt ITI Shahganj-Ward No.-8 Nai Basti, Th.- Budni-466554 MIS CODE: GR23001097	Existing	Draughtsman civil	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
			Sewing Technology	2(1+1+0)	2(1+1+0)	2(1+1+0)	
9.	Govt ITI Nasrullaganj-Semal Pani Road, Nasrullaganj SEHORE-466331 MIS CODE: GR23000075	Existing	Electronics Mechanic	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
			Motor Mechanic Vehicle	2(1+1+0)	2(1+1+0)	2(1+1+0)	





STATE Madhya Pradesh

Total- 29, (New-01, Existing-28)

SCVT to NCVT

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
				Instt.	Trade/ Units Recommended by (SSDEC)	Trade/units Approved by DGT	
10.	Govt Eklavya ITI Chakaldi-Dist Sehore, Madhya pradesh. SEHORE-466446 MIS CODE: GR23001136	Existing	Fitter	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
			Carpenter	2(1+1+0)	2(1+1+0)	2(1+1+0)	
11.	Govt ITI Bargawan-Vill. Daga, Manihari road, tehsil: desoar, dist - SINGRAULI-486886 MIS CODE: GR23001155	Existing	Welder	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended:
			Mechanic Diesel	2(1+1+0)	2(1+1+0)	2(1+1+0)	





STATE Madhya Pradesh

Total- 29, (New-01, Existing-28)

SCVT to NCVT

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
				Instt.	Trade/ Units Recommended by (SDEC)	Trade/units Approved by DGT	
12.	Govt ITI Singrauli-Village Telai Post Kachani mamla SINGRAULI-486887 MIS CODE: GU23000060	Existing	Electrician (DST)	1(0+0+1)	1(0+0+1)	1(0+0+1*)	Recommended
			Fitter (DST)	1(0+0+1)	1(0+0+1)	1(0+0+1*)	
			Motor Mechanic Vehicle (DST)	1(0+0+1)	1(0+0+1)	1(0+0+1*)	
			Welder (DST)	1(0+0+1)	1(0+0+1)	1(0+0+1*)	
			Mechanic Diesel (DST)	1(0+0+1)	1(0+0+1)	1(0+0+1*)	
13.	Govt ITI Maiharnam Pur Maihar disst. Satna-485771 MIS CODE: GR23000275	Existing	Stenographer & Secretarial Assistant (Hindi)	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended





STATE Madhya Pradesh

Total- 29, (New-01, Existing-28)

SCVT to NCVT

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
				Instt.	Trade/ Units Recommended by (SDEC)	Trade/units Approved by DGT	
14.	Govt ITI Jaisinghnagar-Vill, Khusharwah, Gopalpur road, jaisinghnagar Dis- MIS CODE: GR23001157	Existing	Copa	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
			Welder	2(1+1+0)	2(1+1+0)	2(1+1+0)	
15.	Govt ITI Anuppur-Near Tusli college Jatithari Road Anuppur-484224 MIS CODE: GU23000017	Existing	Motor Mechanic vehicle	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
16.	Govt ITI Shahdol-GOVT.ITI, REWA ROAD (M.P.)-SHAHDOL-48401 MIS CODE: GR23000246	Existing	Electronics Mechanic	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended






STATE Madhya Pradesh

Total- 29, (New-01, Existing-28)

SCVT to NCVT

Sl. no.	Name of Institute with address	Type of Application on New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
				Instt.	Trade/ Units Recommended by (SSDEC)	Trade/units Approved by DGT	
17.	Govt ITI Uchehra	New	Electrician	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
			Copa	2(1+1+0)	2(1+1+0)	2(1+1+0)	
			Fitter	2(1+1+0)	2(1+1+0)	2(1+1+0)	
			Welder	2(1+1+0)	2(1+1+0)	2(1+1+0)	
18.	Govt ITI Dindori-Samanpur bypass road, near Birsa Munda Ground-DINDORI-481880 MIS CODE: GU23001087	Existing	Mechanic Diesel	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
19.	Govt ITI Shahpura Dindori-BATONDHA ROAD SHAHPURA-DINDORI-481990 MIS CODE: GR23000002	Existing	Sewing Technology	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
			Mechanic Motor Vehicle	2(1+1+0)	2(1+1+0)	2(1+1+0)	







STATE Madhya Pradesh

Total- 29, (New-01, Existing-28)

SCVT to NCVT

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
				Instt.	Trade/ Units Recommended by (SDEC)	Trade/units Approved by DGT	
20.	Govt Woman ITI Ratlam-45701 MIS CODE: GR23000020	Existing	Stenographer & Secretarial Assistant English	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
			Draughtsman civil	2(1+1+0)	2(1+1+0)	2(1+1+0)	
21.	Govt Divisional ITI Ujjain-Maxi road, Udyan mag, Ujjain UJJAIN-45610 MIS CODE: GR23000256	Existing	Internet of Things (Smart city)	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
22.	Govt ITI Narsinghpur- Station Ganj, Mandi Road Narsinghpur-Narsinghpur-48701 MIS CODE: GU23000073	Existing	Fitter	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended





STATE Madhya Pradesh

Total- 29, (New-01, Existing-28)

SCVT to NCVT

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
				Instt.	Trade/ Units Recommended by (SDEC)	Trade/units Approved by DGT	
23.	Govt ITI Ater, Dist. BHIND-477111 MIS CODE GU23000061	Existing	Mechanic Diesel	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended
24.	Govt ITI Paldongri (Langi)-Vill-Nagotola, post:Ameda, Tehsil : Lanhi-BALAGHAT-481222 MIS CODE: GR23001094	Existing	Stenographer & Secretarial Assistant (Hindi) Motor Mechanic Vehicle	2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0)	2(1+1+0) 2(1+1+0)	Recommended
25.	Govt ITI Balaghat-WARD NO.1 BUDHI ROAD BALAGHAT-48101 MIS CODE: GR23000003	Existing	Stenographer & Secretarial Assistant (Hindi)	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended





STATE Madhya Pradesh

Total- 29, (New-01, Existing-28)

SCVT to NCVT

Sl. no.	Name of Institute with address	Type of Application New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
				Instt.	Trade/ Units Recommended by (SDEC)	Trade/units Approved by DGT	
26.	Govt ITI Betul-Itarsi Road-46001 MIS CODE: GU23000063	Existing	Electrician (DST)	1(0+0+1)	1(0+0+1)	1(0+0+1*)	Recommended
			Welder (DST)	1(0+0+1)	1(0+0+1)	1(0+0+1*)	
27.	Govt ITI Chindwara-Chakkar Road CHHINDWARA-48001 MIS CODE: GR23000251	Existing	Electrician (DST)	2(0+1+1)	2(0+1+1)	2(0+1+1*)	Recommended
			Fitter (DST)	1(0+0+1)	1(0+0+1)	1(0+0+1*)	
28.	Govt ITI Mandla-DINDORI ROAD Mandla-481661 MIS CODE: GR23000033	Existing	Surveyor	2(1+1+0)	2(1+1+0)	2(1+1+0)	Recommended

(PW)

[Handwritten Signature]



STATE Madhya Pradesh

Total- 29, (New-01, Existing-28)

SCVT to NCVT

Sl. no.	Name of Institute with address	Type of Application on New/Existing	Trade for which affiliation sought	Units for which affiliation sought/ recommended by			Remarks by DGT
				Instt.	Trade/ Units Recommended by (SSDEC)	Trade/units Approved by DGT	
29.	Govt Divisional ITI Govindpura Raisen Road Bhopal-46223 MIS CODE: GR23000005	Existing	Internet of Things (Smart city)	1(1+0+0)	1(1+0+0)	1(1+0+0)	Recommended
			Stenographer & Secretarial Assistant (Hindi)	1(1+0+0)	1(1+0+0)	1(1+0+0)	
			Refrigeration and Air conditioning (RAC)	4(2+2+0)	4(2+2+0)	4(2+2+0)	

*3rd Shift is conditionally recommended under DST scheme, subject to submission of MoU details by State Directorate