

Through Mail

DGT-Aff011(51)/26/2022-TC SECTION
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Employment Exchange Building,
 1st floor, Pusa, New Delhi,
 Dated: 12.12.2022

To

1. **The State Directors,**
 (Andhra Pradesh, Assam, Bihar, Chhattisgarh, Jharkhand, Karnataka, Maharashtra, Punjab, Rajasthan, Telangana, Uttar Pradesh)
2. **The Regional Directors, RDSDEs**
 (Andhra Pradesh, Assam, Bihar, Chhattisgarh, Jharkhand, Karnataka, Maharashtra, Punjab, Rajasthan, Telangana, Uttar Pradesh)

Subject: Minutes of 7th Meeting of "Standing Committee on Accreditation and Affiliation (SCAA)" held on 22.11.2022 to 23.11.2022- regarding.

Sir/Madam,

Please find enclosed approved Minutes of 7th Meeting of Standing Committee on Accreditation and Affiliation (SCAA) held on 22.11.2022 to 23.11.2022. However, implementation orders agenda item wise will be issued in due course of time.

Further, the compliance reports if any, must be sent to Director, TC only on below mentioned e- mail id with subject tag line- Compliance of 7th SCAA Meeting <State Name> <ITI Name>
Mail ID: tc-affiliation@dgt.gov.in

This issue with approval of competent authority, DGT.

Yours faithfully,

(Ujjwal Biswas)

Director, UJJWAL BISWAS
 उज्जवल बिस्वास / Director
 प्रशिक्षण महानिदेशालय, Directorate General of Training
 कौशल विकास एवं उद्यमशीलता मंत्रालय
 Ministry of Skill Development and Entrepreneurship
 भारत सरकार, नई दिल्ली-12/Govt. of India, New Delhi-12

Copy to:

1. Sr PPS to Chairman of SCAA-DGT.
2. Sr PPS to DDG (Affiliation).
3. NCVT MIS Portal In charge, DGT Hqr. New Delhi, with request to upload MOM on NCVT MIS Portal.

(Pooja Verma)

Assistant Director, TC

DGT-Aff011(51)/26/2022-TC SECTION
Directorate General of Training
Ministry of Skill Development and Entrepreneurship
Government of India
Employment Exchange Building, Pusa Campus, New Delhi-110012

Minutes of 7th Meeting of “Standing Committee on Accreditation and Affiliation (SCAA)” held on 22.11.2022 to 23.11.2022

Following Committee members were present during the meeting:

1. Smt. Sandhya Salwan, DDG, DGT, Chairperson of SCAA
2. Sh. Ujjwal Biswas, Director, TC, DGT – Member
3. Shri. K Sreenivasa Rao, Regional Director, Telangana
4. Sh Ishwar Singh, Regional Director RDSDE Jharkhand
5. Sh. S. Mathivanan, Regional Director, RDSDE Assam
6. Sri BN Sridhar, Regional Director, RDSDE Karnataka
7. Sh. SS Naik Regional Director, RDSDE Rajasthan
8. Smt. Swati Sethi, Regional Director, RDSDE Haryana and Punjab
9. Sh. Nagesh, Joint Director, DET Telangana
10. Shri. Ketan Patel, Joint Director RDSDE Mharastra
11. Sh. RC Meena, Joint Director, RDSDE Punjab
12. Sh. Satya Narayna, Joint Director Training, Andhra Pradesh
13. Mrs Mausami, Joint Director, DET Assam
14. Sh. Raju Kannam, Deputy Director, TC section DGT HQ.
15. Sh. D Prasad, Deputy Director, State DET, Jharkhand
16. Sh Raja Nayak, Deputy Director, DET Karnataka
17. Sh. Maninder Pal Singh, Deputy Director, DET Punjab
18. G. Venkatesh, Deputy Director, RDSDE Karnataka
19. Sh. Mayank Gangwar, Deputy Director, State DTE Uttar Pradesh
20. Shri. P MARVELDOSS, Deputy Director, RDSDE Telangana
21. Sh Suresh Sharma, Assistant Director, DET Rajasthan
22. Sh Prasant Dongre, Assistant Director, DVET Mharastra
23. Shri Akeshwar Patil, Training Superindent DTE Chattisgarh
24. Sh. Suman Kumar, Assistant Director, State DTE Bihar

25. Sh. Manpal Singh, Assistant Director, State DTE Uttar Pradesh
26. Sh. Amit Jhep, Assistant Director, RDSDE Assam
27. Sh Himanshu, Assistant Director, RDSDE Jharkhand
28. Ms. Pooja Verma -Assistant Director, TC Section, DGT

At the outset, Smt. Sandhya Salwan, DDG, DGT and Chairperson of SCAA, welcomed all the committee members and participants. Thereafter Shri Ujjwal Biswas, Director, TC took agenda points for detailed discussions. The details of discussions, deliberations and agenda wise decisions taken by the Chair, are placed below.



Agenda 1: Compliance cases of 1st to 6th SCAA, received from State and RDSDEs

The following proposals were placed in the meeting of 1st SCAA held on dated 5.4.2022 & 6.4.2022 to meeting of 6th SCAA held on dated 30.8.2022. Due to certain deficiencies mentioned in the MoM against these ITIs, RDSDEs /State Directorates were asked to submit the compliance report. Accordingly, the compliance reports received from State Directorates and RDSDEs were placed below for deliberation and discussion of the committee. The final recommendation and remark of SCAA is given below against each case:

Table 1: Compliance cases of 1st SCAA held on dated 5.4.2022 & 6.4.2022 to 6th SCAA held on dated 30.8.2022

Name of the State: Assam

| Sl. No. | ITIs Name/ Address/ MIS Code / Grading | Type of application (Existing/ New/ MSTI) | Trades/ units sought for affiliation | Remarks by Inspection Cum Verification Committee (ICVC) (when inspection was done) | Observations of TC section in previous meetings | Remarks by previous SCAA meetings | Remarks of Compliance report sent by State Directorate and observation of TC section | Remarks of 7 th SCAA held on 22.11.2022 to 23.11.2022 |
|---------|--|---|--|---|---|--|---|---|
| I | II | III | IV | V | VI | VII | VIII | IX |
| 1 | New Tinsukia Private Industrial Training Institute, Tinsukia TMP18302PR158 1929720 | New | 1. Computer Operator and Programming Assistant (COPA) - 3 (1+1+1) 2. Electrician - 12 (4+4+4) 3. Fitter - 12 (4+4+4) | Not Recommended Not recommended due to 1. Non-availability of proper infrastructure. 2. Machineries are partially installed. Some of the machineries are | 1. Trainers qualification, experience and CITS details not available. 2. Drawing hall and IT lab are not | 4th SCAA Not Recommended as per ICVC remarks. ITI needs to remove the deficiencies mentioned in column V | RDSDE Assam sent email dated 17.11.2022 and mentioned that a joint Re-Inspection is conducted by RDSDE Assam and DECT Assam | Recommended: 1. Computer Operator and Programming Assistant (COPA) - 2(1+1) 2. Electrician - 2(1+1) 3. Fitter - 2(1+1) 4. Mechanic Diesel - 2 (1+1) |

| | | | | | | | | |
|---|---|----------|---|---|---|---|--|---|
| | | | 4. Mechanic Diesel - 12 (4+4+4) | <p>in working condition.</p> <p>3. One old workshop of an industry has shown as workshops and classrooms of the Institute. No electrical fan and light are available. It is not suitable at all for the human health and hygiene.</p> <p>4. Amenities like drinking water, separate toilets, library, dispensary, playground, parking place etc. are not available.</p> | available as per norms. | <p>and VI and submit the report to the State Directorate within 07 days from issue of this MoM.</p> <p>RDSDE and State Directorate will arrange joint reinspection and send the report with recommendation of trades/units.</p> | <p>on dated 03-11-2022.</p> <p>The inspection report and Annexure III is submitted by the inspection team through the inspection portal/App.</p> <p>ICVC Remarks: Machines are available for 2(1+1+0) in each trade</p> <p>No other deficiency mentioned by ICVC team.</p> | |
| 2 | Kaziranga Pvt ITI At Road, Rudrasagar Po Joysagar Dist Sivasagar 785665 | Existing | 1. Fire Technology and Industrial Safety Management | <p>Recommended:</p> <p>1. Fire Technology and Industrial Safety Management-2</p> | 1. CITS Pass out Instructor details not available | 3 rd SCAA: NOT Recommended due to less Grading | RDSDE Sent an email dated 17.11.2022 and attached a letter of State | State and RDSDE will jointly verify the documents, submitted by ITI and RDSDE will submit report to DGT |

| | | | | | | | | |
|--|------------|--|---|--|--|---|--|--|
| | PR18000038 | | -6 (2+2+2) 2. Solar Technician (Electrical)- 3 (1+1+1) | (1+1) 2. Solar Technician (Electrical)- 2 (1+1) | 2. Machinery Installation Photo and Videos not uploaded 3. Power connection is not as per norms | But this was the case where grading was not conducted by DGT as affiliated after 31.07.2019 so decision was taken on e file for not imposing grading criteria on such cases | Director dated 12.10.2022, wherein State has mentioned that 1. CITS Undertaking is attached 2. In the videos uploaded by ITI required machinery is not covered but machinery is covered in photos 3. Declaration regarding power connection is submitted by ITI However, the State has requested RDSDE for | Hq within 1 month from date of issue of this MoM with clear recommendation of trade/units. |
|--|------------|--|---|--|--|---|--|--|

| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|
| | | | | | | | joint reverification that is yet to be scheduled | |
|--|--|--|--|--|--|--|--|--|

Name of the State: Andhra Pradesh

| SI No. | ITIs Name/ Address/ MIS Code / Grading | Type of application (Existing/ New/ MSTI) | Trades/ units sought for affiliation | Remarks by Inspection Cum Verification Committee (ICVC) (when inspection was done) | Observations of TC section in previous meetings | Remarks by previous SCAA meetings | Remarks of Compliance report sent by State Directorate and observation of TC section | Remarks of 7 th SCAA held on 22.11.2022 to 23.11.2022 |
|--------|---|---|--|---|--|---|---|---|
| I | II | III | IV | V | VI | VII | VIII | IX |
| 1. | Vijaya Pvt. ITI, Chinthanipula Agraharam, Anakapalli Mandal, Visakhapatnam-531001 TMPSP082 | New | 1. Fitter 4(2+2) 2. Electrician 4(2+2) 3. Mechanic Diesel 2(1+1) 4. Welder 2(1+1) | Recommended: 1. Fitter 4(2+2) 2. Electrician 4(2+2) Conditionally recommended: | 5 th SCAA 1. All instructors are not CITS qualified 2. Tools, equipment and machineries are partially | 5 th SCAA Not recommended due to deficiencies mentioned in Column V and VI. | State Directorate send email dated 26.10.2022 and mentioned that 1. Building Completion Certificate got signed by Engg. Asst. Gram Sachivalayam, Anakapalli Mandal, the Competent authority. | Recommended 1. Fitter 4(2+2) 2. Electrician 4(2+2) 3. Mechanic Diesel 2(1+1) 4. Welder 2(1+1) |

| | | | | | | | |
|--|--|--|--|---|--|---|--|
| | | | <p>3. Mechanic Diesel 2(1+1)</p> <p>4. Welder 2(1+1)</p> <p>subject to submit the proof of procuring the shortage tool kits, Machinery for Welder and Mechanic Diesel trades before start of session, in addition to submit the proof of appointing one more CITS instructor for Electrician trade.</p> <p>1. The Building plan of Vijaya pvt ITI is</p> | <p>available for welder and Mechanic Diesel</p> <p>3. Building plan is different than actual construction</p> <p>4. BCC is not as per norms</p> | | <p>2. Approved Building plan for actual constructions is submitted by the ITI.</p> <p>3. Shortage of Tool kits, Tool and Equipment for both mech. (Diesel) and Welder trades are procured, and bill/receipt also provided.</p> <p>4. Engines of Mech. (Diesel) trade and machines of Welder trades got tested to run, found running.</p> <p>5. Interacted with the CITS qualified instructor for all the trades, to whom the society issued the appointment orders.</p> <p>6. And recommended the remaining trades Mechanic Diesel 2(1+1) Welder 2(1+1)</p> | |
|--|--|--|--|---|--|---|--|



| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|
| | | | | <p>different from actual construction. In the master plan, it was shown in three blocks and actual buildings were constructed in two blocks only.</p> <p>2. The bills of Machinery & equipment of Welder & Mechanic Diesel are partially available</p> <p>3. Electrician - 01No., Fitter- 02Nos., Mechanic</p> | | | | |
|--|--|--|--|--|--|--|--|--|

(2)

[Handwritten signature]

| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|
| | | | | Diesel-01No. and Welder-01No. instructors are CITS qualified | | | | |
|--|--|--|--|--|--|--|--|--|

Name of the State: Bihar

| S I. N o . | ITIs Name/ Address/ MIS Code / Grading | Type of application (Existing/ New/ MSTI) | Trades/ units sought for affiliation | Remarks by Inspection Cum Verification Committee (ICVC) (when inspection was done) | Observations of TC section in previous meetings | Remarks by previous SCAA meetings | Remarks of Compliance report sent by State Directorate and observation of TC section | Remarks of 7 th SCAA held on dated 22.11.2022 to 23.11.2022 |
|------------|--|---|---|--|---|---|--|---|
| I | II | III | IV | V | VI | VII | VIII | IX |
| 1. | Namrit Private Industrial Training Institute, Begusarai At-Khowandpur Po-Khodawandpur 848202 | New MSTI | 1. Electrician- 4(2+2) 2. Fitter- 2(1+1) | 1. NCVT: Not recommended for affiliation of any Trade units due to observed deficiencies | 1. All trainees are not CITS trained. 2. Electricity | 5th SCAA: Not Recommended ITI needs to remove deficiency and inform the concerned | State Directorate sent email on 13.10.2022 and mentioned that all the NCs have removed 1. CITS trained instructors details attached | Recommended Electrician -4(2+2) ITI needs to start one short term course also as per MSTI guidelines |

| | | | | | | | | |
|--|----------------------------------|--|--|---|--|--|--|--|
| | <p>TMP10191PR1 580722161</p> | | | <p>mentioned in remarks.</p> <p>2. SCVT: Affiliation may be given for 4 Units (2+2) Electrician Trade Only,</p> <p>3. Provided /Shown BCC not as per norms.</p> <p>4. Provided / Shown building map /naksha not matched with existing construction.</p> <p>5. Non-served area NOC from directorate not available.</p> <p>6. Mode of payment-Status of</p> | <p>bill not uploaded.</p> <p>3. Contradictory remarks by inspecting members.</p> <p>4. Un served area NOC from state directorate is not available.</p> | <p>State Directorate within one month from the date of issue of MoM.</p> <p>The concerned State Directorate and RDSDE will do joint inspection and submit a report with recommendation to the TC section, DGT.</p> | <p>2. Electricity Bill, Drawing Hall, IT lab as per norms available</p> <p>3. All documents incusing BCC, Building Map, Digital payment proof, appointmet letter of principal, separate male female toilet</p> <p>4. NOC from State Directorate for MSTI is attached</p> <p>And recommended by joint inspection team for Electrician (2+2)</p> | |
|--|----------------------------------|--|--|---|--|--|--|--|

| | | | | | | | | |
|--|--|--|--|---|--|--|--|--|
| | | | | <p>cheque given to vendor for procurement of Machineries not available. Bills Shown only for Electrician trade related.</p> <p>7. Appointment letter for Principal not available.</p> <p>8. Electricity bill not as per norms.</p> <p>9. Fitter trade tools and equipment and machineries not available, Only available for</p> | | | | |
|--|--|--|--|---|--|--|--|--|

| | | | | | | | | |
|----|--|-----|------------------------|---|--------------------------|--|---|--|
| | | | | <p>Electrician trade.</p> <p>10. Separate male and female toilet not available.</p> <p>11. All of Class room, IT Lab and Drawing Hall is not as per norms.</p> <p>12. Wall of IT lab not as per DGT norms.</p> <p>13. Wall of DH not as per DGT norms.</p> <p>14. Appointment letter for Principal not available.</p> | | | | |
| 2. | Bharti Private Industrial Training Institute, Patna, | New | 1. Carpenter - 2 (1+1) | <p>Recommended :</p> <p>1. Carpenter - 2 (1+1)</p> | 1. BCC is not available. | 6 th SCAA A mail has been received | State Directorate sent email on date 14.10.2022 and requested for | As ITI removed deficiencies hence Recommended: |

| | | | | | | | | |
|--|--|--|--|---|--|---|--|--|
| | Pir Badhauna, Daniawan, Patna-801305 TMP10212PR1 582885262 | | 2. COP A - 2 (1+1) 3. Electrician - 4 (2+2), 4. Fitter - 2 (1+1) | 2. COPA - 2 (1+1) 3. Electrician - 4 (2+2), 4. Fitter - 2 (1+1) | 2. CITS certificate of trainers not available. | from State Directorate of Bihar on 10.08.2022 with the following remarks: 1. All the NCs have not been removed by ITI, so ITI cannot be considered for affiliation. 2. BCC certificate is submitted by ITI and is as per norms. 3. Some of the trainers are CITS qualified but 100% are not. Neither undertaking is submitted by ITI. Not Recommended | reconsider the case and given the report- 1. BCC submitted as per norms 2. CITS undertaking is submitted | 1. Carpenter - 2 (1+1) 2. COPA - 2 (1+1) 3. Electrician - 4 (2+2) 4. Fitter - 2 (1+1) |
|--|--|--|--|---|--|---|--|--|

| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|
| | | | | | | as per State recommendations in 6 th SCAA | | |
|--|--|--|--|--|--|--|--|--|

Name of the State: Chhattisgarh

| Sl. No | ITIs Name/ Address/ MIS Code / Grading | Type of application (Existing / New/ MSTI) | Trades/ units sought for affiliation | Remarks by Inspection Cum Verification Committee (ICVC) (when inspection was done) | Observations of TC section in previous meetings | Remarks by previous SCAA meetings | Remarks of Compliance report sent by State Directorate and observation of TC section | Remarks of 7 th SCAA held on 22.11.2022 to 23.11.2022 |
|--------|--|--|---|--|---|---|---|--|
| I | II | III | IV | V | VI | VII | VIII | IX |
| 1. | Sandipani Masturi, Bilaspur MIS Code: PR22000129 Grading: 2.08 | Existing | 1. Computer Operator and Programming Assistant (COPA)- 2(1+1) | Recommended w.e.f 2022-23 Steno (Hindi)- 2(1+1) units COPA- 2(1+1) units In place of Fax Machine, multifunctional printer is available | 1. Details of CITS qualified Instructors not available 2. Power not as per norms | 6 th SCAA ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM- | State Directorate send email dated 13.10.2022 and mentioned that: 1. ITI has submitted that Fitter trade was surrendered from session 2016-17 due to less admission (copy of letter send to DGT, attached) 2. 25 KW power available, if Fitter is | As ITI removed deficiencies Recommended: 1. Steno (Hindi)- 2(1+1) units 2. COPA- 2(1+1) units As per State letter Fitter -4(2+2) is to be deactivated on NCVTMIS portal |

| | | | | | | | |
|--|--|--|---|--|--|--|--|
| | | | <p>2. Steno graph er Secret arial Assist ant (Hindi) - 2(1+1)</p> <p>Fitter trade- surrender letter date 16.05.2018 Ground floor of the building school is running</p> <p>Deficiencies in tool equipment of Electrician Trade- Generator of 5.5 KVA is available against 7.5 KVA, Manual coil winding machine not available, Single phase grinder is available against 3 phases</p> | | <p>1. Availability of power as per norms</p> <p>2. Undertaking to appoint CITS instructors before the start of session.</p> <p>3. Clarification on school running in the building.</p> <p>4. Clarification on surrender of Fitter trade.</p> <p>State Directorate will then verify above reports and send recommendati on for all the trades/units within 07 days.</p> | <p>surrendered then required power for rest of the trades is 20.1 KW</p> <p>3. No classes of school were running there at the time of inspection</p> <p>4. ITI has submitted that Fitter trade was surrendered dated 16.5.2018</p> <p>5. and recommended for affiliation</p> | |
|--|--|--|---|--|--|--|--|

| | | | | | | | | |
|----|--|----------|--|---|---|---|---|--|
| 2. | Shaildevi Private ITI, Durg MIS Code: PR22000191 Grading: 1.53 | Existing | 1. Computer Operator and Programming Assistant (COPA)-2(1+1) 2. Driver cum Mechanic-2(1+1) 3. Fitter-4(2+2) 4. Solar Technician (Electrical)-2(1+1) 5. Stenographer Secretarial Assist | Recommended 1. Electrician existing -4(2+2) 2. Fitter -4(2+2) 3. Solar Technician-2(1+1) 4. stenographer secretarial Assistant (Hindi)-2(1+1) 5. Driver cum Mechanic-2(1+1)-NR 6. COPA (1+1) addl-NR | 1. CITS instructors' details not available 2. BCC from architect not as per norms. | 6 th SCAA ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM- 1. BCC as per Norms 2. Undertaking to appoint CITS instructors before the start of session. State Directorate will then verify the above report and send a report along with recommendation for all the trades/units within 07 days. | State Directorate sent compliance dated 17.10.2022 and 1.Attached BCC as per norms 2. CITS details attached TC section remarks: As ITI has removed the deficiencies which were observed in coloum no VI, may be recommended as per ICVC recommendation. | As ITI removed deficiencies, hence Recommended for: 1. Electrician-4(2+2) existing 2. Fitter -4(2+2) 3. Solar Technician-2(1+1) 4. stenographer secretarial Assistant (Hindi)-2(1+1) Not Recommended: 1. Driver cum Mechanic-2(1+1) 1. COPA 2(1+1) additional units |
|----|--|----------|--|---|---|---|---|--|

| | | | | | | | | |
|----|---|----------|------------------------------------|---|---|--|---|---|
| | | | ant (Hindi) - 2(1+1) | | | | | |
| 3. | Government ITI, Berla, Distt Bemetra Berla, Bemetara- 491332 GR22000031 | Existing | Mechanic Di esel - 2(1+1) | Mechanic Diesel - NR NCVT - Agree, Not recommended SCVT - Agree, recommended | 1.partial ly availabl e,123 out of tools & equipm ent's are availabl e, as per bill 123 out of 234 T& E shortag es of tools & equipm ent of spec & Qty wise not | 1 st SCAA Since the report of SCVT and NCVT member is contradicts, matter is forwarded to SSDEC for further necessary action. | RDSDE sent email dated 27.10.2022 and recommendation Performa is submitted in which recommended Mechanic Diesel - 2(1+1) with fulfilment of deficiencies 1.Tool equipment shortage 73,91,120,155, not working 183,190,201,202,203,2 04,205 | As per 1 st SCAA remarks , this ITI case should be placed in SSDEC and , recommendation SSDEC to be sent to DGT Hq |

| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|
| | | | | | submit ed 2. working conditio n videos not availabl e howeve r conditio n of T& E to be assesse d on physical inspecti on. SI No 179 of AC CRDI vehicle docume nt not summitt ed S.No 183, 201, 205, CRDI | | | |
|--|--|--|--|--|--|--|--|--|

| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|
| | | | | | <p>4S not uploaded.</p> <p>3.. Building plan image submitted not clear.</p> <p>Building plan image submitted not clear.</p> <p>Workshop roof are old and tin sheets as against RCC specified in application.</p> <p>4.123/234 tools and equipm</p> | | | |
|--|--|--|--|--|--|--|--|--|

| | | | | | | | | |
|---|---|----------|-----------------------------------|--|---|--|--|--|
| | | | | | ent's bill available. No separate list of tools available during | | | |
| 4 | Kamlakant Shukla Private ITI, Plot. Kh No. 2661/24 (Part), P.H. No. 2, At. Village Deori Teh. Bhatapara Distt.- Balodabazar- Bhatapara- 493118 MIS CODE: PU22000150 Grading: 2.21 | Existing | Physiotherapy Technician - 2(1+1) | <ol style="list-style-type: none"> 1. NCVT - Recommended: Physiotherapy Technician 2(1+1) 2. SCVT - Recommended: Solar technician 2(1+1) and Physiotherapy 2(1+1) 3. Solar technician (ST) Tools & equipment List No 87,88,89,96, 135,136,138 | <ol style="list-style-type: none"> 1. BCC approval for 2nd floor not available 2. Canteen, hostel and parking not available 3. Solar Tec | 5th SCAA: Not recommended due to deficiencies mentioned in Column V and VI. | RDSDE Chhattisgarh sent email dated 21.10.2022 and submitted joint inspection committee report in which ITI was not recommended due to the following deficiencies: 1. BCC signed by PWD dated 29.05.2010 under Sl. No. 10 Ground Floor Area 1181.25 Sq. marked nothing IR But physically there is partially 2 floor building with alternate rooting in channel session available only electrician | Not recommended Physiotherapy Technician - 2(1+1) as per reinspection committee remarks. |



| | | | | | | | |
|--|--|--|--|--|---|--|--|
| | | | | <p>,144 are not available.</p> <p>4. The following (ST)Equipment: weather monitoring system (84) software(94) solar PCU (134) not installed.</p> <p>5. Already affiliated trade Electrician 4(2+2): shortages of tools & equipment 126h, 137,138,139 ,144,148,155</p> <p>6. Canteen & Hostel and parking not available</p> <p>7. In the same campus B.Ed college</p> | <p>hnician trade is not mentioned in application</p> <p>4. Tools and equipment's are shortage for Solar technician, if applied and existing elect</p> | <p>Workshop is under IR. Hence entry in BCC is misleading.</p> <p>2. Canteen available in 2nd floor and hostel not available.</p> <p>3. Same Campus B.Ed college running & affiliation sought ITI are partially separating with metal sheet (Photos attached).</p> <p>4. Already affiliated electrician 4 (2+2) still exist with tin sheeted routing with flooring unfinished.</p> <p>5. T/E of solar Technician 2 (1+1) Sl. No. 136, 137 & 138 not in assemble in assembled working condition (iii) Electrician Trade 4 (2+2) Sl. No. 137 is incomplete in assembly.</p> | |
|--|--|--|--|--|---|--|--|



| | | | | | | | | |
|--|--|--|--|---|----------------------|--|--|--|
| | | | | <p>is also running</p> <p>8. BCC approval for Ground,1st floor No approval for 2nd floor(vacant)</p> <p>9. Already affiliated Electrician Trade 4(2+2) tin sheet roofed, flooring in finished</p> | <p>rician trades</p> | | | |
|--|--|--|--|---|----------------------|--|--|--|

Name of the State: Jharkhand

| Sl. No | ITIs Name/ Address/ MIS Code / Grading | Type of application (Existing/ New/ MSTI) | Trades/ units sought for affiliation | Remarks by Inspection Cum Verification Committee (ICVC) (when inspection was done) | Observations of TC section in previous meetings | Remarks by previous SCAA meetings | Remarks of Compliance report sent by State Directorate and observatio | Remarks of 7 th SCAA held on dated 22.11.2022 to 23.11.2022 |
|--------|--|---|--------------------------------------|--|---|-----------------------------------|---|--|
| | | | | | | | | |

| | | | | | | | n of TC section | |
|----|---|-----|---|---|--------------------------|---|---|---|
| I | II | III | IV | V | VI | VII | VIII | IX |
| 1. | Jharkhand Government Tool Room ITI Gola, Plot No-279, Anchal-Banda, Po-Poyar, Village-Kanke, Dist-Ramgarh, TMP20607GR16462023 15 | New | 1. Fitter 2 (1+1) 2. Machinist 2(1+1) 3. Turner 2(1+1) 4. Welder 2(1+1), | Recommended: 1. Fitter 2 (1+1) 2. Machinist 2 (1+1) 3. Turner 2 (1+1) 4. Welder 2 (1+1) | 1. BCC is not available. | 6 th SCAA ITI needs to submit Building Completion certificate to the concerned State Directorate within 7 days from the date of issue of MoM. The State Directorate then has to verify and submit the report with recommendations to the TC section, DGT within 7 days . | State Directorate sent email on dated 16.11.2022, attached the BCC document and verified the BCC , as per norms . | Recommended: 1. Fitter 2 (1+1) 2. Machinist 2 (1+1) 3. Turner 2 (1+1) 4. Welder 2 (1+1) |

Name of the State: Karnataka




| Sl. No | ITIs Name/ Address/ MIS Code / Grading | Type of application (Existing/ New/ MSTI) | Trades/ units sought for affiliation | Remarks by Inspection Cum Verification Committee (ICVC) (when inspection was done) | Observations of TC section in previous meetings | Remarks by previous SCAA meetings | Remarks of Compliance report sent by State Directorate and observation of TC section | Remarks of 7 th SCAA held on dated 22.11.2022 to 23.11.2022 |
|--------|---|---|---|---|---|--|---|---|
| I | II | III | IV | V | VI | VII | VIII | IX |
| 1. | Jaybharat Private Industrial Training Institute, Belagavi, #689/1, Industrial Estate. Udyambag. Belagavi-590008 TMP29527PU1581396813 | New | 1. COPA 1(1+0) 2. Electrician 2(1+1) 3. Fitter 2(1+1) 4. Welder 1(1+0) | In annexure III: Recommended for total 07 Trades, 12 units In inspection report: Recommended for 1. Technician Mechatronic 2units 2. Tool & die maker 2 units only 3. Machinist 2 units only 4. Fitter 2 units 5. Electrician 2 units | 1. CITS instructor details not available 2. BCC is issued by some pvt firm 3. ITI applied for different Trade units than recommended by inspection team | <u>5th SCAA</u> ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM- 1. BCC documents as per norms. 2. Undertaking to appoint CITS instructor | State Directorate send email on 19.10.2022 and provided the BCC (Sign is in Kannada language so issuing authority not known) and recommended 1. Technician Mechatronics 2(1+1) 2. Tool and die maker (Dies & Moulds) 2(1+1) 3. Machinist 2(1+1) 4. Electrician 2(1+1) 5. Fitter 2(1+1) 6. foundryman 1(1+0) | For Application no TMP29527PU1581396813 Trade unit sought for affiliation was- 1. COPA 1(1+0) 2. Electrician 2(1+1) 3. Fitter 2(1+1) 4. Welder 1(1+0) However State Directorate recommended following Trades/ units Technician Mechatronics, Tool and die maker (Dies & Moulds) , Machinist , foundryman that are not in the aforesaid |

| | | | | | | | | |
|--|--|--|--|--|--|--|---|--|
| | | | | <p>6. Foundry men is 1 unit only</p> <p>Note: COPA Trade is Not recommended.</p> | | <p>s before the start of session 2022.</p> <p>3. Details of Trade/Units Sought for affiliation</p> <p>State Directorate will verify above reports and send recommendation of all the trades/units within 07 days</p> <p>Email received from State Directorate Karnataka on dated 14.09.2022 and stated that</p> <p>1. Principal of the ITI</p> | <p>7. Copa 1(1+0) Not recommended in the joint inspection committee</p> | <p>application of ITI and further COPA (1+0) is not recommended and for there is no remarks mentioned for Welder 1(1+0).</p> <p>As per State Recommendation only 2 trades in application no TMP29527PU15813968 13 Electrician 2(1+1), Fitter 2(1+1) recommended and COPA 1(1+0) Not Recommended, Welder 1(1+0) no remarks.</p> <p>Hence as discussed in committee, ITI is not meeting the minimum 4 trade criteria hence Not Recommended</p> |
|--|--|--|--|--|--|--|---|--|




| | | | | | | | | |
|----|--|----------|---|-----------------------------|---|--|--|---|
| | | | | | | <p>submitted BCC and CITS undertaking</p> <p>2. And trade unit sought for affiliation</p> <p>3. and recommended for affiliation However, BCC document is not attached This case was placed in the file 54488</p> | | |
| 2. | Madras Engineer Group & Centre Govt-ITI, Hq Meg Centre, Shivan | Existing | <p>1. Domestic Painter 2(1+1)</p> <p>2. Driver cum Mechanic</p> | Recommended for Affiliation | <p>1. BCC by architect</p> <p>2. Instructors qualification, experience and CITS details not available</p> | <p>5th SCAA ITI needs to submit the following details to State Directorate</p> | <p>State Directorate sent letter dated 14-11-2022 wherein mentioned that 1. This is existing govt. ITI Comes under</p> | <p>It was discussed in meeting that State needs to verify the BCC , accordingly State has sent verified BCC .</p> |

| | | | | | | | |
|---|--|--|--|--|---|---|---|
| <p>Chetty Garden Post Box No 42 Bengaluru Urban-560042</p> <p>MIS CODE: GU29001554 (ITI established on 31.07.2019 so not under grading consideration) Grading- 0</p> | | <p>c 12(6+6)</p> <p>3. Electrician 4(2+2)</p> <p>4. Fitter 2(1+1)</p> <p>5. Mechanic Diesel 2(1+1)</p> <p>6. Mechanic Tractor 4(2+2)</p> <p>7. Sheet Metal Worker 2(1+1)</p> | | | <p>within 07 days from issue of this MoM-</p> <p>1. BCC document as per norms.</p> <p>2. Instructor qualification and experience details alongwith Undertaking to appoint CITS instructors before the start of session 2022.</p> <p>State Directorate will verify above reports and send recommendation of all the trades/units</p> | <p>ministry of defence that is central govt. 2.BCC document submitted by ITI and 3.Recommended for</p> <p>1. Electrician 4(2+2)</p> <p>2. Fitter 2(1+1)</p> <p>3. Mechanic Diesel 2(1+1)</p> <p>4. Sheet Metal Worker 2(1+1)</p> <p>5. Domestic Painter 2(1+1)</p> <p>6. Mechanic Tractor 2(1+1)</p> <p>7. Driver cum Mechanic 6(3+3)</p> <p>8. Surveyor 1(0+1)</p> <p>TC section remarks: Surveyor 1(0+1) is not sought for affiliation in ITI application</p> | <p>As ITI removed the deficiencies so recommended for</p> <p>1. Domestic Painter 2(1+1)</p> <p>2. Driver cum Mechanic 12(6+6)</p> <p>3. Electrician 4(2+2)</p> <p>4. Fitter 2(1+1)</p> <p>5. Mechanic Diesel 2(1+1)</p> <p>6. Mechanic Tractor 4(2+2)</p> <p>7. Sheet Metal Worker 2(1+1)</p> |
|---|--|--|--|--|---|---|---|

| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|
| | | | | | | <p>within 07 days from issue of this MoM. State directorate will ensure CITS instructors are appointed before the session 2022.</p> <p>Email received from State Directorate Karnataka on dated 14.09.2022 and stated that</p> <ol style="list-style-type: none">1. ITI submitted BCC document2. CITS undertaking given3. And recommende | | |
|--|--|--|--|--|--|--|--|--|

| | | | | | | | | |
|----|--|----------|-----------------|---|---|--|---|---|
| | | | | | | <p>d for affiliation</p> <p>State directorate recommended for affiliation however BCC is not attached Matter was placed in e file 54488 and decided to sought BCC again.</p> | | |
| 3. | <p><u>Kengal Hanumantaiah Pvt ITI, Kolar PR29000118</u> Shifting Case: Old address: Bethamangala, KOLAR, 563114 New Address: SY No 3/9, katha no1228</p> | Existing | Fitter 1(0+0+1) | <p>A Letter from Commission erate office, ITE, Karnataka, dt. 22-02-2022 through Diary No. 5634 dt. 15.03.2022 stating that</p> | <p>23rd RCM meeting - Rejected as Not recommended by the State Director due to poor admission in 2019 and non-availability of drawing tables in Drawing hall & no LAN and Internet</p> | <p>2nd SCAA Joint Re inspection to be carried by RDSDE and State Directorate within 01 month from the date of issue of this MoM.</p> | <p>State send email on 03.11.2022 and mentioned that recommended for existing trades. 1. ITI shifted in own building within block , joint inspection was conducted for the deficiency pointed only. Discrepanci</p> | <p>As per State Directorate recommendation, recommended for shifting with existing trades only.</p> |

| | | | | | | | | |
|--|---|--|--|--|--|--|---|--|
| | <p>Bangrapret taluk Bethamangala , Kolar 563116</p> | | | <p>these ITIs submitted letters to issue the affiliation order as they have rectified the discrepancies and recommending to release affiliation orders and requesting for needful action. Annexures: 1. Inspection Report of Joint Director Divisional office Bangalore</p> <p>2. Requisition from ITIs 3. IT lab, Drawing Hall and Building</p> | <p>connection in IT lab. Also, it is an old ITI and need 4 trades for Affiliation.</p> | <p>State Directorate to initiate the action. State Directorate sent Email on 30-09-2022, and recommended ITI, for Electronic Mechanic trade= 2 units (i.e 1+1) Fitter trade = 2 units (i.e. 1+1) Welder trade = 1 unit (i.e. 1+0) The State Directorate was asked to conduct joint inspection however the report was received in</p> | <p>es rectified by the ITI</p> <p>2. Signed joint inspection report regarding discrepancies was attached and Mentioned that</p> <ul style="list-style-type: none"> • Admission is 90 % overall in 2021 (copy attached • Available of drawing tables in drawing hall as per DGT Norms is physically verified (Photos attached) • Available of LAN & Internet connection is physically verified <p>3. And Recommended for existing trades Electronic Mechanic trade= 2 units (i.e 1+1) ,Fitter trade = 2</p> | |
|--|---|--|--|--|--|--|---|--|




| | | | | | | | | |
|--|--|--|--|---|--|---|---|--|
| | | | | <p>plan of Kengal Hanumanthaiya Pvt ITI</p> | | <p>not proper format (annexure 3 is Not attached). document attached in Email are only signed by ITI principal on document inspecting team has not signed joint inspection team has given Comments is only the points mentioned in the 23rd RCM Hence this inspection report can not be considered</p> | <p>units (i.e. 1+1) and Welder trade = 1 unit (i.e. 1+0) TC section remarks: 3rd Shift in fitter trade is not recommended by State Directorate and as per DGT policy also 3rd shift can only be recommended under DST mode</p> | |
|--|--|--|--|---|--|---|---|--|




| | | | | | | | | |
|----|---|----------|--|--|---|--|---|---|
| 4. | Mahatma Phule Pvt ITI, Hidkal Dam Belagavi-591107 Karnataka TMPKA_57 | New | <ol style="list-style-type: none"> 1. Electrician 2(1+1) 2. Fitter 2(1+1) 3. Sewing Technology 2(1+1) 4. Smartphone Technician Cum App Tester 2(1+1) | <p>Recommended:</p> <ol style="list-style-type: none"> 1. Electrician 2(1+1) 2. Fitter 2(1+1) 3. Sewing Technology 2(1+1) 4. Smartphone Technician Cum App Tester 2(1+1) <p>some electrical trainer kits have minor defects and needs to be repaired</p> | <ol style="list-style-type: none"> 1. Total Land Area is 4089 Sq. mt 2. Power shortage 3. Power required= 16.71 KW and Power available =10 KW 4. . CITS details of instructor not available | <p>5th SCAA</p> <p>Not Recommended</p> <p>As per affiliation norms minimum area for 4 trade is 4291.4 sq meter i.e. approx 1.07 acre but total land area available with ITI is 4089 Sq. mt. Hence Not Recommended</p> | <p>State Directorate send email dated 13.09.2022 and mentioned that Principal of ITI submitted relevant documents herewith i.e.</p> <ol style="list-style-type: none"> 1. Power enhanced total 20KW (copy attached) 2. Enhanced 500 sq meter land (taken on lease from KNNNL Hidkal dam ,) 3. CITS undertaking attached. <p>State Directorate requested to consider the documents</p> | <p>RDSDE and State will jointly verify the land and power details submitted by ITI and will submit to DGT HQ within 1 month from date of issue of MOM</p> |
| 5. | Srinivasa Industrial Training Centre Bangarpet 2059 Vijaya Nagar | Exsiting | <ol style="list-style-type: none"> 1. Electrician -2(1+1) 2. Smartphone Technician Cum App | <p>Insufficient area for Electrician trade at Second building which has agreement dated 06/08/2021.</p> | <p>Details of CITS qualified instructors not available</p> | <p>5th SCAA</p> <p>State Directorate to submit a report on the discrepancies</p> | <ul style="list-style-type: none"> • State Directorate send letter dated 10.10.2022 which is received in TC section on 21.10.2022 | <p>As per State report this is Shifting case from Kolar to Tumkur and inter district shifting is not permitted hence Not Recommended</p> |

| | | | | | | | | |
|--|--|--|---------------------------|--|--|---|---|--|
| | <p>Vivekanandanagar Bangarpet</p> <p>KOLAR- 563114</p> <p>MIS CODE: PR29000168</p> <p>Grading- 0</p> | | <p>Tester- 1(1+0)</p> | <p>Available tools & Equipment and adequate space for Fitter Trade as per DGT norms. Hence, Recommended for Fitter 2 (1+1) Units only.</p> | | <p>mentioned in Column V and the trades in which ITI has requested for affiliation.</p> | <ul style="list-style-type: none"> • It is mentioned that this is case of shifted from Kolar to tumkur and recommended the ITI. • Previously also State sent same compliance report for this case and decision was taken on e file that this ITI applied for category 2 i.e. addition of trade, however ITI grading was 0, so addition of trade was not recommended . • However State Directorate mentioned in its report this is Shifting case from Kolar to Tumkur. As inter district shifting is not permitted. | |
|--|--|--|---------------------------|--|--|---|---|--|




| | | | | | | | | |
|---|--|----------|---|--|---|--|---|--|
| | | | | | | | Hence ITI was not recommended | |
| 6 | <p>Sri Ramalinga Chandra Chowdeswari Shubodaya I.T.C. Private 289, Chowdeswari temple road, Fort, Chikkaballapur - 562101 Karnataka</p> <p>MIS CODE: PR29000232</p> <p>Grading- 0 Old Address: 289, CHowdeswari Temple road, fort Chikkaballapur</p> <p>New ADDRESS:</p> | Existing | <ol style="list-style-type: none"> 1. Electrician-2(1+1) 2. Smartphone Technician Cum App Tester-1(1+0) | <p>This case is related to the shifting and trainees not admitted from 2019 to till date.</p> <p>Agree, Recommended as per norms</p> | <ol style="list-style-type: none"> 1. CITS Qualified Instructor details not available 2. BCC from Architect 3. Drawing hall roof of industrial sheet 4. IT lab area less 5. Grading is 0 | 5 th SCAA Not Recommended due to deficiencies mentioned in Column V &VI | <p>State sent letter dated 10.10.2022 which is received in TC section on 21.10.2022 and submitted documents given by ITI and ITI submitted that</p> <ol style="list-style-type: none"> 1. CITS training will be done through RPL 2. BCC by panchayat development office 3.No specification of Roof in 2018 4.IT area can be taken from excess area of E/M lab | <ul style="list-style-type: none"> • State Directorate to inform to RDSDE whether permission is given for shifting to this ITI . • RDSDE to ensure that, whether the DGT order is for shifting is followed i.e shifting of ITI in rural areas is permitted within blocks and shifting in urban areas is permitted within municipal or corporation limits. • If Shifting is as per norms, then State and RDSDE will jointly verify that ITI has removed the deficiencies of IT lab area and will submit report to DGT HQ within 1 month from date of issue of this MOM |




| | | | | | | | | |
|----|--|-----|--|---|---|--|---|---|
| | Koratagree Madhugiri, Tumkur | | | | | | | |
| 7. | SVG School Campus , Chikkanahally , Koratagere Taluk, Tumkur District TMPKA_19 | New | <ol style="list-style-type: none"> 1. Computer Operator and Programming Assistant (COPA)-1(1+0+0) 2. Electrician 2(1+1) 3. Fitter 2(1+1) 4. Sewing Technology 2(1+1) | <ol style="list-style-type: none"> 1. Interact with the Principal and other staff. They want Affiliation only for Fitter and Electrician trade only. Not for COPA and Sewing technology. 2. COPA and Sewing Technology rejected due to shortage of Tools and Equipment. 3. Drawing boards are required | <ol style="list-style-type: none"> 1. BCC is given by chartered engineer. 2. Power load not enough. Required load is 17.16 KW, available is-6KW. 3. Shortage in Tools and machineries of COPA and Sewing technology trade. 4. stability certificate is given by Chartered engineer instead of BCC. 5. Drawing boards are required. | 5 th SCAA: Not Recommended due to noncompliance of four trade criteria and deficiencies mentioned in column V&VI | <p>State sent letter dated 10.10.2022 that is received in TC section on dated 21.10.2022 and submitted documents given by ITI and ITI submitted that</p> <ol style="list-style-type: none"> 1.BCC given by Grama panchayath is attached 2.Four times power can be utilized Sanctioned load available =16KW 3.COPA and Sewing Technology courses will be implemented in futues due to shortage of funds 5.drawing board will be provided with in 1 month 6.Hence ITI running under SCVT 4 Trade | Committee has discussed that as per DGT norms all the new ITIs shall run with minimum 4 trades and 8 units, hence due to non-compliance of 4 trade criteria ITI Not recommended |

| | | | | | | | | |
|----|---|----------|---|---|---|--|--|---|
| | | | | | | | Criteria Will Not Be Applicable 7.CITS Undertaking Given TC section observation: ITI has not removed deficiencies of COPA and Sewing Technology | |
| 8. | Sri Renuka Pvt ITI, Munavalli A/P Munavalli Tq Savadatti Dist - Belagavi, MIS CODE: PR29000722 Grading- 0.4 | Existing | 1. Electrician- 1(0+1) 2. Fitter- 1(0+1) | Recommended for 2nd units of Electrician & Fitter trade. 1. Biometric attendance is not available, attendance register is maintained 2. 80% of machineries & equipment's are in working condition 3. Ramp need to be | 1. Grading is less 2. CITS trainer details not available 3. Biometric attendance is not available, attendance register is maintained 4. Ramp needs to be constructed for PWD trainees. Workshop road to be repaired (damaged due to rain) Some | 5 th SCAA Not recommended due to less grading and due to deficiencies mentioned in column V & VI | State sent letter dated 10.10.2022 that is received in TC section on dated 21.10.2022 and submitted documents given by ITI and ITI submitted that 1.Grading is less 2. CITSRPL registered 3.Bio metric purchased 4.All machinery are in working condition 5.New ramp is constructed for PWD trainee | Matter to be dealt on e file for a policy decision on grading for addition of trades/units. |

| | | | | | | | | |
|---|--|--------------|--|--|---|--|--|---|
| | | | | constructed for PWD trainees. Workshop road to be repaired (damaged due to rain) Some Electrical machines have minor repairs and to be attended. | Electrical machines have minor repairs and to be attended. | | 6. Workshop road is repaired photos and video uploaded 7.All electric machine which have minor problem are repaired photos & video are uploaded | |
| 9 | ALMEEZAN ITI Old APMC Road Behind Railway Station, Bagalkot 587101 MIS CODE: PU29000099 | Existing ITI | 1. Draught man (Mechanical) -2 (1+1) 2. Fitter – 3 (2+1) 3. Welder – 1 (1+0) | 1. Draughtman (Mechanical) - 2 (1+1) 2. Fitter -3 (2+1) 3. Welder – 1 (1+0) | Brief History of Case: This ITI had been unavoidably relocated by the Government due to submergence in backwaters of Upper Krishna Project. Accordingly It was approved by | Based on the joint inspection report ,decision on this mater was taken on file DGT-VR/18/2022-O/o DIR (TC) with remarks *Not Recommend ed: | State send email dated 17.11.2022 and mentioned that The applicant ITI was not recommended due to certain deficiencies and apply a fresh. The ITI has given letter to State Directorate that it has removed the deficiencies- | RDSDE and State to jointly verify whether deficiencies are removed by ITI by physically visiting the ITI and submit report to DGT within 1 month from date of issue of this MOM |

| | | | | | | | | |
|--|--|--|--|--|--|---|---|--|
| | | | | | <p>competent authority to conduct joint inspection .</p> | <ol style="list-style-type: none"> 1. In photographs attached, it appears roof is made of tin sheet. 2. In lease documents, it is mentioned that small repair to be done. Some parts of building are half built. <p>Any shifted ITI has to follow existing norms hence ITI needs to remove the deficiency</p> | <ul style="list-style-type: none"> • The roof is made of industrial quality sheet and a proof of structural certificate is given from some firm but it is not govt. department. • For construction it was mentioned that small repairs are to be made so it was clarified from ITI that it was for future construction. | |
|--|--|--|--|--|--|---|---|--|




| | | | | | | | | |
|----|---|----------|--|--|--|--|--|--|
| | | | | | | and apply afresh in next session. | | |
| 10 | R.A. Patil ITI Pvt. Post Borgaon, BELGAUM, 591216 Karnataka PR29001062 Grading-2.74 PR29001062 | Exsiting | Electrician - 4(1+1+2) Fitter- 2(0+0+2) | 19 RCM Rejected since ITI is more than 5 years old and has less than 4 trades. ITI needs to re-apply with minimum 4 trades in total | 2 nd SCAA 1. Layout plan not attached 2. Details of CITS Trained Instructors details not attached 3. Drawing Hall Furniture and area not as per norms 4. Load Available is less than required | 2 nd SCAA remarks ITI needs to remove the deficiencies within 1 month and inform to the RDSDE RDSDE will arrange Re-inspection along with S/D and submit the report to Director – TC, DGT | Joint reinspection was carried out by RDSDE and State and recommended for Electrician - 2(1+1) and no other deficiencies mentioned. Fitter 3 rd shift is not recommended. | Recommended Electrician 2(1+1) Not Recommended Fitter (0+0+2) |

Name of State: Maharashtra

| Sl. No. | ITIs Name/ Address/ MIS Code / Grading | Type of application | Trades/ units sought for | Remarks by Inspection Cum | Observations of TC section in | Remarks by previous | Remarks of Compliance report sent by | Remarks of 7 th SCAA held on |
|---------|--|---------------------|--------------------------|---------------------------|-------------------------------|---------------------|--------------------------------------|---|
|---------|--|---------------------|--------------------------|---------------------------|-------------------------------|---------------------|--------------------------------------|---|

| | | (Existing/ New/ MSTI) | affiliation | Verification Committee (ICVC) (when inspection was done) | previous meetings | SCAA meetings | State Directorate and observation of TC section | dated 22.11.2022 to 23.11.2022 |
|----|--|-----------------------------|--|--|---|--|--|---|
| I | II | III | IV | V | VI | VII | VIII | IX |
| 1. | Shree Rameshwar Shikshan Sanstha Private Industrial Training Institute Ratnagiri Dabhil, Taluka Khed, Dis- Ratnagiri, 415709 TMP27492PR16 47858847 | New | 1. COPA 2(1+1) 2. Electrician 4(2+2) 3. Fitter 4(2+2) 4. Solar Technician (Electrical) 2(1+1) | Recommended: 1. fitter (1+1), 2. Electrician (1+1) 3. COPA (1+1) Solar Technician is Not Recommended 1. longitude and latitude are showing different from portal data and actual 2. building completion issued by Tahasildar 3. bill is not in the name of ITI, bill coming on | 1. longitude and latitude are showing different from portal data and actual 2. building completion issued by Tahasildar 3. bill is not in the name of ITI, bill coming on GiteshVinayak Rau 4. 4.solar technician machinery are not installed, solar panels are not mounted, not done proper | 5 th SCAA Not Recommend. ed due to non- compliance of 4 trade criteria and deficiencies mentioned in column V & VI | State Directorate send email on dated 26.09.2022 and mentioned that all tool equipment infrastructure is available. ITI submitted affidavit regarding 1.Electricity bill is on the name of Gitesh Vinayak Raut. Online application is submitted for name change 2.Institute filled wrongly longitude and latitude on NIMI | Recommended for 1.COPA 2(1+1) 2. Electrician 4(2+2) 3. Fitter 4(2+2) 4. Solar Technician (Electrical) 2(1+1) |

| | | | | | | | |
|--|--|--|--|---|--|---|--|
| | | | | <p>Gitesh Vinayak Rau</p> <p>4. solar technician machinery are not installed, solar panels are not mounted, not done proper electrical wiring lathe machine foundation not found COPA, electrician and fitter installation ok</p> <p>5. solar technician not shown in working condition due to non-proper installation remaining trades are</p> | <p>electrical wiring lathe machine foundation not found COPA, electrician and fitter installation ok</p> <p>5. solar technician not shown in working condition due to non-proper installation remaining trades are found ok quality of some instruments are not good</p> <p>6. second floor construction not completed. found 4 classrooms only. one class room less space. workshop</p> | <p>portal to be corrected</p> <p>3. Institute will complete remaining work of floor, tiles within 8 days</p> <p>Considering the above facts recommended for</p> <p>1. COPA 2(1+1)</p> <p>2. Electrician 4(2+2)</p> <p>3. Fitter 4(2+2)</p> <p>4. Solar Technician (Electrical) 2(1+1)</p> <ul style="list-style-type: none"> • However compliance report was not complete as Electricity bill was still not on the name of Institute . | |
|--|--|--|--|---|--|---|--|

| | | | | | | | | |
|--|--|--|--|--|---|--|---|--|
| | | | | <p>found ok quality of some instruments are not good</p> <p>6. second floor construction not completed. found 4 classrooms only. one class room less space. workshop passage shown in the lab area. library shown in the admin room.</p> <p>7. 11 drawing desks and some student tables are found in the drawing room.</p> | <p>passage shown in the lab area. library shown in the admin room.</p> <p>7. CITS instructors' details for all trades not available</p> <p>8. 11 drawing desks and some student tables are found in the drawing room.</p> | | <ul style="list-style-type: none"> State again sent the updated light bill on dated 26.10.2022. RDSDE again sent email on 22.11.2022 and mentioned that remaining work is completed <p>As per State and RDSDE report, ITI removed all the deficiencies</p> | |
|--|--|--|--|--|---|--|---|--|

PLW



| | | | | | | | | |
|----|---|-----|---|--|--|--|---|--|
| 2. | <p>Shri Vaidyanath (P) Industrial Training Institute Halam Beed, C/O At Post Halam Tq Parali (V) Dist Beed 431515 TMP27470PR16 49906190</p> | New | <ol style="list-style-type: none"> 1. Electrician 2(1+1) 2. Wireman 2(1+1) 3. HSI 2(1+1) 4. Solar Technician 2(1+1) | <p>Recommended:</p> <ol style="list-style-type: none"> 1. Electrician 2(1+1) 2. Wireman 2(1+1) 3. Health Sanitary Inspector 2(1+1) 4. Solar Technique (Electrician) 2(1+1) | <ol style="list-style-type: none"> 1. Classroom roof and drawing hall roof is not as per norms 2. CITS instructors not available | <p>6th SCAA</p> <p>ITI needs to remove the deficiency as mentioned in column VI and the State Director and RDSDE will conduct joint reinspection and submit a report within 1 month from the date of issue of this MoM.</p> | <p>RDSDE Maharashtra sent email dated 27.10.2022 and mentioned that 1.It is found that the roof of the classroom/drawing hall is constructed by profiled industrial roof sheets with structured support and false ceiling is provided. It is as per norms.</p> <p>2. While inspection it is verified that 8CITS trained instructors are appointed in this institute indifferent trades.</p> <p>3.Recommended following trades as per the remarks of</p> | <p>Recommended</p> <ol style="list-style-type: none"> 1. Electrician- 2(1+1) 2. Wireman- 2(1+1) 3. Health Sanitary Inspector- 2(1+1) 4. Solar Technician- 2(1+1) |
|----|---|-----|---|--|--|--|---|--|

| | | | | | | | | |
|--|--|--|--|--|--|--|---|--|
| | | | | | | | Joint Inspection report. Electrician-2(1+1) Wireman-2(1+1) Health Sanitary Inspector-2(1+1) Solar Technician-2(1+1) | |
|--|--|--|--|--|--|--|---|--|

Name of the State: Punjab

| Sl. No | ITIs Name/ Address/ MIS Code / Grading | Type of application (Existing / New/ MSTI) | Trades/ units sought for affiliation | Remarks by Inspection Cum Verification Committee (ICVC) (when inspection was done) | Observations of TC section in previous meetings | Remarks by previous SCAA meetings | Remarks of Compliance report sent by State Directorate and observation of TC section | Remarks of 7 th SCAA held on dated 22.11.2022 to 23.11.2022 |
|--------|--|--|--------------------------------------|--|---|---|--|--|
| I | II | III | IV | V | VI | VII | VIII | IX |
| 1. | Modern Private I Village. Lakho Ke Behram, Tehsil Guru | Existing | Electrician - 6(3+3) | Not recommended: 1. Electrician - 6(3+3) Due to the following deficiencies: 1. Plot Signboard not available | Major deficiencies as per ICVC remarks | 5 th SCAA Not recommended as per ICVC remarks. | RDSDE Punjab sent file 54882 and mentioned that ITI removed deficiencies and submitted compliance report | As per joint inspection committee ITI has not |

| | | | | | | |
|--|---|--|---|--|---|---|
| | <p>Har Sahai, District Ferozepur – 152023</p> <p>MIS CODE: PR0300031 7</p> <p>Grading: 1.58</p> | | <ol style="list-style-type: none"> 2. Electricity Bill Name and Address to be corrected 3. Machinery Bill of Sr. No. 87, 92,112,114,118,126,134,135,136,164-173 in Electrician Trade are not available 4. Dead stock register not in prescribed format 5. Biometric machines for Staff and Trainees attendance not being used 6. Available Machinery installed and working except few machineries and shortage of Tools and Eqpts. 7. ES, TT, WKS, ED records of all trainees not available 8. Classroom, Workshop, Library floor is made from bricks. 9. Electrical distribution not covered and earthing is also not there 10. 07 Pcs in IT Lab are of old configuration 11. NOC for Fire Safety is applied and approval pending 12. Toilets are not as per standards 13. No partition in Workshops 14. Parking area is too low and water can clog there during rain, the Canteen area is less than required. Canteen does | | <p>after removing the deficiencies vide their report dated 12.09.2022</p> <p>The inspection committee recommended the ITI for granting affiliation for 06 units (3 in 1st shift and 3 in 2nd shift) in electrician trade with following observations some:</p> <ol style="list-style-type: none"> 1. Sr no 14, parking area to be complied within 03 after recommendation from DGT 2. Non CITS instructor instructors to be replaced with CITS 3. All PC to be provided with UPS in IT lab hiring of 02 more CITS holder instructors | <p>complied with following deficiencies at the time of the second time inspection :</p> <ol style="list-style-type: none"> 1. Parking area is too low and water can clog there during rain, the Canteen area is less than required. Canteen does not have wash basin for cleaning utensils |
|--|---|--|---|--|---|---|

| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|
| | | | | <p>not have wash basin for cleaning utensils</p> <p>15. Library area is less than reqd. Actual Area is 35 Sq mtr but required is 40 Sq mtr.</p> <p>16. Workshop workbenches are not of good standard</p> <p>17. Tin shed quality outside canteen area is not of good standard</p> <p>18. Out of 5 instructors only 1 is CITS qualified</p> | | | <p>4. installation of UPS in the IT lab.</p> <p>5. The ITI has given undertaking about installation of UPS in the IT Lab is completed.</p> <p>6. The ITI has also given undertaking that due to mining restriction in Punjab they could not raise the parking level but they will do it within a month</p> | <p>2. UPS not installed in IT lab.</p> <p>Hence committee has not recommend this ITI</p> |
|--|--|--|--|--|--|--|--|--|

Name of State: Rajasthan

| SI. No | ITIs Name/ Address/ MIS Code / Grading | Type of application (Existing/ New/ MSTI) | Trades/ units sought for affiliation | Remarks by Inspection Cum Verification Committee (ICVC) (when inspection was done) | Observations of TC section in previous meetings | Remarks by previous SCAA meetings | Remarks of Compliance report sent by State Directorate and | Remarks of 7 th SCAA held on dated 22.11.2022 to 23.11.2022 |
|--------|--|---|--------------------------------------|--|---|-----------------------------------|--|--|
|--------|--|---|--------------------------------------|--|---|-----------------------------------|--|--|

| | | | | | | | observation of TC section | |
|----|---|-----|--|---|------------------------------------|---|---|--|
| I | II | III | IV | V | VI | VII | VIII | IX |
| 1. | Subodh Private ITI Plot No. IS 2020, Industrial Area, Ramchandrapura, Sitapura, JAIPUR TMPSP102 | New | <ol style="list-style-type: none"> 1. Computer Operator and Programming Assistant (COPA)-2(1+1) 2. Electrician-4(2+2) 3. Fashion Design and Technology -2(1+1) 4. Fitter-2(1+1) 5. Solar Technician (Electrical)-2(1+1) | <ol style="list-style-type: none"> 1. Recommended subject to below points 2. Non-Engineering Trade Fashion Design & Technology Drafting & Sewing Lab Major Machinery not as per the Specification 3. No Instructor is CITS Qualified 4. Fitter Workshop on Ground floor, but below the Workshop in the basement | 1. No Instructor is CITS Qualified | 5 th SCAA Not Recommended due to deficiencies mentioned in Column V & VI | RDSDE sent joint inspection report on 14.11.2022 and mentioned that all deficiencies has been removed and recommended ITI for <ol style="list-style-type: none"> 1. Computer Operator and Programming Assistant (COPA)-2(1+1) 2. Electrician-4(2+2) 3. Fashion Design and Technology -2(1+1) 4. Fitter-2(1+1) | Recommended for: <ol style="list-style-type: none"> 1. Computer Operator and Programming Assistant (COPA)-2(1+1) 2. Electrician-4(2+2) 3. Fashion Design and Technology-2(1+1) 4. Fitter-2(1+1) 5. Solar Technician (Electrical)-2(1+1) |

| | | | | | | | | |
|--|--|--|--|--|--|--|---|--|
| | | | | Multipurpose / Seminar hall. 5. Applied for fire safety certificate | | | 5. Solar Technician (Electrical)- 2(1+1) And no other deficiencies mentioned by joint inspection committee | |
|--|--|--|--|--|--|--|---|--|

Name of State: Telangana

| SI . N o. | ITIs Name/ Address/ MIS Code / Grading | Type of applic ation (Existi ng/ New/ MSTI) | Trades/ units sought for affiliation | Remarks by Inspection Cum Verification Committee (ICVC) (when inspection was done) | Observations of TC section in previous meetings | Remarks by previous SCAA meetings | Remarks of Complianc e report sent by State Directorate and observatio n of TC section | Remarks of 7 th SCAA held on dated 22.11.2022 to 23.11.2022 |
|-----------------|--|--|---|---|--|---|---|---|
| I | II | III | IV | V | VI | VII | VIII | IX |
| | | | | | | | | |




| | | | | | | | | |
|---|--|--------------|---|---|--|--|--|--|
| 1 | <p>Mother Theresa Iti(Pvt), Survey No 310, Hasnapur Road, Thatikonda Village, Mahabubnagar, Mahabubnagar, Telangana</p> <p>MIS CODE: PR36000192</p> <p>Grading: 0.66</p> | Existin g | 1.Electrician 4(2+2) 2.HSI 2(1+1) | <p>Recommen ded for Additional Electrician 4(2+2) HIS 2(1+1)</p> <p>1. As per request received from ITI for Mechanic Diesel trade 2(1 + 1 unit) is already affiliated. But requesting to de- affiliate the trade.</p> | <p>ITI applied in Category 3 i.e. for change of address however applied for additional Trade also State Directorate needs to confirm whether ITI followed shifting procedure or not</p> <p>2..CITS details of instructor not available</p> | <p>5th SCAA ITI to remove the deficiencies mentioned in column VI</p> <p>State Directorate will submit the following report within 07 days from issue of this MoM on the following :</p> <p>1 As per DGT order shifting of ITI in rural area is permitted within block and in urban area shifting is permitted within municipal/corporation limits, being followed or not.</p> <p>2. Whether ITI followed complete shifting procedure or not.</p> <p>3. State Directorate will verify that the deficiencies</p> | <p>State Sent email dated 4.11.2022 and requested to deaffiliate old trades Electronic mechanic Diesel Mechanic Draftsman civil due to non availability of space tool equipment And accord affiliation for new trades</p> <p>1. Electrician 4(2+2) 2. HIS 2(1+1)</p> | <p>As per State Directorate request due to non availability of space tool equipment Existing trades Electronic Mechanic 2(1+1) Diesel Mechanic 2(1+1) Draftsman civil 2(1+1) to deaffilaite</p> <p>For addition of trade and units, the matter needs to be dealt on e file for a policy decision on grading for addition of trades/units</p> |
|---|--|--------------|---|---|--|--|--|--|




| | | | | | | | |
|--|--|--|--|--|--|--|--|
| | | | | | <p>mentioned in column VI are removed by ITI.</p> <p>In Compliance report, State Directorate send email on 7.09.2022 and stated that shifting is within block and ITI removed all the deficiencies. based on that it was decided on e file that</p> <p>TC section remarks: As ITI has removed the deficiencies and as per state Directorate recommendation, ITI may be recommend for shifting with existing trades only.</p> <p>As ITI grading is less than 1.25 so addition of new trade was not recommended</p> | | |
|--|--|--|--|--|--|--|--|

(W)

W

| | | | | | | |
|---|--|----------|---|---|---|---|
| 2 | <p>Sadhu Venkatreddy Pvt.ITI, On Kamareddy to Sircilla Road, Yellareddy Peta, Karimnagar, Telangana- 505303</p> <p>PR36000259 Grading 2.75</p> | Existing | <p>Electrician 3(1+1+1)</p> <p>Mechanic Diesel 6(2+2+2)</p> | <p>Fact of the case -</p> <ol style="list-style-type: none"> 1. ITI application, applied for seeking affiliation of additional trade/unit(s) has been rejected by the Recommendation committee of DGT in its 19th meeting held on 15.01.2021 <u>[vide agenda no. 19.1.1, at sl. No.9]</u> with remarks that- "Rejected. since ITI is more than 5 years old and has less than 4 trades. ITI needs to re-apply with minimum 4 trades in total". 2. The Hon'ble High Court vide its <u>interim order dated 29.10.2021</u> has inter alia directed that – <i>"There shall be interim direction to the respondents 1 and 2 to forthwith include the name of the petitioner's institute in the portal with new trade Mechanical Diesel with 6(2+2+2) units and additional Units 3(1+1+1) in Existing Trade i.e., Electrician for the purpose of counselling and admissions"</i>. <p>That, the said criteria of 4 trade, was already reviewed by DGT vide its <u>letter dated 05.11.2021</u> whereby it was decided that- "for the ITIs that have been established prior to Affiliation Norms 2018", the 4 trade Norms will not be imposed for the purpose of change of location, change of trade and addition of new batches or new shift."</p> <p>2nd SCAA dated 29.4.2022</p> <p>As DGT has revised 4 trade policy for it is established after 2018 hence this case was again considered in 2nd SCAA dated 29.4.2022 with remarks State Directorate to arrange Joint Re-inspection along with RDSDE within 3 weeks after issuing of this MoM.</p> | <p>State Directorate sent email on 21.10.2022 and recommended ITI for Mechanic Diesel 4(2+2)</p> <p>And no other deficiencies mentioned</p> | <p>As recommended by State Directorate committee recommended ITI for Mechanic Diesel 4(2+2)</p> |
|---|--|----------|---|---|---|---|




| | | | | | | |
|---|---|----------|------------------------|---|---|---|
| | | | | <p>The detailed report with annexure – III duly signed by SCVT, NCVT, Representatives and forwarded by State Director to be sent to Director – TC, DGT.</p> <p>Accordingly, State Directorate sent email on 13.09.2022 and stated that joint inspection was done on 25.08.2022 and recommended Mechanic Diesel (2+2)</p> <p>However detailed report was not provided by state Directorate only recommendation Performa was attached.</p> <p>hence State Directorate was aksed to send detailed Report</p> | | |
| 3 | <p>Wilfred Pvt ITI Permnagar, Mulugu Warangal, Telangana, PR36000200</p> | Exsiting | Electrician-8 (4+4) | <p><u>Fact of the case</u></p> <ol style="list-style-type: none"> 1. This ITI was placed in 12th Recommendation Committee Meeting (Agenda 12.3) and ITIs was not recommended for Affiliation as they did not meet NCVT norms for Infrastructure etc. for 4 or more trades 2. The ITI was affiliated by DGT (the then DGE&T) in 2008 vide letter no. DGET-6/1/19/2008-TC dt. 30.12.2008 3. The ITI was De-affiliated vide DGT letter dt. 07.06.2017. 4. The ITI filed case in Hon'ble High court, Hyderabad, as per the court order dt.07.08.2017 disposing the matter to carryout re-inspection to decide the status. 5. ITI vide letter dt. 18.04.2019 intimated DGT that they are ready for inspection.DGT vide letter dt. | <p>State send email on 22.10.2022 and attached</p> <ol style="list-style-type: none"> 1. Updated Building plan 2.BCC by Assistant engineer 3.Undertaking for CITS instructors attached | <p>As per state Directaorate recommendation committee Recommended: Electrician-8 (4+4)-existing trade</p> |

| | | | | | | |
|--|--|--|--|---|--|--|
| | | | | <p>06.02.2020 nominated team for inspection of ITI. Inspection was carried out on 24.02.2020 and recommended Electrician 8 (4+4)</p> <p>6. Case was placed in 16th RCM dated 25.11.2020 <u>and Recommendation of the Committee</u> Not Recommended as already decided in 12th RCM</p> <p>2nd SCAA dated 29.4.2022 As DGT has revised 4 trade policy for it is established after 2018 hence this case was again considered in 2nd SCAA dated 29.4.2022 with remarks <i>State Directorate to arrange Joint Re-inspection along with RDSDE within 3 weeks after issuing of this MoM.</i></p> <p><i>The detailed report with annexure – III duly signed by SCVT, NCVT, Representatives and forwarded by State Director to be sent to Director – TC, DGT.</i></p> <p>Accordingly, State Directorate submitted joint inspection report dated 8.09.2022 And recommended Electrician (4+4)</p> <p>However, TC section observed the following points, drawing hall area is less Building layout plan, BCC not provided Instructor qualification and experience details not attached. And it was decided on e file to sought the compliance again from State Directorate</p> | | |
|--|--|--|--|---|--|--|

| | | | | | | |
|---|--|----------|--|--|--|---|
| 4 | <p>Laurel Pvt ITI, Near Padmakshi Temple Hanamkonda, Telangana</p> <p>PU36000030</p> | Existing | <p>Electrician 8(4+4)</p> <p>Fitter 4(2+2)</p> | <p><u>Fact of the case</u></p> <ol style="list-style-type: none"> 1. This ITI was placed in 12th Recommendation Committee Meeting (Agenda 12.3) and ITIs was not recommended for Affiliation as they did not meet NCVT norms for Infrastructure etc. for 4 or more trades 2. The ITI was affiliated by DGT (the then DGE&T) in 2008 vide letter no. DGET-6/1/19/2008-TC dt. 30.12.2008 3. The ITI was De-affiliated vide DGT letter dt. 07.06.2017 4. The ITI filed case in Hon'ble High court, Hyderabad, as per the court order dt.07.08.2017 disposing the matter to carryout re-inspection to decide the status. 5. ITI vide letter dt. 18.04.2019 intimated DGT that they are ready for inspection. 6. DGT vide letter dt. 06.02.2020 nominated team for inspection of ITI. 7. Inspection was carried out on 24.02.2020 and recommended Electrician 8 (4+4). 8. Case was placed in 16th RCM dated 25.11.2020 <u>and Recommendation of the Committee</u> Not Recommended as already decided in 12th RCM <p>2nd SCAA dated 29.4.2022</p> | <p>State send email on 22.10.2022 And attached 1.BCC as per norms 2.Undertaking for CITS instructors</p> | <p>Recommended for existing trades Electrician 8(4+4) Fitter 4(2+2)</p> |
|---|--|----------|--|--|--|---|




| | | | | | | | | |
|---|--|-----|--|---|---|---|---|---|
| | | | | <p>As DGT has revised 4 trade policy for it is established after 2018 hence this case was again considered in 2nd SCAA dated 29.4.2022 with remarks <i>State Directorate to arrange Joint Re-inspection along with RDSDE within 3 weeks after issuing of this MoM.</i> The detailed report with annexure – III duly signed by SCVT, NCVT, Representatives and forwarded by State Director to be sent to Director – TC, DGT.</p> <p>State directorate sent joint inspection report dated 15.09.2022 and Recommended Electrician (4+4) Fitter (2+2) However, 4. documents related to instructor qualification, experience not attached BCC and building layout plan not available hence it was decided on e file to sought the compliance again from State Directorate for these point</p> | | | | |
| 5 | TSRTC Industrial Training Institute Hakimpet Medchal Malkajgiri TMP36700PU1648 014342 | New | 1. Mechanic Diesel-2(1+1) 2. Mechanic Motor Vehicle (MMV)-2(1+1) 3. Painter (General)-2(1+1) 4. Welder-2(1+1) | Govt.Of Telangana State Road Transport Corporation, applied For ITI In Four Trades. Biometric Machine Not Available Team | 1. Details of CITS qualified instructors not available 2. Biometric machine not available 3.BCC from Ex. Engg TSRTC | <u>6th SCAA</u> ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM- 1. Availability of biometric machine 2.BCC as per norms | State Directorate sent email on dated 26.10.2022 and mentioned that ITI submitted documents of 1. BCC as per norms | As ITI removed deficiencies hence committee recommended for 1. Mechanic Diesel-2(1+1) 2. Mechanic Motor Vehicle (MMV)-2(1+1) 3. Painter (General)-2(1+1) 4. Welder-2(1+1) |

| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|
| | | | | <p>Members Recommended for the Following CTS</p> <p>Trades:-</p> <p>1.Mechanic Motor Vehicle- 1+1 (2 Units).</p> <p>2.Mechanic Diesel- 1+1 (2 Units).</p> <p>3.Welder- 1+1 (2 Units).</p> <p>4.Painter (General) 1+1 (2 Units).</p> | | <p>3.Undertaking to appoint CITS instructors before the start of session .</p> <p>State Directorate will verify above reports and send recommendation for all the trades/units within 07 days.</p> | <p>2. Bio metric machine installed</p> <p>3. CITS undertaking. State has verified the above documents and found correct and recommended for</p> <p>1. Mechanic Diesel- 2(1+1)</p> <p>2. Mechanic Motor Vehicle (MMV)- 2(1+1)</p> <p>3. Painter (General)-2(1+1)</p> <p>4. Welder- 2(1+1)</p> | |
|--|--|--|--|--|--|--|--|--|

| | | | | | | | | |
|---|---|----------|--------------------|---|---|--|--|---|
| 6 | <p>Naveen Industrial Training Centre, Nalgonda, Telangana</p> <p>MIS Code: PR36000047</p> <p>Grading: 0.45</p> <p>Old Address :</p> <p>D. V. K.. Road, NALGONDA, 508001</p> <p>New Address:</p> <p>Lalai Gudem, Sagar Road, Nalgonda, Telangana</p> | Existing | Electrician-8(4+4) | <p>1. Lease document is not as per norms.</p> <p>2. Building Completion Certificate (BCC)/Occupancy certificate are not in proper.</p> <p>3. In-sufficient classrooms</p> <p>4. Sufficient computers not available.</p> <p>5. All 16 Nos. of PC's are not installed with licensed Multimedia, antivirus and Operating System.</p> | <p>1. Land not as per norms</p> <p>2. BCC not as per norms</p> <p>3. Class rooms not as per norms</p> <p>4. IT Lab not as per norms</p> <p>5. Machines not installed as per norms</p> <p>6. Safety measures not as per norms</p> <p>7. Instructors are not CITS qualified</p> <p>8. Biometric machine not available</p> <p>9. Machines not properly installed</p> | <p>6th SCAA</p> <p>Not Recommended as per ICVC remarks and deficiencies mentioned in column V & VI.</p> | <p>State Directorate sent email on 12.10.2022 and mentioned that</p> <p>1. Land lease document dated 15.09.2022 submitted for a period of 10 years is submitted that is as per norms</p> <p>2. BCC issued by town planning observer is attached that is as per norms</p> <p>3. 10 classrooms are available</p> | <p>As per State Directoarte Recommendation:</p> <p>1. Electrician 4(2+2) existing</p> <p>2. Fitter-4(2+2) existing</p> <p>3. Draftsman civil 2(1+1) existing</p> <p>4. Sewing Technology 1(1+0) existing</p> <p>For addition of trade/units, the matter needs to be dealt on e-file</p> |
|---|---|----------|--------------------|---|---|--|--|---|

| | | | | | | | | |
|--|--|--|--|---|--|--|---|--|
| | | | | <p>All the machines and equipments are not installed as per supplier manual and ISO safety standards.</p> <p>Fire Extinguisher CO2— Required 08 Nos. But only 03 Nos.</p> <p>Shop Floor Furniture and Materials.... 16 Nos. of Working Bench (2.5m*1.20 m*0.75m) required but available only 08 Nos</p> | | | <p>4. 21 computers are available</p> <p>5. Machines installed as per norms</p> <p>6. Safety measures taken as per norms</p> <p>7. 50% CITS instructors available and CITS Undertaking submitted</p> <p>8. Biometric matric machine available</p> <p>9.all machines in the workshops are installed properly</p> <p>10. State Directorate confirms that this is</p> | |
|--|--|--|--|---|--|--|---|--|

| | | | | | | | | |
|---|---|-----|--|--|--|--|---|--|
| | | | | DisAgree ,Not recommend for affiliation | | | within block shifting case and recommended for Electrician(4+4) new, Electrician (2+2) existing Fitter(2+2) existing Draftsman civil(1+1) existing Sewing Technology(01) existing | |
| 7 | Kakatiya Pvt ITI Kothagudem, Sujathanagar, Bhadradri, Telengana | New | 1. Electrician-8(4+4) 2. Fitter-4(2+2) 3. Hospital Housekeeping-2(1+1) 4. Welder-2(1+1) | 1. Electrician-8(4+4) 2. Fitter-4(2+2) 3. Hospital Housekeeping-2(1+1) | 1. Biometric machine not available 2. Details of CITS qualified Instructors not available | 6 th SCAA ITI needs to remove the deficiencies mentioned in column V & VI and send report to the concerned State Directorate within 1 week from the date of issue of this MoM. | State sent compliance report and mentioned ITI removed deficiencies, However in inspection report MIS Code PU2800017 and | As ITI has removed the deficiencies and as per state Directorate recommendation, Recommended for: Electrician 8(4+4), Fitter 4(2+2), Housekeeping-2(1+1), Welder-2(1+1) |

| | | | | | | | | |
|--|--|--|--|--|--|--|---|--|
| | | | | <p>4. Welder-2(1+1)</p> <p>Since the ITI is new, no affiliation granted yet and not running any training activities at present. This ITI sought affiliation for the following trades with units as mentioned:</p> <ol style="list-style-type: none"> 1. Electrician 4+4 total 8 Units 2. Fitter 2+2 total 4 Units 3. Welder 1+1 total 2 Units | | <p>State Directorate will submit the following report with recommendation trade and unit wise within 07 days from issue of this MoM on the following:</p> <ol style="list-style-type: none"> 1. As per DGT order shifting of ITI in rural area is permitted within block and in urban area shifting is permitted within municipal/corporation limits, being followed or not. 2. Whether ITI followed a complete shifting procedure or not. 3. ITI has removed deficiency mentioned in column V & VI or not. | <p>applied for category 3 (name /address change) that indicates it is existing ITI but in annexure III inspecting members mentioned that since the ITI is new, no affiliation granted yet and not running any training activities at present .</p> <p>Hence clarification was sought from from State Directorate whether</p> | |
|--|--|--|--|--|--|--|---|--|

(19)



| | | | | | | | | |
|--|--|--|--|---|--|--|---|--|
| | | | | <p>4. Hospital Housekeeping 1+1 total 2 Units</p> | | | <p>new or existing ITI.</p> <p>State again sent letter dated 12.10.2022 and mentioned that this is new ITI but shifted from old approved location to new location. Institute mistakenly applied for existing ITI and existing ITI with same name captured and recommend ed electrician 8(4+4), Fitter 4(2+2),</p> | |
|--|--|--|--|---|--|--|---|--|

| | | | | | | | | |
|---|---|----------|----------------------|--|---|--|---|--|
| | | | | | | | Housekeeping 2(1+1), welder 2(1+1) | |
| 8 | <p>Gawtham Pvt. ITI, Industrial Estate Warangal - 506007</p> <p>MIS Code: PU36000189</p> <p>Grading: 1.91</p> <p>Old address: Gawtham Pvt. ITI, Industrial Estate Warangal, D. No. 15-1-350 Shad 2/4 Industrial Estate, Warangal - 506007</p> | Exsiting | Electrician-8(4+4+0) | In 2 nd SCAA it was decided to conduct Joint Re inspection by RDSDE and State Directorate within 01 month from the date of issue of this MoM. | <p>In State Directorate Telangana sent Joint Inspection on 19.08.2022.</p> <ol style="list-style-type: none"> 1. This is a shifting case. ITI is shifting and has to follow the latest norms. 2. Total Land area is 745 Sqm. Which is not as per NCVT norms. 3. The IT lab, Drawing hall and Principal office area is also less. | 6 th SCAA Not recommended due to less land area and deficiencies mentioned in column VI. | <p>State Directorate compliance on 14.10.2022 and mentioned that ITI is following old norms and recommend er for affiliation.</p> <p>As per State Compliance report the applicant ITI has applied for shifting application on date 28.09.2018</p> | <p>As the applicant ITI has applied for shifting application on date 28.09.2018 at DGT portal and 22.10.2018 at state portal. Hence affiliation norms 2018 is applicable in the instant case and as ITI is not following new norms of 2018</p> <p>Hence SCAA committee Not Recommended</p> |

| | | | | | | | | |
|----|--|-----|---|---|---|---|--|---|
| | New Address: Gawtham Pvt. ITI, Plot No F 13,INO Estate, Mulugu Road, Warangal- 506007 | | | | <p>4. BCC is not available, No approved plan certificate is also not available.</p> <p>5. State directorate needs to confirm whether ITI is shifting within the block or not.</p> <p>6. All the instructors are not CITS trained.</p> | | <p>at DGT portal and 22.10.2018 at state portal.</p> <p>TC section remarks:</p> <p>The applicant ITI has applied in year 2018 where the Affiliation norms 2018 were introduced.</p> <p>As per Affiliation rule section 4.2 ,the applicant ITI needs to comply new norms.</p> | |
| 9. | Karthikeya Private ITI Karimnagar | New | <p>1.Electrician-12(4+4+4)</p> <p>2. Fitter-6(2+2+2)</p> | Fitter lab area not as per norms for 2 units in | 1. Details of CITS qualified | 6 th SCAA ITI needs to submit the following details to State Directorate | State sent email on 15.10.2022 and | As ITI removed deficiencies hence committee recommended |

| | | | | | | | | |
|--|--|--|--|--|--|---|---|---|
| | <p>Near Old Grain Market Road Beside Chanekya Degree College Jammikunta District Karimnagar</p> <p>TMP36508PU1648 438236</p> | | <p>3. Health Sanitary Inspector-2(1+1)</p> <p>4. Smartphone Technician Cum App Tester-2(1+1)</p> | <p>1 shift and Health Sanitary Inspector and Smartphone Technician Cum App Tester area not as per norms</p> <p>Recommended for Electrician trade 2+2 = 4</p> <p>Fitter 1+1=2</p> <p>Health Sanitary Inspector 1</p> <p>Smartphone Technician</p> | <p>instructors not available</p> <p>2. Health Sanitary Inspector and Smartphone Technician Cum App Tester area not as per norms</p> <p>3. Drawing Hall not as per norms</p> <p>4. power detailed not available</p> | <p>within 07 days from issue of this MoM-</p> <p>1. Availability of area of HSI, Fitter, Smartphone technician and drawing hall</p> <p>2. Availability of power as per norms</p> <p>3. Undertaking to appoint CITS instructors before the start of session.</p> <p>State Directorate will verify above reports and send recommendation for all the trades/units within 07 days from issue of this MoM.</p> <p>State Directorate sent email on 14.09.2022 and stated that 1. recommended for Electrician-(4+4) Fitter-(2+2) Health Sanitary Inspector(1+1)</p> | <p>attached documents</p> <p>1. BCC Undertaking</p> <p>2. CITS Undertaking</p> <p>3. Load extension letter and Electricity bill</p> <p>4. Building plan for and recommend the ITI</p> | <p>1. Electrician-8(4+4+0)</p> <p>2. Fitter-4(2+2+0)</p> <p>3. Health Sanitary Inspector-2(1+1)</p> <p>4. Smartphone Technician Cum App Tester-2(1+1)</p> |
|--|--|--|--|--|--|---|---|---|

| | | | | | | | | |
|----|---|----------|--------------------------|---------------------------|---|---|--|--|
| | | | | Cum App Tester 1 | | Smartphone Technician Cum App Tester- 2(1+1) No comments are mentioned about Availability of area of HSI, Fitter, Smartphone technician and drawing hall, power availability, CITS undertaking An old recommendation format is attached dated 1.08.2022 | | |
| 10 | Shiva Sai Private ITI Shanthi Nagar, Peddapally Karimnagar 505172 Grading-1.49 | Existing | Electrician trade 4(2+2) | 21st RCM dated 09.02.2021 | Rejected as not recommended by State director since the ITI is more than 5 years old and needs to re-apply with | 2 nd SCAA Observation 1. BCC not available 2.Details of CITS Pass out Instructors not available | State Directorate send email dated 21.10.2022 and mentioned that institute has removed | As ITI removed deficiencies hence committee recommended Additional Electrician trade 4(2+2) units and as per State letter d-affiliation of |

| | | | | | | | | |
|--|--|--|--|--|----------------------------|---|---|------------------------------|
| | | | | | minimum 4 trades in total. | Remarks of 2 nd SCAA ITI need to remove the deficiencies and inform to State Directorate within 2 weeks from the issue of this MoM. State Directorate to verify the deficiencies and submit the report within 2 weeks to Director – TC, DGT. | deficiencies of Additional Electrician trade(2+2) and requested for de-affiliation of draftsman civil (2+2) BCC issued by panchayat secretary is attached | draftsman civil 4(2+2) units |
|--|--|--|--|--|----------------------------|---|---|------------------------------|

Name of State: Uttar Pradesh

| SI . N o. | ITIs Name/ Address/ MIS Code / Grading | Type of appli cation (Exist ing/ New/ MSTI) | Trades/ units sought for affiliation | Remarks by Inspection Cum Verification Committee (ICVC) (when inspection was done) | Observations of TC section in previous meetings | Remarks by previous SCAA meetings | Remarks of Compliance report sent by State Directorate | Remarks of 7 th SCAA |
|-----------------|--|--|--|--|--|---|--|------------------------------------|
| I | II | III | IV | V | VI | VII | VIII | IX |
| | | | | | | | | |

| | | | | | | | | |
|----|-------------------------------|-----|---|---|--|---|---|--|
| 1. | Shree Ram Singh 1809025696 | New | Electrician – 6(2+2+2) Fitter – 6(2+2+2) COPA – 3(1+1+1) Fashion & Technology – 3(1+1+1) | Electrician – NR Fitter – NR COPA – NR Fashion & Technology – NR Inspection is carried out by NCVT member only. | <ol style="list-style-type: none"> 1. Inspection is carried out by NCVT member only. 2. BCC not available Lab. 3. No Drawing hall. 4. Area for labs not as per norms. 5. Building was not plastered specially labs. 6. NO water purifier, no fire safety norms like bucket, fire exit signage on first floor no boundary wall. 7. Electrical Lab was TIN shaded. 8. On few equipment's a different | <p>5th SCAA</p> <p>As joint inspection was not done, State and RDSDE to conduct a Joint Inspection and submit report to DGT in annexure 3 within 1 week from the date of issue of MOM.</p> | <p>RDSDE sent email dated 14.10.2022 and mentioned recommended the ITI</p> <ol style="list-style-type: none"> 1. Electrician – 4(2+2) 2. Fitter – 4(2+2) 3. COPA – 2(1+1) 4. Fashion & Technology – 2(1+1) <p>Observations of TC section : BCC is not available</p> | <p>ITI needs to submit BCC as per norms (Refer Civil norms at section 1.0 ,Page 108 of affiliation norms 2018) to State Directoarte.</p> <p>State Directoarte will verify BCC and submit to TC section within 1 month from date of issue of this MOM</p> |
|----|-------------------------------|-----|---|---|--|---|---|--|




| | | | | | | | | |
|----|---|-----|--|---|--|---|--|---|
| | | | | | collage name was written. | | | |
| 2. | Ram Milan Private Industrial Training Institute, Faizabad Ramdattpur, Atrawan, Darshan Nagar, Ayodhya - 224135 TMP9140PR1581 692901 | New | 1. COPA-2(1+1+0) 2. Electrician-6(2+2+2) 3. Fitter-2(1+1+0) 4. Sewing Technology-2(1+1+0) | Recommended all trade 1. COPA-2(1+1+0) 2. Electrician-6(2+2+2) 3. Fitter-2(1+1+0) 4. Sewing Technology-2(1+1+0) | 1. BCC is not available. No statutory plan is available from Tehsildar. 2. Details of CITS qualified instructor not available | 5 th SCAA ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM- 1. BCC documents as per norms. 2. Undertaking to appoint CITS instructors before the start of session 2022. State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022. | State Directorate Uttar Pradesh send e mail on dated 14.10.2022 and mentioned that ITI submitted BCC as per norms and undertaking for CITS instructors and recommended 1 COPA-2(1+1+0) 2 Electrician-6(2+2+2) 3 Fitter-2(1+1+0) 4 Sewing Technology-2(1+1+0) | As ITI removed deficiencies hence committee Recommended 1. COPA-2(1+1+0) 2. Electrician-4(2+2) 3. Fitter-2(1+1+0) 4. Sewing Technology-2(1+1+0) |




| | | | | | | | | |
|----|--|----------|---|--|---|---|---|--|
| 3. | Virendra Singh Memorial Private ITI - Lucknow 5-Bhagwati Vihar Indralok Colony, Kanpur Road, Lucknow-226023 MIS CODE: PU09001688 Grading: 1.29 | Exsiting | 1. Electrician 9(3+3+3) 2. Fitter - 3(1+1+1) | Recommended Additional Electrician 2(1+1) and Additional Fitter 2(1+1) Some of the Machines in electrician w/s- 3,4 were not installed properly. Fitter trade m/c installed properly. | 1. BCC is not as per norms 2. CITS qualified instructors are not available | 5 th SCAA ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM- 1. BCC documents as per norms. 2. Undertaking to appoint CITS instructors before the start of session 2022. State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022. | State Directorate sent email on dated 14.10.2022 and mentioned that BCC and CITS details attached and recommended Additional Electrician 2(1+1) and Additional Fitter 2(1+1) TC section remarks: However BCC is given by architect | ITI needs to submit BCC (Refer Civil norms at section 1.0 ,Page 108 of affiliation norms 2018) as per norms to State Directoarte. State Directoarte will verify BCC as per norms and submit to TC section within 1 month from date of issue of this MOM |
| 4. | Shri Ram Raja Sarkar Private Industrial Training Institute, Jhansi Village Paadri,P.O.Bhojla | New | 1. Electrician 6(2+2+2) 2. Fitter - 3(1+1+1) 3. Health Sanitary | Recommended for trades- 1. Electrician-6(2+2+2), | 1. CITS trained instructors not available. | 5 th SCAA ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM- | State Directorate sent email on dated 28.10.2022 and mentioned that BCC and CITS | Recommended for 1. Electrician 4(2+2) 2. Fitter -2(1+1) |

| | | | | | | | | |
|----|---|-----|--|--|---|--|---|---|
| | ,Block Badagaon, Jhansi - 284002 TMP9153PR1580 287259 | | Inspector- 1(1+0) 4.Stenographer Secretarial Assistant (Hindi)- 3(1+1+1) | 2. Fitter- 3(1+1+1), 3. Health Sanitary Inspector- 3(1+1+1), 4.Stenograph er Secretarial Assistant (Hindi)- 3(1+1+1) | 2. BCC is not as per norms | 1. BCC documents as per norms. 2. Undertaking to appoint CITS instructors before the start of session 2022. State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022. | details attached and recommended for 1. Electrician 6(2+2+2) 2. Fitter - 3(1+1+1) 3. Health Sanitary Inspector-1(1+0) 4.Stenographer Secretarial Assistant (Hindi)-3(1+1+1) | 3. Health Sanitary Inspector-1(1+0) 4.Stenographer Secretarial Assistant (Hindi)-2(1+1) |
| 5. | Bhardwaj Industrial Training Institute, Distt-Kushinagar 1809015589 | New | 1. COPA -3 (1+1+1) 2. Electrician- 3 (1+1+1) 3. Fitter-3 (1+1+1) 4. Health Sanitary Inspector-3 (1+1+1) | Recommend ed: 1. COPA -3 (1+1+1) 2. Electricia n-3 (1+1+1) 3. Fitter-3 (1+1+1) 4. Health Sanitary | 1. The architect has not mentioned the dimensions of the total plot Area 2. IT Lab is not tiled 3. CITS Qualified | 5 th SCAA The State Directorate has confirmed that the ITI does not lie under an unserved area, the ITI will be considered as a new ITI rather than MSTI. Hence, State Directorate to verify | State has sent email dated 18.10.2022 and mentioned that 1. updated map is attached 2. In IT lab PVC flooring has been done 3. CITS undertaking attached | Committee has observed that BCC of ITI is not as per norms hence ITI needs to submit BCC (Refer Civil norms at section 1.0 ,Page 108 of affiliation norms |

| | | | | | | | | |
|----|---|----------|------------------------|---|--|--|---|--|
| | | | | Inspector-3 (1+1+1) Original bills for HSI, COPA trade and IT lab are not provided Bills of the lathe machine are not provided payment mode details not provided | Instructor details not available 4. NOC from State Directorate for MSTI not available | the land details of the ITI and other deficiencies mentioned in Column V as per norms and send a report with recommendation within 07 days from issue of this MoM. | 4. ITI is not in MSTI scheme hence NOC not required 5. Recommended for affiliation | 2018) as per norms to State Directoarte. State Directoarte will verify BCC and submit to TC section within 1 month from date of issue of this MOM |
| 6. | Maa Sharada Samarak Audhogik Prashikshan Centre Gram Basarathapur - MauBasarathpur Gontha Mau-275303 MIS CODE: PR09001341 Grading: 1.91 | Existing | Electrician - 6(2+2+2) | Recommended: Electrician-6(2+2+2) | 1. Only no approved plan is given. BCC is not available. 2. CITS qualified instructors are not available. | 5 th SCAA ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM- 1. BCC documents as per norms. 2. Undertaking to appoint CITS instructors before the start of session 2022. | State Directorate sent email on dated 28.10.2022 and Attached 1. BCC as per norms and 2. undertaking for CITS instructors and recommended for | As ITI removed deficiencies hence Recommended for Electrician - 4(2+2) |

| | | | | | | | | |
|----|---|----------|---|---|--|--|---|---|
| | | | | | | State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022. | Electrician - 6(2+2+2) | |
| 7. | Lalsa Prasad Institute of Technical Education Pvt ITI - LucknowD-139/3 Indira Nagar Lko.Lucknow-226010 MIS CODE: PR09001023 Grading: 1.53 | Existing | 1. Computer Operator and Programming Assistant (COPA)-3(1+1+1) 2. Electrician-4(1+1+2) 3. Fitter - 4(1+1+2) | Recommended: Fitter- 2(1+1) Electrician-2(1+1) and Not recommended: COPA 1. Tools and equipments are available as per norms for Fitter and Electrician new trade Tools and equipment for | 1. BCC is not as per norms. 2. Drawing Hall Furniture not as per norms. 3. CITS qualified instructors are not available. | 5 th SCAA ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM- 1. BCC documents as per norms. 2. Drawing hall furniture details. 3. Undertaking to appoint CITS instructors before the start of session 2022. State Directorate will verify above reports and admission data and send | State has sent email dated 18.10.2022 and mentioned that 1. bcc as per norms attached 2. CITS undertaking attached 3. Drawing hall furniture purchase proof attached 4. and recommended for affiliation Recommended: 1. Fitter 2(1+1) | Recommended- 1. Fitter-2(1+1) 2. Electrician - 2(1+1) Not Recommended -COPA-2(1+1) |

| | | | | | | | | |
|----|---|-----|---|--|--|--|---|--|
| | | | | <p>COPA trade are not available as norms</p> <p>2. In Lalsa PVT ITI having all machinery bills and payment receipt for existing and additional unit for Fitter and Electrician Trade but not of New trade COPA. COPA trade is not recommended.</p> | | <p>recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.</p> | <p>2. Electrician 2(1+1) But COPA- 2(1+1) Not Recommended</p> | |
| 8. | <p>Shri Jeet Ram Smarak Private Industrial Training Institute, Bareilly, Village- Khata, Rithora Tehseel Sadar, Thana Hafizganj, Block</p> | New | <p>1. Electrician – 6 (2+2+2) 2. Fitter - 6 (2+2+2) 3. Wireman – 3(1+1+1)</p> | <p>Recommended:</p> <p>1. Electrician- 3(1+1+1) 2. Fitter- 3(1+1+1)</p> | <p>1. Trades recommended are different from trades sought for affiliation.</p> | <p><u>6th SCAA</u> RDSDE to clarify on the trade mismatch in trades recommended by ICVC and trades sought for affiliation and send a report to TC section, DGT</p> | <p>Now State has sent email dated 18.10.2022 and mentioned that 1. BCC as per norms attached 2. CITS undertaking attached</p> | <p>As ITI removed deficiencies hence recommended as per State directorate report- 1. Electrician- 2(1+1)</p> |

| | | | | | | | | |
|--|--|--|--------------------------------------|--|---|---|--|--|
| | <p>Bithri Chainpur Bareilly,</p> <p>TMP9130PR1582 377850</p> | | <p>4. Mechanic Diesel - 3(1+1+1)</p> | <p>3. Wireman- 3(1+1+1) 4. Hospital Housekeeping- 3(1+1+1)</p> | <p>2. BCC is given Executive Officer, Nagar Panchayat, Rithora, Bareilly, and by Architect. 3. All trainers are not CITS trained.</p> | <p>within 7 days from the date of issue of MoM. State Directorate to verify BCC and send a report with recommendation to TC section, DGT within 7days from the issue of this MoM. ITI needs to submit an undertaking to the concerned State Directorate and RDSDE that CITS trained instructors will be appointed before the start of the session. Compliance RDSDE sent compliance 1. ITI removed the deficiency 2. Inspection of the ITI done for Housekeeping trade however ITI on NIMI portal applied for Mechanic Diesel Trade</p> | <p>3. ITI has given the resolution for running trade of House keeping instead of Diesel Mechanic 4.further recommended for affiliation - 1. Electrician- 3(1+1+1) 2. Fitter- 3(1+1+1) 3. Wireman- 3(1+1+1) 4. Hospital Housekeeping- 3(1+1+1) Observations : Inspection of the ITI was done by ICVC member for Hospital Housekeeping- 3(1+1+1) instead of</p> | <p>2. Fitter-2(1+1) 3. Wireman- 2(1+1) 4. Hospital Housekeeping-2(1+1)</p> |
|--|--|--|--------------------------------------|--|---|---|--|--|

| | | | | | | | | |
|----|--|----------|----------------------|----------------------|--|---|--|---|
| | | | | | | <p>3. As per ITIs application as they want to run Housekeeping but don't have the option to change the trade.</p> <p>4. for BCC reported was asked from SD that is not received</p> | <p>Mechanic Diesel State is recommended for</p> <ol style="list-style-type: none"> 1. Electrician-3(1+1+1) 2. Fitter-3(1+1+1) 3. Wireman-3(1+1+1) 4. Hospital Housekeeping- 3(1+1+1) | |
| 9. | <p>Maharajgang Pvt ITI Brijmangang Maharajgang</p> <p>First Block: Details Block: Brijmangang District: Maharajgang,</p> <p>TMPOLD323 MSTI</p> | New MSTI | Electrician – 4(2+2) | Electrician – 4(2+2) | <ol style="list-style-type: none"> 1. Applicant MSTI is required to apply for minimum one long term and one short term course. 2. NOC from State Directorate for MSTI is not provided. | <p>5th SCAA Letter is received from the State Directorate that:</p> <ol style="list-style-type: none"> 1. The said ITI lies in an unserved block and earlier there was no provision of NOC for MSTI from State Directorate UP. 2. ITI has given an undertaking that they should be | <p>State Directorate sent email on dated 18.10.2022 and attached that</p> <ol style="list-style-type: none"> 1. BCC as per norms attached 2. CITS instructor details attached 3. Recommended Electrician 4(2+2) | <ul style="list-style-type: none"> • As MSTI removed deficiencies hence Recommended Electrician 4(2+2) • MSTI should start one short term course also as per DGT MSTI norms |

| | | | | | | | |
|--|--|--|--|--|---|--|--|
| | | | | | <p>3. BCC is not provided.</p> <p>given time to start short term course.</p> <p>3. No statutory plan is given in place of BCC.</p> <p>Remarks of 5th SCAA</p> <p>ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM-</p> <p>1. BCC documents as per norms.</p> <p>2. Undertaking to appoint CITS instructors before start of session 2022.</p> <p>State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.</p> | | |
|--|--|--|--|--|---|--|--|

(10)

32

| | | | | | | | | |
|----|---|----------|--|---|--|---|--|--|
| 10 | <p>Rajesh Kumar Sadhna Devi Private ITC - Etah, Dhumari Etah-207248</p> <p>MIS CODE: PR09000673 Grading: 1.25</p> | Existing | <ol style="list-style-type: none"> 1. COPA-3 (1+1+1) 2. Electrician-12 (4+4+4) 3. Health Sanitary Inspector-3 (1+1+1) | <p>Recommended COPA-3 (1+1+1) Health Sanitary Inspector-3 (1+1+1)</p> | <p>1. BCC is given by an architect. Not as per norms. 2. CITS qualified instructors are not available.</p> | <p>1. BCC is given by architect. Not as per norms. 2. CITS qualified instructors are not available. 5th SCAA ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM-</p> <ol style="list-style-type: none"> 1. BCC documents as per norms. 2. Undertaking to appoint CITS instructors before the start of session 2022. <p>State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.</p> | <p>State Directorate send letter and mentioned that SCVT member wrongly calculated power and because of which Electrician Trade couldn't recommended. Power required for new and existing trades =35.27 KW Available =36 KW And State Recommended ITI for Electrician 12(4+4+4).</p> | <p>Based on the calibration received from State Directorate, SCAA Committee, Recommended for Addl. Electrician - 8(4+4)-</p> |
|----|---|----------|--|---|--|---|--|--|




| | | | | | | | | |
|----|-------------------------------|-----|---|--------------|----------------------------|---|---|---|
| | | | | | | <p>State Directorate send letter dated 4.10.2022 and stated</p> <p>1. attached BCC as per norms</p> <p>2. CITS details of attached for COPA and CTS and experience details attached for HSI</p> <p>and recommended for affiliation. As ITI fulfilled all the deficiencies and recommended by State Directorate</p> <p>ITI was recommended for</p> <p>COPA-2(1+1) Health Sanitary Inspector-2(1+1)</p> | | |
| 11 | Sri Dauji Maharaj Private ITI | New | <p>1. Electrician -3(1+1+1)</p> <p>2. Fitter - 3(1+1+1)</p> | Recommended: | 1. BCC is not as per norms | <p>5th SCAA</p> <p>ITI needs to submit the following details to</p> | State Directorate send letter dated 19.10.2022 and mentioned that | Not considered due to fake bank guarantee |




| | | | | | | | | |
|----|--|----------|---|--|--|--|---|---|
| | Barauli, Shamshabad Road Agra 1809016777 | | 3. Housekeeping- 3(1+1+1) 4. 4.Plumber- 3(1+1+1) | 1. Electrician 2 (1+1), 2. Fitter 2(1+1)) 3. Housekeeping- 2(1+1)) 4. Plumber 2(1+1)) | 2. CITS details of all instructors are not available. | State Directorate within 07 days from issue of this MoM- 1. BCC documents as per norms. 2. Undertaking to appoint CITS instructors before the start of session 2022. State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022. | fake bank guarantee case hence requested for rejecting the ITI | |
| 12 | Maa Pitambara ITI, Bar Private Industrial Training Institute, Lalitpur, Near Government Inter College, Bar | New MSTI | 1. Computer Operator and Programming Assistant (COPA)-2 (1+1) | Recommended: 1 Electrician- 2 (1+1) subject to fulfill the | 1. ITI has applied as MSTI and mentioned that it is not lying in unserved area. If this is MSTI than | 4th SCAA ITI needs to remove the deficiencies mentioned in column V & VI and submit the report to the concerned State Directorate within 07 | State Sent email dated 01.11.2022 and submitted the same compliance report again. | As per decision taken on e file by the competent authority, joint inspection of this ITI will be carried out again for all the trades /units by |

| | | | | | | | | |
|--|---|--|---|--|---|---|---|--|
| | <p>District Lalitpur (U.P)-284123</p> <p>TMP9161PR1580 055807</p> | | <p>2. Electrician-4 (2+2)</p> <p>3. Fitter-2 (1+1)</p> <p>4. Stenographer Secretarial Assistant (Hindi)-2 (1+1)</p> | <p>shortcomings -</p> <p>1 Electrician Trade: Almost tools & Equipment are available and in working condition. There is deficiency in T&E at S.No. 137, 138 & 139 of T&E List.</p> <p>2 In COPA Lab Laptops are available in place of Desk Top Computers. Computer Table &</p> | <p>NOC for MSTI lying in unserved area is required from state directorate.</p> <p>2. Qualification, Experience and CITS details of trainers not available</p> <p>3. Fire safety certificate is not available.</p> | <p>days from issue of this MoM.</p> <p>State Directorate will submit the verified report along with NOC for MSTI with recommendation of all the trades/units within 07 days from issue of this MoM.</p> <p>ITI was recommended for Electrician (1+1) as per compliance received from State dated 25.08.2022</p> | <p>TC section remarks: The applicant ITI has given representation and the matter was put up before competent authority.</p> | <p>RDSDE and State and report to be sent to DGT Hq with clear recommendation of all the trade/units.</p> |
|--|---|--|---|--|---|---|---|--|

| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|
| | | | | <p>Chairs are not as per norms.</p> <p>3 Softwares are not available. Many other items as per T&E list are also short.</p> <p>4 More ventilation is required in Electrician lab. Safety measures are to be ensured during working as building completion report does not</p> | | | | |
|--|--|--|--|--|--|--|--|--|

| | | | | | | | | |
|----|--|-----|---|---|---|--|---|---|
| | | | | seems certified by relevant authority. | | | | |
| 13 | Sarmishta Ahuja Pvt. ITI, Hathras Village Parsara Hathras 204101 TMP9163PR1582 780708 | New | <ol style="list-style-type: none"> 1. Electrician 3(1+1+1) 2. Fitter 3(1+1+1) 3. COPA 3(1+1+1) 4. Health Sanitary Inspector3(1+1+1) | <ol style="list-style-type: none"> 1. Joint inspection report was submitted with Annexure -III and ICVC has recommended: Electrician 2(1+1) Fitter 2(1+1) COPA 2(1+1) Health Sanitary Inspector- 2(1+1) Observation: ITI has applied as MSTI in application form, So | <p>4th SCAA meeting dated 26.10.2021- Not Recommended due to shortage of Space, Infrastructure and meter sealing</p> <p>(Store room is not available. Land certificate such as khasra khatauni are not matched with the rent deed. Shortage of area of library, HIS workshop, staffroom)</p> <p>In 2nd SCAA - ITI needs remove the deficiencies within 1 month and inform to</p> | <p>Joint inspection report was submitted with Annexure-III and ICVC has recommended:</p> <ol style="list-style-type: none"> 1. Electrician 2(1+1) 2. Fitter 2(1+1) 3. COPA 2(1+1) 4. Health Sanitary Inspector-2(1+1) <p>Observation: ITI has applied as MSTI in application form, So NOC is required for unserved area from the state. No approved plan certificate is given but BCC is not available.</p> <p>5th SCAA ITI will submit the BCC as per norms to the state within 01</p> | <p>State Directorate send Compliance report dated 1.11.2022 and submitted BCC as per norms and recommended ITI for</p> <ol style="list-style-type: none"> 1. Electrician 2(1+1) 2. Fitter 2(1+1) 3. COPA 2(1+1) 4. Health Sanitary Inspector 2(1+1) | <p>As ITI removed deficiencies hence Recommended</p> <ol style="list-style-type: none"> 1. Electrician 2(1+1) 2. Fitter 2(1+1) 3. COPA 2(1+1) 4. Health Sanitary Inspector 2(1+1) |

| | | | | | | | | |
|--|--|--|--|--|---|--|--|--|
| | | | | <p>NOC is required for MSTI lying in unserved area from the state. No approved plan certificate is given but BCC is not available.</p> | <p>the RDSDE.State Directorate will verify and submit the report to Director – TC, DGT Deficiencies- 1.Qualification and experience documents of trainers not available. 2.Land certificates such as khasra khatauni are not matching as per rent deed. 3.No meter sealing certificate. 4.furniture is not available as per norms. 5.NOC from state for ITI to be considered as MSTI not available.</p> | <p>week from issue of this MoM. State directorate will submit a verified report along with NOC with clear recommendation to DGT within 01 week from issue of this MoM. ITI mentioned that ITI mentioned that he mistakenly applied as MSTI , hence no NOC is required</p> | | |
|--|--|--|--|--|---|--|--|--|

| | | | | | | | | |
|----|---|----------|---|---|---|--|--|---|
| | | | | | 6.Health sanitary inspector workshop not as per norms | | | |
| 14 | Banshi Singh Private ITI, Vill-Harsand, Banshi Bazar, Post-Nawanger, Dist-Ballia, Uttar Pradesh. 1809017096 | New | 1. Electrician-3 (1+1+1) 2. Fitter-3 (1+1+1) 3. Health Sanitary Inspector-3 (1+1+1) 4. Wireman-3 (1+1+1) | Recommended: 1. Electrician-3 (1+1+1) 2. Fitter-3 (1+1+1) 3. Wireman-3 (1+1+1) power norms for HSI trade is short of 1.72 KW. | 1. Electricity load is less as per norms. (Available-16 KW, Required-17.71 KW) 2. BCC is given by architect, Not as per Norms. 3. CITS details of the trainers not available. | 5 th SCAA ITI will submit BCC as per norms to concerned state directorate within 07 days from issue of this MoM. The State Directorate will verify and send the report with clear recommendation within 07 days from issue of this MoM. | State sent letter 21.10.2022 and mentioned that 1. Electric load extended to 18 KW 2. BCC given as per norms 3. Recommended for affiliation | As ITI removed deficiencies hence Recommended: 1. Electrician-2 (1+1) 2. Fitter-2 (1+1) 3. Health Sanitary Inspector-2 (1+1) 4. Wireman-2 (1+1) |
| 15 | Shree Moni Baba Pvt. ITI, Mathura, Gadaya Latifpur Block - Farah Dist. - Mathura 281122 MIS CODE: PU09002081 | Existing | 1. Electrician-6 (2+2+2) 2. Fitter-3 (1+1+1) | Recommended: 1. Electrician-4 (2+2) 2. Fitter-2 (1+1) | 1. BCC is given by architect, Not as per norms. 2. All instructors are not CITS qualified. | 5 th SCAA ITI needs to submit the following details to State Directorate within 07 days from issue of this MoM- | State sent letter 21.10.2022 And attached 1. BCC as per norms 2. CITS details And recommended | As ITI removed deficiencies hence recommended 1. Electrician-4 (2+2) 2. Fitter-2 (1+1) |

| | | | | | | | | |
|----|--|----------|-----------------|---|--|---|---|--|
| | Grading: 2.49 | | | | | <p>1. BCC documents as per norms.</p> <p>2. Undertaking to appoint CITS instructors before start of session 2022.</p> <p>State Directorate will verify above reports and send recommendation of all the trades/units within 07 days from issue of this MoM. State directorate and RDSDE will ensure CITS instructors are appointed before the session 2022.</p> | <p>1. Electrician-6 (2+2+2)</p> <p>2. Fitter- 3 (1+1+1)</p> | |
| 16 | <p>Ishaq Nisha Pvt ITI Village Mukrampur Block Bhawalkhera Tehsil Sadar D, Shahjahanpur-242306</p> <p>MIS CODE: PR09901299</p> | Existing | Fitter 3(1+1+1) | <p>Recommended:</p> <p>1. Electrician-6 (2+2+2),</p> <p>2. Fitter-3 (1+1+1)</p> | <p>1. CITS instructor details of fitter trade are not available.</p> <p>2. Grading of ITI is zero.</p> | <p>5th SCAA Case to be dealt on e-file.</p> <p>As this ITI was not under grading consideration as established after grading cut off date hence as per DGT order DGT-Aff011(13)/5/2022-</p> | <p>ITI has submitted representation that Electrician (2+2+2) also sought for affiliation but inadvertently in application Electrician was mentioned</p> | <p>As per ICVC remarks and State Directorate recommendation, SCAA Committee recommended for Addl. Electrician - 4(2+2)</p> |

| | | | | | | | | |
|--|--|--|--|--|--|---|---|--|
| | | | | | | <p>O/o-Dir-TC dated 15.09.2022 (e-file 52133) , grading criteria will not be imposed for this ITI and Fitter-2 (1+1) was recommended as this was the only trade, sought for affiliation in application of ITI .</p> | <p>existing instead of new trade .</p> <p>ICVC also recommended ITI for both the trades and State Directoarte in compliance dated 13.09.2022 recommedned ITI for both the trades .State Directorate again sent compliance mentioning the above facts.</p> | |
|--|--|--|--|--|--|---|---|--|

Agenda 2: Ratification of compliance cases received till 10.10.2022

The following proposals were placed in 1st SCAA dated 5.4.2022 & 6.4.2022 to 6th SCAA dated 30.8.2022. Due to some deficiencies in these ITIs, RDSDEs /State Directorates were asked to submit compliance report. Decision on these compliance report has been taken on e-file, placed below for information and ratification:

Table 2: List of Compliance cases for ratification:

| SL. No. | Name of the State | MIS CODE/TMP | Name of the ITI and Address | Decision taken on file |
|---------|-------------------|----------------------|---|--|
| 1 | Bihar | TMP10197PR1582544615 | Ravi Gyan Private Industrial Training Institute, Gopalganj, Barawa Kaparpura Tola Prem Nagar Mirganj Hathua Gopalganj, | As ITI fulfilled all the deficiencies and recommended by State Directorate hence ITI recommended for 1. Electrician – 4 (2+2) 2. Fitter – 2 (1+1) 3. Health Sanitary Inspector - 2 (1+1) 4. Hospital Housekeeping - 2 (1+1) |
| 2 | Bihar | PR10000892 | Pacific Private ITI Private Industrial Training Institute, Gaya, Bagobigha, Post-Silaunja, P.S. Belaganj, Dist-Gaya MIS Code: Grading: 2.46 | As ITI removed all the deficiencies and recommended by State Directorate hence ITI recommended for Electrician – 12 (6+6) |
| 3 | Bihar | TMP10192PR1582792266 | Sri Ramanand Private Industrial Training Institute, Bhagalpur, At+ P.O. - Kiranpur, Bhagalpur-813108, Bihar | As MSTI removed all the deficiencies and recommended by State Directorate MSTI recommended for Electrician 4(2+2) |
| 4 | Bihar | TMP10211PU1581932748 | Dr Safal Kumar Mishra Private Industrial Training Institute, Pashchim Champaran | As ITI removed all the deficiencies and recommended by State Directorate hence ITI recommended for 1. COPA - 2 (1+1) 2. Electrician - 4 (2+2) 3. Fitter- 4 (2+2) 4. Plumber - 2 (1+1) |

| | | | | |
|---|-------|----------------------|--|---|
| 5 | Bihar | PR10000836 | Sharda Pvt ITI, Saran Vill+ Po-Mohmadpur , PS-Garkha ,Dist-Saran - 841311 | As ITI removed all the deficiencies and recommended by State Directorate ITI recommended for Electrician - 4 (2+2) Not Recommended Fitter 6(2+2+2) |
| 6 | Bihar | PR10000389 | Vijay Private Industrial Training Institute, Saran Village- Chainpur, P.O + P.S- Mashrakh, Dist -Saran 841417 | As ITI removed all the deficiencies and recommended by State Directorate hence ITI recommended for 1. Electrician 4 (2+2) 2. Fitter 4 (2+2) |
| 7 | Bihar | PU10000886 | Ram Bhajan Private Industrial Training Institute,Gaya | As ITI removed all the deficiencies and recommended by State Directorate hence ITI recommended for 1. Electrician - 8 (4+4) 2. Electronic Mechanic 2 (1+1) |
| 8 | Bihar | TMP10196PR1580139868 | Saanvi Private Industrial Training Institute, Gaya, Vill-Bairiya ,P.O-Sahiya,P.S- Wazirganj,Dist-Gaya,Bihar- 805131,Gaya,Bihar | As ITI removed all the deficiencies and recommended by State Directorate hence ITI recommended for 1. COPA - 2 (1+1) 2. Electrician - 8 (4+4) 3. Electronic Mechanics - 2 (1+1) 4. Fitter - 2 (1+1) |




| | | | | |
|----|-------|----------------------|--|---|
| 9 | Bihar | PR10000906 | Horizon Private Industrial Training Institute, Gaya New Chainpur Tola ,Kamat(Sherghati),Gaya 824211 | As ITI removed all the deficiencies and recommended by State Directorate ITI recommended for Electrician - 8 (4+4). |
| 10 | Bihar | TMP10201PR1580893272 | Luv Kush Education & Welfare Trust Private Industrial Training Institute, Katihar Vill-Pranpur Block-Pranpur Ps- Pranpur Distt-Katihar 854116 Bihar | As MSTI removed all the deficiencies and recommended by State Directorate MSTI recommended for 1. Electrician -4(2+2) 2. Fitter 2(1+1) |
| 11 | Bihar | TMP 384 MSTI NEW | Mahalaxmi Pvt ITI, Block+ P.O+P.S-. Sirdala Nawada Bihar, Nawada,Bihar. | As MSTI removed all the deficiencies and recommended by State Directorate MSTI recommended for Electrician 4(2+2) |
| 12 | Bihar | PR10000719 | Indiramadhrya Private ITI, At-Indralok Vihar ,Po-Manoharpur Kachuara, Patna Patna Bihar | As ITI removed all the deficiencies and recommended by State Directorate ITI recommended for Electrician - 4 (2+2) |
| 13 | Bihar | TMP10209PR1581521826 | Shanti Devi Private Industrial Training Institute, Nalanda,At. - Shekhpura Dih P.O. - Bangpur P.S. - Tharthari,803114 | As State Directorate not recommended hence MSTI NOT recommended |
| 14 | Bihar | PR10000605 | Rajgir ITC At&Po Nekpur PS-Chabilapur Nalanda- Bihar | As ITI removed all the deficiencies and recommended by State Directorate ITI recommended for Electrician 8(4+4) |

| | | | | |
|----|-------|------------|---|---|
| 15 | Bihar | PU10000863 | Maa sharda Pvt. ITI, Pratapur, Muktapur, Samastipur, Bihar- 848102 | As ITI removed all the deficiencies and recommended by State Directorate ITI recommended for Electrician Addl. 24(12+12+0) |
| 16 | Bihar | PR10000306 | Kumar ITC, NH-31, Kenamore, Madhobigha, Nawada, Bihar – 805123 Grading 2.22q | As ITI removed all the deficiencies and recommended by State Directorate ITI recommended for Electrician Addl. 8(4+4+0) |
| 17 | Bihar | PR10000813 | Rajdeo Yadav Private ITI, Fatehpur Chandhosh Road, PO- Mukhmilpur, PS- Paliganj, Dist.- Patna, Bihar – 801110 Grading 1.96 | As ITI removed all the deficiencies and recommended by State Directorate ITI recommended for Electrician Addl. 16(8+8+0) |
| 18 | Bihar | PR10000266 | Rajesh Ranjan ITI, At-Mitralok Colony, Pandey Patti, Buxar, | As ITI removed all the deficiencies and recommended by State Directorate ITI recommended for Electrician- 2 (1+1) |
| 19 | Bihar | TMPNEW429 | SHAMS private ITI, Sakra wazid, PS-Dholi, PO-Dholi, Dist.-Muzaffarpur, Bihar, Pin-843105. | As ITI removed all the deficiencies and recommended by State Directorate hence ITI recommended for 1. Electrician -16 (8+8) 2. Fitter - 4 (2+2) 3. Hospital House Keeping – 2 (1+1) 4. Smart phone and App Testing - 2 (1+1). |




| | | | | |
|----|-------|--------------------------|--|---|
| 20 | Bihar | TMP10221PR1 582388556 | Maa Shivdulari Private Industrial Training Institute, Sitamarhi, Chak mahila, Bihar | As ITI removed all the deficiencies and recommended by State Directorate ITI recommended for Electrician – 8(4+4) Fitter – 4(2+2) Computer Operator and Programming Assistant (COPA) 2(1+1) Mechanic Diesel – 2(1+1) |
| 21 | Bihar | PR10000023 | Mahatma Budh Private ITI- Imadpur, Rahui, Biharsharif, Nalanda | As ITI removed all the deficiencies and recommended by State Directorate ITI recommended for Electrician- 4(2+2) Additional units |
| 22 | Bihar | PR10000297 | Siya ITC, Saharsa Saharsa, Near Matasyagandha P.O, Dist- Saharsa- 852201 | As ITI removed all the deficiencies and recommended by State Directorate ITI recommended for Electrician-6(3+3) |
| 23 | Bihar | TMP 416 MSTI | R N Private ITI , Shivajinagar, Dist - Samastipur, Pin -848117 (Bihar), | As MSTI has not removed deficiency roof of work shop drawing hall and class room MSTI not recommended for affiliation |
| 24 | Bihar | TMP 396 MSTI | DPS PVT ITI, Tikapur Kasba Dist-Purnea- Pin-854330, | As MSTI removed all the deficiencies and recommended by State Directorate MSTI recommended for Electrician 4(2+2) Fitter 4(2+2) |
| 25 | Bihar | PR10000697 | Sri Vishnu Private ITI, Vansi Nagar, Gaya Road Islampur, Nalanda- | As ITI removed all the deficiencies and recommended by State Directorate ITI recommended for Electrician – 8(4+4) |




| | | | | |
|----|--------------|----------------------|---|--|
| 26 | Bihar | PR10000557 | RADIANT PRIVATE ITI, Radiant Private ITI, -Bheldi, Saran, Bihar-841402, SARAN, Bihar. | shifting is not allowed outside the block as per DGT rules. Hence ITI NOT recommended to shifting ITI may apply a fresh as per shifting norms. |
| 27 | Bihar | PR10000301 | Ram Nandan Pandey ITC Private Industrial Training Institute, Aurangabad, At. Erka Colony, Po. Amba, Aurangabad,Bihar. | as ITI removed the deficiencies and recommended by State Directoarte , ITI recommended for 1.COPA - 2 (1+1) 2.Electrician- 12 (6+6) |
| 28 | Bihar | TMP 404 MSTI | Gopalganj Pvt. ITI, Manjha, Gopalganj, Bihar, Gopalganj, | As per recommendation of State , MSTI not recommended for affiliation |
| 29 | Bihar | PR10000020 | AWADHESH SINGH PVT. ITI, Balua- Turkaulia Road, Laxmipur Motihari, Purbi Champaran, Bihar. | As recommended by joint inspection team, ITI recommended for Electrician 16(8+8) |
| 30 | Chhattisgarh | TMP22378PR1581041011 | Chhattisgarh Pvt ITI, Dhanora, Durg. New ITI | As ITI removed all the deficiencies ITI recommended for 1. Electrician 4(2+2) 2. COPA 4(2+2) 3. Health Sanitary Inspector 2(1+1) 4.Computer Hardware and Networking 2(1+1) |




| | | | | |
|----|-----------|----------------------|--|--|
| 31 | Gujarat | TMP24438PR1582872262 | BAPS Swaminarayan ITI, College Road, Bodeli District: Chhota Udepur - 391135 | As ITI removed all the deficiencies ITI recommended for 1. Computer Operator and Programming Assistant (COPA) - 2 (1+1+0) 2. Electrician - 2 (1+1+0) 3. Fitter - 2 (1+1+0) 4. Welder - 2 (1+1+0) |
| 32 | Haryana | PR06000269 | Aman Private Industrial Training Institute, Ratia Fatehabad | As ITI removed all the deficiencies and recommended by State Directorate ITI recommended for 1. COPA - 2(1+1) 2. Basic Cosmetology - 2(1+1) 3. HSI - 2(1+1) |
| 33 | Karnataka | PR29000268 | Sri Babukaka Shirgaokar Tech.Edn.Trust ITI Ugar-Khurd Athani Belgaum - 591316 | As ITI removed the deficiency and as recommended by State Directorate, recommended for welder (1+0) |
| 34 | Karnataka | PR29000198 | Kottur Swamy Kalyana Kendra Industrial Training Institute (W) Naregal At Post-Nargol-582119 Tq Ron Gadag-582119 | As ITI removed all the deficiency and as per State Directorate recommendation , recommended for 1. Electrician 2(1+1) 2. Fitter 2(1+1) 3. Plumber 2(1+1) 4. Wireman 2(1+1) |




| | | | | |
|----|-------------|------------|---|--|
| 35 | Karnataka | PR29000168 | Srinivasa Industrial Training Centre Bangarpet 2059 Vijaya Nagar Vivekanandanagar Bangarpet KOLAR- 563114 | This ITI applied for category 2 i.e. addition of trade, however ITI grading is 0, so addition of trade can't be recommended However State Directorate mentioned in its report this is Shifting case from Kolar to Tumkur if this is the case then also inter district shifting is not permitted ITI not recommended |
| 36 | Maharashtra | PR27000157 | Gramin Industrial Training Institute Nehrunagar Private Industrial Training Institute, Nanded At. Post. Nehrunagar Tq. Kandhar Dist. Nanded-431742 | As ITI removed deficiency and as per State Directorate recommendation ITI recommended for Electrician 4(2+2) Wireman 4(2+2) |
| 37 | Maharashtra | PR27000992 | Gramin ITI At. post Gharni Tq Chakur, dist latur, LATUR Mahahrashtra – 413513 PR27000992 (ITI established on 31.07.2019 so not under grading consideration) | As per State Directorate Recommendation , ITI NOT recommended |
| 38 | Maharashtra | PR27001026 | Smt.Sulochana Bhat Pvt. ITI, Kundalt Kundal Palus-Karad Road,Near Ghatage Pool,Kundal Tal:Palus Dist:Sangli Pincode:416309 | As ITI removed deficiency and as per State Directorate and RDSDE recommendation ITI recommended for 1. Information Technology 1(0+1) 2. Electrician 1(0+1) 3. Draftsman Mechanical 1(0+1) |

| | | | | |
|----|-------------|------------------------|--|--|
| 39 | Maharashtra | TMP27487PR1645428534 | Dr Vijay Bidkar Industrial Training (P) Institute Abhona Nashik, At Post Abhona Tal Kalwan Dist Nashik, | As ITI removed deficiency and as per State Directorate recommendation ITI recommended for 1. Electrician-2(1+1) 2.Fitter-2(1+1) 3.HSI-2(1+1) 4.Solar Technician-2(1+1) |
| 40 | Maharashtra | TMP27487PR1580191455 | SKD Private Industrial Training Institute, GAT NO 104 DEOLA NASHIK HIGHWAY AT POST BHAVADE TAL DEOLA DIST NASHIK-423102 | As per joint inspection team report , NOT recommended |
| 41 | Maharashtra | TMPSP063(special case) | Bhaskaracharya Private Industrial Training Institute, A/P Tarwade Taluka-Chaliscoan District -Jalgaon-424119 Maharashtra | As ITI removed deficiency and as recommended by State Directorate , recommended : 1.Draughtsman Mechanical- 2(1+1) 2.Electrician- 2(1+1) 3.Fitter- 2 (1+1) 4.Welder- 2 (1+1) |
| 42 | Maharashtra | TMP27472PU1649925021 | Rashtrasant Tukdoji Maharaj Private Industrial Training Institute Buldhana, Shelodi Road, Khamgaon Dist Buldhana-444303 | As ITI removed deficiency and as per State Directorate recommendation ITI recommended for 1.COPA 2(1+1) 2. Electrician 2(1+1) 3.Fitter 2(1+1) 4. Mechanic Diesel 2(1+1) 5. Solar Technician (Electrical) 2(1+1) |

| | | | | |
|----|-------------|--------------------------|--|--|
| 43 | Maharashtra | GU27000016(special case) | Government Industrial Training Institute, Aurangabad, Dist: Aurangabad, MIDC Area Railways Station Road Aurangabad-431005, Maharashtra | As per State Directorate recommendation 1. COPA-0 2. Electrician-2 (1+1+0) 3. Electronics Mechanic- 1 (0+1) 4. Fitter- 2(1+1) As 3rd shift is only recommended for DST only And Instrument Mechanic not recommended |
| 44 | Maharashtra | TMP27494PR1649745301 | Shivajirao Desai Private ITI Daulatnagar Satara, A/P- Daulatnagar (Marali) Tal-Patan Dist-Satara | As ITI fulfilled all the deficiencies and recommended by State Directorate ITI recommended for 1. Driver cum Mechanic-2(1+1) 2. Electrician-2(1+1) 3. Fitter-2(1+1) 4. Smartphone Technician Cum App Tester-2(1+1) |
| 45 | Maharashtra | TMP27474PR1645432232 | Dipprabha (P) Industrial Training Institute Chimthane Dhule, At Post Chimthane, Dalwade Praso Area Dhule Nandurbar Road Chimthane Tal Shindkheda Dist Dhule, | ITI removed As ITI has removed the deficiencies and as per state Directorate recommendation, we may recommend the ITI 1. Electrician2(1+1) 2. Fitter2(1+1) 3. Health Sanitary Inspector 2(1+1) 4. Solar Technician 2(1+1) |

| | | | | |
|----|-------------|----------------------|---|--|
| 46 | Maharashtra | TMP27472PU1649925021 | Rashtrasant Tukdoji Maharaj Private Industrial Training Institute Buldhana, Shelodi Road, Khangaon Dist Buldhana-444303 | As ITI removed deficiencies and as recommended by State Directorate , ITI recommended for 1. COPA 2(1+1) 2. Electrician 2(1+1) 3. Fitter 2(1+1) 4. Mechanic Diesel 2(1+1) 5. Solar Technician (Electrical) 2(1+1) |
| 47 | Punjab | PR03000199 | Guru Harkrishan ITC, Near Baba Ram Dev Mandir Alam Shah Road, Fazilka-152123, Punjab | As ITI removed the deficiency and as per State Directorate recommendation ITI recommended for Electrician- 4 (2+2) |
| 48 | Tamil Nadu | PR33000551 | Padma Narasimhan Private Industrial Training Institute, Thiruvarur Keezha Palaiyur Salai, Manjakkudi Post, Kodavasal Taluk, Thiruvarur District 612610, Thiruvarur,Tn | As ITI removed deficiency and as per State As ITI has removed the deficiencies and as per state Directorate recommendation, recommended the ITI : 1. Technician Power Electronics Systems-2(1+1) 2. Computer Hardware & Network Maintenance- 1(1+0) 3. Mechanic Auto Electrical and Electronics- 1(1+0) |
| 49 | Tamil Nadu | PR33000033 | Sri Ramakrishna Mission Vidyalaya Private Industrial Training Institute, Coimbatore | As ITI has removed the deficiencies and as per state Directorate recommendation, recommend the ITI 1. Wireman-1(1+0) 2. Plumber-2(1+1) |

| | | | | |
|----|------------|----------------------|--|--|
| 50 | Tamil Nadu | PR33000301 | Ramco Private Industrial Training Institute, Virudhunagar | As ITI removed all the deficiencies and recommended by State Directorate ITI recommended for: COPA - 2(1+1) |
| 51 | Tamil Nadu | TMPSP090 | Adhiparasakthi Industrial Training Institute, Melmaruvathur Distt Kanchipuram – 603319 | As ITI has removed the deficiencies and as per state Directorate recommendation, recommended the ITI 1. Electrician - 2(1+1) 2. Front Office Assistant - 2(1+1) 3. Fitter - 2 (1+1) 4. R&AC - 2(1+1) 5. Welder - 2(1+1) |
| 52 | Tamil Nadu | TMP33589PR1647660070 | Rotary Club Of Madras Worth Pvt ITI Charitable Trust, Panjalai Village, Thanipoondi Post, Gummidipoondi Taluk, Thiruvallur District.601202 | As ITI removed all the deficiencies and recommended by State Directorate ITI recommended for 1. Machinist - 2 (1+1) 2. Horticulture - 1 (1+0) 3. Turner - 2 (1+1) 4. Smartphone Technician cum App Tester - 1 (1+0) |




| | | | | |
|----|------------|----------------------|---|--|
| 53 | Tamil Nadu | TMP34598PR1580121103 | Thirumalaiyan Private Industrial Training Institute, Karaikal B3 Nallezhundur Road, Nallambal Post Ambagarathur Karaikal District Ut Of Puducherry 609601 | As ITI has removed the deficiencies and as per state Directorate recommendation, recommended the ITI 1. Electrician - 4(2+2) 2. Fitter - 4(2+2) 3. Surveyor - 4(2+2) 4. Wireman - 4(2+2) |
| 54 | Telangana | PU36000490 | Ascend Private I.T.I, Paidipally, Hanamkonda, Warangal Urban, Warangal Urban, Telangana | Recommended Electrician 8(4+4) Draughtsman (Civil) 2(1+1) Health Sanitary Inspector 2(1+1) Smartphone Technician Cum App Tester 2(1+1) |
| 55 | Telangana | PU28000478 | Gaargi ITI, Warangal Road, Huzurabad, Karimnagar | As ITI has removed the deficiencies and as per state Directorate recommendation, we may recommend the ITI 1. Diesel Mechanic 4(2+2) 2. Dress Making 4(2+2) 3. Welder 4(2+2) |




| | | | | |
|----|-----------|------------|---|--|
| 56 | Telangana | PR28000481 | Sri Sai Adithya Private ITI, Govt. Junior College Back Side Shivunipally, Ghanpur Station, Jangoan | <p>As ITI has removed the deficiencies and as per state Directorate recommendation, we may recommend the ITI for shifting with existing trades only.</p> <p>As ITI grading is less than 1.25 so addition of new trade may not be recommended.</p> |
| 57 | Telangana | PR36000254 | VNR Private ITI, 5-147/5 Opp: Bits College Ramavaram Laknepally Narsampet Warangal Rural Telangana-506331, Warangal Rural | <p>As ITI has removed the deficiencies and as per state Directorate recommendation, we may recommend the ITI for shifting with existing trades only.</p> <p>As ITI grading is less than 1.25 so addition of new trade may not be recommended .</p> |




| | | | | |
|----|-----------|------------|--|--|
| 58 | Telangana | PU36000133 | Sri Vijay Sai Industrial Training Centre, Annaram, Ranga Reddy, Telangana | As ITI has removed the deficiencies and as per state Directorate recommendation, we may recommend the ITI for shifting and addition of trade as grading is more than 1.25 1 ELECTRICIAN -2 (1+1). 2.FITTER 2 (1+1). 3.ELECTRONIC MECHANIC – 2 (1+1) MECHANIC DIESEL Not recommended as tools and equipment are not available at new location |
| 59 | Telangana | PR36000262 | Doulphin Industrial Training Centre, Ranga Reddy, | As ITI has removed the deficiencies and as per state Directorate recommendation, we may recommend the ITI for Electrician- 4(2+2+0) |
| 60 | Telangana | PR36000058 | Shakti Pvt. I.T.I., Mancherial, H. No. 1-1/28, Laxmi Nagar, Road No.3, Bypass Road, Mancherial, Mancherial Dist., T.S., 504209, Mancherial, Telangana. | As recommended by State Directorate ITI is recommended for shifting . |

(P)

2

| | | | | |
|----|---------------|---------------------|---|--|
| 61 | Uttar Pradesh | TMP9148PR1581928075 | Meena Devi Private Industrial Training Institute Vill- Baharampur Post-Kusumhi Bazar Dist-Gorakhpur - 273002 | As ITI removed deficiency and as per State Directorate recommendation , recommended the following trades : 1. Computer Operator and Programming Assistant (COPA)- 2 (1+1) 2. Electrician -4(2+2) 3. Fitter-2 (1+1) 4. Mechanic Refrigeration and Air Conditioner-2 (1+1) |
| 62 | Uttar Pradesh | PR09000128 | Shiv Shanker Industrial Training Centre , Verified By - Bareilly-243202 | As ITI removed deficiency and as per State Directorate recommendation recommend: Electrician-2 (1+1) |
| 63 | Uttar Pradesh | TMP9119PU1582734149 | Surendra Bala Bhatnagar Private Industrial Training Institute, Aligarh, Omnagar, Khair-202138 | As ITI removed the deficiency and as per recommendation of RDSDE, recommended : 1.Electrician-4 (2+2) 2. Fitter- 2 (1+1) 3. Health Sanitary Inspector-2 (1+1) 4.Electronics Mechanic-2 (1+1) |

(PW)



| | | | | |
|----|---------------|---------------------|--|--|
| 64 | Uttar Pradesh | PR09901299 | Ishaq Nisha Pvt ITI Village Mukrampur Block Bhawalkhera Tehsil Sadar D, Shahjahanpur-242306 | This matter was dealt on e file 52133) As this ITI was not under grading consideration as established after grading cut off date hence as per DGT order DGT-Aff011(13)/5/2022-O/o-Dir- TC dated 15.09.2022 (e-file 52133) , grading criteria will not be imposed for this ITI .Now as per State Directorates recommendation recommended Fitter-2 (1+1) |
| 65 | Uttar Pradesh | PR09901269 | A.S.K. INSTITUTE OF EDUCATION PVT. ITI, NH-24 Budhanpur Block Joya Distt. Amroha 244102, Amroha, Uttar Pradesh. | As per State Directorates recommendation, ITI recommended for: 1. Fitter 2 (1+1) 2. Plumber 2 (1+1) 3. HSI 2 (1+1) |
| 66 | Uttar Pradesh | TMP9157PR1580020309 | New Kapoor Pvt I.T.I , Kanpur Nagar Vill. Budhanpur, Near Amauli , Ghatampur Kanpur Nagar 209206 | As ITI removed the deficiency and as per State Directorate recommendation, ITI recommended for: 1. Electrician-4 (2+2), 2. Fitter-4 (2+2), 3. Plumber-2(1+1) 4. COPA-2(1+1) |
| 67 | Uttar Pradesh | PR09900441 | Madan Mohan Malviya Pvt ITI Private Industrial Training Institute, Vill- Masuriya Post-Malhanpar Dist- Gorakhpur Pin-273403, UP | As BCC is not as per norms may not be recommended |

| | | | | |
|----|---------------|---------------------|---|--|
| 68 | Uttar Pradesh | PU09001984 | Maa Pitambra Pvt ITI, Shivpuri Road, JMK Motors, Behind JK Hospital, Nan,Jhansi | As ITI removed the deficiency and as per State Directorate recommendation ITI recommended for Electrician (2+2) |
| 69 | Uttar Pradesh | TMP9146PR1581769910 | Mata Tetara Devi Sachchidanand Private Industrial Training Institute, Ghazipur, Alipur Mandara Ghazipur-275203 | As ITI has removed the deficiencies and as per state Directorate recommendation, recommended the ITI 1. COPA -2 (1+1), 2. Electronics Mechanic -2(1+1), 3. Electrician-4 (2+2) 4. Fitter -4 (2+2) |
| 70 | Uttar Pradesh | TMP9153PR15 | Rashtrakavi Maithilisharan Gupt Private Industrial Training Institute, Behind Power House, Main Road, Chirgaon, Jhansi-284301 | As ITI removed deficiency and as per State Directorate recommendation , recommended for 1. Electrician – 8(4+4) 2. Fitter – 2(1+1) 3. Stenographer Secretarial Assistant (Hindi) – 2(1+1) 4. Health Sanitary Inspector – 2(1+1) |
| 71 | Uttar Pradesh | TMP9137PR1581765646 | Shanti Devi Private Industrial Training Institute, Village -Diwadhar Post- Pipramishr Distt-Deoria-274505 | As ITI removed deficiency and as per State Directorate recommendation , recommended for 1. COPA -2 (1+1) 2. Electrician -6(3+3) 3. Fashion Technology -2 (1+1) 4. Fitter -2 (1+1) |

(P)

SE

| | | | | |
|----|---------------|---------------------|--|--|
| 72 | Uttar Pradesh | PR09901272 | Shri Moti Smriti Private ITI Adalpurtaaj Kailsa Road Amroha Dist - 244221 | This matter was dealt on e file 52133) As this ITI was not under grading consideration as established after grading cut off date hence as per DGT order DGT-Aff011(13)/5/2022-O/o-Dir- TC dated 15.09.2022 (e-file 52133) , grading criteria will not be imposed for this ITI .Now as per State Directorates recommendation recommended 1. Electrician -2(1+1) 2. Fitter -2(1+1) |
| 73 | Uttar Pradesh | TMP9149PU1582008432 | KP Private Industrial Training Institute, Hamirpur, Devganv Road Hamirpur-210502, Up | As ITI removed the deficiency, recommended for Addl Fitter 2(1+1) |
| 74 | Uttar Pradesh | TMPOLD316 MSTI | Shri Kehbar Singh Memorial Pvt ITI, Phulwaria Road, Bhatparrani Dist: - Deoria | As ITI fulfilled all the deficiencies and recommended by State Directorate ITI recommended for 1. Electrician - 2 (1+1+0) 2. Fitter - 2 (1+1+0) |
| 75 | Uttar Pradesh | PR09000673 | Rajesh Kumar Sadhna Devi Private ITC - Etah,Dhumari Etah-207248 | As ITI fulfilled all the deficiencies and recommended by State Directorate ITI recommended for COPA-2(1+1) Health Sanitary Inspector-2(1+1) |

| | | | | |
|----|---------------|---------------------|--|---|
| 76 | Uttar Pradesh | PU09001617 | Smt Vidyawati Industrial Training Centre - Jhansi, Gora Machhiya Post Baragaon, Kanpur Road, Jhansi-284121 | As ITI fulfilled all the deficiencies and recommended by State Directorate ITI recommended for 1. COPA-2 (1+1) 2. Electrician-2 (1+1) |
| 77 | Uttar Pradesh | TMP9149PR1582448209 | Late Pooran Ramprakash Dixit Private Industrial Training Institute, Village Post Gehroli Muskara Tehsil Maudaha Hamirpur -210506 | As ITI fulfilled all the deficiencies and recommended by State Directorate ITI recommended for 1. Electrician-8 (4+4) 2. Fitter- 4(2+2) 3. Plumber-2(1+1) 4. Mechanic Diesel-2(1+1) |
| 78 | Uttar Pradesh | TMP9132PR1580196491 | Veer Kunwar Industrial Training Institute Bijnor Private Industrial Training Institute, Bijnor V.K.Puram Nagina Road Bijnor,246701 | As ITI fulfilled all the deficiencies and recommended by State Directorate ITI recommended for 1. Electrician-2(1+1) 2. Fitter- 2(1+1) 3. Diesel Mechanic-2(1+1) 4. Computer Hardware & Network Maintenance-2 (1+1) |
| 79 | Uttar Pradesh | PR09900135 | Mahesh chandra rajeev kumar private ITI, Near railway station , Marehra,district-Etah-207401 | As ITI fulfilled all the deficiencies and recommended by State Directorate ITI recommended for 1. Computer Hardware & Network Maintenance-2(1+1) 2. Fashion Design and Technology-2(1+1) 3. Solar Technician (Electrical)- 2(1+1) |




| | | | | |
|----|---------------|---------------------|---|--|
| 80 | Uttar Pradesh | PR09000957 | Ronald Private ITC - Lucknow, N 10, 11a, Sil, Ancillary Estate, Nadergang Industrial, Lucknow | As ITI fulfilled all the deficiencies and recommended by State Directorate ITI recommended for Electrician-10 (5+5) |
| 81 | Uttar Pradesh | TMP9130PR1582377850 | Shri Jeet Ram Smarak Private Industrial Training Institute, Bareilly, Village- Khata, Rithora Tehseel Sadar, Thana Hafizganj, Block Bithri Chainpur Bareilly, | <ol style="list-style-type: none"> 1. ITI removed the deficiency 2. Inspection of the ITI done for Housekeeping trade however ITI on NIMI portal applied for Mechanic Diesel Trade 3. As per ITIs application as they want to run Housekeeping but don't have the option to change the trade. 4. for BCC reported was asked from SD that is not received |
| 82 | Uttar Pradesh | 1809014901 | S.V.D. College of Pvt. ITI, Mainpuri | <ol style="list-style-type: none"> 5. Inspection of the ITI done for HSI trade however ITI applied for SEWING TECHNOLOGY I Trade 6. As per ITIs application as they want to run HSI but Mis takenly applied for swing technology in this regard in E-mail was also sent to D GT officer on 16-08-2019 |
| 83 | Uttar Pradesh | PR09900574 | Vishwakarma Private ITI Vill- Singhpur Post- Ghitauli Karhal Road Mainpuri, Up | ICVC RECOMMENED Fitter 6(2+2+2) but Electric load is less. (Available-13 KW, Required- 16.22 KW) Only Fitter- 2(1+1) recommended |

| | | | | |
|----|-------------|------------|--|---|
| 84 | West Bengal | PR19000230 | Khamargachi Private ITI Vill: Hamjanpur P.O. Khamargachi Ps: Balagarh Dist: Hooghly - 712515 | As ITI has removed the deficiencies and as per state Directorate recommendation, recommended the ITI for 1. Electrician 4(2+2) 2. Fitter 4(2+2) |
| 85 | West Bengal | PU19000064 | Salboni ITI,,Medinipur West Vill-Bankibandh, Po-Sayedpur, Ps- Salboni, Dist.-Paschim Medinipur – 721147 | As ITI has removed the deficiencies and as per state Directorate recommendation, recommended the ITI for Solar Technician (Electrical)-2(1+1) |
| 86 | West Bengal | PU19000240 | Raniganj Private ITI, Barddhaman, West Bengal | As ITI has removed the deficiencies and as per state Directorate recommendation, recommended the ITI for 1. Data Entry Operator2(1+1) 2. Hospital Housekeeping 2(1+1) |
| 87 | West Bengal | PU19000112 | Don Bosco Technical Institute, Park Circus,Kolkata,West Bengal | As per state Directorate recommendation, recommend for Electrician - 2(1+1) |

(P)

2

| | | | | |
|----|-------------|----------------------|--|--|
| 88 | West Bengal | PU19000006 | Don Bosco Technical School, Liluah,Haora 136, Girish Ghosh Road, P.O.- Liluah, P.S- Liluah – 711204 | As ITI has removed the deficiencies and as per state Directorate recommendation, we may recommend the ITI for Electrician 4(2+2) Fitter 2(1+1) *For other trades 3rd shift only be granted In DST mode |
| 89 | West Bengal | PR19000118 | Bishnupur Public I.T.I, Bankura | As ITI has removed the deficiencies and as per state Directorate recommendation, recommended the ITI for 1. Fitter- 2(1+1) 2. Electrician-2(1+1) |
| 90 | West Bengal | TMP19312PR1581497650 | Novel Private Industrial Training Institute, Hooghly, West Bengal | As ITI has removed the deficiencies and as per state Directorate recommendation, recommended the ITI for 1.Electrician-2(1+1) 2. Fitter-2(1+1) 3. Smartphone Technician Cum App Tester-2(1+1) 4. Welder-2(1+1) |

Remarks of SCAA: Committee has ratified the above affiliation cases.

Agenda 3: Miscellaneous

State Directorate Uttar Pradesh has requested to reconsider the affiliation case of Suraj Deepa Pvt ITI TMP9168PR1580372397, which was not recommended because the ITI didn't remove the deficiency of BCC as per norms. After discussion, the case was reconsidered in the meeting and recommendations are given below-

| Sl. No. | ITIs Name/ Address/ MIS Code / Grading | Type of application (Existing/ New/ MSTI) | Trades/ units sought for affiliation | Remarks by Inspection Cum Verification Committee (ICVC) (when inspection was done) | Observations of TC section in previous meetings | Remarks by previous SCAA meetings | Remarks of Compliance report sent by State Directorate | Remarks of 7 th SCAA |
|---------|---|---|--|---|---|--|---|--|
| I | II | III | IV | V | VI | VII | VIII | IX |
| 1 | Suraj Deepa Private Industrial Training Institute, Mau Village- Haldharpur (Sofipur) , Post- Haldharpur, Tehsil- Sadar Mau, District- Mau, 221705 TMP9168PR1580372397 | New | 1. Electrician -6 (2+2+2) 2. Fitter - 3 (1+1+1) 3. Electronics Mechanic - 3 (1+1+1) 4. COPA – 3 (1+1+1) | 1. SCVT: Agree, land, building tools Equipment Electricity is available as per norms, staff partially available and | 1. BCC not as per norms. 2. All instructors are not having CITS certificate. | 6 th SCAA ITI needs to remove below mentioned deficiency within 7 days and submit a report to the concerned State Directorate. The State Directorate will verify and send the report to the TC section ,DGT within 7 days from the date of issue of MoM.. | State Directorate send email dated 24.11.2022 and attached BCC as per norms | As ITI removed the deficiencies Recommended for 1. Electrician - 4 (2+2) 2. Fitter - 2(1+1) 3. Electronics Mechanic -2 (1+1) 4. COPA – 2 (1+1) |

| | | | | | | | |
|--|--|--|--|---|--|--|--|
| | | | | <p>trustee provides affidavit that before session start all teaching staff will be planned as per norm.</p> <p>2. NCVT: Agree, Building Completion Certificate is not in proper format.</p> <p>3. Some of the computer systems found in COPA lab are having lower Specifications, 30% Tools and</p> | <p>1. BCC is not in proper format.</p> <p>2. Some of the computer systems found in COPA lab are having lower Specifications, 30% Tools and Equipment shortage in Electronics Mechanic Trade.</p> <p>The purchase invoice no.01325 dated 15.7.2020 (Techostar Enterprises who supplied items for COPA trade) for the amount of Rs.10,18,989 is not in proper format and is doubtful.</p> <p>State Directorate sent letter dated 4.10.2022 and stated that ITI removed deficiencies recommended for affiliation however BCC was given by architect that was not as per norms. Hence ITI was not</p> | | |
|--|--|--|--|---|--|--|--|

| | | | | | | | | |
|--|--|--|--|---|--|--|--|--|
| | | | | <p>Equipment shortage in Electronics Mechanic Trade</p> <p>4. Building Completion Certificate is not in proper format.</p> <p>The purchase invoice no.01325 dated 15.7.2020 (Techostar Enterprises who supplied items for COPA trade) for the amount of Rs.10,18,989 is not in proper format and is doubtful.</p> | | <p>recommended based on decision taken on e file</p> | | |
|--|--|--|--|---|--|--|--|--|

(P)

[Handwritten signature]