# DGT- Aff011(51)/26/2022-TC SECTION Government of India Ministry of Skill Development and Entrepreneurship Directorate General of Training

Employment Exchange Building, 1st floor, Pusa, New Delhi, Dated: 02.01.2023

To

#### The State Directorate

Andhra Pradesh, Assam, Bihar, Chhattisgarh, Jharkhand, Karnataka, Maharashtra, Punjab, Rajasthan, Telangana, Uttar Pradesh

Subject: Affiliation of Units/Trades of Government / Private ITIs with NCVT -regarding.

Sir/Madam,

As decided in the 7<sup>th</sup> meeting of Standing Committee on Accreditation and Affiliation (SCAA) held on 22.11.2022 & 23.11.2022, the recommendation/Not Recommendation of trades/units for the ITIs for session w.e.f. 2023, is mentioned in the attached list. This affiliation is granted for 5 years w.e.f session 2023.

- 2. The affiliation of Trade/Units stated above are further subjected to,
  - (i) The DGT & State officer can inspect the ITI any time for better performance & training
  - (ii) Periodic verification.
  - (iii) The ITI must comply with DGT norms/guidelines issued from time to time.
  - (iv) ITI must display the newly released logo of ITI on the Display Board at the main gate.
- 3. The said information is also available under "News & Updates" on NCVT MIS Portal at <a href="https://ncvtmis.gov.in">https://ncvtmis.gov.in</a>.
- 4. Discrepancies if any in the affiliation orders, may be intimated to the undersigned within 15 days of issue of this order.

100

(Ujjwal Biswas) ওত্যাবল বিধান#bddWAL BISWA

निदेशक / Director प्रशिक्षण महानिदेशालय, Directorals General of Training कोशल विकास एवं उद्यासशीलता संत्रालय कोशल विकास एवं उद्यासशीलता संत्रालय

Copy along with enclosures for information to:

কীহাল বিকাষ তব ওল্লাখনিক নিয়ালৰ

1. Sr PPS to Chairman of 7<sup>th</sup> meeting of Standing Committee on Accreditation and Affiliating Committee on Accredi

- 2. Sr PPS to DDG (Affiliation).
- 3. The officer dealing with NCVT MIS Portal To upload and Necessary mapping in the NCVT MIS portal.





#### **STATE Andhra Pradesh**

Meeting Date: 22/11/2022 & 23/11/2022

Sl. no.	Name of Institute with address	Type of Applicat	Trade for which affiliation affiliation sought Units for which affiliation sought/recommended by			Remarks by SCAA
		ion New/Exi sting		Instt.	Trade/units Approved by DGT SCAA	
	Vijaya Pvt. ITI, Chinthanippula	New	Fitter	4(2+2)	4(2+2)	Recommended:
	Agraharam,		Electrician	4(2+2)	4(2+2)	1. Fitter 4(2+2)
	Anakapall Mandal, Visakhapatnam-		Mechanic Diesel	2(1+1)	2(1+1)	2. Electrician 4(2+2)
1.	531001 TMPSP082		Welder	2(1+1)	2(1+1)	3. Mechanic Diesel 2(1+1)
						4. Welder 2(1+1)









#### **STATE Assam**

Meeting Date: 22/11/2022 & 23/11/2022

Sl. no.	Name of Institute with address	Type of Applicat	Trade for which affiliation sought	Units for whi sought/ reco		Remarks by SCAA
		New/Exi sting		Instt.	Trade/units Approved by DGT SCAA	
	New Tinsukia Private Industrial Training Institute, Tinsukia	New	Computer Operator and Programming Assistant (COPA)	3(1+1+1)	2(1+1)	As per Minutes of meeting of 7 <sup>th</sup> SCAA dated 22.11.2022 &23.11.2022
	TMP18302PR158		Electrician	12(4+4+4)	2(1+1)	Recommended for:
	1929720		Fitter	12(4+4+4)	2(1+1)	Computer     Operator and
1.			Mechanic Diesel	12(4+4+4)	2(1+1)	Programming Assistant (COPA) - 2(1+1) 2. Electrician - 2(1+1) 3. Fitter - 2(1+1)
						4. Mechanic Diesel - 2 (1+1)









#### **STATE Bihar**

Meeting Date: 22/11/2022 & 23/11/2022

- [	SI. no.	Name of Institute with address	Type of Applicat ion	Trade for which affiliation sought	Units for whi sought/ reco		Remarks by SCAA
			New/Exi sting		Instt.	Trade/units Approved by DGT SCAA	
	1.	Namrit Private Industrial Training Institute, Begusarai At-Khowandpur Po- Khodawandpur 848202  TMP10191PR15807 22161	New MSTI	Electrician- Fitter	4(2+2) 2(1+1)	4(2+2) NR*	Recommended  Electrician -4(2+2)  Fitter (1+1) -Not Recommended as per Minutes of meeting of 7 <sup>th</sup> SCAA dated 22.11.2022 &23.11.2022
	2.	Bharti Private Industrial Training Institute, Patna, Pir Badhauna, Daniawan, Patna- 801305  TMP10212PR15828 85262	New	Carpenter COPA Electrician Fitter	2(1+1) 2(1+1) 4(2+2) 2(1+1)	2(1+1) 2(1+1) 4(2+2) 2(1+1)	Recommended for:  1. Carpenter - 2 (1+1)  2. COPA - 2 (1+1)  3. Electrician - 4 (2+2)  4. Fitter - 2 (1+1)









## STATE Chhattisgarh

Meeting Date: 22/11/2022 & 23/11/2022

Sl. no.	Name of Institute with address	Type of Applicat ion	Trade for which affiliation sought		ich affiliation mmended by	Remarks by SCAA
		New/Exi sting		Instt.	Trade/units Approved by DGT SCAA	
1.	Sandipani Masturi, Bilaspur MIS Code: PR22000129	Existing	Computer Operator and Programming Assistant (COPA)  Stenographer Secretarial Assistant (Hindi)	2(1+1)	2(1+1)	Recommended: 1. COPA- 2(1+1) 2. Steno (Hindi)-2(1+1)
						As per State letter Fitter -4(2+2) is to be deactivated on NCVTMIS portal
	Shaildevi Private ITI, Durg MIS Code: PR22000191	Existing	Computer Operator and Programming Assistant Addl. (COPA)	2(1+1)	NR*	Recommended: 1. Fitter -4(2+2) 2. Solar Technician (Electrical)-2(1+1) 3. Stenographer
			Driver cum Mechanic	2(1+1)	NR*	secretarial Assistant (Hindi)- 2(1+1)
			Fitter	4(2+2)	4(2+2)	Not Recommended:
2.			Solar Technician (Electrical)	2(1+1)	2(1+1)	<ol> <li>COPA 2(1+1)         <ul> <li>additional units</li> </ul> </li> <li>Driver cum</li> </ol>
			Stenographer Secretarial Assistant (Hindi)	2(1+1)	2(1+1)	Mechanic-2(1+1) as mentioned in Minutes of meeting of 7th SCAA dated 22.11.2022 &23.11.2022





## STATE Chhattisgarh

Meeting Date: 22/11/2022 & 23/11/2022

-	Sl. no.	Name of Institute with address	Type of Applicat ion	Trade for which affiliation sought	Units for whi sought/ recon		Remarks by SCAA
			New/Exi sting			Approved by DGT SCAA	
	3.	Kamlakant Shukla Private ITI, Plot. Kh No. 2661/24 (Part), P.H. No. 2, At. Village Deori Teh. Bhatapara Distt Balodabazar- Bhatapara- 493118 MIS CODE: PU22000150	Existing	Physiotherapy Technician	2(1+1)	NR*	Not recommended:  Physiotherapy Technician - 2(1+1) as per reinspection committee remarks as mentioned in Minutes of meeting of 7 <sup>th</sup> SCAA dated 22.11.2022 &23.11.2022









#### **STATE Jharkhand**

Meeting Date: 22/11/2022 & 23/11/2022

Sl. no.	Name of Institute with address	Type of Applicat	Trade for which affiliation sought	Units for whi sought/ reco	A STATE OF THE PROPERTY OF THE PARTY OF THE	Remarks by SCAA
		ion New/Exi sting		Instt.	Trade/units Approved by DGT SCAA	
	Jharkhand Government Tool	New	Fitter	2(1+1)	2(1+1)	Recommended:
	Room ITI Gola, Plot No-279, Anchal-		Machinist	2(1+1)	2(1+1)	<ol> <li>Fitter 2 (1+1)</li> <li>Machinist 2 (1+1)</li> </ol>
1.	Banda, Po-Poyar, Village-Kanke, Dist- Ramgarh,		Turner	2(1+1)	2(1+1)	<ol> <li>Turner 2 (1+1)</li> <li>Welder 2 (1+1)</li> </ol>
	TMP20607GR16462 02315		Welder	2(1+1)	2(1+1)	









#### **STATE Karnataka**

Meeting Date: 22/11/2022 & 23/11/2022

Sl. no.	Name of Institute with address	Type of Applicat ion	Trade for which affiliation sought	Units for which affiliation sought/recommended by		Remarks by SCAA
		New/Exi sting		Instt.	Trade/units Approved by DGT SCAA	
	Jaybharat Private Industrial Training	New	COPA	1(1+0)	1(1+0)	For Application no TMP29527PU158139
	Institute, Belagavi, #689/1, Industrial Estate. Udyambag.	2	Electrician	2(1+1)	2(1+1)	6813 Trade unit sought for affiliation was-
	Belagavi-590008		Fitter	2(1+1)	2(1+1)	1. COPA 1(1+0)
	TMP29527PU15813 96813		Welder	1(1+0)	1(1+0)	<ol> <li>Electrician 2(1+1)</li> <li>Fitter 2(1+1)</li> <li>Welder 1(1+0)</li> </ol>
1.						However, State Directorate recommended following Trades/ units Technician Mechatronics, Tool and die maker (Dies & Moulds), Machinist, foundryman that are not in the aforesaid









#### **STATE Karnataka**

Meeting Date: 22/11/2022 & 23/11/2022

**Total - 06. (New-02. Existing-04)** 

Sl. no.	Name of with address	 Type of Applicat ion	Trade for affiliation soug	which tht	Units for whi sought/ recor		Remarks by SCAA
		New/Exi sting			Instt.	Trade/units Approved by DGT SCAA	
							application of ITI and further COPA (1+0) is not recommended and for there is no remarks mentioned for Welder 1(1+0).  As per State Recommendation only 2 trades in application no TMP29527PU158139 6813 Electrician 2(1+1), Fitter 2(1+1) recommended and COPA 1(1+0) Not Recommended, Welder 1(1+0) no remarks.
							Hence as discussed in SCAA committee, ITI is not meeting the minimum 4 trade criteria hence Not Recommended









#### **STATE Karnataka**

Meeting Date: 22/11/2022 & 23/11/2022

Sl. no.	Name of Institute with address	Type of Applicat ion	Trade for which affiliation sought		ich affiliation mmended by	Remarks by SCAA
		New/Exi sting	-	Instt.	Trade/units Approved by DGT SCAA	
2.	Madras Engineer Group & Centre Govt-ITI, Hq Meg Centre, Shivan Chetty Garden Post Box No 42 Bengaluru Urban- 560042 MIS CODE: GU29001554	Existing	Domestic Painter  Driver cum Mechanic  Electrician  Fitter  Mechanic Diesel  Mechanic Tractor  Sheet Metal Worker	2(1+1) 12(6+6) 4(2+2) 2(1+1) 2(1+1) 4(2+2) 2(1+1)	2(1+1) 12(6+6) 4(2+2) 2(1+1) 2(1+1) 4(2+2) 2(1+1)	Recommended for  1. Domestic Painter 2(1+1)  2. Driver cum Mechanic 12(6+6)  3. Electrician 4(2+2)  4. Fitter 2(1+1)  5. Mechanic Diesel 2(1+1)  6. Mechanic Tractor 4(2+2)  7. Sheet Metal Worker 2(1+1)
3.	Kengal Hanumantaiah Pvt ITI, Kolar PR29000118 Shifting Case: Old address: Bethamangala, KOLAR, 563114 New Address: SY No 3/9, katha no1228 Bangrapret taluk Bethamangala, Kolar 563116	Existing	Fitter addl.	1(0+0+1)	NR*	As per State Directorate recommendation within block shifting, hence recommended for shifting with existing trades only.  Not Recommended  Fitter Addl 1(0+0+1)









#### **STATE Karnataka**

Meeting Date: 22/11/2022 & 23/11/2022

Total - 06, (New-02, Existing-04)

SI.	Name of Institute with address	Type of Applicat	Trade for which affiliation sought	Units for whi sought/ reco		Remarks by SCAA
		ion New/Exi sting		Instt.	Trade/units Approved by DGT SCAA	
4.	Srinivasa Industrial Training Centre Bangarpet 2059 Vijaya Nagar Vivekanandanagar Bangarpet Kolar- 563114 MIS CODE: PR29000168	Existing	Electrician  Smartphone Technician Cum App Tester	2(1+1) 1(1+0)	NR*	As per State report this is Shifting case from Kolar to Tumkur and inter district shifting is not permitted hence Not Recommended
5.	SVG School Campus, Chikkanahally, Koratagere Taluk, Tumkur District TMPKA_19	New	Computer Operator and Programming Assistant (COPA)  Electrician  Fitter  Sewing Technology	2(1+1) 2(1+1) 2(1+1)	NR* NR* NR*	As ITI has not removed deficiencies of COPA and Sewing Technology, SCAA Committee has discussed that as per DGT norms all the new ITIs shall run with minimum 4 trades and 8 units, hence due to noncompliance of 4 trade criteria ITI Not recommended
6.	R.A. Patil ITI Pvt. Post Borgaon, BELGAUM, 591216 Karnataka MIS CODE: PR29001062	Existing	Electrician Fitter	4(1+1+2) 2(0+0+2)	2(1+1) NR*	Recommended Electrician 2(1+1)  Not Recommended Fitter 2(0+0+2) as per Minutes of meeting of 7 <sup>th</sup> SCAA dated 22.11.2022 &23.11.2022

\* Not Recommended

(D)

M.





#### **STATE Maharashtra**

Meeting Date: 22/11/2022 & 23/11/2022

Sl. no.	Name of Institute with address	Type of Applicat	Trade for which affiliation sought	Units for whi sought/ reco	CITE TRICE SAME LO NO ARMADESTICA MADERICA DE LO SE	Remarks by SCAA
		ion New/Exi sting		Instt.	Trade/units Approved by DGT SCAA	
	Shree Rameshwar Shikshan Sanstha Private Industrial	New	COPA  Electrician	2(1+1) 4(2+2)	2(1+1) 4(2+2)	Recommended: 1.COPA 2(1+1)
1.	Training Institute Ratnagiri Dabhil, Taluka Khed, Dis-Ratnagiri, 415709		Fitter	4(2+2)	4(2+2)	2. Electrician 4(2+2) 3. Fitter 4(2+2)
			Solar Technician (Electrical)	2(1+1)	2(1+1)	4. Solar Technician (Electrical) 2(1+1)
	TMP27492PR16478 58847					
	Shri Vaidyanath (P) Industrial Training	New	Electrician	2(1+1)	2(1+1)	Recommended
	Institute Halam Beed,		Wireman	2(1+1)	2(1+1)	1. Electrician-2(1+1)
	C/O At Post Halam Tq Parali (V) Dist Beed 431515		Health Sanitary Inspector	2(1+1)	2(1+1)	2. Wireman-2(1+1)
2.			Solar Technician	2(1+1)	2(1+1)	3. Health Sanitary Inspector-2(1+1)
	TMP27470PR16499 06190					4. Solar Technician- 2(1+1)
						5









## **STATE Punjab**

Meeting Date: 22/11/2022 & 23/11/2022

Sl.		Type of Applicat ion	Trade for which affiliation sought		nich affiliation ommended by	Remarks by SCAA
		New/Exi sting	×	Instt.	Trade/units Approved by DGT SCAA	÷
1	Modern Private I Village. Lakho Ke Behram, Tehsil Guru Har Sahai, District Ferozepur – 152023  MIS CODE: PR03000317		Electrician	6(3+3)	Not Recommended	As per joint inspection committee ITI has not complied with following deficiencies at the time of the second time inspection:  1. Parking area is too low and water can clog there during rain, the Canteen area is less than required. Canteen does not have wash basin for cleaning utensils  2. UPS not installed in IT lab.  Hence committee has not recommended this ITI









#### **STATE Rajasthan**

Meeting Date: 22/11/2022 & 23/11/2022

SI. no.	Name of Institute with address	Type of Applicat	Trade for which affiliation sought	E	ich affiliation mmended by	Remarks by SCAA
		New/Exi sting		Instt.	Trade/units Approved by DGT SCAA	
1.	Subodh Private ITI Plot No. IS 2020, Industrial Area, Ramchandrapura, Sitapura, JAIPUR  TMPSP102	New	Computer Operator and Programming Assistant (COPA)  Electrician  Fashion Design and Technology  Fitter  Solar Technician (Electrical)	2(1+1) 4(2+2) 2(1+1) 2(1+1)	2(1+1) 4(2+2) 2(1+1) 2(1+1)	Recommended for:  1. Computer Operator and Programming Assistant (COPA)-2(1+1)  2. Electrician-4(2+2)  3. Fashion Design and Technology-2(1+1)  4. Fitter-2(1+1)  5. Solar Technician (Electrical)-2(1+1)









#### **STATE Telangana**

Meeting Date: 22/11/2022 & 23/11/2022

Sl.	Name of Institute with address	Type of Applicat	Trade for which affiliation sought	Units for whi sought/ recor	Delivery Delivery Manufacture (1997)	Remarks by SCAA
		ion New/Exi sting	. y	Instt.	Trade/units Approved by DGT SCAA	
1.	Mother Theresa ITI(Pvt), Survey No 310, Hasnapur Road, Thatikonda Village, Mahabubnagar, Mahabubnagar, Telangana MIS CODE: PR36000192	Existing	Electrician HSI	4(2+2) 2(1+1)	**	As per State Directorate request due to non availibity of space tool equipment Existing trades  Electronic Mechanic 2(1+1)  Diesel Mechanic 2(1+1)  Draftsman civil 2(1+1) to deaffiliate  **For additional of trade and units, the matter needs to be dealt one file for a policy decision on grading for addition of trades/units
2.	Sadhu Venkatreddy Pvt.ITI,On Kamareddy to Sircilla Road, Yellareddy Peta,Karimnagar, Telangana- 505303 MIS CODE: PR36000259	Existing	Electrician  Mechanic Diesel	3(1+1+1) 6(2+2+2)	NR* 4(2+2)	As recommended by State Directorate ITI recommended for Mechanic Diesel 4(2+2)









#### **STATE Telangana**

Meeting Date: 22/11/2022 & 23/11/2022

Sl. no.	Name of Institute with address	Type of Applicat	Trade for which affiliation sought	Units for whi sought/ recor	AND	Remarks by SCAA
		ion New/Exi sting		Instt.	Trade/units Approved by DGT SCAA	
3.	Wilfred Pvt ITI Permnagar, Mulugu Warangal, Telangana, MIS CODE: PR36000200	Existing	Electrician	8(4+4)	8(4+4)	As per state Directorate recommendation ITI  Recommended for: Electrician-8 (4+4)- existing trade
4.	Laurel Pvt ITI, Near Padmakshi Temple Hanamkonda, Telangana MIS CODE: PU36000030	Existing	Electrician Fitter	8(4+4) 4(2+2)	8(4+4) 4(2+2)	Recommended for existing trades  Electrician 8(4+4)  Fitter 4(2+2)
5.	TSRTC Industrial Training Institute Hakimpet Medchal Malkajgiri  TMP36700PU16480 14342	New	Mechanic Diesel  Mechanic Motor Vehicle (MMV)	2(1+1)	2(1+1)	Recommended:  1. Mechanic Diesel- 2(1+1)  2. Mechanic Motor
5.			Painter (General) Welder	2(1+1)	2(1+1)	Vehicle (MMV)- 2(1+1) 3. Painter (General)- 2(1+1) 4. Welder-2(1+1)





<sup>\*</sup> Not Recommended





#### **STATE Telangana**

Meeting Date: 22/11/2022 & 23/11/2022

Sl. no.	Name of Institute with address	Type of Applicat	Trade for which affiliation sought		ich affiliation mmended by	Remarks by SCAA
		New/Exi sting		Instt.	Trade/units Approved by DGT SCAA	
	Naveen Industrial Training Centre, Nalgonda, Telangana	Existing	Electrician addl.	8(4+4)	**	Recommendation for Shifting with existing trades:
	MIS Code: PR36000047 Grading: 0.45 Old Address:					1. Electrician 4(2+2) existing 2.Fitter-4(2+2) existing 3. Draftsman civil
6.	D. V. K. Road, NALGONDA, 508001					2(1+1) existing  4. Sewing Technology 1(1+0) existing
	New Address: Lalai Gudem, Sagar Road, Nalgonda, Telangana					**For addition of trade/units, the matter will be dealt on e-file
	Kakatiya Pvt ITI Kothagudem,	New	Electrician	8(4+4)	8(4+4)	Recommended:
	Sujathanagar, Bhadradri, Telangana		Fitter	4(2+2)	4(2+2)	Electrician 8(4+4), Fitter 4(2+2),
7.			Hospital Housekeeping	2(1+1)	2(1+1)	Hospital Housekeeping-2(1+1), Welder-2(1+1)
			Welder	2(1+1)	2(1+1)	









#### **STATE Telangana**

#### Meeting Date: 22/11/2022 & 23/11/2022

SI.	Name of Institute with address	Type of Applicat	Trade for which Units for which affiliation affiliation sought sought/ recommended by		Remarks by SCAA	
		ion New/Exi sting		Instt.	Trade/units Approved by DGT SCAA	
8.	Gawtham Pvt. ITI, Industrial Estate Warangal - 506007  MIS Code: PU36000189  Grading: 1.91  Old address: Gawtham Pvt. ITI, Industrial Estate Warangal, D. No. 15-1-350 Shad 2/4 Industrial Estate, Warangal - 506007  New Address: Gawtham Pvt. ITI, Plot No F 13, INO Estate, Mulugu Road, Warangal-506007	Existing	Electrician	8(4+4+0)	NR*	As the applicant ITI has applied for shifting application on date 28.09.2018 at DGT portal and 22.10.2018 at state portal. Hence affiliation norms 2018 is applicable in the instant case and as ITI is not following new norms of 2018 Hence SCAA committee Not Recommended
9.	Karthikeya Private ITI Karimnagar Near Old Grain Market Road Beside Chanekya Degree College Jammikunta District Karimnagar TMP36508PU16484 38236	New	Electrician  Fitter  Health Sanitary Inspector  Smartphone Technician Cum App Tester	12(4+4+4) 6(2+2+2) 2(1+1) 2(1+1)	8(4+4) 4(2+2) 2(1+1) 2(1+1)	Recommended for 1. Electrician- 8(4+4+0) 2. Fitter-4(2+2+0) 3. Health Sanitary Inspector-2(1+1) 4. Smartphone Technician Cum App Tester-2(1+1)





<sup>\*</sup> Not Recommended





#### **STATE Telangana**

Meeting Date: 22/11/2022 & 23/11/2022

Sl. no.	Name of Institute with address	Type of Applicat	Trade for which affiliation sought	Units for whi sought/ reco		Remarks by SCAA
		ion New/Exi sting		Instt.	Trade/units Approved by DGT SCAA	
10	Shiva Sai Private ITI Shanthi Nagar, Peddapally Karimnagar 505172	Existing	Electrician	4(2+2)	4(2+2)	Recommended for: Electrician trade 4(2+2) additional units and as per State letter d- affiliation of draftsman civil 4(2+2) units









#### **STATE Uttar Pradesh**

Meeting Date: 22/11/2022 & 23/11/2022

**Total - 12. (New-07. Existing-05)** 

SI. no.	Name of Institute with address	Type of Applicati	Trade for which affiliation sought	Units for whi		Remarks by SCAA
		on New/Exis ting		Instt.	Trade/units Approved by DGT SCAA	
	Ram Milan Private Industrial Training Institute, Faizabad Ramdattpur,	New	COPA Electrician	2(1+1+0) 6(2+2+2)	2(1+1) 4(2+2)	Recommended  1. COPA-2(1+1+0)  2. Electrician-4(2+2)
1.	Atrawan, Darshan Nagar, Ayodhya - 224135		Fitter Sewing Technology	2(1+1+0) 2(1+1+0)	2(1+1) 2(1+1)	<ul><li>3. Fitter-2(1+1+0)</li><li>4. Sewing</li><li>Technology-</li></ul>
	TMP9140PR158169 2901			9		2(1+1+0)
	Shri Ram Raja Sarkar Private Industrial Training Institute, Jhansi Village	New	Electrician Fitter	6(2+2+2) 3(1+1+1)	4(2+2) 2(1+1)	Recommended for 1. Electrician 4(2+2) 2. Fitter -2(1+1) 3. Health Sanitary Inspector-1(1+0)
2.	Paadri,P.O.Bhojla,Bl ock Badagaon, Jhansi - 284002		Health Sanitary Inspector Stenographer	1(1+0)	1(1+0)	4.Stenographer Secretarial Assistant (Hindi)-2(1+1)
	TMP9153PR158028 7259		Secretarial Assistant (Hindi)	3(1+1+1)	2(1+1)	,
3.	Maa Sharada Samarak Audhogik Prashikshan Centre Gram Basarathapur - MauBasarathpur Gontha Mau-275303 MIS CODE: PR09001341	Existing	Electrician	6(2+2+2)	4(2+2)	Recommended Electrician -4(2+2)









#### **STATE Uttar Pradesh**

Meeting Date: 22/11/2022 & 23/11/2022

**Total - 12. (New-07. Existing-05)** 

Sl. no.	Name of Institute with address	Type of Applicati	Trade for which affiliation sought	Units for whi	ich affiliation mmended by	Remarks by SCAA
		on New/Exis ting		Instt.	Trade/units Approved by DGT SCAA	
	Lalsa Prasad Institute of Technical Education Pvt ITI - LucknowD-139/3 Indira Nagar	Existing	Computer Operator and Programming Assistant (COPA)	3(1+1+1) 4(1+1+2)	NR* 2(1+1)	Recommended: 1. Fitter-2(1+1) 2. Electrician - 2(1+1)
4.	Lko.Lucknow- 226010 MIS CODE: PR09001023		Fitter	4(1+1+2)	2(1+1)	Not Recommended - COPA-2(1+1) as per Minutes of meeting of 7 <sup>th</sup> SCAA dated 22.11.2022 &23.11.2022
5.	Shri Jeet Ram Smarak Private Industrial Training Institute, Bareilly, Village- Khata, Rithora Tehseel Sadar, Thana Hafizganj, Block Bithri Chainpur Bareilly, TMP9130PR158237 7850	New	Electrician  Fitter  Wireman  Hospital Housekeeping	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	Recommended: 1. Electrician- 2(1+1) 2. Fitter-2(1+1) 3. Wireman-2(1+1) 4. Hospital Housekeeping- 2(1+1)
6	Maharajgang Pvt ITI Brijmangang Maharajgang First Block: Details Block: Brijmangang District: Maharajgang, TMPOLD323 MSTI	New MSTI	Electrician	4(2+2)	4(2+2)	<ul> <li>Recommended for: <ul> <li>Electrician 4(2+2)</li> </ul> </li> <li>MSTI should start one short term course also as per DGT MSTI norms</li> </ul>









#### **STATE Uttar Pradesh**

Meeting Date: 22/11/2022 & 23/11/2022

Sl. no.	Name of Institute with address	Type of Applicati on	Trade for which affiliation sought	Units for whi sought/ reco	ch affiliation mmended by	Remarks by SCAA
		New/Exis ting		Instt.	Trade/units Approved by DGT SCAA	
7.	Rajesh Kumar Sadhna Devi Private ITC - Etah,Dhumari Etah-207248 MIS CODE: PR09000673	Existing	Electrician	12(4+4+4)	8(4+4)	Recommended: Addl. Electrician - 8(4+4)
8.	Sarmishta Ahuja Pvt. ITI, Hathras Village Parsara Hathras 204101 TMP9163PR158278 0708	New	Electrician Fitter COPA Health Sanitary Inspector	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	Recommended:  1. Electrician 2(1+1) 2. Fitter 2(1+1) 3. COPA 2(1+1) 4. Health Sanitary Inspector 2(1+1)
9.	Banshi Singh Private ITI,Vill-Harsand, Banshi Bazar, Post-Nawanger, Dist-Ballia,Uttar Pradesh.  1809017096	New	Electrician  Fitter  Health Sanitary Inspector  Wireman	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	2(1+1) 2(1+1) 2(1+1) 2(1+1)	Recommended:  1. Electrician-2 (1+1) 2. Fitter-2 (1+1) 3. Health Sanitary Inspector-2(1+1) 4. Wireman-2 (1+1)









#### **STATE Uttar Pradesh**

Meeting Date: 22/11/2022 & 23/11/2022

**Total - 12. (New-07. Existing-05)** 

Sl. no.	Name of Institute with address	Type of Applicati	Trade for which affiliation sought		ich affiliation mmended by	Remarks by SCAA
		on New/Exis ting		Instt.	Trade/units Approved by DGT SCAA	
10.	Shree Moni Baba Pvt. ITI, Mathura, Gadaya Latifpur Block - Farah Dist. – Mathura 281122 MIS CODE: PU09002081	Existing	Electrician Fitter	6(2+2+2) 3(1+1+1)	4(2+2) 2(1+1)	Recommended: 1. Electrician- 4(2+2) 2. Fitter- 2(1+1)
11.	Ishaq Nisha Pvt ITI Village Mukrampur Block Bhawalkhera Tehsil Sadar D, Shahjahanpur- 242306 MIS CODE: PR09901299	Existing	Electrician	6(2+2+2)	4(2+2)	Recommended: Electrician addl. 4(2+2)
12.	Suraj Deepa Private Industrial Training Institute, Mau Village- Haldharpur (Sofipur), Post- Haldharpur, Tehsil- Sadar Mau, District- Mau, 221705	New	Electrician Fitter Electronics Mechanic COPA	(2+2+2) (1+1+1) (1+1+1) (1+1+1)	(2+2) (1+1) (1+1) (1+1)	Recommended for:  1. Electrician -4
	TMP9168PR158037 2397					

