

Shram Shakti Bhawan, New Delhi

Dated: 20.01.2017

To,

The Director of Industrial Training

Directorate of Industrial Training

Technical Education & Training Department, Government of West Bengal,

Karigori Bhaban,

Rajarhat, Kolkata-700160

Sub: Correction in the number of Trade/Units granted to the Institute in respect of Ausgram II Govt. ITI, Bardhaman Debshala, Ausgram, II West Bengal, Pin- 713156,Issue of Corrigendum

Sir,

It is to inform you in respect of Ausgram II Govt. ITI, Bardhaman Debshala, Ausgram, II West Bengal, Pin-713156, regarding the Correction in the number of Trade/Units granted to the Institute.

Accordingly the correction has been carried out for affiliation orders no DGT 12/1/2016 -TC dated 07.10.2016 (S. No.48 / West Bengal) and affiliation order after getting clarification from QCI meeting dated 07.10.2016 (S. No. 12/ West Bengal) QCI application No. A16002689 and amended as :-

For

		Unit for which affiliation sought/recommended by						
NO. Institute 18 Ausgram II Govt. ITI Suveyor	Instt.	QCI	Approved by sub committee of NCVT	Remarks				
sgram II Govt. ITI rdhaman Debshala,	Suveyor	3(1+1+1)	3(1+1+1)	3(1+1+1)	A16002689 w.e.f. Aug 2016			
sgarm, II West Bengal	Welder	3(1+1+1)	3(1+1+1)	3(1+1+1)				
	Sewing							
	Technology	3(1+1+1)	3(1+1+1)	3(1+1+1)				
	Read as	Technology	Technology 3(1+1+1)	Technology 3(1+1+1) 3(1+1+1)	Technology 3(1+1+1) 3(1+1+1) 3(1+1+1)			

	neau as					
48	MIS Code : GR19000224	Suveyor	3(1+1+1)	3(1+1+1)	3(1+1+1)	A16002689
12	Ausgram II Govt. ITI Bardhaman Debshala, Ausgarm, II West Bengal,	Welder	3(1+1+1)	3(1+1+1)	3(1+1+1)	w.e.f. Aug 2016
	Pin- 713156	Sewing Technology	3(1+1+1)	3(1+1+1)	3(1+1+1)	
	DGT-6/25/43/2016-TC				200 E. S. S. S. S.	
		COPA	3(1+1+1)	3(1+1+1)	3(1+1+1)	

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak)

Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

2. The Principal, Ausgram II Govt. ITI, Bardhaman Debshala, Ausgram, II West Bengal, Pin-713156.

3. Officer dealing with NCVT MIS Portal to Update Data.

4. Fill No DGT-6/25/43/2016-TC

(M. C Kardam)



Shram Shakti Bhawan, New Delhi

Dated: 20-01-2017

To,

The Director

Directorate of Employment & Training Guru Gobind Singh Marg, Lucknow – 226004 Uttar Pradesh

Sub: Affiliation of S.B.G.M Private ITI, 8/11 Mundera Bazar, Chauri-Chaura, Distric-Gorakhpur-273201, Uttar Pradesh,Issue of Corrigendum

Sir,

I am directed to inform you in respect of S.B.G.M Private ITI, 8/11 Mundera Bazar, Chauri-Chaura, Distric- Gorakhpur-273201, Uttar Pradesh regarding the <u>Correction in the address of the Institute</u>.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2016 -TC dated 07-10-2016 (S. No. 54 / Uttar Pradesh) QCI A16000822 and amended as:

For

SBGM Private ITI, Gonda 8/11 Mundera Bazar, Chauri-Chaura, Distric- Gorakhpur-273201, Uttar Pradesh

Read as

MIS Code:- PU09900260 SBGM Private ITI, 8/11 Mundera Bazar, Chauri-Chaura, Distric- Gorakhpur-273201, Uttar Pradesh DGT-6/24/212/2016-TC

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak)
Director of Training/

Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

2. The Principal, S.B.G.M Private ITI, 8/11 Mundera Bazar, Chauri-Chaura, Distric- Gorakhpur- 273201, Uttar Pradesh.

3. Officer dealing with NCVT MIS Portal to Update Data.

4. File No. DGT-6/24/212/2016-TC

(M. C Kardam)



Shram Shakti Bhawan , New Delhi

Dated: 20-01-2017

To,

The Commisioner,

Employment & Training, Koshaliya Bhawan, Dairy Circle, Banargatta Road, Bangalore-560029 Karnataka

Sub: Affiliation of Sri Goggachannabasaiah Private ITI, Sanapur Road, Near Govt. Hospital, Kampli, Bellary, Pin- 583132, KarnatakaIssue of Corrigendum

Sir,

I am directed to inform you in respect of Sri Goggachannabasaiah Private ITI, Sanapur Road, Near Govt. Hospital, Kampli, Bellary, Pin- 583132, Karnataka regarding the **Correction in the address** of the Institute.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2016 -TC dated 16-09-2016 (S. No. 6 / Karnataka) QCI A16000198 and amended as:

For

Sri Goggachannabasaiah Private ITI Bellary, Sanapur Road, Near Govt. Hospital, Kampli, Karnataka

Read as

MIS Code:- PU29000995

Sri Goggachannabasaiah Private ITI, Sanapur Road, Near Govt. Hospital, Kampli, Bellary, Pin- 583132, Karnataka

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak)

Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

2. The Principal, Sri Goggachannabasaiah Private ITI, Sanapur Road, Near Govt. Hospital, Kampli, Bellary, Pin- 583132, Karnataka.

3. Officer dealing with NCVT MIS Portal to Update Data.

4. File No. DGT-6/10/91/2009-TC

(M. C Kardam)



Shram Shakti Bhawan, New Delhi

Dated: 20.01.2017

To,

The Director Directorate of Technical Education & Training. Killa Maidan, Cuttack-753001, Orissa

Sub: Correction in the number of units/trades in respect of Government ITI BOUDH, Boudh, Odisha-762014... Issue of Corrigendum

Sir,

It is to inform you in respect of Government ITI BOUDH, Boudh, Odisha -762014 regarding the Correction in the number of Trade/Units granted to the Institute.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2016 -TC dated 07.10.2016 (S. No.2 / Odisha-) and amended as :-

-	_	
г	u	
-	-	

SI ·	App. No.	Name & Address	Old/ New		rade /units f ight/recomm	DGT file reference		
N o.				Trade	Instt.	QCI	Approved by Sub- Committee of NCVT	
2	NXT003490	Government ITI воирн	Old	Textile Wet Processing	3(1+1+1)	3(1+1+1)	3(1+1+1)	w.e.f. August 2016
		BOUDH, Boudh, Boudh,		Dress Making Electronics	3(1+1+1)	3(1+1+1)	3(1+1+1)	
		Odisha-762014		Mechanic	3(1+1+1)	3(1+1+1)	3(1+1+1)	

7.00		-	
		~1	-
n	еа	•	dS

	ricau as							
2	NXT003490	MIS code: GU21000496 Government ITI BOUDH BOUDH, Odisha-762014	Old	Fitter	6(2+2+2)	6(2+2+2)	6(2+2+2)	DEGT- 6/18/11/97-TC w.e.f. August 2016

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak)

Director of Training/ Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002

- 2. The Principal, Government ITI BOUDH, Boudh, Odisha-762014.
- 3. Officer dealing with NCVT MIS Portal to Update Data.
- 4. File No. DEGT-6/18/11/97-TC

(M.C. Kardam)



Shram Shakti Bhawan, New Delhi

Dated: 20.01.2017

To,

The Director

Directorate of Technical Education & Training.

Killa Maidan, Cuttack-753001, Orissa

Sub: Correction in the number of units/trades in respect of Govt.ITI Purushottampur, At-Jagannathpalli, Po-Jagannathpur, Near Tara Tarini Junction, Via-Bhatakumarada, Chatrapur, GANJAM, Odisha-761003...Issue of Corrigendum

Sir.

It is to inform you in respect of Govt.ITI Purushottampur, At-Jagannathpalli, Po-Jagannathpur, Near Tara Tarini Junction, Via-Bhatakumarada, Chatrapur, GANJAM, Odisha-761003 regarding the Correction in the number of Trade/Units granted to the Institute.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2016 -TC dated 30.08.2016 (S. No.4 / Odisha-) and amended as :-

Sl	For App. No.	Name & Address	Old/ New	T	DGT file reference			
N o.				Trade	Instt.	QCI	Approved by Sub-Committee of NCVT	
4	APP004806	Govt.ITI Purushottampur, At- Jagannathpalli, Po- Jagannathpur, Near Tara Tarini Junction,Via- Bhatakumarada, Chatrapur, GANJAM, Odisha-761003	Old	Fitter Welder COPA Painter (G) Plumber Wireman	3(1+1+1) 2(0+0+2) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	3(1+1+1) 2(0+0+2) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	3(1+1+1) 2(0+0+2) 2(1+1) 2(1+1) 2(1+1) 2(1+1)	w.e.f. August 2016

	Н	read as						
4	APP004806	Govt.ITI	Old	Fitter	3(1+1+1)	3(1+1+1)	3(1+1+1)	w.e.f. August
		Purushottampur , At-		Welder	2(0+0+2)	2(0+0+2)	2(0+0+2)	2016
		Jagannathpalli, Po-		COPA	2(1+1)	2(1+1)	2(1+1)	
		Jagannathpur, Near		Painter (G)	2(1+1)	2(1+1)	2(1+1)	
		Tara Tarini		Plumber	2(1+1)	2(1+1)	2(1+1)	
		Junction,Via-		Wireman	2(1+1)	2(1+1)	2(1+1)	
		Bhatakumarada,		Electrician	6(2+2+2)	6(2+2+2)	6(2+2+2)	
		Chatrapur, GANJAM,			1 2 2		ASSE 51	
		Odisha-761003						

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak)

Director of Training/

Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002

2. The Principal, Govt.ITI Purushottampur, At-Jagannathpalli, Po-Jagannathpur, Near Tara Tarini Junction, Via-B hatakumarada, Chatrapur, GANJAM, Odisha-761003

3. Officer dealing with NCVT MIS Portal to Update Data.

(M.C. Kardam)



Shram Shakti Bhawan, New Delhi

Dated: 20.01.2017

To,

The Director Directorate of Technical Education & Training. Killa Maidan, Cuttack-753001, Orissa

Sub: Correction in the number of units/trades in respect of Madhusudan Govt. ITI, B.O.S.E Campus, Po-SCB Medical College, Cuttack, Odisha-753007...Issue of Corrigendum

Sir,

It is to inform you in respect of Madhusudan Govt. ITI, B.O.S.E Campus, Po-SCB Medical College, Cuttack, Odisha-753007 regarding the Correction in the number of Trade/Units granted to the Institute.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2016 -TC dated 16.09.2016 (S. No.14 / Odisha-) and amended as :-

ъ		d	~	v	•
•	_	Œ	•		

14 A						Old/ Trade /units for which a New sought/recommended/ap		DGT file reference
14 A				Trade	Instt.	QCI	Approved by Sub-Committee of NCVT	
	APP005053	Madhusudan Govt. ITI, B.O.S.E Campus, Po- SCB Medical College, Cuttack, Odisha- 753007	Old	Draghtsman (Civil)	1(0+1)	1(0+1)	1(0+1)	w.e.f. August 2016
	· B	lead as	the second		-th			-

		leau as						
14	APP005053	Madhusudan Govt. ITI, B.O.S.E Campus, Po-	Old	Draghtsman (Civil)	1(0+1)	1(0+1)	1(0+1)	w.e.f. August 2016
		SCB Medical College, Cuttack, Odisha-		Fitter	2(0+0+2)	2(0+0+2)	2(0+0+2)	C 47550 143004
		753007		Electrician	2(0+0+2)	2(0+0+2)	2(0+0+2)	
				Electronics Mechanic	1(0+0+1)	1(0+0+1)	1(0+0+1)	

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak)

Director of Training/ Member Secretary (NCVT)

- Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road,
 - I P Estate, Delhi 110002
 - 2. The Principal, Madhusudan Govt. ITI, B.O.S.E Campus, Po-SCB Medical College, Cuttack, Odisha- 753007
 - 3. Officer dealing with NCVT MIS Portal to Update Data.

(M.C. Kardam)



Shram Shakti Bhawan, New Delhi

Dated: 20-01-2017

To,

The Director Directorate of Technical Education W-6, Residency Road, Jodhpur-342001, Rajasthan

Sub: Affiliation of Nathdwara Private ITI, Upali Oden, Nathdwara, Rajsamand, Rajasthan-313301.....Issue of Corrigendum

Sir.

I am directed to inform you in respect of Nathdwara Private ITI, Upali Oden, Nathdwara, Rajsamand, Rajasthan - 313301 regarding the Correction in the name of the Institute.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2015 -TC dated 28-8-2015 (S. No.92 / Uttar Pradesh) QCI App004192 and amended as:

For

Govt. ITI, Nathdwara, Dist. Rajsamad, Pin-313301, Rajasthan

DGT-6/20/1/1997-TC

Read as

Nathdwara Private ITI, Upali Oden, Nathdwara,

Rajsamand, Rajasthan-313301

DGT-6/20/1/1997-TC

In view of above, you may update your records accordingly.

Yours faithfully

((Raj Kumar Pathak

Director of Training/ Member Secretary (NCVT

- Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002
 - 2. The Principal, Nathdwara Private ITI, Upali Oden, Nathdwara, Rajsamand, Rajasthan-313301
 - 3. Officer dealing with NCVT MIS Portal to Update Data.
 - 4. Fill no. DGT-6/20/1/1997-TC

(M.C. Kardam)



Shram Shakti Bhawan, New Delhi

Dated: 20-01-2017

To,

The Director

Directorate of Employment & Training, Thycaud, Thiruvananthapuram - 695014, Kerala

Sub: Correction in the address of Institutes (Govt. ITI Rajakkad, Dist. Ldukki, Pin-685566, Kerala & Majmau Orphange Pvt. ITI Urangattiri, Therattammal PO Malappuram-673639, Kerala).....Issue of Corrigendum

Sir.

I am directed to inform you in respect of (Govt. ITI Rajakkad, Dist. Ldukki, Pin-685566, Kerala & Majmau Orphange Pvt. ITI Urangattiri, Therattammal PO Malappuram-673639, Kerala) regarding the Correction in the Address of the Institute.

Accordingly the correction have been carried out and amended for as given below the ITI's:

SI no.	Name & Address of the institute	For	Read As
1.	Govt. ITI Rajakkad, Dist. Ldukki, Pin-685566, Kerala DGET-6/11/6/2010-TC	Pin - 685516	Pin-685566
2.	Majmau Orphange Pvt. ITI Urangattiri, Therattammal PO Malappuram-673639, Kerala DGET-6/11/54/2008-TC	Theramattammal PO	Therattammal PO

In view of above, you may update your records accordingly.

Yours

((Raj Kumar Pathak)

Director of Training/ Member Secretary (NCVT

Copy to:

- The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002
- 2. The Principal, Govt. ITI Rajakkad, Dist. Ldukki, Pin-685566, Kerala
- 3. The Principal, Majmau Orphange Pvt. ITI, Urangattiri, Therattammal, PO Malappuram-673639, Kerala
- 4. Officer dealing with NCVT MIS Portal to Update Data.
- 5. Fill no. DGET-6/11/6/2010-TC, DGET-6/11/54/2008-TC

(M.C. Kardam)

Joint Director of Training

E-mail-: mc.kardam@nic.in



No. MSDE/DGT- 6/Corrigendum/2016-TC Government of India Ministry of Skill Development and Entrepreneurship **Directorate General of Training**

Shram Shakti Bhawan , New Delhi

Dated: 20.01.2017

To,

The Director Directroate of Technical Education Vocaional & Industrial Training, Dist. Sundernagar, Himachal Pradesh,

Sub: Correction in the name of the Institute in respect of Khanchi Private ITI, Near Home Guard Training Centre, Vill. Chakki Dhanoto, Tehsil. Shahpur, Dist- Kangra, Pin- 176203, Himachal Pradesh,Issue of Corrigendum

Sir,

It is to inform you in respect of Khanchi Private ITI, Near Home Guard Training Centre, Vill. Chakki Dhanoto, Tehsil. Shahpur, Dist- Kangra, Pin- 176203, Himachal Pradesh, regarding the Correction in the name of the Institute.

Accordingly the correction has been carried out and amended as :-

For

Kanchi Private ITI. Village & PO Dhanotu Shapur, Dist. Kangra, Himachal Pradesh

DGET-6/8/1/2011-TC (Part File)

Read as MIS Code: PR02000048 Khanchi Private ITI, Near Home Guard Training Centre, Vill. Chakki Dhanoto, Tehsil. Shahpur, Dist- Kangra, Pin- 176203, Himachal Pradesh

DGET-6/8/1/2011-TC (Part File)

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak Director of Training/

Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road,

I P Estate, Delhi - 110002

2. The Principal Khanchi Private ITI, Near Home Guard Training Centre, Vill. Chakki Dhanoto, Tehsil. Shahpur, Dist-Kangra, Pin- 176203, Himachal Pradesh

3. Officer dealing with NCVT MIS Portal to Update Data.

4. File no DGET-6/8/1/2001-TC (Part File)

(M.C. Kardam)

Joint Director of Training

E-mail-: mc.kardam@nic.in



Shram Shakti Bhawan, New Delhi

Dated: 20.01.2017

To,

The Director
Directorate of Employment & Training,
Block No. 9, Civic Centre, Madhatal
Jabalpur-482002
Madhya Pradesh

Sub: Correction in the units/trades of the Institute in respect of Rupali PVT. ITI, Gram Bharda Panagar, Jabalpur, Madhya Pradesh-483220 Issue of Corrigendum.

Sir.

It is to inform you in respect of Rupali PVT. ITI, Gram Bharda Panagar, Jabalpur, Madhya Pradesh-483220, regarding the **Correction in the number of Trade/Units granted to the Institute**.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2016 -TC dated 25.08.2015 (S. No.121 / Madhya Pradesh) QCI application no. App004164 and amended as :-

For

S. No.	Name, Address& File No. of the Institute	Trade	Unit for which affiliation sought/recommended by			Remarks
			Instt.	QCI	Approved by sub committee of NCVT	
121	Rupali PVT. ITI , Gram Bharda Panagar, Jabalpur, Madhya Pradesh-483220	Electrician	2(1+1)	2(1+1)	2(1+1)	App004164 w.e.f. Aug 2016

1+1+1) 3(1+1+1) 3(1+1	+ 1) App004164
	w.e.f. Aug 2016

In view of above, you may update your records accordingly.

Yours faithfully

Situale

Raj Kumar-Pathak)

Director of Training/

Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

- 2. The Principal, Rupali PVT. ITI, Gram Bharda Panagar, Jabalpur, Madhya Pradesh-483220
- 3. Officer dealing with NCVT MIS Portal to Update Data.
- 4. Fill No. DGET-6/12/37/2012-TC

(M. C Kardam)

Joint Director of Training

Email: mc.kardam@nic.in



Shram Shakti Bhawan, New Delhi Dated: 20.01.2017

To,

The Director

Directorate of Employment & Training Guru Gobind Singh Marg, Lucknow – 226004 Uttar Pradesh.

Sub: Correction in the number of Trade/Units of the Institute in respect of Indira Gandhi Private ITI, MAU, Village-Dumari, Post-Mariyadpur, Pin code:221602, Uttar Pradesh issue of Corrigendum

Sir,

It is to inform you that the <u>Correction in the number of Trade/Units</u> in respect of Indira Gandhi Private ITI, MAU, Village-Dumari, Post-Mariyadpur, Pin code:221602, Uttar Pradesh.

Accordingly the correction has been carried out for affiliation order no DGT-6/24/342/2016 - TC dated 07.10.2016 (S. No.250/ Uttar Pradesh) QCI application no. A16000241 and amended as:

For

S. N0.	Name, Address& File No. of the Institute	Trade	Unit for wh	ich affiliation sough by	Remarks	
			Instt.	QCÍ	Approved by sub committee of NCVT	
250	Indira Gandhi Private ITI, MAU, Village-Dumari, Post- Mariyadpur, Pin code:221602, Uttar Pradesh DGT-6/24/342/2016-TC	Electrician	6(2+2+2)	6(2+2+2)	6(2+2+2)	A16000241 w.e.f. August 2016

Read as

S. N0.	Name, Address& File No. of the Institute	Trade	Unit for wh	ich affiliation sough by	Remarks	
			Instt.	QCI	Approved by sub committee of NCVT	
250	Indira Gandhi Private ITI, MAU, Village-Dumari, Post- Mariyadpur, Pin code:221602, Uttar Pradesh DGT-6/24/342/2016-TC	Electrician	12(4+4+4)	12(4+4+4)	12(4+4+4)	A16000241 w.e.f. August 2016

In view of above, you may update your records accordingly.

(Raj Kumar Patha Director of Training/ Member Secretary

ours faithfully

Copy to:

- 1. The C.E.O NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4A, Ring Road, I.P Estate, Delhi-110002.
- 2. The Principal, Indira Gandhi Private ITI, MAU, Village-Dumari, Post-Mariyadpur, Pin code: 221602, Uttar Pradesh.
- 3. Officer dealing with NCVT MIS Portal to Update Data.
- 4. File No. DGT-6/24/342/2016-TC.

(M.C. Kardam) Joint Director of Training

Email ID: mc.kardam@nic.in



Shram Shakti Bhawan, New Delhi

Dated: 20-01-2017

To,

The Director Training,

Department of Labour, Employment and Training Nepal House, Doranda, Ranchi - 834002 Jharkhand

Sub: Correction in the Name, MIS Code & File No. of Chittaranjan Private ITI, Piyalsola, Mihijam, Dist. Jamtara, Pin- 815354, Jharkhand ... Issue of Corrigendum

Sir,

I am directed to inform you in respect of Chittaranjan Private ITI, Piyalsola, Mihijam, Dist. Jamtara, Pin- 815354, Jharkhand regarding the Correction in the Name, MIS Code & File No. of the Institute.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2013 -TC dated 26.09.2013 (S. No.1 / Jharkhand) and amended as:

SI No.	Name & Address of the Institute	For	Read as
1.	Chittaranjan Private ITI, Piyalsola, Mihijam,	MIS Code: PR0000223	MIS Code: PR20000183
	Dist. Jamtara, Pin- 815354 Jharkhand	File No: DGET-6/34/17/2010-TC	File No. DGT-6/34/4/2013-TC

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak) Director of Training/

Member Secretary (NCVT

- Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002
 - 2. The Principal, Chittaranjan Private ITI, Piyalsola, Mihijam, Dist. Jamtara, Pin- 815354, Jharkhand
 - 3. Officer dealing with NCVT MIS Portal to Update Data.
 - 4. Fill no. DGET-6/11/6/2010-TC, DGET-6/11/54/2008-TC

(M.C. Kardam)



Shram Shakti Bhawan, New Delhi

Dated: 20-01-2017

To,

The Director
Directorate of Technical Education
6, Residency Road, Jodhpur-342001,
Rajasthan

Sub: Correction in the File No. of MODI Private ITI, Plot No 2, Sector No 2, Swamivivekanand Nagar, Kota, Pin-324010, Rajasthan ... Issue of Corrigendum

Sir,

I am directed to inform you in respect of MODI Private ITI, Plot No 2, Sector No 2, Swamivivekanand Nagar, Kota, Pin-324010, Rajasthan regarding the **Correction in the & File No. of the Institute.**

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2013 -TC dated 30.08.2016 (S. No.38 / Rajasthan) and amended as:

SI No	Name & Address of the Institute	For	Read as
38.	MODI Private ITI, Plot No 2, Sector No 2, Swamivivekanand Nagar, Kota, Pin-324010, Rajasthan	File No: DGT-6/20/323/2004-TC	File No. DGT-6/20/323/2014-TC

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Rathak) ^^
Director of Training/
Member Secretary (NCVT

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002

- 2. The Principal, MODI Private ITI, Plot No 2, Sector No 2, Swamivivekanand Nagar, Kota, Pin-324010, Rajasthan
- 3. Officer dealing with NCVT MIS Portal to Update Data.
- 4. Fill no. DGET-6/11/6/2010-TC, DGET-6/11/54/2008-TC

M.C. Kardam)



Shram Shakti Bhawan, New Delhi

Dated: 20.01.2017

To.

The Director Directorate of Technical Education 6, Residency Road, Jodhpur-342001, Rajasthan

Sub: Correction in the number of Trade/Units of the Institute in respect of CH Mota Ram Meel Memorial Private ITI, Chak 5 Nrd, Vill. - Nirwana, Tehsil - Suratgarh, Distt. - Sri Ganganagar, Pin-335804, Rajasthan....Issue of Corrigendum.

Sir.

I am directed to inform you in respect of CH Mota Ram Meel Memorial Private ITI, Chak 5 Nrd, Vill. - Nirwana, Tehsil - Suratgarh, Distt. - Sri Ganganagar, Pin-335804, Rajasthan, regarding the **Correction in the number of Trade/Units of the Institute**.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2016 -TC dated 16.09.2016 (S. No.63 / Rajasthan) QCI application no. A16000621 and amended as :-

S. No.	Name, Address& File No. of the Institute	Trade	Ui so	Remarks		
			Instt.	QCI	Approved by sub committee of NCVT	
63	CH Mota Ram Meel Memorial Private ITI, Chak 5 Nrd, Vill Nirwana, Tehsil-Suratgarh, Distt Sri Ganganagar, Pin-335804, Rajasthan	Electrician	3(1+1+1)	3(1+1+1)	3(1+1+1)	A16000621 w.e.f. August 2016
	Read as	V.		A Company of the Comp		
63	MIS Code: Not Exist	Electrician	3(1+1+1)	3(1+1+1)	3(1+1+1)	A16000621 w.e.f. August 2016

63	MIS Code: Not Exist CH Mota Ram Meel Memorial	Electrician	3(1+1+1)	3(1+1+1)	3(1+1+1)	A16000621 w.e.f. August 2016
	Private ITI, Chak 5 Nrd, Vill Nirwana, Tehsil-Suratgarh,	Plumber	3(1+1+1)	3(1+1+1)	3(1+1+1)	
	Distt Sri Ganganagar, Pin-335804, Rajasthan DGT-6/20/36/2016-TC					

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak) Director of Training/

Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

2. The Principal, CH Mota Ram Meel Memorial Private ITI, Chak 5 Nrd, Vill. - Nirwana, Tehsil - Suratgarh, Distt. - Sri Ganganagar, Pin-335804, Rajasthan

3. Officer dealing with NCVT MIS Portal to Update Data.

4. Fill No. DGT-6/20/36/2016-TC

(M. C Kardam)



Shram Shakti Bhawan, New Delhi

Dated: 20.01.2017

To

The Commissioner
Employment & Training
D / Block, 3rd & 4th Floors, BRK Bhavan,
Tankbund Road, Hyderabad
Andhra pradesh

Sub: Cumulative information on affiliation granted (numer of trades/ Units) in respect of National Private ITI Kongareddy Palle Road Door No 22-11, 32/6 SBI Colony, Chittoor, Pin- 517001, Andhra PradeshIssue of Corrigendum.

Sir,

It is to inform you that the Correction in number of trades/ Units in respect of National Private ITI Kongareddy Palle Road Door No 22-11, 32/6 SBI Colony, Chittoor, Pin- 517001, Andhra Pradesh has been carried out and ammended as below:-

For :-

National Industrial Training Centre Kongareddy Palle Road Door No. 22-11, 32/6 SBI Col Chittoor, Pin- 517001, Andhra Pradesh DGET-6/1/41/82-TC (pvt.)

Read as :-

S. No.	Name and address of Institutes	Trades/Units affiliated to NC\ record and MIS portal	/T As per DGET
1	MIS Code: PR28000359 National Private ITI Kongareddy Palle Road Door No 22-11, 32/6 SBI Colony, Chittoor, Pin- 517001, Andhra Pradesh DGET-6/1/41/82-TC	1. Electrician 2. Mechanic Diesel 3. Draghutsman Civil 4. Fitter	6(3+3) 2 (1+1) 2(1+1) 2(1+1)
	Т	otal – 12 units	

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak)

Director of Training/
Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

- 2. The Principal, National Private ITI Kongareddy Palle Road Door No 22-11, 32/6 SBI Colony, Chittoor, Pin- 517001, Andhra Pradesh
- 3. Officer dealing with NCVT MIS Portal to Update Data.
- 4. Fill No. DGET-6/1/41/82-TC

(M. C Kardam)



Shram Shakti Bhawan, New Delhi

Dated: 20.01.2017

To

The Commissioner
Employment & Training
D / Block, 3rd & 4th Floors, BRK Bhavan,
Tankbund Road, Hyderabad
Andhra pradesh

Sub: Cumulative information on affiliation granted (numer of trades/ Units) in respect of Repalle Christian Private ITI, Bethapudi, Repalle Mandal, Distt. Guntur, Pin- 522414, Andhra PradeshIssue of Corrigendum.

Sir,

It is to inform you that the Correction in number of trades/ Units in respect of Repalle Christian Private ITI, Bethapudi, Repalle Mandal, Ditt. Guntur, Pin- 522414, Andhra Pradesh has been carried out and ammended as below:-

For:-

R.C.Industrial Training Centre, Nagaram Distt. Guntur, Pin- 522414, Andhra Pradesh DGET-6/1/31/98-TC

Read as :-

S. No.	Name and address of Institutes	Trades/Units affiliated to NO record and MIS portal	VT As per DGET
1	MIS Code: PR28000342 Repalle Christian Private ITI, Bethapudi, Repalle Mandal, Distt. Guntur, Pin- 522414, Andhra Pradesh DGET-6/1/31/98-TC	Electrician Mechanic Diesel Fitter	4(2+2) 2 (1+1) 2(1+1)
	1	Total – 10 units	

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak)) | Director of Training/

Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

- 2. The Principal, Repalle Christian Private ITI, Bethapudi, Repalle Mandal, Ditt. Guntur, Pin- 522414, Andhra Pradesh
- 3. Officer dealing with NCVT MIS Portal to Update Data.
- 4. Fill No. DGET-6/1/31/98-TC

(M. C Kardam)_



Shram Shakti Bhawan, New Delhi Dated: 20.01.2017

To

The Director

Directorate of Employment & Training Guru Gobind Singh Marg, Lucknow - 226004 Uttar Pradesh.

Sub: Correction in the number of Trade/Units of the Institute in respect of Raghunath Singh Private ITI, Ghazipur, Amahat Ghazipur Pin code: 233229, Uttar Pradesh issue of Correigendum

Sir,

It is to inform you that the correction in the number of Trade/Units in respect of Raghunath Singh Private ITI, Ghazipur Amahat Ghazipur Pin code: 233229 Uttar Pradesh

Accordingly the correction has been carried out for affiliation order no DGT/6/24/58/2016-TC dated 16.09.2016 (S. No. 32/ Uttar Pradesh) as amended as:

For

S. NO.	Name, Address& File No. of the Institute	Trade	Unit for which	Remarks		
			Instt.	QCI	Approved by sub committee of NCVT	
32	Raghunath Singh Private ITI, Ghazipur Amahat Post Bhisham Amahat Ghazipur, Pin code : 233229 Uttar Pradesh DGT/6/24/58/2016-TC	Electrician Fitter	6(2+2+2) 6(2+2+2)	6(2+2+2) 6(2+2+2)	6(2+2+2) 6(2+2+2)	A16000396 w.e.f. August 2016

Read as

S.	Name, Address& File No. of	Trade	Unit for which	Remarks		
N0.	the Institute		Instt.	QCI	Approved by sub committee of NCVT	
32	Raghunath Singh Private ITI, Ghazipur Amahat Post Bhisham Amahat Ghazipur, Pin code : 233229	Electrian	12(4+4+4)	12(4+4+4)	12(4+4+4)	A16000396 w.e.f. August 2016
	Uttar Pradesh DGT/6/24/58/2016-TC	Fitter	9(3+3+3)	9(3+3+3)	9(3+3+3)	

In view of above, you may update your records accordingly.

(Raj Kumar Pathak Director of Training/ Member Secretary

ours faithfully

Copy to:

- The C.E.O NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4A, Ring Road, I.P Estate, Delhi-
- The Principal Raghunath Singh Private ITI, Ghazipur Amahat Post Bhisham Amahat Ghazipur Pin code: 233229, Uttar Pradesh
- 3. Officer dealing with NCVT MIS Portal to Update Data.
- File No. DGT/6/24/58/2016-TC

(M.C. Kardam)



Shram Shakti Bhawan, New Delhi Dated: 20.01.2017

То

The Director

Directorate of Employment & Training Guru Gobind Singh Marg, Lucknow – 226004 Uttar Pradesh.

Sub: Correction in the number of Trade/Units of the Institute in respect in respect of Gopinath Private ITI, Ghazipur Village-Dewali, Post-Salamatpur, District-Ghazipur, Pin code:275201, Uttar Pradesh issue of Corrigendum

Sir,

It is to inform you that the <u>correction in the number of Trade/Units</u> in respect of Gopinath Private ITI, Ghazipur Village-Dewali, Post-Salamatpur, District-Ghazipur, Pin code:275201, Uttar Pradesh.

Accordingly the correction has been carried out for affiliation order no DGT-6/24/293/2016 -TC dated 07.10.2016 (S. No.147/ Uttar Pradesh) and amended as:

For

S.	Name, Address& File No. of	Trade	Unit for wh	ich affiliation sou	Remarks	
N0.	the Institute		Instt.	QCI	Approved by sub committee of NCVT	
147	Gopinath Private ITI, Ghazipur Village-Dewali, Post-Salamatpur,District- Ghazipur, Pin code:275201, Uttar Pradesh DGT-6/24/293/2016 -TC	Electrician	6(2+2+2)	6(2+2+2)	6(2+2+2)	A160002735 w.e.f. August 2016

Read as

S. No.	Name, Address& File No. of the Institute	Trade	Unit for wh	ich affiliation sou	ght/recommended by	Remarks
NU.	the institute		Instt.	QCI	Approved by sub committee of NCVT	
147	Gopinath Private ITI, Ghazipur Village-Dewali, Post-Salamatpur,District- Ghazipur, Pin code:275201, Uttar Pradesh DGT-6/24/293/2016 -TC	Electrician	12(4+4+4)	12(4+4+4)	12(4+4+4)	A160002735 w.e.f. August 2016

In view of above, you may update your records accordingly.

(Raj Kumar Pathak Director of Training/ Member Secretary

ours faithfully

Copy to:

- 1. The C.E.O NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4A, Ring Road, I.P Estate, Delhi-
- 2. The Principal, Gopinath Private ITI, Ghazipur Village-Dewali, Post-Salamatpur, ,District-Ghazipur, Pin code:275201, Uttar Pradesh.
- 3. Officer dealing with NCVT MIS Portal to Update Data.
- 4. File No. DGT-6/24/293/2016 -TC

(M.C. Kardam)

Joint Director of Training

Email ID: mc.kardam@nic.in



Shram Shakti Bhawan, New Delhi

Dated: 20.01.2017

To

The Commissioner
Employment & Training
D / Block, 3rd & 4th Floors, BRK Bhavan,
Tankbund Road, Hyderabad
Andhra pradesh

Supersedes previous letter no. MSDE/DGT-6/ Corrigendum/2016-TC dated 09.11. 2016

Sub: Cumulative information on affiliation granted (numer of trades/ Units) J V R R Memorial Pvt. Industial Training Institute, Nandyal, L.K.R Estate V. C Colony, R.S, Road Nandyal, Kurnool – 518502, Andhra Pradesh.... Issue of Corrigendum.

Sir,

It is to inform you that the Correction in number of trades/ Units in respect of J V R R Memorial Pvt. Industial Training Institute, Nandyal, L.K.R Estate V. C Colony, R.S, Road Nandyal, Kurnool – 518502, Andhra Pradesh.has been carried out and ammended as below:-

For :-

J V R R Memorial Pvt. Industial Training Institute, Nandyal, L.K.R Estate V. C Colony, R.S, Road Nandyal, Kurnool – 518502, Andhra Pradesh DGET-6/1/15/1993-TC

Read as :-

MIS Code: PU28000043

J V R R Memorial Pvt. Industial Training Institute, Nandyal, L.K.R Estate V. C Colony, R.S, Road Nandyal, Kurnool – 518502, Andhra Pradesh DGET-6/1/15/1993-TC

S.No.	Trade	Units	Remark
1	Draughtsman Civil	5 (2+2+1)	
2	Electrician	18 (6+6+6)	
3	Fitter	7 (3+3+1)	
4	Electronics Mechanic	4(2+2)	
5	Mechanic Motor Vehicle	4(2+2)	
6	Mechanic Diesel	6 (2+2+2)	
	Tot	al Units - 44 Nos.	

In view of above, you may update your records accordingly.

Situale

ours faithfully

(Raj Kumar Pathak)

Director of Training/
Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

2.. The Principal, J V R R Memorial Pvt. Industial Training Institute, Nandyal, L.K.R Estate V. C Colony, R.S, Road Nandyal, Kurnool – 518502, Andhra Pradesh

3. Officer dealing with NCVT MIS Portal to Update Data.

4. Fill No. DGET-6/1/15/1993-TC

(M. C Kardam)

Joint Director of Training

Email: mc.kardam@nic.in



Shram Shakti Bhawan, New Delhi

Dated: 20.01.2017

To,

The Director Directorate of Technical Education W-6, Residency Road, Jodhpur-342001, Rajasthan

Sub: Correction in the number of Trade/Units of the Institute in respect of Rajasthali Private ITI, Vill. Doika Bas Bandikui Road, Dist. Dausa, Pin-303326, RajasthanIssue of Corrigendum.

Sir.

It is to inform you that the Correction in number of trades/ Units in respect of Rajasthali Private ITI, Vill. Doika Bas Bandikui Road, Dist. Dausa, Pin-303326, Rajasthan.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2016 -TC dated 25.08.2015 (S. No.85 / Rajasthan) QCI application no. App003076 and amended as :-

	r	.0	r
N	a	m	e.

S. No.	Name, Address& File No. of the Institute	Trade		Init for which a ought/recomm		Remarks
			Instt.	QCI	Approved by sub committee of NCVT	
85	Rajasthali Private ITI, Vill. Doika Bas Bandikui Road, Dist. Dausa, Pin-303326 Rajasthan DGET-6/20/577/2014-TC	Electrician	Addl. 6(2+2+2)	Addl. 6(2+2+2)	Addl.6(2+2+2) Total 12(4+4+4)	Assessment- 03/8/2015 App003076 w.e.f. Aug 2015

85	MIS Code; Nil Rajasthali Private ITI, Vill. Doika Bas Bandikui Road, Dist. Dausa, Pin-303326 Rajasthan	Electrician	Addl. 6(2+2+2)	Addl. 6(2+2+2)	Addl. 6(2+2+2) Total 9(3+3+3)	Assessment- 03/8/2015 App003076 w.e.f. Aug 2015
	DGET-6/20/577/2014-TC					

In view of above, you may update your records accordingly.

(Raj Kumar Pathak) Director of Training/ Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi - 110002.

2. The Principal, Rajasthali Private ITI, Vill. Doika Bas Bandikui Road, Dist. Dausa, Pin-303326, Rajasthan.

3. Officer dealing with NCVT MIS Portal to Update Data.

4. Fill No. DGET-6/20/577/2014-TC

(M. C Kardam)



Shram Shakti Bhawan, New Delhi Dated: 20.01.2017

To,

The Director

Directorate of Employment & Training Guru Gobind Singh Marg, Lucknow – 226004 Uttar Pradesh.

Sub: Correction in the number of Trade/Units of the Institute in respect of Shri Nehru Private ITI, Village +Post Garwar, Distt- Ballia, Pin code:277121, Uttar Pradesh issue of Corrigendum.

Sir,

It is to inform you that the **Correction in the number of Trade/Units** in respect of Shri Nehru Private ITI, Village +Post Garwar, Distt- Ballia, Pin code:277121, Uttar Pradesh.

Accordingly the correction has been carried out for affiliation order no DGT-6/24/54/2016 -TC dated 16.09.2016 (S. No.29/ Uttar Pradesh) QCI application no. A16000068 and amended as:

For

S.	Name, Address& File No. of	Trade	Trade Unit for which affiliation sought/recommended by			Remarks
N0.	the Institute		Instt.	QCI	Approved by sub committee of NCVT	
29	Shri Nehru Private ITI, Village +Post Garwar, Distt- Ballia, Pin code:277121,	Electrician	6(2+2+2)	6(2+2+2)	6(2+2+2)	A16000068 w.e.f. August 2016
	Uttar Pradesh DGT-6/24/54/2016-TC	Fitter	3(1+1+1)	3(1+1+1)	3(1+1+1)	

Read as

S.	Name, Address& File No.	Trade	Unit for whi	ch affiliation sough	t/recommended by	Remarks
NO.	of the Institute		Instt.	QCI	Approved by sub committee of NCVT	
29	Shri Nehru Private ITI, Village +Post Garwar, Distt- Ballia, Pin	Electrician	15(5+5+5)	15(5+5+5)	15(5+5+5)	A16000068 w.e.f. August 2016
	code:277121, Uttar Pradesh	Fitter	6(2+2+2)	6(2+2+2)	6(2+2+2)	
	DGT-6/24/54/2016-TC	COPA	3(1+1+1)	3(1+1+1)	3(1+1+1)	

In view of above, you may update your records accordingly.

Director of Training/ Member Secretary (NCVT)

(Raj Kumar Pathak

Copy to:

- 1. The C.E.O NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4A, Ring Road, I.P Estate, Delhi-110002.
- 2. The Principal, Shri Nehru Private ITI, Village +Post Garwar, Distt- Ballia, Pin code:277121, Uttar Pradesh.
- 3. Officer dealing with NCVT MIS Portal to Update Data.
- 4. File No. DGT-6/24/54/2016-TC.

(M.C. Kardam)
Joint Director of Training



Shram Shakti Bhawan, New Delhi

Dated: 20.01.2017

To,

The Director
Directorate of Technical Education & Industrial Training
Takniki Bhavan, Plot No.1A, Sector 36,
Chandigarh-160036, Punjab.

Sub: Correction in the number of Trade/Units of the Institute in respect of Deol Private ITI, Guraspur, Vill. Bariar Adda Ranjit Bagh, Pin- 143521, PunjabIssue of Corrigendum.

Sir,

It is to inform you that Deol Private ITI, Guraspur, Vill. Bariar Adda Ranjit Bagh, Pin- 143521, Punjab, regarding the **Correction in the number of Trade/Units of the Institute**.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2016 -TC dated 29.09.2016 (S. No.08 / Punjab) QCI application no. A16000974 and amended as :-

For

S. No.	Name, Address& File No. of the Institute	Trade	Un sou	Remarks		
			Instt.	QCI	Approved by sub committee of NCVT	
08	Deol Private ITI, Guraspur, Vill. Bariar Adda Ranjit Bagh, Pin- 143521, Punjab	Sewing Technology	2(1+1)	2(1+1)	2(1+1)	A16000974 w.e.f. August 2016

Read as					
				_	_
	н	1.22	10	- 24	ĸ

A.	ricad as					
08	MIS Code: PR03000347 Deol Private ITI, Guraspur, Vill. Bariar Adda	Sewing Technology	2(1+1)	2(1+1)	2(1+1)	A16000974 w.e.f. August 2016
	Ranjit Bagh, Pin- 143521, Punjab DGET-6/19/12/2015-TC	Fashion Design Technology	2(1+1)	2(1+1)	2(1+1)	

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak)

Director of Training/ Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

- 2. The Principal, Deol Private ITI, Guraspur, Vill. Bariar Adda Ranjit Bagh, Pin- 143521, Punjab.
- 3. Officer dealing with NCVT MIS Portal to Update Data.
- 4. Fill No. DGET-6/19/12/2015-TC

(M. C Kardam)

Joint Director of Training

Email: mc.kardam@nic.in



Shram Shakti Bhawan, New Delhi

Dated: 20-01-2017

To,

The Director Directorate of Technical Education W-6, Residency Road, Jodhpur-342001, Rajasthan

Sub: Affiliation of Mahesh Private ITI, Opp BSNL office Nehru Road, District Bhilwara, Pin-3011001, Rajasthan....Issue of Corrigendum

Sir,

I am directed to inform you in respect of Mahesh Private ITI, Opp BSNL office Nehru Road. District Bhilwara, Pin-3011001, Rajasthan regarding the Correction in the Name of the trade/units of the institute.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2015 -TC dated 25.08.2015 Part-II (S. No.11 / Rajasthan), Re-affiliation and amended as:

SI No.	Name & Address of the Institute	For	Read as
11	MIS Code: PR08000408 Mahesh Private ITI, Opp BSNL office Nehru Road, District Bhilwara, Pin- 3011001, Rajasthan DGT-6/20/102/2007-TC (Part File)	Electrician – 2(1+1)	Electronics Mechanic – 2(1+1)

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak)

Director of Training/ Member Secretary (NCVT

- Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002
 - 2. The Principal, Mahesh Private ITI, Opp BSNL office Nehru Road, District Bhilwara, Pin-3011001, Rajasthan
 - 3. Officer dealing with NCVT MIS Portal to Update Data.
 - 4. Fill no. DGT-6/20/102/2007-TC (Part File)

(M.C. Kardam)



Shram Shakti Bhawan, New Delhi

Dated: 20-01-2017

To,

The Director

Directorate of Technical Education & Vocational Training, 3- Mahapalika Marg, P.Box No. 10067, Mumbai – 400001, Maharashtra

Sub: Affiliation of Khandesh Private ITI, Main Road, District Jalgaon, Pin-424101, Maharashtra.....Issue of Corrigendum

Sir,

I am directed to inform you in respect of Khandesh Private ITI, Main Road, District Jalgaon, Pin-424101, Maharashtra regarding the **Correction in the Name of the trade/units of the institute**.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2016 -TC dated 16.09.2016 (S. No.1 / Maharashtra) and amended as:

SI No.	Name & Address of the Institute	For	Read as
1	MIS Code: PR27000881 Khandesh Private ITI, Main Road, District Jalgaon, Pin-424101, Maharashtra DGT-6/13/1/2016-TC	Sheet Metal Worker – 3(1+1+1)	Fitter – 3(1+1+1)

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak)

Director of Training/ Member Secretary (NCVT

Copy to:

- 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi 110002
- 2. The Principal, Khandesh Private ITI, Main Road, District Jalgaon, Pin-424101, Maharashtra
- 3. Officer dealing with NCVT MIS Portal to Update Data.
- 4. Fill no. DGT-6/13/1/2016-TC

(M.C. Kardam)



Shram Shakti Bhawan, New Delhi

Dated: 20-01-2017

To,

The Director Industrial Training & Vocational Education 30, Bay's Building, Sector-17, Chandigarh-160017, Haryana

Sub: Affiliation of Government ITI Hansi, Delhi Road National Highway -10, Near Paradise Hotel Hansi, Distt. Hisar, Pin- 125033, Haryana.. ... Issue of Corrigendum

Sir,

I am directed to inform you in respect of Government ITI Hansi, Delhi Road National Highway -10, Near Paradise Hotel Hansi, Distt. Hisar, Pin-125033, Haryana regarding the Correction in the Name of the trade/units of the institute.

Accordingly the correction has been carried out for Affiliation order after getting clarification from QCI meeing 16.09.2016 no DGET 12/1/2016 -TC dated 16.09.2016 (S. No.2 / Haryana) QCI application no. A16000788 and amended as:

SI No.	Name & Address of the Institute	For	Read as		
2	MIS Code: GR06000315 Government ITI Hansi, Delhi Road National Highway -10, Near Paradise Hotel Hansi, Distt. Hisar, Pin- 125033, Haryana DGT-6/7/15/2016-TC	Turner – 2(1+1)	Turner – 4(2+2)		

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak)

Director of Training/ Member Secretary (NCVT

- Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi - 110002
 - 2. The Principal, Government ITI Hansi, Delhi Road National Highway -10, Near Paradise Hotel Hansi, Distt. Hisar, Pin- 125033, Harvana
 - 3. Officer dealing with NCVT MIS Portal to Update Data.
 - 4. Fill no. DGT-6/7/15/2016-TC

(M.C. Kardam)



Shram Shakti Bhawan, New Delhi

Dated: 24.01.2017

To

The Commissioner **Employment & Training** D / Block, 3rd & 4th Floors, BRK Bhavan, Tankbund Road, Hyderabad Telangana

Sub: Cumulative information on affiliation granted (numer of trades/ Units) in respect of Sarada Private ITI, Balapur, Saroonager, Dist. Ranga Reddy, Pin-500035, TelanganaIssue of Corrigendum.

Sir,

It is to inform you that the Correction in number of trades/ Units in respect of Sarada Private ITI, Balapur, Saroonager, Dist. Ranga Reddy, Pin-500035, Telangana has been carried out and ammended as below :-For :-

Sarada Private ITI, Balapur, Saroonager, Dist. Ranga Reddy, Pin-500035, Telangana DGET-06(1)/15/88-TC

Read as :-

S. No.	Name and address of Institutes	Trades/Units affiliated to NCVT As per DGET record and MIS portal
1	MIS Code: PU36000059 Sarada Private ITI, Balapur, Saroonager, Dist. Ranga Reddy, Pin- 500035, Telangana DGET-06(1)/15/88-TC	1. Electrician 6(2+2+2) 2. Fitter 6(2+2+2) 3. Draughtsman (Civil) 2(1+1)
	T	otal – 14 units

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak Director of Training/

Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

- 2. The Principal, Sarada Private ITI, Balapur, Saroonager, Dist. Ranga Reddy, Pin-500035, Telangana
- 3. Officer dealing with NCVT MIS Portal to Update Data.
- 4. Fill No. DGET-06(1)/15/88-TC

(M. C Kardam)

Joint Director of Training

Email: mc.kardam@nic.in



Shram Shakti Bhawan, New Delhi

Dated: 24.01.2017

To

The Commissioner
Employment & Training
D / Block, 3rd & 4th Floors, BRK Bhavan,
Tankbund Road, Hyderabad
Telangana

Sub: Cumulative information on affiliation granted (numer of trades/ Units) in respect of Rehana Memorial Private ITI, H.N.S-9-97 Inside Fort Khammah Ballepalli, Dist. Khammam, Pin-507001, TelanganaIssue of Corrigendum.

Sir,

It is to inform you that the Correction in number of trades/ Units in respect of Rehana Memorial Private ITI, H.N.S-9-97 Inside Fort Khammah Ballepalli, Dist. Khammam, Pin-507001, Telangana has been carried out and ammended as below:-

For:-

Rehana Memorial Private ITI, H.N.S-9-97 Inside Fort Khammah Ballepalli, Dist. Khammam, Pin-507001, Telangana DGET-6/1/169/93-TC

Read as :-

S. No.	Name and address of Institutes	Trades/Units affiliated to NCVT As per DGET record and MIS portal				
1	MIS Code: PU36000095 Rehana Memorial Private ITI, H.N.S-9-97 Inside Fort Khammah Ballepalli, Dist. Khammam, Pin-507001, Telangana DGET-6/1/169/93-TC	Electrician Fitter Mechanic Diesel	6(2+2+2) 2(1+1) 2(1+1)			

Total - 10 units

In view of above, you may update your records accordingly.

(Raj Kumar Pathak)

Yours faithfully

Director of Training/ Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

- 2. The Principal, Rehana Memorial Private ITI, H.N.S-9-97 Inside Fort Khammah Ballepalli, Dist. Khammam, Pin-507001, Telangana
- 3. Officer dealing with NCVT MIS Portal to Update Data.
- 4. Fill No. DGET-6/1/169/93-TC

(M. C Kardam)



Shram Shakti Bhawan, New Delhi

Dated: 24.01.2017

To

The CommissionerEmployment & Training
D / Block, 3rd & 4th Floors, BRK Bhavan,
Tankbund Road, Hyderabad **Telangana**

Sub: Cumulative information on affiliation granted (numer of trades/ Units) in respect of Nandi Private ITI, Kodangal Ragadamaila Varamkodangail, Dist. Mahbubnagar, Pin-509339, TelanganaIssue of Corrigendum.

Sir,

It is to inform you that the Correction in number of trades/ Units in respect of Nandi Private ITI, Kodangal Ragadamaila Varamkodangail, Dist. Mahbubnagar, Pin-509339, Telangana has been carried out and ammended as below:-

For :-

Nandi Private ITI, Kodangal Ragadamaila Varamkodangail, Dist. Mahbubnagar, Pin-509339, Telangana DGET-6/1/21/99-TC

Read as :-

S. No.	Name and address of Institutes	Trades/Units affiliated to NCVT As per DGET record and MIS portal				
1	MIS Code: PR36000179 Nandi Private ITI, Kodangal Ragadamaila Varamkodangail, Dist. Mahbubnagar, Pin- 509339, Telangana DGET-6/1/21/99-TC	Electrician Draughtsman (Civil) Mechanic Diesel	8(4+4) 2(1+1) 2(1+1)			
	Т	otal – 12 units				

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathak)
Director of Training/

Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

- 2. The State Director of Telangana, Nandi Private ITI, Kodangal Ragadamaila Varamkodangail, Dist. Mahbubnagar, Pin-509339, Telangana
- 3. Officer dealing with NCVT MIS Portal to Update Data.
- 4. Fill No. DGET-6/1/21/99-TC

(M. C Kardam)



Shram Shakti Bhawan, New Delhi

Dated: 20.01.2017

To,

The Director
Directorate of Technical Education
W-6, Residency Road, Jodhpur-342001,
Rajasthan

Sub: Correction in the number of Trade/Units of the Institute in respect of Vinayak Private ITI, Opp. Veterinary Hospital Tonk Road, Newai, Distt Tonk, Pin-304021, RajasthanIssue of Corrigendum.

Sir,

It is to inform you that the in respect of Vinayak Private ITI, Opp. Veterinary Hospital Tonk Road, Newai, Distt Tonk, Pin-304021, Rajasthan, Correction in number of trades/ Units of the institute.

Accordingly the correction has been carried out for affiliation order no DGET 12/1/2016 -TC dated 30.08.2016 (S. No.28 / Rajasthan -) and amended as :-

For

Sl. No.	App. No.	Name & Address	Old/ New	Trade /units for which affiliation sought/recommended/approved by				DGT file reference
				Trade	Instt.	QCI	Approved by Sub- Committee of NCVT	
28	N16001720	Vinayak Private ITI, Opp. Veterinary Hospital Tonk Road, Newai, Distt Tonk, Pin-304021, Rajasthan	Old	Electrician	2(0+0+2)	2(0+0+2)	2(0+0+2)	w.e.f. August 2016

Read as

28	N16001720	Vinayak Private ITI, Opp.	Old	Electrician*	2(1+1)	2(1+1)	2(1+1)	w.e.f. August 2016
	MIS Code - PR08001217	Veterinary Hospital Tonk Road, Newai, Distt Tonk, Pin-304021, Rajasthan DGET6/20/70/20 09-TC		Electrician	4(1+1+2)	4(1+1+2)	4(1+1+2) Total- 6(2+2+2)	* Re- affiliation

In view of above, you may update your records accordingly.

Yours faithfully

(Raj Kumar Pathek)

Director of Training/

Member Secretary (NCVT)

Copy to: 1. The C. E. O. NABET c/o Quality Council of India, ITPI Building, 6th Floor, 4 A, Ring Road, I P Estate, Delhi – 110002.

- 2. The Principal, Vinayak Private ITI, Opp. Veterinary Hospital Tonk Road, Newai, Distt Tonk, Pin-304021, Rajasthan.
- 3. Officer dealing with NCVT MIS Portal to Update Data.
- 4. Fill No. DGET6/20/70/2009-TC

(M. C Kardam)